



(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
09.03.2011 Bulletin 2011/10

(51) Int Cl.:
H01L 51/52 (2006.01) H01L 27/32 (2006.01)

(43) Date of publication A2:
11.10.2006 Bulletin 2006/41

(21) Application number: **06007285.7**

(22) Date of filing: **06.04.2006**

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

Designated Extension States:
AL BA HR MK YU

(30) Priority: **06.04.2005 KR 20050028733**
10.05.2005 KR 20050038967
10.05.2005 KR 20050038936

(71) Applicant: **LG Display Co., Ltd.**
Seoul 150-721 (KR)

(72) Inventors:

- **Kim, Woonchan**
Gangdong-gu
Seoul (KR)
- **Yoon, Jong Geun**
Anyang-si
Gyeonggi-do (KR)

(74) Representative: **Viering, Jentschura & Partner**
Postfach 22 14 43
80504 München (DE)

(54) **Light emitting display**

(57) The present invention provides a light emitting display with excellent reliability by preventing degradation

tion by heat such as color changes or luminance reduction, through uniform and quick discharge of heat generated internally by the use of banks.

Fig. 2





Fig. 3





EUROPEAN SEARCH REPORT

Application Number
EP 06 00 7285

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	US 2004/113550 A1 (ADACHI MASAYA [JP] ET AL) 17 June 2004 (2004-06-17)	1,2,5,6,10,13-18	INV. H01L51/52
Y	* paragraph [0050] - paragraph [0052]; figures 1,30 *	3,4,7,8,11	H01L27/32
	* paragraph [0123] - paragraph [0124] *		
	* paragraph [0081] *		

X	US 2004/016568 A1 (PALANISAMY PONNUSAMY [US]) 29 January 2004 (2004-01-29)	1,9,12	
	* paragraph [0021]; figures 1,6 *		
	* paragraph [0023] *		
	* paragraph [0052] - paragraph [0053] *		

Y	JP 2003 347043 A (HITACHI LTD; HITACHI DEVICE ENG) 5 December 2003 (2003-12-05)	3,4	
	* paragraph [0039] - paragraph [0042]; figures 1,7 *		

Y	US 2004/091741 A1 (LIN HSIEN-CHANG [TW] ET AL) 13 May 2004 (2004-05-13)	7,8,11	
	* paragraph [0042] - paragraph [0042]; figure 4 *		TECHNICAL FIELDS SEARCHED (IPC)
	* paragraph [0035] *		H01L
	* paragraph [0055] *		

The present search report has been drawn up for all claims			
Place of search Munich		Date of completion of the search 25 January 2011	Examiner Beierlein, Udo
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

2

EPO FORM 1503 03/02 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 06 00 7285

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

25-01-2011

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2004113550 A1	17-06-2004	JP 4252297 B2	08-04-2009
		JP 2004192977 A	08-07-2004
		KR 20040051483 A	18-06-2004
		US 2006138950 A1	29-06-2006
US 2004016568 A1	29-01-2004	US 2005095878 A1	05-05-2005
JP 2003347043 A	05-12-2003	NONE	
US 2004091741 A1	13-05-2004	NONE	

专利名称(译)	发光显示器		
公开(公告)号	EP1710851A3	公开(公告)日	2011-03-09
申请号	EP2006007285	申请日	2006-04-06
申请(专利权)人(译)	LG电子株式会社.		
当前申请(专利权)人(译)	LG DISPLAY CO. , LTD.		
[标]发明人	KIM WOOCHAN YOON JONG GEUN		
发明人	KIM, WOOCHAN YOON, JONG GEUN		
IPC分类号	H01L51/52 H01L27/32		
CPC分类号	H01L27/3246 H01L27/3283 H01L51/529		
代理机构(译)	庆祝活动 , JENTSCHURA & PARTNER		
优先权	1020050038936 2005-05-10 KR 1020050038967 2005-05-10 KR 1020050028733 2005-04-06 KR		
其他公开文献	EP1710851B1 EP1710851A2		
外部链接	Espacenet		

摘要(译)

本发明通过使用堤内部产生的热量的均匀和快速放电，提供了一种具有优异可靠性的发光显示器，其通过诸如颜色变化或亮度降低之类的热量防止劣化。

Fig. 2

