



US 20080093983A1

(19) **United States**

(12) **Patent Application Publication** (10) **Pub. No.: US 2008/0093983 A1**

**Cho et al.** (43) **Pub. Date: Apr. 24, 2008**

(54) **COMPOUND AND ORGANIC LIGHT  
EMITTING DEVICE USING THE SAME**

(86) PCT No.: **PCT/KR05/03179**

§ 371(c)(1),  
(2), (4) Date: **Feb. 23, 2007**

(76) Inventors: **Wook Dong Cho**, Daejeon  
Metropolitan City (KR); **Ji Eun Kim**,  
Daejeon Metropolitan City (KR);  
**Byung Sun Jeon**, Seoul (KR); **Dong  
Seob Jeong**, Seoul (KR); **Seok Hee  
Yoon**, Daejeon Metropolitan City (KR);  
**Jae Min Moon**, Daejeon Metropolitan  
City (KR)

(30) **Foreign Application Priority Data**

Sep. 24, 2004 (KR)..... 10-2004-0077214

**Publication Classification**

(51) **Int. Cl.**  
**H01L 27/28** (2006.01)  
(52) **U.S. Cl.** ..... **313/504**


(57) **ABSTRACT**

Disclosed is an organic light emitting device. The organic light emitting device comprises a first electrode, organic material layer(s) comprising a light emitting layer, and a second electrode. The first electrode, the organic material layer(s), and the second electrode form layered structure and at least one layer of the organic material layer(s) include the compound of Formula 1 or the compound of Formula 1 into which a thermosetting or photo-crosslinkable functional group is introduced.


Correspondence Address:  
**MCKENNA LONG & ALDRIDGE LLP**  
**1900 K STREET, NW**  
**WASHINGTON, DC 20006 (US)**

(21) Appl. No.: **11/660,903**


(22) PCT Filed: **Sep. 23, 2005**



[Fig. 1]



[Fig. 2]



## COMPOUND AND ORGANIC LIGHT EMITTING DEVICE USING THE SAME

### TECHNICAL FIELD

[0001] The present invention relates to an organic light emitting device which comprises a fluorene derivative capable of significantly improving a lifespan, efficiency, and electrochemical and thermal stabilities thereof.

### BACKGROUND ART

[0002] An organic light emission phenomenon is an example of a conversion of current into visible rays through an internal process of a specific organic molecule. The organic light emission phenomenon is based on the following mechanism. When organic material layers are interposed between an anode and a cathode, if voltage is applied between the two electrodes, electrons and holes are injected from the cathode and the anode into the organic material layer. The electrons and the holes which are injected into the organic material layer are recombined to form an exciton, and the exciton is reduced to a bottom state to emit light. An organic light emitting device which is based on the above mechanism typically comprises a cathode, an anode, and organic material layer(s), for example, organic material layers including a hole injection layer, a hole transport layer, a light emitting layer, and an electron transport layer, interposed therebetween.

[0003] The materials used in the organic light emitting device are mostly pure organic materials or complexes of organic material and metal. The material used in the organic light emitting device may be classified as a hole injection material, a hole transport material, a light emitting material, an electron transport material, or an electron injection material, according to its use. In connection with this, an organic material having a p-type property, which is easily oxidized and is electrochemically stable when it is oxidized, is mostly used as the hole injection material or the hole transport material. Meanwhile, an organic material having an n-type property, which is easily reduced and is electrochemically stable when it is reduced, is used as the electron injection material or the electron transport material. As the light emitting layer material, an organic material having both p-type and n-type properties is preferable, which is stable when it is oxidized and when it is reduced. Also a material having high light emission efficiency for conversion of the exciton into light when the exciton is formed is preferable.

[0004] In addition, it is preferable that the material used in the organic light emitting device further have the following properties.

[0005] First, it is preferable that the material used in the organic light emitting device have excellent thermal stability. The reason is that joule heat is generated by movement of electric charges in the organic light emitting device. NPB, which has recently been used as the hole transport layer material, has a glass transition temperature of 100° C. or lower, thus it is difficult to apply to an organic light emitting device requiring a high current.

[0006] Second, in order to produce an organic light emitting device that is capable of being actuated at low voltage and has high efficiency, holes and electrons which are injected into the organic light emitting device must be smoothly transported to a light emitting layer, and must not be released out of the light emitting layer. To achieve this, a material used in the organic light emitting device must

have a proper band gap and a proper HOMO or LUMO energy levels. A LUMO energy level of PEDOT:PSS, which is currently used as a hole transport material of an organic light emitting device produced using a solution coating method, is lower than that of an organic material used as a light emitting layer material, thus it is difficult to produce an organic light emitting device having high efficiency and a long lifespan.

[0007] Moreover, the material used in the organic light emitting device must have excellent chemical stability, electric charge mobility, and interfacial characteristic with an electrode or an adjacent layer. That is to say, the material used in the organic light emitting device must be little deformed by moisture or oxygen. Furthermore, proper hole or electron mobility must be assured so as to balance densities of the holes and of the electrons in the light emitting layer of the organic light emitting device to maximize the formation of excitons. Additionally, it has to be able to have a good interface with an electrode including metal or metal oxides so as to assure stability of the device.

[0008] Accordingly, there is a need to develop an organic light emitting device including an organic material having the above-mentioned requirements in the art.


### DISCLOSURE OF INVENTION

#### Technical Problem

[0009] Therefore, the object of the present inventions is to provide an organic light emitting device which is capable of satisfying conditions required of a material usable for an organic light emitting device, for example, a proper energy level, electrochemical stability, and thermal stability, and which includes a fluorene derivative having a chemical structure capable of playing various roles required in the organic light emitting device, depending on a substituent group.

#### Technical Solution


[0010] The present invention provides an organic light emitting device which comprises a first electrode, organic material layer(s) comprising a light emitting layer, and a second electrode, wherein the first electrode, the organic material layer(s), and the second electrode form a layered structure and at least one layer of the organic material layer(s) includes a compound of the following Formula 1 or a compound of Formula 1 into which a thermosetting or photo-crosslinkable functional group is introduced:




[Formula 1]

[0011] wherein X is C or Si;

[0012] A is



[0013] B is



[0014] a and b are zero or positive integer;

[0015] Y is a bond; bivalent aromatic hydrocarbons; bivalent aromatic hydrocarbons which are substituted with at least one substituent group selected from the group consisting of nitro, nitrile, halogen, alkyl, alkoxy, and amino groups; a bivalent heterocyclic group; or a bivalent heterocyclic group which is substituted with at least one substituent group selected from the group consisting of nitro, nitrile, halogen, alkyl, alkoxy, and amino groups.

[0016] Y1 to Y4 are each independently bivalent aromatic hydrocarbons; bivalent aromatic hydrocarbons which are substituted with at least one substituent group selected from the group consisting of nitro, nitrile, halogen, alkyl, alkoxy, and amino groups; a bivalent heterocyclic group; or a bivalent heterocyclic group which is substituted with at least one substituent group selected from the group consisting of nitro, nitrile, halogen, alkyl, alkoxy, and amino groups.

[0017] Z1 to Z8 are each independently hydrogen; aliphatic hydrocarbons having a carbon number of 1-20; aromatic hydrocarbons; aromatic hydrocarbons which are substituted with at least one substituent group selected from the group consisting of the nitro, nitrile, halogen, alkyl, alkoxy, amino, aromatic hydrocarbon, and heterocyclic groups; a silicon group substituted with aromatic hydrocarbons; a heterocyclic group; a heterocyclic group which is substituted with at least one substituent group selected from the group consisting of the nitro, nitrile, halogen, alkyl, alkoxy, amino, aromatic hydrocarbon, and heterocyclic groups; a thiophene group which is substituted with hydrocarbons having a carbon number of 1-20 or aromatic hydrocarbons having a carbon number of 6-20; or a boron group which is substituted with aromatic hydrocarbons.

[0018] R1 to R4 and R6 to R9 are each independently selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylamine group, a substituted or unsubstituted heterocyclic group, an amino group, a nitrile group, a nitro group, a halogen group, an amide group, and an ester group. They may form aliphatic or hetero condensation rings along with adjacent groups.

[0019] R5 is selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group.

[0020] Carbon at an ortho-position of the aryl or heterocyclic group and R4 or R6 may form a condensation ring along with a group selected from the group consisting of O, S, NR, PR, C=O, CRR', and SiRR', with the proviso that R5 is the aryl group or the heterocyclic group, wherein R and R' are each independently selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylamine group, a substituted or unsubstituted heterocyclic group, a nitrile group, an amide group, and an ester group, and R and R' may form a condensation ring to form a spiro compound.

[0021] A detailed description will be given of the substituent groups of Formula 1.

[0022] In Z1 to Z8 as the substituent groups of Formula 1, the aromatic compounds are exemplified by monocyclic aromatic rings, such as phenyl, biphenyl, and terphenyl, and multicyclic aromatic rings, such as naphthyl, anthracenyl, pyrenyl, and perylenyl. The hetero aromatic compounds are exemplified by thiophene, furan, pyrrole, imidazole, thiazole, oxazole, oxadiazole, thiadiazole, triazole, pyridyl, pyridazyl, pyrazine, quinoline, and isoquinoline.

[0023] Examples of aliphatic hydrocarbons having a carbon number of 1-20 include straight chain aliphatic hydrocarbons, branched chain aliphatic hydrocarbons, saturated aliphatic hydrocarbons, and unsaturated aliphatic hydrocarbons. They are exemplified by an alkyl group, such as a methyl group, an ethyl group, an n-propyl group, an isopropyl group, an n-butyl group, a sec-butyl group, an iso-butyl group, a ter-butyl group, a pentyl group, and a hexyl group; an alkenyl group having a double bond, such as styryl; and an alkynyl group having a triple bond, such as an acetylene group.

[0024] The carbon number of the alkyl, alkoxy, and alkenyl groups of R1 to R9 of Formula 1 is not limited, but is preferably 1-20.

[0025] The length of the alkyl group contained in the compound does not affect the conjugate length of the compound, but may affect the method of applying the compound to the organic light emitting device, for example, a vacuum deposition method or a solution coating method.


[0026] Illustrative, but non-limiting, examples of the aryl group of R1 to R9 of Formula 1 include monocyclic aromatic rings, such as a phenyl group, a biphenyl group, a terphenyl group, and a stilbene group, and multicyclic aromatic rings, such as a naphthyl group, an anthracenyl group, a phenanthrene group, a pyrenyl group, and a perylenyl group.

[0027] Illustrative, but non-limiting, examples of the arylamine group of R1 to R9 of Formula 1 include a diphenylamine group, a dinaphthylamine group, a dibiphenylamine group, a phenylnaphthylamine group, a phenyldiphenylamine group, a ditolylamine group, a phenyltolylamine group, a carbazolyl group, and a triphenylamine group.


[0028] Illustrative, but non-limiting, examples of the heterocyclic group of R1 to R9 of Formula 1 include a thiophene group, a furan group, a pyrrolyl group, an imidazolyl group, a thiazolyl group, an oxazolyl group, an oxa-

diazolyl group, a triazolyl group, a pyridyl group, a pyridazine group, a quinolinyl group, an isoquinoline group, and an acridyl group.

[0029] In addition, illustrative, but non-limiting, examples of the alkenyl, aryl, arylamine, and heterocyclic groups of R1 to R9 of Formula 1 include compounds shown in the following Formulae.



-continued







[0030] In the above Formulae, Z is a group selected from the group consisting of hydrogen, aliphatic hydrocarbons having a carbon number of 1-20, an alkoxy group, an arylamine group, an aryl group, a heterocyclic group, a nitrile group, and an acetylene group. Examples of the arylamine, aryl, and heterocyclic groups of Z are as shown in the above-mentioned substituent groups of R1 to R9.

[0031] According to a preferred embodiment of the present invention, R5 of Formula 1 is an aryl or a heterocyclic group.

[0032] According to another preferred embodiment of the present invention, R5 of Formula 1 is an aryl or a heterocyclic group, and carbon at an ortho-position of the aryl or heterocyclic group and R4 or R6 form a condensation ring along with a group selected from the group consisting of O, S, NR, PR, C=O, CRR', and SiRR' (R and R' are as defined in Formula 1).

[0033] According to still another preferred embodiment of the present invention, R5 of Formula 1 is an aryl or a heterocyclic group, and carbon at the ortho-position of the aryl or heterocyclic group and R4, and carbon at the ortho-position of the aryl or heterocyclic group and R6 form the condensation ring along with a group selected from the group consisting of O, S, NR, PR, C=O, CRR', and SiRR' (R and R' are as defined in Formula 1).


[0034] According to the preferred embodiment of the present invention, illustrative, but non-limiting, examples of the compound of Formula 1 include compounds of the following Formulae 2 to 119.



-continued


2

6




3

7




4

8




5

9




-continued




6

-continued




9


7




10




8



11




-continued




12


-continued




15




13



16




14




17

-continued




18


-continued




22




19




23




20



24




21




25


-continued




26



27




28




29


-continued




30



31




32



33


-continued

34




-continued


37




35




38



36




39




-continued

40





-continued


43




41



42




45




-continued


46



47




48




-continued


49



50




51




-continued


52




53



54




55




-continued


56




57



58




59




-continued

60




-continued


64




61




65




62




66



63




67




-continued

68




-continued

72




69




70



73



74




71




-continued

75





-continued

78





79

76




80

77




81




-continued

82




-continued


86




83




87




84




88



85




89




-continued

90




-continued

93




91





92

94




95




-continued

96





-continued

99





100

97




101

98




-continued

102




-continued


104




103




105



-continued



-continued





106


108

109


107



110




-continued




111

-continued




114


112




115






113



116






-continued




[0035] In the above, Formulae, A and B are as defined in Formula 1.

[0036] Illustrative, but non-limiting, examples of A and B are as follows. Combination of the compounds of Formulae 2 to 119 and the following substituent groups A and B can form various derivative compounds. For example, if the compound of Formula 2 is combined with the substituent group 1, the resulting product will be designated by the compound of Formula 2-1.


[0037] [A and B]




-continued




-continued




5




8




6



9




-continued




10


-continued




13




11



14




12




15


-continued




-continued




17




20




18



21




-continued




22


-continued




25




23



26




24




27

-continued




28


-continued




31




29



32




30




33

-continued




34


-continued




37




35



38




36




39


-continued



40




41




42


-continued



43




44








45


-continued




-continued




-continued



52




53




54


-continued



55




56




57

-continued




58


-continued



60




59




61

-continued




62


-continued




65




63



66




64




67


-continued



68




69




70


-continued



71




72




73

-continued




74


-continued



76




75




77

-continued




78


-continued




81




79



82




80




83

-continued




84


-continued




87




85



88




86




89

-continued




90


-continued




93




91



94




92




95

-continued




96


-continued




99




97



100




98




101

-continued




102


-continued




105




103



106




104




107


-continued



108




109




110


-continued



111




112




113


-continued




-continued




115




118




116



119




-continued




120


-continued




123



121




122




124

-continued




125


-continued



127




126




128

-continued




129


-continued




132




130



133




131




134


-continued




-continued




136




139




137




-continued




-continued





141






143




-continued



-continued




-continued




149


-continued




152




150



153




151




154

-continued




155


-continued



157




156




158

-continued




159


-continued



161




160




162

-continued




163


-continued




166




164



167




165




168

-continued




169


-continued




172



170




173




171

-continued




174


-continued



176





175





177


-continued




-continued



179




-continued




183


-continued




186




184



187




185




188

-continued




189


-continued



191




190




192


-continued




-continued




194



196




-continued




197


-continued




200




198



201




199




202


-continued




-continued




204




207




205




-continued




-continued




209



211




-continued




212

-continued





214




215

213




216


-continued




-continued




218




221




219




222




-continued




-continued




224




227




225




228




-continued




-continued




230




233




231




234




-continued




-continued




236




239




237




240




-continued




-continued




242




245




243




246




-continued




-continued




248




251




249



252




-continued




253


-continued




256




254



257




255




258


-continued




-continued





260






262



-continued



-continued




265

266


267

-continued




268

-continued




271


269




272




270



273




-continued




274


-continued



276




275




277

-continued




278


-continued



280




279




281


-continued




-continued




283




285




-continued




-continued




287




289




-continued




-continued




291



293




-continued




294


-continued



296




295




297

-continued




298


-continued



300




299




301


-continued




-continued




303



305




-continued




306

-continued




308

307





309



## BEST MODE FOR CARRYING OUT THE INVENTION

-continued



## BRIEF DESCRIPTION OF THE DRAWINGS

[0038] FIG. 1 illustrates an organic light emitting device comprising a substrate 1, an anode 2, a light emitting layer 3, and a cathode 4; and


[0039] FIG. 2 illustrates an organic light emitting device comprising a substrate 1, an anode 2, a hole injection layer 5, a hole transport layer 6, a light emitting layer 7, an electron transport layer 8, and a cathode 4.

310

[0040] Hereinafter, a detailed description will be given of the present invention.

[0041] Various substituent groups are introduced into a core structure shown in Formula 1, in detail, the core structure in which a fluorene group is bonded to a combination of an acridine group and a carbazoyl group to form a spiro structure, thereby the compound of Formula 1 has characteristics suitable for application to an organic material layer used in an organic light emitting device. This will be described in detail, below.

[0042] The steric core structure of the compound of Formula 1 can be divided into two portions, A and B, for explanation as shown in the following Formula.



311

[0043] The compound of Formula 1 has the steric core structure in which a plane A meets with a plane B at right angles around X, and conjugation does not occur between the A and B portions around X. Furthermore, since one nitrogen atom is positioned among three aryl groups in the plane B, conjugation is limited in the plane B.

[0044] The conjugation length of the compound has a close relationship with an energy band gap. In detail, the energy band gap is reduced as the conjugation length of the compound increases. As described above, since a conjugation structure is limited in the core structure of the compound of Formula 1, the core structure has a large energy band gap.

[0045] As described above, in the present invention, various substituent groups are introduced to R1 to R9 positions and Z1 to Z8 positions of the core structure having the large energy band gap so as to produce compounds having various energy band gaps. Generally, it is easy to control the energy band gap by introducing substituent groups into a core structure having a large energy band gap, but it is difficult to significantly control the energy band gap by introducing substituent groups into a core structure having a small energy band gap. Furthermore, in the present invention, it is possible to control HOMO and LUMO energy levels of the compound by introducing various substituent groups into R1 to R9 and Z1 to Z8 of the core structure.

[0046] Additionally, various substituent groups are introduced into the core structure to produce compounds having intrinsic characteristics of the substituent groups. For example, substituent groups, which are frequently applied to hole injection layer, hole transport layer, light emitting layer, and electron transport layer materials during the production

of the organic light emitting device, are introduced into the core structure so as to produce substances capable of satisfying the requirements of each organic material layer. Particularly, since the core structure of the compound of Formula 1 includes the arylamine structure, it has an energy level suitable for the hole injection and/or hole transport materials in the organic light emitting device. In the present invention, the compound having the proper energy level is selected depending on the substituent group among the compounds represented by Formula 1 to be used in the organic light emitting device, thereby it is possible to realize a device having a low actuating voltage and a high light efficiency.

[0047] Furthermore, various substituent groups are symmetrically introduced into the core structure (the A and B portions are located at both sides of the core structure) so as to precisely control the energy band gap, improve interfacial characteristics with organic materials, and apply the compound to various fields.

[0048] As well, if the numbers of nitrogen contained in the substituent groups A and B are each set to 2 or more (if Y1 to Y4 and Z1 to Z8 are hetero aromatic amine compounds, the number of nitrogen contained in them is not counted), it is possible to precisely control the HOMO and LUMO energy levels and the energy band gap, and on the other hand interfacial characteristics with the organic materials is improved and thereby make it possible to apply the compound to various fields.

[0049] Additionally, various substituent groups are introduced into the steric structure of the compound of Formula 1 using spiro bonding to control the three-dimensional structure of the organic material so as to minimize  $\pi$ - $\pi$  interaction in the organic material, thereby formation of excimers is prevented.

[0050] Meanwhile, since the compound of Formula 1 has a high glass transition temperature ( $T_g$ ), it has excellent thermal stability. For example, the glass transition temperature of the compound of Formula 3-1 is 159° C., which is still higher than that of conventionally used NPB ( $T_g$ : 96° C.). Such increase in thermal stability is an important factor providing actuating stability to the device.

[0051] Furthermore, the compound of Formula 1 may be used to form the organic material layer using a vacuum deposition process or a solution coating process during the production of the organic light emitting device. In connection with this, illustrative, but non-limiting, examples of the solution coating process include a spin coating process, a dip coating process, an inkjet printing process, a screen printing process, a spray process, and a roll coating process.

[0052] For example, the compound of Formula 1 has excellent solubility to a polar solvent, such as xylene, dichloroethane, or NMP, which is used during the production of the device, and forms a thin film very well through the process using a solution, thus the solution coating process may be applied to produce the device.

[0053] Tertiary alcohol, which is produced by a reaction of a lithiated aryl and keto group, is heated in the presence of an acid catalyst to form a hexagonal cyclic structure while water is removed, thereby producing the compound having a spiro structure according to the present invention. The above-mentioned procedure for producing the compound is well known in the art, and those skilled in the art can change

the production conditions during the production of the compound of Formula 1. The production will be described in detail in the preparation examples later.

[0054] In the organic light emitting device of the present invention, a compound, in which a thermosetting or photocrosslinkable functional group is introduced into the compound of Formula 1, may be used instead of the compound of Formula 1. The former compound has the basic physical properties of the compound of Formula 1, and may be used to form a thin film using a solution coating process and then be cured so as to form an organic material layer during the production of the device.

[0055] The method of forming the organic material layer, which comprises introducing the curable functional group into the organic material during the production of the organic light emitting device, forming the organic thin film using the solution coating process, and curing the resulting film, is disclosed in U.S. Pat. No. 2003-0044518 and EP Pat. No. 1146574A2.

[0056] The above documents state that, if the organic material layer is formed through the above-mentioned method using a material having a thermosetting or photocrosslinkable vinyl or acryl group so as to produce an organic light emitting device, it is possible to produce an organic light emitting device having a low voltage and high brightness as well as an organic light emitting device having a multilayered structure using the solution coating process. This operation mechanism may be applied to the compound of the present invention.

[0057] In the present invention, the thermosetting or photocrosslinkable functional group may be a vinyl or acryl group.

[0058] The organic light emitting device of the present invention can be produced using known materials through a known process, modified only in that at least one layer of organic material layer(s) include the compound of the present invention, that is, the compound of Formula 1.

[0059] The organic material layer(s) of the organic light emitting device according to the present invention may have a single layer structure, or alternatively, a multilayered structure in which two or more organic material layers are layered. For example, the organic light emitting device of the present invention may comprise a hole injection layer, a hole transport layer, a light emitting layer, an electron transport layer, or an electron injection layer as the organic material layer(s). However, the structure of the organic light emitting device is not limited to this, but may comprise a smaller number of organic material layers.

[0060] Furthermore, the organic light emitting device of the present invention may be produced, for example, by sequentially layering a first electrode, organic material layer(s), and a second electrode on a substrate. In connection with this, a physical vapor deposition (PVD) method, such as a sputtering method or an e-beam evaporation method, may be used, but the method is not limited to these.


[0061] A method of producing the compound of Formula 1 and the production of the organic light emitting device using the same will be described in detail in the following preparation examples and examples. However, the following

preparation examples and examples are set forth to illustrate, but are not to be construed to limit the present invention.

#### MODE FOR THE INVENTION

[0062] A better understanding of a method of producing an organic compound represented by Formula 1 and the production of an organic light emitting device using the same may be obtained in light of the following preparation examples and examples which are set forth to illustrate, but are not to be construed to limit the present invention.

[0063] In order to produce the compound represented by Formula 1, compounds of the following Formulae, a or b, may be used as a starting material.



#### PREPARATION EXAMPLE 1

##### Production of a Starting Material Represented by Formula a

[0064] After 10 g of diphenylamine (59 mmol) and 8.04 ml of bromomethyl methyl ether (88.6 mmol) were dissolved in 100 ml of tetrahydrofuran, 12.4 ml of triethylamine (88.6 mmol) were added thereto. Stirring was conducted in a nitrogen atmosphere for 5 hours, and an organic layer was then extracted using distilled water. The extracted organic layer was subjected to a column separation process at a ratio of n-hexane/tetrahydrofuran of 15:1, and vacuum dried to produce 12 g of tertiary amine (yield 90%).

[0065] The amine compound produced in 1) (12.0 g, 56.3 mmol) was dissolved in 100 ml of purified THF and cooled to  $-78^{\circ}\text{C}$ ., and n-BuLi (2.5 M hexane solution, 22.5 ml, 56.3 mmol) was slowly dropped thereon. Stirring was conducted at the same temperature for 30 min, and a 2,7-dichloro-9-fluorenone compound (14.0 g, 56.3 mmol) was added thereto. After stirring at the same temperature for 40 min, the temperature was raised to normal temperature and stirring was carried out for an additional 3 hours. The reaction was completed in an ammonium chloride aqueous

solution, and extraction was conducted with ethyl ether. Water was removed from an organic material layer using anhydrous magnesium sulfate, and an organic solvent was then removed therefrom. The produced solid was dispersed in ethanol, stirred for one day, filtered, and vacuum dried. After an intermediate material was dispersed in 100 ml of acetic acid, ten drops of concentrated sulfuric acid were added thereto and reflux was conducted for 4 hours. The resulting solid was filtered, washed with ethanol, and vacuum dried to produce 21.8 g of amine (96.8% yield). MS:  $[\text{M}+\text{H}]^{+}=401$ .

#### PREPARATION EXAMPLE 2

##### Preparation of a Starting Material Represented by Formula b

[0066] A compound of Formula a (9.00 g, 22.5 mmol), 1-iodonaphthalene (11.4 g, 45.0 mmol), potassium carbonate (6.22 g, 45.0 mmol), copper iodide (214 mg, 1.13 mmol), and xylene (250 ml) were heated in a nitrogen atmosphere overnight. After cooling to normal temperature, a product was extracted with ethyl acetate, water was removed with anhydrous magnesium sulfate, and the solvent was removed at a reduced pressure. The resulting product was passed through a silica gel column using a hexane solvent to produce a compound, the solvent was removed at a reduced pressure, and vacuum drying was conducted to produce the compound of Formula b (5.0 g, 42% yield). MS:  $[\text{M}+\text{H}]^{+}=527$ .

#### EXAMPLE 1

##### Preparation of the Compound Represented by Formula 3-1

[0067] 1) Synthesis of arylamine (4-(N-phenyl-N-phenylamino)phenyl-1-phenylamine) to produce the compound represented by Formula 3-1: 13.5 g of 4-bromophenyl-N-phenyl-N-phenylamine (41.6 mmol) and 3.98 ml of aniline (43.7 mmol) were dissolved in 120 ml of toluene, 10.00 g of sodium-tert-butoxide (104.1 mmol), 0.48 g of bis(dibenzylidene acetone)palladium(0) (0.83 mmol), and 0.58 ml of 50 wt % tri-tert-butylphosphine toluene solution (1.25 mmol) were added thereto, and reflux was conducted in a nitrogen atmosphere for 2 hours. Distilled water was added to the reaction solution to complete the reaction, and the organic layer was extracted. A column separation process was conducted using a solvent of n-hexane and tetrahydrofuran at a ratio of 10:1, stirring was conducted using petroleum ether, and vacuum drying was conducted to produce an arylamine connection group (9.6 g, yield 69%). MS:  $[\text{M}+\text{H}]^{+}=336$ .

[0068] 2) 4.68 g of compound of Formula b (8.88 mmol) and 6.86 g of 4-(N-phenyl-N-phenylamino)phenyl-1-phenylamine (20.4 mmol) were dissolved in 120 ml of toluene, 5.89 g of sodium-tert-butoxide (61.3 mmol), 0.24 g of tris(dibenzylidene acetone)dipalladium(0) (0.41 mmol), and 0.25 ml of 50 wt % tri-tert-butylphosphine toluene solution (0.61 mmol) were added thereto, and reflux was conducted in a nitrogen atmosphere for 2 hours. Distilled water was added to the reaction solution to complete the reaction, and the organic layer was extracted. A column separation process was conducted using a solvent of n-hexane and tetrahydrofuran at a ratio of 4:1, stirring was conducted using petro-

leum ether, and vacuum drying was conducted to produce the compound of Formula 3-1 (5.2 g, yield 52%). MS:  $[M+H]^+=1127$ .

#### EXAMPLE 2

##### Preparation of the Compound Represented by Formula 3-2

[0069] 1) Synthesis of arylamine (4-(N-phenyl-N-phenylamino)phenyl-1-naphthylamine) to produce the compound represented by Formula 3-2: 15.0 g of 4-bromophenyl-N-phenyl-N-phenylamine (46.3 mmol) and 7.29 g of 1-naphthylamine (50.9 mmol) were dissolved in 200 ml of toluene, 13.34 g of sodium-tert-butoxide (138.8 mmol), 0.53 g of bis(dibenzylidene acetone)palladium(0) (0.93 mmol), and 0.56 ml of 50 wt % tri-tert-butylphosphine toluene solution (1.39 mmol) were added thereto, and reflux was conducted in a nitrogen atmosphere for 2 hours. Distilled water was added to the reaction solution to complete the reaction, and the organic layer was extracted. A column separation process was conducted using a solvent of n-hexane and tetrahydrofuran at a ratio of 10:1, stirring was conducted using petroleum ether, and vacuum drying was conducted to produce an arylamine connection group (13 g, yield 73%). MS:  $[M+H]^+=386$ .

[0070] 2) 4.68 g of compound of Formula b (8.88 mmol) and 7.88 g of 4-(N-phenyl-N-phenylamino)phenyl-1-naphthylamine (20.4 mmol) were dissolved in 120 ml of toluene, 5.89 g of sodium-tert-butoxide (61.3 mmol), 0.24 g of tris(dibenzylidene acetone)dipalladium(0) (0.41 mmol), and 0.25 ml of 50 wt % tri-tert-butylphosphine toluene solution (0.61 mmol) were added thereto, and reflux was conducted in a nitrogen atmosphere for 2 hours. Distilled water was added to the reaction solution to complete the reaction, and the organic layer was extracted. A column separation process was conducted using a solvent of n-hexane and tetrahydrofuran at a ratio of 4:1, stirring was conducted using petroleum ether, and vacuum drying was conducted to produce the compound of Formula 3-2 (5.4 g, yield 50%). MS:  $[M+H]^+=1227$ .

#### EXAMPLE 3

##### Preparation of the Compound Represented by Formula 3-4

[0071] 1) Synthesis of arylamine (4-(N-phenyl-N-phenylamino)phenyl-1-biphenylamine) to produce the compound represented by Formula 3-4: 17.4 g of 4-bromophenyl-N-phenyl-N-phenylamine (53.7 mmol) and 9.99 g of 4-aminobiphenyl (59.0 mmol) were dissolved in 250 ml of toluene, 17.02 g of sodium-tert-butoxide (177.1 mmol), 0.68 g of bis(dibenzylidene acetone)palladium(0) (1.2 mmol), and 0.72 ml of 50 wt % tri-tert-butylphosphine toluene solution (1.8 mmol) were added thereto, and reflux was conducted in a nitrogen atmosphere for 2 hours. Distilled water was added to the reaction solution to complete the reaction, and the organic layer was extracted. A column separation process was conducted using a solvent of n-hexane and tetrahydrofuran at a ratio of 10:1, stirring was conducted using petroleum ether, and vacuum drying was conducted to produce an arylamine connection group (16 g, yield 73%). MS:  $[M+H]^+=412$ .

[0072] 2) 4.68 g of compound of Formula b (8.88 mmol) and 8.42 g of 4-(N,N-diphenylamino)phenyl-4-biphenyl-

amine (20.4 mmol) were dissolved in 120 ml of toluene, 5.89 g of sodium-tert-butoxide (61.3 mmol), 0.24 g of tris(dibenzylidene acetone)dipalladium(0) (0.41 mmol), and 0.25 ml of 50 wt % tri-tert-butylphosphine toluene solution (0.61 mmol) were added thereto, and reflux was conducted in a nitrogen atmosphere for 2 hours. Distilled water was added to the reaction solution to complete the reaction, and the organic layer was extracted. A column separation process was conducted using a solvent of n-hexane and tetrahydrofuran at a ratio of 4:1, stirring was conducted using petroleum ether, and vacuum drying was conducted to produce the compound of Formula 3-4 (5.2 g, yield 45.8%). MS:  $[M+H]^+=1279$ .

#### EXAMPLE 4

##### Preparation of the Compound Represented by Formula 3-21

[0073] 1) Synthesis of arylamine (4-(N-phenyl-N-naphthylamino)phenyl-1-biphenylamine) to produce the compound represented by Formula 3-21: 14.0 g of 4-bromophenyl-N-phenyl-N-naphthylamine (37.4 mmol) and 6.96 g of 4-aminobiphenyl (41.2 mmol) were dissolved in 200 ml of toluene, 0.47 g of bis(dibenzylidene acetone)palladium(0) (0.82 mmol), 0.50 ml of 50 wt % tri-tert-butylphosphine toluene solution (1.2 mmol), and 11.86 g of sodium-tert-butoxide (123.4 mmol) were added thereto. After reflux was conducted in a nitrogen atmosphere for 2 hours, distilled water was added to the reaction solution to complete the reaction.

[0074] The organic layer was extracted, and a column separation process was conducted using a developing solvent of n-hexane and tetrahydrofuran at a ratio of 10:1, stirring was conducted using petroleum ether, and vacuum drying was conducted to produce an arylamine connection group (7.5 g, yield 43%). MS:  $[M+H]^+=462$ .

[0075] 2) 4.68 g of compound of Formula b (8.88 mmol) and 9.44 g of 4-(N-phenyl-1-naphthylamino)phenyl-4-biphenylamine (20.4 mmol) were dissolved in 120 ml of toluene, 5.89 g of sodium-tert-butoxide (61.3 mmol), 0.24 g of tris(dibenzylidene acetone)dipalladium(0) (0.41 mmol), and 0.25 ml of 50 wt % tri-tert-butylphosphine toluene solution (0.61 mmol) were added thereto, and reflux was conducted in a nitrogen atmosphere for 2 hours. Distilled water was added to the reaction solution to complete the reaction, and the organic layer was extracted. A column separation process was conducted using a solvent of n-hexane and tetrahydrofuran at a ratio of 4:1, stirring was conducted using petroleum ether, and vacuum drying was conducted to produce the compound of Formula 3-21 (5.5 g, yield 45%). MS:  $[M+H]^+=1379$ .


#### EXAMPLE 5

##### Production of an Organic Light Emitting Device


[0076] A glass substrate (corning 7059 glass), on which ITO (indium tin oxide) was applied to a thickness of 1000 Å to form a thin film, was put in distilled water, in which a detergent was dissolved, and washed using ultrasonic waves. In connection with this, a product manufactured by Fischer Inc. was used as the detergent, and distilled water was produced by filtering twice using a filter manufactured by Millipore Inc. After ITO was washed for 30 min, ultrasonic

washing was conducted twice using distilled water for 10 min. After the washing using distilled water was completed, ultrasonic washing was conducted using isopropyl alcohol, acetone, and methanol solvents, and drying was then conducted. Next, it was transported to a plasma washing machine. The substrate was dry washed using oxygen plasma for 5 min, and then transported to a vacuum evaporator.

[0077] Hexanitride hexaazatriphenylene (hereinafter, referred to as "HAT") of the following Formula was vacuum deposited to a thickness of 80 Å by heating on a transparent ITO electrode, which was prepared through the above procedure, so as to form an anode including an ITO conductive layer and an N-type organic material.



[0078] Interfacial characteristics between the substrate and a hole injection layer can be improved using the thin film. Subsequently, the compound of Formula 3-1 was deposited to a thickness of 800 Å on the thin film to form the hole injection layer. NPB was deposited thereon to a thickness of 300 Å so as to form a hole transport layer, and Alq3 was deposited thereon to a thickness of 300 Å to form the light emitting layer. An electron transport layer material of the following Formula was deposited to a thickness of 200 Å on the light emitting layer to form an electron transport layer.



Electron transport layer material

[0079] Lithium fluoride (LiF) having a thickness of 12 Å and aluminum having a thickness of 2000 Å were sequentially deposited on the electron transport layer to form a cathode.

[0080] In the above procedure, the deposition speed of an organic material was maintained at 0.3-0.8 Å/sec. Furthermore, lithium fluoride and aluminum were deposited at speeds of 0.3 Å/sec and 1.5-2.5 Å/sec, respectively, on the cathode. During the deposition, a vacuum was maintained at  $1-3 \times 10^{-7}$ .

[0081] The resulting device had an electric field of 4.76 V at a forward current density of 100 mA/cm<sup>2</sup>, and a spectrum having a light efficiency of 1.93 lm/W. The operation and light emission of the device at the above-mentioned actuating voltage mean that the compound of Formula 3-1, which formed the layer between the thin film on the substrate and the hole transport layer, functions to inject holes.

#### EXAMPLE 6

##### Production of an Organic Light Emitting Device

[0082] The procedure of example 5 was repeated to produce a device except that the compound of Formula 3-1 used as a hole injection layer was substituted with the compound of Formula 3-2.

[0083] The resulting device had an electric field of 4.72 V at a forward current density of 100 mA/cm<sup>2</sup>, and a spectrum having a light efficiency of 1.94 lm/W. The operation and light emission of the device at the above-mentioned actuating voltage mean that the compound of Formula 3-2, which formed a layer between a thin film on a substrate and a hole transport layer, functions to inject holes.

#### EXAMPLE 7

##### Production of an Organic Light Emitting Device

[0084] The procedure of example 5 was repeated to produce a device except that the compound of Formula 3-1 used as a hole injection layer was substituted with the compound of Formula 3-4.

[0085] The resulting device had an electric field of 4.65 V at a forward current density of 100 mA/cm<sup>2</sup>, and a spectrum having a light efficiency of 1.92 lm/W. The operation and light emission of the device at the above-mentioned actuating voltage mean that the compound of Formula 3-4, which formed a layer between a thin film on a substrate and a hole transport layer, functions to inject holes.

#### EXAMPLE 8

##### Production of an Organic Light Emitting Device

[0086] The procedure of example 5 was repeated to produce a device except that the compound of Formula 3-1 used as a hole injection layer was substituted with the compound of Formula 3-21.

[0087] The resulting device had an electric field of 4.60 V at a forward current density of 100 mA/cm<sup>2</sup>, and a spectrum having a light efficiency of 1.97 lm/W. The operation and light emission of the device at the above-mentioned actuating voltage mean that the compound of Formula 3-21, which

formed a layer between a thin film on a substrate and a hole transport layer, functions to inject holes.

#### INDUSTRIAL APPLICABILITY

[0088] The compound of the present invention can be used as an organic material layer material, particularly, hole injection and/or transport materials in an organic light emitting device, and when applied to an organic light emitting device it is possible to reduce the actuating voltage of the device, to improve the light efficiency thereof, and to improve the lifespan of the device through the thermal stability of the compound.

1. An organic light emitting device, comprising:


a first electrode;

organic material layer(s) comprising a light emitting layer, wherein at least one layer of the organic material layer(s) includes the compound of Formula 1 or a compound of Formula 1 into which a thermosetting or photo-crosslinkable functional group is introduced; and

a second electrode;


wherein the first electrode, the organic material layer(s), and the second electrode form layered structure.

[Formula 1]




wherein X is C or Si;

A is



B is



a and b are zero or positive integer;

Y is a bond; bivalent aromatic hydrocarbons; bivalent aromatic hydrocarbons which are substituted with at least one substituent group selected from the group consisting of nitro, nitrile, halogen, alkyl, alkoxy, and amino groups; a bivalent heterocyclic group; or a

bivalent heterocyclic group which is substituted with at least one substituent group selected from the group consisting of nitro, nitrile, halogen, alkyl, alkoxy, and amino groups;

Y1 to Y4 are each independently bivalent aromatic hydrocarbons; bivalent aromatic hydrocarbons which are substituted with at least one substituent group selected from the group consisting of nitro, nitrile, halogen, alkyl, alkoxy, and amino groups; a bivalent heterocyclic group; or a bivalent heterocyclic group which is substituted with at least one substituent group selected from the group consisting of nitro, nitrile, halogen, alkyl, alkoxy, and amino groups;

Z1 to Z8 are each independently hydrogen; aliphatic hydrocarbons having a carbon number of 1-20; aromatic hydrocarbons; aromatic hydrocarbons which are substituted with at least one substituent group selected from the group consisting of the nitro, nitrile, halogen, alkyl, alkoxy, amino, aromatic hydrocarbon, and heterocyclic groups; a silicon group substituted with aromatic hydrocarbons; a heterocyclic group; a heterocyclic group which is substituted with at least one substituent group selected from the group consisting of the nitro, nitrile, halogen, alkyl, alkoxy, amino, aromatic hydrocarbon, and heterocyclic groups; a thiophene group which is substituted with hydrocarbons having a carbon number of 1-20 or aromatic hydrocarbons having a carbon number of 6-20; or a boron group which is substituted with aromatic hydrocarbons;

R1 to R4, and R6 to R9 are each independently selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylamine group, a substituted or unsubstituted heterocyclic group, an amino group, a nitrile group, a nitro group, a halogen group, an amide group, and an ester group, and R1 to R4 and R6 to R9 may form aliphatic or hetero condensation rings along with adjacent groups;

R5 is selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aryl group, and a substituted or unsubstituted heterocyclic group; and

with a proviso that R5 is the aryl group or the heterocyclic group, carbon at an ortho-position of the aryl or heterocyclic group and R4 or R6 may form a condensation ring along with a group selected from the group consisting of O, S, NR, PR, C=O, CRR', and SiRR', wherein R and R' each independently are selected from the group consisting of hydrogen, a substituted or unsubstituted alkyl group, a substituted or unsubstituted alkoxy group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aryl group, a


substituted or unsubstituted arylamine group, a substituted or unsubstituted heterocyclic group, a nitrile group, an amide group, and an ester group, and may form a condensation ring to form a spiro compound.

2. The organic light emitting device as set forth in claim 1, wherein R5 of Formula 1 is an aryl or a heterocyclic group.


3. The organic light emitting device as set forth in claim 2, wherein R5 of Formula 1 is an aryl or a heterocyclic group, and carbon at the ortho-position of the aryl or heterocyclic group and R4 or R6 form the condensation ring along with a group selected from the group consisting of O, S, NR, PR, C=O, CRR', and SiRR' (R and R' being as defined in Formula 1).

4. The organic light emitting device as set forth in claim 1, wherein the compound of Formula 1 is any one of compounds of Formulae 2 to 119:


[Formulae 2 to 119]



2




3




4


-continued



5




6




7

-continued




8


-continued




7




9



8




6




9


-continued




-continued




11




14




12




15



-continued





-continued




16

19




17


20



21




18




22

-continued




23


-continued




27




24




28




25



29




26



30


-continued

31




-continued


34




32




35



33




36




-continued

37




-continued


40




38




41



39




42




-continued


43



44




45




-continued


46



47




48




-continued

49




-continued

52




53

50






54

51




55




-continued


56




57



58




59




-continued


60




61




62




63




-continued




-continued




65




69




66




70



67




71




-continued

72




-continued


75




73




76



74




77




-continued


78




79



80




81




-continued


82




83




84




85



86




-continued




87


-continued




91




88




92



89




93



90


-continued

94





-continued

97





98

95




96

99




-continued

100




-continued


102



101




103






-continued


108



109




110




-continued


111




112




113





-continued





-continued



115




116



in the Formulae 2 to 119, A and B are as defined in claim 1.


5. The organic light emitting device as set forth in claim 4, wherein A and B are each independently any one of following groups:




1

-continued


4




2




5




3




6




-continued



7




8




9


-continued




10



11




12




13

-continued




14


-continued




17




15



18




16




19

-continued




20


-continued




23




21



24




22




25

-continued




26


-continued




29




27



30




28




31

-continued




32


-continued




35




33



36




34




37


-continued



38




39




40

-continued






41






42


-continued



-continued




-continued




49


-continued




52




50



53




51




54

-continued




55


-continued



57





56






58


-continued



-continued




-continued




64


-continued




67




65



68




66




69

-continued




70


-continued



72




71




73

-continued




74


-continued



76




75




77

-continued




78


-continued




81




79



82




80




83

-continued




84


-continued




87




85



88




86




89

-continued




90


-continued




93




91



94




92




95

-continued




96

-continued




99


97




100




98



101




-continued




102


-continued




105




103



106






104






107


-continued




-continued




-continued




-continued




115




118




116




119




-continued



120




121




122

-continued




123




124

-continued




125


-continued



127




126




128

-continued




129


-continued




132




130



133




131




134

-continued




135

-continued





138

136




139


137




-continued




-continued




141



143




-continued




144


-continued




146



145




147




148

-continued




149


-continued




152




150



153




151




154

-continued




155


-continued



157




156




158

-continued




159


-continued



161




160




162

-continued




163


-continued




166




164



167




165




168

-continued




169


-continued




172



170




173




171

-continued




174


-continued



176




175




177

-continued




178

-continued





180




181

179




182

-continued




183


-continued




186




184



187




185




188

-continued




189


-continued



191




190




192

-continued




193

-continued




195


194



196




-continued




197


-continued




200




198



201




199




202


-continued




-continued




204




207




205




-continued




-continued





209






211




-continued




-continued




-continued




-continued




218




221




219



222




-continued




223


-continued




226




224



227




225








228




-continued



-continued




-continued




241


-continued




244




242



245




243




246

-continued




247


-continued




250




248



251




249




252


-continued




-continued




254




257




255



258




-continued




259


-continued



261





260






262

-continued



-continued




265

266


267

-continued




268


-continued




271




269



272




270




273


-continued




-continued




275



277




-continued




278


-continued



280




279




281


-continued




-continued




283



285




-continued




286


-continued



288




287




289


-continued




-continued




291



293




-continued




294


-continued



296




295




297

-continued




298


-continued



300




299




301




-continued




-continued




307



309




-continued




310


-continued



312




311




313


-continued




-continued




315




317




-continued




-continued




319




321




-continued




-continued




323



325




-continued




326


-continued



328




327




329

-continued




330


-continued



332




331




333


-continued




-continued




335



337




-continued




338


-continued



340




339




341

-continued




342


-continued



344




343




345

-continued




346


-continued



348




347




349

-continued




350


-continued



352




351




353

-continued




354


-continued



356




355




357


-continued




-continued



359




361






-continued




366


-continued



368




367




369


-continued




-continued




371




373




-continued




-continued




375




377




-continued




-continued




379



381




-continued




382


-continued



384




383




385


-continued




-continued




387




389




-continued




-continued




391




393




-continued




-continued




395




397




-continued




-continued




399




401




-continued




-continued




403



405




-continued




406


-continued



408




407




409


-continued




-continued




411




413




-continued




-continued




415




417




-continued




-continued




419




421




-continued




-continued




423




425




-continued




-continued




427



429




-continued




430


-continued



432




431




433

-continued




434


-continued



436




435




437


-continued




-continued




439




441




-continued




-continued




443



445




-continued




446


-continued



448




447




449

-continued




450


-continued



452




451




453


-continued




-continued




455




457




-continued




-continued




459



461




-continued




462


-continued



464




463




465

-continued




466


-continued



468




467




469


-continued




-continued




471




473




-continued



-continued



475



6. The organic light emitting device as set forth in claim 1, wherein the organic material layer(S) comprise a hole transport layer, and the hole transport layer includes the compound of Formula 1 or the compound of Formula 1 into which a thermosetting or photo-crosslinkable functional group is introduced.

7. The organic light emitting device as set forth in claim 1, wherein the organic material layer(s) comprise a hole injection layer, and the hole injection layer includes the compound of Formula 1 or the compound of Formula 1 into which a thermosetting or photo-crosslinkable functional group is introduced.

8. The organic light emitting device as set forth in claim 1, wherein the organic material layer(s) comprise a layer which both injects and transports holes and which includes the compound of Formula 1 or the compound of Formula 1 into which a thermosetting or photo-crosslinkable functional group is introduced.

\* \* \* \* \*

|                |  |         |            |
|----------------|--|---------|------------|
| 专利名称(译)        | 使用其的复合和有机发光器件  |         |            |
| 公开(公告)号        | <a href="#">US20080093983A1</a>  | 公开(公告)日 | 2008-04-24 |
| 申请号            | US11/660903  | 申请日     | 2005-09-23 |
| [标]申请(专利权)人(译) | CHO旭㊦<br>KIMㄗ<br>JEON BYUNG小号<br>JEONG DONG小号<br>尹锡^ h<br>MOON JAE中号   |         |            |
| 申请(专利权)人(译)    | CHO旭㊦<br>KIMㄗ<br>JEON BYUNG小号<br>JEONG DONG小号<br>尹锡^ h<br>MOON JAE中号   |         |            |
| 当前申请(专利权)人(译)  | LG化学. LTD.   |         |            |
| [标]发明人         | CHO WOOK DONG<br>KIM JI EUN<br>JEON BYUNG SUN<br>JEONG DONG SEOB<br>YOON SEOK HEE<br>MOON JAE MIN                        |         |            |
| 发明人            | CHO, WOOK DONG<br>KIM, JI EUN<br>JEON, BYUNG SUN<br>JEONG, DONG SEOB<br>YOON, SEOK HEE<br>MOON, JAE MIN                  |         |            |
| IPC分类号         | H01L27/28  |         |            |
| CPC分类号         | C07D221/20 C09K11/06 C09K2211/1011 C09K2211/1029 H05B33/14 H01L51/006 H01L51/5048<br>H01L51/5088 H01L51/0039 Y10S428/917 |         |            |
| 优先权            | 1020040077214 2004-09-24 KR  |         |            |
| 其他公开文献         | US7785720  |         |            |
| 外部链接           | <a href="#">Espacenet</a> <a href="#">USPTO</a>  |         |            |

#### 摘要(译)

公开了一种有机发光器件。有机发光装置包括第一电极，包括发光层的有机材料层和第二电极。第一电极，有机材料层和第二电极形成层状结构，并且至少一层有机材料层包括式1的化合物或式1的化合物，其中热固性或光固化 - 引入了可交联的官能团。

