



US008968884B2

(12) **United States Patent**
Hong et al.

(10) **Patent No.:** **US 8,968,884 B2**
(45) **Date of Patent:** **Mar. 3, 2015**

(54) **COMPOUND AND ORGANIC LIGHT
EMITTING DEVICE USING THE SAME**

(75) Inventors: **Sung-Kil Hong**, Daejeon (KR);
Wook-Dong Cho, Daejeon (KR);
Jaе-Soon Bae, Daejeon (KR); **Ji-Eun
Kim**, Daejeon (KR); **Hyun Nam**,
Daejeon (KR); **Jun-Gi Jang**, Daejeon
(KR); **Byung-Sun Jeon**, Seoul (KR);
Mun-Kyu Joo, Busan (KR); **Hye-Young
Jang**, Daejeon (KR)

(73) Assignee: **LG Chem, Ltd.**, Seoul (KR)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 104 days.

(21) Appl. No.: **12/741,996**

(22) PCT Filed: **Nov. 7, 2008**

(86) PCT No.: **PCT/KR2008/006588**

§ 371 (c)(1),
(2), (4) Date: **May 7, 2010**

(87) PCT Pub. No.: **WO2009/061156**

PCT Pub. Date: **May 14, 2009**

(65) **Prior Publication Data**

US 2011/0127495 A1 Jun. 2, 2011

(30) **Foreign Application Priority Data**

Nov. 8, 2007 (KR) 10-2007-0113852

(51) **Int. Cl.**
H01L 51/54 (2006.01)
C07D 409/10 (2006.01)
C09K 11/06 (2006.01)
C07D 409/14 (2006.01)
H01L 51/00 (2006.01)
H01L 51/50 (2006.01)

(52) **U.S. Cl.**
CPC **C09K 11/06** (2013.01); **C07D 409/10**
(2013.01); **C07D 409/14** (2013.01); **H01L**
51/0061 (2013.01); **H01L 51/0072** (2013.01);
C09K 2211/1007 (2013.01); **C09K 2211/1011**
(2013.01); **C09K 2211/1014** (2013.01); **C09K**
2211/1029 (2013.01); **C09K 2211/1092**
(2013.01); **H01L 51/0068** (2013.01); **H01L**
51/5012 (2013.01); **H01L 51/5048** (2013.01);
H01L 51/5088 (2013.01)
USPC **428/690**; 585/27; 548/444

(58) **Field of Classification Search**
None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,660,410 B2* 12/2003 Hosokawa 428/690
7,737,627 B2 6/2010 Hwang et al.
2002/0045061 A1 4/2002 Hosokawa
2003/0170423 A1 9/2003 Katsumoto et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1365381 8/2002
CN 1701111 11/2005

(Continued)


Primary Examiner — J. L. Yang

(74) *Attorney, Agent, or Firm* — McKenna Long & Aldridge
LLP

(57) **ABSTRACT**

The present invention provides a novel compound that is
capable of largely improving life span, efficiency, electro-
chemical stability and thermal stability of the organic light
emitting device, and an organic light emitting device in which
said compound is included in an organic compound layer.

15 Claims, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0086745 A1* 5/2004 Iwakuma et al. 428/690
 2005/0221124 A1 10/2005 Hwang et al.
 2006/0020136 A1 1/2006 Hwang et al.
 2007/0020483 A1* 1/2007 Park et al. 428/690
 2007/0049760 A1 3/2007 Kawakami et al.
 2007/0231503 A1 10/2007 Hwang et al.
 2008/0124572 A1 5/2008 Mizuki et al.

FOREIGN PATENT DOCUMENTS

EP 1 205 527 A1 5/2002
 EP 1205527 A1* 5/2002 C09K 11/06
 EP 2 085 382 A1 8/2009
 JP 09-310066 A 12/1997
 JP 9-310066 A 12/1997

JP 2003-133075 A 5/2003
 JP 2004-515506 5/2004
 JP 2005-048004 A 2/2005
 JP 2005-290000 A 10/2005
 JP 2006-028176 A 2/2006
 JP 2007-110097 4/2007
 JP 2007-110097 A 4/2007
 JP 2008-078362 A 4/2008
 KR 0573137 4/2006
 TW 200304937 10/2003
 TW 200600565 1/2006
 WO WO 01/72927 A1 10/2001
 WO WO 03/080760 A1 10/2003
 WO WO 2005-090512 A1 9/2005
 WO WO-2005/090512 A1* 9/2005 C09K 11/06
 WO WO 2006-043647 A1 4/2006
 WO WO 2008-029729 A1 3/2008
 WO WO 2008/062636 A1 5/2008

* cited by examiner

Fig. 1





Fig. 2



COMPOUND AND ORGANIC LIGHT EMITTING DEVICE USING THE SAME

This application is a 35 U.S.C. §371 National Stage entry of International Application No. PCT/KR2008/006588, filed on Nov. 7, 2008, and claims priority to Korean Application No. 10-2007-0113852, filed on Nov. 8, 2007, which are all hereby incorporated by reference in their entireties.

TECHNICAL FIELD

The present invention relates to an organic light emitting device in which a novel compound that is capable of largely improving a life span, efficiency, electrochemical stability and thermal stability of the organic light emitting device is included in an organic compound layer. This application claims priority from Korean Patent Application No. 10-2007-0113852 filed on Nov. 18, 2007, in the KIPO, the disclosure of which is incorporated herein by reference in its entirety.

BACKGROUND ART

An organic light emission phenomenon is an example of a conversion of current into visible rays through an internal process of a specific organic molecule. The organic light emission phenomenon is based on the following mechanism. When organic material layers are interposed between an anode and a cathode, if voltage is applied between the two electrodes, electrons and holes are injected from the cathode and the anode into the organic material layer. The electrons and the holes which are injected into the organic material layer are recombined to form an exciton, and the exciton is reduced to a bottom state to emit light. An organic light emitting device which is based on the above mechanism typically comprises a cathode, an anode, and organic material layer(s), for example, organic material layers including a hole injection layer, a hole transport layer, a light emitting layer, and an electron transport layer, interposed therebetween.

The materials used in the organic light emitting device are mostly pure organic materials or complexes of organic material and metal. The material used in the organic light emitting device may be classified as a hole injection material, a hole transport material, a light emitting material, an electron transport material, or an electron injection material, according to its use. In connection with this, an organic material having a p-type property, which is easily oxidized and is electrochemically stable when it is oxidized, is mostly used as the hole injection material or the hole transport material. Meanwhile, an organic material having an n-type property, which is easily reduced and is electrochemically stable when it is reduced, is used as the electron injection material or the electron transport material. As the light emitting layer material, an organic material having both p-type and n-type properties is preferable, which is stable when it is oxidized and when it is reduced. Also a material having high light emission efficiency for conversion of the exciton into light when the exciton is formed is preferable.

In addition, it is preferable that the material used in the organic light emitting device further have the following properties.

First, it is preferable that the material used in the organic light emitting device have excellent thermal stability. The reason is that joule heat is generated by movement of electric charges in the organic light emitting device. NPB, which has recently been used as the hole transport layer material, has a

glass transition temperature of 100° C. or lower, thus it is difficult to apply to an organic light emitting device requiring a high current.

Second, in order to produce an organic light emitting device that is capable of being actuated at low voltage and has high efficiency, holes and electrons which are injected into the organic light emitting device must be smoothly transported to a light emitting layer, and must not be released out of the light emitting layer. To achieve this, a material used in the organic light emitting device must have a proper band gap and a proper HOMO or LUMO energy levels. A LUMO energy level of PEDOT:PSS, which is currently used as a hole transport material of an organic light emitting device produced using a solution coating method, is lower than that of an organic material used as a light emitting layer material, thus it is difficult to produce an organic light emitting device having high efficiency and a long lifespan.

Moreover, the material used in the organic light emitting device must have excellent chemical stability, electric charge mobility, and interfacial characteristic with an electrode or an adjacent layer. That is to say, the material used in the organic light emitting device must be little deformed by moisture or oxygen. Furthermore, proper hole or electron mobility must be assured so as to balance densities of the holes and of the electrons in the light emitting layer of the organic light emitting device to maximize the formation of excitons. Additionally, it has to be able to have a good interface with an electrode including metal or metal oxides so as to assure stability of the device.

Accordingly, there is a need to develop an organic material having the above-mentioned requirements in the art.

DISCLOSURE

Technical Problem


Therefore, the present inventors aim to provide an organic light emitting device that includes a hetero compound derivative which is capable of satisfying conditions required of a material which may be used for an organic light emitting device, for example, a proper energy level, electrochemical stability, and thermal stability, and which has a chemical structure capable of playing various roles required for the organic light emitting device, depending on a substituent group.

Technical Solution

The present invention provides a compound of the following Formula 1.

In addition, the present invention provides an organic light emitting device which comprises a first electrode, organic material layer(s) having one or more layers and comprising a light emitting layer, and a second electrode, wherein the first electrode, the organic material layer(s), and the second electrode form a layered structure and at least one layer of the organic material layer(s) includes a compound of the following Formula 1 or a compound of Formula 1 into which a thermosetting or photo-crosslinkable functional group is introduced.

3



[Formula 1]

wherein X is $-(A)_m-(B)_n$,

Y is $-(B)_p$,

Ar is an arylene group having 6 to 40 carbon atoms, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of nitro, nitrile, halogen, an alkyl group, an alkoxy group and an amino group; or a divalent hetero ring group, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of nitro, nitrile, halogen, an alkyl group, an alkoxy group and an amino group;

A is an aryl group, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted arylamine group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group,

B is an arylamine group, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted arylamine group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group; or a hetero ring group including O, N or S as a heteroatom, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted arylamine group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group,

m and n are an integer in the range of 1 to 10 and an integer in the range of 0 to 10, respectively, p is an integer in the range of 1 to 10, and

R1 to R7 are each independently selected from the group consisting of hydrogen; an alkyl group, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group; an alkoxy group, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group; an aryl group, which is substituted or unsubstituted with one or more substituent groups selected

4

from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group; an amino group, which is substituted with one or more substituent groups selected from the group consisting of an alkyl group, an alkenyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, and a substituted or unsubstituted arylalkenyl group; a nitro group; and a halogen group, and said R1 to R7 may form an aliphatic or hetero condensation ring in conjunction with adjacent groups.

Advantageous Effects

A compound according to the present invention may be used as an organic material layer material, particularly, a hole injection material and/or a hole transport material in an organic light emitting device, and in the case of when it is used in the organic light emitting device, a driving voltage of the device may be reduced, light efficiency may be improved, and a life span property of the device may be improved because of thermal stability of the compound.

DESCRIPTION OF DRAWINGS

FIG. 1 illustrates an organic light emitting device comprising a substrate 1, an anode 2, a light emitting layer 3, and a cathode 4; and

FIG. 2 illustrates an organic light emitting device comprising a substrate 1, an anode 2, a hole injection layer 5, a hole transport layer 6, a light emitting layer 7, an electron transport layer 8, and a cathode 4.

BEST MODE

A substituent group of Formula 1 will be described in detail below.

In R1 to R7 of Formula 1, the number of carbon atoms of the alkyl group, the alkoxy group, and the alkenyl group is not particularly limited, but it is preferable that it is in the range of 1 to 20.

The length of the alkyl group that is included in the compound does not affect the conjugation length of the compound, but may auxiliarily affect an application method of the compound to the organic light emitting device, for example, the application of a vacuum deposition method or a solution coating method.

Illustrative, but non-limiting, examples of the aryl group of R1 to R7 of Formula 1 include monocyclic aromatic rings, such as a phenyl group, a biphenyl group, a terphenyl group, and a stilbene group, and polycyclic aromatic rings, such as a naphthyl group, an anthracenyl group, a phenanthrene group, a pyrenyl group, and a perylenyl group.

Illustrative, but non-limiting, examples of the hetero ring group of R1 to R7 of Formula 1 include a thiophenyl group, a furan group, a pyrrolyl group, an imidazolyl group, a thiazolyl group, an oxazolyl group, an oxadiazolyl group, a triazolyl group, a pyridyl group, a pyridazine group, a quinolinyl group, an isoquinoline group, and an acridyl group.


A of Formula 1 is an aryl group, and preferably, illustrative, but non-limiting, examples thereof include monocyclic aromatic rings, such as a phenyl group, a biphenyl group, a terphenyl group, and a stilbene group, and polycyclic aromatic rings, such as a naphthyl group, an anthracenyl group, a phenanthrene group, a pyrenyl group, and a perylenyl group.

5


matic rings, such as a naphthyl group, an anthracenyl group, a phenanthrene group, a pyrenyl group, and a perylenyl group.

In the case of when B of Formula 1 is a hetero ring, preferably, illustrative, but non-limiting, examples thereof include a thiophenyl group, a furan group, a pyrrolyl group, an imidazolyl group, a thiazolyl group, an oxazolyl group, an oxadiazolyl group, a triazolyl group, a pyridyl group, a pyradiazine group, a quinolinyl group, an isoquinoline group, and an acridyl group.

The compound that is represented by Formula 1 may be preferably a compound that is represented by any one of the following Formula 2 and Formula 3.



[Formula 2]




[Formula 3]

In Formula 2 and Formula 3, Ar's are each independently selected from the group consisting of a phenyl group, a biphenyl group, a terphenyl group, a stilbene group, a naphthyl group, an anthracenyl group, a phenanthrene group, a pyrenyl group, a perylenyl group, and Ar, Y and R1 to R8 are the same as definitions in respects to Ar, Y and R1 to R7 of Formula 1.

In addition, the compound that is represented by Formula 1 may be preferably a compound that is represented by any one of the following Formula 2-1 and Formula 3-1.


6

[Formula 2-1]



[Formula 2]

[Formula 3-1]




[Formula 3]

In Formula 2-1 and Formula 3-1, Ar, Y and R1 to R8 are the same as definitions in respects to Ar, Y and R1 to R7 of Formula 1.

In addition, the compound that is represented by Formula 1 may be preferably a compound that is represented by any one of the following Formula 2-2 and Formula 3-2.

[Formula 2-2]



[Formula 2]

[Formula 3]


[Formula 2-1]

[Formula 3-1]

[Formula 2-2]




7
-continued

[Formula 3-2]







In Formula 2-2 and Formula 3-2, Ar, Y and R1 to R8 are the same as definitions in respects to Ar, Y and R1 to R7 of Formula 1.

In addition, in the case of arylamine, illustrative, but non-limiting examples thereof may preferably include the following groups.



8
-continued



1 30

35

40

2

45

50

55

3

60

65

4

5





6

7

8

9

-continued



10

-continued

9

5

10

15

20

25

30

35

40

45

50

55

60

65






13

14

15


16

17



11


-continued



18

5


10



19 15

20

25




20

30

35


40



21

45

50




22

60


65

12


-continued




23




24



25








26



27






13

-continued



14

-continued



28

5

10

15

29

20

25

30

30

35

40

31

45

50

55






32

60

65

15

-continued



16

-continued

38

5

10

39 15

20

25

40

30

35

40 41

45

50





42

55

60

65

43






44

45

46

17

-continued




18

-continued

47

50

5



10


15

20

51

25

48




30

35

52

40



45

49


53

55

60






54

65



19

-continued



20

-continued

55

60

5

10

56

15

20

61

57 25

30

35

58

62

40

45

50





59

55

63







60

65






21

-continued



22

-continued



64

5

10

65

20

25

66

30

35

67

45

50

68

55

60

69

65




70

71

72

23

-continued



24

-continued

73

5

10

15

20

25

74

30

35

40

45




75 50

55

60

65

76







77

78

25

-continued



26

-continued

79

5

10

15

80

20

25

30

81

35

40

45





50

82

55

60

65



83




84

85

86

27

-continued



28

-continued


87

5

10

15

20




88 25

30

35

40

45




89

50

55

60

65






90

91

92

29

-continued



30

-continued

93

5

10

15

20

94

25

30

35

40

45

95




50

55

60

65

96




97

98

31


-continued



99

32

-continued



102

5


10

15

20

100 25

103




30

35


40

45



101 50


104



55




60

65



33

-continued



34

-continued

105


108

5

10

15

20



106


109

25

30

35

40



107 45


110

50

55




60

65



35

-continued



36

-continued

111


114

5

10

15

20



112 25


115

30

35

40

45



113


116

50

55




60

65



37

-continued



38

-continued

117


120

5

10

15

20



118 25


121

30

35

40

45



119


122

50

55




60

65



39

-continued



40

-continued

123


126

5

10

15

20



124

127


25

30

35

40

45



125


128

50

55




60

65



41

-continued



42

-continued

129

132

5

10

15

20

25

130

133

30

35

40

45

131




134

50

55


60

65



43

-continued



135

5


10

15


20

44

-continued



138



136


25

30


35

40

45



139




137

50

55

60




65



140

45

-continued



46

-continued

141

5

10

15

20

25

142

30

35

40

143

45



50

55

60

65




144



145

47

-continued



48

-continued

146

149

5

10

15

20

25

147

150

30

35

40

45

148




151

50

55


60

65



49

-continued



152

5


10

15


20

50

-continued



155



153


25

30


35

40

45



156




154

50

55




60

65



157

51
-continued



52
-continued

158

5

10

15

20

25

159

30

35

40

45

160

50

55




60

65

161


162

163



53


-continued



164

54

-continued



167

5


10

15

20

25

165




30

35

40


45



168

166


50



55

60




65



169

55

-continued



56

-continued

170


173

5

10

15

20



171


174

25

30

35

40



172

175


45

50




55

60

65



57
-continued




58
-continued

176

179

5



10

15


20

177

25

180

30



35

40


45

178

50

181

55




60

65

59

-continued



182

60


-continued

5

10

15

20



185


183 25

30

35

40

45




186

184 50


55

60

65






187



61

-continued



62

-continued


188

5

10

15

20



191

189


25

30

35

40

45



192


190

50

55

60




65



193

63

-continued



64

-continued

194

197

5

10

15

20

195

25

30

35

40




196 45

50

55

60

65






198

199

65

-continued



66

-continued

200


203

5

10

15

20



201

25


204

30

35

40

202 45




50

205

55




60

65



67

-continued



68

-continued

206

209

5

10

15

20

207 25

30

35

40

45




208

50

55

60



65



210

211

69
-continued



70
-continued

212

214


5

10

15

20

25




215

30

35

40

213 45




216

50

55




60

65



71

-continued



72

-continued

217


220

5

10

15

20



218 25

221


30

35

40

45

219




50

55

60




65

222



73

-continued



74

-continued

223

226

5

10

15

20

224 25

30

35

40

45

225

227




228

50



55

60

65



75
-continued



76
-continued

229

231

5

10

15

20

25

30

35

40




230 45

50

55

60


65



232


233

77
-continued



234

78
-continued



237

5


10

15

20

235 25

238




30

35


40

45



236

239




50

55




60

65



79

-continued



80

-continued

240

243

5

10

15

20

241

25

244

30

35

40

45




242

50

55



60

65



81

-continued



82

-continued

246


5

10

15

20

25




248

30

35

40

247 45




249

50

55

60




65



250

83

-continued



84

-continued

251


254

5

10

15

20



252


255

25

30

35

40



253

45


256

50

55




60

65



85

-continued



86

-continued

257

260

5

10

15

20

258

25

30

35

40

259




45

50



55

60

65



87
-continued



88
-continued

263

265


5

10

15

20

25




266

30

35

40

264 45




267

50

55




60

65



89

-continued



90

-continued

268


271

5

10

15

20



269 25

272


30

35

40

45

270



45


50

55

60




65

273



91

-continued



92

-continued

274

277

5

10

15

20

275

25

30

35

40

45




276

50



55

60

65



93
-continued



94
-continued

280

5

10

15

20

25

30

35

40

281 45


50

55


60

65


282



283






284



95

-continued



96

-continued

285


288

5

10

15

20




286 25

289

30

35

40



45

287


290

50

55




60

65



97

-continued



98

-continued

291

5

10

15

20

25

292

30

35

40

45

293




50

55

60

65

294




295

296

99

-continued



297

100


-continued

5

10

15

20



300

298


25

30

35

40

45



301



299

50

55


60

65




302

101
-continued



303

102
-continued



306


5

10

15

20

25
304




307

30

35

40

45





305 50

308

55


60

65



103


-continued



309

104

-continued



312


5

10

15

20

310




25

30

35


40



313

45

311




50

55


60

65




314

105
-continued



315

106
-continued



318


5

10

15

20

316




30

35


40

45



319

317




50

55




60

65



320

107
-continued



108
-continued


321

5

10

15

20



324

25


322

30

35

40

45



325


323

50

55




60

65



326

109
-continued



110
-continued

327

5

10

15

20

328

25

30

35

40

45

329


50

55


60

65


330






331



332



111
-continued



112
-continued

333

336

5

10

15

20

25

334

337

30

35

40

45

335




338

50




55

60

65



113
-continued



114
-continued

339


342

5

10

15

20



340


343

25

30

35

40



45

344


341

50


55

60

65



115
-continued



116
-continued

345

5

10

15

20

25

30

35

40

346


50

55



60

65



347



348



117
-continued



118
-continued

349

5

10

15

20

25

30

35

40

350




45

50

55

60

65






351

352

353

119
-continued



120
-continued

354

357

5

10

15

20

355

25

30

35

40

45




356

50


55

60

65



121
-continued



122
-continued

360

362

5

10

15


20

25

30

35

40



361

363



45

50


55

60

65




123
-continued



364

124
-continued



366

5

10

15

20


25

30

35

40

365




45

50

55

60




65



367

125

-continued



126

-continued

368

371

5

10

15

20

369

25

30

35

40

370

45

50




55

60


65

372

373



127
-continued



128
-continued

374

376

5

10

15


20

25

30

35

40



45

377



375

50

55


60

65



129

-continued



378

130

-continued

5

10

15

20

25

30

35

40

379

45




50

55

60


65

380



381

131
-continued



382

5

10

15

20

25

30

35

40

383

45


50

55

60



65

132
-continued




384

385




133
-continued



386

134
-continued



288

5

10

15

20


25

30

35

40

287




45

50

55


60

65



289


135
-continued



390

136
-continued

5



392

10

15

20

25


30

35

40

391

45




50

55


60

65



393

137
-continued



394

5

10

15

20


25

30

35

40

138
-continued



396

395

45



50

55


60

65

397




139
-continued



398

140
-continued



400

5

10

15


20

25

30

35

40



399

401


45

50


55

60

65



141
-continued



402

142
-continued

5

10

15


20

25


30

35

40



404




403 45

50

55


60

65




405

143
-continued



406

144
-continued



408

5

10

15


20

25


30

35

40



407



409

45




50

55

60

65

145
-continued



146
-continued

410

413

5

10

15

20

411

25

30

35

40

412

45



414

50


55

60

65



147
-continued



148
-continued

415

5

10

15


20

25


30

35

40



417




416 45

50

55

60




65



418

149

-continued



150

-continued

419


422

5

10

15

20



420


423

25

30

35

40



421 45


424

50




55

60




65




151
-continued



152
-continued



153
-continued



431

154
-continued

5

10

15


20

25


30

35

40



433



432


45

50

55


60

65




434




155
-continued



156
-continued



157
-continued




158
-continued

441

444

5



10

15

20

442

25

30

35

40

45


443

50

55

60


65



445

159

-continued



446

160

-continued

5

10

15

20

25

30

35

40

45


50

55

60



65

448




447

449




161
-continued



450

162
-continued



452

5

10

15


20

25

30


35

40



451

162



453

45

50


55

60

65

163


-continued



454

164

-continued



456

5

10

15

20

25


30

35

40

455

45




50

55

60


65



457

165


-continued



458

166

-continued



460

5

10

15


20

25

30

35

40



459

461


45

50


55

60

65




167
-continued



462

168
-continued



464

5

10

15

20

25

30

35

40

463

465



45

50


55

60

65




169
-continued



466

170
-continued



468

5

10

15

20

25

30

35

40

467

45



50

55


60

65

469



171
-continued



470

172
-continued

5

472

10

15

20

25

30

35

40

471


45

50



55

60


65



473




173
-continued



474

174
-continued

5



476

10

15

20

25

30

35

40


45

50

55

60


65



475

477

45




50

55

60

65


175
-continued



478

176
-continued

5



480

10

15


20

25

30

35

40



479

481


45

50


55

60

65




177
-continued




482

178
-continued

5
10
15
20
25
30
35
40




484




483

45
50
55
60
65



485

179
-continued



180
-continued

486

488

5

10

15

20

25

30

35

40

487

489



45

50


55

60

65




181
-continued



490

182
-continued

5



492

10

15

20

25


30

35

40

491

45




50

55


60

65



493


183
-continued



494

184
-continued

5



496

10

15

20

25


30

35

40

495

45




497

50


55

60

65



185
-continued



186
-continued

498

500

5

10

15

20

25

30

35

40

499

501




45

50


55

60

65



187
-continued



502

188
-continued

5

10

15


20

25


30

35

40



504



503


45

50

55


60

65



505

189
-continued



506

190
-continued

5

10

15


20

25


30

35

40



508



507


45

50

55


60

65



509

191
-continued



510

192
-continued

5

512

10

15

20

25

30

35

40

45

50

55

60

65

70

75

80

85

90

95


100

105

110

115

120



511

45

513

50

55

60

65


70

75


80

85

90



193
-continued



514

194
-continued

5

10

15


20

25


30

35

40



516



515

517


45

50


55

60

65



195
-continued



196
-continued

518

520

5

10

15


20

25

30

35

40



519

521



45

50


55

60

65



197
-continued



522

198
-continued

5

10

15


20

25


30

35

40



524



523


45

50

55


60

65



525

199
-continued



526

200
-continued

5

10

15


20

25


30

35

40



528



527


45

50

55


60

65




529

201
-continued



530

202
-continued




532

30

35

40



531

533


45

50


55

60

65



203
-continued



534

204
-continued

5

10

15


20

25


30

35

40



536



535


45

50

55


60

65




537

205
-continued



538

206
-continued



540

5

10

15

20

25


30

35

40

539

541




45

50

55


60

65



207

-continued




542


208

-continued

5
10
15
20
25
30
35
40




544





543

45
50
55
60
65



545

209
-continued



210
-continued

546

548

5

10

15

20

25

30

35

40

547



45

50

55

60

549



Ar may be preferably phenylene.



65 The compound of Formula 1 may be preferably a compound that is represented by the following Formula 4 to Formula 12.

211

212



[Formula 4]

[Formula 5]





[Formula 6]

[Formula 7]



[Formula 8]

[Formula 9]





213

214


-continued

[Formula 10]


[Formula 11]



[Formula 12]



[Formula 13]




215


216

-continued

[Formula 14]



[Formula 15]



The compound of Formula 1 may have a property that is required when it is used as an organic material layer used in an organic light emitting device by using a core structure which is shown in Formula 1, that is, a structure in which arylene is substituted at a carbon position between R5 and R6 of carbazole as a core structure and introducing various substituents into the core structure including a structure that includes each independently hydrogen, heavy hydrogen; aliphatic hydrocarbon having 1-20 carbon atoms; aromatic hydrocarbon; aromatic hydrocarbon which is substituted with one or more substituent groups selected from the group consisting of nitro, nitrile, halogen, an alkyl group, an alkoxy group, an amino group, an aromatic hydrocarbon and a hetero ring group; a silicon group which is substituted with aromatic hydrocarbon; a hetero ring group; a hetero ring group which is substituted with one or more substituent groups selected from the group consisting of nitro, nitrile, halogen, an alkyl group, an alkoxy group, an amino group, an aromatic hydrocarbon and a hetero ring group; a thiophene group which is substituted with hydrocarbon having 1-20 carbon atoms or aromatic

hydrocarbon having 6-20 carbon atoms; or a boron group which is substituted with an aromatic hydrocarbon.

The conjugation length of the compound has a close relationship with an energy band gap. In detail, the energy band gap is reduced as the conjugation length of the compound increases. As described above, since a conjugation structure is limited in the core structure of the compound of Formula 1, the core structure has a large energy band gap.

As described above, in the present invention, various substituent groups are introduced to R1 to R7 and X and Y positions of the core structure having the large energy band gap so as to produce compounds having various energy band gaps. Generally, it is easy to control an energy band gap by introducing substituent groups into a core structure having a large energy band gap, but it is difficult to significantly control the energy band gap by introducing substituent groups into a core structure having a small energy band gap. Furthermore, in the present invention, it is possible to control HOMO and LUMO energy levels of the compound by introducing various substituent groups into R1 to R7 and X and Y of the core structure.

217

Additionally, by introducing various substituent groups into the core structure, compounds having intrinsic characteristics of the substituent groups may be obtained. For example, substituent groups, which are frequently applied to hole injection layer material, hole transport layer material, light emitting layer material, and electron transport layer materials during the production of the organic light emitting device, are introduced into the core structure so as to produce substances capable of satisfying the requirements of each organic material layer.

Since the core structure of the compound of Formula 1 includes the amine structure, it has an energy level suitable for the hole injection and/or hole transport materials in the organic light emitting device. In the present invention, the compound having the proper energy level is selected depending on the substituent group among the compounds represented by Formula 1 to be used in the organic light emitting device, thereby it is possible to realize a device having a low driving voltage and a high light efficiency.

Furthermore, various substituent groups are introduced into the core structure so as to precisely control the energy band gap, and to improve interfacial characteristics with organic materials, thereby apply the compound to various fields.

In addition, by controlling the number of amine that is included in the substituent group B, HOMO and LUMO energy levels and the energy band gap are capable of being precisely controlled, and interfacial characteristics with organic materials are improved, thereby apply the compound to various fields.

Meanwhile, since the compound of Formula 1 has a high glass transition temperature (T_g), it has excellent thermal stability. Such increase in thermal stability is an important factor providing driving stability to the device.

Furthermore, the compound of Formula 1 may be used to form the organic material layer using a vacuum deposition process or a solution coating process during the production of the organic light emitting device. In connection with this, illustrative, but non-limiting, examples of the solution coating process include a spin coating process, a dip coating process, an inkjet printing process, a screen printing process, a spray process, and a roll coating process.

The organic light emitting device of the present invention may be produced using known materials through a known process, modified only in that at least one layer of organic material layer(s) include the compound of the present invention, that is, the compound of Formula 1.

The organic material layer(s) of the organic light emitting device according to the present invention may have a single layer structure, or alternatively, a multilayered structure in which at least two organic material layers are layered. For example, the organic light emitting device of the present invention may comprise a hole injection layer, a hole transport layer, a light emitting layer, an electron transport layer, and an electron injection layer as the organic material layer(s). However, the structure of the organic light emitting device is not limited to this, but may comprise a smaller number of organic material layers.

Furthermore, the organic light emitting device of the present invention may be produced, for example, by sequentially layering a first electrode, organic material layer(s), and a second electrode on a substrate. In connection with this, a physical vapor deposition (PVD) method, such as a sputtering method or an e-beam evaporation method, may be used, but the method is not limited to these.

MODE FOR INVENTION


A better understanding of a method of manufacturing a compound represented by Formula 1 may be obtained in light

218

of the following Preparation Examples. However, the Following Preparation Examples and Experimental Examples are set forth to illustrate, but are not to be construed to limit the present invention.


Preparation Example 1

Manufacturing of the Compound Represented by Formula 4



219

-continued



Formula 4

Preparation Example 1-1

Manufacturing of the Compound A

After 2-bromothiophene (20 g, 122.7 mmol) and phenyl boronic acid (18 g, 147.6 mmol) were dissolved in tetrahydrofuran (300 ml), 4N potassium carbonate aqueous solution (130 mL) and tetrakis(triphenylphosphine)palladium (0) (2.9 g, 2.5 mmol) and were put thereinto and heated while being agitated. After the reaction was finished, the organic layer was separated and dried by using anhydrous magnesium sulfate. After it was distilled under the reduced pressure, it was recrystallized by using hexane to obtain a compound A (14.6 g, yield 74%; $[M+H]^+=161$).

Preparation Example 1-2

Manufacturing of the Compound B

The compound A (18 g, 112.3 mmol) that was manufactured in Preparation Example 1-1 was dissolved in anhydrous tetrahydrofuran, n-butyl lithium (2.5M hexane solution, 49.4 mL, 123.5 mmol) was added dropwise at -78°C ., and agitated for 1 hour. Trimethyl borate (15.1 g, 145.3 mmol) was put thereinto, agitated for 1 hour, 2N hydrochloric acid aqueous solution (80 mL) was put thereinto, and it was heated to normal temperature. After the organic layer was separated, it was dried by using anhydrous magnesium sulfate. After it was distilled under the reduced pressure, it was recrystallized by using hexane to obtain a compound B (15.2 g, yield 66%; $[M+H]^+=205$).

Preparation Example 1-3

Manufacturing of the Compound C

The compound B (15 g, 73.5 mmol) that was manufactured in Example 1-2 and 4-bromo-3-iodobenzene (20.8 g, 73.5

220

mmol) were dissolved in tetrahydrofuran (250 ml), 4N potassium carbonate aqueous solution (75 mL) and tetrakis(triphenylphosphine)palladium (0) (1.7 g, 1.5 mmol) and were put thereinto and heated while being agitated. After the reaction was finished, the organic layer was separated and dried by using anhydrous magnesium sulfate. After it was distilled under the reduced pressure, it was recrystallized by using ethanol to obtain a compound C (14.8 g, yield 64%; $[M+H]^+=316$).

Preparation Example 1-4

Manufacturing of the Compound D

After the compound C (14 g, 44.4 mmol) that was manufactured in Preparation Example 1-3, carbazole (7.5 g, 44.9 mmol), sodium-tertiary-butoxide (5.5 g, 57.2 mmol) and bis (tri tertiary-butyl phosphine)palladium (0) (0.23 g, 0.45 mmol) were suspended in xylene (300 ml), they were refluxed while being agitated. After the reaction was finished, it was cooled to normal temperature, and the manufactured solid was filtered. It was sequentially washed by using water and ethanol to obtain a compound D (14.7 g, yield 82%; $[M+H]^+=402$).

Preparation Example 1-5

Manufacturing of the Compound E

The compound D (14 g, 34.9 mmol) that was manufactured in Preparation Example 1-4 was dissolved in chloroform (300 mL), N-bromosuccinimide (6.3 g, 35.4 mmol) was added thereto, and they were agitated at normal temperature. After the reaction was finished, water was poured thereon, and the organic layer was separated, and it was dried by using anhydrous magnesium sulfate. It was distilled under the reduced pressure, and recrystallized by using tetrahydrofuran and ethanol to obtain a compound E (14.3 g, yield 85%; $[M+H]^+=481$).

Preparation Example 1-6

Manufacturing of Formula 4



The compound E (13 g, 27 mmol) that was manufactured in Example 1-5 and the compound B (5.5 g, 27 mmol) that was manufactured in Example 1-2 were dissolved in tetrahydrofuran (200 ml), 4N potassium carbonate aqueous solution (30 mL) and tetrakis(triphenylphosphine)palladium (0) (0.62 g, 0.54 mmol) and were put thereinto and heated while being agitated. After the reaction was finished, the organic layer was separated and dried by using anhydrous magnesium sulfate. After it was distilled under the reduced pressure, it was

221

recrystallized by using tetrahydrofuran and ethanol to obtain Formula 4 (10.7 g, yield 71%; $[M+H]^+=560$).


Preparation Example 2

Manufacturing of the Compound Represented by Formula 5



222

-continued



Preparation Example 2-1

Manufacturing of the Compound A

After the compound E (10 g, 20.8 mmol) of Preparation Example 1-5, and phenyl boronic acid (2.7 g, 22.1 mmol) were dissolved in tetrahydrofuran (300 ml), 4N potassium carbonate aqueous solution (25 mL) and tetrakis(triphenylphosphine)palladium (0) (0.49 g, 0.42 mmol) and were put thereinto and heated while being agitated. After the reaction was finished, the organic layer was separated and dried by using anhydrous magnesium sulfate. After it was distilled under the reduced pressure, it was recrystallized by using tetrahydrofuran and hexane to obtain a compound A (8.2 g, yield 83%; $[M+H]^+=478$).

Preparation Example 2-2

Manufacturing of the Compound B

The compound A (8 g, 16.7 mmol) that was manufactured in Preparation Example 2-1 was dissolved in chloroform (200 mL), N-bromosuccinimide (3 g, 16.9 mmol) was added thereto, and they were agitated at normal temperature. After the reaction was finished, water was poured thereon and the manufactured solid was filtered. It was sequentially washed by using water and ethanol to obtain a compound B (8.2 g, yield 88%; $[M+H]^+=557$).

Preparation Example 2-3

Manufacturing of Formula 5


The compound B (5 g, 9 mmol) that was manufactured in Preparation Example 2-2 and the compound B (1.9 g, 9.3 mmol) that was manufactured in Preparation Example 1-2 were dissolved in tetrahydrofuran (150 ml), 4N potassium carbonate aqueous solution (12 mL) and tetrakis(triphenylphosphine)palladium (0) (0.2 g, 0.18 mmol) and were put thereinto and heated while being agitated. After the reaction was finished, the organic layer was separated and dried by

223

using anhydrous magnesium sulfate. After it was distilled under the reduced pressure, it was recrystallized by using tetrahydrofuran and ethanol to obtain Formula 5 (3.9 g, yield 68%; $[M+H]^+=636$).

Preparation Example 3

Manufacturing of the Compound Represented by Formula 6



Preparation Example 3-1

Manufacturing of the Compound A

The compound C (10 g, 31.7 mmol) that was manufactured in Preparation Example 1-3 was dissolved in anhydrous tetrahydrofuran, n-butyl lithium (2.5M hexane solution, 13.8 mL, 34.5 mmol) was added dropwise at -78°C ., and agitated for 1 hour. Trimethyl borate (4.3 g, 41.4 mmol) was put thereinto, agitated for 1 hour, 2N hydrochloric acid aqueous solution (20 mL) was put thereinto, and it was heated to normal temperature. After the organic layer was separated, it was dried by using anhydrous magnesium sulfate. After it was distilled under the reduced pressure, it was recrystallized by using hexane to obtain a compound A (5.4 g, yield 61%; $[M+H]^+=281$).

Preparation Example 3-2

Manufacturing of Formula 6


The compound A (5 g, 17.8 mmol) that was manufactured in Preparation Example 3-1 and the compound E (8.5 g, 17.7 mmol) that was manufactured in Preparation Example 1-5 were dissolved in tetrahydrofuran (150 ml), 4N potassium carbonate aqueous solution (20 mL) and tetrakis(triphenylphosphine)palladium (0) (0.42 g, 0.36 mmol) and were put thereinto and heated while being agitated. After the reaction was finished, the organic layer was separated and dried by using anhydrous magnesium sulfate. After it was distilled

224

under the reduced pressure, it was recrystallized by using tetrahydrofuran and ethanol to obtain Formula 6 (8.2 g, yield 73%; $[M+H]^+=636$).

Preparation Example 4

Manufacturing of the Compound Represented by Formula 7



Preparation Example 4-1

Manufacturing of the Compound A

The compound B (15 g, 73.5 mmol) that was manufactured in Preparation Example 1-2 and 3-bromo-1-iodobenzene (20.8 g, 73.5 mmol) were dissolved in tetrahydrofuran (180 ml), 4N potassium carbonate aqueous solution (75 mL) and

225

tetrakis(triphenylphosphine)palladium (0) (1.7 g, 1.5 mmol) and were put thereinto and heated while being agitated. After the reaction was finished, the organic layer was separated and dried by using anhydrous magnesium sulfate. After it was distilled under the reduced pressure, it was subjected to the column separation by using a tetrahydrofuran/hexane=1/10 solvent to obtain a compound A (14.4 g, yield 62%; $[M+H]^+$ =316).

Preparation Example 4-2

Manufacturing of the Compound B

After the compound A (14 g, 44.4 mmol) that was manufactured in Preparation Example 4-1, carbazole (7.5 g, 44.9 mmol), sodium-tertiary-butoxide (5.5 g, 57.2 mmol) and bis(tri tertiary-butyl phosphine)palladium (0) (0.23 g, 0.45 mmol) were suspended in xylene (300 ml), they were refluxed while being agitated. After the reaction was finished, it was cooled to normal temperature, and the manufactured solid was filtered. It was sequentially washed by using water and ethanol to obtain a compound B (15.1 g, yield 85%; $[M+H]^+$ =402).

Preparation Example 4-3

Manufacturing of the Compound C

The compound B (15 g, 37.4 mmol) that was manufactured in Preparation Example 4-2 was dissolved in chloroform (300 mL), N-bromosuccinimide (6.7 g, 37.6 mmol) was added thereto, and they were agitated at normal temperature. After the reaction was finished, water was poured thereon, the organic layer was separated, and they were dried by using anhydrous magnesium sulfate. It was distilled under the reduced pressure and recrystallized by using tetrahydrofuran and ethanol to obtain a compound C (14.2 g, yield 79%; $[M+H]^+$ =481).

Preparation Example 4-4

Manufacturing of the Compound D

The compound C (13 g, 27 mmol) that was manufactured in Preparation Example 4-3 and 4-chlorophenyl borate (4.3 g, 27.5 mmol) were dissolved in tetrahydrofuran (300 ml), 4N potassium carbonate aqueous solution (33 mL) and tetrakis(triphenylphosphine)palladium (0) (0.62 g, 0.54 mmol) and were put thereinto and heated while being agitated. After the reaction was finished, the organic layer was separated and dried by using anhydrous magnesium sulfate. After it was distilled under the reduced pressure, it was recrystallized by using tetrahydrofuran and ethanol to obtain a compound D (9.5 g, yield 69%; $[M+H]^+$ =512).

Preparation Example 4-5

Manufacturing of Formula 7


After the compound D (8 g, 15.6 mmol) that was manufactured in Preparation Example 4-4, N-phenyl-1-naphthyl amine (3.8 g, 17.3 mmol), sodium-tertiary-butoxide (2 g, 20.8 mmol) and bis(tri tertiary-butyl phosphine)palladium (0) (0.08 g, 0.16 mmol) were suspended in xylene (300 ml), they were refluxed while being agitated. After the reaction was

226

finished, it was cooled to normal temperature, an acidic white clay was put thereinto, and they were agitated. After it was filtered, it was distilled under the reduced pressure, and subjected to the column separation by using a tetrahydrofuran/hexane=1/7 solvent to obtain Formula 7 (6.4 g, yield 59%; $[M+H]^+$ =695).

Preparation Example 5

Manufacturing of the Compound Represented by Formula 8



Preparation Example 5-1

Manufacturing of Formula 8


After the compound D (8 g, 15.6 mmol) that was manufactured in Preparation Example 4-4, bis(4-biphenyl)amine (5.5 g, 17.1 mmol), sodium-tertiary-butoxide (2 g, 20.8 mmol) and bis(tri tertiary-butyl phosphine)palladium (0) (0.08 g, 0.16 mmol) were suspended in xylene (250 ml), they were refluxed while being agitated. After the reaction was finished, it was cooled to normal temperature, an acidic white clay was put thereinto, and they were agitated. After it was filtered, it was distilled under the reduced pressure, and

227


recrystallized by using tetrahydrofuran and ethanol to obtain Formula 8 (7.8 g, yield 63%; $[M+H]^+=797$).

Preparation Example 6

Manufacturing of the Compound Represented by Formula 9



compound A



Formula 9

Preparation Example 6-1

Manufacturing of the Compound A

The compound E (10 g, 20.8 mmol) that was manufactured in Preparation Example 1-5 and 4-chlorophenyl borate (3.6 g, 23 mmol) were dissolved in tetrahydrofuran (250 ml), 4N potassium carbonate aqueous solution (22 mL) and tetrakis (triphenylphosphine)palladium (0) (0.49 g, 0.42 mmol) and were put therein and heated while being agitated. After the reaction was finished, the organic layer was separated and dried by using anhydrous magnesium sulfate. After it was distilled under the reduced pressure, it was recrystallized by using tetrahydrofuran and ethanol to obtain a compound A (7 g, yield 66%; $[M+H]^+=512$).

Preparation Example 6-2

Manufacturing of Formula 9


After the compound A (5 g, 9.7 mmol) that was manufactured in Preparation Example 6-1, bis(4-biphenyl)amine

228


(3.4 g, 10.6 mmol), sodium-tertiary-butoxide (1.2 g, 12.6 mmol) and his (tri tertiary-butyl phosphine)palladium (0) (0.05 g, 0.1 mmol) were suspended in xylene (150 ml), they were refluxed while being agitated. After the reaction was finished, it was cooled to normal temperature, and the manufactured solid was filtered. After the filtered solid was dissolved in chloroform, an acidic white clay was put therein, and they were agitated. After it was filtered, it was distilled under the reduced pressure, and recrystallized by using tetrahydrofuran and ethanol to obtain Formula 9 (5.2 g, yield 67%; $[M+H]^+=797$).

Preparation Example 7

Manufacturing of the Compound Represented by Formula 10




compound A



compound B

229

-continued



Formula 10

Preparation Example 7-1

Manufacturing of the Compound A

The compound D (10 g, 19.5 mmol) that was manufactured in Preparation Example 4-4 was dissolved in chloroform (300 mL), N-bromosuccinimide (3.7 g, 20.8 mmol) was added thereto, and they were agitated at normal temperature. After the reaction was finished, water was poured thereon, the organic layer was separated, and they were dried by using anhydrous magnesium sulfate. It was distilled under the reduced pressure and recrystallized by using tetrahydrofuran and ethanol to obtain a compound A (8.9 g, yield 77%; $[M+H]^+=591$).

Preparation Example 7-2

Manufacturing of the Compound B

The compound A (8 g, 13.5 mmol) that was manufactured in Preparation Example 7-1 and 4-chlorophenyl borate (2.3 g, 14.7 mmol) were dissolved in tetrahydrofuran (200 ml), 4N potassium carbonate aqueous solution (15 mL) and tetrakis(triphenylphosphine)palladium (0) (0.31 g, 0.27 mmol) and were put thereinto and heated while being agitated. After the reaction was finished, the manufactured solid was filtered. The filtered solid was recrystallized by using tetrahydrofuran and ethanol to obtain a compound B (5.2 g, yield 65%; $[M+H]^+=588$).

Preparation Example 7-3

Manufacturing of Formula 10


After the compound B (5 g, 8.5 mmol) that was manufactured in Preparation Example 7-2, bis(4-biphenyl)amine (3 g, 9.3 mmol), sodium-tertiary-butoxide (1.1 g, 11.4 mmol) and bis(tri-tert-butyl phosphine)palladium (0) (0.05 g, 0.1 mmol) were suspended in xylene (150 ml), they were refluxed while being agitated. After the reaction was finished, it was cooled to normal temperature, an acidic white clay was put thereinto, and they were agitated. After it was filtered, it was

230


distilled under the reduced pressure, and recrystallized by using tetrahydrofuran and ethanol to obtain Formula 10 (4.5 g, yield 61%; $[M+H]^+=873$).

Preparation Example 8

Manufacturing of the Compound Represented by Formula 11




compound A



compound B

231



Formula 11

Preparation Example 8-1

Manufacturing of the Compound A

The compound A (10 g, 19.5 mmol) that was manufactured in Preparation Example 6-1 was dissolved in chloroform (300 mL), N-bromosuccinimide (3.7 g, 20.8 mmol) was added thereto, and they were agitated at normal temperature. After the reaction was finished, water was poured thereon, the organic layer was separated, and they were dried by using anhydrous magnesium sulfate. It was distilled under the reduced pressure and recrystallized by using tetrahydrofuran and ethanol to obtain a compound A (9.4 g, yield 82%; $[M+H]^+=591$).

Preparation Example 8-2

Manufacturing of the Compound B

The compound A (8 g, 13.5 mmol) that was manufactured in Preparation Example 8-1 and the compound B (3 g, 14.7 mmol) that was manufactured in Preparation Example 1-2 were dissolved in tetrahydrofuran (150 ml), 4N potassium carbonate aqueous solution (15 mL) and tetrakis(triphenylphosphine)palladium (0) (0.31 g, 0.27 mmol) and were put thereto and heated while being agitated. After the reaction was finished, the manufactured solid was filtered. The filtered solid was recrystallized by using tetrahydrofuran and ethanol to obtain a compound B (6.2 g, yield 69%; $[M+H]^+=670$).

Preparation Example 8-3

Manufacturing of Formula 11


After the compound B (6 g, 9 mmol) that was manufactured in Preparation. Example 8-2, N-phenyl-1-naphthyl amine

232


(2.1 g, 9.6 mmol), sodium-tertiary-butoxide (1.1 g, 11.7 mmol) and bis(tri tertiary-butyl phosphine)palladium (0) (0.05 g, 0.1 mmol) were suspended in xylene (100 ml), they were refluxed while being agitated. After the reaction was finished, it was cooled to normal temperature, an acidic white clay was put thereto, and they were agitated. After it was filtered, it was distilled under the reduced pressure, and subjected to the column separation by using a tetrahydrofuran/hexane=1/6 solvent to obtain Formula 11 (3.8 g, yield 49%; $[M+H]^+=853$).

Preparation Example 9

Manufacturing of the Compound Represented by Formula 12




compound A



compound B

233

-continued



Formula 12

Preparation Example 9-1

Manufacturing of the Compound A

The compound D (10 g, 19.5 mmol) that was manufactured in Preparation Example 4-4 was dissolved in chloroform (300 mL), N-bromosuccinimide (3.7 g, 20.8 mmol) was added thereto, and they were agitated at normal temperature. After the reaction was finished, water was poured thereon, the organic layer was separated, and they were dried by using anhydrous magnesium sulfate. It was distilled under the reduced pressure and recrystallized by using tetrahydrofuran and ethanol to obtain a compound A (9.1 g, yield 79%; $[M+H]^+=591$).

Preparation Example 9-2

Manufacturing of the Compound B

The compound A (9 g, 15.2 mmol) that was manufactured in Preparation Example 9-1 and the compound B (3.4 g, 16.7 mmol) that was manufactured in Preparation Example 1-2 were dissolved in tetrahydrofuran (150 ml), 4N potassium carbonate aqueous solution (18 mL) and tetrakis(triphenylphosphine)palladium (0) (0.35 g, 0.3 mmol) and were put thereto and heated while being agitated. After the reaction was finished, the manufactured solid was filtered. The filtered solid was recrystallized by using tetrahydrofuran and ethanol to obtain a compound B (7.3 g, yield 72%; $[M+H]^+=670$).

Preparation Example 9-3

Manufacturing of Formula 12


After the compound B (6 g, 9 mmol) that was manufactured in Preparation Example 9-2, bis(4-biphenyl)amine (3 g, 9.3 mmol), sodium-tertiary-butoxide (1.1 g, 11.4 mmol) and bis(tri-tert-butyl phosphine)palladium (0) (0.05 g, 0.1 mmol) were suspended in xylene (150 ml), they were refluxed while being agitated. After the reaction was finished, it was cooled to normal temperature, and the manufactured solid was filtered. The filtered solid was dissolved in chloroform, an acidic white clay was put thereto, and they were agitated and filtered. After it was distilled under the reduced pressure,

234

and recrystallized by using tetrahydrofuran and ethanol to obtain Formula 12 (5.6 g, yield 65%; $[M+H]^+=955$).

Preparation Example 10

Manufacturing of Formula 13



Formula 13


The compound A (4 g, 7.8 mmol) of the Preparation Example 6 and the amine compound (3.17 g, 8.2 mmol) were dissolved in 150 ml of xylene, sodium-tertiary-butoxide (1.9 g, 19.5 mmol), and 20 mg of $Pd[P(t-Bu)_3]_2$ (0.06 mmol) were added, and refluxed for 5 hours under the nitrogen atmosphere.

235


Distilled water was put in the reaction solution, the reaction was finished, and the organic layer was extracted. It was subjected to the column separation by using a normal-hexane/tetrahydrofuran=10/1 solvent, agitated in petroleum ether, and vacuum dried to obtain Formula 13 (3.4 g, yield 50%).
MS: $[M+H]^+=861$

Preparation Example 11


Manufacturing of Formula 14



Formula A




Formula B



Formula C

236

-continued



Formula 14

(1) Manufacturing of Formula A

Carbazole (17.5 g, 104.8 mmol) was dissolved in dimethylacetamide (100 mL), and 4-chloriodobenzene (25 g, 104.8 mmol), Cu (13.3 g, 209.6 mmol), K_2CO_3 (43.5 g, 314.4 mmol) were put therein, and they were refluxed for 12 hours.

After the reaction solution was filtered, concentrated, and recrystallized by using EtOH to obtain Formula A (24.8 g, yield 85%). MS: $[M+H]^+=278$

(2) Manufacturing of Formula B

Formula A (24.8 g, 89.3 mmol) that was manufactured in step (1) was dissolved in chloroform (200 mL), N-bromosuccinimide (15.9 g, 89.3 mmol) was added thereto, and they were agitated for 5 hours at normal temperature.

Distilled water was put therein, the reaction was finished, and the organic layer was extracted. After the reaction solution was concentrated, the next reaction was performed without the purification process. MS: $[M+H]^+=357$

(3) Manufacturing of Formula C

Formula B (31.7 g, 89 mmol) that was manufactured in step (2) and 4-chlorophenyl boronic acid (15.3 g, 97.9 mmol) were dissolved in THF (150 mL), and $Pd(PPh_3)_4$ (2.1 g, 1.78 mmol) and the K_2CO_3/H_2O aqueous solution (6 g/100 mL, 356 mmol) were put therein, and they were refluxed for 24 hours.

Distilled water was put therein, the reaction was finished, and the organic layer was extracted. After the reaction solution was concentrated and subjected to the column separation by using a normal-hexane/tetrahydrofuran=10/1 solvent, they were agitated in EtOH, filtered, and vacuum dried to obtain Formula C (8.9 g, yield 26%). MS: $[M+H]^+=388$

(4) Manufacturing of Formula 14

Formula C (4.9 g, 12.6 mmol) that was manufactured in step (3) and N-phenyl-1-naphthyl amine (6.9 g, 31.5 mmol) were dissolved in 150 ml of xylene, sodium-tertiary-butoxide (3 g, 31.5 mmol), bis(dibenzylidene)acetone palladium (0) (0.28 g, 0.5 mmol), and 50 wt % tri-tertiary-butylphosphine

237

toluene solution (0.24 ml, 0.5 mmol) were added thereto, and refluxed for 5 hours under the nitrogen atmosphere.

Distilled water was put in the reaction solution, the reaction was finished, and the organic layer was extracted. It was subjected to the column separation by using a normal-hexane/ tetrahydrofuran=10/1 solvent, agitated in EtOH, filtered, and vacuum dried to obtain Formula 14 (1.8 g, yield 19%). MS: $[M+H]^+=754$

Preparation Example 12


Manufacturing of Formula 15

238

tetrahydrofuran=10/1 solvent, agitated in petroleum ether, and vacuum dried to obtain Formula 15 (6.9 g, yield 70%). MS: $[M+H]^+=958$

Experimental Example 1

A glass substrate, on which ITO (indium tin oxide) was applied to a thickness of 1500 Å to form a thin film, was put in distilled water, in which a detergent was dissolved, and washed using ultrasonic waves. In connection with this, a product manufactured by Fischer Inc. was used as the detergent, and distilled water was produced by filtering twice using



Formula 15


Formula C (4 g, 10.3 mmol) that was manufactured in step (3) of Preparation Example 11 and bisdiphenylamine (8.28 g, 25.8 mmol) were dissolved in 150 ml of xylene, sodium-tertiary-butoxide (2.47 g, 25.8 mmol), and $Pd[P(t-Bu)_3]_2$ (0.2 g, 0.4 mmol) were added thereto, and refluxed for 5 hours under the nitrogen atmosphere.

Distilled water was put in the reaction solution, the reaction was finished, and the organic layer was extracted. It was subjected to the column separation by using a normal-hexane/

a filter manufactured by Millipore Inc. After ITO was washed for 30 min, ultrasonic washing was conducted twice using distilled water for 10 min. After the washing using distilled water was completed, ultrasonic washing was conducted using isopropyl alcohol, acetone, and methanol solvents, and drying was then conducted. Next, it was transported to a plasma washing machine. In addition, the substrate was washed using oxygen plasma 85 W for 5 min, and then transported to a vacuum evaporator.


239

Hexanitride hexaazatriphenylene (hereinafter, referred to as "HAT") of the following Formula was vacuum deposited to a thickness of 500 Å by heating on a transparent ITO electrode, which was prepared through the above procedure, so as to form a hole injection layer.




The compound of Formula 4, which was prepared in Example 1, was vacuum deposited to a thickness of 400 Å by heating on the hole injection layer so as to form a hole transport layer.

Subsequently, on the hole transport layer, GH and GD as described below were vacuum deposited to a film thickness of 300 Å at a film thickness ratio of 20:1 so as to form a light emitting layer.




240

-continued



On the light emitting layer, the electron transport material as described below was vacuum deposited to a thickness of 200 Å so as to form an electron injection layer and an electron transport layer.

[Electron Transport Material]



Lithium fluoride (LiF) having a thickness of 12 Å and aluminum having a thickness of 2000 Å were sequentially deposited on the electron injection layer and the electron transport layer to form a cathode.

In the above procedure, the deposition speed of an organic material was maintained at 0.4 to 0.7 Å/sec, lithium fluoride and aluminum were deposited at speeds of 0.3 Å/sec and 2 Å/sec, respectively, on the cathode, and in the deposition, a vacuum was maintained at 2×10^{-7} to 5×10^{-8} torr.

A forward current density of 4.8 V was applied to the light emitting device manufactured in the above, and as a result, the green light in which the color coordinate was (0.32, 0.66) at a current density of 50 mA/cm² was observed at 26 cd/A, and a life span to the luminance of 90% was 180 hours.

Experimental Example 2

The same process was performed to manufacture an organic EL device, except that the compound of Formula 5 was used instead of the compound of Formula 4 in Experimental Example 1.

A forward current density of 4.7 V was applied to the light emitting device manufactured in the above, and as a result, the green light in which the color coordinate was (0.33, 0.64) at a current density of 50 mA/cm² was observed at 27 cd/A, and a life span to the luminance of 90% was 200 hours.

Experimental Example 3

The same process was performed to manufacture an organic EL device, except that the compound of Formula 6 was used instead of the compound of Formula 4 in Experimental Example 1.

A forward current density of 4.8 V was applied to the light emitting device manufactured in the above, and as a result, the green light in which the color coordinate was (0.33, 0.65) at a current density of 50 mA/cm² was observed at 29 cd/A, and a life span to the luminance of 90% was 210 hours.

Experimental Example 4

The same process was performed to manufacture an organic EL device, except that the compound of Formula 7 was used instead of the compound of Formula 4 in Experimental Example 1.

A forward current density of 4.6 V was applied to the light emitting device manufactured in the above, and as a result, the green light in which the color coordinate was (0.32, 0.65) at a current density of 50 mA/cm² was observed at 28 cd/A, and a life span to the luminance of 90% was 190 hours.

Experimental Example 5

The same process was performed to manufacture an organic EL device, except that the compound of Formula 8 was used instead of the compound of Formula 4 in Experimental Example 1.

A forward current density of 4.7 V was applied to the light emitting device manufactured in the above, and as a result, the green light in which the color coordinate was (0.32, 0.64) at a current density of 50 mA/cm² was observed at 30 cd/A, and a life span to the luminance of 90% was 250 hours.

Experimental Example 6

The same process was performed to manufacture an organic EL device, except that the compound of Formula 9 was used instead of the compound of Formula 4 in Experimental Example 1.

A forward current density of 4.6 V was applied to the light emitting device manufactured in the above, and as a result, the green light in which the color coordinate was (0.31, 0.65) at a current density of 50 mA/cm² was observed at 29 cd/A, and a life span to the luminance of 90% was 240 hours.

Experimental Example 7

The same process was performed to manufacture an organic EL device, except that the compound of Formula 10 was used instead of the compound of Formula 4 in Experimental Example 1.

A forward current density of 4.5 V was applied to the light emitting device manufactured in the above, and as a result, the green light in which the color coordinate was (0.32, 0.65) at a current density of 50 mA/cm² was observed at 31 cd/A, and a life span to the luminance of 90% was 270 hours.

Experimental Example 8

The same process was performed to manufacture an organic EL device, except that the compound of Formula 11 was used instead of the compound of Formula 4 in Experimental Example 1.

A forward current density of 4.4 V was applied to the light emitting device manufactured in the above, and as a result, the green light in which the color coordinate was (0.32, 0.66) at a current density of 50 mA/cm² was observed at 31 cd/A, and a life span to the luminance of 90% was 270 hours.


Experimental Example 9

The same process was performed to manufacture an organic EL device, except that the compound of Formula 12 was used instead of the compound of Formula 4 in Experimental Example 1.

A forward current density of 4.4 V was applied to the light emitting device manufactured in the above, and as a result, the green light in which the color coordinate was (0.33, 0.65) at a current density of 50 mA/cm² was observed at 32 cd/A, and a life span to the luminance of 90% was 280 hours.

Comparative Example 1

The same process was performed to manufacture an organic EL device, except that 4,4'-bis[N-(1-naphthyl)-N-phenylamino]biphenyl (NPB) of the following Formula was used instead of the compound of Formula 4 in Experimental Example 1.



A forward current density of 4.6 V was applied to the light emitting device manufactured in the above, and as a result, the green light in which the color coordinate was (0.32, 0.64) at a current density of 50 mA/cm² was observed at 26 cd/A, and a life span to the luminance of 90% was 140 hours.


INDUSTRIAL APPLICABILITY

A compound according to the present invention is configured so that stability in respects to a hole and an electron is increased while properties of carbazole are not largely changed by introducing heavy hydrogen to carbazole. These compounds may be used as an organic material layer material, particularly, a hole injection material and/or a hole transport material in an organic light emitting device, and in the case of when it is used in the organic light emitting device, a

driving voltage of the device may be reduced, light efficiency may be improved, and a life span property of the device may be improved because of thermal stability of the compound.

The invention claimed is:

1. A compound of the following Formula 1:



wherein X is $-(A)_m-(B)_n$,

Y is an arylamine group, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted arylamine group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group; or a hetero ring group including O, N or S as a heteroatom, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted arylamine group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group, Ar is an arylene group having 6 to 40 carbon atoms, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of nitro, nitrile, halogen, an alkyl group, an alkoxy group and an amino group, or a divalent hetero ring group, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of nitro, nitrile, halogen, an alkyl group, an alkoxy group and an amino group;

A is an aryl group, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted arylamine group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group,

B is a hetero ring group including O or S as a heteroatom, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted arylamine group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group,

m and n are integers in the range of 1 to 10, and R1 to R7 are each independently selected from the group consisting of hydrogen; an alkyl group, which is substi-


tuted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group; an alkoxy group, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group; an aryl group, which is substituted or unsubstituted with one or more substituent groups selected from the group consisting of a halogen group, an alkyl group, an alkenyl group, an alkoxy group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, a substituted or unsubstituted arylalkenyl group, a substituted or unsubstituted hetero ring group, a nitrile group and an acetylene group; an amino group, which is substituted with one or more substituent groups selected from the group consisting of an alkyl group, an alkenyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted arylalkyl group, and a substituted or unsubstituted arylalkenyl group; a nitro group; and a halogen group, and said R1 to R7 may form an aliphatic or hetero condensation ring in conjunction with adjacent groups.

2. The compound of Formula 1 as set forth in claim 1, wherein A of Formula 1 is selected from the group consisting of a phenyl group, a biphenyl group, a terphenyl group, a stilbene group, a naphthyl group, an anthracenyl group, a phenanthrene group, a pyrenyl group and a perylenyl group.

3. The compound of Formula 1 as set forth in claim 1, wherein B of Formula 1 is a hetero ring-selected from the group consisting of a thiophene group and a furan group, and


Y of Formula 1 is a hetero ring selected from the group consisting of a thiophene group, a furan group, a pyrrolyl group, an imidazolyl group, a thiazolyl group, an oxazolyl group, an oxadiazolyl group, a triazolyl group, a pyridyl group, a pyridazine group, a quinolinyl group, an isoquinoline group, and an acridyl group.

4. The compound of Formula 1 as set forth in claim 1, wherein the compound of Formula 1 is represented by any one of the following Formula 2 and Formula 3:





245

-continued



wherein Ar's are each independently selected from the group consisting of a phenyl group, a biphenyl group, a terphenyl group, a stilbene group, a naphthyl group, an anthracenyl group, a phenanthrene group, a pyrenyl group, a perylenyl group, and Ar, Y and R1 to R8 are the same as the definitions in respect to Ar, Y and R1 to R7 of Formula 1.

5. The compound of Formula 1 as set forth in claim 1, wherein the compound of Formula 1 is represented by any one of the following Formula 2-1 and Formula 3-1:



wherein Ar, Y and R1 to R8 are the same as the definitions in respect to Ar, Y and R1 to R7 of Formula 1.

6. The compound of Formula 1 as set forth in claim 1, wherein the compound of Formula 1 is represented by any one of the following Formula 2-2 and Formula 3-2:

[Formula 3]

5

10

15

20

25

[Formula 2-1]

30

35

40

45

[Formula 3-1]


50

55


60

246

[Formula 2-2]





[Formula 3-2]








wherein Ar, Y and R1 to R8 are the same as the definitions in respect to Ar, Y and R1 to R7 of Formula 1.

7. The compound of Formula 1 as set forth in claim 1, wherein when Y of Formula 1 is arylamine, it is any one of the following groups:



247

-continued



248

-continued

3

5

10

4

15

20

25

5

30

35

6

40

45





50

7

55

60

65



8





9

10

11






249

-continued



250

-continued



12

5

10

15

20

13

25

30

35

14

40

45

50

15

55

60

65

16

17


18

19

20

251

-continued




21

5

10


15
22



20

25

23




24

45

50

55
25




60

65


252

-continued




26


27




28



29








30








253

-continued



254

-continued



31

5

10

32

15

20

25

33

30

35

40

34

45

50

35

55

60

65

36

37





38

39

40

255

-continued



256

-continued

41

5

10

15

42

20

25

30

43

35

40

45

50




44

55

60

65

45







46

47

257

-continued




258

-continued

48

52

5




10

15

53

49 20




25

30

54

35




50

40

45

55


50



51 55

56





60



65

259

-continued



260

-continued

57

5

10

58 15

20

25

59 30

35

40






45

60 50

55

60

65



61







62

63

64

65

261
-continued



66

5

10

67

15

20

68

25

69

30

70

35

71

40

72

45

73

50

74

55




75

60

76

65

262
-continued






72

73

74

263

-continued



264

-continued


75

5

10

15

20




76 25

30

35

40

45




77

50

55

60

65







78

79

80

265

-continued



81

5

10

15

82

20

25

30

83

35

40

45

50

84





55

60

65

266

-continued



85




86

87

88

267

-continued



268

-continued

89


92

5

10

15

20



90 25


93

30

35

40

45




91 50

94

55




60

65



269

-continued



270

-continued

95

5

10

15

20

25

96

30

35

40

45

97

50

55




60

65

98


99

100



271

-continued



101

5


10

15

20

272

-continued



104


102 25

30

35

40

45




105

103 50

55

60




65



106

273

-continued



274

-continued

107

5

10

15

20

25

108

30

35

40

45

109

50

55




60

65

110


111

112



275

-continued



113

5


10

15

20

276

-continued



116



114 25

30

35

40

45



117



115

50

55

60




65



118

277

-continued



278

-continued

119

122

5

10

15

20

120

25

30

35

40

45




121

50

55




60

65



279

-continued



280

-continued

125

5

10

15

20

126

25

30

35

40

127



45

50

55

60

65






128

129

281

-continued



282

-continued

130


133

5

10

15

20



131 25

134


30

35

40

45

132




50

135

55




60

65



283

-continued



284

-continued

136

5

10

15

20

137 25

30

35

40

45

138

50

55




60

65

139




140

141




285

-continued



286

-continued



142

5

10

15

20

143

25

30

35

40

144 45

50

55

60




65

145

146

287

-continued



288

-continued

147


150

5

10

15

20



148 25

151


30

35

40

45

149




50

152

55




60

65



289

-continued



153

5

10

15

20

25

154

30

35

40

45

155

50




55

60

65

290

-continued






156

157

158




291

-continued



292

-continued



159

5

10

15

20

160

25

30

35

40

45

161

50

55

60

65


162

163

164

293


-continued



165

294

-continued



168


5

10

15

20

166 25




169

30


35

40

45



167 50




170

55




60

65






295

-continued



296

-continued



171

5

10

15

20

172 25

30

35

40

45

173

50

55

60




65

174

175

176

297
-continued



298
-continued

177

180

5

10

15

20

178

25

30

35

40

45




179

50

55




60

65



299

-continued



300

-continued


183

5

10

15

20



186


184 25

30

35

40

45



187


185

50

55

60




65



188

301

-continued



302

-continued

189

192

5

10

15

20

190 25

30

35

40

45




191

50



55

60

65



303
-continued



304
-continued

195

197


5

10

15

20

25



30


198

35

40

196

45




50

199

55




60

65



305

-continued



306

-continued

200


203

5

10

15

20



201 25

204


30

35

40

45

202




50

205




55

60

65



307
-continued



308
-continued

206

209

5

10

15

20

207 25

30

35

40

45




208

50

55

60



65



210

211

309
-continued



310
-continued

212

214


5

10

15

20

25




30

35

40

213 45




50

55

60

65






215

216

311

-continued



312

-continued

217


220

5

10

15

20



218 25

221


30

35

40

45

219




50

55

60




65

222






313

-continued





314

-continued



315
-continued



316
-continued

229

231


5

10

15

20

25




30

232

35

40

230 45




50

233

55




60

65






317

-continued



318

-continued



234

5

10

15

20

235 25

30

35

40

45

236

50

55

60




65

237

238

239

319
-continued



320
-continued

240

243

5

10

15

20

241 25

30

35

40

45




242

50

55

60



65



244

245

321
-continued



322
-continued

246

248


5

10

15

20

25




30

35

40

247 45




50

55

60

65






249

250

323

-continued



324

-continued

251


254

5

10

15

20



252 25

255

30

35

40

45

253


256

50




55

60

65



325
-continued



326
-continued

257

260

5

10

15

20

258 25

30

35

40

45




259

50



55

60

65



327
-continued



328
-continued

263

265


5

10

15

20

25




266

30

35

40

264 45




267

50

55




60

65



329

-continued



330

-continued

268


271

5

10

15

20



269 25

272


30

35

40

45

270




50

273




55

60

65



331
-continued



332
-continued

274

277

5

10

15

20

275 25

30

35

40

45

276

278




50

55



60

65

279



333
-continued



334
-continued

280

5

10

15

20

25

30

35

40

281 45


50

55


60

65


282



283






284



335

-continued



336

-continued


285

5

10

15

20



288

286 25


30

35

40

45

287




289

50

55

60


65



290

337

-continued



291

5


10

15

20

338

-continued



294

292


25

30


35

40

45



295




293

50


55

60

65






296



339

-continued



340

-continued


297

5

10

15

20



300

298


25

30

35

40

45



301


299

50

55

60


65



302

341

-continued



303

342


-continued

5

10


15

20



306

304 25




30

35


40

45



307


305 50



55

60




65



308

343

-continued



344

-continued

309


312

5

10

15

20



310


313

25

30

35

40



45

311


314

50




55

60

65



345
-continued



346
-continued

315


318

5

10

15

20



316

319


25

30

35

40

45



317


320

50




55

60

65



347
-continued



348
-continued

321


324

5

10

15

20



25

325


322

30

35

40

45



323


326

50

55




60

65



349

-continued



350

-continued


327

5

10

15

20



328


25

30

35

40

45




329

50

55

60

65






330

331

332

351
-continued



352
-continued

333

336

5

10

15

20

25

334

337

30

35

40

45

335




338

50


55

60

65



353
-continued



339


5

10

15

20

354
-continued



342

340


25

30

35

40

45



343


341

50


55

60


65



344



355
-continued



356
-continued

345

347

5

10

15


20

25

30

35

40



346 45



348

50

55



60

65



357

-continued



358

-continued

349

351

5

10

15

20

25

30

35

40

350

45

352




353

50

55




60

65



359

-continued



360

-continued

354

5

10

15

20

355

25

30

35

40

45


356

50


55

60


65



357




358



359

361
-continued



362
-continued

360

362

5

10

15


20

25

30

35

40



361 45



363

50


55

60

65



363
-continued



364
-continued

364

5

10

15

20

25

30

35

40

365

45




50

55

60

65




366



367

365

-continued



366

-continued

368


371

5

10

15

20



369


372

25

30

35

40



370

373


45

50


55

60

65



367
-continued



368
-continued

374

376

5

10

15


20

25

30

35

40



45

377



375

50

55


60

65



369

-continued



378

370

-continued

5

10

15

20

25

30

35

40

379

45


50

55



60

65


380



381



371
-continued



382

372
-continued

5

10

15

20

25


30

35

40

383

384



45



50

55


60

65

385




373
-continued



386

374
-continued

5



388

10

15


20

25

30

35

40



387


45

50

55


60

65



389


375
-continued



390

376
-continued

5



392

10

15

20

25


30

35

40

391

45




50

55


60

65



393

377
-continued



378
-continued

394

396

5

10

15


20

25

30

35

40



395

397



45

50


55

60

65



379
-continued



398

5

10

15

20

25

30

35

40

399

45


50

55



60

65

380
-continued





400



401

381
-continued



382
-continued

402

5

10

15

20

25

30

35

40

403

45



50

55

60


65

404



383


-continued



406

384

-continued



408

5

10

15

20

25

30

35

40

407

45



50

55




60

65

409



385
-continued



386
-continued

410

413

5

10

15

20

411

25

30

35

40

412

45



414

50


55

60

65



387
-continued



388
-continued

415

417

5

10

15


20

25

30

35

40



416

418



45

50

55




60

65



389

-continued



390

-continued

419


422

5

10

15

20



420


423

25

30

35

40



421 45


424

50




55

60

65



391
-continued



392
-continued

425

428

5

10

15

20

426 25

30

35

40

45



427

50


55

60

65



393
-continued



394
-continued

430

432

5

10

15


20

25

30

35

40



45

433



431

50



55

60

65



395
-continued



396
-continued

434

436

5

10

15

20

25

30

35

40

435

45

437



438

50




55

60

65



397
-continued




398
-continued

439

442

5



10

15

20

440

25

30

35


40

45

443

441

50




55

60


65

399
-continued



444

400
-continued



446

5

10

15


20

25

30

35

40



445


45

50

55

60


65



447

401


-continued



448

402

-continued



450

5

10

15

20


25

30

35

40

449



45


50

55


60

65

451



403
-continued



404
-continued

452

454

5

10

15

20

25

30

35

40

453

455




45

50


55

60

65




405
-continued



456

406
-continued



458

5

10

15

20


25

30

35

40

457



459


45

50


55

60

65




407
-continued



460

408
-continued



462

5

10

15

20

25

30

35

40

461

463



45

50


55

60

65



409
-continued



410
-continued

464

5

10

15


20

25


30

35

40



466



465


45

50

55

60


65



467

411

-continued




468

412


-continued

5
10
15
20
25




470

30
35
40




469

45
50
55
60
65



471

413
-continued



414
-continued

472

474

5

10

15


20

25

30

35

40



473

475



45

50


55

60

65



415
-continued



416
-continued

476

478

5

10

15

20

25

30

35

40

477

479




45

50


55

60

65



417
-continued



418
-continued

480

482

5

10

15

20

25

30

35

40

481

483



45

50

55


60

65



419

-continued




484

420


-continued

5
10
15
20
25




486

30
35
40




485
45
50
55
60
65



487

421

-continued




488

422


-continued

5
10
15
20
25




490

30
35
40



489


45
50
55
60
65



491

423


-continued



492

424

-continued



5

10

15

20



25

30

35

40

493



45


50

55

60

65

425
-continued



496

426
-continued

5

10

15

20

25

30

35

40

497

498

45



50

55


60

65

499



427
-continued



428
-continued

500

502

5

10

15

20

25

30

35

40

501

503



45

50

55


60

65



429

-continued



504

430

-continued

5

10

15

20

25

30

35

40


45

50


55

60

65



506



505


45

50

55


60

65




507

431
-continued



508

432
-continued



510

5

10

15

20


25

30

35

40

509



511


45

50


55

60

65



433
-continued



512

434
-continued

5

514

10

15

20

25

30

35

40

45

50

55

60

65

70

75

80

85

90

95

100

105


110

115

120

125

130



513

515

45

50

55

60

65

70


75

80


85

90

95




435
-continued



516


436
-continued

5
10
15
20
25



518


30
35
40




517

519


45
50
55
60
65





437
-continued



438
-continued




522




523

439
-continued



524

440
-continued




526

30

35

40



525


45

50

55

60


65



527

441


-continued



528

442

-continued




530

30

35

40

529




45

50

55

60


65



531

443

-continued




532

444


-continued

5
10
15
20
25




534

30
35
40



533


45
50
55
60
65



535

445

-continued



446

-continued

536

538

5

10

15


20

25

30

35

40



537

539



45

50

55



60

65



447

-continued



448

-continued

540

542

5

10

15

20

25

30

35

40

541

543



45

50

55


60

65



449

-continued



544

450

-continued

5

546

10

15

20

25

30

35

40

45

50

55

60

65

70

75

80

85

90

95


100

105

110

115

120



545

547

45

50

55

60

65


70

75

80


85

90



451

-continued




452

-continued

548 5

549




30

8. The compound of Formula 1 as set forth in claim 1, wherein Ar of Formula 1 is phenylene.

35 9. The compound of Formula 1 as set forth in claim 1, wherein the compound of Formula 1 is any one compound of the following Formula 4 to Formula 13:

[Formula 4]




453


-continued

454


[Formula 5]



[Formula 6]



[Formula 7]




455


-continued

456


[Formula 8]



[Formula 9]



[Formula 10]




457


458

-continued


[Formula 11]



[Formula 12]



[Formula 13]



459

10. An organic light emitting device that includes a first electrode, an organic material layer that includes one or more layers having a light emitting layer, and a second electrode sequentially layered, wherein the organic light emitting device comprises one or more layers of the organic material layer that include the compound of Formula 1 of claim 1, or the compound of Formula 1 into which a thermosetting group or a photocurable functional group is introduced.

11. The organic light emitting device as set forth in claim 10, wherein the organic material layer includes a hole transport layer, and the hole transport layer includes the compound of Formula 1 or the compound of Formula 1 into which a thermosetting group or a photocurable functional group is introduced.

12. The organic light emitting device as set forth in claim 10, wherein the organic material layer includes a hole injection layer, and the hole injection layer includes the compound of Formula 1 or the compound of Formula 1 into which a thermosetting group or a photocurable functional group is introduced.

460

13. The organic light emitting device as set forth in claim 10, wherein the organic material layer includes a layer that collectively inject and transport a hole, and the layer includes the compound of Formula 1 or the compound of Formula 1 into which a thermosetting group or a photocurable functional group is introduced.

14. The organic light emitting device as set forth in claim 10, wherein the organic material layer includes an electron injection and transport layer, and the electron injection and transport layer includes the compound of Formula 1 or the compound of Formula 1 into which a thermosetting group or a photocurable functional group is introduced.

15. The organic light emitting device as set forth in claim 10, wherein the light emitting layer includes the compound of Formula 1 or the compound of Formula 1 into which a thermosetting group or a photocurable functional group is introduced.

* * * * *

专利名称(译)	使用其的化合物和有机发光装置		
公开(公告)号	US8968884	公开(公告)日	2015-03-03
申请号	US12/741996	申请日	2008-11-07
[标]申请(专利权)人(译)	HONG SUNG KIL CHO董旭 BAE JAE SOON 金姬EUN NAM HYUN JANG JUN GI JEON BYUNG SUN JOO MUN KYU JANG HYE YOUNG		
申请(专利权)人(译)	洪性KIL CHO旭-DONG BAE JAE-SOON KIM JI-EUN NAM HYUN JANG JUN-GI 全度炳孙 JOO MUN-KYU JANG HYE-YOUNG		
当前申请(专利权)人(译)	LG化学有限公司.		
[标]发明人	HONG SUNG KIL CHO WOOK DONG BAE JAE SOON KIM JI EUN NAM HYUN JANG JUN GI JEON BYUNG SUN JOO MUN KYU JANG HYE YOUNG		
发明人	HONG, SUNG-KIL CHO, WOOK-DONG BAE, JAE-SOON KIM, JI-EUN NAM, HYUN JANG, JUN-GI JEON, BYUNG-SUN JOO, MUN-KYU JANG, HYE-YOUNG		
IPC分类号	H01L51/54 C07D409/10 C07D409/14 C09K11/06 H01L51/00 H01L51/50		
CPC分类号	C09K11/06 C07D409/10 C07D409/14 H01L51/0061 H01L51/0072 C09K2211/1007 C09K2211/1011 C09K2211/1014 C09K2211/1029 C09K2211/1092 H01L51/0068 H01L51/5012 H01L51/5048 H01L51/5088		
优先权	1020070113852 2007-11-08 KR		

摘要(译)

本发明提供一种能够大大提高有机发光器件的寿命，效率，电化学稳定性和热稳定性的新型化合物，以及其中所述化合物包含在有机化合物层中的有机发光器件。

