



US010062852B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 10,062,852 B2**
(45) **Date of Patent:** **Aug. 28, 2018**

(54) **CONDENSED CYCLIC COMPOUND AND ORGANIC LIGHT-EMITTING DEVICE INCLUDING THE SAME**

(71) Applicants: **Samsung Electronics Co., Ltd.**,
Suwon-si, Gyeonggi-do (KR); **Samsung SDI Co., Ltd.**, Yongin-si, Gyeonggi-do (KR)

(72) Inventors: **Hyunjung Kim**, Suwon-si (KR);
Miyoung Chae, Suwon-si (KR);
Sangmo Kim, Hwaseong-si (KR);
Soonok Jeon, Seoul (KR); **Yeonsook Chung**, Seoul (KR); **Yongsik Jung**,
Yongin-si (KR); **Dalho Huh**, Suwon-si (KR); **Youngmok Son**, Hwaseong-si (KR); **Namheon Lee**, Suwon-si (KR)

(73) Assignees: **SAMSUNG ELECTRONICS CO., LTD.**, Gyeonggi-Do (KR); **SAMSUNG SDI CO., LTD.**, Gyeonggi-Do (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 73 days.

(21) Appl. No.: **15/145,158**

(22) Filed: **May 3, 2016**

(65) **Prior Publication Data**

US 2016/0380210 A1 Dec. 29, 2016

(30) **Foreign Application Priority Data**

Jun. 23, 2015 (KR) 10-2015-0089088
Mar. 31, 2016 (KR) 10-2016-0039619

(51) **Int. Cl.**

H01L 51/00 (2006.01)
C07D 403/10 (2006.01)
C07D 209/86 (2006.01)
C09K 11/02 (2006.01)
C09K 11/06 (2006.01)
H01L 51/50 (2006.01)
H01L 51/52 (2006.01)

(52) **U.S. Cl.**

CPC **H01L 51/0072** (2013.01); **C07D 209/86** (2013.01); **C07D 403/10** (2013.01); **C09K 11/02** (2013.01); **C09K 11/06** (2013.01); **H01L 51/008** (2013.01); **H01L 51/009** (2013.01); **H01L 51/0085** (2013.01); **C09K 2211/1007** (2013.01); **C09K 2211/1022** (2013.01); **C09K 2211/1029** (2013.01); **C09K 2211/1044** (2013.01); **C09K 2211/185** (2013.01); **H01L 51/0061** (2013.01); **H01L 51/5004** (2013.01); **H01L 51/5012** (2013.01); **H01L 51/5016** (2013.01); **H01L 51/5028** (2013.01); **H01L 51/5056** (2013.01); **H01L 51/5072** (2013.01); **H01L 51/5088** (2013.01); **H01L 51/5092** (2013.01); **H01L 51/5096** (2013.01); **H01L 51/5206** (2013.01); **H01L 51/5221** (2013.01); **H01L 2251/552** (2013.01)

(58) **Field of Classification Search**

CPC C09K 11/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2013/0234119 A1 9/2013 Mizuki et al.
2013/0264548 A1 10/2013 Mizuki et al.
2014/0183467 A1 7/2014 Choi et al.
2016/0301015 A1* 10/2016 Zheng C09K 11/06

FOREIGN PATENT DOCUMENTS

EP 3015457 A1 5/2016
EP 3015465 A1 5/2016
KR 2011-0105664 A 9/2011
KR 2012-0116282 A 10/2012
WO 2013-112557 A1 8/2013
WO 2013-165192 A1 11/2013
WO 2014-208698 A1 12/2014
WO 2015-016498 A1 2/2015
WO WO-2015066354 A1* 5/2015 C09K 11/06

OTHER PUBLICATIONS

Yang (Chem. Commun. (2008) 453-455).
Extended European Search Report dated Nov. 2, 2016, issued by the European Patent Office for European Patent Application No. 16168952.6-1501.
Woo Jae Park et al. "Effective thermally activated delayed fluorescence emitter and its performance in OLED device", Synthetic Metals 209 (2015) pp. 99-104.


* cited by examiner

Primary Examiner — Kuo Liang Peng

(74) Attorney, Agent, or Firm — Cantor Colburn LLP


(57) **ABSTRACT**

A condensed cyclic compound represented by Formula 1:



wherein, in Formula 1, groups and variables are the same as described in the specification.

20 Claims, 1 Drawing Sheet



CONDENSED CYCLIC COMPOUND AND ORGANIC LIGHT-EMITTING DEVICE INCLUDING THE SAME

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority to Korean Patent Application No. 10-2015-0089088, filed on Jun. 23, 2015 in the Korean Intellectual Property Office and Korean Patent Application No. 10-2016-0039619, filed on Mar. 31, 2016 in the Korean Intellectual Property Office, and all the benefits accruing therefrom under 35 U.S.C. § 119, the contents of which are incorporated herein in their entirety by reference.

BACKGROUND

1. Field

The present disclosure relates to a condensed cyclic compound and an organic light-emitting device including the same.

2. Description of the Related Art

Organic light-emitting devices (OLEDs) are self-emission devices that have wide viewing angles, high contrast ratios, and short response times. In addition, OLEDs exhibit high brightness, low driving voltage, and high response speed characteristics, and produce full-color images, compared to conventional organic light-emitting devices.

A typical organic light-emitting device includes an anode, a cathode, and an organic layer that is disposed between the anode and the cathode, wherein the organic layer includes an emission layer. A hole transport region may be disposed between the anode and the emission layer, and an electron transport region may be disposed between the emission layer and the cathode. Holes provided from the anode may move toward the emission layer through the hole transport region, and electrons provided from the cathode may move toward the emission layer through the electron transport region. Carriers, such as holes and electrons, are recombined in the emission layer to produce excitons. These excitons change from an excited state to a ground state, thereby generating light.

Different types of organic light emitting devices are known. However, there still remains a need in OLEDs having low driving voltage, high efficiency, high brightness, and long lifespan.


SUMMARY

Provided are a novel condensed cyclic compound and an organic light-emitting device including the same.

Additional aspects will be set forth in part in the description which follows and, in part, will be apparent from the description, or may be learned by practice of the presented exemplary embodiments.

According to an aspect of an exemplary embodiment, a condensed cyclic compound is represented by Formula 1:

Formula 1



wherein, in Formula 1,

X_1 is N or C(R_1), X_2 is N or C(R_2), X_3 is N or C(R_3), X_4 is N or C(R_4), X_5 is N or C(R_5), X_6 is N or C(R_6), X_7 is N or C(R_7), X_8 is N or C(R_8), X_{11} is N or C(R_{11}), X_{12} is N or C(R_{12}), X_{13} is N or C(R_{13}), X_{14} is N or C(R_{14}), X_{15} is N, C(R_{15}), or a carbon atom connected to $-(L_1)_{a1}-^*$, X_{16} is N, C(R_{16}), or a carbon atom connected to $-(L_1)_{a1}-^*$, X_{17} is N, C(R_{17}), or a carbon atom connected to $-(L_1)_{a1}-^*$, and X_{18} is N, C(R_{18}), or a carbon atom connected to $-(L_1)_{a1}-^*$, wherein one of X_{15} to X_{18} is connected to $-(L_1)_{a1}-^*$,

ring A_1 is selected from a C_5 - C_{60} carbocyclic group and a C_3 - C_{60} heterocyclic group including at least one heteroatom selected from O, S, and Si,

L_1 is selected from

a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group; and

a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{11})(Q_{12})(Q_{13}),

L_2 is selected from

a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group; and

a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{11})(Q_{12})(Q_{13}).

a_1 and a_2 are each independently an integer selected from 0 to 5, wherein when a_1 is 2 or greater, two or more groups L_1 are identical to or different from each other, and when a_2 is 2 or greater, two or more groups L_2 are identical to or different from each other,

R_1 to R_8 , R_{11} to R_{18} , and R_{31} are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group (—CN), a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, and —Si(Q_1)(Q_2)(Q_3),

b1 is an integer selected from 0 to 4,

c1 is an integer selected from 1 to 4,

at least one substituent of the substituted C_1 - C_{60} alkyl group, substituted C_2 - C_{60} alkenyl group, substituted C_2 - C_{60} alkynyl group, substituted C_1 - C_{60} alkoxy group, substituted C_3 - C_{10} cycloalkyl group, substituted C_1 - C_{10} heterocycloalkyl group, substituted C_3 - C_{10} cycloalkenyl group, substituted C_1 - C_{10} heterocycloalkenyl group, substituted C_6 - C_{60} aryl group, substituted C_6 - C_{60} aryloxy group, substituted C_6 - C_{60} arylthio group, substituted C_1 - C_{60} heteroaryl group, substituted monovalent non-aromatic condensed polycyclic group, and substituted monovalent non-aromatic condensed heteropolycyclic group is selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, and —Si(Q_{21})(Q_{22})(Q_{23}),

wherein Q_1 to Q_3 , Q_{11} to Q_{13} , and Q_{21} to Q_{23} are each independently selected from a hydrogen, a deuterium, a C_1 - C_{60} alkyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group

in $*(L_1)_{a1}*$, * and * are each a binding site to a neighboring atom.

According to an aspect of another exemplary embodiment, an organic light-emitting device includes:

a first electrode;

a second electrode; and

an organic layer disposed between the first electrode and the second electrode,

wherein the organic layer includes an emission layer and at least one condensed cyclic compound represented by Formula 1.

BRIEF DESCRIPTION OF THE DRAWINGS

These and/or other aspects will become apparent and more readily appreciated from the following description of the exemplary embodiments, taken in conjunction with the accompanying drawing in which:

FIG. 1 is a schematic cross-sectional view of an organic light-emitting device according to an embodiment.

DETAILED DESCRIPTION

Reference will now be made in detail to exemplary embodiments, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to like elements throughout. In this regard, the present exemplary embodiments may have different forms and should not be construed as being limited to the descriptions set forth herein. Accordingly, the exemplary embodiments are merely described below, by referring to the figures, to explain aspects. As used herein, the term “and/or” includes any and all combinations of one or more of the associated listed items. Expressions such as “at least one of,” when preceding a list of elements, modify the entire list of elements and do not modify the individual elements of the list.

It will be understood that when an element is referred to as being “on” another element, it can be directly in contact with the other element or intervening elements may be present therebetween. In contrast, when an element is referred to as being “directly on” another element, there are no intervening elements present.

It will be understood that, although the terms first, second, third etc. may be used herein to describe various elements, components, regions, layers, and/or sections, these elements, components, regions, layers, and/or sections should not be limited by these terms. These terms are only used to distinguish one element, component, region, layer, or section from another element, component, region, layer, or section. Thus, a first element, component, region, layer, or section discussed below could be termed a second element, component, region, layer, or section without departing from the teachings of the present embodiments.

The terminology used herein is for the purpose of describing particular embodiments only and is not intended to be limiting. As used herein, the singular forms “a,” “an,” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise.

The term “or” means “and/or.” It will be further understood that the terms “comprises” and/or “comprising,” or “includes” and/or “including” when used in this specification, specify the presence of stated features, regions, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, regions, integers, steps, operations, elements, components, and/or groups thereof.


Unless otherwise defined, all terms (including technical and scientific terms) used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this general inventive concept belongs. It will be further understood that terms, such as those defined in commonly used dictionaries, should be interpreted as having a meaning that is consistent with their meaning in the context of the relevant art and the present disclosure, and will not be interpreted in an idealized or overly formal sense unless expressly so defined herein.

“About” or “approximately” as used herein is inclusive of the stated value and means within an acceptable range of

deviation for the particular value as determined by one of ordinary skill in the art, considering the measurement in question and the error associated with measurement of the particular quantity (i.e., the limitations of the measurement system). For example, "about" can mean within one or more standard deviations, or within $\pm 30\%$, 20% , 10% , 5% of the stated value.

Exemplary embodiments are described herein with reference to cross section illustrations that are schematic illustrations of idealized embodiments. As such, variations from the shapes of the illustrations as a result, for example, of manufacturing techniques and/or tolerances, are to be expected. Thus, embodiments described herein should not be construed as limited to the particular shapes of regions as illustrated herein but are to include deviations in shapes that result, for example, from manufacturing. For example, a region illustrated or described as flat may, typically, have rough and/or nonlinear features. Moreover, sharp angles that are illustrated may be rounded. Thus, the regions illustrated in the figures are schematic in nature and their shapes are not intended to illustrate the precise shape of a region and are not intended to limit the scope of the present claims.

According to one or more exemplary embodiments, a condensed cyclic compound represented by Formula 1 is provided:



In Formula 1, X_1 may be N or C(R_1), X_2 may be N or C(R_2), X_3 may be N or C(R_3), X_4 may be N or C(R_4), X_5 may be N or C(R_5), X_6 may be N or C(R_6), X_7 may be N or C(R_7), X_8 may be N or C(R_8), X_{11} may be N or C(R_{11}), X_{12} may be N or C(R_{12}), X_{13} may be N or C(R_{13}), X_{14} may be N or C(R_{14}), X_{15} may be N, C(R_{15}), or a carbon atom connected to $^*(L_1)_{a1}$, X_{16} may be N, C(R_{16}), or a carbon atom connected to $^*(L_1)_{a1}$, X_{17} may be N, C(R_{17}), or a carbon atom connected to $^*(L_1)_{a1}$, and X_{18} may be N, C(R_{18}), or a carbon atom connected to $^*(L_1)_{a1}$, wherein one of X_{15} to X_{18} may be connected to $^*(L_1)_{a1}$. In $^*(L_1)_{a1}$, * and * may be each a binding site to a neighboring atom.

For example, in Formula 1, X_1 may be C(R_1), X_2 may be C(R_2), X_3 may be C(R_3), X_4 may be C(R_4), X_5 may be C(R_5), X_6 may be C(R_6), X_7 may be C(R_7), X_8 may be N or C(R_8), X_{11} may be C(R_{11}), X_{12} may be C(R_{12}), X_{13} may be C(R_{13}), X_{14} may be C(R_{14}), X_{15} may be C(R_{15}) or a carbon atom connected to $^*(L_1)_{a1}$, X_{16} may be C(R_{16}) or a carbon atom connected to $^*(L_1)_{a1}$, X_{17} may be C(R_{17}) or a carbon atom connected to $^*(L_1)_{a1}$, and X_{18} may be C(R_{18}) or a carbon atom connected to $^*(L_1)_{a1}$, wherein one of X_{15} to X_{18} may be connected to $^*(L_1)_{a1}$.

In Formula 1, ring A_1 may be selected from a C_5 - C_{60} carbocyclic group and a C_3 - C_{60} heterocyclic group that includes at least one heteroatom selected from O, S, and Si. When ring A_1 is a C_3 - C_{60} heterocyclic group, the C_3 - C_{60}

heterocyclic group includes at least one heteroatom selected from O, S, and Si as a ring-forming atom. That is, for example, ring A_1 may not be a C_3 - C_{60} heterocyclic group that includes N as a ring-forming atom. For example, ring A_1 may not be a pyridine ring, a pyrimidine ring, a triazine ring, or a carbazole ring.

For example, in Formula 1, ring A_1 may be selected from a cyclopentane ring, a cyclohexane ring, a cyclopentene ring, a cyclohexene ring, a cycloheptene ring, a benzene ring, a pentalene ring, an indene ring, a naphthene ring, an azulene ring, a heptalene ring, an indacene ring, an acenaphthene ring, a fluorene ring, a spirobifluorene ring, a phenalene ring, a phenanthrene ring, an anthracene ring, a fluoranthene ring, a triphenylene ring, a pyrene ring, a chrysene ring, a naphthacene ring, a picene ring, a perylene ring, a pentaphene ring, a hexacene ring, a furane ring, a thiophene ring, a benzofurane ring, a benzothiophene ring, a dibenzofurane ring, and a dibenzothiophene ring.

According to an embodiment, in Formula 1, ring A_1 may be each independently selected from a benzene ring, a dibenzofurane ring, and a dibenzothiophene ring, but embodiments are not limited thereto.

In Formula 1, L_1 may be selected from

a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group; and

a phenidylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, and —Si(Q_{11})(Q_{12})(Q_{13}), and

L_2 may be selected from

a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group; and

a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, and —Si(Q_{11})(Q_{12})(Q_{13}).

For example, in Formula 1, L_1 may be selected from

a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group; and

a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group, each substituted with at least one selected from a deuterium, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a

7

phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and $-\text{Si}(\text{Q}_{11})(\text{Q}_{12})(\text{Q}_{13})$, and


L_2 may be selected from

a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylylene group; and


a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylylene group, each substituted with at least one selected from a deuterium, a cyano group, a $\text{C}_1\text{-C}_{10}$ alkyl group, a $\text{C}_1\text{-C}_{10}$ alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and $-\text{Si}(\text{Q}_{11})(\text{Q}_{12})(\text{Q}_{13})$,

wherein Q_{11} to Q_{13} may be each independently selected from a hydrogen, a $\text{C}_1\text{-C}_{10}$ alkyl group, a $\text{C}_1\text{-C}_{10}$ alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, and a triazinyl group.


According to an embodiment, in Formula 1, L_1 may be selected from groups represented by Formulae 3-1 to 3-56, and L_2 may be selected from groups represented by Formulae 3-1, 3-15, 3-28, and 3-41 to 3-56:




Formula 3-1




Formula 3-2




Formula 3-3




Formula 3-4




Formula 3-5



Formula 3-6




Formula 3-7




Formula 3-8

8


-continued




Formula 3-9




Formula 3-10




Formula 3-11




Formula 3-12




Formula 3-13




Formula 3-14




Formula 3-15




Formula 3-16




Formula 3-17



Formula 3-18














Formula 3-19



Formula 3-20


-continued



-continued


Formula 3-21

5




Formula 3-22

10




Formula 3-23

15




Formula 3-24

20




Formula 3-25

25




Formula 3-26

30




Formula 3-27

35




Formula 3-28

40



Formula 3-29

45



Formula 3-30

50

Formula 3-31

60

65

Formula 3-32

Formula 3-33

Formula 3-34

Formula 3-35

Formula 3-36

Formula 3-37











Formula 3-38

Formula 3-39

Formula 3-40

11

-continued




12

-continued

Formula 3-41


5



Formula 3-51

Formula 3-42


10



Formula 3-52

Formula 3-43


15



Formula 3-53

Formula 3-44


20



Formula 3-54

Formula 3-45


30



Formula 3-55

Formula 3-46

35



Formula 3-56

Formula 3-47

40

In Formulae 3-1 to 3-56,

Y₁ may be selected from O, S, and C(Z₃)(Z₄),

Formula 3-48

45

Z₁ to Z₄ may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q₁₁)(Q₁₂)(Q₁₃),

Formula 3-49

55

wherein Q₁₁ to Q₁₃ may be each independently selected from a hydrogen, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

Formula 3-50

60

d₄ may be an integer selected from 0 to 4,d₃ may be an integer selected from 0 to 3,

65

d₂ may be an integer selected from 0 to 2, and

* and *' may be each independently a binding site to a neighboring atom.

13

In Formula 1, a₁ denotes the number of groups L₁, and is an integer selected from 0 to 5. When a₁ is 0, $^{*}-(L_1)_{a_1}-^{*}$ is a single bond, and when a₁ is 2 or greater, two or more groups L₁ may be identical to or different from each other. Descriptions of a₂ may be the same as defined in reference to a₁ in Formula 1.

In Formula 1, a₁ and a₂ may be each independently an integer selected from 0 to 5.

For example, in Formula 1, a₁ and a₂ may be each independently 0, 1, or 2, but embodiments are not limited thereto.

According to an embodiment, in Formula 1, a₁ may be 0.

According to another embodiment, in Formula 1, when a₁ is not 0, at least one of groups L₁ may be selected from groups represented by Formulae 3-15 to 3-56.

In some embodiments, in Formula 1, when a₁ is not 0, all of groups L₁ may be each independently selected from groups represented by Formulae 3-15 to 3-56.

In some embodiments, in Formula 1,


L₁ may be selected from groups represented by Formulae 3-15, 3-28, 3-41, and 3-51,

L₂ may be selected from groups represented by Formulae 3-1, 3-15, 3-28, 3-41, and 3-51, and


a₁ and a₂ may be each independently 0, 1, or 2, but embodiments are not limited thereto.

In Formula 1, a group represented by $^{*}-(L_1)_{a_1}-^{*}$ may be selected from groups represented by Formulae 3-41 to 3-56.


In some embodiments, in Formula 1, a group represented by $^{*}-(L_1)_{a_1}-^{*}$ may be selected from groups represented by Formulae 4-1 to 4-39:




Formula 4-1




Formula 4-2




Formula 4-3



Formula 4-4



Formula 4-5




Formula 4-6


14

-continued


Formula 4-7




Formula 4-8




Formula 4-9




Formula 4-10




Formula 4-11




Formula 4-12




Formula 4-13



Formula 4-14




Formula 4-15



15

-continued



Formula 4-16

5

Formula 4-17

15

Formula 4-18

25

Formula 4-19

35

Formula 4-20

45

Formula 4-21

55


Formula 4-22

60

65

16

-continued



Formula 4-23

Formula 4-24

Formula 4-25








Formula 4-26

Formula 4-27

Formula 4-28

17

-continued



18

-continued

Formula 4-29

5

10

Formula 4-30

15

20

Formula 4-31

25

Formula 4-32

30

Formula 4-34

40

45 In Formulae 4-1 to 4-39, X_{21} may be N or C(Z_{21}), X_{22} may be N or C(Z_{22}), X_{23} may be N or C(Z_{23}), X_{24} may be N or C(Z_{24}), X_{31} may be N or C(Z_{31}), X_{32} may be N or C(Z_{32}), X_{33} may be N or C(Z_{33}), X_{34} may be N or C(Z_{34}), X_{41} may be N or C(Z_{41}), X_{42} may be N or C(Z_{42}), X_{43} may be N or C(Z_{43}), and X_{44} may be N or C(Z_{44}), but at least one of X_{21} to X_{24} may not be N, at least one of X_{31} to X_{34} may not be N, and at least one of X_{41} to X_{44} may not be N,

50 Z_{21} to Z_{24} , Z_{31} to Z_{34} , and Z_{41} to Z_{44} may be each independently selected from a hydrogen, a deuterium, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and $-\text{Si}(\text{Q}_{11})(\text{Q}_{12})(\text{Q}_{13})$,

55 wherein Q_{11} to Q_{13} may be each independently a hydrogen, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

60 * and *' may be each independently a binding site to a neighboring atom.

Formula 4-36

Formula 4-37

Formula 4-38

Formula 4-39

Formula 4-35

According to an embodiment, none, one, two, or three atoms among all ring-forming atoms in each of Formulae 4-1 to 4-39 may be nitrogen.

According to another embodiment, none, one, or two atoms among all ring-forming atoms in each of Formulae 4-1 to 4-39 may be nitrogen.

In some embodiments, none or one atom among all ring-forming atoms in each of Formulae 4-1 to 4-39 may be nitrogen.

In some embodiments, in each of Formulae 4-1 to 4-39, X_{21} may be $C(Z_{21})$, X_{22} may be $C(Z_{22})$, X_{23} may be $C(Z_{23})$, X_{24} may be $C(Z_{24})$, X_{31} may be $C(Z_{31})$, X_{32} may be $C(Z_{32})$, X_{33} may be $C(Z_{33})$, X_{34} may be $C(Z_{34})$, X_{41} may be $C(Z_{41})$, X_{42} may be $C(Z_{42})$, X_{43} may be $C(Z_{43})$, and X_{44} may be $C(Z_{44})$ (That is, none of the ring-forming atoms in each of Formulae 4-1 to 4-39 may be nitrogen).

In Formula 1, R_1 to R_8 , R_{11} to R_{18} , and R_{31} may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group (—CN), a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_1 - C_{60} arylthio group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, and —Si(Q_1)(Q_2)(Q_3).

For example, in Formula 1, R_1 to R_8 , R_{11} to R_{18} , and R_{31} may be each independently selected from

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, and a C_1 - C_{20} alkoxy group;

a C_1 - C_{20} alkyl group and a C_1 - C_{20} alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, and a triazinyl group;

a cyclopentyl group, a cyclohexyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pyrrolyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group,

an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoxazolyl group, a benzoimidazolyl group, a furanyl group, a benzofuranyl group, a thiophenyl group, a benzothiophenyl group, a thiazolyl group, an isothiazolyl group, a benzothiazolyl group, an isoxazolyl group, an oxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, an imidazopyrimidinyl group, and an imidazopyridinyl group;

a cyclopentyl group, a cyclohexyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pyrrolyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoxazolyl group, a benzoimidazolyl group, a furanyl group, a benzofuranyl group, a thiophenyl group, a benzothiophenyl group, a thiazolyl group, an isothiazolyl group, a benzothiazolyl group, an isoxazolyl group, an oxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, an imidazopyrimidinyl group, and an imidazopyridinyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_2 - C_{20} alkenyl group, a C_2 - C_{20} alkenyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a phthalazinyl group, a quinoxalinyl group, a cinnolinyl group, a quinazolinyl group and —Si(Q_1)(Q_2)(Q_3); and —Si(Q_1)(Q_2)(Q_3),

wherein Q_1 to Q_3 and Q_{21} to Q_{23} may be each independently selected from a hydrogen, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a phthalazinyl group, a quinoxalinyl group, a cinnolinyl group, and a quinazolinyl group.

According to an embodiment, in Formula 1, R_1 to R_8 , R_{11} to R_{18} , and R_{31} may be each independently

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an

amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, and a C_1 - C_{10} alkoxy group;

a C_1 - C_{10} alkyl group and a C_1 - C_{10} alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof;

a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{21})(Q_{22})(Q_{23}); and —Si(Q_1)(Q_2)(Q_3).

Q_1 to Q_3 and Q_{21} to Q_{23} may be each independently selected from a hydrogen, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group.

According to another embodiment, in Formula 1, R_1 to R_8 , R_{11} to R_{18} , and R_{31} may be each independently selected from

a hydrogen, a deuterium, —F, a cyano group, a C_1 - C_{10} alkyl group, and a C_1 - C_{10} alkoxy group;

a C_1 - C_{10} alkyl group and a C_1 - C_{10} alkoxy group, each substituted with at least one selected from a deuterium, —F, and a cyano group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, —F, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{21})(Q_{22})(Q_{23}); and

—Si(Q_1)(Q_2)(Q_3),

wherein Q_1 to Q_3 and Q_{21} to Q_{23} may be each independently selected from a hydrogen, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group.


According to an embodiment, in Formula 1, at least one of X_3 , X_6 , X_{13} , and X_{16} may be C(CN).

In Formula 1, b_1 may denote the number of groups R_{31} which may be an integer selected from 0 to 4. When b_1 is 2 or greater, two or more groups R_{31} may be identical to or different from each other.


For example, in Formula 1, b_1 and b_2 may be 0, 1, or 2.

In Formula 1, c_1 may be an integer selected from 1 to 4. That is, ring A_1 may essentially include at least one cyano group. For example, in Formula 1, c_1 may be 1 or 2.


According to an embodiment, in Formula 1, a group represented by




may be selected from groups represented by Formulae 5-1 to 5-60:




Formula 5-1




Formula 5-2




Formula 5-3




Formula 5-4




Formula 5-5



Formula 5-6












Formula 5-7



Formula 5-8

23


-continued

**24**

-continued


Formula 5-9

5



Formula 5-10


10



15


Formula 5-11

20



Formula 5-12


25



30


Formula 5-13

35




Formula 5-14

40



Formula 5-15


45



50


Formula 5-16

55



Formula 5-17

60



65

Formula 5-18

Formula 5-19

Formula 5-20

Formula 5-21

Formula 5-22

Formula 5-23











Formula 5-24

Formula 5-25

Formula 5-26

25


-continued

**26**

-continued


Formula 5-27

5




Formula 5-28

10




Formula 5-29

15




Formula 5-30

20




Formula 5-31

25




Formula 5-32

30




Formula 5-33

35




Formula 5-34

40




Formula 5-35

45



Formula 5-36

50



Formula 5-37

Formula 5-38

Formula 5-39

Formula 5-40

Formula 5-41

Formula 5-42

Formula 5-43











Formula 5-44

Formula 5-45

Formula 5-46

27

-continued




28

-continued


Formula 5-47

5




Formula 5-48

10




Formula 5-49

15




Formula 5-50

20




Formula 5-51

25



Formula 5-52

30




Formula 5-53

35

In Formulae 5-1 to 5-60, * may denote a binding site to a neighboring atom.

According to an embodiment, in Formula 1, a group represented by

40



45

may be selected from groups represented by Formulae 5-1 to 5-3, 5-31, 5-39, 5-47, and 5-55, but embodiments are not limited thereto.

Formula 5-54

50


A condensed cyclic compound represented by Formula 1 may be represented by one of Formulae 1A to 1D:

Formula 5-55

55

Formula 5-56

60



65

Formula 5-57

Formula 5-58




Formula 5-59

Formula 5-60

Formula 1A

29

-continued



In Formulae 1A to 1D, ring A_1 , L_1 , L_2 , a_1 and a_2 , R_1 to R_8 , R_{11} to R_{18} , R_{31} , b_1 , and c_1 may be understood by referring to the description provided herein.

For example, in Formulae 1A to 1D, ring A_1 may be selected from a benzene ring, a dibenzofurane ring, and a dibenzothiophene ring,

L_1 may be selected from groups represented by Formulae 3-15, 3-28, 3-41, and 3-51,

L_2 may be selected from groups represented by Formulae 3-1, 3-15, 3-28, 3-41, and 3-51,

a_1 and a_2 may be each independently selected from 0, 1, and 2,

R_1 to R_8 , R_{11} to R_{18} , and R_{31} may be each independently selected from

a hydrogen, a deuterium, —F, a cyano group, a C_1 - C_{10} alkyl group, and a C_1 - C_{10} alkoxy group;

a C_1 - C_{10} alkyl group and a C_1 - C_{10} alkoxy group, each substituted with at least one selected from a deuterium, —F, and a cyano group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

30

phenyl group, each substituted with at least one selected from a deuterium, —F, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{21})(Q_{22})(Q_{23}); and


—Si(Q_1)(Q_2)(Q_3),

wherein Q_1 to Q_3 and Q_{21} to Q_{23} may be each independently selected from a hydrogen, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

b_1 may be 0 or 1, and

c_1 may be 1 or 2.

According to another embodiment, in Formulae 1A to 1D, a group represented by





may be selected from groups represented by Formulae 5-1 to 5-3, 5-31, 5-39, 5-47, and 5-55, but embodiments are not limited thereto.

In some embodiments, in Formulae 1A to 1D, at least one of R_3 , R_6 , R_{13} , and R_{16} may be a cyano group.






In some embodiments, the number of cyano groups in Formula 1 may be 1, 2, 3, or 4.

A compound represented by Formula 1 may be one of Compounds 1 to 336, but embodiments are not limited thereto:



31

-continued



32

-continued


3

8

5

10

4 15



20

25

5

30

35

40

6

10

45

50




7

55

11






60

65



33

-continued

**34**

-continued

12

5

10

13

20

25

30

14

35

40

15

45

50

16

60

65






17

18

19





20

21



35

-continued

**36**

-continued

22

26

5

10

23

15

20

25

30

35

24

40

45





50

25

55





60

65



37

-continued

**38**

-continued

30

34

5

10

15

31

20

25

30

32

35

40

45

33

50

35





36

37

55





60

65



39

-continued

**40**

-continued

38

42

5

10

15

39

20

25

43

30

35

40

45

50




41

44

55




60

65



41

-continued



42

-continued

45

48

5

10

15

20

46

30

35

40






45

47 50

55






60

65



43

-continued

**44**

-continued

53

5

10

54

15

20

25

55

35

56

45

50

57

55

60

65






58

59

60





61

62



45

-continued



46

-continued


63

67

5

10

15




64

20

68

25

30




65

35

69

40

45



66


50

70

55





60

65



47

-continued

**48**

-continued

71

5

10

15

72

20

25

30

35

73 40

45

50

74

55

60





65

75

76





77

78



49

-continued

**50**

-continued

79

83

5

10

15

80

20

25

30

35

81

40

45





50

82

55

60

65






84

85

86

51

-continued

**52**

-continued

87

90

5

10

15

20

25

88

91

30

35

40

45

50




89

92

55




60

65



53

-continued

**54**

-continued

93

5

10

15

20

94

30

35

40

45

50

55

60

65






96

97

98






99

100



55

-continued

**56**

-continued

101

5

10

102

15

20

25

103

30

35

104

40

45

50

105

55

60





65

106

107





108

109



57

-continued

**58**

-continued

110

5

10

15

111

20

25

30

112

35

40

45

50


113

55


60

65


114




115



116






117



59

-continued

**60**

-continued

118


121

5

10

15

20



119


122

25

30

35

40



45

123


120

50




55

60

65



61
-continued



62
-continued

124

5

10

15

20

125

25

30

35

40




126 45

50

55

60

65






127

128

129

63

-continued

**64**

-continued

130

5

10

15

20

131

25

30

35

40

132 45




50

55

60

65

133






134

135

65

-continued

**66**

-continued

136

5

10

15

20

137

25

30

35

40

45




138

50

55

60

65







139

140

141

69

-continued



70


-continued

150

5

10

15




154

20

151

25

30



155


35

152

40

45

50




156

55

153

60


65



157

71

-continued




158

5

10

15

159




20

25

30

160




35

40

45

161 50



55


60

65


72

-continued


162




163



164






165







73

-continued





**74**

-continued







75

-continued




**76**

-continued






77

-continued



78

-continued



181

5

10

15

20

182 25

30

35

40

45

183

50

55

60

65




184

185

186

79

-continued

**80**

-continued

187

5

10

15

20

188

25

30

35

40

189 45




50

55

60

65

190








191

192






81

-continued







82

-continued







83

-continued





**84**

-continued



85

-continued

**86**

-continued

211

215

5

10

15

212

216

20

25

30

213

35

40

217

45

50





214

55

218






60

65



87

-continued

**88**

-continued

219

5

10

220

15

20

25

221

30

35

222

40

45

50


223

55


60

65


224




225



226




227








89

-continued






90

-continued






91

-continued





**92**

-continued



93

-continued

**94**

-continued

240

244

5

10

15

20
241

25

30

35
242

40





45

50
243

55


60

65



95

-continued

**96**

-continued


248

5

10

15

20



251

249


25

30

35

40

45




252

250

55

60




65



253

97

-continued

**98**

-continued

254

5

10

15

20

255

25

30

35

40

45




256

50

55

60

65






257

258

259

99

-continued

**100**

-continued


260

5

10

15

20



261

25

30

35

40

45



262

50

55

60

65







263

264

265

101

-continued

**102**

-continued

266

5

10

15

20

267

25

30

35

40

268

45

50

269

55

60





65

270

271


272

273




103

-continued




274

5




275

15




276

30



277

40




278

65


104

-continued




279

10




280

25



281




45



282

55

60

105
-continued**106**
-continued

283

5

10

15

20

284

25

30

35

40

45

285




50

55

60

65




286



287

288

107
-continued




108
-continued

289

292

5



10

15


20

290

293

25

30



35

40

45


291 50

294

55





60

65



109

-continued

**110**

-continued

295

5

10

15

296

20

25

30

35

40

297

45

50


298

55


60

65


299




300



301







302








111

-continued


**112**

-continued




113

-continued


**114**

-continued




115

-continued


**116**

-continued




117

-continued


**118**

-continued



119


-continued



120

-continued

334





336

25 In Formula 1, “ring B” is bonded to “N” of “ring A” via $^{*}-(L_1)_{a1}-^{*}$ (see Formula 1').

30 In this regard, the condensed cyclic compound represented by Formula 1 may have a high triplet (T_1) energy level. Accordingly, although not limited to a particular theory, an electronic device, such as an organic light-emitting device including the condensed cyclic compound represented by Formula 1 (e.g., an organic light-emitting device including an emission layer that includes the condensed cyclic compound represented by Formula 1) may emit deep blue light at a high color purity.

Formula 1'



Also, in Formula 1, L_2 may be selected from a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylylene group; and

55 a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{11})(Q_{12})(Q_{13}).

In this regard, for example, the condensed cyclic compound represented by Formula 1 may have a higher triplet

121


energy level than that of a virtual compound that has the same structure as Formula 1 except that L_2 is a nitrogen-containing ring. Therefore, although not limited to a particular theory, an electronic device, for example, an organic light-emitting device including the condensed cyclic compound represented by Formula 1 (e.g., an organic light-emitting device including an emission layer that includes the condensed cyclic compound represented by Formula 1), may emit deep blue light at a high color purity.

Also, a difference between S_1 (singlet) energy level and T_1 (triplet) energy level of the condensed cyclic compound represented by Formula 1 may be relatively small. In this regard, the condensed cyclic compound represented by Formula 1 may be used as a thermally activated delayed fluorescence (TADF) emitter.

For example, the results of HOMO, LUMO, T_1 , and S_1 energy levels of Compounds 1, 13, 37, 97, 109, 169, 223, and 325 and Compounds B and C simulated and measured by using a density functional theory ("DFT") method of Gaussian program (structurally optimized at a level of B3LYP, 6-31 G(d,p)) are shown in Table 1.

TABLE 1

Compound No.	HOMO (eV)	LUMO (eV)	T_1 (eV)	S_1 (eV)
1	-5.475	-1.541	3.145	3.313
13	-5.29	-1.768	3.011	3.087
37	-5.307	-1.78	3.043	3.135
97	-5.398	-1.683	3.133	3.194
109	-5.386	-1.739	3.02	3.17
169	-5.316	-1.750	3.000	3.190
223	-5.167	-1.694	3.030	3.140
325	-5.231	-1.691	3.044	3.222
Compound B	-5.194	-1.65	2.8	3.212
Compound C	-5.233	-2.536	2.413	2.451




Compound B

122

TABLE 1-continued

Compound No.	HOMO (eV)	LUMO (eV)	T_1 (eV)	S_1 (eV)
Compound C				



Compound C

A method of synthesizing the condensed cyclic compound represented by Formula 1 may be understood by one of ordinary skill in the art by referring to Synthesis Examples described below.

Therefore, the condensed cyclic compound represented by Formula 1 may be appropriate for use as an organic layer of an organic light-emitting device, for example, as a host or an emitter (e.g., a TADF emitter) of an emission layer in the organic layer. According to another aspect of an embodiment, an organic light-emitting device includes:

- a first electrode;
 - a second electrode; and
 - an organic layer that is disposed between the first electrode and the second electrode,
- wherein the organic layer includes an emission layer and at least one condensed cyclic compound represented by Formula 1.

When the organic light-emitting device includes the organic layer including the condensed cyclic compound represented by Formula 1, the organic light-emitting device may have low driving voltage, high efficiency, high luminance, high quantum efficiency, and long lifespan.

The condensed cyclic compound represented by Formula 1 may be included between a pair of electrodes of the organic light-emitting device. In some embodiments, the condensed cyclic compound may be included in at least one selected from the emission layer, a hole transport region (for example, including at least one selected from a hole injection layer, a hole transport layer, and an electron blocking layer) disposed between the first electrode and the emission layer, and an electron transport region (for example, including at least one selected from a hole blocking layer, an electron transport layer, and an electron injection layer) disposed between the emission layer and the second electrode.

In some embodiments, the condensed cyclic compound represented by Formula 1 may be included in the emission layer. Here, the condensed cyclic compound included in the emission layer may be a host, and the emission layer may further include a dopant (a fluorescent dopant or a phosphorescent dopant), wherein an amount of the condensed cyclic compound is larger than an amount of the dopant. The emission layer may be a green emission layer or a blue

emission layer that emits green light or blue light. According to an embodiment, the condensed cyclic compound represented by Formula 1 may be included in the emission layer, the emission layer may further include a phosphorescent dopant, and the emission layer may emit blue light.

In some embodiments, the condensed cyclic compound represented by Formula 1 may be included in the emission layer, and the condensed cyclic compound may be a TADF emitter. Here, the emission layer may include the condensed cyclic compound represented by Formula 1 only or may further include a host and/or a dopant in addition to the condensed cyclic compound represented by Formula 1.

As used herein, the expression “(an organic layer) includes at least one condensed cyclic compound” may include an embodiment in which “(an organic layer) includes identical condensed cyclic compounds represented by Formula 1 and an embodiment in which (an organic layer) includes two or more different condensed cyclic compounds represented by Formula 1.

For example, the organic layer may include only Compound 1 as the condensed cyclic compound. In this regard, Compound 1 may be included in the emission layer of the organic light-emitting device. In some embodiments, the organic layer may include Compound 1 and Compound 2 as the condensed cyclic compounds. In this regard, Compound 1 and Compound 2 may be included in the same layer (for example, both Compound 1 and Compound 2 may be included in the emission layer) or in different layers, respectively.

The first electrode may be anode, which is a hole injection electrode, and the second electrode may be a cathode, which is an electron injection electrode. Alternatively, the first electrode may be a cathode, which is an electron injection electrode, and the second electrode may be an anode, which is a hole injection electrode.

For example, the first electrode may be an anode, the second electrode may be a cathode, the organic layer may include a hole transport region disposed between the first electrode and the emission layer and an electron transport region disposed between the emission layer and the second electrode, wherein the hole transport region includes at least one selected from a hole injection layer, a hole-transport layer, and an electron blocking layer, and wherein the electron transport region includes at least one selected from a hole blocking layer, an electron transport layer, and an electron injection layer.

As used herein, the term the “organic layer” refers to a single and/or a plurality of layers disposed between the first electrode and the second electrode in an organic light-emitting device. The “organic layer” may include not only organic compounds but also organometallic complexes including metals.

FIG. 1 is a schematic view of an organic light-emitting device 10 according to an embodiment. Hereinafter, a structure and a method of manufacturing the organic light-emitting device according to an embodiment will be described with reference to FIG. 1. The organic light-emitting device 10 includes a first electrode 11, an organic layer 15, and a second electrode 19, which are sequentially layered in the stated order.

A substrate may be additionally disposed under the first electrode 11 or on the second electrode 19. The substrate may be a conventional substrate that is used in an organic light-emitting device, such as glass substrate or a transparent plastic substrate, each having excellent mechanical strength, thermal stability, transparency, surface smoothness, ease of handling, and water repellency.

The first electrode 11 may be formed by depositing or sputtering a first electrode material on the substrate. The first electrode 11 may be an anode. The first electrode material may be selected from materials with a high work function for an easy hole injection. The first electrode 11 may be a reflective electrode, a semi-transmissive electrode, or a transmissive electrode. The first electrode material may be selected from an indium tin oxide (ITO), an indium zinc oxide (IZO), a tin oxide (SnO₂), and a zinc oxide (ZnO). In some embodiments, a metal such as magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), or magnesium-silver (Mg—Ag) may be used as the first electrode material.

The first electrode 11 may have a single layer structure or a multi-layer structure including a plurality of layers. For example, the first electrode 11 may have a triple-layer structure of ITO/Ag/ITO, but embodiments are not limited thereto.

The organic layer 15 is disposed on the first electrode 11.

The organic layer 15 may include a hole transport region, an emission layer, and an electron transport region.

The hole transport region may be disposed between the first electrode 11 and the emission layer.

The hole transport region may include at least one selected from a hole injection layer, hole transport layer, electron blocking layer, and buffer layer.

The hole transport region may only include a hole injection layer or a hole transport layer. Alternatively, the hole transport region may include a structure in which a hole injection layer/a hole transport layer or a hole injection layer/a hole transport layer/an electron blocking layer are sequentially layered on the first electrode 11.

When the hole transport region includes a hole injection layer, the hole injection layer HIL may be formed on the first electrode 11 by using various methods such as vacuum-deposition, spin coating, casting, and Langmuir-Blodgett (LB) method.

When a hole injection layer is formed by vacuum deposition, the deposition conditions may vary depending on a material that is used to form the hole injection layer and the structure and thermal characteristics of the hole injection layer. For example, the deposition conditions may include a deposition temperature of about 100° C. to about 500° C., a vacuum pressure of about 10⁻⁸ torr to about 10⁻³ torr, and a deposition rate of about 0.01 Angstroms per second (Å/sec) to about 100 Å/sec. However, the deposition conditions are not limited thereto.


When the hole injection layer is formed by spin coating, the coating conditions may vary depending on a material used to form the hole injection layer and the structure and thermal characteristics of the hole injection layer. For example, a coating rate may be from about 2,000 revolutions per minute (rpm) to about 5,000 rpm, and a temperature at which a heat treatment is performed to remove a solvent after coating may be from about 80° C. to about 200° C. However, the coating conditions are not limited thereto.

The conditions for forming a hole transport layer and an electron blocking layer may be inferred based on the conditions for forming the hole injection layer.




The hole transport region may include at least one selected from m-MTDATA, TDATA, 2-TNATA, NPB, β-NPB, TPD, Spiro-TPD, Spiro-NPB, methylated NPB, TAPC, HMTPD, 4,4',4"-tris(N-carbazolyl)triphenylamine (TCTA), polyaniline/dodecylbenzene sulfonic acid (Pani/DBSA), poly(3,4-ethylenedioxythiophene)/poly(4-styrenesulfonate) (PEDOT/PSS), polyaniline/camphor sulfonic acid (Pani/CSA), (polyaniline)/poly(4-styrenesulfonate)

125

(Pani/PSS), a compound represented by Formula 201 below, and a compound represented by Formula 202 below:


**126**

-continued




127


-continued




Spiro-TPD




Spiro-NPB



methylated NPB



TAPC




HMTDP


128

-continued

Formula 201



Formula 202



In Formula 201, Ar₁₀₁ and Ar₁₀₂ may be each independently selected from

a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthrenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, and a pentacenylene group; and

a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthrenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, and a pentacenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

In Formula 201, xa and xb may be each independently an integer selected from 0 to 5 or may be 0, 1, or 2. For example, xa may be 1 and xb may be 0, but embodiments are not limited thereto.

129

In Formulae 201 and 202, R_{101} to R_{108} , R_{111} to R_{119} , and R_{121} to R_{124} may be each independently selected from

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group (e.g., a methyl group, an ethyl group, a propyl group, a butyl group, pentyl group, or a hexyl group), and a C_1 - C_{10} alkoxy group (e.g., a methoxy group, an ethoxy group, a propoxy group, a butoxy group, or a pentoxy group);

a C_1 - C_{10} alkyl group and a C_1 - C_{10} alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof;

a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, and a pyrenyl group; and

a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, and a pyrenyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, and a C_1 - C_{10} alkoxy group, but embodiments are not limited thereto.


In Formula 201, R_{109} may be selected from

a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group; and

a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group.

According to an embodiment, a compound represented by Formula 201 may be represented by Formula 201A, but embodiments are not limited thereto:

Formula 201A




130


In Formula 201A, R_{101} , R_{111} , R_{112} , and R_{109} may be understood by referring to the description provided herein.

For example, the compound represented by Formula 201 and the compound represented by Formula 202 may include Compounds HT1 to HT20, but embodiments are not limited thereto:

HT1




HT2



131

-continued

HT3



5

10

15

20


25

30

35

40

HT4




60

65

132

-continued

HT5




45

50

55

HT6




65

133

-continued

HT7



5


10

15

20

25

HT8




30

35

40

45

HT9



50

55

60

65

134

-continued

HT10

5

10

15

20

25

30

35

40


45

50


55

60

65







HT11







135

-continued


**136**

-continued



137


-continued



A thickness of the hole transport region may be in a range of about 100 Å to about 10,000 Angstroms (Å), for example, about 100 Å to about 1,000 Å. While not wishing to be bound by a theory, it is understood that when the hole transport region includes at least one of a hole injection layer and a hole transport layer, the thickness of the hole injection layer may be in a range of about 100 Å to about 10,000 Å, and for example, about 100 Å to about 1,000 Å, and the thickness of the hole transport layer may be in a range of about 50 Å to about 2,000 Å, and for example, about 100 Å to about 1,500 Å. While not wishing to be bound by a theory, it is understood that when the thicknesses of the hole transport region, the hole injection layer, and the hole transport layer are within these ranges, hole transporting characteristics may be satisfactory without a substantial increase in driving voltage.

The hole transport region may further include, in addition to the mentioned materials above, a charge-generating material to improve conductive properties. The charge-generating material may be homogeneously or non-homogeneously dispersed throughout the hole transport region.


The charge-generating material may be, for example, a p-dopant. The p-dopant may be one selected from a quinone derivative, a metal oxide, and a cyano group-containing compound, but embodiments are not limited thereto. Non-limiting examples of the p-dopant are a quinone derivative, such as tetracyanoquinonodimethane (TCNQ) or 2,3,5,6-tetrafluoro-tetracyano-1,4-benzoquinonodimethane (F4-TCNQ); a metal oxide, such as a tungsten oxide or a molybdenum oxide; and a cyano group-containing compound, such as Compound HT-D1 or HP-1, but embodiments are not limited thereto.




Compound HT-D1

138

-continued



F4-TCNQ




HP-1

The hole transport region may further include a buffer layer.

The buffer layer may compensate for an optical resonance distance according to a wavelength of light emitted from the emission layer to improve the efficiency of an organic light-emitting device.

Then, an emission layer may be formed on the hole transport region by vacuum deposition, spin coating, casting, LB deposition, or the like. When the emission layer is formed by vacuum deposition or spin coating, the deposition or coating conditions may be similar to those applied to form the hole injection layer although the deposition or coating conditions may vary depending on the material that is used to form the emission layer.

The hole transport region may further include an electron blocking layer. The electron blocking layer may include, for example, mCP, but embodiments are not limited thereto.



mCP

When the organic light-emitting device is a full color organic light-emitting device, the emission layer may be patterned into a red emission layer, a green emission layer, and a blue emission layer. Alternatively, the emission layer may have a structure in which the red emission layer, the green emission layer, and/or the blue emission layer are layered to emit white light or other various embodiments are possible.

The emission layer may include the condensed cyclic compound represented by Formula 1. The emission layer may further include a dopant. The dopant may include at least one selected from a fluorescent dopant and a phosphorescent dopant.

139


In some embodiments, the emission layer may include the condensed cyclic compound represented by Formula 1 only, and the condensed cyclic compound may be a TADF emitter.

In some embodiments, the emission layer may include the condensed cyclic compound represented by Formula 1, the condensed cyclic compound may be a TADF emitter, and the emission layer may further include any host which is not the condensed cyclic compound represented by Formula 1.

For example, a host in the emission layer may include the condensed cyclic compound represented by Formula 1.

The dopant in the emission layer may include a fluorescent dopant which emits light according to a fluorescent emission mechanism or a phosphorescent dopant which emits light according to a phosphorescent emission mechanism.

According to an embodiment, the dopant in the emission layer may be a phosphorescent dopant, and the phosphorescent dopant may include an organometallic compound represented by Formula 81:



Formula 81

wherein, in Formula 81,

M may be selected from iridium (Ir), platinum (Pt), osmium (Os), titanium (Ti), zirconium (Zr), hafnium (Hf), europium (Eu), terbium (Tb), and thulium (Tm),

Y₁ to Y₄ may be each independently carbon (C) or nitrogen (N),

Y₁ and Y₂ are linked via a single bond or a double bond, and Y₃ and Y₄ are linked via a single bond or a double bond,

CY₁ and CY₂ may be each independently selected from a benzene ring, a naphthalene ring, a fluorene ring, a spiro-fluorene ring, an indene ring, a pyrrole ring, a thiophene ring, a furan ring, an imidazole ring, a pyrazole ring, a thiazole ring, an isothiazole ring, an oxazole ring, an isoxazole ring, a pyridine ring, a pyrazine ring, a pyrimidine ring, a pyridazine ring, a quinoline ring, an isoquinoline ring, a benzoquinoline ring, a quinoxaline ring, a quinazoline ring, a carbazole ring, a benzoimidazole ring, a benzofuran ring, a benzothiophene ring, an isobenzothiophene ring, a benzoxazole ring, an isobenzoxazole ring, a triazole ring, a tetrazole ring, an oxadiazole ring, a triazine ring, a dibenzofuran ring, or a dibenzothiophene ring, and CY₁ and CY₂ are optionally further linked to each other through an organic linking group,

R₈₁ and R₈₂ may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, —SF₅, a substituted or unsubstituted C₁-C₆₀ alkyl group, a substituted or unsubstituted C₂-C₆₀ alkenyl group, a substituted or unsubstituted C₂-C₆₀ alkynyl group, a substituted or

140

unsubstituted C₁-C₆₀ alkoxy group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁)(Q₂), —Si(Q₃)(Q₄)(Q₅), and —B(Q₆)(Q₇),

a₈₁ and a₈₂ may be each independently an integer selected from 1 to 5,

n₈₁ may be an integer selected from 0 to 4,

n₈₂ may be 1, 2, or 3,


L₈₁ may be a monovalent organic ligand, a divalent organic ligand, or a trivalent organic ligand, and

Q₁ to Q₇ may have the same definitions as Q₁ to Q₃ in —Si(Q₁)(Q₂)(Q₃) in Formula 1.


R₈₁ and R₈₂ may be understood by referring to the description provided herein in connection with R₁₁.

The phosphorescent dopant may include at least one selected from Compounds PD1 to PD78, and FIr₆, but embodiments are not limited thereto:


PD1



PD2








PD3




141

-continued


**142**

-continued


PD4




PD5




PD6



PD7



PD8



PD9

PD10






PD11

PD12

PD13

143

-continued

**144**

-continued

PD14

5

10

PD15

15

20

PD16

25

30

PD17






45

PD18

55

60

65



PD19

PD20







PD21

PD22






PD23

145

-continued

**146**

-continued



PD24

5

10

PD25

15

20

PD26

25

30

PD27

35

40

PD28

45

50

55

PD29

60

65

PD30

PD31






PD32

PD33

PD34

147


-continued

**148**

-continued

PD35


5



10

PD36


15



20

PD37

25




30

35

PD38

40




45

50

PD39

55



60

65

PD40

PD41







PD42

PD43

PD44

149

-continued


**150**

-continued

PD45

5

10




PD51

PD46

15

20




PD52

PD47

25

30




PD53

PD54

35

PD48

40




PD55

45

PD49

50




55

PD50

60


65



PD56

151

-continued



PD57

5

10


PD58

15

20

25


30



PD59

35


40



PD60


45

50




PD61

55


**152**

-continued


PD62




PD63




PD64



PD65








PD66



153

-continued


**154**

-continued

PD67

5

10




PD72

PD68

15

20




PD73

PD69

25

30

35




PD74

40

PD70


45



PD75

50

55




PD76

PD71

60


65



PD77


155

-continued



FIr6

In some embodiments, the phosphorescent dopant may include PtOEP:



PtOEP

When the emission layer includes a host and a dopant, an amount of the dopant may be in a range of about 0.01 part to about 20 parts by weight based on 100 parts by weight of the host, but embodiments are not limited thereto.

A thickness of the emission layer may be in a range of about 100 Å to about 1,000 Å, for example, about 200 Å to about 600 Å. When the thickness of the emission layer is within this range, light-emission characteristics may be excellent without a substantial increase in driving voltage.

Then, an electron transport region may be disposed on the emission layer.

The electron transport region may include at least one selected from a hole blocking layer, an electron transport layer, and an electron injection layer, but embodiments are not limited thereto.

For example, the electron transport region may have a structure of a hole blocking layer/an electron transport layer/an electron injection layer or an electron transport layer/an electron injection layer, but embodiments are not


156

PD78

limited thereto. The electron transport layer may have a single layer structure or a multi-layer structure including two or more different materials.


The conditions for forming a hole blocking layer, an electron transport layer, and an electron injection layer may be inferred based on the conditions for forming the hole injection layer.

When the electron transport region includes a hole blocking layer, the hole blocking layer may include, for example, at least one selected from BCP and Bphen, but embodiments are not limited thereto.



BCP

25




Bphen

40

A thickness of the hole blocking layer may be in a range of about 20 Å to about 1,000 Å, for example, about 30 Å to about 300 Å. When the thickness of the hole blocking layer is within these ranges, the hole blocking layer may have improved hole blocking ability without a substantial increase in driving voltage.


The electron transport layer may further include at least one selected from BCP, Bphen, Alq₃, BAlq, TAZ, and NTAZ.

Alq₃


65

157


-continued



BAQ




TAZ



NTAZ

In some embodiments, the electron transport layer may include at least one selected from Compounds ET1, ET2, and ET3, but embodiments are not limited thereto.




ET1


158

-continued

ET2



ET3




40

A thickness of the electron transport layer may be in a range of about 100 Å to about 1,000 Å, for example, about 150 Å to about 500 Å. While not wishing to be bound by a theory, it is understood that when the thickness of the electron transport layer is within the range described above, the electron transport layer may have satisfactory electron transport characteristics without a substantial increase in driving voltage.

The electron transport layer may further include a metal-containing material in addition to the materials described above.


The metal-containing material may include a Li complex. The Li complex may include, for example, Compound ET-D1 (lithium quinolate, LiQ) or ET-D2.

ET-D1



159

-continued



The electron transport region may include an electron injection layer that allows electrons to be easily provided from the second electrode **19**.

The electron injection layer may include at least one selected from, LiF, NaCl, CsF, Li₂O, and BaO.

A thickness of the electron injection layer may be in a range of about 1 Å to about 100 Å, for example, about 3 Å to about 90 Å. While not wishing to be bound by a theory, it is understood that when the thickness of the electron injection layer is within the range described above, the electron injection layer may have satisfactory electron injection characteristics without a substantial increase in driving voltage.

The second electrode **19** is disposed on the organic layer **15**. The second electrode **19** may be a cathode. A second electrode material may be selected from a metal, an alloy, an electrically conductive compound, and a combination thereof, which have a relatively low work function. For example, lithium (Li), magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), or magnesium-silver (Mg—Ag) may be used as second electrode material. To manufacture a top emission-type light-emitting device, a transmissive electrode formed using ITO or IZO may be used as the second electrode **19**.

Hereinbefore, the organic light-emitting device has been described with reference to FIG. **1**, but embodiments are not limited thereto.

A C₁-C₆₀ alkyl group as used herein refers to a linear or branched aliphatic saturated hydrocarbon monovalent group having 1 to 60 carbon atoms. Detailed examples thereof are a methyl group, an ethyl group, a propyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a pentyl group, an iso-amyl group, and a hexyl group. A C₁-C₆₀ alkylene group as used herein refers to a divalent group having the same structure as the C₁-C₆₀ alkyl group.

A C₁-C₆₀ alkoxy group as used herein refers to a monovalent group represented by —OA₁₀₁ (wherein A₁₀₁ is the C₁-C₆₀ alkyl group). Detailed examples thereof are a methoxy group, an ethoxy group, and an isopropoxy group.

A C₂-C₆₀ alkenyl group as used herein refers to a hydrocarbon group formed by placing at least one carbon-carbon double bond in the middle or at the terminal of the C₂-C₆₀ alkyl group. Detailed examples thereof are an ethenyl group, a propenyl group, and a butenyl group. A C₂-C₆₀ alkenylene group as used herein refers to a divalent group having the same structure as the C₂-C₆₀ alkenyl group.

A C₂-C₆₀ alkynyl group as used herein refers to a hydrocarbon group formed by placing at least one carbon-carbon triple bond in the middle or at the terminal of the C₂-C₆₀ alkyl group. Detailed examples thereof are an ethynyl group

160

and a propynyl group. A C₂-C₆₀ alkynylene group as used herein refers to a divalent group having the same structure as the C₂-C₆₀ alkynyl group.

A C₃-C₁₀ cycloalkyl group as used herein refers to a monovalent monocyclic saturated hydrocarbon group including 3 to 10 carbon atoms. Detailed examples thereof are a cyclopropyl group, a cyclobutyl group, a cyclopentyl group, a cyclohexyl group, and a cycloheptyl group. A C₃-C₁₀ cycloalkylene group as used herein refers to a divalent group having the same structure as a C₃-C₁₀ cycloalkyl group.

A C₁-C₁₀ heterocycloalkyl group as used herein refers to a monovalent saturated monocyclic group including at least one heteroatom selected from N, O, P, Si and S as a ring-forming atom and 1 to 10 carbon atoms. Detailed examples thereof are a tetrahydrofuranyl group and a tetrahydrothiophenyl group. A C₁-C₁₀ heterocycloalkylene group as used herein refers to a divalent group having the same structure as a C₁-C₁₀ heterocycloalkyl group.

A C₃-C₁₀ cycloalkenyl group as used herein refers to a monovalent monocyclic group that has 3 to 10 carbon atoms and at least one carbon-carbon double bond in the ring thereof, and which is not aromatic. Detailed examples thereof are a cyclopentenyl group, a cyclohexenyl group, and a cycloheptenyl group. A C₃-C₁₀ cycloalkenylene group as used herein refers to a divalent group having the same structure as the C₃-C₁₀ cycloalkenyl group.

A C₁-C₁₀ heterocycloalkenyl group as used herein refers to a monovalent monocyclic group including at least one heteroatom selected from N, O, P, Si and S as a ring-forming atom, 1 to 10 carbon atoms, and at least one double bond in its ring. Detailed examples of the C₂-C₁₀ heterocycloalkenyl group are a 2,3-dihydrofuranyl group and a 2,3-dihydrothiophenyl group. A C₁-C₁₀ heterocycloalkenylene group as used herein refers to a divalent group having the same structure as a C₁-C₁₀ heterocycloalkenyl group.

A C₆-C₆₀ aryl group as used herein refers to a monovalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms, and a C₆-C₆₀ arylene group as used herein refers to a divalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms. Detailed examples of the C₆-C₆₀ aryl group are a phenyl group, a naphthyl group, an anthracenyl group, a phenanthrenyl group, a pyrenyl group, and a chrysenyl group. When the C₆-C₆₀ aryl group and the C₆-C₆₀ arylene group each include two or more rings, the rings may be fused to each other.

A C₁-C₆₀ heteroaryl group as used herein refers to a monovalent group having a heterocyclic aromatic system that has at least one heteroatom selected from N, O, P, Si and S as a ring-forming atom, and 1 to 60 carbon atoms. A C₁-C₆₀ heteroarylene group as used herein refers to a divalent group having a heterocyclic aromatic system that has at least one heteroatom selected from N, O, P, and S as a ring-forming atom, and 1 to 60 carbon atoms. Examples of the C₁-C₆₀ heteroaryl group are a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, and an isoquinolinyl group. When the C₁-C₆₀ heteroaryl group and the C₁-C₆₀ heteroarylene group each include two or more rings, the rings may be fused to each other.

A C₆-C₆₀ aryloxy group as used herein indicates —OA₁₀₂ (wherein A₁₀₂ is the C₆-C₆₀ aryl group), and a C₆-C₆₀ arylthio group as used herein indicates —SA₁₀₃ (wherein A₁₀₃ is the C₆-C₆₀ aryl group).

A monovalent non-aromatic condensed polycyclic group as used herein refers to a monovalent group that has two or more rings condensed to each other, only carbon atoms (for

161

example, the number of carbon atoms may be in a range of 8 to 60) as ring-forming atoms, wherein the molecular structure as a whole is non-aromatic in the entire molecular structure. Detailed examples of the non-aromatic condensed polycyclic group include a fluorenyl group. A divalent non-aromatic condensed polycyclic group as used herein refers to a divalent group having the same structure as the monovalent non-aromatic condensed polycyclic group.

A monovalent non-aromatic condensed hetero-polycyclic group as used herein refers to a monovalent group that has a plurality of rings condensed with each other, has a heteroatom selected from N, O, P, Si and S, other than carbon atoms (for example, the number of carbon atoms may be in a range of 1 to 60), as ring-forming atoms, wherein the molecular structure as a whole is non-aromatic in the entire molecular structure. The monovalent non-aromatic condensed heteropolycyclic group includes a carbazolyl group. A divalent non-aromatic condensed hetero-polycyclic group as used herein refers to a divalent group having the same structure as the monovalent non-aromatic condensed hetero-polycyclic group.

At least one substituent of the substituted C_3 - C_{10} cycloalkylene group, substituted C_1 - C_{10} heterocycloalkylene group, substituted C_3 - C_{10} cycloalkenylene group, substituted C_1 - C_{10} heterocycloalkenylene group, substituted C_6 - C_{60} arylene group, substituted C_1 - C_{60} heteroarylene group, substituted divalent non-aromatic condensed polycyclic group, substituted divalent non-aromatic condensed heteropolycyclic group, substituted C_1 - C_{60} alkyl group, substituted C_2 - C_{60} alkenyl group, substituted C_2 - C_{60} alkynyl group, substituted C_1 - C_{60} alkoxy group, substituted C_3 - C_{10} cycloalkyl group, substituted C_1 - C_{10} heterocycloalkyl group, substituted C_3 - C_{10} cycloalkenyl group, substituted C_1 - C_{10} heterocycloalkenyl group, substituted C_6 - C_{60} aryl group, substituted C_6 - C_{60} aryloxy group, substituted C_6 - C_{60} arylthio group, substituted C_1 - C_{60} heteroaryl group, substituted monovalent non-aromatic condensed polycyclic group, and substituted monovalent non-aromatic condensed heteropolycyclic group may be selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group (where, a carbazolyl group is excepted from the monovalent non-aromatic condensed heteropolycyclic group) and —Si(Q_{31})(Q_{32})(Q_{33}),

wherein Q_1 to Q_3 , Q_{11} to Q_{13} , Q_{21} to Q_{23} , and Q_{31} to Q_{33} may be each independently selected from a hydrogen, a C_1 - C_{60} alkyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group (where, a carbazolyl group is excepted from the monovalent non-aromatic condensed heteropolycyclic group).

When a group containing a specified number of carbon atoms is substituted with any of the substituents listed above, the number of carbon atoms in the resulting “substituted”

162


group may be the number of atoms contained in the original (base) group plus the number of carbon atoms (if any) contained in the substituent. For example, the “substituted C_1 - C_{30} alkyl” may refer to a C_1 - C_{30} alkyl group substituted with C_{6-60} aryl group, in which the total number of carbon atoms may be C_7 - C_{90} .

The “biphenyl group” used therein refers to “a phenyl group substituted with a phenyl group”.

Hereinafter, a compound and an organic light-emitting device according to embodiments are described in detail with reference to Synthesis Example and Examples. However, the organic light-emitting device is not limited thereto. The wording “B was used instead of A” used in describing Synthesis Examples means that an amount of A used was identical to an amount of B used, in terms of a molar equivalent.

EXAMPLE

Synthesis Example 1: Synthesis of Compound 13




18 grams (g) (54.15 millimoles (mmol)) of 9H-2,9'-biphenyl-2-ylidene-9H-fluorene, 5.88 milliliters (mL) (54.15 mmol) of 2-fluorobenzonitrile, and 2.16 g (54.15 mmol) of 60% sodium hydride were added to 200 mL of DMF in a round bottom flask, and the mixture was heated under reflux for 12 hours. Once the reaction was completed, the reaction product was cooled to room temperature. 600 mL of methanol was added dropwise and the product crystallized. The solid was filtered, and washed with water and methanol. The resultant solid was dried in a vacuum oven to obtain Compound 13 (17 g, the yield of 72%).

MS (m/z, [M]⁺): 433.2

163


Synthesis Example 2: Synthesis of Compound 109



10 g (20.64 mmol) of 2-(2'-(9H-carbazol-9-yl)-[1,1'-biphenyl]-2-yl)-9H-carbazole, 11.26 g (61.91 mmol) of 2-bromobenzonitrile, 0.39 g (6.19 mmol) of copper, and 8.55 g (61.91 mmol) of potassium carbonate were added to 200 mL of DMF in a round bottom flask, and the mixture was heated under reflux for 48 hours. Once the reaction was completed, the reaction product was cooled to room temperature, and the solvent was removed therefrom. The resultant was dissolved in hot toluene and filtered through silica. Methylene chloride (MC) and ethyl acetate (EA) were added to the filtrate for crystallization, and the resultant was filtered. The resultant solid was dried in a vacuum oven to obtain Compound 109 (8.34 g, the yield of 69%).


MS (m/z, [M]⁺): 585.2

Synthesis Example 3: Synthesis of Compound 169



164


-continued



10 g (24.48 mmol) of 3-(3-(9H-carbazol-9-yl)phenyl)-9H-carbazole, 16.82 g (73.44 mmol) of 2-iodobenzonitrile, 0.47 g (7.34 mmol) of copper, and 10.15 g (73.44 mmol) of potassium carbonate were added to 200 mL of DMF in a round bottom flask, and the mixture was heated under reflux for 48 hours. Once the reaction was completed, the reaction product was cooled to room temperature. 600 mL of methanol was added dropwise and the product crystallized. The solid was filtered, and washed with water and methanol. The resultant solid was dried in a vacuum oven to obtain Compound 169 (10.7 g, the yield of 86%).


MS (m/z, [M]⁺): 509.3

Synthesis Example 4: Synthesis of Compound 223



165

-continued




223


26.426 g (49.45 mmol) of 9-(3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)-9H-2,9'-bicarbazole, 7.5 g (41.2 mmol) of 2-bromobenzonitrile, 1.9 g (1.65 mmol) of tetrakis(triphenylphosphine)palladium [Pd(PPh₃)₄], and 17.085 g (123.61 mmol) of potassium carbonate were added to 200 mL of THF and 100 mL of distilled water in a round bottom flask, and the mixture was heated under reflux for 12 hours. Once the reaction was completed, the reaction product was cooled to room temperature, and THF layer was separated from distilled water. The THF layer separated therefrom was added dropwise to 600 mL of methanol and the product crystallized. Then, the solid was filtered, and washed with water and methanol. The resultant solid was dried in a vacuum oven to obtain Compound 223 (17.85 g, the yield of 85%).

MS (m/z, [M]⁺): 509.4

Synthesis Example 5: Synthesis of Compound 325

**166**

-continued



325

28.176 g (46.15 mmol) of 3-(3-(9H-carbazol-9-yl)phenyl)-9-(3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)phenyl)-9H-carbazole, 7 g (38.46 mmol) of 2-bromobenzonitrile, 1.7 g (1.54 mmol) of tetrakis(triphenylphosphine)palladium [Pd(PPh₃)₄], and 15.946 g (115.37 mmol) of potassium carbonate were added to 200 mL of THF and 100 mL of distilled water in a round bottom flask, and the mixture was heated under reflux for 12 hours. Once the reaction was completed, the reaction product was cooled to room temperature, and THF was separated from distilled water. The THF separated therefrom was added dropwise to 600 mL of methanol and the product crystallized. The solid was filtered, and washed with water and methanol. The resultant solid was dried in a vacuum oven to obtain Compound 325 (16.89 g, the yield of 75%).

MS (m/z, [M]⁺): 585.5

Evaluation Example 1: Evaluation on HOMO and LUMO Energy Levels

HOMO and LUMO energy levels of Compounds 13, 109, 169, 223, and 325 were evaluated according to the method indicated in Table 2, and results thereof are shown in Table 3.

TABLE 2

HOMO energy level evaluation method	A potential (V)-current (A) graph of each compound was obtained by using cyclic voltammetry (CV) (electrolyte: 0.1 molar (M) Bu ₄ NClO ₄ /solvent: CH ₂ Cl ₂ /electrode: 3 electrode system (working electrode: GC, reference electrode: Ag/AgCl, auxiliary electrode: Pt)). Then, from reduction onset of the graph, a HOMO energy level of the compound was calculated.
LUMO energy level evaluation method	Each compound was diluted at a concentration of 1 × 10 ⁻⁵ M in CHCl ₃ , and an UV absorption spectrum thereof was measured at room temperature by using Shimadzu UV-350 Spectrometer. A LUMO energy level thereof was calculated by using an optical band gap (E _g) from an edge of the absorption spectrum.

TABLE 3

Compound No.	HOMO (eV) (found)	LUMO (eV) (found)
13	-5.63	-2.16
109	-5.64	-2.12

167

TABLE 3-continued

Compound No.	HOMO (eV) (found)	LUMO (eV) (found)
169	-5.67	-2.14
223	-5.61	-2.08
325	-5.65	-2.13


From Table 3, it is confirmed that Compounds 13, 109, 169, 223, and 325 have electric characteristics that are suitable for use as a material for forming an organic light-emitting device.

Evaluation Example 2: Thermal Characteristics Evaluation

Each of Compounds 13, 109, 169, 223, 325, and A was subjected to thermal analysis (N₂ atmosphere, temperature range: room temperature to 800° C. (10° C./min)-TGA, room temperature to 400° C.-DSC, Pan Type: Pt Pan in disposable Al Pan (TGA), disposable Al pan (DSC)) using thermogravimetric analysis (TGA) and differential scanning calorimetry (DSC), and the obtained results are shown in Table 4 below. As shown in Table 4, it was confirmed that Compounds 13, 109, 169, 223, and 325 had excellent thermal stability than that of Compound A.

TABLE 4

Compound No.	Tg (° C.)
13	104
109	125
169	121
223	109
325	117
Compound A	72



Compound A

Example 1

A glass substrate with a 1,500 Angstrom (Å)-thick ITO (Indium tin oxide) electrode (first electrode, anode) formed thereon was washed with distilled water and ultrasonic waves. When the washing with distilled water was completed, sonification washing was performed using a solvent, such as isopropyl alcohol, acetone, or methanol. The result was dried and then transferred to a plasma washer, and the resultant substrate was washed with oxygen plasma for 5 minutes and transferred to a vacuum depositor.

Compound HT3 and Compound HP-1 were co-deposited on the ITO electrode on the glass substrate to form a hole injection layer having a thickness of 100 Å, Compound HT3 was deposited on the hole injection layer to form a hole transport layer having a thickness of 1,300 Å, and mCP was deposited on the hole transport layer to form an electron blocking layer having a thickness of 150 Å, thereby completing the manufacture of a hole transport region.

168

Compound 13 (host) and Flr6 (dopant, 10 percent by weight (wt %)) were co-deposited on the hole transport region to form an emission layer having a thickness of 300 Å.

BCP was vacuum deposited on the emission layer to form a hole blocking layer having a thickness of 100 Å, Compound ET3 and Liq were vacuum deposited on the hole blocking layer to form an electron transport layer having a thickness of 250 Å. Then, Liq was deposited on the electron transport layer to form an electron injection layer having a thickness of 5 Å, and Al second electrode (cathode) having a thickness of 1,000 Å was formed on the electron injection layer, thereby completing the manufacture of an organic light-emitting device.

Examples 2 to 5 and Comparative Example 1


Organic light-emitting devices were manufactured in the same manner as in Example 1, except that the compounds shown in Table 5 were used, as a host, instead of Compound 13 in the formation of the emission layer.

Evaluation Example 3: Evaluation on Characteristics of Organic Light-Emitting Devices

The driving voltage, current density, luminous efficiency, power efficiency, quantum efficiency, and lifespan of the organic light-emitting devices of Examples 1 to 5 and Comparative Example 1 were measured by using a current-voltage meter (Keithley 2400) and a luminance meter (Minolta Cs-1000A), and results thereof are shown in Table 5. T₉₅ (at 500 candelas per square meter (cd/m²)) in Table 5 indicates an amount of time that lapsed when the luminance is decreased from 100% of the initial luminance to 95% of the initial luminance.

TABLE 5





	Host	Driving voltage (V)	Luminous Efficiency (cd/A)	Power Efficiency (lm/W)	Quantum Efficiency (%)	T ₉₅ (hr)
Example 1	13	4.2	33.25	24.89	17.8	1.54
Example 2	109	4.94	20.44	13.00	10.8	1.00
Example 3	169	4.91	36.33	23.25	19.9	3.94
Example 4	223	3.99	34.90	27.48	19	1.93
Example 5	325	4.32	30.94	22.53	17	2.45
Comparative Example 1	Compound A	6.85	15.27	7.03	8.9	0.54



13


169

TABLE 5-continued

Host	Driving voltage (V)	Luminous Efficiency (cd/A)	Power Efficiency (lm/W)	Quantum Efficiency (%)	T ₉₅ (hr)
 109					
 169					
 223					
 325					

170

TABLE 5-continued

Host	Driving voltage (V)	Luminous Efficiency (cd/A)	Power Efficiency (lm/W)	Quantum Efficiency (%)	T ₉₅ (hr)
 Compound A					

Referring to Table 5, it was confirmed that the organic light-emitting devices of Examples 1 to 5 have a lower driving voltage, a higher luminous efficiency, a higher power efficiency, a higher quantum efficiency, and a longer lifespan than the organic light-emitting device of Comparative Example 1.

As described above, according to the one or more of the above embodiments of the present inventive concept, a condensed cyclic compound has excellent electric characteristics and thermal stability, and thus an organic light-emitting device including the condensed cyclic compound may have low driving voltage, high luminous efficiency, high power efficiency, high quantum efficiency, and long lifespan characteristics.


It should be understood that exemplary embodiments described herein should be considered in a descriptive sense only and not for purposes of limitation. Descriptions of features or aspects within each exemplary embodiment should typically be considered as available for other similar features or aspects in other exemplary embodiments.

While one or more exemplary embodiments have been described with reference to the figures, it will be understood by those of ordinary skill in the art that various changes in form and details may be made therein without departing from the spirit and scope of the present disclosure as defined by the following claims.

What is claimed is:

1. A condensed cyclic compound represented by Formula 1:

Formula 1



wherein, in Formula 1,

X₁ is N or C(R₁), X₂ is N or C(R₂), X₃ is N or C(R₃), X₄ is N or C(R₄), X₅ is N or C(R₅), X₆ is N or C(R₆), X₇ is N or C(R₇), X₈ is N or C(R₈), X₁₁ is N or C(R₁₁), X₁₂ is N or C(R₁₂), X₁₃ is N or C(R₁₃), X₁₄ is N or C(R₁₄), X₁₅ is N, C(R₁₅), or a carbon atom connected to ^{*}-(L₁)_{a1}-^{*}, X₁₆ is N, C(R₁₆), or a carbon atom con-

nected to $^{*}-(L_1)_{a1}-^{*}$, X_{17} is N, C(R_{17}), or a carbon atom connected to $^{*}-(L_1)_{a1}-^{*}$, and X_{18} is N, C(R_{18}), or a carbon atom connected to $^{*}-(L_1)_{a1}-^{*}$, wherein one of X_{15} to X_{18} is connected to $^{*}-(L_1)_{a1}-^{*}$,
ring A_1 is selected from a C_5 - C_{60} carbocyclic group and a C_3 - C_{60} heterocyclic group comprising at least one heteroatom selected from O, S, and Si,
 L_1 is selected from
a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group; and
a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{11})(Q_{12})(Q_{13}),
 L_2 is selected from
a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group; and
a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{11})(Q_{12})(Q_{13}),
 a_1 and a_2 are each independently an integer selected from 0 to 5, wherein when a_1 is 2 or greater, two or more groups L_1 are identical to or different from each other, and when a_2 is 2 or greater, two or more groups L_2 are identical to or different from each other,
 R_1 to R_8 are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group (—CN), a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_2 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a Substituted or unsub-

stituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, and —Si(Q₁)(Q₂)(Q₃),

R₁₁ to R₁₅ are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group (—CN), a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C₁-C₆₀ alkyl group, a substituted or unsubstituted C₂-C₆₀ alkenyl group, a substituted or unsubstituted C₂-C₆₀ alkynyl group, a substituted or unsubstituted C₁-C₆₀ alkoxy group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₂-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, and —Si(Q₁)(Q₂)(Q₃),

R₃₁ is selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group (—CN), a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C₁-C₆₀ alkyl group, a substituted or unsubstituted C₂-C₆₀ alkenyl group, a substituted or unsubstituted C₂-C₆₀ alkynyl group, a substituted or unsubstituted C₁-C₆₀ alkoxy group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₂-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, and —Si(Q₁)(Q₂)(Q₃),

b1 is an integer selected from 0 to 4,

c1 is an integer selected from 1 to 4,

at least one substituent of the substituted C₁-C₆₀ alkyl group, substituted C₂-C₆₀ alkenyl group, substituted C₂-C₆₀ alkynyl group, substituted C₁-C₆₀ alkoxy group, substituted C₃-C₁₀ cycloalkyl group, substituted C₁-C₁₀ heterocycloalkyl group, substituted C₃-C₁₀ cycloalkenyl group, substituted C₂-C₁₀ heterocycloalkenyl group, substituted C₆-C₆₀ aryl group, substituted C₆-C₆₀ aryloxy group, substituted C₆-C₆₀ arylthio group, substituted C₁-C₆₀ heteroaryl group, substituted monovalent non-aromatic condensed polycyclic group, and substituted monovalent non-aromatic condensed heteropolycyclic group is selected from a deuterium, —F, —Cl, —Br, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof,


173

thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, and —Si(Q₂₁)(Q₂₂)(Q₂₃), wherein Q₁ to Q₃, Q₁₁ to Q₁₃, and Q₂₁ to Q₂₃ are each independently selected from a hydrogen, a deuterium, a C₁-C₆₀ alkyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group in *(L₁)_{d1}*, * and *¹ are each a binding site to a neighboring atom.


2. The condensed cyclic compound of claim 1, wherein ring A₁ is selected from a cyclopentane ring, a cyclohexane ring, a cyclopentene ring, a cyclohexene ring, a cycloheptene ring, a benzene ring, a pentalene ring, an indene ring, a naphthene ring, an azulene ring, a heptalene ring, an indacene ring, an acenaphthene ring, a fluorene ring, a spirobifluorene ring, a phenalene ring, a phenanthrene ring, an anthracene ring, a fluoranthene ring, a triphenylene ring, a pyrene ring, a chrysene ring, a naphthacene ring, a picene ring, a perylene ring, a pentaphene ring, a hexacene ring, a furane ring, a thiophene ring, a benzofurane ring, a benzothiophene ring, a dibenzofurane ring, and a dibenzothiophene ring.

3. The condensed cyclic compound of claim 1, wherein ring A₁ is selected from a benzene ring, a dibenzofurane ring, and a dibenzothiophene ring.


4. The condensed cyclic compound of claim 1, wherein L₁ is selected from groups represented by Formulae 3-1 to 3-56, and L₂ is selected from groups represented by Formulae 3-1, 3-15, 3-28, and 3-41 to 3-56:




Formula 3-1



Formula 3-2




Formula 3-3




Formula 3-4

174


-continued




Formula 3-5




Formula 3-6




Formula 3-7




Formula 3-8




Formula 3-9




Formula 3-10




Formula 3-11




Formula 3-12




Formula 3-13



Formula 3-14














Formula 3-15



65

175

-continued




176

-continued


Formula 3-16

5




Formula 3-17

10



Formula 3-18

15




Formula 3-19

20

25

Formula 3-20

30




Formula 3-21

35


Formula 3-22

40




Formula 3-23

45



Formula 3-24

50




Formula 3-25

55

60

Formula 3-26

65



Formula 3-27

Formula 3-28

Formula 3-29

Formula 3-30

Formula 3-31









Formula 3-32

Formula 3-33

Formula 3-34

177

-continued




178

-continued


Formula 3-35

5




Formula 3-36

10




Formula 3-37

15




Formula 3-38

20




Formula 3-39

25




Formula 3-40

30




Formula 3-41

35




Formula 3-42

40



Formula 3-43

45



Formula 3-44

Formula 3-45

Formula 3-46

Formula 3-47

Formula 3-48






Formula 3-49

Formula 3-50

Formula 3-51

179

-continued



wherein, in Formulae 3-1 to 3-56,

Y_1 is selected from O, S, and $C(Z_3)(Z_4)$,

Z_1 to Z_4 are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si $(Q_{11})(Q_{12})(Q_{13})$,

wherein Q_{11} to Q_{13} are each independently selected from a hydrogen, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

d_4 is an integer selected from 0 to 4,

d_3 is an integer selected from 0 to 3,

d_2 is an integer selected from 0 to 2, and

and *' are each a binding site to a neighboring atom.

180

5. The condensed cyclic compound of claim 4, wherein

i) a_1 is 0; or

ii) when a_1 is not 0, at least one of groups L_1 is selected from groups represented by Formulae 3-15 to 3-56.

6. The condensed cyclic compound of claim 4, wherein

L_1 is selected from groups represented by Formulae 3-15, 3-28, 3-41, and 3-51,

L_2 is selected from groups represented by Formulae 3-1, 3-15, 3-28, 3-41, and 3-51, and

a_1 and a_2 are each independently 0, 1, or 2.

7. The condensed cyclic compound of claim 1, wherein a group represented by $*(L_1)_{a_1}*$ is selected from groups represented by Formulae 4-1 to 4-39:

Formula 3-52

5

Formula 3-53

10

Formula 3-54


20

Formula 3-55


25

Formula 3-56


35




Formula 4-1




Formula 4-2




Formula 4-3




Formula 4-4




Formula 4-5



Formula 4-6



Formula 4-7




Formula 4-8

65


181

-continued




Formula 4-9

5




Formula 4-10

10




Formula 4-11

15




Formula 4-12

25




Formula 4-13

35




Formula 4-14

40




Formula 4-15

45




Formula 4-16

55




60




65

182


-continued




Formula 4-17




Formula 4-18




Formula 4-19




Formula 4-20



Formula 4-21








Formula 4-22



Formula 4-23


183

-continued


**184**

-continued


Formula 4-24




Formula 4-25




Formula 4-26



Formula 4-27



Formula 4-28



55

60

65

Formula 4-29

Formula 4-30

Formula 4-31






Formula 4-32

Formula 4-33

Formula 4-34

185

-continued



wherein, in Formulae 4-1 to 4-39,

X_{21} is N or C(Z_{21}), X_{22} is N or C(Z_{22}), X_{23} is N or C(Z_{23}), X_{24} is N or C(Z_{24}), X_{31} is N or C(Z_{31}), X_{32} is N or C(Z_{32}), X_{33} is N or C(Z_{33}), X_{34} is N or C(Z_{34}), X_{41} is N or C(Z_{41}), X_{42} is N or C(Z_{42}), X_{43} is N or C(Z_{43}), and X_{44} is N or C(Z_{44}), provided that at least one of X_{21} to

186

X_{24} is not N, provided that at least one of X_{31} to X_{34} is not N, and provided that at least one of X_{41} to X_{44} is not N,

Z_{21} to Z_{24} , Z_{31} to Z_{34} , and Z_{41} to Z_{44} are each independently selected from a hydrogen, a deuterium, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and $-\text{Si}(Q_{11})(Q_{12})(Q_{13})$,

wherein Q_{11} to Q_{13} are each independently a hydrogen, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, and

* and *' are each a binding site to a neighboring atom.

8. The condensed cyclic compound of claim 1, wherein R_1 to R_8 are each independently selected from

a hydrogen, a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, and a C_1 - C_{10} alkoxy group;

a C_1 - C_{10} alkoxy group substituted with at least one selected from deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof;

a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, and $-\text{Si}(Q_{21})(Q_{22})(Q_{23})$; and

$-\text{Si}(Q_1)(Q_2)(Q_3)$,
wherein Q_1 to Q_3 and Q_{21} to Q_{23} are each independently selected from a hydrogen, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and $-\text{Si}(Q_{21})(Q_{22})(Q_{23})$; and

R_{11} to R_{18} , and R_{31} are each independently selected from a hydrogen, a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, and

R_{11} to R_{18} , and R_{31} are each independently selected from a hydrogen, a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, and

187

group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, and a C₁-C₁₀ alkoxy group;

a C₁-C₁₀ alkyl group and a C₁-C₁₀ alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof;

a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q₂₁)(Q₂₂)(Q₂₃); and

—Si(Q₁)(Q₂)(Q₃),

wherein Q₁ to Q₃ and Q₂₁ to Q₂₃ are each independently selected from a hydrogen, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group.

9. The condensed cyclic compound of claim 1, wherein R₁ to R₈ are each independently selected from a hydrogen, a deuterium, —F, a cyano group, and a C₁-C₁₀ alkoxy group:

a C₁-C₁₀ alkoxy group substituted with at least one selected from a deuterium —F, and a cyano group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, —F, a cyano group, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q₂₁)(Q₂₂)(Q₂₃); and

—Si(Q₁)(Q₂)(Q₃),

R₁₁ to R₁₈, and R₃₁ are each independently selected from a hydrogen, a deuterium, —F, a cyano group, a C₁-C₁₀ alkyl group, and a C₁-C₁₀ alkoxy group,

a C₁-C₁₀ alkyl group and a C₁-C₁₀ alkoxy group, each substituted with at least one selected from a deuterium, —F, and a cyano group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a diben-

188


zothiophenyl group, each substituted with at least one selected from a deuterium, —F, a cyano group, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q₂₁)(Q₂₂)(Q₂₃); and

—Si(Q₁)(Q₂)(Q₃),


Q₁ to Q₃ and Q₂₁ to Q₂₃ are each independently a hydrogen, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group.

10. The condensed cyclic compound of claim 1, wherein at least one of X₃, X₆, X₁₃, and X₁₆ is C(CN).


11. The condensed cyclic compound of claim 1, wherein a group represented by




is selected from groups represented by Formulae 5-1 to 5-6:




Formula 5-1




Formula 5-2




Formula 5-3



Formula 5-4












Formula 5-5



Formula 5-6

189

-continued




190

-continued


Formula 5-7

5




Formula 5-8

10




Formula 5-9

15




Formula 5-10

25




Formula 5-11

35




Formula 5-12

40




Formula 5-13

45




Formula 5-14

55



Formula 5-15

60



65

Formula 5-16

Formula 5-17

Formula 5-18

Formula 5-19

Formula 5-20

Formula 5-21









Formula 5-22

Formula 5-23

Formula 5-24

191


-continued

**192**

-continued


Formula 5-25

5




Formula 5-26

10




Formula 5-27

15




Formula 5-28

20




Formula 5-29

25




Formula 5-30

30




Formula 5-31

35




Formula 5-32

40



45

50



55

60

65

Formula 5-33

Formula 5-34

Formula 5-35

Formula 5-36

Formula 5-37

Formula 5-38










Formula 5-39

Formula 5-40

Formula 5-41

193


-continued

**194**

-continued


Formula 5-42

5




Formula 5-43 10

15




Formula 5-44

20




Formula 5-45

25




Formula 5-46

35




Formula 5-47

40




Formula 5-48

50




Formula 5-49

60



Formula 5-50

65



Formula 5-51

Formula 5-52

Formula 5-53

Formula 5-54

Formula 5-55

Formula 5-56


Formula 5-57

Formula 5-58

Formula 5-59

195

-continued



wherein, in Formulae 5-1 to 5-60, * is a binding site to a neighboring atom.

12. The condensed cyclic compound of claim 1, represented by one of Formulae 1A to 1D:


Formula 5-60

5
10
15


196

-continued


Formula 1D




Formula 1A



Formula 1B



Formula 1C



wherein, in Formulae 1A to 1D,

ring A_1 is independently selected from a benzene ring, a dibenzofurane ring, and a dibenzothiophene ring,

L_1 is selected from groups represented by Formulae 3-15, 3-28, 3-41, and 3-51,

L_2 is selected from groups represented by Formulae 3-1, 3-15, 3-28, 3-41, and 3-51,

a_1 and a_2 are each independently selected from 0, 1, and 2,

R_1 to R_8 are each independently selected from

a hydrogen, a deuterium, $-F$, a cyano group, and a C_1 - C_{10} alkoxy group;

a C_1 - C_{10} alkoxy group substituted with at least one selected from a deuterium, $-F$, and a cyano group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, $-F$, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and $-Si(Q_1)(Q_2)(Q_3)$; and $-Si(Q_1)(Q_2)(Q_3)$,

wherein Q_1 to Q_3 and Q_{21} to Q_{23} are each independently selected from a hydrogen, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

R_{11} to R_{18} , and R_{31} are each independently selected from a hydrogen, a deuterium, $-F$, a cyano group, a C_1 - C_{10} alkyl group, and a C_1 - C_{10} alkoxy group;

a C_1 - C_{10} alkyl group and a C_1 - C_{10} alkoxy group, each substituted with at least one selected from a deuterium, $-F$, and a cyano group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, $-F$, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and $-Si(Q_1)(Q_2)(Q_3)$; and $-Si(Q_1)(Q_2)(Q_3)$,






wherein Q_1 to Q_3 and Q_{21} to Q_{23} are each independently selected from a hydrogen, a C_1 - C_{10} alkyl group, a

197

C₁-C₁₀ alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

b1 is 0 or 1, and

c1 is 1 or 2:



wherein, in Formulae 3-41 and 3-51,

Y₁ is selected from O, S, and C(Z₃)(Z₄),

wherein, in Formulae 3-1, 3-15, 3-28, 3-41, and 3-51,

Z₁ to Z₄ are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q₁₁)(Q₁₂)(Q₁₃),

wherein Q₁₁ to Q₁₃ are each independently selected from a hydrogen, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,


d₄ is an integer selected from 0 to 4,

d₃ is an integer selected from 0 to 3, and

* and *' are each a binding site to a neighboring atom.

198

13. The condensed cyclic compound of claim 12, wherein a group represented by



Formula 3-1

10

is selected from groups represented by Formulae 5-1 to 5-3, 5-31, 5-39, 5-47, and 5-55:

Formula 3-15

15

Formula 3-28

20

Formula 3-41

25

Formula 3-51

35

40

45

50

55

60

65

Formula 5-1

Formula 5-2

Formula 5-3






Formula 5-31

Formula 5-39

Formula 5-47

Formula 5-55

14. The condensed cyclic compound of claim 1, represented by one of Compounds 1 to 336:

199**200**

-continued

1

5

10

2

15

20

25

3

30

35

40

4

45






50

5

55

60

65



6

7






8

9

10

201

-continued

**202**

-continued

11

5

10

15

12

20

25

13

30

35

40

14

45

50

15

55

60

65






16

17

18






19

20



203

-continued

**204**

-continued

21

26

5

10

15

22

20

25

23

30

35

24

40

45





50

25

55





60

65



205

-continued

**206**

-continued

30

5

10

15

31

20

25

30

32

35

40

45

33


50

55


60

65


34




35



36







37



207

-continued

**208**

-continued

38

5

10

15

39

20

25

30

35

40

45




50

41

55

60

65






42

43

44

209

-continued

**210**

-continued

45

48

5

10

15

20

25

46 30

35

40






45

50 47

55






60

65







211

-continued





**212**

-continued



213

-continued

**214**

-continued

62

5

10

15

63

20

25

30

64 35

40

45





50

65

55

60

65



66





67

68

69

215

-continued



216

-continued

70

5

10

15

71

20

25

30

35

72

40

45





50

73

55

60

65







74

75

76

77

217
-continued




218
-continued

78

82

5




10

15

79

83

20



25


30

35

84

80

40




45

50

81

85

55







60

65

219

-continued

**220**

-continued

86

90

5

10

15

87

20

25

91

30

88

40

45

50




92

89

55




60

65



221

-continued

**222**

-continued

93

5

10

15

20

25

94

30

35

40

45

50





95

55

60

65

96








97

98

99

223

-continued

**224**

-continued

100

5

10

101 15

20

25

102 30

35

40

103 45

50

104 55

60





65

105

106





107

108







225

-continued


**226**

-continued




227


-continued




117



118




119




120

228


-continued



121






122



123

229

-continued

**230**

-continued

124

5

10

15

20

125

25

30

35

40

126

45




50

55

60

65

127






128

129

231

-continued

**232**

-continued

130

5

10

15

20

131

25

30

35

40

132

45


50

55


60

65


133



134






135



233

-continued

**234**

-continued

136

5

10

15

20

137

25

30

35

40

45




138

50

55

60

65






139

140

141

235

-continued

**236**

-continued

142

5

10

15

20

143

25

30

35

40

144

45




50

55

60

65

145



146





147

148

149

237

-continued

**238**

-continued

150

5

10

15

151

20

25

30

35

152

40

45

50

153

55

60





65

154

155





156

157







239

-continued




**240**

-continued







241

-continued







243

-continued


**244**

-continued



245

-continued



180

5


10

15

20

246

-continued



183


181 25

30


35

40

45



184




182 50


55

60

65






185



247

-continued

**248**

-continued

186

189


5

10

15

20

187




25

190

30

35

40



45

188


191

50

55





60

65



249

-continued

**250**

-continued

192

5

10

15

20

193

25

30

35

40

194

45

50

195

55

60

65






196

197

198






199

200







251

-continued


**252**

-continued




253


-continued




210



211




212




213

254


-continued




214



215



216



217

5

10

15

20

25

30

35

40

45

50





55

60

65

255

-continued

**256**

-continued

218

222

5

10

15

219

25

30

35

220

45





50

221

55





60

65



257

-continued

**258**

-continued

226

230

5

10

15

227

20

25

30

228

35

40

45



229

50


55

60

65






231



232

259

-continued

**260**

-continued

233

5

10

15

20

25

234 30

35

40

45




235

50

55

60

65






236

237

238

261

-continued

**262**


-continued

239

5

10

15




242

20

25

240

30




243

35

40

45



244


50

241

55

60




65



245

263

-continued

**264**

-continued

246

5

10

15

20

25

247

30

35

40

45

248

55

60

65




249

250

251

265

-continued

**266**

-continued

252

5

10

15

20

25

253

30

35

40

45

254


50

55


60

65


255



256






257



267

-continued

**268**

-continued

258

5

10

15

20

259 25

30

35

40




260 45

50

55

60

65







261

262

263

269

-continued

**270**

-continued

264

5

10

15

20

265

25

30

35

40

266

45

50

267

55

60

65






268

269

270


271

272



271

-continued




273

5

10

15

274




20

25


275

30



35


276 40



45

50

277




55

60


65

272


-continued




278



279







280



281

273

-continued

**274**

-continued

282

5

10

15

283

20

25

30

284

35

40

45

285


50

55


60

65


286



287






288



275

-continued

**276**

-continued

289

5

10

15

20

25

290

30

35

40

45



291 50

55

60


65

292







293

294



277

-continued

**278**

-continued

295

5

10

15

296

20

25

30

35

40

297

45

50

298

55

60





65

299

300





301

302



279


-continued

**280**

-continued


303

307



15


308



304

30


309



305

45

310




50

306

55


311




65

281

-continued


**282**

-continued




283

-continued


**284**

-continued




285

-continued


**286**

-continued



287

-continued



288

-continued


334

5

10

15

20



336

- 25 **15.** An organic light-emitting device comprising:
a first electrode;
a second electrode; and
an organic layer disposed between the first electrode and the second electrode,
30 wherein the organic layer comprises an emission layer
and at least one condensed cyclic compound represented by Formula 1 of claim 1.

- 16.** The organic light-emitting device of claim 15, wherein
the first electrode is an anode,
35 the second electrode is a cathode,
the organic layer comprises a hole transport region disposed between the first electrode and the emission layer
and an electron transport region disposed between the emission layer and the second electrode,


- 335 40 wherein the hole transport region comprises at least one
selected from a hole injection layer, a hole transport layer, and an electron blocking layer, and
wherein the electron transport region comprises at least
one selected from a hole blocking layer, an electron
45 transport layer, and an electron injection layer.

- 17.** The organic light-emitting device of claim 15, wherein
the emission layer comprises the at least one condensed
cyclic compound represented by Formula 1.

- 18.** The organic light-emitting device of claim 15, wherein
50 the emission layer comprises the at least one condensed
cyclic compound represented by Formula 1, wherein the
emission layer further comprises a phosphorescent dopant,
and wherein an amount of the at least one condensed cyclic
compound is larger than an amount of the phosphorescent
55 dopant.

- 19.** The organic light-emitting device of claim 17, wherein
the emission layer emits blue light.

- 20.** The organic light-emitting device of claim 15, wherein
the emission layer comprises the condensed cyclic compound
60 represented by Formula 1, and wherein the condensed
cyclic compound represented by Formula 1 is a thermally
activated delayed fluorescence emitter.



* * * * *

专利名称(译)	缩合环状化合物和包括其的有机发光器件		
公开(公告)号	US10062852	公开(公告)日	2018-08-28
申请号	US15/145158	申请日	2016-05-03
[标]申请(专利权)人(译)	三星电子株式会社		
申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD. 三星SDI CO. , LTD.		
当前申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD. 三星SDI CO. , LTD.		
[标]发明人	KIM HYUNJUNG CHAE MIYOUNG KIM SANGMO JEON SOONOK CHUNG YEONSOOK JUNG YONGSIK HUH DALHO SON YOUNGMOK LEE NAMHEON		
发明人	KIM, HYUNJUNG CHAE, MIYOUNG KIM, SANGMO JEON, SOONOK CHUNG, YEONSOOK JUNG, YONGSIK HUH, DALHO SON, YOUNGMOK LEE, NAMHEON		
IPC分类号	H01L51/00 C09K11/02 C07D403/10 C07D209/86 C09K11/06 H01L51/52 H01L51/50		
CPC分类号	H01L51/0072 C07D403/10 C09K11/02 C09K11/06 H01L51/008 H01L51/009 H01L51/0085 C07D209/86 H01L2251/552 C09K2211/1007 C09K2211/1022 C09K2211/1029 C09K2211/1044 C09K2211/185 H01L51/0061 H01L51/5004 H01L51/5012 H01L51/5016 H01L51/5028 H01L51/5056 H01L51/5072 H01L51/5088 H01L51/5092 H01L51/5096 H01L51/5206 H01L51/5221 C07D209/88 C07D405/14 C07D409/14 C09K2211/1088 C09K2211/1092 H01L51/0073 H01L51/0074 H01L51/50		
代理机构(译)	康托科尔伯恩LLP		
审查员(译)	彭，阔亮		
优先权	1020150089088 2015-06-23 KR 1020160039619 2016-03-31 KR		
其他公开文献	US20160380210A1		
外部链接	Espacenet		

摘要(译)

由式1表示的稠合环状化合物：其中，在公式1中，组 and 变量与规范中描述的相同。

Formula 1

