



US010367151B2

(12) **United States Patent**
Kim et al.

(10) **Patent No.:** **US 10,367,151 B2**
(45) **Date of Patent:** **Jul. 30, 2019**

(54) **CONDENSED CYCLIC COMPOUND AND ORGANIC LIGHT-EMITTING DEVICE INCLUDING THE SAME**

(71) Applicants: **Samsung Electronics Co., Ltd.**, Suwon-si, Gyeonggi-do (KR); **Samsung SDI Co., Ltd.**, Yongin-si, Gyeonggi-do (KR)

(72) Inventors: **Hyunjung Kim**, Suwon-si (KR); **Miyoung Chae**, Suwon-si (KR); **Sangmo Kim**, Hwaseong-si (KR); **Soonok Jeon**, Seoul (KR); **Yeonsook Chung**, Seoul (KR); **Yongsik Jung**, Yongin-si (KR); **Dalho Huh**, Suwon-si (KR); **Youngseok Park**, Yongin-si (KR); **Namheon Lee**, Suwon-si (KR)

(73) Assignees: **SAMSUNG ELECTRONICS CO., LTD.**, Gyeonggi-Do (KR); **SAMSUNG SDI CO., LTD.**, Gyeonggi-Do (KR)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 537 days.

(21) Appl. No.: **15/012,266**

(22) Filed: **Feb. 1, 2016**

(65) **Prior Publication Data**

US 2016/0380209 A1 Dec. 29, 2016

(30) **Foreign Application Priority Data**

Jun. 23, 2015 (KR) 10-2015-0089087
Sep. 1, 2015 (KR) 10-2015-0123657

(51) **Int. Cl.**
H01L 51/00 (2006.01)
C07D 209/86 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **H01L 51/0072** (2013.01); **C07D 209/86** (2013.01); **C09K 11/025** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC H01L 51/0072; H01L 51/008; H01L 51/0085; H01L 51/009; H01L 51/5004;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,012,903 B2 * 4/2015 Cho H01L 51/0067
257/40
9,755,158 B2 * 9/2017 Kim H01L 51/0067
(Continued)

FOREIGN PATENT DOCUMENTS

EP 2 762 477 A1 8/2014
EP 2 826 781 A1 1/2015
(Continued)

OTHER PUBLICATIONS

Extended European Search Report issued by the European Patent Office dated Apr. 14, 2016 with English Translation.


Primary Examiner — Eli D. Strah

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **ABSTRACT**


A condensed cyclic compound represented by Formula 1:

Formula 1



wherein, in Formula 1, rings, groups and variables are the same as defined in the specification.

13 Claims, 1 Drawing Sheet



(51) **Int. Cl.**

C09K 11/02 (2006.01)
C09K 11/06 (2006.01)
G02F 1/00 (2006.01)
H01L 51/50 (2006.01)

(52) **U.S. Cl.**

CPC **C09K 11/06** (2013.01); **H01L 51/008**
 (2013.01); **H01L 51/009** (2013.01); **H01L**
51/0085 (2013.01); **B32B 2457/206** (2013.01);
C09K 2211/1007 (2013.01); **C09K 2211/1022**
 (2013.01); **C09K 2211/1029** (2013.01); **C09K**
2211/1044 (2013.01); **C09K 2211/185**
 (2013.01); **G02F 1/0018** (2013.01); **G02F**
2202/02 (2013.01); **G02F 2202/026** (2013.01);
H01L 51/5004 (2013.01); **H01L 51/5016**
 (2013.01); **H01L 2251/552** (2013.01)

(58) **Field of Classification Search**

CPC H01L 51/5016; H01L 2251/552; C09K
 11/06; C09K 11/025; C09K 2211/1044;
 C09K 2211/1007; C09K 2211/1029;
 C09K 2211/1022; C09K 2211/185; C07D
 209/86; G02F 2202/026; G02F 2202/02;
 G02F 1/0018; B32B 2457/206

See application file for complete search history.

(56)

References Cited


U.S. PATENT DOCUMENTS

9,793,494 B2 * 10/2017 Kim H01L 51/0072
 9,972,789 B2 * 5/2018 Cho H01L 51/0072
 2013/0234119 A1 9/2013 Mizuki et al.
 2013/0264548 A1 10/2013 Mizuki et al.
 2014/0048784 A1 * 2/2014 Inoue C07D 403/04
 257/40
 2014/0367649 A1 * 12/2014 Cho H01L 51/0067
 257/40
 2015/0200373 A1 * 7/2015 Cho H01L 51/0072
 257/40
 2017/0331048 A1 * 11/2017 Cho C09K 11/025

FOREIGN PATENT DOCUMENTS

JP 2013-035752 A 2/2013
 JP 2014-072417 A 4/2014
 KR 2014-0065197 A 5/2014
 KR 2014-0073695 A 6/2014
 WO 2012/036482 A1 3/2012
 WO 2013-172835 A1 11/2013
 WO 2014-051004 A1 4/2014

* cited by examiner



CONDENSED CYCLIC COMPOUND AND ORGANIC LIGHT-EMITTING DEVICE INCLUDING THE SAME

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority to and the benefit of Korean Patent Application No. 10-2015-0123657, filed on Sep. 1, 2015, and Korean Patent Application No. 10-2015-0089087, filed on Jun. 23, 2015 in the Korean Intellectual Property Office, the content of which are incorporated herein in their entirety by reference.

BACKGROUND

1. Field

The present disclosure relates to a condensed cyclic compound and an organic light-emitting device including the same.

2. Description of the Related Art

Organic light-emitting devices (OLEDs) are self-emission devices that have wide viewing angles, high contrast ratios, and short response times. In addition, the OLEDs exhibit high brightness, driving voltage, and response speed characteristics, and produce full-color images.

A typical organic light-emitting device includes an anode, a cathode, and an organic layer that is disposed between the anode and the cathode, wherein the organic layer includes an emission layer. A hole transport region may be disposed between the anode and the emission layer, and an electron transport region may be disposed between the emission layer and the cathode. Holes provided from the anode may move toward the emission layer through the hole transport region, and electrons provided from the cathode may move toward the emission layer through the electron transport region. Carriers, such as holes and electrons, are recombined in the emission layer to produce excitons. These excitons change from an excited state to a ground state, thereby generating light.

Different types of organic light emitting devices are known. However, there still remains a need in OLEDs having low driving voltage, high efficiency, high brightness, and long lifespan.


SUMMARY

Provided are a novel condensed cyclic compound and an organic light-emitting device including the same.

Additional aspects will be set forth in part in the description which follows and, in part, will be apparent from the description, or may be learned by practice of the presented exemplary embodiments.

According to an aspect of an exemplary embodiment, a condensed cyclic compound is represented by Formula 1:

Formula 1



wherein, in Formula 1,

X_1 is N or C(R_1), X_2 is N or C(R_2), X_3 is N or C(R_3), X_4 is N or C(R_4), X_5 is N or C(R_5), X_6 is N or C(R_6), X_7 is N or C(R_7), X_{11} is N or C(R_{11}), X_{12} is N or C(R_{12}), X_{13} is N or C(R_{13}), X_{14} is N or C(R_{14}), X_{15} is N, C(R_{15}), or a carbon atom connected to $^*-(L_1)_{a1}-^*$, X_{16} is N, C(R_{16}), or a carbon atom connected to $^*-(L_1)_{a1}-^*$, X_{17} is N, C(R_{17}), or a carbon atom connected to $^*-(L_1)_{a1}-^*$, and X_{18} is N, C(R_{18}), or a carbon atom connected to $^*-(L_1)_{a1}-^*$, wherein one of X_{15} to X_{18} is connected to $^*-(L_1)_{a1}-^*$,

ring A_1 and ring A_2 are each independently selected from a C_5-C_{60} carbocyclic group and a C_3-C_{60} heterocyclic group including at least one heteroatom selected from O, S, and Si,

L_1 to L_3 are each independently selected from a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group; and a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1-C_{10} alkyl group, a C_1-C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{11})(Q_{12})(Q_{13}),

a_1 to a_3 are each independently an integer selected from 0 to 5, wherein when a_1 is 2 or greater, two or more groups L_1 are identical to or different from each other, when a_2 is 2 or greater, two or more groups L_2 are identical to or different from each other, and when a_3 is 2 or greater, two or more groups L_3 are identical to or different from each other,

R_1 to R_7 , R_{11} to R_{18} , R_{31} , and R_{32} are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group (CN), a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1-C_{60} alkyl group, a substituted or unsubstituted C_2-C_{60} alkenyl group, a substituted or unsubstituted C_2-C_{60} alkynyl group,

a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, and $-\text{Si}(\text{Q}_1)(\text{Q}_2)(\text{Q}_3)$,

b1 and b2 are each independently an integer selected from 0 to 4,

c1 is an integer selected from 1 to 4,

c2 is an integer selected from 0 to 4,

at least one selected from substituents of the substituted C_1 - C_{60} alkyl group, substituted C_2 - C_{60} alkenyl group, substituted C_2 - C_{60} alkynyl group, substituted C_1 - C_{60} alkoxy group, substituted C_3 - C_{10} cycloalkyl group, substituted C_1 - C_{10} heterocycloalkyl group, substituted C_3 - C_{10} cycloalkenyl group, substituted C_1 - C_{10} heterocycloalkenyl group, substituted C_6 - C_{60} aryl group, substituted C_6 - C_{60} aryloxy group, substituted C_6 - C_{60} arylthio group, substituted C_1 - C_{60} heteroaryl group, substituted monovalent non-aromatic condensed polycyclic group, and substituted monovalent non-aromatic condensed heteropolycyclic group is selected from a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, and $-\text{Si}(\text{Q}_{21})(\text{Q}_{22})(\text{Q}_{23})$,

wherein Q_1 to Q_3 , Q_{11} to Q_{13} , and Q_{21} to Q_{23} are each independently selected from a hydrogen, a deuterium, a C_1 - C_{60} alkyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group,

in $-(\text{L}_1)_{a1}-*$, * and * are each a binding site to a neighboring atom.

According to another aspect of an exemplary embodiment, an organic light-emitting device includes:

a first electrode;

a second electrode; and

an organic layer disposed between the first electrode and the second electrode, wherein the organic layer includes an emission layer and at least one condensed cyclic compound represented by Formula 1.

BRIEF DESCRIPTION OF THE DRAWINGS

These and/or other aspects will become apparent and more readily appreciated from the following description of the exemplary embodiments, taken in conjunction with the accompanying drawing in which:

FIG. 1 is a schematic cross-sectional view of an organic light-emitting device according to an embodiment.

DETAILED DESCRIPTION

Reference will now be made in detail to exemplary embodiments, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to like elements throughout. In this regard, the present exemplary embodiments may have different forms and should not be construed as being limited to the descriptions set forth herein. Accordingly, the exemplary embodiments are merely described below, by referring to the figures, to explain aspects. As used herein, the term “and/or” includes any and all combinations of one or more of the associated listed items. Expressions such as “at least one of,” when preceding a list of elements, modify the entire list of elements and do not modify the individual elements of the list.

It will be understood that when an element is referred to as being “on” another element, it can be directly in contact with the other element or intervening elements may be present therebetween. In contrast, when an element is referred to as being “directly on” another element, there are no intervening elements present.

It will be understood that, although the terms first, second, third etc. may be used herein to describe various elements, components, regions, layers, and/or sections, these elements, components, regions, layers, and/or sections should not be limited by these terms. These terms are only used to distinguish one element, component, region, layer, or section from another element, component, region, layer, or section. Thus, a first element, component, region, layer, or section discussed below could be termed a second element, component, region, layer, or section without departing from the teachings of the present embodiments.

The terminology used herein is for the purpose of describing particular embodiments only and is not intended to be limiting. As used herein, the singular forms “a,” “an,” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise.

The term “or” means “and/or.” It will be further understood that the terms “comprises” and/or “comprising,” or “includes” and/or “including” when used in this specification, specify the presence of stated features, regions, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, regions, integers, steps, operations, elements, components, and/or groups thereof.


Unless otherwise defined, all terms (including technical and scientific terms) used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this general inventive concept belongs. It will be further understood that terms, such as those defined in commonly used dictionaries, should be interpreted as having a meaning that is consistent with their meaning in the context of the relevant art and the present disclosure, and will not be interpreted in an idealized or overly formal sense unless expressly so defined herein.

“About” or “approximately” as used herein is inclusive of the stated value and means within an acceptable range of deviation for the particular value as determined by one of ordinary skill in the art, considering the measurement in question and the error associated with measurement of the particular quantity (i.e., the limitations of the measurement

system). For example, "about" can mean within one or more standard deviations, or within $\pm 30\%$, 20% , 10% , 5% of the stated value.

Exemplary embodiments are described herein with reference to cross section illustrations that are schematic illustrations of idealized embodiments. As such, variations from the shapes of the illustrations as a result, for example, of manufacturing techniques and/or tolerances, are to be expected. Thus, embodiments described herein should not be construed as limited to the particular shapes of regions as illustrated herein but are to include deviations in shapes that result, for example, from manufacturing. For example, a region illustrated or described as flat may, typically, have rough and/or nonlinear features. Moreover, sharp angles that are illustrated may be rounded. Thus, the regions illustrated in the figures are schematic in nature and their shapes are not intended to illustrate the precise shape of a region and are not intended to limit the scope of the present claims.

According to one or more exemplary embodiments, a condensed cyclic compound represented by Formula 1 is provided:



Formula 1

In Formula 1, X_1 may be N or C(R_1), X_2 may be N or C(R_2), X_3 may be N or C(R_3), X_4 may be N or C(R_4), X_5 may be N or C(R_5), X_6 may be N or C(R_6), X_7 may be N or C(R_7), X_{11} may be N or C(R_{11}), X_{12} may be N or C(R_{12}), X_{13} may be N or C(R_{13}), X_{14} may be N or C(R_{14}), X_{15} may be N, C(R_{15}), or a carbon atom connected to $^*-(L_1)_{a1}-^*$, X_{16} may be N, C(R_{16}), or a carbon atom connected to $^*-(L_1)_{a1}-^*$, X_{17} may be N, C(R_{17}), or a carbon atom connected to $^*-(L_1)_{a1}-^*$, and X_{18} may be N, C(R_{18}), or a carbon atom connected to $^*-(L_1)_{a1}-^*$, wherein one of X_{15} to X_{18} may be connected to $^*-(L_1)_{a1}-^*$.

For example, in Formula 1, X_1 may be C(R_1), X_2 may be C(R_2), X_3 may be C(R_3), X_4 may be C(R_4), X_5 may be C(R_5), X_6 may be C(R_6), X_7 may be C(R_7), X_{11} may be C(R_{11}), X_{12} may be C(R_{12}), X_{13} may be C(R_{13}), X_{14} may be C(R_{14}), X_{15} may be C(R_{15}) or a carbon atom connected to $^*-(L_1)_{a1}-^*$, X_{16} may be C(R_{16}) or a carbon atom connected to $^*-(L_1)_{a1}-^*$, X_{17} may be C(R_{17}) or a carbon atom connected to $^*-(L_1)_{a1}-^*$, and X_{18} may be C(R_{18}) or a carbon atom connected to $^*-(L_1)_{a1}-^*$, wherein one of X_{15} to X_{18} may be connected to $^*-(L_1)_{a1}-^*$.

In Formula 1, ring A_1 and ring A_2 may be each independently selected from a C_5 - C_{60} carbocyclic group and a C_3 - C_{60} heterocyclic group that includes at least one heteroatom selected from O, S, and Si. When ring A_1 and ring A_2 are each a C_3 - C_{60} heterocyclic group, the C_3 - C_{60} heterocyclic group includes at least one heteroatom selected from O,

S, and Si as a ring-forming atom. That is, for example, ring A_1 and ring A_2 may not be a C_3 - C_{60} heterocyclic group that includes N as a ring-forming atom. For example, ring A_1 and ring A_2 may not be a pyridine, a pyrimidine, a triazine, or a carbazole.

For example, in Formula 1, ring A_1 and ring A_2 may be each independently selected from a cyclopentyl group, a cyclohexyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthenyl group, a fluorenyl group, a spirobifluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a furanyl group, a thiophenyl group, a benzofuranyl group, a benzothiophenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group.

According to an embodiment, in Formula 1, ring A_1 and ring A_2 may be each independently selected from a phenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, but embodiments are not limited thereto.

In Formula 1, L_1 to L_3 may be each independently selected from

a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group; and

a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{11})(Q_{12})(Q_{13}).













For example, in Formula 1, L_1 to L_3 may be each independently selected from

a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group; and

a phenylene group, a pyridinylene group, a pyrimidinylene group, a pyrazinylene group, a pyridazinylene group, a triazinylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylene group, each substituted with at least one selected from a deuterium, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q_{11})(Q_{12})(Q_{13}),


wherein Q_{11} to Q_{13} may be each independently selected from a hydrogen, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, and a triazinyl group.

According to an embodiment, in Formula 1, L_1 to L_3 may be each independently selected from groups represented by Formulae 3-1 to 3-56:




Formula 3-1

5




Formula 3-2

10




Formula 3-3

15




Formula 3-4

20




Formula 3-5

25




Formula 3-6

30




Formula 3-7

35




Formula 3-8

40




Formula 3-9

45




Formula 3-10

50




Formula 3-11

55




Formula 3-12

60



65



Formula 3-13

Formula 3-14

Formula 3-15

Formula 3-16

Formula 3-17

Formula 3-18

Formula 3-19

Formula 3-20

Formula 3-21











Formula 3-22

Formula 3-23

Formula 3-24

9

-continued




10

-continued


Formula 3-25

5




Formula 3-26

10




Formula 3-27

15




Formula 3-28

20




Formula 3-29

30




Formula 3-30

35




Formula 3-31

45




Formula 3-32

50



Formula 3-33

55



Formula 3-34

65

Formula 3-35

Formula 3-36

Formula 3-37

Formula 3-38

Formula 3-39

Formula 3-40











Formula 3-41

Formula 3-42

Formula 3-43

11

-continued




12

-continued


Formula 3-44

5




Formula 3-54

Formula 3-45 10



Formula 3-55

Formula 3-46 15



Formula 3-56

Formula 3-47 20

In Formulae 3-1 to 3-56,

Y₁ may be selected from O, S, and C(Z₃)(Z₄),

Formula 3-48 25

Z₁ to Z₄ may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q₁₁)(Q₁₂)(Q₁₃),

Formula 3-49 30

wherein Q₁₁ to Q₁₃ may be each independently selected from a hydrogen, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

Formula 3-50 35

d₄ may be an integer selected from 0 to 4,d₃ may be an integer selected from 0 to 3,

Formula 3-51 40

d₂ may be an integer selected from 0 to 2, and

* and *' may be each independently a binding site to a neighboring atom.

In Formula 1, a₁ denotes the number of groups L₁, and is an integer selected from 0 to 5. When a₁ is 0, *-(L₁)_{a1}-*' is a single bond, and when a₁ is 2 or greater, two or more groups L₁ may be identical to or different from each other. Descriptions of a₂ and a₃ may be the same as defined for a₁ in Formula 1.

Formula 3-52 45

In Formula 1, a₁ to a₃ may be each independently an integer selected from 0 to 5.

For example, in Formula 1, a₁ to a₃ may be each independently 0, 1, or 2, but embodiments are not limited thereto.

Formula 3-53 50

According to an embodiment, in Formula 1, a₁ may be 0.

According to another embodiment, in Formula 1, when a₁ is not 0, at least one of groups L₁ may be selected from groups represented by Formulae 3-15 to 3-56.

In some embodiments, in Formula 1, when a₁ is not 0, all of groups L₁ may be each independently selected from groups represented by Formulae 3-15 to 3-56.

13

In some embodiments, in Formula 1,


L_1 may be selected from groups represented by Formulae 3-15, 3-28, 3-41, and 3-51,

L_2 and L_3 may be each independently selected from groups represented by Formulae 3-1, 3-15, 3-28, 3-41, and 3-51, and


a_1 to a_3 may be each independently 0, 1, or 2, but embodiments are not limited thereto.

In Formula 1, a group represented by $*(L_1)_{a_1}-*$ may be selected from groups represented by Formulae 3-41 to 3-56.


In some embodiments, in Formula 1, a group represented by $*(L_1)_{a_1}-*$ may be selected from groups represented by Formulae 4-1 to 4-39:




Formula 4-1




Formula 4-2




Formula 4-3




Formula 4-4




Formula 4-5




Formula 4-6



Formula 4-7



Formula 4-8




Formula 4-9


14

-continued


Formula 4-10




Formula 4-11




Formula 4-12




Formula 4-13




Formula 4-14




Formula 4-15



Formula 4-16






Formula 4-17



15

-continued



16

-continued

Formula 4-18

5

Formula 4-19

10

Formula 4-20

15

Formula 4-21

20

Formula 4-22

25

Formula 4-23

30

Formula 4-24

35

Formula 4-25

Formula 4-26

Formula 4-27








Formula 4-28

Formula 4-29

Formula 4-30

17

-continued



18

-continued

Formula 4-31

5

Formula 4-32

10

Formula 4-33

20

Formula 4-34

25

30

Formula 4-35

35

40

Formula 4-36

45

Formula 4-37

55

Formula 4-38

Formula 4-39

In Formulae 4-1 to 4-39, X_{21} may be N or C(Z_{21}), X_{22} may be N or C(Z_{22}), X_{23} may be N or C(Z_{23}), X_{24} may be N or C(Z_{24}), X_{31} may be N or C(Z_{31}), X_{32} may be N or C(Z_{32}), X_{33} may be N or C(Z_{33}), X_{34} may be N or C(Z_{34}), X_{41} may be N or C(Z_{41}), X_{42} may be N or C(Z_{42}), X_{43} may be N or C(Z_{43}), and X_{44} may be N or C(Z_{44}), provided that each of X_{21} to X_{24} are not simultaneously N, provided that each of X_{31} to X_{34} are not simultaneously N, and provided that each of X_{41} to X_{44} are not simultaneously N,

Z_{21} to Z_{24} , Z_{31} to Z_{34} , and Z_{41} to Z_{44} may be each independently selected from a hydrogen, a deuterium, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and $-\text{Si}(\text{Q}_{11})(\text{Q}_{12})(\text{Q}_{13})$,

wherein Q_{11} to Q_{13} may be each independently a hydrogen, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, and

* and *' may be each independently a binding site to a neighboring atom.

According to an embodiment, none, one, two, or three atoms among all ring-forming atoms in each of Formulae 4-1 to 4-39 may be nitrogen.

According to another embodiment, none, one, or two atoms among all ring-forming atoms in each of Formulae 4-1 to 4-39 may be nitrogen.

In some embodiments, none or one atom among all ring-forming atoms in each of Formulae 4-1 to 4-39 may be nitrogen.

In some embodiments, in each of Formulae 4-1 to 4-39, X_{21} may be C(Z_{21}), X_{22} may be C(Z_{22}), X_{23} may be C(Z_{23}), X_{24} may be C(Z_{24}), X_{31} may be C(Z_{31}), X_{32} may be C(Z_{32}), X_{33} may be C(Z_{33}), X_{34} may be C(Z_{34}), X_{41} may be C(Z_{41}), X_{42} may be C(Z_{42}), X_{43} may be C(Z_{43}), and X_{44} may be C(Z_{44}) (that is, none of the ring-forming atoms in each of Formulae 4-1 to 4-30 may be nitrogen).

In Formula 1, R_1 to R_7 , R_{11} to R_{18} , and R_{31} and R_{32} may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group

(—CN), a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_1 - C_{60} arylthio group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, and —Si(Q_1)(Q_2)(Q_3).

For example, in Formula 1, R_1 to R_7 , R_{11} to R_{18} , and R_{31} and R_{32} may be each independently selected from

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, and a C_1 - C_{20} alkoxy group;

a C_1 - C_{20} alkyl group and a C_1 - C_{20} alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, and a triazinyl group;

a cyclopentyl group, a cyclohexyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthenyl group, a fluorenyl group, a spiro-bifluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pyrrolyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoxazolyl group, a benzoimidazolyl group, a furanyl group, a benzofuranyl group, a thiophenyl group, a benzothiophenyl group, a thiazolyl group, an isothiazolyl group, a benzothiazolyl group, an isoxazolyl group, an oxazolyl group, a thazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, an imidazopyrimidinyl group, and an imidazopyridinyl group;

a cyclopentyl group, a cyclohexyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthenyl group, a fluorenyl group,

a spiro-bifluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pyrrolyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoxazolyl group, a benzoimidazolyl group, a furanyl group, a benzofuranyl group, a thiophenyl group, a benzothiophenyl group, a thiazolyl group, an isothiazolyl group, a benzothiazolyl group, an isoxazolyl group, an oxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, an imidazopyrimidinyl group, and an imidazopyridinyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_2 - C_{20} alkenyl group, a C_2 - C_{20} alkynyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a phthalazinyl group, a quinoxalinyl group, a cinnolinyl group, a quinazolinyl group, and —Si(Q_1)(Q_2)(Q_3); and

—Si(Q_1)(Q_2)(Q_3),

wherein Q_1 to Q_3 and Q_{21} to Q_{23} may be each independently selected from a hydrogen, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a phthalazinyl group, a quinoxalinyl group, a cinnolinyl group, and a quinazolinyl group.

According to an embodiment, in Formula 1, R_1 to R_7 , R_{11} to R_{18} , and R_{31} and R_{32} may be each independently

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, and a C_1 - C_{10} alkoxy group;

a C_1 - C_{10} alkyl group and a C_1 - C_{10} alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof;

a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group,

21

and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q₂₁)(Q₂₂)(Q₂₃); and

—Si(Q₁)(Q₂)(Q₃),

Q₁ to Q₃ and Q₂₁ to Q₂₃ may be each independently selected from a hydrogen, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group.

According to another embodiment, in Formula 1, R₁ to R₇, R₁₁ to R₁₈, and R₃₁ and R₃₂ may be each independently selected from a hydrogen, a deuterium, —F, a cyano group, a C₁-C₁₀ alkyl group, and a C₁-C₁₀ alkoxy group;

a C₁-C₁₀ alkyl group and a C₁-C₁₀ alkoxy group, each substituted with at least one selected from a deuterium, —F, and a cyano group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, —F, a cyano group, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q₂₁)(Q₂₂)(Q₂₃); and

—Si(Q₁)(Q₂)(Q₃),

wherein Q₁ to Q₃ and Q₂₁ to Q₂₃ may be each independently selected from a hydrogen, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group.

According to an embodiment, in Formula 1, at least one of X₃, X₆, X₁₃, and X₁₆ may be C(CN).


In Formula 1, b1 may denote the number of R₃₁ which may be an integer selected from 0 to 4. When b1 is 2 or greater, two or more R₃₁ may be identical to or different from each other. In Formula 1, b2 may denote the number of R₃₂ which may be an integer selected from 0 to 4. When b2 is 2 or greater, two or more R₃₂ may be identical to or different from each other.

In Formula 1, b1 and b2 may be each independently an integer selected from 0 to 4. For example, in Formula 1, b1 and b2 may be each independently 0, 1, or 2.

In Formula 1, c1 may be an integer selected from 1 to 4. That is, ring A₁ may essentially include at least one cyano group. For example, in Formula 1, c1 may be 1 or 2.


In Formula 1, c2 may be an integer selected from 0 to 4. For example, in Formula 1, c2 may be 0 or 1.

According to an embodiment, in Formula 1, a group represented by




22


may be selected from groups represented by Formulae 5-1 to 5-60, and a group represented by




may be selected from groups represented by Formulae 5-1 to 5-69:




Formula 5-1




Formula 5-2




Formula 5-3




Formula 5-4




Formula 5-5




Formula 5-6




Formula 5-7



Formula 5-8












Formula 5-9



65

23


-continued

**24**

-continued


Formula 5-10

5



Formula 5-11


10



15


Formula 5-12

20




Formula 5-13

25




Formula 5-14

35




Formula 5-15

40




Formula 5-16

45




Formula 5-17

50



Formula 5-18

60



65

Formula 5-19

Formula 5-20

Formula 5-21

Formula 5-22

Formula 5-23

Formula 5-24











Formula 5-25

Formula 5-26

Formula 5-27

25


-continued

**26**


-continued

Formula 5-28

5




Formula 5-29 10




Formula 5-30 15

20




Formula 5-31

25




Formula 5-32

30




Formula 5-33 35

40




Formula 5-34

45




Formula 5-35

50




Formula 5-36

55



Formula 5-37 60

65



Formula 5-38

Formula 5-39

Formula 5-40

Formula 5-41

Formula 5-42

Formula 5-43

Formula 5-44











Formula 5-45

Formula 5-46

Formula 5-47

27


-continued

**28**

-continued


Formula 5-48

5



Formula 5-49

10




Formula 5-50

15




Formula 5-51

20




Formula 5-52

25




Formula 5-53

35




Formula 5-54

40




Formula 5-55

45




Formula 5-56

50



Formula 5-57

60



65

Formula 5-58

Formula 5-59

Formula 5-60

Formula 5-61

Formula 5-62

Formula 5-63

Formula 5-64


Formula 5-65

Formula 5-66

Formula 5-67

29

-continued




Formula 5-68

5


Formula 5-69

10



In Formulae 5-1 to 5-69, * may denote a binding site to a neighboring atom.


According to an embodiment, in Formula 1, a group represented by




20 may be selected from groups represented by Formulae 5-1 to 5-3, 5-31, 5-39, 5-47, 5-55, 5-61, 5-63, 5-65, 5-67, and 5-69, but embodiments are not limited thereto.


A condensed cyclic compound represented by Formula 1 may be represented by one of Formulae 1A to 1D:

Formula 1A



Formula 1B





In Formulae 1A to 1D, ring A₁, ring A₂, L₁ to L₃, a₁ to a₃, R₁ to R₇, R₁₁ to R₁₈, R₃₁, R₃₂, b₁, b₂, c₁, and c₂ may be understood by referring to the description provided herein.

For example, in Formulae 1A to 1D, ring A₁ and ring A₂ may be each independently selected from a phenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

L₁ may be selected from groups represented by Formulae 3-15, 3-28, 3-41, and 3-51,

L₂ and L₃ may be each independently selected from groups represented by Formulae 3-1, 3-15, 3-28, 3-41, and 3-51,


a₁ to a₃ may be each independently selected from 0, 1, and 2,

R₁ to R₇, R₁₁ to R₁₈, R₃₁, and R₃₂ may be each independently selected from a hydrogen, a deuterium, —F, a cyano group, a C₁-C₁₀ alkyl group, and a C₁-C₁₀ alkoxy group;

a C₁-C₁₀ alkyl group and a C₁-C₁₀ alkoxy group, each substituted with at least one selected from a deuterium, —F, and a cyano group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group;

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, —F, a cyano group, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and —Si(Q₂₁)(Q₂₂)(Q₂₃); and





wherein Q₁ to Q₃ and Q₂₁ to Q₂₃ may be each independently selected from a hydrogen, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

b₁ and b₂ may be each independently 0 or 1,


c₁ may be 1 or 2, and

c₂ may be 0, 1, or 2.

According to another embodiment, in Formulae 1A to 1D, a group represented by



may be selected from groups represented by Formulae 5-1 to 5-3, 5-31, 5-39, 5-47, and 5-55, and a group represented by





may be selected from groups represented by Formulae 5-1 to 5-3, 5-31, 5-39, 5-47, 5-55, 5-61, 5-63, 5-65, 5-67, and 5-69, but embodiments are not limited thereto.

In some embodiments, in Formulae 1A to 1D, at least one of R₃, R₆, R₁₃, and R₁₆ may be a cyano group.






In some embodiments, the number of cyano groups in Formula 1 may be 1, 2, 3, or 4.

A compound represented by Formula 1 may be one of Compounds 1 to 271, but embodiments are not limited thereto:



33

-continued

**34**

-continued

3

5

10

4

15

20

5 25

30

35

40

6

45

50

55

7

60

65






8

9

10






11

12



35

-continued

**36**

-continued

13

5

10

14

15

20

15

25

30

35

16

40

45

50





17

55

60

65

18







19

20

21





37

-continued







38

-continued



39

-continued

**40**

-continued

30

5

10

15

31

20

25

30

32 35

40

45

50

33

55

60





65

34

35





36

37



41

-continued



42

-continued


38

42

5

10

15



20


43

39

25

30

35




40

44

40

45

50




41

45

55




60

65



43

-continued

**44**

-continued

46


49

5

10

15

20



47


50

25

30

35

40



45

48


51

50

55




60

65



45

-continued

**46**

-continued

52


55

5

10

15

20



53

25


56

30

35

40

45



54


50

57

55


60

65




47

-continued






**48**

-continued







49

-continued




**50**

-continued



51

-continued

**52**

-continued

76

79

5

10

15

20

25
77

80

30

35

40

45




50
78

81

55


60

65



53

-continued



82

5


10

15

20

54

-continued



85

83 25

30

35

40

45


84

50


55

60


65



86






87



55

-continued



56

-continued


88

5

10

15

20




89 25

30

35

40

45




90 50

55

60

65






91

92

93

57

-continued

**58**

-continued


94

5

10

15

20



95

25


30

35

40

45

96




50

55

60

65






97

98

99

59

-continued



60

-continued

100


103

5

10

15

20



101 25


104

30

35

40

45



102


105

50

55




60

65



61

-continued

**62**

-continued


106

5

10

15

20



109

107

25


30

35

40

45

108




110

50

55

60




65



111

63

-continued

**64**

-continued


112

5

10

15

20



115

113


25

30

35

40

45



116


114

50

55

60




65



117

65

-continued



66

-continued

118

121

5

10

15

20

25

30

35

40

45






120

50

55


60

65




67

-continued

**68**


-continued



69

-continued

136



5

10


15

20

70


-continued

139



137 25

140




30

35


40

45



138

141




50

55


60

65



71

-continued



142

5


10

15

20

72

-continued



145

143 25

30

35

40

45


144

50

55


60

65




146

147



73

-continued



148

5


10

15

20

25

149



30

35

40

45


150

50


55

60

65

**74**



-continued



151

152

75
-continued



76
-continued

153

155

5

10

15


20

25

30

35

40



154

156


45

50

55



60

65



77

-continued

**78**

-continued

157

159

5

10

15

20

25

30

35

40

158

45



50

55

60




65

160



81

-continued

**82**

-continued

165

5

10

15

20

166 25

30

35

40

167 45




50

55

60


65

168



83

-continued

**84**

-continued

171

173

5

10

15

20

25

30

35

40

172 45



174

50

55




60

65



85

-continued

**86**

-continued

175

5

10

15

20

176 25

30

35

40

177 45




50

55

60

65

178







179

180

87

-continued

**88**

-continued

181

5

10

15

182

20

25

30

183

35

40

45

50





184

55

60

65

185







186

187

188

89

-continued

**90**

-continued

189

5

10

15

190

20

25

30

191

35

40

45

192





50

55

60

65

193



194


195

196

91

-continued

197



5

10

15

198

20

25

30

199


40

45

50

200

55



65

92

-continued

201

5

10

15

198

20

25

30

199

40

45


50

200


55

60


65




202




203



204




205



93

-continued



206


5

10

15

94

-continued



210

207

20

25

30

208

35

40

45




50

209


55

60


65



211






212



95

-continued

**96**

-continued

213

5

10

15

20

214 25

30

35

40

215 45



50

55

60

65



216



217

97

-continued

**98**

-continued

218

220

5

10

15

20

25

221

30

35

40

219

45




222

50

55




60

65






99

-continued



100

-continued






226

227

228

101

-continued

**102**

-continued

229

232

5

10

15

20

230

25

30

35

40

231



45

50

55




60

65



103

-continued

**104**

-continued


234

5

10

15

20



235

25

30

35

40

236



45

50

55

60

65








237

238

239

105

-continued

**106**

-continued

240

5

10

15

20

241

25

30

242

35

40

243

45

50


244

55


60

65


245




246




247



248







249



107

-continued

**108**

-continued

250

5

10

15

251

20

25

30

252

35

40

45

253


50

55


60

65


254




255



256








257








109

-continued

**110**


-continued




111

-continued


268




269 15



270 30



271 45




In Formula 1, “ring B” is bonded to the first carbon of “ring A” via $*(L_1)_{a1}-*$ (see Formula 1').

In this regard, the condensed cyclic compound represented by Formula 1 may have a high triplet (T_1) energy level. For example, although not limited to a particular theory, the condensed cyclic compound represented by Formula 1 may have a T_1 energy level that is at least about 0.05 electron volts (eV) higher than that of a virtual compound having the same structure as the condensed cyclic compound represented by Formula 1 except that “ring B” bonded to the third carbon of “ring A” via $*(L_1)_{a1}-*$.

112

Formula 1'



Also, in Formula 1, $c1$ may be an integer selected from 1 to 4. That is, in Formula 1, ring A_1 essentially includes at least one cyano group. Thus, in the condensed cyclic compound represented by Formula 1, ring A_1 essentially including at least one cyano group is connected with “N” of “ring B” via $*(L_2)_{a2}-*$ and has a structure in which one of X_{15} to X_{18} of “ring B” is essentially connected to the first carbon of “ring A” via $*(L_1)_{a1}-*$.

In this regard, the condensed cyclic compound represented by Formula 1 may have a high T_1 energy level, where the HOMO and LUMO energy levels of the condensed cyclic compound represented by Formula 1 may be suitable for an organic light-emitting device material, such as, a phosphorescent host material. For example, the condensed cyclic compound represented by Formula 1 having $c1$, which is an integer selected from 1 to 4, may have an energy band gap and a singlet (S_1) energy level that are suitable for a material of a single host for an organic light-emitting device. For example, although not limited to a particular theory, a virtual compound having the same structure as the condensed cyclic compound represented by Formula 1 except that $c1$ is 0 may have an energy band gap that is broader than that of the condensed cyclic compound represented by Formula 1 and a relatively high S_1 energy level, and thus the virtual compound may be improper for using as an organic light-emitting device material, such as a single host material and may have a relatively low optical stability.

Also, a difference between S_1 (singlet) energy level and T_1 (triplet) energy level of the condensed cyclic compound represented by Formula 1 may be relatively small. In this regard, the condensed cyclic compound represented by Formula 1 may be used as a thermally activated delayed fluorescence (TADF) emitter.


For example, the results of HOMO, LUMO, T_1 , and S_1 energy levels of Compounds 1 to 8, 11 to 13, 16, 31 and 136 and Compounds B and C simulated and measured by using a density functional theory (“DFT”) method of Gaussian program (structurally optimized at a level of B3LYP, 6-31 G(d,p)) are shown in Table 1.

TABLE 1

Compound No.	HOMO (eV)	LUMO (eV)	T_1 (eV)	S_1 (eV)
1	-5.4	-1.48	3.09	3.28
2	-5.524	-1.513	3.104	3.433
3	-5.501	-1.531	3.08	3.395
4	-5.613	-1.626	3.082	3.317
5	-5.662	-1.76	3.087	3.203

TABLE 1-continued

Compound No.	HOMO (eV)	LUMO (eV)	T ₁ (eV)	S ₁ (eV)
6	-5.688	-1.697	3.074	3.311
7	-5.769	-1.72	3.077	3.432
8	-5.786	-1.715	3.075	3.439
11	-5.641	-1.766	3.067	3.275
12	-5.71	-1.792	3.075	3.386
13	-5.7	-1.813	3.07	3.346
16	-5.181	-1.754	3.061	3.122
31	-5.253	-1.679	3.034	3.195
136	-5.421	-1.516	3.054	3.347
Compound B	-5.19	-1.65	2.8	3.212
Compound C	-5.34	-1.43	2.9	3.444



A method of synthesizing the condensed cyclic compound represented by Formula 1 may be understood by one of ordinary skill in the art by referring to Synthesis Examples described below.

Therefore, the condensed cyclic compound represented by Formula 1 may be suitable for use as an organic layer of an organic light-emitting device or, for example, as a host or an emitter (e.g., a TADF emitter) of an emission layer in the organic layer. According to another aspect of an embodiment, an organic light-emitting device includes:

a first electrode;

a second electrode; and

an organic layer that is disposed between the first electrode and the second electrode, wherein the organic layer includes an emission layer and at least one condensed cyclic compounds represented by Formula 1.

While not wishing to be bound by a theory, it is understood that when the organic light-emitting device includes the organic layer including the condensed cyclic compound represented by Formula 1, the organic light-emitting device may have a low driving voltage, high efficiency, high luminance, high quantum efficiency, and long lifespan.

The condensed cyclic compound represented by Formula 1 may be included in between a pair of electrodes of the organic light-emitting device. In some embodiments, the

condensed cyclic compound may be included in at least one selected from the emission layer, a hole transport region (for example, including at least one selected from a hole injection layer, a hole transport layer, and an electron blocking layer) disposed between the first electrode and the emission layer, and an electron transport region (for example, including at least one selected from a hole blocking layer, an electron transport layer, and an electron injection layer) disposed between the emission layer and the second electrode.

In some embodiments, the condensed cyclic compound represented by Formula 1 may be included in the emission layer. Here, the condensed cyclic compound included in the emission layer may be a host, and the emission layer may further include a dopant (a fluorescent dopant or a phosphorescent dopant), wherein a weight of the condensed cyclic compound is greater than a weight of the dopant. The emission layer may be a green emission layer or a blue emission layer that emits green light or blue light. According to an embodiment, the condensed cyclic compound represented by Formula 1 may be included in the emission layer, the emission layer may further include a phosphorescent dopant, and the emission layer may emit blue light.

In some embodiments, the condensed cyclic compound represented by Formula 1 may be included in the emission layer, and the condensed cyclic compound may be a TADF emitter. Here, the emission layer may include the condensed cyclic compound represented by Formula 1 only or may further include a host and/or a dopant in addition to the condensed cyclic compound represented by Formula 1.

As used herein, the expression “(an organic layer) includes at least one condensed cyclic compound” may include an embodiment in which (an organic layer) includes one condensed cyclic compounds represented by Formula 1 and an embodiment in which (an organic layer) includes two or more different condensed cyclic compounds represented by Formula 1.

For example, the organic layer may include only Compound 1 as the condensed cyclic compound. In this regard, Compound 1 may be included in the emission layer of the organic light-emitting device. In some embodiments, the organic layer may include Compound 1 and Compound 2 as the condensed cyclic compounds. In this regard, Compound 1 and Compound 2 may be included in the same layer (for example, both Compound 1 and Compound 2 may be included in the emission layer) or in different layers, respectively.

The first electrode may be an anode, which is a hole injection electrode, and the second electrode may be a cathode, which is an electron injection electrode. Alternatively, the first electrode may be a cathode, which is an electron injection electrode, and the second electrode may be an anode, which is a hole injection electrode.

For example, the first electrode may be an anode, the second electrode may be a cathode, and the organic layer may include:

i) a hole transport region disposed between the first electrode and the emission layer, wherein the hole transport region includes at least one selected from a hole injection layer, a hole transport layer, and an electron blocking layer; and

ii) an electron transport region disposed between the emission layer and the second electrode, wherein the electron transport region includes at least one selected from a hole blocking layer, an electron transport layer, and an electron injection layer.

115

As used herein, the term "organic layer" refers to a single and/or a plurality of layers disposed between the first electrode and the second electrode in an organic light-emitting device. The "organic layer" may include not only organic compounds but also organometallic complexes including metals.

FIG. 1 is a schematic view of an organic light-emitting device 10 according to an embodiment. Hereinafter, a structure and a method of manufacturing an organic light-emitting device, according to an embodiment, will be described with reference to FIG. 1. The organic light-emitting device 10 includes a first electrode 11, an organic layer 15, and a second electrode 19, which are sequentially layered in the stated order.

A substrate may be additionally disposed under the first electrode 11 or on the second electrode 19. The substrate may be a conventional substrate that is used in an organic light-emitting device, such as a glass substrate or a transparent plastic substrate, each having excellent mechanical strength, thermal stability, transparency, surface smoothness, ease of handling, and water repellency.

The first electrode 11 may be formed by depositing or sputtering a first electrode material on the substrate. The first electrode 11 may be an anode. The first electrode material may be selected from materials with a high work function to facilitate hole injection. The first electrode 11 may be a reflective electrode, a semi-transmissive electrode, or a transmissive electrode. The first electrode material may be selected from indium tin oxide (ITO), indium zinc oxide (IZO), tin oxide (SnO₂), and zinc oxide (ZnO). In some embodiments, a metal such as magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), or magnesium-silver (Mg—Ag) may be used as the first electrode material.

The first electrode 11 may have a single layer structure or a multi-layer structure including a plurality of layers. For example, the first electrode 11 may have a triple-layer structure of ITO/Ag/ITO, but embodiments are not limited thereto.

The organic layer 15 is disposed on the first electrode 11.

The organic layer 15 may include a hole transport region, an emission layer, and an electron transport region.

The hole transport region may be disposed between the first electrode 11 and the emission layer.

The hole transport region may include at least one selected from a hole injection layer, a hole transport layer, an electron blocking layer, and a buffer layer.

The hole transport region may only include a hole injection layer or a hole transport layer. Alternatively, the hole transport region may include a structure in which a hole injection layer/a hole transport layer or a hole injection layer/a hole transport layer/an electron blocking layer are sequentially layered on the first electrode 11.

When the hole transport region includes a hole injection layer, the hole injection layer may be formed on the first

116


electrode 11 by using various methods such as vacuum deposition, spin coating, casting, and Langmuir-Blodgett (LB) method.

When a hole injection layer is formed by vacuum deposition, the deposition conditions may vary according to a material that is used to form the hole injection layer and the structure and thermal characteristics of the hole injection layer. For example, the deposition conditions may include a deposition temperature of about 100° C. to about 500° C., a vacuum pressure of about 10⁻⁸ torr to about 10⁻³ torr, and a deposition rate of about 0.01 Angstroms per second (Å/sec) to about 100 Å/sec. However, the deposition conditions are not limited thereto.

When the hole injection layer is formed by spin coating, the coating conditions may vary according to a material used to form the hole injection layer and the structure and thermal characteristics of the hole injection layer. For example, a coating rate may be from about 2,000 revolutions per minute (rpm) to about 5,000 rpm, and a temperature at which a heat treatment is performed to remove a solvent after coating may be from about 80° C. to about 200° C. However, the coating conditions are not limited thereto.

The conditions for forming a hole transport layer and an electron blocking layer may be inferred based on the conditions for forming the hole injection layer.


The hole transport region may include at least one selected from m-MTDATA, TDATA, 2-TNATA, NPB, β-NPB, TPD, Spiro-TPD, Spiro-NPB, methylated NPB, TAPC, HMTPD, 4,4',4"-tris(N-carbazolyl)triphenylamine (TCTA), polyaniline/dodecylbenzenesulfonic acid (Pani/D BSA), poly(3,4-ethylenedioxythiophene)/poly(4-styrenesulfonate) (PEDOT/PSS), polyaniline/camphor sulfonic acid (Pani/CSA), (polyaniline)/poly(4-styrenesulfonate) (Pani/PSS), a compound represented by Formula 201 below, and a compound represented by Formula 202 below:



m-MTDATA

117


-continued



TDATA


118

-continued


 β -NPB

TPD

25




2-TNATA




Spiro-TPD

40




Spiro-NPB

55



NPB


65




methylated NPB

119

-continued




TAPC




HMTPD

Formula 201



Formula 202



In Formula 201, Ar₁₀₁ and Ar₁₀₂ may be each independently selected from

a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthenylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene

120

nylene group, a naphthacenylene group, a picenylene group, a perylenylene group, and a pentacenylene group; and

a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthenylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, and a pentacenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

In Formula 201, xa and xb may be each independently an integer selected from 0 to 5 or may be 0, 1, or 2. For example, xa may be 1, and xb may be 0, but embodiments are not limited thereto.

In Formulae 201 and 202, R₁₀₁ to R₁₀₈, R₁₁₁ to R₁₁₉, and R₁₂₁ to R₁₂₄ may be each independently selected from

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group (e.g., a methyl group, an ethyl group, a propyl group, a butyl group, pentyl group, or a hexyl group), and a C₁-C₁₀ alkoxy group (e.g., a methoxy group, an ethoxy group, a propoxy group, a butoxy group, or a pentoxy group);

a C₁-C₁₀ alkyl group and a C₁-C₁₀ alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof;

a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, and a pyrenyl group; and

a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, and a pyrenyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, and a C₁-C₁₀ alkoxy group, but embodiments are not limited thereto.

In Formula 201, R₁₀₉ may be selected from


a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group; and

a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group

121

or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group.

According to an embodiment, a compound represented by Formula 201 may be represented by Formula 201A, but embodiments are not limited thereto:




Formula 201A

122


-continued

HT2



In Formula 201A, R₁₀₁, R₁₁₁, R₁₁₂, and R₁₀₉ may be understood by referring to the description provided herein.

For example, the compound represented by Formula 201 and the compound represented by Formula 202 may include Compounds HT1 to HT20, but embodiments are not limited thereto:




HT3

123

-continued

HT-4

**124**

-continued

HT6

5

10

15

20


25

30

35

40

HT-5



45


50

55

60

65


HT7



125

-continued

HT8



5


10

15

20

HT9

25




30

35

40

HT10

45



50

55


60

65


126

-continued


HT11



HT12







HT13






127

-continued



128

-continued




A thickness of the hole transport region may be in a range of about 100 Å to about 10,000 Å, for example, about 100 Å to about 1,000 Å. When the hole transport region includes at least one of a hole injection layer and a hole transport layer, the thickness of the hole injection layer may be in a range of about 100 Å to about 10,000 Å, and for example, about 100 Å to about 1,000 Å, and the thickness of the hole transport layer may be in a range of about 50 Å to about 2,000 Å, and for example, about 100 Å to about 1,500 Å. While not wishing to be bound by a theory, it is understood that when the thicknesses of the hole transport region, the hole injection layer, and the hole transport layer are within these ranges, hole transporting characteristics may be satisfactory without a substantial increase in driving voltage.

The hole transport region may further include, in addition to the mentioned materials above, a charge-generating material to improve conductive properties. The charge-generating material may be homogeneously or non-homogeneously dispersed throughout the hole transport region.


The charge-generating material may be, for example, a p-dopant. The p-dopant may be one selected from a quinone

129


derivative, a metal oxide, and a cyano group-containing compound, but embodiments are not limited thereto. Non-limiting examples of the p-dopant are a quinone derivative, such as tetracyanoquinonodimethane (TCNQ) or 2,3,5,6-tetrafluoro-tetracyano-1,4-benzoquinonodimethane (F4-TCNQ); a metal oxide, such as a tungsten oxide or a molybdenum oxide; and a cyano group-containing compound, such as Compound HT-D1 or HP-1, but embodiments are not limited thereto.



Compound HT-D1



F4-TCNQ



HP-1


The hole transport region may further include a buffer layer.

The buffer layer may compensate for an optical resonance distance according to a wavelength of light emitted from the emission layer to improve the efficiency of an organic light-emitting device.

Then, an emission layer may be formed on the hole transport region by vacuum deposition, spin coating, casting, LB deposition, or the like. When the emission layer is formed by vacuum deposition or spin coating, the deposition or coating conditions may be similar to those applied to form the hole injection layer although the deposition or coating conditions may vary depending on the material that is used to form the emission layer.

The hole transport region may further include an electron blocking layer. The electron blocking layer may include, for example, mCP, but embodiments are not limited thereto.

130



mCP

When the organic light-emitting device is a full color organic light-emitting device, the emission layer may be patterned into a red emission layer, a green emission layer, and a blue emission layer. Alternatively, the emission layer may have a structure in which the red emission layer, the green emission layer, and/or the blue emission layer are layered to emit white light or other various embodiments are possible.

The emission layer may include the condensed cyclic compound represented by Formula 1. The emission layer may further include a dopant. The dopant may include at least one selected from a fluorescent dopant and a phosphorescent dopant.

In some embodiments, the emission layer may include the condensed cyclic compound represented by Formula 1 only, and the condensed cyclic compound may be a TADF emitter.


In some embodiments, the emission layer may include the condensed cyclic compound represented by Formula 1, the condensed cyclic compound may be a TADF emitter, and the emission layer may further include any host not being the condensed cyclic compound represented by Formula 1.

For example, a host in the emission layer may include the condensed cyclic compound represented by Formula 1.

The dopant in the emission layer may include a fluorescent dopant which emits light according to a fluorescent emission mechanism or a phosphorescent dopant which emits light according to a phosphorescent emission mechanism.

According to an embodiment, the dopant in the emission layer may be a phosphorescent dopant, and the phosphorescent dopant may include an organometallic compound represented by Formula 81:

Formula 81



wherein, in Formula 81,

M may be selected from iridium (Ir), platinum (Pt), osmium (Os), titanium (Ti), zirconium (Zr), hafnium (Hf), europium (Eu), terbium (Tb), and thulium (Tm),

Y₁ to Y₄ may be each independently carbon (C) or nitrogen (N),

131

Y_1 and Y_2 are linked via a single bond or a double bond, and Y_3 and Y_4 are linked via a single bond or a double bond,

CY_1 and CY_2 may be each independently selected from a benzene ring, a naphthalene ring, a fluorene ring, a spiro-fluorene ring, an indene ring, a pyrrole ring, a thiophene ring, a furan ring, an imidazole ring, a pyrazole ring, a thiazole ring, an isothiazole ring, an oxazole ring, an isoxazole ring, a pyridine ring, a pyrazine ring, a pyrimidine ring, a pyridazine ring, a quinoline ring, an isoquinoline ring, a benzoquinoline ring, a quinoxaline ring, a quinazoline ring, a carbazole ring, a benzimidazole ring, a benzofuran ring, a benzothiophene ring, an isobenzothiophene ring, a benzoxazole ring, an isobenzoxazole ring, a triazole ring, a tetrazole ring, an oxadiazole ring, a triazine ring, a dibenzofuran ring, or a dibenzothiophene ring, and CY_1 and CY_2 are optionally further linked to each other through an organic linking group,

R_{81} and R_{82} may be each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, $-SF_5$, a substituted or unsubstituted C_1-C_{60} alkyl group, a substituted or unsubstituted C_2-C_{60} alkenyl group, a substituted or unsubstituted C_2-C_{60} alkynyl group, a substituted or unsubstituted C_1-C_{60} alkoxy group, a substituted or unsubstituted C_3-C_{10} cycloalkyl group, a substituted or unsubstituted C_1-C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3-C_{10} cycloalkenyl group, a substituted or unsubstituted C_1-C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6-C_{60} aryl group, a substituted or unsubstituted C_6-C_{60} aryloxy group, a substituted or unsubstituted C_6-C_{60} arylthio group, a substituted or unsubstituted C_1-C_{60} heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, $-N(Q_1)(Q_2)$, $-Si(Q_3)(Q_4)(Q_5)$, and $-B(Q_6)(Q_7)$,

a_{81} and a_{82} may be each independently an integer selected from 1 to 5,

n_{81} may be an integer selected from 0 to 4,


n_{82} may be 1, 2, or 3, and

L_{81} may be a monovalent organic ligand, a divalent organic ligand, or a trivalent organic ligand, and

Q_1 to Q_7 may have the same definitions as Q_1 to Q_3 in $-Si(Q_1)(Q_2)(Q_3)$ in Formula 1.

R_{81} and R_{82} may be understood by referring to the description provided herein in connection with R_{11} .


The phosphorescent dopant may include at least one selected from Compounds PD1 to PD78, and FIr_6 , but embodiments are not limited thereto:




PD1

132


-continued




PD2




PD3



PD4








PD5



PD6

133

-continued

**134**

-continued

PD7

5

PD8

15

PD9

25

30

35

PD10 40

45

50

PD11 55

60

65

PD12

PD13





PD14

PD15

PD16

135

-continued

**136**


-continued

PD17

5

10

15



PD21

PD18

20

25

30

PD19

35

40

45


PD20

50

55

60



65



PD22

PD23







PD24



PD25

137


-continued

**138**

-continued

PD26


5



PD27

10


15



PD28

25

30



PD29


35

40

PD30

45

50




55

PD31

60

65



PD32

PD33


PD34

PD35

PD36

139

-continued

**140**

-continued

PD37

5

10

15

PD38

20

25

PD39

30

35

40

45

PD40


50

55

PD41

60

65



PD42

PD43







PD44

PD45

PD46

141

-continued

**142**

-continued

PD47

5

10

PD48

15

20

PD49

25

30

PD50

35

40

PD51

45






50

55

PD52

60

65



PD53

PD54

PD55


PD56

PD57

143

-continued

PD58




5

10

15


PD59



20

25


PD60



30

35

PD61




40

45

50

PD62


55




144

-continued


PD63




PD64



PD65




PD66



PD62

55






PD67



65

145

-continued


**146**

-continued

PD68

5

10




PD73

PD69

15

20




PD74

25

PD70


30



PD75

35

40




PD76

PD71

45

50




PD77

55

PD72


60

65




PD78

147



In some embodiments, the phosphorescent dopant may include PtOEP:



When the emission layer includes a host and a dopant, an amount of the dopant may be in a range of about 0.01 part to about 20 parts by weight based on 100 parts by weight of the host, but embodiments are not limited thereto.

A thickness of the emission layer may be in a range of about 100 Å to about 1,000 Å, for example, about 200 Å to about 600 Å. While not wishing to be bound by a theory, it is understood that when the thickness of the emission layer is within this range, light-emission characteristics may be excellent without a substantial increase in driving voltage.

Then, an electron transport region may be disposed on the emission layer.


The electron transport region may include at least one selected from a hole blocking layer, an electron transport layer, and an electron injection layer, but embodiments not limited thereto.

For example, the electron transport region may have a structure of a hole blocking layer/an electron transport layer/an electron injection layer or an electron transport layer/an electron injection layer, but embodiments are not limited thereto. The electron transport layer may have a single layer structure or a multi-layer structure including two or more different materials.

The conditions for forming a hole blocking layer, an electron transport layer, and an electron injection layer may be inferred based on the conditions for forming the hole injection layer.



When the electron transport region includes a hole blocking layer, the hole blocking layer may include, for example, at least one selected from BCP and Bphen, but embodiments are not limited thereto.

148




A thickness of the hole blocking layer may be in a range of about 20 Å to about 1,000 Å, for example, about 30 Å to about 300 Å. While not wishing to be bound by a theory, it is understood that when the thickness of the hole blocking layer is within these ranges, the hole blocking layer may have improved hole blocking ability without a substantial increase in driving voltage.

The electron transport layer may further include at least one selected from BCP, Bphen, Alq₃, BAlq, TAZ, and NTAZ.




149

-continued




TAZ



NTAZ

150


-continued




ET3

In some embodiments, the electron transport layer may include at least one selected from Compounds ET1, ET2, and ET3, but embodiments are not limited thereto.

ET1



ET2




A thickness of the electron transport layer may be in a range of about 100 Å to about 1,000 Å, for example, about 150 Å to about 500 Å. While not wishing to be bound by a theory, it is understood that when the thickness of the electron transport layer is within the range described above, the electron transport layer may have satisfactory electron transport characteristics without a substantial increase in driving voltage.


The electron transport layer may further include a metal-containing material in addition to the materials described above.

The metal-containing material may include a Li complex. The Li complex may include, for example, Compound ET-D1 (lithium quinolate, LiQ) or ET-D2.

ET-D1



ET-D2



The electron transport region may include an electron injection layer that allows electrons to be easily provided from a second electrode 19.

The electron injection layer may include at least one selected from, LiF, NaCl, CsF, Li₂O, and BaO.

A thickness of the electron injection layer may be in a range of about 1 Å to about 100 Å, for example, about 3 Å to about 90 Å. While not wishing to be bound by a theory, it is understood that when the thickness of the electron injection layer is within the range described above, the

electron injection layer may have satisfactory electron injection characteristics without a substantial increase in driving voltage.

The second electrode **19** is disposed on the organic layer **15**. The second electrode **19** may be a cathode. A second electrode material may be selected from a metal, an alloy, an electrically conductive compound, and a combination thereof, which have a relatively low work function. For example, lithium (Li), magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), or magnesium-silver (Mg—Ag) may be formed as second electrode material. To manufacture a top emission type light-emitting device, a transmissive electrode formed using ITO or IZO may be used as the second electrode **19**.

Hereinbefore, the organic light-emitting device has been described with reference to FIG. 1, but embodiments are not limited thereto.

A C_1 - C_{60} alkyl group as used herein refers to a linear or branched aliphatic saturated hydrocarbon monovalent group having 1 to 60 carbon atoms. Detailed examples thereof are a methyl group, an ethyl group, a propyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a pentyl group, an iso-amyl group, and a hexyl group. A C_1 - C_{60} alkylene group as used herein refers to a divalent group having the same structure as the C_1 - C_{60} alkyl group.

A C_1 - C_{60} alkoxy group as used herein refers to a monovalent group represented by $-OA_{101}$ (wherein A_{101} is the C_1 - C_{60} alkyl group). Detailed examples thereof are a methoxy group, an ethoxy group, and an isopropoxy group.

A C_2 - C_{60} alkenyl group as used herein refers to a hydrocarbon group formed by placing at least one carbon-carbon double bond in the middle or at the terminal of the C_2 - C_{60} alkyl group. Detailed examples thereof are an ethenyl group, a propenyl group, and a butenyl group. A C_2 - C_{60} alkenylene group as used herein refers to a divalent group having the same structure as the C_2 - C_{60} alkenyl group.

A C_2 - C_{60} alkynyl group as used herein refers to a hydrocarbon group formed by placing at least one carbon-carbon triple bond in the middle or at the terminal of the C_2 - C_{60} alkyl group. Detailed examples thereof are an ethynyl group, and a propynyl group. A C_2 - C_{60} alkynylene group as used herein refers to a divalent group having the same structure as the C_2 - C_{60} alkynyl group.

A C_3 - C_{10} cycloalkyl group as used herein refers to a monovalent monocyclic saturated hydrocarbon group including 3 to 10 carbon atoms. Detailed examples thereof are a cyclopropyl group, a cyclobutyl group, a cyclopentyl group, a cyclohexyl group, and a cycloheptyl group. A C_3 - C_{10} cycloalkylene group as used herein refers to a divalent group having the same structure as a C_3 - C_{10} cycloalkyl group.

A C_1 - C_{10} heterocycloalkyl group as used herein refers to a monovalent saturated monocyclic group including at least one hetero atom selected from N, O, P, Si and S as a ring-forming atom and 1 to 10 carbon atoms. Detailed examples thereof are a tetrahydrofuranyl group and a tetrahydrothiophenyl group. A C_1 - C_{10} heterocycloalkylene group as used herein refers to a divalent group having the same structure as a C_1 - C_{10} heterocycloalkyl group.

A C_3 - C_{10} cycloalkenyl group as used herein refers to a monovalent monocyclic group that has 3 to 10 carbon atoms and at least one double bond in the ring thereof, and which is not aromatic. Detailed examples thereof are a cyclopentenyl group, a cyclohexenyl group, and a cycloheptenyl

group. A C_3 - C_{10} cycloalkenylene group as used herein refers to a divalent group having the same structure as the C_3 - C_{10} cycloalkenyl group.

A C_1 - C_{10} heterocycloalkenyl group as used herein refers to a monovalent monocyclic group including at least one heteroatom selected from N, O, P, Si, and S as a ring-forming atom, 1 to 10 carbon atoms, and at least one double bond in its ring. Detailed examples of the C_2 - C_{10} heterocycloalkenyl group are a 2,3-dihydrofuranyl group and a 2,3-dihydrothiophenyl group. A C_1 - C_{10} heterocycloalkenylene group as used herein refers to a divalent group having the same structure as a C_1 - C_{10} heterocycloalkenyl group.

A C_6 - C_{60} aryl group as used herein refers to a monovalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms, and a C_6 - C_{60} arylene group as used herein refers to a divalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms. Detailed examples of the C_6 - C_{60} aryl group are a phenyl group, a naphthyl group, an anthracenyl group, a phenanthrenyl group, a pyrenyl group, and a chrysenyl group. When the C_6 - C_{60} aryl group and the C_6 - C_{60} arylene group each include two or more rings, the rings may be fused to each other.

A C_1 - C_{60} heteroaryl group as used herein refers to a monovalent group having a heterocyclic aromatic system that has at least one hetero atom selected from N, O, P, Si and S as a ring-forming atom, and 1 to 60 carbon atoms. A C_1 - C_{60} heteroarylene group as used herein refers to a divalent group having a heterocyclic aromatic system that has at least one hetero atom selected from N, O, P, Si and S as a ring-forming atom, and 1 to 60 carbon atoms. Examples of the C_1 - C_{60} heteroaryl group are a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, and an isoquinolinyl group. When the C_1 - C_{60} heteroaryl group and the C_1 - C_{60} heteroarylene group each include two or more rings, the rings may be fused to each other.

A C_6 - C_{60} aryloxy group as used herein indicates $-OA_{102}$ (wherein A_{102} is the C_6 - C_{60} aryl group), and a C_6 - C_{60} arylthio group as used herein indicates $-SA_{103}$ (wherein A_{103} is the C_6 - C_{60} aryl group).

A monovalent non-aromatic condensed polycyclic group as used herein refers to a monovalent group that has two or more rings condensed to each other, only carbon atoms (for example, the number of carbon atoms may be in a range of 8 to 60) as ring-forming atoms, wherein the molecular structure as a whole is non-aromatic in the entire molecular structure. Detailed example of the non-aromatic condensed polycyclic group includes a fluorenyl group. A divalent non-aromatic condensed polycyclic group as used herein refers to a divalent group having the same structure as the monovalent non-aromatic condensed polycyclic group.

A monovalent non-aromatic condensed hetero-polycyclic group as used herein refers to a monovalent group that has a plurality of rings condensed with each other, has a hetero atom selected from N, O, P, Si and S, other than carbon atoms (for example, the number of carbon atoms may be in a range of 1 to 60), as ring-forming atoms, wherein the molecular structure as a whole is non-aromatic in the entire molecular structure. The monovalent non-aromatic condensed heteropolycyclic group includes a carbazolyl group. A divalent non-aromatic condensed hetero-polycyclic group as used herein refers to a divalent group having the same structure as the monovalent non-aromatic condensed heteropolycyclic group.

At least one substituent of the substituted C_3 - C_{10} cycloalkylene group, substituted C_1 - C_{10} heterocycloalky-

153

lene group, substituted C₃-C₁₀ cycloalkenylene group, substituted C₁-C₁₀ heterocycloalkenylene group, substituted C₆-C₆₀ arylene group, substituted C₁-C₆₀ heteroarylene group, substituted a divalent non-aromatic condensed polycyclic group, substituted a divalent non-aromatic condensed heteropolycyclic group, substituted C₁-C₆₀ alkyl group, substituted C₂-C₆₀ alkenyl group, substituted C₂-C₆₀ alkynyl group, substituted C₁-C₆₀ alkoxy group, substituted C₃-C₁₀ cycloalkyl group, substituted C₁-C₁₀ heterocycloalkyl group, substituted C₃-C₁₀ cycloalkenyl group, substituted C₁-C₁₀ heterocycloalkenyl group, substituted C₆-C₆₀ aryl group, substituted C₆-C₆₀ aryloxy group, substituted C₆-C₆₀ arylthio group, substituted C₁-C₆₀ heteroaryl group, substituted monovalent non-aromatic condensed polycyclic group, and substituted monovalent non-aromatic condensed heteropolycyclic group may be selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group (where, a carbazolyl group is excepted from the monovalent non-aromatic condensed heteropolycyclic group) and —Si(Q₃₁)(Q₃₂)(Q₃₃),

wherein Q₁ to Q₃, Q₁₁ to Q₁₃, Q₂₁ to Q₂₃, and Q₃₁ to Q₃₃ may be each independently selected from a hydrogen, a C₁-C₆₀ alkyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group (where, a carbazolyl group is excepted from the monovalent non-aromatic condensed heteropolycyclic group).

When a group containing a specified number of carbon atoms is substituted with any of the substituents listed above, the number of carbon atoms in the resulting “substituted” group may be the number of atoms contained in the original (base) group plus the number of carbon atoms (if any) contained in the substituent. For example, the “substituted C₁-C₃₀ alkyl” may refer to a C₁-C₃₀ alkyl group substituted with C₆-C₆₀ aryl group, in which the total number of carbon atoms may be C₇-C₉₀.


The “biphenyl group” as used herein refers to “a phenyl group substituted with a phenyl group”.

Hereinafter, a compound and an organic light-emitting device according to embodiments are described in detail with reference to Synthesis Example and Examples. However, the organic light-emitting device is not limited thereto. The wording “B was used instead of A” used in describing Synthesis Examples means that an amount of A used was identical to an amount of B used, in terms of a molar equivalent.

154

EXAMPLE

Synthesis Example 1: Synthesis of Compound 16



Synthesis of Intermediate 16-1

21.838 grams (g) (74.49 millimoles (mmol)) of 2-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-9H-carbazole, 20 g

155



(61.07 mmol) of 1-bromo-9-phenyl-9H-carbazole, 14.346 g (12.41 mmol) of tetrakis(triphenylphosphine)palladium [Pd(PPh₃)₄], and 27.863 g (496.59 mmol) of potassium hydroxide were added to 200 milliliters (mL) of THF and 100 mL of distilled water in a round-bottomed flask, and the mixture was heated under reflux for 12 hours. Once the reaction was completed, the reaction product was cooled to room temperature, and THF was separated from distilled water. Next, the THF layer separated therefrom was added dropwise to 600 mL of methanol and crystallized. The solid was filtered and washed with water and methanol. The resultant solid was dried in a vacuum oven to obtain Intermediate 16-1 (21 g, the yield of 85%).

Synthesis of Compound 16

12.3 g (30.11 mmol) of Intermediate 16-1, 3.27 mL (30.11 mmol) of 2-fluorobenzonitrile, and 1.566 g (39.14 mmol) of sodium hydride were added to 200 mL of DMF in a round-bottomed flask, and the mixture was heated under reflux for 12 hours. Once the reaction was completed, the reaction product was cooled to room temperature, and added dropwise to 600 mL of methanol and crystallized. The solid was filtered, and washed with water and methanol. The resultant solid was dried in a vacuum oven to obtain Compound 16 (10.74 g, the yield of 70%).


¹H NMR (400 MHz, CDCl₃): δ 8.23 (d, 1H), 8.20 (d, 1H), 7.97 (d, 1H), 7.92 (d, 1H), 7.84 (t, 1H), 7.71 (s, 1H), 7.64 (t, 1H), 7.53 (d, 1H), 7.47 (d, 1H), 7.43 (m, 4H), 7.32 (m, 4H), 7.16 (t, 3H), 6.82 (d, 2H), 6.74 (t, 1H). MS (m/z, [M]⁺): 509.06

Synthesis Example 2: Synthesis of Compound 31




156



-continued



Intermediate 31-1



Intermediate 31-1



Compound 31

Synthesis of Intermediate 31-1

16.378 g (55.87 mmol) of 3-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-9H-carbazole, 15 g (46.55 mmol) of 1-bromo-9-phenyl-9H-carbazole, 10.759 g (9.31 mmol) of tetrakis(triphenylphosphine)palladium [Pd(PPh₃)₄], and 20.898 g (372.44 mmol) of potassium hydroxide were added to 200 mL THF and 100 mL of distilled water in a round-bottomed flask, and the mixture was heated under reflux for 12 hours. Once the reaction was completed, the temperature was decreased to room temperature, and THF was separated from distilled water. The THF separated therefrom was added dropwise to 600 mL of methanol and crystallized. The solid was filtered, and washed with water and methanol.

157

The resultant solid obtained therefrom was dried in a vacuum oven to obtain Intermediate 31-1 (13 g, the yield of 68%).

Synthesis of Compound 31

10 g (24.48 mmol) of Intermediate 31-1, 2.66 mL (24.48 mmol) of 2-fluorobenzonitrile, and 1.27 g (31.82 mmol) of sodium hydride were added to 150 mL of DMF in a round-bottomed flask, and the mixture was heated under reflux for 12 hours. Once the reaction was completed, the reaction product was cooled to room temperature, and added dropwise to 600 mL of methanol and crystallized. The solid was filtered, and washed with water and methanol. The resultant solid was dried in a vacuum oven to obtain Compound 31 (8.98 g, the yield of 72%).

¹H NMR (400 MHz, CDCl₃): δ 8.20 (d, 1H), 8.17 (d, 1H), 8.07 (d, 1H), 7.79 (t, 1H), 7.72 (d, 1H), 7.59 (m, 3H), 7.40 (m, 7H), 7.22 (t, 2H), 7.03 (d, 2H), 6.90 (t, 4H). MS (m/z, [M]⁺): 509.06

Evaluation Example 1: Evaluation on HOMO and LUMO Energy Levels

HOMO and LUMO energy levels of Compounds 16 and 31 were evaluated according to the method indicated in Table 2, and results thereof are shown in Table 3.

TABLE 2

HOMO energy level evaluation method	A potential (V)-current (A) graph of each compound was obtained by using cyclic voltammetry (CV) (electrolyte: 0.1 molar (M) Bu ₄ NClO ₄ /solvent: CH ₂ Cl ₂ /electrode: 3 electrode system (working electrode: GC, reference electrode: Ag/AgCl, auxiliary electrode: Pt)). From oxidation onset of the graph, a HOMO energy level of the compound was calculated.
LUMO energy level evaluation method	Each compound was diluted at a concentration of 1 × 10 ⁻⁵ M in CHCl ₃ , and an UV absorption spectrum thereof was measured at room temperature by using Shimadzu UV-350 Spectrometer. A LUMO energy level thereof was calculated by using an optical band gap (E _g) from an edge of the absorption spectrum and a HOMO energy level.

TABLE 3

Compound No.	HOMO (eV) (found)	LUMO (eV) (found)
16	-5.63	-2.19
31	-5.61	-2.15

From Table 3, it is confirmed that Compounds 16 and 31 have electric characteristics that are suitable for use as a material for forming an organic light-emitting device.


Evaluation Example 2: Thermal Characteristics Evaluation

Each of Compounds 16, 31, and A was subjected to thermal analysis (N₂ atmosphere, temperature range: room temperature to 800° C. (10° C./min)-TGA, room temperature to 400° C.-DSC, Pan Type: Pt Pan in disposable Al Pan(TGA), disposable Al pan(DSC)) using thermogravimetric analysis (TGA) and differential scanning calorimetry (DSC), and obtained results are shown in Table 4 below. Based on the data in Table 4, it was confirmed that Compounds 16 and 31 had excellent thermal stability than that of Compound A.

158

TABLE 4

Compound No.	T _g (° C.)
16	115
31	114
Compound A	72



Compound A

Example 1

A glass substrate with a 1,500 Angstrom (Å)-thick ITO (Indium tin oxide) electrode (first electrode, anode) formed thereon was washed with distilled water and ultrasonic waves. When the washing with distilled water was completed, sonification washing was performed using a solvent, such as isopropyl alcohol, acetone, or methanol. The resultant was dried and transferred to a plasma washer. The resultant substrate was washed with oxygen plasma for 5 minutes and transferred to a vacuum depositor.

Compound HT3 and Compound HP-1 were co-deposited on the ITO electrode on the glass substrate to form a hole injection layer having a thickness of 100 Å, and Compound HT3 was deposited on the hole injection layer to form a hole transport layer having a thickness of 1,300 Å. mCP was deposited on the hole transport layer to form an electron blocking layer having a thickness of 150 Å, thereby completing the manufacture of a hole transport region.

Compound 16 (host) and Flr6 (dopant, 10 percent by weight (wt %)) were co-deposited on the hole transport region to form an emission layer having a thickness of 300 Å.

BCP was vacuum deposited on the emission layer to form a hole blocking layer having a thickness of 100 Å, Compound ET3 and Liq were vacuum deposited on the hole blocking layer to form an electron transport layer having a thickness of 250 Å. Then, Liq was deposited on the electron transport layer to form an electron injection layer having a thickness of 5 Å, and Al second electrode (cathode) having a thickness of 1,000 Å was formed on the electron injection layer, thereby completing the manufacture of an organic light-emitting device.

Example 2 and Comparative Example 1


Organic light-emitting devices were manufactured in the same manner as in Example 1, except that the compounds shown in Table 4 were used, as a host, instead of Compound 16 in the formation of the emission layer.

Evaluation Example 3: Evaluation on Characteristics of Organic Light-Emitting Devices


The driving voltage, current density, efficiency, power efficiency, quantum efficiency, and lifespan of the organic light-emitting devices of Examples 1 and 2 and Comparative Example 1 were measured by using a current-voltage meter (Keithley 2400) and a luminance meter (Minolta Cs-1000A), and results thereof are shown in Table 5. T₉₅ (at 500 candelas per square meter (cd/m²)) in Table 5 indicates an amount of time that lapsed when 100% of the initial luminance was decreased to 95%.

TABLE 5


	Host	Driving voltage (V)	Efficiency (cd/A)	Power Efficiency (lm/W)	Quantum Efficiency (%)	T ₉₅ (hr)
Example 1	Compound 16	5.03	35.15	21.95	19.1	3.66
Example 2	Compound 31	5.12	39.25	24.16	19.5	2.24
Comparative Example 1	Compound A	6.85	15.27	7.03	8.9	0.54



16



31



Compound A

Referring to Table 5, it was confirmed that the organic light-emitting devices of Examples 1 and 2 have a lower driving voltage, a higher efficiency, a higher power efficiency, a higher quantum luminescent efficiency, and a longer lifespan than the organic light-emitting device of Comparative Example 1.

As described above, according to the one or more of the above embodiments of the present inventive concept, a condensed cyclic compound has excellent electric characteristics and thermal stability, and thus an organic light-emitting device including the condensed cyclic compound may have a low driving voltage, high efficiency, high power efficiency, high quantum luminescent efficiency, and long lifespan characteristics.

It should be understood that exemplary embodiments described herein should be considered in a descriptive sense only and not for purposes of limitation. Descriptions of features or aspects within each exemplary embodiment should typically be considered as available for other similar features or aspects in other exemplary embodiments.


While one or more exemplary embodiments have been described with reference to the figures, it will be understood by those of ordinary skill in the art that various changes in

form and details may be made therein without departing from the spirit and scope of the present disclosure as defined by the following claims.

What is claimed is:




1. A condensed cyclic compound represented by one of Formulae 1A to 1D:

Formula 1A



161

-continued



L_1 to L_3 are each independently selected from the group consisting of

a phenylene group, a fluorenylene group, a dibenzofuranylene group, and a dibenzothiophenylylene group; and a substituted or unsubstituted phenylene group, a substituted or unsubstituted fluorenylene group, a substituted or unsubstituted dibenzofuranylene group, and substituted or unsubstituted a dibenzothiophenylylene group, wherein each substituted group is substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, a_1 to a_3 are each independently an integer selected from 0 to 5, wherein when a_1 is 2 or greater, two or more groups L_1 are identical to or different from each other,

162

when a_2 is 2 or greater, two or more groups L_2 are identical to or different from each other, and when a_3 is 2 or greater, two or more groups L_3 are identical to or different from each other,

R_1 to R_7 , and R_{11} to R_{18} are each independently selected from the group consisting of:


a hydrogen, a deuterium, —F, a cyano group, a C_1 - C_{10} alkyl group, and a C_1 - C_{10} alkoxy group;

a C_1 - C_{10} alkyl group and a C_1 - C_{10} alkoxy group, each substituted with at least one selected from a deuterium, —F, and a cyano group;


a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group; and

a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from a deuterium, —F, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,





a group represented by



is selected from groups consisting of groups represented by Formulae 5-1 to 5-60, and a group represented by













is selected from groups consisting of groups represented by Formulae 5-1 to 5-69:



163

-continued




164

-continued


Formula 5-5

5




Formula 5-6

10




Formula 5-7

15




Formula 5-8

20




Formula 5-9

30




Formula 5-10

35




Formula 5-11

45




Formula 5-12

50



Formula 5-13

55



Formula 5-14

65

Formula 5-15

Formula 5-16

Formula 5-17

Formula 5-18

Formula 5-19

Formula 5-20










Formula 5-21

Formula 5-22

Formula 5-23

165


-continued

**166**

-continued


Formula 5-24

5




Formula 5-25

10




Formula 5-26

15




Formula 5-27

25




Formula 5-28

30




Formula 5-29

40




Formula 5-30

45




Formula 5-31

50




Formula 5-32

60



65



Formula 5-33

Formula 5-34

Formula 5-35

Formula 5-36

Formula 5-37

Formula 5-38











Formula 5-39

Formula 5-40

Formula 5-41











Formula 5-42

167
-continued



168

-continued



Formula 5-53

Formula 5-54

Formula 5-55

Formula 5-56

Formula 5-57

Formula 5-58

Formula 5-59








Formula 5-60

Formula 5-61

Formula 5-62



169

-continued



wherein, in Formulae 5-1 to 5-69, * is a binding site to a neighboring atom.


2. The condensed cyclic compound of claim 1, wherein L_1 to L_3 are each independently selected from groups consisting of groups represented by Formulae 3-1, 3-15, 3-28, and 3-41 to 3-56:

**170**

-continued


Formula 5-63

5




Formula 5-64

10




Formula 5-65

15




Formula 5-66

20




Formula 5-67

25




Formula 5-68

30




Formula 5-69


35




40




45




50



55



60



65

Formula 3-28

Formula 3-41

Formula 3-42

Formula 3-43

Formula 3-44

Formula 3-45

Formula 3-46








Formula 3-47

Formula 3-48

Formula 3-49

171

-continued



wherein, in Formulae 3-1, 3-15, 3-28, and 3-41 to 3-56, Y_1 is selected from the group consisting of O, S, and $C(Z_3)(Z_4)$,

Z_1 to Z_4 are each independently selected from the group consisting of a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, and a dibenzothiophenyl group,

d_4 is an integer selected from 0 to 4,

d_3 is an integer selected from 0 to 3,

and

* and *' are each a binding site to a neighboring atom.

172

3. The condensed cyclic compound of claim 2, wherein

i) a_1 is 0; or

ii) when a_1 is not 0, at least one of groups L_i is selected from groups consisting of groups represented by Formulae 3-15, 3-28, and 3-41 to 3-56.

4. The condensed cyclic compound of claim 2, wherein

L_1 is selected from groups consisting of groups represented by Formulae 3-15, 3-28, 3-41, and 3-51,

L_2 and L_3 are each independently selected from groups consisting of groups represented by Formulae 3-1, 3-15, 3-28, 3-41, and 3-51, and

a_1 to a_3 are each independently 0, 1, or 2.

5. The condensed cyclic compound of claim 1, wherein a group represented by $*(L_1)_{a_1}-*$ is selected from groups consisting of groups represented by Formulae 4-1 to 4-39:

Formula 3-50

5

Formula 3-51

10

Formula 3-52

15

Formula 3-53

20

Formula 3-54

30

Formula 3-55

35

Formula 3-56

40

45

Formula 4-1

Formula 4-2

Formula 4-3









Formula 4-4

Formula 4-5

Formula 4-6

Formula 4-7


Formula 4-8



65


173

-continued




Formula 4-9

5




Formula 4-10

10




Formula 4-11

15



20


Formula 4-12



25


Formula 4-13

30




Formula 4-14

35




40

Formula 4-15




45

Formula 4-16



50

Formula 4-17




55

60


65

174


-continued




Formula 4-18




Formula 4-19




Formula 4-20




Formula 4-21



Formula 4-22




Formula 4-23



Formula 4-24

175


-continued

**176**

-continued

Formula 4-25


5



Formula 4-31

Formula 4-26

10




Formula 4-32

15

Formula 4-33


20



Formula 4-34

Formula 4-27

25




Formula 4-28

35

Formula 4-35

40




Formula 4-29

45

Formula 4-36

50




55

Formula 4-37

Formula 4-30



60



65

177

-continued



wherein, in Formulae 4-1 to 4-39,



X_{21} is $C(Z_{21})$, X_{22} is $C(Z_{22})$, X_{23} is $C(Z_{23})$, X_{24} is $C(Z_{24})$, X_{31} is $C(Z_{31})$, X_{32} is $C(Z_{32})$, X_{33} is $C(Z_{33})$, X_{34} is $C(Z_{34})$, X_{41} is $C(Z_{41})$, X_{42} is $C(Z_{42})$, X_{43} is $C(Z_{43})$, and X_{44} is $C(Z_{44})$.

Z_{21} to Z_{24} , Z_{31} to Z_{34} , and Z_{41} to Z_{44} are each independently selected from the group consisting of a hydrogen, a deuterium, a cyano group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a fluorenyl group, a dibenzofuranyl group, a dibenzothiophenyl group,

* and *¹ are each a binding site to a neighboring atom.

6. The condensed cyclic compound of claim 1, wherein at least one of R_3 , R_6 , R_{13} , and R_{16} is CN.

7. A condensed cyclic compound, being one of Compounds 1 to 271:




178

-continued

Formula 4-38


5



10


Formula 4-39

15



20


25



30

35

40




45

50

55

60



65

3

4






5

6

7

179

-continued

**180**

-continued

8

13

5

10

9

15

14

20

25

10

15

30

35

40

16

11

45

50






55

17

12





60

65



181

-continued

**182**

-continued

18

22

5

10

15

19

20

25

30

20

40

45





50

21

55





60

65



183

-continued



184

-continued

26

30

5

10

27 15

20

25

30

28

35

40

45





50

29

55





60

65



185

-continued

**186**

-continued

34

5

10

15

35

20

25

30

36

35

40

45

50

37

55

60





65

38

39





40

41



187

-continued



188

-continued

42

46

5

10

15

43

20

25

47

30

35

44

40

45

50




48







45

55




60

65



189
-continued**190**
-continued

191
-continued



192
-continued

55

58

5

10

15

20

25

56

30

35

40





45

57 50

55

60

65








59

60

61

193

-continued

**194**

-continued

62

5

10

63

15

20

64 25

30

35

65

40

45


50

66 55


60

65


67




68




69







70



71



195
-continued



196
-continued

72

76

5

10

15

73

20

25

77

30

74

35

40

45

50




78







75

55

60




65



197
-continued**198**
-continued

199

-continued

**200**

-continued

85

5

10

15

20

25

86

30

35

40

45




87 50

55

60




65

88



90

201
-continued



202
-continued

91

94

5

10

15

20

92

95

25

30

35

40

93 45




96

50

55




60

65



203

-continued

**204**

-continued

97

100

5

10

15

20

98

101

25

30

35

40

99 45




102

50

55




60

65



205

-continued

**206**

-continued

103

106

5

10

15

20

25
104

30

35

40

45

105

107




50

55

60




65

108



207

-continued

**208**

-continued


109

5

10

15

20



112

110


25

30

35

40

45



113


111

50

55

60




65



114

209

-continued

**210**

-continued


115

5

10

15

20



118


116 25

30

35

40

45



119


117

50

55

60






65








120

211

-continued


**212**

-continued




213

-continued


**214**

-continued



215


-continued




139

216


-continued




142




140



143




141



144

217

-continued



145


5

10

15

20

146 25




30

35

40

45

147 50




55

60

65


218

-continued




148

149




150



219

-continued

**220**

-continued

151

153

5

10

15

20

25

30

35

40

152 45



154

50

55



60

65



221

-continued

**222**

-continued

155

5

10

15

20

25

30

35

40

156

45


50

55


60

65

157





158



223

-continued

**224**

-continued

159

161

5

10

15

20

25

30

35

40

160

162



45

50

55



60

65



225

-continued



226

-continued

163

5

10

15

20

25

30

35

40

164

45


50

55


60

65


165



166






167



227

-continued

**228**

-continued

168

5

10

15

20

169 25

30

35

40

170 45


50

55


60

65

171





172



229

-continued

**230**

-continued

173

5

10

15

20

25

30

35

40

174

45


50

55


60

65


175



176




177




231

-continued


**232**

-continued




233

-continued





**234**

-continued







235

-continued






**236**

-continued







237

-continued




**238**

-continued






239

-continued


**240**

-continued



241

-continued

**242**

-continued

216

218

5

10

15


20

25

30

35

40



217

219



45

50

55




60

65



243

-continued

**244**

-continued

220

223

5

10

15

20

221 25

224

30

35

40

45 222




225

50

55




60

65



245

-continued

**246**

-continued

226

5

10

15

20

227

25

30

35

40

228




45

50

55

60

65





229

230

231

247

-continued

**248**

-continued

232

5

10

15

20

25

30

35

40

233

45

50

55




60

65

234




235

236



249

-continued

**250**

-continued


237

5

10

15

20



240


238

25

30

35

40




241

239

45

50


55



243

60






65



244

251

-continued

**252**

-continued

245

5

10

246

15

20

25

247

30

35

248

45

50

249

55

60

65

250





251

252

253

253

-continued

**254**

-continued

254

5

10

15

255

20

25

30

35

256

40

45

50


55

257


60

65


258




259




260



261








262



255

-continued


**256**

-continued

263

5

10




268

269

264

15

20




270

265

25

265

30




271

266

35

266

40

**8.** An organic light-emitting device comprising:

a first electrode;

a second electrode; and

an organic layer disposed between the first electrode and the second electrode,

wherein the organic layer comprises an emission layer and at least one condensed cyclic compound represented by Formulae 1A to 1D of claim 1.

9. The organic light-emitting device of claim 8, wherein the first electrode is an anode, the second electrode is a cathode, and the organic layer comprises:

i) a hole transport region disposed between the first electrode and the emission layer, wherein the hole transport region comprises a hole injection layer, a hole transport layer, an electron blocking layer, or any combination thereof; and

ii) an electron transport region disposed between the emission layer and the second electrode, wherein the electron transport region comprises a hole blocking layer, an electron transport layer, an electron injection layer, or any combination thereof.

10. The organic light-emitting device of claim 8, wherein the emission layer comprises the condensed cyclic compound represented by Formulae 1A to 1D.

257

11. The organic light-emitting device of claim 8, wherein the emission layer comprises the condensed cyclic compound represented by Formulae 1A to 1D and a phosphorescent dopant,

wherein an amount of the condensed cyclic compound is greater than an amount of the phosphorescent dopant.

12. The organic light-emitting device of claim 10, wherein the emission layer emits blue light.

13. The organic light-emitting device of claim 8, wherein the emission layer comprises the condensed cyclic compound represented by Formulae 1A to 1D, and wherein the condensed cyclic compound represented by Formulae 1A to 1D is a thermally activated delayed fluorescence emitter.

* * * * *

258

专利名称(译)	缩合环状化合物和包括其的有机发光器件		
公开(公告)号	US10367151	公开(公告)日	2019-07-30
申请号	US15/012266	申请日	2016-02-01
[标]申请(专利权)人(译)	三星电子株式会社		
申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD. 三星SDI CO. , LTD.		
当前申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD. 三星SDI CO. , LTD.		
[标]发明人	KIM HYUNJUNG CHAE MIYOUNG KIM SANGMO JEON SOONOK CHUNG YEONSOOK JUNG YONGSIK HUH DALHO PARK YOUNGSEOK LEE NAMHEON		
发明人	KIM, HYUNJUNG CHAE, MIYOUNG KIM, SANGMO JEON, SOONOK CHUNG, YEONSOOK JUNG, YONGSIK HUH, DALHO PARK, YOUNGSEOK LEE, NAMHEON		
IPC分类号	H01L51/00 C09K11/02 C09K11/06 C07D209/86 H01L51/50 G02F1/00		
CPC分类号	H01L51/0072 C09K11/025 C09K11/06 H01L51/008 H01L51/009 H01L51/0085 C07D209/86 H01L2251/552 B32B2457/206 C09K2211/1007 C09K2211/1022 C09K2211/1029 C09K2211/1044 C09K2211/185 G02F1/0018 G02F2202/02 G02F2202/026 H01L51/5004 H01L51/5016		
代理机构(译)	康托科尔伯恩LLP		
优先权	1020150089087 2015-06-23 KR 1020150123657 2015-09-01 KR		
其他公开文献	US20160380209A1		
外部链接	Espacenet		

摘要(译)

由式1表示的耦合环状化合物：其中，在公式1中，环，组和变量与规范中定义的相同。

