


(19) **United States**(12) **Patent Application Publication**  
LEE et al.(10) **Pub. No.: US 2015/0171340 A1**(43) **Pub. Date: Jun. 18, 2015**(54) **CONDENSED CYCLIC COMPOUND AND ORGANIC LIGHT-EMITTING DEVICE INCLUDING THE SAME**(71) Applicants: **Samsung Electronics Co., Ltd.**,  
Suwon-si (KR); **Samsung SDI Co., Ltd.**,  
Yongin-si (KR)(72) Inventors: **Seungjae LEE**, Suwon-si (KR);  
**Byungku KIM**, Suwon-si (KR);  
**Youngkwon KIM**, Suwon-si (KR);  
**Changwoo KIM**, Suwon-si (KR);  
**Hyungsun KIM**, Suwon-si (KR);  
**Changju SHIN**, Suwon-si (KR);  
**Eunsun YU**, Suwon-si (KR); **Byoungki CHOI**,  
Hwaseong-si (KR); **Kyuyoung HWANG**,  
Ansan-si (KR)(21) Appl. No.: **14/573,422**(22) Filed: **Dec. 17, 2014**(30) **Foreign Application Priority Data**

Dec. 17, 2013 (KR) ..... 10-2013-0157532


**Publication Classification**(51) **Int. Cl.**  
**H01L 51/00** (2006.01)  
**H01L 51/50** (2006.01)(52) **U.S. Cl.**  
CPC ..... **H01L 51/0067** (2013.01); **H01L 51/0072**  
(2013.01); **H01L 51/0073** (2013.01); **H01L**  
**51/0071** (2013.01); **H01L 51/5056** (2013.01);  
**H01L 51/5084** (2013.01)(57) **ABSTRACT**

A condensed-cyclic compound represented by Formula 1A or 1B:

Formula 1A



Formula 1B




wherein in Formulae 1A and 1B, groups, substituents, and variables are the same as defined in the specification.

10

19
15
11

**FIG. 1**

10



**CONDENSED CYCLIC COMPOUND AND  
ORGANIC LIGHT-EMITTING DEVICE  
INCLUDING THE SAME**

CROSS-REFERENCE TO RELATED  
APPLICATIONS

[0001] This application claims priority to Korean Patent Application No. 10-2013-0157532, filed on Dec. 17, 2013, and all the benefits accruing therefrom under 35 U.S.C. §119, the content of which is incorporated herein in its entirety by reference.

BACKGROUND

[0002] 1. Field

[0003] One or more embodiments of the present disclosure relate to condensed-cyclic compounds and organic light-emitting devices including the condensed-cyclic compounds.

[0004] 2. Description of the Related Art

[0005] Organic light-emitting devices (OLEDs) are self-emitting devices that have advantages such as wide viewing angles, excellent contrast ratios, and quick response times. In addition, OLEDs exhibit excellent brightness, driving voltage, and response speed characteristics, and can provide multicolored images.

[0006] A typical OLED has a structure including an anode, a cathode, and an organic layer disposed between the anode and the cathode and including an emission layer. A hole transporting region may be disposed between the anode and the cathode, and an electron transporting region may be disposed between the emission layer and the cathode. Holes injected from the anode move to the EML via the hole transport region, and electrons injected from the cathode move to the EML via the electron transport region. Carriers such as holes and electrons recombine in the EML to generate excitons. When the excitons drop from an excited state to a ground state, light is emitted.


[0007] Different types of organic light emitting devices are known. However, there still remains a need in OLEDs having low driving voltage, high efficiency, high brightness, and long lifespan.

SUMMARY



[0008] One or more embodiments include novel condensed-cyclic compounds and organic light-emitting devices including the condensed-cyclic compounds.

[0009] Additional aspects will be set forth in part in the description which follows and, in part, will be apparent from the description, or may be learned by practice of the presented embodiments.

[0010] According to one or more embodiments, provided is a condensed-cyclic compound represented by Formula 1A or 1B:



-continued



[0011] In the Formulae above,

[0012] ring A<sub>1</sub> in Formulae 1A and 1B is represented by Formula 1C or 1D;

[0013] X<sub>1</sub> is N or C-[(L<sub>1</sub>)<sub>a1</sub>-(R<sub>1</sub>)<sub>b1</sub>],

[0014] X<sub>2</sub> is N or C-[(L<sub>2</sub>)<sub>a2</sub>-(R<sub>2</sub>)<sub>b2</sub>],

[0015] X<sub>3</sub> is N or C-[(L<sub>3</sub>)<sub>a3</sub>-(R<sub>3</sub>)<sub>b3</sub>], and

[0016] at least one of X<sub>1</sub> to X<sub>3</sub> is N;

[0017] X<sub>4</sub> is O or S;

[0018] X<sub>11</sub> is selected from N-[(L<sub>12</sub>)<sub>a12</sub>-(R<sub>12</sub>)<sub>b12</sub>], S, O, S(=O), S(=O)<sub>2</sub>, C(=O), C(R<sub>13</sub>)(R<sub>14</sub>), Si(R<sub>13</sub>)(R<sub>14</sub>), P(R<sub>13</sub>), P(=O)(R<sub>13</sub>), and C=N(R<sub>12</sub>);

[0019] L<sub>1</sub> to L<sub>4</sub>, L<sub>11</sub>, L<sub>12</sub> and L<sub>21</sub> may be each independently selected from a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub> cycloalkylene group, a substituted or unsubstituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkylene group, a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub> cycloalkenylene group, a substituted or unsubstituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkenylene group, a substituted or unsubstituted C<sub>6</sub>-C<sub>60</sub> arylene group, a substituted or unsubstituted C<sub>2</sub>-C<sub>60</sub> heteroarylene group, a substituted or unsubstituted divalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted divalent non-aromatic hetero-condensed polycyclic group;

[0020] a<sub>1</sub> to a<sub>4</sub>, a<sub>11</sub>, a<sub>12</sub>, and a<sub>21</sub> may be each independently selected from integers of 0 to 3;

[0021] R<sub>1</sub> to R<sub>3</sub>, R<sub>5</sub>, R<sub>6</sub>, and R<sub>11</sub> to R<sub>17</sub> may be each independently selected from a hydrogen, a deuterium, —F (a fluoro group), —Cl (a chloro group), —Br (a bromo group), —I (an iodo group), a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a substituted or unsubstituted C<sub>1</sub>-C<sub>60</sub> alkyl group, a substituted or unsubstituted C<sub>2</sub>-C<sub>60</sub> alkenyl group, a substituted or unsubstituted C<sub>2</sub>-C<sub>60</sub> alkynyl group, a substituted or unsubstituted C<sub>1</sub>-C<sub>60</sub> alkoxy group, a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub> cycloalkyl group, a substituted or unsubstituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl group, a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a substituted or unsubstituted

$C_2-C_{10}$  heterocycloalkenyl group, a substituted or unsubstituted  $C_6-C_{60}$  aryl group, a substituted or unsubstituted  $C_6-C_{60}$  aryloxy group, a substituted or unsubstituted  $C_6-C_{60}$  arylthio group, a substituted or unsubstituted  $C_2-C_{60}$  heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic group,  $-N(Q_1)(Q_2)$ ,  $-Si(Q_3)(Q_4)(Q_5)$ , and  $-B(Q_6)(Q_7)$ ;

**[0022]**  $R_4$  is selected from a substituted or unsubstituted  $C_3-C_{10}$  cycloalkyl group, a substituted or unsubstituted  $C_2-C_{10}$  heterocycloalkyl group, a substituted or unsubstituted  $C_3-C_{10}$  cycloalkenyl group, a substituted or unsubstituted  $C_2-C_{10}$  heterocycloalkenyl group, a substituted or unsubstituted  $C_6-C_{60}$  aryl group, a substituted or unsubstituted  $C_6-C_{60}$  aryloxy group, a substituted or unsubstituted  $C_6-C_{60}$  arylthio group, a substituted or unsubstituted  $C_2-C_{60}$  heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic group;

**[0023]** b1 to b6 and b11 to b17 may be each independently selected from integers of 1 to 3;

**[0024]** at least one substituent of the substituted  $C_3-C_{10}$  cycloalkylene group, substituted  $C_2-C_{10}$  heterocycloalkylene group, substituted  $C_3-C_{10}$  cycloalkenylene group, substituted  $C_2-C_{10}$  heterocycloalkenylene group, substituted  $C_6-C_{60}$  arylene group, substituted  $C_2-C_{60}$  heteroarylene group, substituted divalent non-aromatic condensed polycyclic group, substituted divalent non-aromatic hetero-condensed polycyclic group, substituted  $C_1-C_{60}$  alkyl group, substituted  $C_2-C_{60}$  alkenyl group, substituted  $C_2-C_{60}$  alkynyl group, substituted  $C_1-C_{60}$  alkoxy group, substituted  $C_3-C_{10}$  cycloalkyl group, substituted  $C_2-C_{10}$  heterocycloalkyl group, substituted  $C_3-C_{10}$  cycloalkenyl group, substituted  $C_2-C_{10}$  heterocycloalkenyl group, substituted  $C_6-C_{60}$  aryl group, substituted  $C_6-C_{60}$  aryloxy group, substituted  $C_6-C_{60}$  arylthio group, substituted  $C_2-C_{60}$  heteroaryl group, substituted monovalent non-aromatic condensed polycyclic group, and substituted monovalent non-aromatic hetero-condensed polycyclic group may be selected from:

**[0025]** a deuterium,  $-F$ ,  $-Cl$ ,  $-Br$ ,  $-I$ , a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a  $C_1-C_{60}$  alkyl group, a  $C_2-C_{60}$  alkenyl group, a  $C_2-C_{60}$  alkynyl group, and a  $C_1-C_{60}$  alkoxy group;

**[0026]** a  $C_1-C_{60}$  alkyl group, a  $C_2-C_{60}$  alkenyl group, a  $C_2-C_{60}$  alkynyl group, and a  $C_1-C_{60}$  alkoxy group, each substituted with at least one of a deuterium,  $-F$ ,  $-Cl$ ,  $-Br$ ,  $-I$ , a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a  $C_3-C_{10}$  cycloalkyl group, a  $C_2-C_{10}$  heterocycloalkyl group, a  $C_3-C_{10}$  cycloalkenyl group, a  $C_2-C_{10}$  heterocycloalkenyl group, a  $C_6-C_{60}$  aryl group, a  $C_6-C_{60}$  aryloxy group, a  $C_6-C_{60}$  arylthio group, a  $C_2-C_{60}$  heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic hetero-condensed polycyclic group,  $-N(Q_{11})(Q_{12})$ ,  $-Si(Q_{13})(Q_{14})(Q_{15})$  and  $-B(Q_{16})(Q_{17})$ ;

**[0027]** a  $C_3-C_{10}$  cycloalkyl group, a  $C_2-010$  heterocycloalkyl group, a  $C_3-C_{10}$  cycloalkenyl group, a  $C_2-C_{10}$  heterocycloalkenyl group, a  $C_6-C_{60}$  aryl group, a  $C_6-C_{60}$  aryloxy

group, a  $C_6-C_{60}$  arylthio group, a  $C_2-C_{60}$  heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic hetero-condensed polycyclic group;

**[0028]** a  $C_3-C_{10}$  cycloalkyl group, a  $C_2-010$  heterocycloalkyl group, a  $C_3-C_{10}$  cycloalkenyl group, a  $C_2-C_{10}$  heterocycloalkenyl group, a  $C_6-C_{60}$  aryl group, a  $C_6-C_{60}$  aryloxy group, a  $C_6-C_{60}$  arylthio group, a  $C_2-C_{60}$  heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic hetero-condensed polycyclic group, each substituted with at least one of a deuterium,  $-F$ ,  $-Cl$ ,  $-Br$ ,  $-I$ , a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a  $C_1-C_{60}$  alkyl group, a  $C_2-C_{60}$  alkenyl group, a  $C_2-C_{60}$  alkynyl group, a  $C_1-C_{60}$  alkoxy group, a  $C_3-C_{10}$  cycloalkyl group, a  $C_2-C_{10}$  heterocycloalkyl group, a  $C_3-C_{10}$  cycloalkenyl group, a  $C_2-C_{10}$  heterocycloalkenyl group, a  $C_6-C_{60}$  aryl group, a  $C_6-C_{60}$  aryloxy group, a  $C_6-C_{60}$  arylthio group, a  $C_2-C_{60}$  heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic hetero-condensed polycyclic group,  $-N(Q_{21})(Q_{22})$ ,  $-Si(Q_{23})(Q_{24})(Q_{25})$ , and  $-B(Q_{26})(Q_{27})$ ; and

**[0029]**  $-N(Q_{31})(Q_{32})$ ,  $-Si(Q_{33})(Q_{34})(Q_{35})$  and  $-B(Q_{36})(Q_{37})$ ;

**[0030]** wherein  $Q_1$  to  $Q_7$ ,  $Q_{11}$  to  $Q_{17}$ ,  $Q_{21}$  to  $Q_{27}$ , and  $Q_{31}$  to  $Q_{37}$  may be each independently selected from a hydrogen, a  $C_1-C_{60}$  alkyl group, a  $C_2-C_{60}$  alkenyl group, a  $C_2-C_{60}$  alkynyl group, a  $C_1-C_{60}$  alkoxy group, a  $C_3-C_{10}$  cycloalkyl group, a  $C_2-C_{10}$  heterocycloalkyl group, a  $C_3-C_{10}$  cycloalkenyl group, a  $C_2-C_{10}$  heterocycloalkenyl group, a  $C_6-C_{60}$  aryl group, a  $C_6-C_{60}$  aryloxy group, a  $C_6-C_{60}$  arylthio group, a  $C_2-C_{60}$  heteroaryl group, monovalent a non-aromatic condensed polycyclic group, and a monovalent non-aromatic hetero-condensed polycyclic group.

**[0031]** According to one or more embodiments, provided is an organic light-emitting device including

**[0032]** a first electrode;

**[0033]** a second electrode; and

**[0034]** an organic layer disposed between the first electrode and the second electrode,

**[0035]** wherein the organic layer includes an emission layer and at least one condensed-cyclic compound represented by Formula 1.

**[0036]** The condensed-cyclic compound may be included in the emission layer, wherein the emission layer further includes a dopant, and the condensed-cyclic compound included in the emission layer may act as a host.

#### BRIEF DESCRIPTION OF THE DRAWING

**[0037]** These and/or other aspects will become apparent and more readily appreciated from the following description of the embodiments, taken in conjunction with the accompanying drawing in which:

**[0038]** FIG. 1 is a schematic view showing an organic light-emitting device according to an embodiment.

## DETAILED DESCRIPTION

[0039] Reference will now be made in detail to embodiments, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to the like elements throughout. In this regard, the present embodiments may have different forms and should not be construed as being limited to the descriptions set forth herein.

[0040] Accordingly, the embodiments are merely described below, by referring to the figures, to explain aspects of the present description. As used herein, the term “and/or” includes any and all combinations of one or more of the associated listed items. Expressions such as “at least one of,” when preceding a list of elements, modify the entire list of elements and do not modify the individual elements of the list.

[0041] It will be understood that when an element is referred to as being “on” another element, it can be directly in contact with the other element or intervening elements may be present therebetween. In contrast, when an element is referred to as being “directly on” another element, there are no intervening elements present.

[0042] It will be understood that, although the terms first, second, third etc. may be used herein to describe various elements, components, regions, layers, and/or sections, these elements, components, regions, layers, and/or sections should not be limited by these terms. These terms are only used to distinguish one element, component, region, layer, or section from another element, component, region, layer, or section. Thus, a first element, component, region, layer, or section discussed below could be termed a second element, component, region, layer, or section without departing from the teachings of the present embodiments.

[0043] The terminology used herein is for the purpose of describing particular embodiments only and is not intended to be limiting. As used herein, the singular forms “a,” “an,” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise.

[0044] The term “or” means “and/or.” It will be further understood that the terms “comprises” and/or “comprising,” or “includes” and/or “including” when used in this specification, specify the presence of stated features, regions, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, regions, integers, steps, operations, elements, components, and/or groups thereof.


[0045] Unless otherwise defined, all terms (including technical and scientific terms) used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this general inventive concept belongs. It will be further understood that terms, such as those defined in commonly used dictionaries, should be interpreted as having a meaning that is consistent with their meaning in the context of the relevant art and the present disclosure, and will not be interpreted in an idealized or overly formal sense unless expressly so defined herein.

[0046] Exemplary embodiments are described herein with reference to cross section illustrations that are schematic illustrations of idealized embodiments. As such, variations from the shapes of the illustrations as a result, for example, of manufacturing techniques and/or tolerances, are to be expected. Thus, embodiments described herein should not be


construed as limited to the particular shapes of regions as illustrated herein but are to include deviations in shapes that result, for example, from manufacturing. For example, a region illustrated or described as flat may, typically, have rough and/or nonlinear features. Moreover, sharp angles that are illustrated may be rounded. Thus, the regions illustrated in the figures are schematic in nature and their shapes are not intended to illustrate the precise shape of a region and are not intended to limit the scope of the present claims.

[0047] A condensed-cyclic compound according to an embodiment may be represented by Formula 1A or 1B:

Formula 1A




Formula 1B




[0048] ring A<sub>1</sub> in Formula 1A and 1B may be represented by Formula 1C or 1D.

Formula 1C




Formula 1D




[0049] In Formulae 1A and 1B, ring A<sub>1</sub> may be fused with an adjacent 5-membered cyclic ring by sharing the carbon atoms disposed therebetween. Accordingly, the condensed-cyclic compound represented by Formula 1A or 1B may be represented by any one of Formulae 1A-1 to 1A-7 and 1B-1 to 1B-4:

Formula 1A-1




Formula 1A-2




Formula 1A-3


Formula 1A-4



Formula 1A-5




Formula 1A-6




-continued


Formula 1A-7




Formula 1B-1




Formula 1B-2



Formula 1B-3



Formula 1B-4




**[0050]** Descriptions of Formulae 1A-1 to 1A-7 and 1B-1 to 1B-4, X<sub>1</sub> to X<sub>4</sub>, X<sub>11</sub>, L<sub>1</sub> to L<sub>4</sub>, L<sub>11</sub>, L<sub>12</sub>, L<sub>21</sub>, a<sub>1</sub> to a<sub>4</sub>, a<sub>11</sub>, a<sub>12</sub>, a<sub>21</sub>, R<sub>1</sub> to R<sub>6</sub>, R<sub>11</sub> to R<sub>17</sub>, b<sub>1</sub> to b<sub>6</sub>, and b<sub>11</sub> to b<sub>17</sub> are given below.

**[0051]** According to an embodiment, the condensed-cyclic compound may be represented by Formula 1A-1, 1A-2, 1A-3, 1B-1, 1B-2, 1B-3, or 1B-4, but it is not limited thereto.


**[0052]** According to another embodiment, the condensed-cyclic compound may be represented by Formula 1A-1 or 1A-2, but it is not limited thereto.

**[0053]** Formulae 1A and 1B may be represented by any one of Formulae 1A(1) to 1A(4) and 1B(1) to 1B(4), but they are not limited thereto:


Formula 1A(1)




Formula 1A(2)



Formula 1A(3)




Formula 1A(4)




-continued


Formula 1B(1)




Formula 1B(2)



Formula 1B(3)



Formula 1B(4)



**[0054]** In Formulae 1A(1) to 1A(4) and 1B(1) to 1B(4), descriptions of ring  $A_1$ ,  $X_1$  to  $X_4$ ,  $X_{11}$ ,  $L_1$  to  $L_4$ ,  $L_{11}$ ,  $L_{12}$ ,  $L_{21}$ ,  $a_1$  to  $a_4$ ,  $a_{11}$ ,  $a_{12}$ ,  $a_{21}$ ,  $R_1$  to  $R_6$ ,  $R_{11}$  to  $R_{17}$ ,  $b_1$  to  $b_6$ , and  $b_{11}$  to  $b_{17}$  are given below.

**[0055]** In Formula 1C,  $X_{11}$  is selected from N- $[(L_{12})_{a_{12}}-(R_{12})_{b_{12}}]$ , S, O, S(=O), S(=O)<sub>2</sub>, C(=O), C( $R_{13}$ )( $R_{14}$ ),

Si(R<sub>13</sub>)(R<sub>14</sub>), P(R<sub>13</sub>), P(=O)(R<sub>13</sub>), and C=N(R<sub>12</sub>). For example, in Formula 1C, X<sub>11</sub> may be selected from N-[(L<sub>12</sub>)<sub>a12</sub>-(R<sub>12</sub>)<sub>b12</sub>], S, O, and C(R<sub>13</sub>)(R<sub>14</sub>), but it is not limited thereto. Descriptions of L<sub>12</sub>, a12, R<sub>12</sub> to R<sub>14</sub>, and b12 may be understood by referring to the description below.

**[0056]** In Formula 1A and 1B, X<sub>1</sub> is N or C-[(L<sub>1</sub>)<sub>a1</sub>-(R<sub>1</sub>)<sub>b1</sub>], X<sub>2</sub> is N or C-[(L<sub>2</sub>)<sub>a2</sub>-(R<sub>2</sub>)<sub>b2</sub>], X<sub>3</sub> is N or C-[(L<sub>3</sub>)<sub>a3</sub>-(R<sub>3</sub>)<sub>b3</sub>], and at least one of X<sub>1</sub> to X<sub>3</sub> is N.

**[0057]** For example, in Formulae 1A and 1B,

**[0058]** X<sub>1</sub> to X<sub>3</sub> may be N;

**[0059]** X<sub>1</sub> may be C-[(L<sub>1</sub>)<sub>a1</sub>-(R<sub>1</sub>)<sub>b1</sub>], X<sub>2</sub> and X<sub>3</sub> may be N;

**[0060]** X<sub>1</sub> may be N, X<sub>2</sub> may be C-[(L<sub>2</sub>)<sub>a2</sub>-(R<sub>2</sub>)<sub>b2</sub>], and X<sub>3</sub> may be N;

**[0061]** X<sub>1</sub> and X<sub>2</sub> may be N, and X<sub>3</sub> may be C-[(L<sub>3</sub>)<sub>a3</sub>-(R<sub>3</sub>)<sub>b3</sub>];

**[0062]** X<sub>1</sub> may be C-[(L<sub>1</sub>)<sub>a1</sub>-(R<sub>1</sub>)<sub>b1</sub>], X<sub>2</sub> may be N, and X<sub>3</sub> may be C-[(L<sub>3</sub>)<sub>a3</sub>-(R<sub>3</sub>)<sub>b3</sub>];

**[0063]** X<sub>1</sub> may be C-[(L<sub>1</sub>)<sub>a1</sub>-(R<sub>1</sub>)<sub>b1</sub>], X<sub>2</sub> may be C-[(L<sub>2</sub>)<sub>a2</sub>-(R<sub>2</sub>)<sub>b2</sub>], and X<sub>3</sub> may be N; or

**[0064]** X<sub>1</sub> may be N, X<sub>2</sub> may be C-[(L<sub>2</sub>)<sub>a2</sub>-(R<sub>2</sub>)<sub>b2</sub>], and X<sub>3</sub> may be C-[(L<sub>3</sub>)<sub>a3</sub>-(R<sub>3</sub>)<sub>b3</sub>].

**[0065]** According to an embodiment,

**[0066]** X<sub>1</sub> may be C-[(L<sub>1</sub>)<sub>a1</sub>-(R<sub>1</sub>)<sub>b1</sub>], X<sub>2</sub> and X<sub>3</sub> may be N; or

**[0067]** X<sub>1</sub> and X<sub>2</sub> may be N, and X<sub>3</sub> may be C-[(L<sub>3</sub>)<sub>a3</sub>-(R<sub>3</sub>)<sub>b3</sub>], but they are not limited thereto.

**[0068]** Descriptions of L<sub>1</sub> to L<sub>3</sub>, a1 to a3, R<sub>1</sub> to R<sub>3</sub>, and b1 to b3 may be understood by referring to the description below.

**[0069]** In Formulae 1A, 1B, and 1C, L<sub>1</sub> to L<sub>4</sub>, L<sub>11</sub>, L<sub>12</sub>, and L<sub>21</sub> may be each independently selected from a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub> cycloalkylene group, a substituted or unsubstituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkylene group, a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub> cycloalkenylene group, a substituted or unsubstituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkenylene group, a substituted or unsubstituted C<sub>6</sub>-C<sub>60</sub> arylene group, a substituted or unsubstituted C<sub>2</sub>-C<sub>60</sub> heteroarylene group, a substituted or unsubstituted divalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted divalent non-aromatic hetero-condensed polycyclic group.

**[0070]** For example, in Formulae 1A, 1B, and 1C, L<sub>1</sub> to L<sub>4</sub>, L<sub>11</sub>, L<sub>12</sub>, and L<sub>21</sub> may be each independently selected from:


**[0071]** a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an indacenylene group, an acenaphthylene group, a fluorenylene group, a spiro-fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthrenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylenylene group, a picenylene group, a perylenylene group, a pentaphenylenylene group, a hexacenylenylene group, a pyrrolylene group, an imidazolylene group, a pyrazolylene group, a pyridinylenylene group, a pyrazinylenylene group, a pyrimidinylenylene group, a pyridazinylenylene group, an isoindolylenylene group, an indolylenylene group, an indazolylene group, a purinylenylene group, a quinolinylene group, an isoquinolinylene group, a benzoquinolinylene group, a phthalazinylene group, a naphthyridinylene group, a quinoxalinylene group, a quinazolinylene group, a cinnolinylene group, a carbazolylene group, a phenanthridinylene group, an acridinylene group, a phenanthrolinylene group, a phenazinylene group, a benzooxazolylene group, a benzoimidazolylene group, a furanylenylene group, a benzofuranylenylene group, a thiophenylenylene group, a benzothiophenylenylene group, a thiazolylene group, a isothiazolylene group, a benzothiazolylene group, an isox-

azolylene group, an oxazolylene group, a triazolylene group, a tetrazolylene group, an oxadiazolylene group, a triazinylene group, a dibenzofuranylenylene group, a dibenzothiophenylenylene group, a benzocarbazolylene group, a dibenzocarbazolylene group, an imidazopyrimidinylene group, and an imidazopyridinylene group; and

**[0072]** a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an indacenylene group, an acenaphthylene group, a fluorenylene group, a spiro-fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthrenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylenylene group, a picenylene group, a perylenylene group, a pentaphenylenylene group, a hexacenylenylene group, a pyrrolylene group, an imidazolylene group, a pyrazolylene group, a pyridinylenylene group, a pyrazinylenylene group, a pyrimidinylenylene group, a pyridazinylenylene group, an isoindolylenylene group, an indolylenylene group, an indazolylene group, a purinylenylene group, a quinolinylene group, an isoquinolinylene group, a benzoquinolinylene group, a phthalazinylene group, a naphthyridinylene group, a quinoxalinylene group, a quinazolinylene group, a cinnolinylene group, a carbazolylene group, a phenanthridinylene group, an acridinylene group, a phenanthrolinylene group, a phenazinylene group, a benzooxazolylene group, a benzoimidazolylene group, a furanylenylene group, a benzofuranylenylene group, a thiophenylenylene group, a benzothiophenylenylene group, a thiazolylene group, a isothiazolylene group, a benzothiazolylene group, an isoxazolylene group, an oxazolylene group, a triazolylene group, a tetrazolylene group, an oxadiazolylene group, a triazinylene group, a dibenzofuranylenylene group, a dibenzothiophenylenylene group, a benzocarbazolylene group, a dibenzocarbazolylene group, an imidazopyrimidinylene group, and an imidazopyridinylene group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a C<sub>6</sub>-C<sub>20</sub> aryl group, a C<sub>2</sub>-C<sub>60</sub> heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic hetero-condensed cyclic group, and —Si(Q<sub>33</sub>)(Q<sub>34</sub>)(Q<sub>35</sub>).











**[0073]** Q<sub>33</sub> to Q<sub>35</sub> may be each independently selected from a hydrogen, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a phthalazinyl group, a quinoxalinyl group, a cinnolinyl group, and a quinazolinyl group, but they are not limited thereto.

**[0074]** For example, in Formulae 1A, 1B, and 1C, L<sub>1</sub> to L<sub>4</sub>, L<sub>11</sub>, L<sub>12</sub>, and L<sub>21</sub> may be each independently selected from Formulae 2-1 to 2-34:




Formula 2-1


-continued




Formula 2-2




Formula 2-3




Formula 2-4




Formula 2-5




Formula 2-6




Formula 2-7




Formula 2-8





Formula 2-9



Formula 2-10



Formula 2-11



-continued

Formula 2-12

Formula 2-13

Formula 2-14

Formula 2-15

Formula 2-16

Formula 2-17

Formula 2-18










Formula 2-19

Formula 2-20


Formula 2-21

Formula 2-22

-continued




Formula 2-23




Formula 2-24

Formula 2-25



Formula 2-26



Formula 2-27

Formula 2-28

Formula 2-29

Formula 2-30

Formula 2-31

-continued

Formula 2-32

Formula 2-33

Formula 2-34

[0075] In Formula 2-1 to 2-34,

[0076]  $Y_1$  may be selected from O, S, S(=O), S(=O)<sub>2</sub>, C(Z<sub>3</sub>)(Z<sub>4</sub>), N(Z<sub>5</sub>), or Si(Z<sub>6</sub>)(Z<sub>7</sub>);

[0077]  $Z_1$  to  $Z_7$  may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, a quinoxaliny group, a biphenyl group, and —Si(Q<sub>33</sub>)(Q<sub>34</sub>)(Q<sub>35</sub>); wherein Q<sub>33</sub> to Q<sub>35</sub> may be each independently selected from a hydrogen, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, and a quinoxaliny group;

[0078]  $d_1$  is selected from integers of 1 to 4,[0079]  $d_2$  is selected from integers of 1 to 3,[0080]  $d_3$  is selected from integers of 1 to 6,[0081]  $d_4$  is selected from integers of 1 to 8,[0082]  $d_5$  is 1 or 2,[0083]  $d_6$  is selected from integers of 1 to 5, and

[0084] each of \* and \*' indicates a bonding site to neighboring atoms.

[0085] For example, in Formulae 2-1 to 2-34, \*' indicates a bonding site to neighboring atoms of L<sub>1</sub> to L<sub>4</sub>, L<sub>11</sub>, L<sub>12</sub>, and L<sub>21</sub> or bonding site to each of R<sub>1</sub> to R<sub>4</sub>, R<sub>11</sub>, R<sub>12</sub>, and R<sub>21</sub>.

**[0086]** According to an embodiment, in Formulae 1A and 1B,  $L_1$  to  $L_4$ ,  $L_{11}$ ,  $L_{12}$ , and  $L_{21}$  may be each independently selected from Formulae 2-1 to 2-5, 2-9 to 2-23, and 2-34, but they are not limited thereto.

**[0087]** According to another embodiment, in Formulae 1A and 1B,  $L_1$  to  $L_4$ ,  $L_{11}$ ,  $L_{12}$ , and  $L_{21}$  may be each independently selected from:

**[0088]** a phenylene group and a naphthylene group; and

**[0089]** a phenylene group and a naphthylene group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a  $C_1$ - $C_{20}$  alkyl group, a  $C_1$ - $C_{20}$  alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothienophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazolinyl group, a quinoxalinyl group, a biphenyl group, and —Si( $Q_{33}$ )( $Q_{34}$ )( $Q_{35}$ ) (wherein  $Q_{33}$  to  $Q_{35}$  may be each independently selected from a hydrogen, a  $C_1$ - $C_{20}$  alkyl group, a  $C_1$ - $C_{20}$  alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothienophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazolinyl group, and a quinoxalinyl group, but they are not limited thereto.

**[0090]** In Formula 1A,  $a_1$  represents the number of groups  $L_1$ , which may be 0, 1, 2, or 3, for example, 0, 1, or 2, or may be 0 or 1. When  $a_1$  is 0,  $-(L_1)_{a_1}$  is a single bond. When  $a_1$  is 2 or greater, two or more groups  $L_1$  may be the same or different. Descriptions of  $a_2$  to  $a_4$ ,  $a_{11}$ ,  $a_{12}$ , and  $a_{21}$  may be understood by referring to the description of  $a_1$  and structures of Formulae 1A and 1B.

**[0091]** According to an embodiment, in Formulae above,  $a_1$  to  $a_4$ ,  $a_{11}$ ,  $a_{12}$ , and  $a_{21}$  may be each independently, 0, 1, or 2.

**[0092]** According to another embodiment, in Formulae above,  $a_{21}$  may be 1, but it is not limited thereto.

**[0093]** In Formulae 1A, 1B, 1C, and 1D,  $R_1$  to  $R_3$ ,  $R_5$ ,  $R_6$ , and  $R_{11}$  to  $R_{17}$  may be each independently selected from a hydrogen, a deuterium, —F (a fluoro group), —Cl (a chloro group), —Br (a bromo group), —I (an iodo group), a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a substituted or unsubstituted  $C_1$ - $C_{60}$  alkyl group, a substituted or unsubstituted  $C_2$ - $C_{60}$  alkenyl group, a substituted or unsubstituted  $C_2$ - $C_{60}$  alkenyl group, a substituted or unsubstituted  $C_3$ - $C_{10}$  cycloalkyl group, a substituted or unsubstituted  $C_2$ - $C_{10}$  heterocycloalkyl group, a substituted or unsubstituted  $C_3$ - $C_{10}$  cycloalkenyl group, a substituted or unsubstituted  $C_2$ - $C_{10}$  heterocycloalkenyl group, a substituted or unsubstituted  $C_6$ - $C_{60}$  aryl group, a substituted or unsubstituted  $C_6$ - $C_{60}$  aryloxy group, a substituted or unsubstituted  $C_6$ - $C_{60}$  arylthio group, a substituted or unsubstituted  $C_2$ - $C_{60}$  heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic group, —N( $Q_1$ )( $Q_2$ ), —Si( $Q_3$ )( $Q_4$ )( $Q_5$ ), and —B( $Q_6$ )( $Q_7$ ). Here, descriptions of  $Q_1$  to  $Q_7$  are as described below.

**[0094]** In Formulae 1A and 1B,  $R_4$  is selected from a substituted or unsubstituted  $C_3$ - $C_{10}$  cycloalkyl group, a substituted or unsubstituted  $C_2$ - $C_{10}$  heterocycloalkyl group, a substituted or unsubstituted  $C_3$ - $C_{10}$  cycloalkenyl group, a substituted or unsubstituted  $C_2$ - $C_{10}$  heterocycloalkenyl group, a substituted or unsubstituted  $C_6$ - $C_{60}$  aryl group, a substituted or unsubstituted  $C_6$ - $C_{60}$  aryloxy group, a substituted or unsubstituted  $C_6$ - $C_{60}$  arylthio group, a substituted or unsubstituted  $C_2$ - $C_{60}$  heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic group. For example,  $R_4$  may be selected from a substituted or unsubstituted  $C_6$ - $C_{20}$  aryl group, a substituted or unsubstituted  $C_2$ - $C_{30}$  heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic group, but it is not limited thereto.

**[0095]** According to an embodiment, in Formulae 1A and 1B,  $R_{11}$  and  $R_{12}$  may be each independently selected from a substituted or unsubstituted  $C_6$ - $C_{30}$  aryl group, a substituted or unsubstituted  $C_2$ - $C_{30}$  heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic group.

**[0096]** For example, in Formulae 1A, 1B, 1C, and 1D,  $R_1$  to  $R_3$ ,  $R_5$ ,  $R_6$ , and  $R_{13}$  to  $R_{17}$  may be each independently selected from:

**[0097]** a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a  $C_1$ - $C_{20}$  alkyl group, and a  $C_1$ - $C_{20}$  alkoxy group;

**[0098]** a  $C_1$ - $C_{20}$  alkyl group and a  $C_1$ - $C_{20}$  alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof and a phosphoric acid or a salt thereof;

**[0099]** a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a

phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group;

**[0100]** a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacacenyl group, a pentacacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, —Si(Q<sub>33</sub>)(Q<sub>34</sub>)(Q<sub>35</sub>), a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacacenyl group, a pentacacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothia-

zolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and a biphenyl group; and

**[0101]** —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>) (provided that, R<sub>13</sub> and R<sub>14</sub> are not —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>));

**[0102]** wherein Q<sub>3</sub> to Q<sub>5</sub> and Q<sub>33</sub> to Q<sub>35</sub> may be each independently selected from a hydrogen, C<sub>1</sub>-C<sub>20</sub> alkyl group, C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazolinyl group, and a quinoxalinyl group, but they are not limited thereto.

**[0103]** According to another embodiment, in Formulae 1A, 1B, 1C, and 1D, R<sub>1</sub> to R<sub>3</sub>, R<sub>5</sub>, R<sub>6</sub>, and R<sub>13</sub> to R<sub>17</sub> may be each independently selected from:

**[0104]** a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, and a C<sub>1</sub>-C<sub>20</sub> alkoxy group;

**[0105]** a C<sub>1</sub>-C<sub>20</sub> alkyl group and a C<sub>1</sub>-C<sub>20</sub> alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, and a phosphoric acid or a salt thereof;

**[0106]** a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazolinyl group, and a quinoxalinyl group;

**[0107]** a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazolinyl group, and a quinoxalinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, —Si(Q<sub>33</sub>)(Q<sub>34</sub>)(Q<sub>35</sub>), a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazolinyl group, and a quinoxalinyl group; and

[0108] —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>), provided that R<sub>13</sub> and R<sub>14</sub> are not —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>);

[0109] wherein Q<sub>3</sub> to Q<sub>5</sub> and Q<sub>33</sub> to Q<sub>35</sub> may be each independently selected from a hydrogen, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazolinyl group, and a quinoxalinyl group.

[0110] Meanwhile, in Formulae 1A and 1B, R<sub>4</sub>, R<sub>11</sub>, and R<sub>12</sub> may be each independently selected from:

[0111] a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenylyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenylyl group, a pentacenylyl group, a rubicenylyl group, a coronenylyl group, a pyrrolyl group, an ovalenylyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, a benzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group; and

[0112] a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenylyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenylyl group, a pentacenylyl group, a rubicenylyl group, a coronenylyl group, an ovalenylyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl

group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group and an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, —Si(Q<sub>33</sub>)(Q<sub>34</sub>)(Q<sub>35</sub>), a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenylyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenylyl group, a pentacenylyl group, a rubicenylyl group, a coronenylyl group, an ovalenylyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and a biphenyl group; and

[0113] Q<sub>33</sub> to Q<sub>35</sub> may be each independently selected from a hydrogen, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazolinyl group, and a quinoxalinyl group.

[0114] According to another embodiment, in Formulae 1A, 1B, 1C, and 1D, R<sub>1</sub> to R<sub>3</sub>, R<sub>5</sub>, R<sub>6</sub>, and R<sub>13</sub> to R<sub>17</sub> may be each independently selected from:

[0115] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group and a C<sub>1</sub>-C<sub>20</sub> alkoxy group;


[0116] a C<sub>1</sub>-C<sub>20</sub> alkyl group and a C<sub>1</sub>-C<sub>20</sub> alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, and a phosphoric acid or a salt thereof;

[0117] Formulae 4-1 to 4-31 below (for example, Formulae 4-1 to 4-3 and 4-6 to 4-13); and


[0118] —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>) (provided that, R<sub>13</sub> and R<sub>14</sub> are not —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>));

[0119] wherein, R<sub>4</sub>, R<sub>11</sub>, and R<sub>12</sub> may be each independently selected from Formulae 4-1 to 4-31 (for example, Formulae 4-1 to 4-3 and 4-6 to 4-13), but they are not limited thereto.


-continued




Formula 4-1




Formula 4-2




Formula 4-3




Formula 4-4




Formula 4-5




Formula 4-6




Formula 4-7




Formula 4-8




Formula 4-9




Formula 4-10




Formula 4-11




Formula 4-12




Formula 4-13




Formula 4-14




Formula 4-15




Formula 4-16




Formula 4-17



Formula 4-18













Formula 4-19



Formula 4-20

-continued



Formula 4-21

Formula 4-22

Formula 4-23

Formula 4-24

Formula 4-25

Formula 4-26

Formula 4-27


Formula 4-28

Formula 4-29

Formula 4-30

-continued

Formula 4-31



[0120] In Formulae 4-1 to 4-31,

[0121]  $Y_{31}$  may be O, S, C( $Z_{33}$ )( $Z_{34}$ ), N( $Z_{35}$ ) or Si( $Z_{36}$ )( $Z_{37}$ );[0122]  $Z_{31}$  to  $Z_{37}$  may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof,  $C_1$ - $C_{20}$  alkyl group,  $C_1$ - $C_{20}$  alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a benzofuranyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, a quinoxaliny group, a biphenyl group, and —Si( $Q_{33}$ )( $Q_{34}$ )( $Q_{35}$ );[0123]  $Q_3$  to  $Q_5$  and  $Q_{33}$  to  $Q_{35}$  may be each independently selected from a hydrogen, a  $C_1$ - $C_{20}$  alkyl group, a  $C_1$ - $C_{20}$  alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a benzofuranyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, and a quinoxaliny group;

[0124] e1 may be selected from integers of 1 to 5,

[0125] e2 is selected from integers of 1 to 7,

[0126] e3 is selected from integers of 1 to 3,

[0127] e4 is selected from integers of 1 to 4,

[0128] e5 is 1 or 2,

[0129] e6 is selected from integers of 1 to 6, and

[0130] \* indicates a bonding site to a neighboring atom.

[0131] According to another embodiment,  $R_1$  to  $R_3$ ,  $R_5$ ,  $R_6$ , and  $R_{13}$  to  $R_{17}$  may be each independently selected from:[0132] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a  $C_1$ - $C_{20}$  alkyl group, and a  $C_1$ - $C_{20}$  alkoxy group;[0133] a  $C_1$ - $C_{20}$  alkyl group and a  $C_1$ - $C_{20}$  alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, and a phosphoric acid or a salt thereof;

[0134] a phenyl group and a naphthyl group;

[0135] a phenyl group and a naphthyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a

salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, and a naphthyl group; and

[0136] —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>) (provided that, R<sub>13</sub> and R<sub>14</sub> are not —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>) and Q<sub>3</sub> to Q<sub>5</sub> are each independently selected from a hydrogen, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, and a naphthyl group);

[0137] R<sub>4</sub>, R<sub>11</sub>, and R<sub>12</sub> are each independently selected from:

[0138] a phenyl group and a naphthyl group; and

[0139] a phenyl group and a naphthyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, and a naphthyl group; but, they are not limited thereto.

[0140] According to another embodiment, R<sub>5</sub>, R<sub>6</sub>, and R<sub>15</sub> to R<sub>17</sub> may all be hydrogen, but they are not limited thereto.

[0141] In Formulae 1A and 1B, b1 represents the number of groups R<sub>1</sub> and may be selected from integers of 1 to 3. For example, b1 may be 1 or 2. In greater detail, b1 may be 1. When b1 is 2 or greater, two or more of groups R<sub>1</sub> may be the same or different. Descriptions of b2 to b6 and b11 to b17 may be understood by referring to the description of b1 and structures of Formulae 1A, 1B, 1C, and 1D.

[0142] According to an embodiment, at least one substituent of the substituted C<sub>3</sub>-C<sub>10</sub> cycloalkylene group, substituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkylene group, substituted C<sub>3</sub>-C<sub>10</sub> cycloalkenylene group, substituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkenylene group, substituted C<sub>6</sub>-C<sub>60</sub> arylene group, substituted C<sub>2</sub>-C<sub>60</sub> heteroarylene group, substituted divalent non-aromatic condensed polycyclic group, substituted divalent non-aromatic hetero-condensed polycyclic group, substituted C<sub>1</sub>-C<sub>60</sub> alkyl group, substituted C<sub>2</sub>-C<sub>60</sub> alkenyl group, substituted C<sub>2</sub>-C<sub>60</sub> alkenyl group, substituted C<sub>1</sub>-C<sub>60</sub> alkoxy group, substituted C<sub>3</sub>-C<sub>10</sub> cycloalkyl group, substituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl group, substituted C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, substituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkenyl group, substituted C<sub>6</sub>-C<sub>60</sub> aryl group, substituted C<sub>6</sub>-C<sub>60</sub> aryloxy group, substituted C<sub>6</sub>-C<sub>60</sub> arylthio group, substituted C<sub>2</sub>-C<sub>60</sub> heteroaryl group, substituted monovalent non-aromatic condensed polycyclic group, and substituted monovalent non-aromatic hetero-condensed polycyclic group may be selected from:

[0143] a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>60</sub> alkyl group, a C<sub>2</sub>-C<sub>60</sub> alkenyl group, a C<sub>2</sub>-C<sub>60</sub> alkenyl group, and a C<sub>1</sub>-C<sub>60</sub> alkoxy group;

[0144] a C<sub>1</sub>-C<sub>60</sub> alkyl group, C<sub>2</sub>-C<sub>60</sub> alkenyl group, a C<sub>2</sub>-C<sub>60</sub> alkenyl group, and a C<sub>1</sub>-C<sub>60</sub> alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>3</sub>-C<sub>10</sub>


cycloalkyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl group, a C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkenyl group, a C<sub>6</sub>-C<sub>60</sub> aryl group, a C<sub>6</sub>-C<sub>60</sub> aryloxy group, a C<sub>6</sub>-C<sub>60</sub> arylthio group, a C<sub>2</sub>-C<sub>60</sub> heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic hetero-condensed polycyclic group, —N(Q<sub>11</sub>)(Q<sub>12</sub>), —Si(Q<sub>13</sub>)(Q<sub>14</sub>)(Q<sub>15</sub>) and —B(Q<sub>16</sub>)(Q<sub>17</sub>);

[0145] a C<sub>3</sub>-C<sub>10</sub> cycloalkyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl group, a C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkenyl group, a C<sub>6</sub>-C<sub>60</sub> aryl group, a C<sub>6</sub>-C<sub>60</sub> aryloxy group, a C<sub>6</sub>-C<sub>60</sub> arylthio group, a C<sub>2</sub>-C<sub>60</sub> heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic hetero-condensed polycyclic group; a C<sub>3</sub>-C<sub>10</sub> cycloalkyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl group, a C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkenyl group, a C<sub>6</sub>-C<sub>60</sub> aryl group, a C<sub>6</sub>-C<sub>60</sub> aryloxy group, a C<sub>6</sub>-C<sub>60</sub> arylthio group, a C<sub>2</sub>-C<sub>60</sub> heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic hetero-condensed polycyclic group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>60</sub> alkyl group, a C<sub>2</sub>-C<sub>60</sub> alkenyl group, a C<sub>2</sub>-C<sub>60</sub> alkenyl group, a C<sub>1</sub>-C<sub>60</sub> alkoxy group, a C<sub>3</sub>-C<sub>10</sub> cycloalkyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl group, a C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkenyl group, a C<sub>6</sub>-C<sub>60</sub> aryl group, a C<sub>6</sub>-C<sub>60</sub> aryloxy group, a C<sub>6</sub>-C<sub>60</sub> arylthio group, a C<sub>2</sub>-C<sub>60</sub> heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic hetero-condensed polycyclic group, —N(Q<sub>21</sub>)(Q<sub>22</sub>), —Si(Q<sub>23</sub>)(Q<sub>24</sub>)(Q<sub>25</sub>), and —B(Q<sub>26</sub>)(Q<sub>27</sub>); and


[0146] —N(Q<sub>31</sub>)(Q<sub>32</sub>), —Si(Q<sub>33</sub>)(Q<sub>34</sub>)(Q<sub>35</sub>) and —B(Q<sub>36</sub>)(Q<sub>37</sub>);

[0147] wherein Q<sub>1</sub> to Q<sub>7</sub>, Q<sub>11</sub> to Q<sub>17</sub>, Q<sub>21</sub> to Q<sub>27</sub> and Q<sub>31</sub> to Q<sub>37</sub> may be each independently selected from a hydrogen, a C<sub>1</sub>-C<sub>60</sub> alkyl group, a C<sub>2</sub>-C<sub>60</sub> alkenyl group, a C<sub>2</sub>-C<sub>60</sub> alkenyl group, a C<sub>1</sub>-C<sub>60</sub> alkoxy group, a C<sub>3</sub>-C<sub>10</sub> cycloalkyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl group, a C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkenyl group, a C<sub>6</sub>-C<sub>60</sub> aryl group, a C<sub>6</sub>-C<sub>60</sub> aryloxy group, a C<sub>6</sub>-C<sub>60</sub> arylthio group, a C<sub>2</sub>-C<sub>60</sub> heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic hetero-condensed polycyclic group.

[0148] The condensed-cyclic compound may be any one of Compounds 1 to 824, but it is not limited thereto:




-continued




2


-continued




6




3




7



4




8




5

-continued




9


-continued




13




10




14




11



15




12




16

-continued




17


-continued




20




18




21



19




22









23

-continued




-continued




-continued


31




32



33




34




-continued


35




36



37




-continued




38

-continued




42


39




40




43




41









44



-continued




-continued




-continued

52




-continued


55



56




57





58


53



54




-continued




59

-continued




63


60




61




64




62



65




-continued




66

-continued




70


67




71




68




72



69




73




-continued


74




75



76




77




-continued


78




79



80




-continued




81


-continued




84




82



85




83



86


-continued

87




-continued


90




88




91



89




92




-continued

93




-continued


96




94




97




95




98




-continued




-continued




100




103



101




104




-continued

105




-continued


108




106




109




107



110




-continued




111


-continued




114




112



115




113




116

-continued




117


-continued




120




118



121




119



122


-continued

123




-continued


126




124




127




125




128




-continued




-continued




130




133



131




134




-continued

135




-continued


138




136




139




137




140




-continued




-continued




142




145



143




146




-continued

147




-continued


150




148




151



149




152




-continued

153




-continued


156




154




157



155




158




-continued

159




-continued


162




160




163



161




164




-continued

165




-continued


168




166




169




170



167




171




-continued

172




-continued


175




173




176




174



177




-continued




178

-continued




182


179




180




181




183




184




-continued




-continued




186




189



187




190




-continued

191




-continued


194




192




195




193



196




-continued




197

-continued




201


198



202





199




203


200




-continued




-continued





208



206




210




-continued

211




-continued


214




212




215



213




216




-continued

217




-continued


221




218



222





219







223





220



-continued




-continued




-continued

232




-continued


235




233




236




237



234




238




-continued


239




240



241




242




-continued


243




244








245



-continued




-continued




-continued


252




253



254




255




-continued


256




257



258




259




-continued

260




-continued


264




261




265




262




266




263




267




-continued




-continued




269




272




270




273




-continued




274



275




276




277


-continued



278




279




280

-continued




281

-continued




285


282




283




284




286









287




-continued








-continued




-continued




-continued




-continued




-continued




302



306





303







307





304




-continued









-continued




-continued



-continued




-continued




323


-continued




327




324




325



328




326








329

-continued




-continued




-continued

336




-continued


339




337




340



338




341




-continued

342




-continued


345




343




346



344




347




-continued

348




-continued


351




349




352




350



353




-continued




354


-continued




357




355



358




356



359


-continued

360




-continued


363




361




364



362




365




-continued

366




-continued


369




367




370




368



371




-continued




372


-continued




375




373



376




374




377


-continued




-continued




379




382



380




383




-continued

384




-continued


387




385




388



386




389




-continued

390




-continued


393




391




394



392




395




-continued

396




-continued


399




397




400




398




401




-continued




-continued




403




406



404




407




-continued

408




-continued


411




409




412




410



413




-continued




414


-continued




417




415



418




416



419


-continued

420




-continued


424




421



425





422




426

423




-continued

427




-continued


430




431




428




432



429




433




-continued

434




-continued


437




435




438



436




439




-continued

440





-continued

443




444


441



442




445




-continued

446




-continued


449




450




447




451



448




452




-continued

453




-continued


456




454




457



455




458




-continued

459




-continued


463




460




464




461




465









462



-continued




-continued




-continued

473




-continued


476




474




477




478



475




479




-continued


480




481



482




483




-continued


484



485




486




-continued

487




-continued


491




492




488




493




489



490




494




-continued

495




-continued


498




496




499



497




500




-continued

501




-continued


504




502




505



503




506




-continued

507





-continued

510





511

508




512

509




-continued

513




-continued


515




516



514




517




-continued

518




-continued


521




522




519




523



520




524




-continued

525




-continued


527



526




528




-continued

529




-continued

532




533


530




534




531




535




-continued




-continued



537




539




-continued

540




-continued


543




541




544



542




545




-continued

546




-continued


550




551




547




552




548



549




553




-continued

554





-continued

557





558

555




559

556




560




-continued

561




-continued

565




566

562





567

563




568

564




-continued

569





-continued

572





573

570




574

571




-continued

575




-continued


578




576




579




577



580




-continued




581


-continued




584




582



585




583




586

-continued


587




588



589




590




-continued


591




592



593




-continued




594

-continued




597


595




598



596




599




-continued

600





-continued

603




604


601




602



605




-continued




606


-continued




609




607



610




608



611


-continued

612




-continued


615




613




616



614




617




-continued

618





-continued

621





622

619




623

620




-continued




624


-continued




627




625



628




626



629


-continued

630




-continued


633




631




634



632




635




-continued

636





-continued

639





637

640




638


641




-continued




-continued



643





646




647

644




-continued

648




-continued


651




649




652




650




653




-continued




-continued




655




658



656




659




-continued

660




-continued


663




664




665




666



661




662




-continued

667




-continued


669




670



668




671




-continued

672




-continued


675




676




673




677




674




678




-continued




-continued



681




680



682


-continued

683




-continued

686




687




688


684




685




689




-continued




-continued



691




693




-continued

694




-continued


697




695




698



696




699




-continued

700




-continued


704




705




701




702




706



703




707




-continued

708





-continued

711





712

709




713

710




714




-continued

715




-continued


719



716





720





721

717




722

718




-continued

723





-continued

726





727

724




728

725




-continued

729




-continued


732




730




733




731



734




-continued




735


-continued




738




736



739




737




740

-continued


741




742



743




744




-continued


745




746



747




-continued




748

-continued




751


749




752



750




753




-continued

754





-continued

757




758


755




756



759




-continued




760


-continued




763




761



764




762



765


-continued

766




-continued


769




767




770



768




771




-continued

772




-continued


775




776




773




777



774




-continued




778


-continued




781




779



782




780



783


-continued

784




-continued


787




788




785



786




789




-continued

790




-continued


793




791




794




792




795




-continued




-continued




797




800




798




801




-continued




-continued




803




806




804



807




-continued




808


-continued




811




809



812




810




813

-continued


814




815




816



817




818




-continued


819




820




821



822




823



-continued

824




[0149] In the condensed-cyclic compound represented by Formula 1A or 1B,  $R_4$  is selected from a substituted or unsubstituted  $C_3$ - $C_{10}$  cycloalkyl group, a substituted or unsubstituted  $C_2$ - $C_{10}$  heterocycloalkyl group, a substituted or unsub-


molecular structure. Accordingly, the condensed-cyclic compound represented by Formula 1A or 1B may have excellent thermal stability, which may increase deposition temperature. As a result, efficiency and lifespan of an organic light-emitting device including the condensed-cyclic compound may be improved to improve formability of the organic light-emitting device during the manufacturing process thereof.

[0151] Also, because both group "A" and the "carbazole-based" group in Formulae 1A and 1B are bound to a "nitrogen-containing 6-membered ring" (see Formulae 1A' and 1B'), hole injection and hole transport and electron injection and electron transport may occur thoroughly and Formulae 1A and 1B may each actually have a spherical molecular structure. Accordingly, the condensed-cyclic compound may simultaneously have excellent charge-transporting ability and thermal stability, such that the organic light-emitting device including the condensed-cyclic compound may have increased emission efficiency, reduced driving voltage, and a long lifespan.

Formula 1A'



Formula 1B'



stituted  $C_3$ - $C_{10}$  cycloalkenyl group, a substituted or unsubstituted  $C_2$ - $C_{10}$  heterocycloalkenyl group, a substituted or unsubstituted  $C_6$ - $C_{60}$  aryl group, a substituted or unsubstituted  $C_6$ - $C_{60}$  aryloxy group, a substituted or unsubstituted  $C_6$ - $C_{60}$  arylthio group, a substituted or unsubstituted  $C_2$ - $C_{60}$  heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic group.

[0150] In other words, in Formula 1A and 1B,  $R_4$  necessarily includes a ring structure. As a result, the condensed-cyclic compound represented by Formula 1A or 1B is chemically and structurally stable and may actually have a spherical

[0152] A method of synthesizing the condensed-cyclic compound represented by Formula 1A or 1B may be understood by one of ordinary skill in the art by referring to the embodiments described below.

[0153] Accordingly, the condensed-cyclic compound represented by Formula 1A or 1B may be suitable as a material for an organic layer (for example, a host of an EML) in an organic light-emitting device. According to another embodiment, provided is an organic light-emitting device including

[0154] a first electrode;

[0155] a second electrode; and

[0156] an organic layer disposed between the first electrode and the second electrode,

[0157] wherein the organic layer includes the EML, which includes at least one condensed-cyclic compound represented by Formula 1A or 1B.

[0158] The organic light-emitting device including an organic layer including the condensed-cyclic compound represented by Formula 1A or 1B has low driving voltage, high efficiency, high brightness, and a long lifespan.

[0159] The condensed-cyclic compound represented by Formula 1A or 1B may be used between a pair of electrodes in the organic light-emitting device. For example, the condensed-cyclic compound may be included in at least one of an EML, a hole-transport region disposed between the first electrode and the EML (for example, the hole transport region may include at least one of a hole-injecting layer (HIL), a hole-transporting layer (HTL), and an electron-blocking layer (EBL)), and an electron-transport region disposed between the EML and the second electrode (for example, the electron transport region may include at least one of a hole-blocking layer (HBL), an electron-transporting layer (ETL), and an electron-injecting layer (EIL)). For example, the condensed-cyclic compound represented by Formula 1A or 1B may be included in the EML. In this regard, the EML further includes a dopant and the condensed-cyclic compound included in the EML may act as a host. The EML may be a green EML emitting green light and the dopant may be a phosphorescent dopant.

[0160] As used herein, the term “(the organic layer) includes at least one condensed-cyclic compound” may be understood as “(the organic layer) may include at least one condensed-cyclic compound belonging to the group of Formula 1A or 1B or two different condensed-cyclic compounds belonging to the group of Formula 1A or 1B”.

[0161] For example, the organic layer may only include Compound 1 as the condensed-cyclic compound. In this regard, Compound 1 may be situated in the EML of the organic light-emitting device. Alternatively, the organic layer may include Compound 1 and Compound 2 as the condensed-cyclic compound. In this regard, Compound 1 and Compound 2 may be present on the same layer (for example, Compound 1 and Compound 2 may all be present on the EML) or on different layers.

[0162] The organic layer includes

[0163] i) a hole transport region that is disposed between the first electrode and the EML and includes at least one of an HIL, an HTL, a buffer layer, and an EBL, and

[0164] ii) an electron transport region that is disposed between the EML and the second electrode and includes at least one layer selected from a HBL, an ETL, and an EIL.

[0165] The expression “organic layer”, as used herein refers to a single layer and/or a plurality of layers disposed between the first and second electrodes of an organic light-emitting device. A material of the “organic layer” is not limited to an organic material and may include an organic metal complex including a metal.

[0166] FIG. 1 is a schematic view of an organic light-emitting device 10 according to an embodiment. Hereinafter, a structure and a method of manufacturing the organic light-emitting device according to an embodiment will be

described with reference to FIG. 1. The organic light-emitting device 10 includes a first electrode 11, an organic layer 15, and a second electrode 19, which are sequentially stacked in the stated order.

[0167] A substrate may be additionally disposed under the first electrode 11 or on the second electrode 19. The substrate may be a conventional glass substrate or a transparent plastic substrate, each with excellent mechanical strength, thermal stability, transparency, surface smoothness, ease of handling, and water repellency.

[0168] The first electrode 11 may be formed by depositing or sputtering a material for forming the first electrode 11 on the substrate. When the first electrode 11 is an anode, the material for the first electrode 11 may be selected from materials with a high work function for an easy hole injection. The first electrode 11 may be a reflective electrode, a semi-transmissive electrode, or a transmissive electrode. The material for the first electrode 110 may be selected from indium tin oxide (ITO), indium zinc oxide (IZO), tin oxide (SnO<sub>2</sub>), and zinc oxide (ZnO). Alternatively, a metal such as magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), and magnesium-silver (Mg—Ag).

[0169] The first electrode 11 may have a single-layer structure or a multi-layer structure including two or more layers.

[0170] The organic layer 15 is disposed on the first electrode 11.

[0171] The organic layer 15 may include a hole transport region; an EML; and an electron transport region.

[0172] The hole transport region may be disposed between the first electrode 11 and the EML.

[0173] The hole transport region may include at least one of the HIL, HTL, EBL, and buffer layer.

[0174] The hole transport region may only include the HIL or HTL. Alternatively, the hole transport region may have an HIL/HTL structure or an HIL/HTL/EBL structure, wherein layers of each structure are sequentially stacked on the first electrode 11 in this stated order, but it is not limited thereto.


[0175] When the hole transport region includes an HIL, the HIL may be formed on the first electrode 11 by using various methods, such as vacuum deposition, spin coating, casting, a Langmuir-Blodgett (LB) method, or the like.

[0176] When an HIL is formed by vacuum deposition, for example, the vacuum deposition may be performed at a deposition temperature of about 100 to about 500° C., at a vacuum degree of about 10<sup>-8</sup> to about 10<sup>-3</sup> torr, and at a deposition rate of about 0.01 Angstrom per second (Å/sec) to about 100 Å/sec in consideration of a compound for an HIL to be deposited, and the structure of an HIL to be formed, but the conditions are not limited thereto.


[0177] When an HIL is formed by spin coating, the spin coating may be performed at a coating rate of about 2,000 revolutions per minute (rpm) to about 5,000 rpm, and at a temperature of about 80° C. to 200° C. for removing a solvent after the spin coating, in consideration of a compound for an HIL to be deposited, and the structure of an HIL to be formed, but the conditions are not limited thereto.

[0178] The conditions for forming the HTL and EBL may be inferred based on the conditions for forming the HIL.


[0179] The hole transport region may include at least one compound selected from m-MTDATA, TDATA, 2-TNATA, NPB, 3-NPB, TPD, Spiro-TPD, Spiro-NPB, methylated NPB, TAPC, HMTPD, 4,4',4''-tris(N-carbazolyl)triphenylamine (TCTA), polyaniline/dodecylbenzenesulfonic acid (Pani/DBSA), poly(3,4-ethylenedioxythiophene)/poly(4-styrenesulfonate) (PEDOT/PSS), polyaniline/camphor sulfonic acid (Pani/CSA), (polyaniline)/poly(4-styrenesulfonate) (PANI/PSS), a compound represented by Formula 201 below, and a compound represented by Formula 202 below:




m-MTDATA





2-TNATA




NPB




TDATA

 $\beta$ -NPB


TPD




Spiro-TPD




Spiro-NPB



methylated NPB




TAPC




HMTDP

-continued

Formula 201



Formula 202



**[0180]** In Formula 201, Ar<sub>101</sub> and Ar<sub>102</sub> may be each independently selected from:

**[0181]** a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, and a pentacenylene group; and

**[0182]** a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, and a pentacenylene group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C<sub>1</sub>-C<sub>60</sub> alkyl group, a C<sub>2</sub>-C<sub>60</sub> alkenyl group, a C<sub>2</sub>-C<sub>60</sub> alkynyl group, a C<sub>1</sub>-C<sub>60</sub> alkoxy group, a C<sub>3</sub>-C<sub>10</sub> cycloalkyl group, a C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkenyl group, a C<sub>6</sub>-C<sub>60</sub> aryl group, a C<sub>6</sub>-C<sub>60</sub> aryloxy group, a C<sub>6</sub>-C<sub>60</sub> arylthio group, a C<sub>2</sub>-C<sub>60</sub> heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic hetero-condensed polycyclic group.

**[0183]** In Formula 201, xa and xb may be each independently integers of 0 to 5, or 0, 1, or 2. For example, xa may be 1 and xb may be 0, but they are not limited thereto.

[0184] In Formulae 201 and 202,  $R_{101}$  to  $R_{108}$ ,  $R_{111}$  to  $R_{119}$ , and  $R_{121}$  to  $R_{124}$  may be each independently selected from:

[0185] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a  $C_1$ - $C_{10}$  alkyl group (for example, a methyl group, an ethyl group, a propyl group, a butyl group, a pentyl group, and a hexyl group) and a  $C_1$ - $C_{10}$  alkoxy group (for example, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, and a pentoxy group);

[0186] a  $C_1$ - $C_{10}$  alkyl group and a  $C_1$ - $C_{10}$  alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof;

[0187] a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, and a pyrenyl group; and

[0188] a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, and a pyrenyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a  $C_1$ - $C_{10}$  alkyl group, and a  $C_1$ - $C_{10}$  alkoxy group, but they are not limited thereto.


[0189] In Formula 201,  $R_{109}$  may be any one of a phenyl group, a naphthyl group, an anthracenyl group and a pyridinyl group; a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a  $C_1$ - $C_{20}$  alkyl group and a  $C_1$ - $C_{20}$  alkoxy group.

[0190] According to an embodiment, the compound represented by Formula 201 may be represented by Formula 201A, but it is not limited thereto:


[0191] In Formula 201A, detailed descriptions of  $R_{101}$ ,  $R_{111}$ ,  $R_{112}$ , and  $R_{109}$  may be the same as described herein.

[0192] For example, the compound represented by Formula 201 and the compound represented by Formula 202 may include Compounds HT1 to HT20, but the compound is not limited thereto:


HT1



HT2




Formula 201A




-continued

HT3




-continued


HT5



HT4




HT6




-continued

HT7





-continued

HT9




HT10

HT8




-continued

HT11




-continued


HT14




HT15




HT12




HT16






HT13



HT17



-continued




**[0193]** A thickness of the hole transport region may be in a range of about 100 Angstrom (Å) to about 10,000 Å, for example, about 100 Å to about 1,000 Å. When the hole transport region includes an HIL and a HTL, a thickness of the HIL may be in a range of about 100 Å to about 10,000 Å, for example, about 100 Å to about 1,000 Å, and a thickness of the HTL may be in a range of about 50 Å to about 2,000 Å, for example, about 100 Å to about 1,500 Å. When the thicknesses of the hole transport region, the HIL, and the HTL are within these ranges, satisfactory hole transporting characteristics may be obtained without a substantial increase in driving voltage.


**[0194]** The hole transport region may further include, in addition to the abovementioned materials, a charge-generating material for the improvement of conductive properties. The charge-generating material may be homogeneously or non-homogeneously dispersed throughout the hole transport region.

**[0195]** The charge-generating material may be, for example, a p-dopant. The p-dopant may be one of a quinone

derivative, a metal oxide, and a cyano group-containing compound, but is not limited thereto. For example, non-limiting examples of the p-dopant are a quinone derivative, such as tetracyanoquinonedimethane (TCNQ) or 2,3,5,6-tetrafluoro-tetracyano-1,4-benzoquinonedimethane (F4-TCNQ); a metal oxide, such as a tungsten oxide or a molybdenum oxide; and Compound HT-D1 illustrated below, but are not limited thereto.



Compound HT-D1



F4-TCNQ


**[0196]** The hole transport region may further include a buffer layer.

**[0197]** The buffer layer may compensate for an optical resonance distance according to a wavelength of light emitted from the EML, and thus, efficiency of an organic light-emitting device may be improved.






**[0198]** An EML may be formed on the hole transport region by using various methods, such as vacuum deposition, spin coating, casting, or an LB method. When the EML is formed by vacuum deposition or spin coating, deposition and coating conditions for the EML may be determined by referring to the deposition and coating conditions for the HIL.

**[0199]** The EML may include a host and a dopant. The host may include at least one condensed-cyclic compound represented by Formula 1A or 1B.

**[0200]** The host may include at least one compound selected from TPBi, TBADN, ADN (also referred to as "DNA"), CBP, CDBP, and TCP:



TPBi



TCP


[0201] When the organic light-emitting device 10 is a full color organic light-emitting device, the EML may be patterned into a red EML, a green EML, and a blue EML. In some embodiments, the EML may have a stacked structure of a red EML, a green EML, and/or a blue EML to emit white light. The host in the red EML, green EML, and blue EML may include the condensed-cyclic compound represented by Formula 1. According to an embodiment, the host in the green EML may include the condensed-cyclic compound represented by Formula 1A or 1B.

[0202] The EML may include a fluorescent dopant that emits light according to a fluorescent light emission mechanism or a phosphorescent dopant that emits light according to a phosphorescent light emission mechanism.

[0203] According to an embodiment, the EML may include a fluorescent and a phosphorescent dopant including the condensed-cyclic compound represented by Formula 1A or 1B. The phosphorescent dopant may include an organic metal complex including a transition metal (for example, iridium (Ir), platinum (Pt), osmium (Os), rhodium (Rh), or the like).

[0204] The phosphorescent compound may include an organometallic compound represented by Formula 81:

Formula 81



[0205] In Formula 81,

[0206] M may be selected from Iridium (Ir), platinum (Pt), osmium (Os), titanium (Ti), zirconium (Zr), hafnium (Hf), europium (Eu), terbium (Tb), and thulium (Tm);

[0207] Y<sub>1</sub> to Y<sub>4</sub> may be each independently carbon (C) or nitrogen (N);

[0208] Y<sub>1</sub> and Y<sub>2</sub> may be connected by a single bond or a double bond, and Y<sub>3</sub> and Y<sub>4</sub> may be connected by a single bond or a double bond;

[0209] CY<sub>1</sub> and CY<sub>2</sub> may be each independently selected from a benzene, a naphthalene, a fluorene, a spiro-fluorene, an indene, a pyrrole, a thiophene, a furan, an imidazole, a pyrazole, a thiazole, an isothiazole, an oxazole, an isooxazole, a pyridine, a pyrazine, a pyrimidine, a pyridazine, a quinoline, an isoquinoline, a benzoquinoline, a quinoxaline, a quinazoline, a carbazole, a benzimidazole, benzofuran, a benzothiophene, an isobenzothiophene, a benzooxazole, an isobenzooxazole, a triazole, a tetrazole, an oxadiazole, a triazine, a dibenzofuran, and a dibenzothiophene, wherein CY<sub>1</sub> and CY<sub>2</sub> are optionally bound to each other via a single bond or an organic linking group;

[0210] R<sub>81</sub> and R<sub>82</sub> are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt

thereof, a phosphoric acid or a salt thereof,  $-\text{SF}_5$ , a substituted or unsubstituted  $\text{C}_1\text{-C}_{60}$  alkyl group, a substituted or unsubstituted  $\text{C}_2\text{-C}_{60}$  alkenyl group, a substituted or unsubstituted  $\text{C}_2\text{-C}_{60}$  alkynyl group, a substituted or unsubstituted  $\text{C}_1\text{-C}_{60}$  alkoxy group, a substituted or unsubstituted  $\text{C}_3\text{-C}_{10}$  cycloalkyl group, a substituted or unsubstituted  $\text{C}_2\text{-C}_{10}$  heterocycloalkyl group, a substituted or unsubstituted  $\text{C}_3\text{-C}_{10}$  cycloalkenyl group, a substituted or unsubstituted  $\text{C}_2\text{-C}_{10}$  heterocycloalkenyl group, a substituted or unsubstituted  $\text{C}_6\text{-C}_{60}$  aryl group, a substituted or unsubstituted  $\text{C}_6\text{-C}_{60}$  aryloxy group, a substituted or unsubstituted  $\text{C}_6\text{-C}_{60}$  arylthio group, a substituted or unsubstituted  $\text{C}_2\text{-C}_{60}$  heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic group,  $-\text{N}(\text{Q}_1)(\text{Q}_2)$ ,  $-\text{Si}(\text{Q}_3)(\text{Q}_4)(\text{Q}_5)$ , and  $-\text{B}(\text{Q}_6)(\text{Q}_7)$ ;

[0211] a81 and a82 are each independently selected from integers of 1 to 5;

[0212] n81 is selected from integers of 0 to 4;


[0213] n82 is 1, 2, or 3; and

[0214]  $\text{L}_{81}$  is selected from a monovalent organic ligand, a divalent organic ligand, and a trivalent organic ligand.


[0215] Descriptions of  $\text{R}_{81}$  and  $\text{R}_{82}$  may be the same as the description of  $\text{R}_5$ .

[0216] The phosphorescent dopant may include at least one of Compounds PD1 to PD74, but it is not limited thereto:


-continued




PD4




PD5




PD6




PD1




PD2



PD7








PD3




PD8

-continued




-continued

PD9




PD14

PD10




PD15

PD11




PD16

PD12








PD17

PD13



PD18


-continued



-continued


PD19

PD24




PD20

PD25




PD21

PD26




PD22

PD27








PD23

PD28




-continued




-continued

PD29




PD34

PD30




PD35

PD31




PD36

PD32








PD37

PD33




PD38

-continued




-continued

PD39




PD44

PD40




PD45

PD41




PD46

PD42




PD47

PD43




PD48




PD49


-continued




PD50




PD51




PD52



PD53




PD54




PD55


-continued




PD56




PD57



PD58




PD59




PD60

-continued




PD61


-continued




PD66




PD62




PD67




PD63




PD68




PD64



PD69







PD65




PD70

-continued




[0217] Alternatively, the phosphorescent dopant may include PtOEP or compound PhGD:



PtOEP

-continued

PD71




PhGD

PD72


[0218] The fluorescent dopant may include at least one of DPVBi, DPAVBi, TBPe, DCM, DCJTb, Coumarin 6, and C545T.

PD73




DPVBi





PD74



DPAVBi



TBPe



C545T

[0219] When the EML includes the host and the dopant, an amount of the dopant may be selected from a range of about 0.01 parts by weight to about 15 parts by weight based on 100 parts by weight of the host, but the amount is not limited thereto.

[0220] A thickness of the EML may be about 100 Å to about 1,000 Å, for example, about 200 Å to about 600 Å. When the thickness of the EML is within this range, excellent light-emission characteristics may be obtained without a substantial increase in driving voltage.


[0221] Then, an electron transport region may be disposed on the EML.

[0222] The electron transport region may include at least one layer selected from a HBL, an ETL, and an EIL, but is not limited thereto.


[0223] For example, the electron transport region may have an HBL/ETL/EIL structure or an ETL/EIL structure, wherein layers of each structure are sequentially stacked from the EML in the stated order, but is not limited thereto. The ETL may have a single layer or a multi-layer structure including two or more different materials.

[0224] The conditions for forming the HBL, ETL, and EIL may be understood by referring to the conditions for forming the HIL.

[0225] When the electron transport region includes the HBL, the HBL may include, for example, at least one of BCP and Bphen, but it is not limited thereto.




BCP




Bphen


[0226] A thickness of the HBL may be in a range of about 20 Å to about 1,000 Å, for example, about 30 Å to about 300 Å. When the thickness of the HBL is within the range described above, the HBL may have excellent hole blocking characteristics without a substantial increase in driving voltage.

[0227] The ETL may include at least one of BCP and Bphen, and may further include at least one of Alq<sub>3</sub>, Balq, TAZ, and NTAZ.


Alq<sub>3</sub>



BAlq





TAZ



NTAZ



[0228] Alternatively, the ETL may include at least one of Compound ET1 and ET2, but it is not limited thereto.



[0229] A thickness of the ETL may be in a range of about 100 Å to about 1,000 Å, for example, about 150 Å to about 500 Å. When the thickness of the ETL is within the range described above, the ETL may have satisfactory electron transportation characteristics without a substantial increase in driving voltage.

[0230] Also, the ETL may further include, in addition to the materials described above, a metal-containing material.

[0231] The metal-containing material may include a Li complex. The Li complex may include, for example, Compound ET-D1 (lithium quinolate, LiQ) or ET-D2.



[0232] The electron transport region may include an EIL that allows electrons to be easily provided from the second electrode 19.

[0233] The EIL may include at least one compound selected from LiF, NaCl, CsF, Li<sub>2</sub>O, and BaO.

[0234] A thickness of the EIL may be in a range of about 1 Å to about 100 Å, for example, about 3 Å to about 90 Å. When the thickness of the EIL is within the range described above, the EIL may have satisfactory electron transportation characteristics without a substantial increase in driving voltage.

**[0235]** The second electrode 19 is disposed on the organic layer 15 having the structure described above. The second electrode 19 may be a cathode that is an electron injection electrode, and in this regard, a material for forming the second electrode 19 may be a material having a low work function, and such a material may be a metal, an alloy, an electrically conductive compound, or a mixture thereof. Detailed examples of the material for forming second electrode 19 are lithium (Li), magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), and magnesium-silver (Mg—Ag). Alternatively, ITO or IZO may be used to form a transmissive second electrode 19 to manufacture a top emission light-emitting device.

**[0236]** Hereinbefore, the organic light-emitting device has been described with reference to FIG. 1, but is not limited thereto.

**[0237]** A  $C_1$ - $C_{60}$  alkyl group used herein refers to a linear or branched aliphatic hydrocarbon monovalent group having 1 to 60 carbon atoms. Detailed examples thereof are a methyl group, an ethyl group, a propyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a pentyl group, an iso-amyl group, and a hexyl group. A  $C_1$ - $C_{60}$  alkylene used herein refers to a divalent group having the same structure as the  $C_1$ - $C_{60}$  alkyl group.

**[0238]** A  $C_1$ - $C_{60}$  alkoxy group used herein refers to a monovalent group represented by  $—OA_{101}$  (wherein  $A_{101}$  is the  $C_1$ - $C_{60}$  alkyl group). Detailed examples thereof are a methoxy group, an ethoxy group, and an isopropoxy group.

**[0239]** A  $C_2$ - $C_{60}$  alkenyl group used herein refers to a hydrocarbon group formed by substituting at least one carbon double bond in the middle or at the terminal of the  $C_2$ - $C_{60}$  alkyl group. Detailed examples thereof are an ethenyl group, a propenyl group, and a butenyl group. A  $C_2$ - $C_{60}$  alkenylene group used herein refers to a divalent group having the same structure as the  $C_2$ - $C_{60}$  alkenyl group.

**[0240]** A  $C_2$ - $C_{60}$  alkynyl group used herein refers to a hydrocarbon group formed by substituting at least one carbon triple bond in the middle or at the terminal of the  $C_2$ - $C_{60}$  alkyl group. Detailed examples thereof are an ethynyl group and a propynyl group. A  $C_2$ - $C_{60}$  alkynylene group used herein refers to a divalent group having the same structure as the  $C_2$ - $C_{60}$  alkynyl group.

**[0241]** A  $C_3$ - $C_{10}$  cycloalkyl group used herein refers to a monovalent hydrocarbon monocyclic group having 3 to 10 carbon atoms. Detailed examples thereof are a cyclopropyl group, a cyclobutyl group, a cyclopentyl group, a cyclohexyl group, and a cycloheptyl group. A  $C_3$ - $C_{10}$  cycloalkylene group used herein refers to a divalent group having the same structure as the  $C_3$ - $C_{10}$  cycloalkyl group.

**[0242]** A  $C_3$ - $C_{10}$  heterocycloalkyl group used herein refers to a monovalent monocyclic group having at least one heteroatom selected from N, O, P, and S as a ring-forming atom and 3 to 10 carbon atoms. Detailed examples thereof are tetrahydrofuranyl and tetrahydrothiophenyl. A  $C_3$ - $C_{10}$  heterocycloalkylene group used herein refers to a divalent group having the same structure as the  $C_3$ - $C_{10}$  heterocycloalkyl group.

**[0243]** A  $C_3$ - $C_{10}$  cycloalkenyl group used herein refers to a monovalent monocyclic group that has 3 to 10 carbon atoms and at least one double bond in the ring thereof and does not have aromaticity. Detailed examples thereof are a cyclopentenyl group, a cyclohexenyl group, and a cycloheptenyl

group. A  $C_3$ - $C_{10}$  cycloalkenylene group used herein refers to a divalent group having the same structure as the  $C_3$ - $C_{10}$  cycloalkenyl group.

**[0244]** A  $C_2$ - $C_{10}$  heterocycloalkenyl group used herein refers to a monovalent monocyclic group that has at least one heteroatom selected from N, O, P, and S as a ring-forming atom, 2 to 10 carbon atoms, and at least one double bond in its ring. Detailed examples of the  $C_2$ - $C_{10}$  heterocycloalkenyl group are a 2,3-dihydrofuranyl group and a 2,3-dihydrothiophenyl group. A  $C_2$ - $C_{10}$  heterocycloalkenylene group used herein refers to a divalent group having the same structure as the  $C_2$ - $C_{10}$  heterocycloalkenyl group.

**[0245]** A  $C_6$ - $C_{60}$  aryl group used herein refers to a monovalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms, and a  $C_6$ - $C_{60}$  arylene group used herein refers to a divalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms. Detailed examples of the  $C_6$ - $C_{60}$  aryl group are a phenyl group, a naphthyl group, an anthracenyl group, a phenanthrenyl group, a pyrenyl group, and a chrysenyl group. When the  $C_6$ - $C_{60}$  aryl group and the  $C_6$ - $C_{60}$  arylene group each include two or more rings, the rings may be fused to each other.

**[0246]** A  $C_2$ - $C_{60}$  heteroaryl group used herein refers to a monovalent group having a carbocyclic aromatic system that has at least one heteroatom selected from N, O, P, and S as a ring-forming atom, and 2 to 60 carbon atoms. A  $C_2$ - $C_{60}$  heteroarylene group used herein refers to a divalent group having a carbocyclic aromatic system that has at least one heteroatom selected from N, O, P, and S as a ring-forming atom, and 2 to 60 carbon atoms. Detailed examples of the  $C_2$ - $C_{60}$  heteroaryl group are a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, and an isoquinolinyl group. When the  $C_2$ - $C_{60}$  heteroaryl group and the  $C_2$ - $C_{60}$  heteroarylene group each include two or more rings, the rings may be fused to each other.

**[0247]** A  $C_6$ - $C_{60}$  aryloxy group used herein indicates  $—OA_{102}$  (wherein  $A_{102}$  is the  $C_6$ - $C_{60}$  aryl) and a  $C_6$ - $C_{60}$  arylthio group used herein indicates  $—SA_{103}$  (wherein  $A_{103}$  is the  $C_6$ - $C_{60}$  aryl group).

**[0248]** A monovalent non-aromatic condensed polycyclic group (for example, having 8 to 60 carbon atoms) used herein refers to a monovalent group that has two or more rings condensed to each other, only carbon atoms as ring-forming atoms, wherein the molecular structure as a whole is non-aromatic. A detailed example of the monovalent non-aromatic condensed polycyclic group is a fluorenyl group. A divalent non-aromatic condensed polycyclic group used herein refers to a divalent group having the same structure as the monovalent non-aromatic condensed polycyclic group.

**[0249]** A monovalent non-aromatic condensed heteropolycyclic group (for example, having 2 to 60 carbon atoms) used herein refers to a monovalent group that has two or more rings condensed to each other, has a heteroatom selected from N, O, P, and S, other than carbon atoms, as a ring forming atom, wherein the molecular structure as a whole is non-aromatic. Detailed examples of the monovalent non-aromatic condensed heteropolycyclic group are a carbazolyl group. A divalent non-aromatic condensed heteropolycyclic group used herein refers to a divalent group having the same structure as the monovalent non-aromatic condensed heteropolycyclic group.

**[0250]** Hereinafter, an organic light-emitting device according to an embodiment will be described in detail with


reference to Synthesis Examples and Examples. The wording "B was used instead of A" used in describing Synthesis Examples means that a molar equivalent of A was identical to a molar equivalent of B.

## EXAMPLE

## Synthesis Example 1

## Synthesis of Compound 813



## [0251] Synthesis of Intermediate B



[0252] 44.0 g (224.3 mmol) of Intermediate A, 126.9 g (224.3 mmol) of acetophenone, and 9.0 g (224.3 mmol) of sodium hydroxide were added in 670 mL of ethanol in a 1,000 mL round bottom flask and then stirred in nitrogen atmosphere for 2 hours at room temperature to prepare a mixture. Crystallized solids in the mixture were filtered to obtain Intermediate B (59.2 g and yield 88.0%). Element analysis results of Intermediate B are as follows.

[0253] calcd.  $C_{21}H_{14}O_2$ : C, 84.54; H, 4.73; O, 10.73. found: C, 84.51; H, 4.75; O, 10.71.


## [0254] Synthesis of Intermediate C




[0255] 13.0 g (106.2 mmol) of Intermediate B, 30.0 g (127.4 mmol) of 3-bromobenzimidamide, and 8.5 g (212.3 mmol) of sodium hydroxide were added in 500 ml of ethanol in a 1,000 mL round bottom flask, heated in a nitrogen atmosphere for 15 hours to reflux the same to prepare a mixture. Crystallized solids in the mixture were stirred with water and then filtered. The crystallized solids were stirred again by using ethanol and then filtered to obtain Intermediate C (23.8 g, yield 47%). Element analysis results of the Intermediate C are as follows.

[0256] calcd.  $C_{28}H_{17}BrN_2O$ : C, 70.45; H, 3.59; Br, 16.74; N, 5.87; O, 3.35. found: C, 70.43; H, 3.60; Br, 16.72; N, 5.85; O, 3.36.

## [0257] Synthesis of Compound 813





Molecular Weight: 563.65  
Compound 813

**[0258]** 23.8 g (49.9 mmol) of Intermediate C, 7.0 g (41.6 mmol) of 9H-carbazole, 8.0 g (83.1 mmol) of sodium t-butoxide, 3.8 g (4.2 mmol) of Pd(dba)<sub>2</sub>, and 4.2 mL (8.3 mmol) of tri-*t*-butyl phosphine (50% in toluene solution) were added to 166.2 mL of xylene in a 500 mL round bottom flask, and heated in a nitrogen atmosphere for 15 hours to reflux the same to prepare a mixture. The mixture was added to 1,000 mL of methanol to filter crystallized solids, dissolved in dichlorobenzene to filter the same by using a silica gel/celite, a suitable amount of organic solvent was removed therefrom, and then the same was recrystallized with methanol to obtain Compound 813 (11.7 g and yield 50%). Element analysis results and NMR analysis results of Compound 813 are as follows.


**[0259]** calcd. C<sub>40</sub>H<sub>25</sub>N<sub>3</sub>O: C, 85.24; H, 4.47; N, 7.46; O, 2.84. found C, 85.22; H, 4.46; N, 7.47; O, 2.83.

**[0260]** 300 MHz (CDCl<sub>3</sub>, ppm): δ 8.960 (m, 1H), 8.865 (m, 2H), 8.657 (dd, 1H), 8.359 (dd, 2H), 8.196 (d, 2H), 8.081 (dd, 1H), 7.999 (d, 1H), 7.816 (t, 1H), 7.659-7.727 (m, 2H), 7.381-7.601 (m, 10H), 7.316 (t, 2H)

#### Synthesis Example 2


##### Synthesis of Compound 814

**[0261]**



Molecular Weight: 477.35  
Intermediate C

Molecular Weight: 257.29



Molecular Weight: 653.73  
Compound 814

**[0262]** 15.0 g (31.4 mmol) of Intermediate C, 9.7 g (37.7 mmol) of 5H-benzofuro[3,2-c]carbazole, 6.0 g (62.9 mmol) of sodium t-butoxide, 2.9 g (3.1 mmol) of Pd(dba)<sub>2</sub>, and 3.1 mL (6.3 mmol) of tri-*t*-butyl phosphine (50% in toluene solution) were added to 125.7 mL of xylene in a 500 mL round bottom flask, and heated in a nitrogen atmosphere for 15 hours to reflux the same to prepare a mixture. The mixture was added to 1,000 mL of methanol to filter crystallized solids, dissolved in dichlorobenzene to filter the same by using a silica gel/celite, a suitable amount of organic solvent was removed therefrom, and then the same was recrystallized with methanol to obtain Compound 814 (11.8 g, yield 57%). Element analysis results and NMR analysis results of Compound 814 are as follows.


**[0263]** calcd. C<sub>46</sub>H<sub>27</sub>N<sub>3</sub>O<sub>2</sub>: C, 84.51; H, 4.16; N, 6.43; O, 4.89. found C, 84.49; H, 4.17; N, 6.44; O, 4.87

**[0264]** 300 MHz (CDCl<sub>3</sub>, ppm): δ 9.023 (t, 1H), 8.905-8.959 (m, 2H), 8.797 (dd, 1H), 8.666 (dd, 1H), 8.392 (m, 2H), 8.110 (dd, 1H), 8.012 (m, 3H), 7.684-7.884 (t, 4H), 7.362-7.627 (m, 12H)

#### Synthesis Example 3

##### Synthesis of Compound 815

**[0265]** Synthesis of Intermediate D



Molecular Weight: 196.20  
Intermediate A


Molecular Weight:  
199.04

Molecular Weight: 377.23  
Intermediate D

**[0266]** 30.0 g (152.9 mmol) of Intermediate A, 30.4 g (152.9 mmol) of 1-(3-bromophenyl)ethanone, and 6.1 g (152.9 mmol) of sodium hydroxide were added to 458.7 mL of ethanol in a 1,000 mL round bottom flask and then stirred in a nitrogen current for 2 hours at room temperature to prepare a mixture. Crystallized solids in the mixture were filtered to obtain Intermediate D (46.2 g, yield 80.0%). Element analysis results of Intermediate D are as follows.

**[0267]** calcd.  $C_{21}H_{13}BrO_2$ : C, 66.86; H, 3.47; Br, 21.18; O, 8.48. found C, 66.83; H, 3.45; Br, 21.17; O, 8.49.


**[0268]** Synthesis of Intermediate E



**[0269]** 80.3 g (212.9 mmol) of Intermediate D, 40.0 g (255.4 mmol) of benzimidamide, and 17 g (425.7 mmol) of sodium hydroxide were added to 1,000 mL of ethanol in a 2,000 mL round bottom flask and then heated in a nitrogen atmosphere for 15 hours to reflux the same to prepare a mixture. Crystallized solids in the mixture were filtered and then stirred with water to filter the same. The crystallized solids were stirred again with ethanol and then filtered to obtain Intermediate E (45.8 g, yield 45%). Element analysis results of Intermediate E are as follows.

**[0270]** calcd.  $C_{28}H_{17}BrN_2O$ : C, 70.45; H, 3.59; Br, 16.74; N, 5.87; O, 3.35. found C, 70.44; H, 3.61; Br, 16.71; N, 5.84; O, 3.35.

**[0271]** Synthesis of Compound 815



**[0272]** 34.3 g (71.8 mmol) of Intermediate E, 10.0 g (60.0 mmol) of 9H-carbazole, 11.5 g (119.6 mmol) of sodium t-butoxide, 5.5 g (6.0 mmol) of  $Pd(dba)_2$ , and 2.9 mL (12.0 mmol) of tri-t-butyl phosphine (50% in toluene solution) were added to 239.2 mL of xylene in a 500 mL round bottom flask and then heated in a nitrogen atmosphere for 15 hours to reflux the same to prepare a mixture. The mixture was added to 1,000 mL of methanol to filter crystallized solids, which were dissolved in monochlorobenzene to be filtered by using a silica gel/celite, a suitable amount of organic solvent was removed therefrom and then recrystallized with methanol to obtain Compound 815 (22.2 g, yield 66%). Element analysis results and NMR analysis results of Compound 815 are as follows.



**[0273]** calcd.  $C_{40}H_{25}N_3O$ : C, 85.24; H, 4.47; N, 7.46; O, 2.84. found C, 85.21; H, 4.47; N, 7.48; O, 2.86;

**[0274]** 300 MHz ( $CDCl_3$ , ppm):  $\delta$  8.905 (s, 1H), 8.745 (m, 3H), 8.635 (t, 1H), 8.473 (tt, 1H), 8.208 (d, 2H), 8.120 (dd, 1H), 8.016 (d, 1H), 7.802-7.885 (m, 2H), 7.317-7.600 (m, 13H)

## Synthesis Example 4

## Synthesis of Compound 816

[0275]

Molecular Weight: 477.35  
Intermediate EMolecular Weight: 653.73  
Compound 816

[0276] 19.0 g (56.0 mmol) of Intermediate E, 12.0 g (46.6 mmol) of 5H-benzofuro[3,2-c]carbazole, 6.7 g (70.0 mmol)

of sodium t-butoxide, 1.3 g (1.4 mmol) of Pd(dba)<sub>2</sub>, and 2.1 mL (4.2 mmol) tri t-butylphosphine (50% in toluene) were added to 182.9 mL of xylene in a 500 mL round bottom flask and then heated in a nitrogen atmosphere for 15 hours to reflux the same to prepare a mixture. The mixture was added to 1,000 mL of methanol to filter crystallized solids, dissolved in dichlorobenzene to filter the same by using a silica gel/celite, a suitable amount of organic solvent was removed therefrom, and then the same was recrystallized with methanol to obtain Compound 816 (14.7 g, yield 48%). Element analysis results and NMR analysis results of Compound 816 are as follows.

[0277] calcd. C<sub>46</sub>H<sub>27</sub>N<sub>3</sub>O<sub>2</sub>: C, 84.51; H, 4.16; N, 6.43; O, 4.89. found C, 84.53; H, 4.18; N, 6.42; O, 4.87.

[0278] 300 MHz (CDCl<sub>3</sub>, ppm): δ 8.903 (s, 1H), 8.739 (d, 3H), 8.641 (t, 2H), 8.506 (d, 1H), 8.096 (d, 1H), 7.976 (m, 3H), 7.868 (m, 2H), 7.763 (d, 1H), 7.347-7.634 (m, 13H)

## Evaluation Example 1

Evaluation of HOMO, LUMO, and Triplet (T1)  
Energy Levels of Compounds

[0279] HOMO, LUMO, and triplet (T1) energy levels of Compounds 813 to 824 were evaluated by using a DFT method of a Gaussian program (optimized at B3LYP and 6-31G(d,p) levels) and the results obtained therefrom are shown in Table 1 below.

TABLE 1

Compound No.	HOMO (eV)	LUMO (eV)	T <sub>1</sub> energy level (eV)
813	-5.236	-1.880	2.994
815	-5.355	-1.802	3.096
817	-5.252	-1.877	3.002
819	-5.435	-1.894	3.089
814	-5.150	-1.894	2.9
816	-5.344	-1.909	3.02
820	-5.303	-1.925	2.959
818	-5.139	-1.885	2.904
821	-5.188	-1.893	2.945
822	-5.350	-1.934	2.997
823	-5.206	-1.897	2.951
824	-5.394	-1.913	3.063

[0280] Thereafter, HOMO, LUMO, S1 energy level, and T1 energy level of Compounds 813 to 816 obtained according to the method in Table 2 and the results thereof are shown in Table 3.

TABLE 2

An evaluation method of a HOMO energy level	Each compound was diluted in CHCl <sub>3</sub> at a concentration of 1 × 10 <sup>-5</sup> M to measure UV absorption spectrum by using a Shimadzu UV-350 Spectrometer at room temperature and then a HOMO energy level was calculated by using an optical band gap (E <sub>g</sub> ) from an edge of the absorption spectrum.
An evaluation method of a LUMO energy level	Cyclic voltammetry (CV) (electrolyte: 0.1M Bu <sub>4</sub> NClO <sub>4</sub> /solvent: CH <sub>2</sub> Cl <sub>2</sub> /electrode: a 3-electrode system (working electrode: GC, standard electrode: Ag/AgCl, and supply electrode: Pt)) was used to obtain a voltage (V)-current (A) graph for each compound and a LUMO energy level was calculated from a reduction onset of the graph.
An evaluation method of evT1 energy level	A mixture of toluene and each compound (1 mg of each compound was dissolved in 3 cc of toluene) was added to a quartz cell and liquid nitrogen (77 K) was added thereto, a photoluminescence measurement device was used to measure photoluminescence spectrum, which was compared to a conventional room temperature photoluminescence spectrum to only analyze the peak observed only at low temperature and calculate a T1 energy level.

TABLE 3

Compound No.	HOMO (eV)	LUMO (eV)	T1 energy level (eV)
813	-5.432	-1.901	2.994
815	-5.665	-1.972	3.096
814	-5.451	-1.998	2.9
816	-5.643	-1.942	3.02

[0281] It may be concluded from Tables 1 and 3 that the condensed-cyclic compounds have suitable electrical properties to be used as a material for an organic light-emitting device.

## Evaluation Example 2

## Evaluation of Thermal Properties of Synthesized Compounds

[0282] compounds 813 to 816 were subjected to thermal analyses by using Thermo Gravimetric Analysis (TGA) and Differential Scanning Calorimetry (DSC) (N<sub>2</sub> atmosphere and temperature range for TGA: room temperature ~800° C. (10° C./min), for DSC: from room temperature to 400° C., Pan Type: for TGA: Pt Pan in a disposable Al Pan, for DSC: a disposable Al pan) and results obtained therefrom are shown in Table 4. From Table 4, it may be concluded that Compounds 813 to 816 have excellent thermal stabilities.

TABLE 4

Compound No.	Tc (° C.)	Tm (° C.)	Tg (° C.)
813	—	—	101.21
815	218.72	241.72	102.57
814	—	312.38	—
816	—	—	139.38

## Example 1

[0283] An ITO glass substrate was cut to a size of 50 mm×50 mm×0.5 mm, and the ITO glass substrate was ultrasonically washed using isopropyl alcohol and pure water for 15 minutes each, followed by irradiation of UV and exposure to ozone for cleaning for about 30 minutes.

[0284] m-MTDATA was vacuum deposited on the ITO glass substrate to form an HIL having a thickness of 600 Å, and α-NPB was vacuum deposited at a rate of 1 Å/sec on the HIL to form an EML having a thickness of 300 Å. Thereafter, Ir(ppy)<sub>3</sub> (dopant) and Compound 813 (host) were co-deposited at a rate of 0.1 Å/sec and 1 Å/sec, respectively, on the HTL to form an EML having a thickness of 400 Å. BA1q was vacuum deposited on the EML at a rate of 1 Å/sec to form an HBL having a thickness of 50 Å and then Alq<sub>3</sub> was vacuum deposited on the HBL to form an ETL having a thickness of 300 Å. Then, LiF 10 Å (EIL) and Al 2000 Å (cathode) were sequentially vacuum deposited on the ETL to manufacture an organic light-emitting device.

## Example 2

[0285] An organic light-emitting device was manufactured in the same manner as in Example 1, except that Compound 815 was used as a host instead of Compound 813 when forming an EML.

## Example 3


[0286] An organic light-emitting device was manufactured in the same manner as in Example 1, except that Compound 814 was used as a host instead of Compound 813 when forming an EML.

## Example 4

[0287] An organic light-emitting device was manufactured in the same manner as in Example 1, except that Compound 816 was used as a host instead of Compound 813 when forming an EML.


## Comparative Example 1

[0288] An organic light-emitting device was manufactured in the same manner as in Example 1, except that Compound A was used as a host instead of Compound 813 when forming an EML.




## Comparative Example 2

[0289] An organic light-emitting device was manufactured in the same manner as in Example 1, except that Compound B was used as a host instead of Compound 813 when forming an EML.



## Comparative Example 3

[0290] An organic light-emitting device was manufactured in the same manner as in Example 1, except that Compound C was used as a host instead of Compound 813 when forming an EML.



Evaluation Example 2

Evaluation of Characteristics of Organic  
Light-Emitting Device

[0291] Changes in current density and brightness, and emission efficiency of each organic light-emitting device manufactured in Examples 1 to 4 and Comparative Examples 1 to 3 were measured. A detailed method of measurement is as described below and results obtained therefrom are shown in Table 5 below:

[0292] (1) Measurement of Changes in Current Density According to Changes in Voltage

[0293] For each organic light-emitting device, voltage was increased from 0 volts (V) to 10 V to measure current that flows through a unit cell therein by using a voltage-current meter (Keithley 2400) and the current was divided by surface area to obtain a current density.

[0294] (2) Measurement of Changes in Brightness According to Changes in Voltage

[0295] For each organic light-emitting device, brightness was measured while increasing voltage from 0V to 10V to by using Cs-1000A (a product of Minolta).

[0296] (3) Measurement of Emission Efficiency

[0297] Brightness, current density, and voltage measured from (1) and (2) were used to calculate current efficiency (candelas per ampere (cd/A)) at the same current density (10 milliamperes per square centimeter (mA/cm<sup>2</sup>)).

TABLE 5

	Host	Dopant	Driving voltage (V)	Current density (cd/A)	Brightness (cd/m <sup>2</sup> )
Example 1	Compound 813	Ir(ppy) <sub>3</sub>	3.7	40.3	3500
Example 2	Compound 815	Ir(ppy) <sub>3</sub>	3.4	46.2	3500
Example 3	Compound 814	Ir(ppy) <sub>3</sub>	4.1	36.1	3500
Example 4	Compound 816	Ir(ppy) <sub>3</sub>	3.8	33.8	3500
Comparative Example 1	Compound A	Ir(ppy) <sub>3</sub>	4.4	32.6	3500
Comparative Example 2	Compound B	Ir(ppy) <sub>3</sub>	4.3	31.5	3500
Comparative Example 3	Compound C	Ir(ppy) <sub>3</sub>	4.2	32.9	3500

[0298] From Table 5, it may be concluded that the organic light-emitting devices of Examples 1 to 4 have lower driving

voltage, high efficiency, and high brightness compared the organic light-emitting devices of Comparative Examples 1 to 3.



[0299] As described above, according to the one or more of the above embodiments, the condensed-cyclic compound have excellent electrical properties and thermal stability and thus, an organic light-emitting device including the condensed-cyclic compound may have low driving voltage, high efficiency, high brightness, and a long lifespan.

[0300] It should be understood that the exemplary embodiments described therein should be considered in a descriptive sense only and not for purposes of limitation. Descriptions of features or aspects within each embodiment should typically be considered as available for other similar features or aspects in other embodiments.


[0301] While one or more embodiments have been described with reference to the figures, it will be understood by those of ordinary skill in the art that various changes in form and details may be made therein without departing from the spirit and scope of the present disclosure as defined by the following claims.

What is claimed is:

1. A condensed-cyclic compound represented by Formula 1A or 1B:



wherein in Formulae 1A and 1B,  
ring A<sub>1</sub> is represented by Formula 1C or 1D;



$X_1$  is N or C- $[(L_1)_{a1}-(R_1)_{b1}]$ ,  
 $X_2$  is N or C- $[(L_2)_{a2}-(R_2)_{b2}]$ ,  
 $X_3$  is N or C- $[(L_3)_{a3}-(R_3)_{b3}]$ , and  
 at least one of  $X_1$  to  $X_3$  is N;

$X_4$  is O or S;

$X_{11}$  is selected from N- $[(L_{12})_{a12}-(R_{12})_{b12}]$ , S, O, S(=O),  
 S(=O)<sub>2</sub>, C(=O), C(R<sub>13</sub>)(R<sub>14</sub>), Si(R<sub>13</sub>)(R<sub>14</sub>), P(R<sub>13</sub>),  
 P(=O)(R<sub>13</sub>), and C=N(R<sub>12</sub>);

$L_1$  to  $L_4$ ,  $L_{11}$ ,  $L_{12}$ , and  $L_{21}$  are each independently selected  
 from a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub> cycloalkyl-  
 ene group, a substituted or unsubstituted C<sub>2</sub>-C<sub>10</sub> hetero-  
 cycloalkylene group, a substituted or unsubstituted  
 C<sub>3</sub>-C<sub>10</sub> cycloalkenylene group, a substituted or unsub-  
 stituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkenylene group, a substi-  
 tuted or unsubstituted C<sub>6</sub>-C<sub>60</sub> arylene group, a substi-  
 tuted or unsubstituted C<sub>2</sub>-C<sub>60</sub> heteroarylene group, a  
 substituted or unsubstituted divalent non-aromatic con-  
 densed polycyclic group, and a substituted or unsubsti-  
 tuted divalent non-aromatic hetero-condensed polycy-  
 clic group;

$a1$  to  $a4$ ,  $a11$ ,  $a12$ , and  $a21$  are each independently selected  
 from integers of 0 to 3;

$R_1$  to  $R_3$ ,  $R_5$ ,  $R_6$  and  $R_{11}$  to  $R_{17}$  are each independently  
 selected from a hydrogen, a deuterium, —F, —Cl, —Br,  
 —I, a hydroxyl group, a cyano group, a nitro group, an  
 amino group, an amidino group, a hydrazine group, a  
 hydrazone group, a carboxylic acid or a salt thereof, a  
 sulfonic acid or a salt thereof, a phosphoric acid or a salt  
 thereof, a substituted or unsubstituted C<sub>1</sub>-C<sub>60</sub> alkyl  
 group, a substituted or unsubstituted C<sub>2</sub>-C<sub>60</sub> alkenyl  
 group, a substituted or unsubstituted C<sub>2</sub>-C<sub>60</sub> alkynyl  
 group, a substituted or unsubstituted C<sub>1</sub>-C<sub>60</sub> alkoxy  
 group, a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub> cycloalkyl  
 group, a substituted or unsubstituted C<sub>2</sub>-C<sub>10</sub> heterocy-  
 cloalkenyl group, a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub>  
 cycloalkenyl group, a substituted or unsubstituted  
 C<sub>2</sub>-C<sub>10</sub> heterocycloalkenyl group, a substituted or unsub-  
 stituted C<sub>6</sub>-C<sub>60</sub> aryl group, a substituted or unsub-  
 stituted C<sub>6</sub>-C<sub>60</sub> aryloxy group, a substituted or unsub-  
 stituted C<sub>6</sub>-C<sub>60</sub> arylthio group, a substituted or unsub-  
 stituted C<sub>2</sub>-C<sub>60</sub> heteroaryl group, a substituted or unsub-  
 stituted monovalent non-aromatic condensed polycyclic  
 group, a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic  
 group, —N(Q<sub>1</sub>)(Q<sub>2</sub>), —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>), and —B(Q<sub>6</sub>)  
 (Q<sub>7</sub>);

$R_4$  is selected from a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub>  
 cycloalkyl group, a substituted or unsubstituted C<sub>2</sub>-C<sub>10</sub>  
 heterocycloalkyl group, a substituted or unsubstituted  
 C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a substituted or unsub-  
 stituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkenyl group, a substituted or  
 unsubstituted C<sub>6</sub>-C<sub>60</sub> aryl group, a substituted or unsub-  
 stituted C<sub>6</sub>-C<sub>60</sub> aryloxy group, a substituted or unsub-  
 stituted C<sub>6</sub>-C<sub>60</sub> arylthio group, a substituted or unsub-  
 stituted C<sub>2</sub>-C<sub>60</sub> heteroaryl group, a substituted or unsub-  
 stituted monovalent non-aromatic condensed polycyclic  
 group, and a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic  
 group;

$b1$  to  $b6$  and  $b11$  to  $b17$  are each independently selected  
 from integers of 1 to 3;

at least one substituent of the substituted C<sub>3</sub>-C<sub>10</sub> cycloalkyl-  
 ene group, substituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkylene  
 group, substituted C<sub>3</sub>-C<sub>10</sub> cycloalkenylene group, sub-


stituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkenylene group, substi-  
 tuted C<sub>6</sub>-C<sub>60</sub> arylene group, substituted C<sub>2</sub>-C<sub>60</sub> hetero-  
 arylylene group, substituted divalent non-aromatic  
 condensed polycyclic group, substituted divalent non-  
 aromatic hetero-condensed polycyclic group, substi-  
 tuted C<sub>1</sub>-C<sub>60</sub> alkyl group, substituted C<sub>2</sub>-C<sub>60</sub> alkenyl  
 group, substituted C<sub>2</sub>-C<sub>60</sub> alkynyl group, substituted  
 C<sub>1</sub>-C<sub>60</sub> alkoxy group, substituted C<sub>3</sub>-C<sub>10</sub> cycloalkyl  
 group, substituted C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl group, sub-  
 stituted C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, substituted C<sub>2</sub>-C<sub>10</sub>  
 heterocycloalkenyl group, substituted C<sub>6</sub>-C<sub>60</sub> aryl  
 group, substituted C<sub>6</sub>-C<sub>60</sub> aryloxy group, substituted  
 C<sub>6</sub>-C<sub>60</sub> arylthio group, substituted C<sub>2</sub>-C<sub>60</sub> heteroaryl  
 group, substituted monovalent non-aromatic condensed  
 polycyclic group, and substituted monovalent non-aromatic hetero-condensed polycyclic  
 group are selected  
 from:

- a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a  
 cyano group, a nitro group, an amino group, an amidino  
 group, a hydrazine group, a hydrazone group, a carboxy-  
 lic acid or a salt thereof, a sulfonic acid or a salt thereof,  
 a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>60</sub> alkyl group,  
 a C<sub>2</sub>-C<sub>60</sub> alkenyl group, a C<sub>2</sub>-C<sub>60</sub> alkynyl group, and a  
 C<sub>1</sub>-C<sub>60</sub> alkoxy group;
- a C<sub>1</sub>-C<sub>60</sub> alkyl group, a C<sub>2</sub>-C<sub>60</sub> alkenyl group, a C<sub>2</sub>-C<sub>60</sub>  
 alkynyl group, and a C<sub>1</sub>-C<sub>60</sub> alkoxy group, each substi-  
 tuted with at least one of a deuterium, —F, —Cl, —Br,  
 —I, a hydroxyl group, a cyano group, a nitro group, an  
 amino group, an amidino group, a hydrazine group, a  
 hydrazone group, a carboxylic acid or a salt thereof, a  
 sulfonic acid or a salt thereof, a phosphoric acid or a salt  
 thereof, a C<sub>3</sub>-C<sub>10</sub> cycloalkyl group, a C<sub>2</sub>-C<sub>10</sub> heterocy-  
 cloalkyl group, a C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a C<sub>2</sub>-C<sub>10</sub>  
 heterocycloalkenyl group, a C<sub>6</sub>-C<sub>60</sub> aryl group, a C<sub>6</sub>-C<sub>60</sub>  
 aryloxy group, a C<sub>6</sub>-C<sub>60</sub> arylthio group, a C<sub>2</sub>-C<sub>60</sub> hetero-  
 aryl group, a monovalent non-aromatic condensed  
 polycyclic group, a monovalent non-aromatic hetero-  
 condensed polycyclic group, —N(Q<sub>11</sub>)(Q<sub>12</sub>), —Si(Q<sub>13</sub>)  
 (Q<sub>14</sub>)(Q<sub>15</sub>), and —B(Q<sub>16</sub>)(Q<sub>17</sub>);
- a C<sub>3</sub>-C<sub>10</sub> cycloalkyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl  
 group, a C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a C<sub>2</sub>-C<sub>10</sub> heterocy-  
 cloalkenyl group, a C<sub>6</sub>-C<sub>60</sub> aryl group, a C<sub>6</sub>-C<sub>60</sub> aryloxy  
 group, a C<sub>6</sub>-C<sub>60</sub> arylthio group, a C<sub>2</sub>-C<sub>60</sub> heteroaryl  
 group, a monovalent non-aromatic condensed polycyclic  
 group, and a monovalent non-aromatic hetero-condensed  
 polycyclic group;
- a C<sub>3</sub>-C<sub>10</sub> cycloalkyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl  
 group, a C<sub>3</sub>-C<sub>10</sub> cycloalkenyl group, a C<sub>2</sub>-C<sub>10</sub> heterocy-  
 cloalkenyl group, a C<sub>6</sub>-C<sub>60</sub> aryl group, a C<sub>6</sub>-C<sub>60</sub> aryloxy  
 group, a C<sub>6</sub>-C<sub>60</sub> arylthio group, a C<sub>2</sub>-C<sub>60</sub> heteroaryl  
 group, a monovalent non-aromatic condensed polycyclic  
 group, and a monovalent non-aromatic hetero-condensed  
 polycyclic group, each substituted with at least  
 one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl  
 group, a cyano group, a nitro group, an amino group, an  
 amidino group, a hydrazine group, a hydrazone group, a  
 carboxylic acid or a salt thereof, a sulfonic acid or a salt  
 thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>60</sub>  
 alkyl group, a C<sub>2</sub>-C<sub>60</sub> alkenyl group, a C<sub>2</sub>-C<sub>60</sub> alkynyl  
 group, a C<sub>1</sub>-C<sub>60</sub> alkoxy group, a C<sub>3</sub>-C<sub>10</sub> cycloalkyl  
 group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkyl group, a C<sub>3</sub>-C<sub>10</sub>  
 cycloalkenyl group, a C<sub>2</sub>-C<sub>10</sub> heterocycloalkenyl group,  
 a C<sub>6</sub>-C<sub>60</sub> aryl group, a C<sub>6</sub>-C<sub>60</sub> aryloxy group, a C<sub>6</sub>-C<sub>60</sub>  
 arylthio group, a C<sub>2</sub>-C<sub>60</sub> heteroaryl group, a monovalent


non-aromatic condensed polycyclic group, a monovalent non-aromatic hetero-condensed polycyclic group,  $-\text{N}(\text{Q}_{21})(\text{Q}_{22})$ ,  $-\text{Si}(\text{Q}_{23})(\text{Q}_{24})(\text{Q}_{25})$ , and  $-\text{B}(\text{Q}_{26})(\text{Q}_{27})$ ; and  $-\text{N}(\text{Q}_{31})(\text{Q}_{32})$ ,  $-\text{Si}(\text{Q}_{33})(\text{Q}_{34})(\text{Q}_{35})$  and  $-\text{B}(\text{Q}_{36})(\text{Q}_{37})$ ; wherein  $\text{Q}_1$  to  $\text{Q}_7$ ,  $\text{Q}_{11}$  to  $\text{Q}_{17}$ ,  $\text{Q}_{21}$  to  $\text{Q}_{27}$ , and  $\text{Q}_{31}$  to  $\text{Q}_{37}$  are each independently selected from a hydrogen, a  $\text{C}_1$ - $\text{C}_{60}$  alkyl group, a  $\text{C}_2$ - $\text{C}_{60}$  alkenyl group, a  $\text{C}_2$ - $\text{C}_{60}$  alkynyl group, a  $\text{C}_1$ - $\text{C}_{60}$  alkoxy group, a  $\text{C}_3$ - $\text{C}_{10}$  cycloalkyl

group, a  $\text{C}_2$ - $\text{C}_{10}$  heterocycloalkyl group, a  $\text{C}_3$ - $\text{C}_{10}$  cycloalkenyl group, a  $\text{C}_2$ - $\text{C}_{10}$  heterocycloalkenyl group, a  $\text{C}_6$ - $\text{C}_{60}$  aryl group, a  $\text{C}_6$ - $\text{C}_{60}$  aryloxy group, a  $\text{C}_6$ - $\text{C}_{60}$  arylthio group, a  $\text{C}_2$ - $\text{C}_{60}$  heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic hetero-condensed polycyclic group.

2. The condensed-cyclic compound of claim 1, wherein the condensed-cyclic compound is represented by one of Formulae 1A-1 to 1A-7, and 1B-1 to 1B-4:





Formula 1A-1



Formula 1A-2

Formula 1A-3


Formula 1A-4




Formula 1A-5

-continued


Formula 1A-6




Formula 1A-7




Formula 1B-1



Formula 1B-2




Formula 1B-3



-continued

Formula 1B-4




wherein in Formulae 1A-1 to 1A-7 and 1B-1 to 1B-4,  $X_1$  to  $X_4$ ,  $X_{11}$ ,  $L_1$  to  $L_4$ ,  $L_{11}$ ,  $L_{12}$ ,  $L_{21}$ ,  $a_1$  to  $a_4$ ,  $a_{11}$ ,  $a_{12}$ ,  $a_{21}$ ,  $R_1$  to  $R_6$ ,  $R_{11}$  to  $R_{17}$ ,  $b_1$  to  $b_6$ , and  $b_{11}$  to  $b_{17}$  are the same as described in claim 1.

3. The condensed-cyclic compound of claim 2, wherein the condensed-cyclic compound is represented by Formulae 1A-1, 1A-2, 1A-3, 1B-1, 1B-2, 1B-3, or 1B-4.


4. The condensed-cyclic compound of claim 1, wherein the condensed-cyclic compound is represented by one of Formulae 1A(1) to 1A(4) and 1B(1) to 1B(4):

-continued


Formula 1A(3)




Formula 1A(1)




Formula 1A(4)



Formula 1A(2)




Formula 1B(1)




-continued


Formula 1B(2)



Formula 1B(3)




Formula 1B(4)



wherein in Formulae 1A(1) to 1A(4) and 1B(1) to 1B(4), descriptions of ring A<sub>1</sub>, X<sub>1</sub> to X<sub>4</sub>, X<sub>11</sub>, L<sub>1</sub> to L<sub>4</sub>, L<sub>11</sub>, L<sub>12</sub>, L<sub>21</sub>, a<sub>1</sub> to a<sub>4</sub>, a<sub>11</sub>, a<sub>12</sub>, a<sub>21</sub>, R<sub>1</sub> to R<sub>6</sub>, R<sub>11</sub> to R<sub>17</sub>, b<sub>1</sub> to b<sub>6</sub>, and b<sub>11</sub> to b<sub>17</sub> are the same as described in claim 1.


5. The condensed-cyclic compound of claim 1, wherein the condensed-cyclic compound is represented by Formula 1A-1 (1) or 1A-2(1):

Formula 1A-1(1)



-continued

Formula 1A-2(1)




wherein in Formulae 1A-1(1) and 1A-2(1), groups X<sub>1</sub> to X<sub>4</sub>, X<sub>11</sub>, L<sub>1</sub> to L<sub>4</sub>, L<sub>11</sub>, L<sub>12</sub>, L<sub>21</sub>, a<sub>1</sub> to a<sub>4</sub>, a<sub>11</sub>, a<sub>12</sub>, a<sub>21</sub>, R<sub>1</sub> to R<sub>6</sub>, R<sub>11</sub> to R<sub>17</sub>, b<sub>1</sub> to b<sub>6</sub>, and b<sub>11</sub> to b<sub>17</sub> are the same as described in claim 1.


6. The condensed-cyclic compound of claim 1, wherein X<sub>1</sub> to X<sub>3</sub> is N;  
 X<sub>1</sub> is C-[(L<sub>1</sub>)<sub>a1</sub>-(R<sub>1</sub>)<sub>b1</sub>] and X<sub>2</sub> and X<sub>3</sub> are N;  
 X<sub>1</sub> is N, X<sub>2</sub> is C-[(L<sub>2</sub>)<sub>a2</sub>-(R<sub>2</sub>)<sub>b2</sub>], and X<sub>3</sub> is N;  
 X<sub>1</sub> and X<sub>2</sub> are N and X<sub>3</sub> is C-[(L<sub>3</sub>)<sub>a3</sub>-(R<sub>3</sub>)<sub>b3</sub>];  
 X<sub>1</sub> is C-[(L<sub>1</sub>)<sub>a1</sub>-(R<sub>1</sub>)<sub>b1</sub>], X<sub>2</sub> is N, and X<sub>3</sub> is C-[(L<sub>3</sub>)<sub>a3</sub>-(R<sub>3</sub>)<sub>b3</sub>];  
 X<sub>1</sub> is C-[(L<sub>1</sub>)<sub>a1</sub>-(R<sub>1</sub>)<sub>b1</sub>], X<sub>2</sub> is C-[(L<sub>2</sub>)<sub>a2</sub>-(R<sub>2</sub>)<sub>b2</sub>], and X<sub>3</sub> is N; or  
 X<sub>1</sub> is N, X<sub>2</sub> is C-[(L<sub>2</sub>)<sub>a2</sub>-(R<sub>2</sub>)<sub>b2</sub>], and X<sub>3</sub> is C-[(L<sub>3</sub>)<sub>a3</sub>-(R<sub>3</sub>)<sub>b3</sub>].

7. The condensed-cyclic compound of claim 1, wherein X<sub>1</sub> is C-[(L<sub>1</sub>)<sub>a1</sub>-(R<sub>1</sub>)<sub>b1</sub>] and X<sub>2</sub> and X<sub>3</sub> are N; or X<sub>1</sub> and X<sub>2</sub> are N, and X<sub>3</sub> is C-[(L<sub>3</sub>)<sub>a3</sub>-(R<sub>3</sub>)<sub>b3</sub>].
8. The condensed-cyclic compound of claim 1, wherein L<sub>1</sub> to L<sub>4</sub>, L<sub>11</sub>, L<sub>12</sub> and L<sub>21</sub> are each independently selected from Formulae 2-1 to 2-34:


Formula 2-1




Formula 2-2













Formula 2-3




Formula 2-4




-continued




Formula 2-5




Formula 2-6




Formula 2-7




Formula 2-8




Formula 2-9




Formula 2-10




Formula 2-11





Formula 2-12



Formula 2-13



Formula 2-14



-continued

Formula 2-15

Formula 2-16

Formula 2-17

Formula 2-18

Formula 2-19

Formula 2-20

Formula 2-21









Formula 2-22

Formula 2-23


Formula 2-24

Formula 2-25

-continued



Formula 2-26



Formula 2-27

Formula 2-28

Formula 2-29

Formula 2-30

Formula 2-31

Formula 2-32

Formula 2-33

-continued

Formula 2-34

wherein in Formulae 2-1 to 2-34,

$Y_1$  is O, S, S(=O), S(=O)<sub>2</sub>, C(Z<sub>3</sub>)(Z<sub>4</sub>), N(Z<sub>5</sub>) or Si(Z<sub>6</sub>)(Z<sub>7</sub>);

$Z_1$  to  $Z_7$  are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, a quinoxaliny group, a biphenyl group, and —Si(Q<sub>33</sub>)(Q<sub>34</sub>)(Q<sub>35</sub>),

wherein Q<sub>33</sub> to Q<sub>35</sub> are each independently selected from a hydrogen, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, and a quinoxaliny group; and

d1 is selected from integers of 1 to 4,

d2 is selected from integers of 1 to 3,

d3 is selected from integers of 1 to 6,

d4 is selected from integers of 1 to 8,

d5 is 1 or 2,

d6 is selected from integers of 1 to 5, and

each of \* and \*' indicates a binding site to a neighboring atom.

9. The condensed-cyclic compound of claim 1, wherein L<sub>1</sub> to L<sub>4</sub>, L<sub>11</sub>, L<sub>12</sub> and L<sub>21</sub> are each independently selected from:

a phenylene group and a naphthylene group; and

a phenylene group and a naphthylene group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a

quinazoliny group, a quinoxaliny group, a biphenyl group, and  $-\text{Si}(\text{Q}_{33})(\text{Q}_{34})(\text{Q}_{35})$ , wherein,  $\text{Q}_{33}$  to  $\text{Q}_{35}$  are each independently selected from a hydrogen, a  $\text{C}_1\text{-C}_{20}$  alkyl group, a  $\text{C}_1\text{-C}_{20}$  alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, and a quinoxaliny group.

10. The condensed-cyclic compound of claim 1, wherein a21 is 1.

11. The condensed-cyclic compound of claim 1, wherein  $\text{R}_{11}$  and  $\text{R}_{12}$  are each independently selected from a substituted or unsubstituted  $\text{C}_6\text{-C}_{30}$  aryl group, a substituted or unsubstituted  $\text{C}_2\text{-C}_{30}$  heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted monovalent non-aromatic hetero-condensed polycyclic group.

12. The condensed-cyclic compound of claim 1, wherein  $\text{R}_1$  to  $\text{R}_3$ ,  $\text{R}_5$ ,  $\text{R}_6$ , and  $\text{R}_{13}$  to  $\text{R}_{17}$  are each independently selected from:

a hydrogen, a deuterium,  $-\text{F}$ ,  $-\text{Cl}$ ,  $-\text{Br}$ ,  $-\text{I}$ , a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a  $\text{C}_1\text{-C}_{20}$  alkyl group, and a  $\text{C}_1\text{-C}_{20}$  alkoxy group;

a  $\text{C}_1\text{-C}_{20}$  alkyl group and a  $\text{C}_1\text{-C}_{20}$  alkoxy group, each substituted with at least one of a deuterium,  $-\text{F}$ ,  $-\text{Cl}$ ,  $-\text{Br}$ ,  $-\text{I}$ , a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, and a phosphoric acid or a salt thereof;

a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxaliny group, a quinazoliny group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a diben-

zothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group;

a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxaliny group, a quinazoliny group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group and an imidazopyrimidinyl group, each substituted with at least one of a deuterium,  $-\text{F}$ ,  $-\text{Cl}$ ,  $-\text{Br}$ ,  $-\text{I}$ , a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a  $\text{C}_1\text{-C}_{20}$  alkyl group, a  $\text{C}_1\text{-C}_{20}$  alkoxy group,  $-\text{Si}(\text{Q}_{33})(\text{Q}_{34})(\text{Q}_{35})$ , a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxaliny group, a quinazoliny group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triaz-

olyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and a biphenyl group; and

—Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>), provided that R<sub>13</sub> and R<sub>14</sub> are not —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>), wherein Q<sub>3</sub> to Q<sub>5</sub> and Q<sub>33</sub> to Q<sub>35</sub> are each independently selected from a hydrogen, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, and a quinoxaliny group.

13. The condensed-cyclic compound of claim 1,

R<sub>4</sub>, R<sub>11</sub>, and R<sub>12</sub> are each independently selected from:

a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexaceny group, a pentaceny group, a rubiceny group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxaliny group, a quinazoliny group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group; and

a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexaceny group, a pentaceny group, a rubiceny group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group,

a phthalazinyl group, a naphthyridinyl group, a quinoxaliny group, a quinazoliny group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, —Si(Q<sub>33</sub>)(Q<sub>34</sub>)(Q<sub>35</sub>), a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexaceny group, a pentaceny group, a rubiceny group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxaliny group, a quinazoliny group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and a biphenyl group; and

Q<sub>33</sub> to Q<sub>35</sub> are each independently selected from a hydrogen, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, and a quinoxaliny group.

14. The condensed-cyclic compound of claim 1, wherein R<sub>1</sub> to R<sub>3</sub>, R<sub>5</sub>, R<sub>6</sub>, and R<sub>13</sub> to R<sub>17</sub> are each independently selected from:


a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, and a C<sub>1</sub>-C<sub>20</sub> alkoxy group;

a C<sub>1</sub>-C<sub>20</sub> alkyl group and a C<sub>1</sub>-C<sub>20</sub> alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, and a phosphoric acid or a salt thereof;


Formulae 4-1 to 4-31; and

—Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>), provided that R<sub>13</sub> and R<sub>14</sub> are not —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>);


R<sub>4</sub>, R<sub>11</sub>, and R<sub>12</sub> are each independently selected from Formulae 4-1 to 4-31:




Formula 4-1




Formula 4-2




Formula 4-3




Formula 4-4




Formula 4-5



Formula 4-6




Formula 4-7




Formula 4-8


-continued




Formula 4-9




Formula 4-10




Formula 4-11




Formula 4-12




Formula 4-13




Formula 4-14




Formula 4-15




Formula 4-16




Formula 4-17



Formula 4-18













Formula 4-19



Formula 4-20

-continued



Formula 4-21

Formula 4-22

Formula 4-23

Formula 4-24

Formula 4-25

Formula 4-26

Formula 4-27


Formula 4-28

Formula 4-29

Formula 4-30

-continued

Formula 4-31



in Formula 4-1 to 4-31,

 $Y_{31}$  is O, S, C( $Z_{33}$ )( $Z_{34}$ ), N( $Z_{35}$ ) or Si( $Z_{36}$ )( $Z_{37}$ );

$Z_{31}$  to  $Z_{37}$  are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a  $C_1$ - $C_{20}$  alkyl group, a  $C_1$ - $C_{20}$  alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, a quinoxaliny group, a biphenyl group, and —Si( $Q_{33}$ )( $Q_{34}$ )( $Q_{35}$ );

$Q_3$  to  $Q_5$  and  $Q_{33}$  to  $Q_{35}$  are each independently selected from a hydrogen, a  $C_1$ - $C_{20}$  alkyl group, a  $C_1$ - $C_{20}$  alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazoliny group, and a quinoxaliny group;

e1 is selected from integers of 1 to 5,

e2 is selected from integers of 1 to 7,

e3 is selected from integers of 1 to 3,

e4 is selected from integers of 1 to 4,

e5 is 1 or 2, and

e6 is selected from integers of 1 to 6, and

\* indicates a bonding site to a neighboring atom.

15. The condensed-cyclic compound of claim 1, wherein  $R_1$  to  $R_3$ ,  $R_5$ ,  $R_6$ , and  $R_{13}$  to  $R_{17}$  are each independently selected from:

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a  $C_1$ - $C_{20}$  alkyl group, and a  $C_1$ - $C_{20}$  alkoxy group;

a  $C_1$ - $C_{20}$  alkyl group and a  $C_1$ - $C_{20}$  alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, and a phosphoric acid or a salt thereof;

a phenyl group and a naphthyl group;

a phenyl group and a naphthyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a

hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, and a naphthyl group; and


—Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>), provided that R<sub>13</sub> and R<sub>14</sub> are not —Si(Q<sub>3</sub>)(Q<sub>4</sub>)(Q<sub>5</sub>), wherein Q<sub>3</sub> to Q<sub>5</sub> are each independently selected from a hydrogen, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, and a naphthyl group;

R<sub>4</sub>, R<sub>11</sub>, and R<sub>12</sub> are each independently selected from:





a phenyl group and a naphthyl group; and

a phenyl group and a naphthyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid or a salt thereof, a sulfonic acid or a salt thereof, a phosphoric acid or a salt thereof, a C<sub>1</sub>-C<sub>20</sub> alkyl group, a C<sub>1</sub>-C<sub>20</sub> alkoxy group, a phenyl group, and a naphthyl group.


16. The condensed-cyclic compound of claim 1, wherein the condensed-cyclic compound is one of Compounds 1 to 824:



-continued




-continued




8

-continued




12


9




13




10



14




11




15

-continued




16


-continued




19




17



20




18




21


-continued




22



23




24




25


-continued



26




27




28

-continued




29


-continued




33




30




34



31




35




32

-continued




36


-continued




39




37




40



38




41








42


-continued



-continued




-continued




49

-continued




53


50




51




54



55




52




55

-continued




56


-continued




60




57




61




58



62




59









63


-continued



-continued




-continued




71


-continued




75




72




76



73




74




77

-continued




78


-continued




81




79



82




80




83


-continued




-continued




85




88




86



89




-continued




90

-continued




93


91




94



92




95




-continued

96




-continued


99




97




100




98




101




-continued




-continued




103




106



104




107




-continued

108




-continued


111




109




112




110




113




-continued




-continued




115




118




116




119




-continued




-continued




121




124




122




125




-continued




-continued




127




130



128




131




-continued

132




-continued


135




136




133



134




137




-continued

138




-continued


141




139




142



140




143




-continued

144




-continued


147




145




148




146




149




-continued




-continued




151




154




152




155




-continued




-continued




157




160




158




161




-continued




-continued




163




166



164




167




-continued

168




-continued


172




169



173





170




174

171




-continued

175




-continued


178




179




176




180



177




181




-continued

182




-continued


185




183




186



184




187




-continued

188





-continued

191





192

189




193

190




-continued

194





-continued

197





198

195




199

196




200




-continued

201




-continued


204




202




205



203




206




-continued

207




-continued


211




208




212




209




213




210




-continued




-continued




215




218




219



216




220




-continued

221




-continued


224




222




225




226



223




227




-continued


228




229



230




231




-continued


232



233




234




-continued


235




236



237




238




-continued


239




240



241




242




-continued

243




-continued


246




244




247



245




248




-continued

249




-continued


252




250




253




254



251




255




-continued


256




257



258




259




-continued


260




261



262




263




-continued


264




265



266




267




-continued


268




269



270




-continued




271

-continued





274





275

272



276


273



277


-continued

278




-continued


281




279




282




283




280




284




-continued




-continued




286




289



287




290




-continued

291




-continued


295




292



296





293




297


294




-continued




-continued




299




302




303



300




304




-continued

305




-continued


308




306




309




307



310




311




-continued

312




-continued


316




313



317





314




318

315




-continued

319




-continued


323




320




324




321




325




322




326




-continued




-continued




328




331




329




332




-continued




-continued




334




337



335




338




-continued

339




-continued


342




340




343



341




344




-continued

345




-continued


348




346




349




347




350




-continued




-continued




352




355



353




356




-continued

357




-continued


360




358




361




359



362




-continued




363


-continued




366




364



367




365



368


-continued

369




-continued


372




370




373



371




374




-continued

375




-continued


378




376




379




377




380




-continued




-continued




382




385



383




386




-continued

387




-continued


390




388




391




389




392




-continued




-continued




394




397



395




398




-continued

399




-continued


402




400




403



401




404




-continued

405





-continued

408





409

406




407

410




-continued




411


-continued




414




412



415




413



416


-continued

417




-continued


420




418




421




422



419




423




-continued

424




-continued


427




425




428



426




429




-continued

430




-continued


434




431




435




432




433



436




-continued




437


-continued




440




438



441




439



442


-continued

443




-continued


446




444




447



445




448




-continued

449




-continued


453




450



454





451




455







452



-continued




-continued




-continued

463




-continued


466




464




467



465




468




-continued

469




-continued


473




470



474





471







475





472



-continued




-continued




-continued

484




-continued


487




485




488




489




486



490




-continued




491

-continued




495


492




493




494




496




497




-continued




-continued




499




502



500




503




-continued

504




-continued


507




505




508



506




509




-continued

510




-continued


513




511



514




512




-continued

515




-continued


518



516





519




520

517




-continued


521




522



523




524




-continued

525




526




-continued

527




-continued


529




530



528




531




-continued


532




533



534




535




-continued

536




537




-continued

538




-continued


540




541



539




542




-continued

543




-continued


546



544




547




548

545




549




-continued


550




551



552




553




-continued


554



555




556




-continued

557




-continued


561




558




562




559




563



560




564




-continued

565




-continued


569




566




570




567



568




571




-continued

572





-continued

575





576

573




577

574




-continued




578

-continued




581


579




582




580









583



-continued




-continued




-continued

591





-continued

594





595

592




596

593




-continued

597




-continued


600




598




601



599




602




-continued

603




-continued


606




604




607




605








608



-continued




-continued




-continued

615




-continued


618



616





619




620


617




-continued




-continued




622




625




623



626




-continued




627


-continued




630




628



631




629



632


-continued

633




-continued


636



634





637




638

635




-continued

639




-continued


642




640




643




641



644




-continued




645


-continued




648




646



649




647




650

-continued




651

-continued




652


654



653




655






-continued

661





-continued

664





665

662




666

663




-continued

667




-continued


669




670



668




671




-continued

672




-continued


675




676




673




677




674




678




-continued




-continued



680




682




-continued

683




-continued


686




687




684




688




685



689




-continued




690

-continued




692


691








693



-continued




-continued




-continued

700




-continued


704




705




701




702



703




707




-continued

708




-continued


711




712




709




713



710




714




-continued

715




-continued


719




716




720




717




721



718




722




-continued

723




-continued


727




724




728




725




729



726




730




-continued

731





-continued

734





735

732




736

733




-continued




737


-continued




740




738



741




739



742


-continued

743




-continued


746




744




747




745



748




-continued




749


-continued




752




750



753




751




754

-continued




755

-continued




758


756




759




757



760




-continued




761


-continued




764




762



765




763



766


-continued

767




-continued


770




768




771




769



772




-continued




773

-continued




776


774




777




775




778




-continued




-continued




780




783



781




784




-continued

785





-continued

788





786

789




787

790




-continued




791

-continued




794


792




795




793




796




-continued




797



798




799




800


-continued



801




802




803


-continued




-continued




807




805



808




806




809

-continued




810

-continued




812

813





811

814




815




-continued


816




817




818



819




820




-continued


821




822



823



824



- 17.** An organic light-emitting device comprising  
 a first electrode;  
 a second electrode; and  
 an organic layer disposed between the first electrode and the second electrode,  
 wherein the organic layer comprises an emission layer and the condensed-cyclic compound of claim 1.
- 18.** The organic light-emitting device of claim 17, wherein the first electrode is an anode and the second electrode is a cathode, wherein the organic layer comprises
- a hole transport region disposed between the first electrode and the emission layer, wherein the hole transport region comprises at least one of a hole-injection layer, a hole-transporting layer, and an electron-blocking layer; and



专利名称(译)	缩合环状化合物和包括其的有机发光器件		
公开(公告)号	<a href="#">US20150171340A1</a>	公开(公告)日	2015-06-18
申请号	US14/573422	申请日	2014-12-17
[标]申请(专利权)人(译)	三星电子株式会社		
申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD. 三星SDI CO. , LTD.		
当前申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD. 三星SDI CO. , LTD.		
[标]发明人	LEE SEUNGJAE KIM BYUNGKU KIM YOUNGKWON KIM CHANGWOO KIM HYUNGSUN SHIN CHANGJU YU EUNSUN CHOI BYOUNGKI HWANG KYUYOUNG		
发明人	LEE, SEUNGJAE KIM, BYUNGKU KIM, YOUNGKWON KIM, CHANGWOO KIM, HYUNGSUN SHIN, CHANGJU YU, EUNSUN CHOI, BYOUNGKI HWANG, KYUYOUNG		
IPC分类号	H01L51/00 H01L51/50		
CPC分类号	H01L51/0067 H01L51/0072 H01L51/5084 H01L51/0071 H01L51/5056 H01L51/0073 H01L51/0081 H01L51/0085 H01L51/5016		
优先权	1020130157532 2013-12-17 KR		
其他公开文献	US10158085		
外部链接	<a href="#">Espacenet</a> <a href="#">USPTO</a>		

#### 摘要(译)

由式1A或1B表示的稠环化合物：其中在公式1A和1B中，组，取代基和变量与规范中定义相同。

