




US 20150255733A1

(19) **United States**(12) **Patent Application Publication**
RAI et al.(10) **Pub. No.: US 2015/0255733 A1**(43) **Pub. Date: Sep. 10, 2015**(54) **ORGANOMETALLIC COMPOUND AND
ORGANIC LIGHT-EMITTING DEVICE
INCLUDING THE SAME****Publication Classification**(51) **Int. Cl.****H01L 51/00** (2006.01)**H01L 51/50** (2006.01)**C07F 15/00** (2006.01)(52) **U.S. Cl.**CPC **H01L 51/0085** (2013.01); **C07F 15/0033**(2013.01); **H01L 51/5012** (2013.01); **H01L****51/5056** (2013.01); **H01L 51/5072** (2013.01)(71) Applicants: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR); **CHEIL INDUSTRIES**
INC., Gyeongsangbuk-do (KR)(72) Inventors: **Virendra Kumar RAI**, Hwaseong-si
(KR); **Chang-ho NOH**, Suwon-si (KR);
Rupasree Ragini DAS, Suwon-si (KR);
Kang-mun LEE, Suwon-si (KR);
Dmitry KRAVCHUK, Hwaseong-si
(KR)(57) **ABSTRACT**

An organometallic compound represented by Formula 1:



Formula 1

wherein, in Formula 1,

 L_1 is a ligand represented by Formula 2, L_2 is a ligand represented by one of Formulae 3 to 5, and $n1$ and $n2$ are each independently 1 or 2,

wherein Formulae 1 to 5 are described in the specification.

(21) Appl. No.: **14/636,401**(22) Filed: **Mar. 3, 2015**(30) **Foreign Application Priority Data**

Mar. 10, 2014 (KR) 10-2014-0027947



FIG. 1





FIG. 2

FIG. 3




FIG. 4





FIG. 5

FIG. 6




FIG. 7




FIG. 8





FIG. 9

FIG. 10




FIG. 11





FIG. 12

FIG. 13





FIG. 14



ORGANOMETALLIC COMPOUND AND ORGANIC LIGHT-EMITTING DEVICE INCLUDING THE SAME

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application claims the benefit of Korean Patent Application No. 10-2014-0027947, filed on Mar. 10, 2014, in the Korean Intellectual Property Office, and all the benefits accruing therefrom under 35 U.S.C. §119, the disclosure of which is incorporated herein in its entirety by reference.

BACKGROUND

[0002] 1. Field

[0003] The present inventive concept relates to organometallic compounds and organic light-emitting devices including the organometallic compounds

[0004] 2. Description of the Related Art

[0005] Organic light-emitting devices (OLEDs) are self-emitting devices, which have advantages such as wide viewing angles, excellent contrast ratios, and quick response times. In addition, the OLEDs exhibit high brightness, excellent driving voltage characteristics, and can provide multicolored images.

[0006] A typical organic light-emitting device may include an anode, a cathode, and an organic layer, including an emission layer, disposed between the anode and the cathode. The organic light-emitting device may also include a hole transport region disposed between the anode and the emission layer, and an electron transport region disposed between the emission layer and the cathode. Holes injected from the anode move to the emission layer via the hole transport region, while electrons injected from the cathode move to the emission layer via the electron transport region. Carriers such as the holes and electrons recombine in an emission layer to generate excitons. When the excitons drop from an excited state to a ground state, light is emitted.


[0007] Various types of organic light emitting devices are known. However, there still remains a need in OLEDs having low driving voltage, high efficiency, high brightness, and long lifespan.

SUMMARY

[0008] Provided are organometallic compounds and organic light-emitting devices including the organometallic compounds.

[0009] Additional aspects will be set forth in part in the description which follows and, in part, will be apparent from the description, or may be learned by practice of the presented embodiments.

[0010] According to an aspect of the present inventive concept, an organometallic compound represented by Formula 1 is provided:




Formula 1

[0011] wherein, in Formula 1,


[0012] L_1 is a ligand represented by Formula 2, and

[0013] L_2 is a ligand represented by one of Formulae 3 to 5:


Formula 2




Formula 3



Formula 4



Formula 5



[0014] wherein, in Formulae 1 to 5,

[0015] M is Ir, Pt, Os, Ti, Zr, Hf, Eu, Th, or Tm;

[0016] CY_1 and CY_2 are each independently a benzene, a naphthalene, a fluorene, a spiro-fluorene, an indene, a pyrrole, a thiophene, a furan, an imidazole, a pyrazole, a thiazole, an isothiazole, an oxazole, an isoxazole, a pyridine, a pyrazine, a pyrimidine, a pyridazine, a quinoline, an isoquinoline, a benzoquinoline, a quinoxaline, a quinazoline, a carbazole, a benzimidazole, a benzofuran, a benzothiophene, an isobenzothiophene, a benzoxazole, an isobenzoxazole, a triazole, a tetrazole, an oxadiazole, a triazine, a dibenzofuran, or a dibenzothiophene, wherein CY_1 and CY_2 are optionally linked to each other via a single bond or a first linking group;

[0017] Y_1 to Y_4 are each independently C or N;

[0018] Y_1 and Y_2 are linked to each other via a single bond or a double bond, and

[0019] Y_3 and Y_4 are linked to each other via a single bond or a double bond;

[0020] X_1 is N or CR_1 ;

[0021] X_2 is N or CR_2 ;


[0022] X_3 is N or CR_3 ;

[0023] X_4 is N or CR_4 ;

[0024] X_{11} is N or CR_{11} ;


[0025] X_{12} is N or CR_{12} ;

[0026] X_{13} is N or CR_{13} ;
 [0027] X_{14} is N or CR_{14} ;
 [0028] X_{15} is N or CR_{15} ;
 [0029] X_{16} is N or CR_{16} ;
 [0030] Z_1 to Z_4 , R_1 to R_4 , R_{11} to R_{16} , R_{21} , R_{22} , and Q_{51} to Q_{59} are each independently a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_2 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_2 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_2 - C_{60} heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, or —Si(Q_1)(Q_2)(Q_3), wherein R_{21} and R_{22} are optionally linked to each other via a single bond or a second linking group represented by Formula 7:



Formula 7

[0031] Z_{32} is $*-O-*$, $*-S-*$, $*-N(Q_{51})-*$, $*-C(Q_{52})(Q_{53})-*$, $*-C(Q_{54})=C(Q_{55})-*$, or



[0032] b_2 is an integer selected from 1 to 10, and when b_2 is 2 or greater, groups Z_{32} are identical to or different from each other;

[0033] a_1 and a_2 are each independently an integer selected from 0 to 5;

[0034] n_1 and n_2 are each independently 1 or 2;

[0035] * and *' each indicates a binding site to M in Formula 1;

[0036] when the ligand of Formula 2 is represented by Formula 2A, a_2 in Formula 2A is 2, and Z_2 in Formula 2A is —F;

[0037] at least one of X_{11} to X_{16} in Formula 4 is N;

[0038] the following conditions regarding R_{21} and R_{22} in Formula 5 are excluded

[0039] i) where R_{21} and R_{22} are both phenyl groups,

[0040] ii) where R_{21} and R_{22} are both phenyl groups substituted with a tert-butyl group,

[0041] iii) where R_{21} and R_{22} are both ethyl groups,

[0042] iv) where R_{21} and R_{22} are both propyl groups,

[0043] v) where R_{21} and R_{22} are both butyl groups, and

[0044] vi) where R_{21} and R_{22} are both —Si(CH_3)₃;

[0045] at least one substituent of the substituted C_1 - C_{60} alkyl group, the substituted C_2 - C_{60} alkenyl group, the substituted C_2 - C_{60} alkynyl group, the substituted C_1 - C_{60}

alkoxy group, the substituted C_3 - C_{10} cycloalkyl group, the substituted C_2 - C_{10} heterocycloalkyl group, the substituted C_3 - C_{10} cycloalkenyl group, the substituted C_2 - C_{10} heterocycloalkenyl group, the substituted C_6 - C_{60} aryl group, the substituted C_6 - C_{60} aryloxy group, the substituted C_6 - C_{60} arylthio group, the substituted C_2 - C_{60} heteroaryl group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group is

[0046] a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, or a C_1 - C_{60} alkoxy group,

[0047] a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, or a C_1 - C_{60} alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_3 - C_{10} cycloalkyl group, a C_2 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_2 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_2 - C_{10} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q_{11})(Q_{12}), —Si(Q_{13})(Q_{14})(Q_{15}), and —B(Q_{16})(Q_{17}),


[0048] a C_3 - C_{10} cycloalkyl group, a C_2 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_2 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_2 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group,

[0049] a C_3 - C_{10} cycloalkyl group, a C_2 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_2 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_2 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_2 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_2 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_2 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q_{21})(Q_{22}), —Si(Q_{23})(Q_{24})(Q_{25}), and —B(Q_{26})(Q_{27}), or

[0050] —N(Q_{31})(Q_{32}), —Si(Q_{33})(Q_{34})(Q_{35}), or —B(Q_{36})(Q_{37}); wherein

[0051] Q_1 to Q_3 , Q_{11} to Q_{17} , Q_{21} to Q_{27} , and Q_{31} to Q_{37} are each independently a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydra-

zone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₂-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₂-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group:



Formula 2A

[0052] According to another aspect of the present inventive concept, an organic light-emitting device comprising: a first electrode; a second electrode; and an organic layer disposed between the first electrode and the second electrode and comprising an emission layer and at least one of the organometallic compounds.

BRIEF DESCRIPTION OF THE DRAWINGS

[0053] These and/or other aspects will become apparent and more readily appreciated from the following description of the embodiments, taken in conjunction with the accompanying drawings of which:

[0054] FIG. 1 is a schematic cross-sectional view of an organic light-emitting device according to an embodiment of the present disclosure; and

[0055] FIGS. 2 to 14 are graphs of emission intensity (arbitrary unit, a. u.) versus wavelength (nanometer, nm) illustrating photoluminescent (PL) spectra of Compounds 52, 19, 2, 50, 1, 3, 5, 9, 54, 53, 51, 56, and 30, respectively.

DETAILED DESCRIPTION

[0056] Reference will now be made in detail to embodiments, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to the like elements throughout. In this regard, the present embodiments may have different forms and should not be construed as being limited to the descriptions set forth herein. Accordingly, the embodiments are merely described below, by referring to the figures, to explain aspects of the present description. As used herein, the term “and/or” includes any and all combinations of one or more of the associated listed items. Expressions such as “at least one of,” when preceding a list of elements, modify the entire list of elements and do not modify the individual elements of the list.

[0057] It will be understood that when an element is referred to as being “on” another element, it can be directly in contact with the other element or intervening elements may be present therebetween. In contrast, when an element is

referred to as being “directly on” another element, there are no intervening elements present.

[0058] It will be understood that, although the terms first, second, third etc. may be used herein to describe various elements, components, regions, layers, and/or sections, these elements, components, regions, layers, and/or sections should not be limited by these terms. These terms are only used to distinguish one element, component, region, layer, or section from another element, component, region, layer, or section. Thus, a first element, component, region, layer, or section discussed below could be termed a second element, component, region, layer, or section without departing from the teachings of the present embodiments.


[0059] The terminology used herein is for the purpose of describing particular embodiments only and is not intended to be limiting. As used herein, the singular forms “a,” “an,” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise.

[0060] The term “or” means “and/or.” It will be further understood that the terms “comprises” and/or “comprising,” or “includes” and/or “including” when used in this specification, specify the presence of stated features, regions, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, regions, integers, steps, operations, elements, components, and/or groups thereof.

[0061] Unless otherwise defined, all terms (including technical and scientific terms) used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this general inventive concept belongs. It will be further understood that terms, such as those defined in commonly used dictionaries, should be interpreted as having a meaning that is consistent with their meaning in the context of the relevant art and the present disclosure, and will not be interpreted in an idealized or overly formal sense unless expressly so defined herein.


[0062] Exemplary embodiments are described herein with reference to cross section illustrations that are schematic illustrations of idealized embodiments. As such, variations from the shapes of the illustrations as a result, for example, of manufacturing techniques and/or tolerances, are to be expected. Thus, embodiments described herein should not be construed as limited to the particular shapes of regions as illustrated herein but are to include deviations in shapes that result, for example, from manufacturing. For example, a region illustrated or described as flat may, typically, have rough and/or nonlinear features. Moreover, sharp angles that are illustrated may be rounded. Thus, the regions illustrated in the figures are schematic in nature and their shapes are not intended to illustrate the precise shape of a region and are not intended to limit the scope of the present claims.

[0063] According to an embodiment of the present inventive concept, there is provided an organometallic compound represented by Formula 1:




Formula 1


[0064] In Formula 1, L₁ may be a ligand represented by Formula 2, and L₂ may be a ligand represented by one of Formulae 3 to 5:




Formula 2



Formula 3




Formula 4




Formula 5

[0065] In Formulae 2 to 5, * and *' each indicates a binding site to M in Formula 1. Thus, the organometallic compound of Formula 1 may be represented by Formula 1A, 1B, or 1C:




Formula 1A

-continued



Formula 1B




Formula 1C

[0066] In Formulae 1A to 1C, M, CY₁, CY₂, Y₁ to Y₄, X₁ to X₄, X₁₁ to X₁₆, Z₁ to Z₄, R₂₁, R₂₂, n₁, and n₂ are the same as those defined herein.

[0067] In Formula 1, M may be iridium (Ir), platinum (Pt), osmium (Os), titanium (Ti), zirconium (Zr), hafnium (Hf), europium (Eu), terbium (Tb), or thulium (Tm). For example, M in Formula 1 may be Ir or Pt.


[0068] In Formula 2, CY₁ and CY₂ may be each independently a benzene, a naphthalene, a fluorene, a spiro-fluorene, an indene, a pyrrole, a thiophene, a furan, an imidazole, a pyrazole, a thiazole, an isothiazole, an oxazole, an isoxazole, a pyridine, a pyrazine, a pyrimidine, a pyridazine, a quinoline, an isoquinoline, a benzoquinoline, a quinoxaline, a quinazoline, a carbazole, a benzoimidazole, a benzofuran, a benzothiophene, an isobenzothiophene, a benzoxazole, an isobenzoxazole, a triazole, a tetrazole, an oxadiazole, a triazine, a dibenzofuran, or a dibenzothiophene, wherein CY₁ and CY₂ may be optionally linked to each other via a single bond or a first linking group.

[0069] The first linking group may be represented by Formula 6:



Formula 6

[0070] In Formula 6, Z₃₁ may be *—O—*, *—S—*, *—N(Q₄₁)—*, *—C(Q₄₂)(Q₄₃)—*, *—C(Q₄₄)=C(Q₄₅)—*, or



wherein Q₄₁ to Q₄₉ may be each independently

[0071] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino

group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, or a C_1 - C_{60} alkoxy group,

[0072] a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, or a C_1 - C_{60} alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_3 - C_{10} cycloalkyl group, a C_2 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_2 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_2 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group,

[0073] a C_3 - C_{10} cycloalkyl group, a C_2 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_2 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_2 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group, or

[0074] a C_3 - C_{10} cycloalkyl group, a C_2 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_2 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_2 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_2 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_2 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_2 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group; and

[0075] b1 in Formula 6 may be an integer selected from 1 to 10, and when b1 is 2 or greater, groups Z_{31} may be identical to or different from each other.

[0076] For example, in Formula 6, Q_{41} to Q_{49} may be each independently


[0077] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, or a C_1 - C_{20} alkoxy group,

[0078] a C_1 - C_{20} alkyl group or a C_1 - C_{20} alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid

group or a salt thereof, a phosphoric acid group or a salt thereof, a phenyl group, a naphthyl group, a pyridinyl group, and a pyrimidinyl group, or

[0079] a phenyl group, a naphthyl group, a pyridinyl group, or a pyrimidinyl group. However, embodiments of the present inventive concept are not limited thereto.

[0080] For example, in Formula 2, CY_1 and CY_2 may be linked to each other via a single bond or a first linking group, and the first linking group may be represented by $*-C(Q_{44})=C(Q_{45})-*$ or



(where b1 in Formula 6 is 1), wherein Q_{44} to Q_{49} may be each independently a hydrogen, a C_1 - C_{10} alkyl group, or a C_1 - C_{10} alkoxy group. However, embodiments of the present inventive concept are not limited thereto.


[0081] In some embodiments, in Formula 2, CY_1 and CY_2 may be each independently a benzene, a naphthalene, a fluorene, a thiophene, a furan, an imidazole, a pyrazole, a pyridine, a pyrimidine, a quinoline, an isoquinoline, a benzoquinoline, a quinoxaline, a quinazoline, a carbazole, a benzoimidazole, a benzofuran, a benzothiophene, an isobenzothiophene, a triazole, a tetrazole, a triazine, a dibenzofuran, or a dibenzothiophene.

[0082] In some embodiments, CY_1 may be a pyridine or an imidazole, and CY_2 may be a benzene, a pyridine, or a dibenzofuran.

[0083] In Formula 2, Y_1 to Y_4 may be each independently a carbon (C) or a nitrogen (N). In Formula 2, Y_1 and Y_2 may be linked to each other via a single bond or a double bond, and Y_3 and Y_4 may be linked to each other via a single bond or a double bond.

[0084] For example, in Formula 2, Y_1 may be N, and Y_2 to Y_4 may be C. In some other embodiments, in Formula 2, Y_1 , Y_3 , and Y_4 may be C, and Y_2 may be N.


[0085] In some embodiments, when the ligand of Formula 2 is represented by Formula 2A, a2 in Formula 2A is 2, and Z_2 is —F:




Formula 2A

[0086] In some embodiments, L_1 in Formula 1 may be selected from groups represented by Formulae 2-1 to 2-90:


-continued




Formula 2-1




Formula 2-6




Formula 2-2




Formula 2-7




Formula 2-3




Formula 2-8



Formula 2-4




Formula 2-9




Formula 2-5

-continued




Formula 2-10

-continued




Formula 2-15


Formula 2-11




Formula 2-16




Formula 2-12




Formula 2-17




Formula 2-13








Formula 2-18



Formula 2-14



-continued



Formula 2-19






Formula 2-20

Formula 2-21

Formula 2-22

Formula 2-23

-continued



Formula 2-24


Formula 2-25

Formula 2-26


Formula 2-27

Formula 2-28


-continued




Formula 2-29




Formula 2-30



Formula 2-31




Formula 2-32




Formula 2-33


-continued




Formula 2-34




Formula 2-35



Formula 2-36








Formula 2-37




Formula 2-38


-continued




Formula 2-39




Formula 2-40




Formula 2-41



Formula 2-42



Formula 2-43



-continued

Formula 2-44






Formula 2-45

Formula 2-46

Formula 2-47

Formula 2-48

-continued



Formula 2-49






Formula 2-50

Formula 2-51

Formula 2-52

Formula 2-53

-continued



Formula 2-54


Formula 2-55

Formula 2-56


Formula 2-57

Formula 2-58


-continued




Formula 2-59




Formula 2-60



Formula 2-61




Formula 2-62




Formula 2-63


-continued




Formula 2-64




Formula 2-65



Formula 2-66




Formula 2-67




Formula 2-68


-continued




Formula 2-69




Formula 2-70



Formula 2-71




Formula 2-72




Formula 2-73


-continued




Formula 2-74




Formula 2-75



Formula 2-76




Formula 2-77




Formula 2-78


-continued




Formula 2-79




Formula 2-80



Formula 2-81




Formula 2-82




Formula 2-83


-continued




Formula 2-84




Formula 2-85



Formula 2-86




Formula 2-87




Formula 2-88

-continued



Formula 2-89



Formula 2-90

[0087] In Formulae 2-1 to 2-90,

[0088] Z_1 and Z_2 may be the same as those defined above;[0089] Z_{1a} and Z_{1b} are the same or different and may each have the same definition as Z_1 ;[0090] Z_{2a} , Z_{2b} and Z_{2c} are the same or different and may each have the same definition as Z_2 ;

[0091] a12 may be 1 or 2;

[0092] a13 may be an integer selected from 1 to 3;

[0093] a14 may be an integer selected from 1 to 4; and


[0094] * and *¹ each indicates a binding site to M.[0095] For example, in Formulae 2-1 to 2-90, Z_1 , Z_2 , Z_{1a} , Z_{1b} , Z_{2a} , Z_{2b} , and Z_{2c} may be each independently

[0096] a hydrogen, —F, a cyano group, a nitro group, a methyl group, an ethyl group, n-propyl group, an isopropyl group, n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, or


[0097] a methyl group, an ethyl group, a n-propyl group, an isopropyl group, n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a

butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, each substituted with at least one of —F, a cyano group, and a nitro group. However, embodiments of the present inventive concept are not limited thereto.


[0098] In some other embodiments, L_1 in Formula 1 may be selected from groups represented by Formulae 2-1A, 2-2a, 2-70A, and 2-87A:




Formula 2-1A



Formula 2-2A



Formula 2-70A



Formula 2-87A


[0099] In Formulae 2-1A, 2-2A, 2-70A, and 2-87A,

[0100] Z_1 and Z_2 may be the same as those defined above,[0101] Z_{2a} , Z_{2b} , and Z_{2c} are the same or different and may each have the same definition as Z_2 , and[0102] * and *¹ each indicates a binding site to M.

[0103] In Formulae 4 and 5,


[0104] X_1 may be N or CR₁;[0105] X_2 may be N or CR₂;

- [0106] X_3 may be N or CR_3 ;
 [0107] X_4 may be N or CR_4 ;
 [0108] X_{11} may be N or CR_{11} ;
 [0109] X_{12} may be N or CR_{12} ;
 [0110] X_{13} may be N or CR_{13} ;
 [0111] X_{14} may be N or CR_{14} ;
 [0112] X_{15} may be N or CR_{15} ;
 [0113] X_{16} may be N or CR_{16} ; and
 [0114] at least one of X_{11} to X_{16} in Formula 5 may be N.
 [0115] In some embodiments, at least one of X_1 to X_4 in Formula 3 may be N.
 [0116] In some embodiments, Z_1 to Z_4 , R_1 to R_4 , R_{11} to R_{16} , R_{21} , R_{22} , and Q_{51} to Q_{59} in above Formulae may be each independently a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_2 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_2 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_2 - C_{60} heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, or —Si(Q_1)(Q_2)(Q_3); and
 [0117] R_{21} and R_{22} may be optionally linked to each other via a single bond or a second linking group represented by Formula 7:



Formula 7

- [0118] In Formula 7, Z_{32} is $*-O-*$, $*-S-*$, $*-N(Q_{51})-*$, $*-C(Q_{52})(Q_{53})-*$, $-C(Q_{54})=C(Q_{55})-*$, or



- [0119] b_2 is an integer selected from 1 to 10, and when b_2 is 2 or greater, groups Z_{32} are identical to or different from each other;
 [0120] In Formula 5, the following conditions regarding R_{21} and R_{22} are excluded:
 [0121] i) where R_{21} and R_{22} are both phenyl groups,
 [0122] ii) where R_{21} and R_{22} are both phenyl groups substituted with a tert-butyl group,
 [0123] iii) where R_{21} and R_{22} are both ethyl groups,
 [0124] iv) where R_{21} and R_{22} are both propyl groups,
 [0125] v) where R_{21} and R_{22} are both butyl groups, and
 [0126] vi) where R_{21} and R_{22} are both —Si(CH_3)₃.
 [0127] In some other embodiments, Z_1 to Z_4 , R_1 to R_4 , R_{11} to R_{16} , R_{21} , R_{22} , and Q_{51} to Q_{59} in above Formulae may be each independently

[0128] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, or a C_1 - C_{20} alkoxy group,

[0129] a C_1 - C_{20} alkyl group or a C_1 - C_{20} alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a phenyl group, a naphthyl group, a pyridinyl group, and a pyrimidinyl group,

[0130] a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, a ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, a oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a thiadiazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group,

[0131] a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isooxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothia-

zoyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, or

[0132] —Si(Q_1)(Q_2)(Q_3), wherein Q_1 to Q_3 may be each independently a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazolinyl group, or a quinoxalinyl group.

[0133] In some other embodiments, Z_1 to Z_4 , R_1 to R_4 , R_{11} to R_{16} , R_{21} , R_{22} , and Q_{51} to Q_{59} may be each independently

[0134] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, or a C_1 - C_{20} alkoxy group,

[0135] a C_1 - C_{20} alkyl group or a C_1 - C_{20} alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino

group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

[0136] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group,

[0137] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzo-

carbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, or

[0138] $-\text{Si}(\text{Q}_1)(\text{Q}_2)(\text{Q}_3)$, wherein Q_1 to Q_3 may be each independently a hydrogen, a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, or a triazinyl group.


[0139] In some other embodiments, Z_1 to Z_4 , R_1 to R_4 , R_1 to R_{16} , R_{21} , R_{22} , and Q_{51} to Q_{59} may be each independently

[0140] a hydrogen, $-\text{F}$, a cyano group, a nitro group, a methyl group, an ethyl group, n-propyl group, an isopropyl group, n-butyl group, an isobutyl group, sec-butyl group, tert-butyl group, n-pentyl group, isopentyl group, sec-pentyl group, tert-pentyl group, n-hexyl group, isohexyl group, sec-hexyl group, tert-hexyl group, n-heptyl group, isoheptyl group, sec-heptyl group, tert-heptyl group, n-octyl group, isooctyl group, sec-octyl group, tert-octyl group, n-nonyl group, isononyl group, sec-nonyl group, tert-nonyl group, n-decyl group, isodecyl group, sec-decyl group, tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group;

[0141] a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, each substituted with at least one of $-\text{F}$, a cyano group, and a nitro group, or


[0142] $-\text{Si}(\text{Q}_1)(\text{Q}_2)(\text{Q}_3)$, wherein Q_1 to Q_3 may be each independently a hydrogen, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, or a triazinyl group.

[0143] In some embodiments, L_2 in Formula 1 may be a group represented by one of Formulae 3-1 to 3-4 and Formulae 4-1 to 4-4:




Formula 3-1


-continued




Formula 3-2




Formula 3-3




Formula 3-4



Formula 4-1




Formula 4-2



Formula 4-3

-continued

Formula 4-4



[0144] In Formulae 3-1 to 3-4, and Formulae 4-1 to 4-4, Z_3 , Z_4 , R_1 to R_4 , and R_{11} to R_{16} may be each independently the same as those defined above.

[0145] For example, in Formulae 3-1 to 3-4 and Formulae 4-1 to 4-4, Z_3 , Z_4 , R_1 to R_4 , and R_{11} to R_{16} may be each independently

[0146] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, or a C_1 - C_{20} alkoxy group,

[0147] a C_1 - C_{20} alkyl group or a C_1 - C_{20} alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

[0148] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinoliny group, an isoquinoliny group, a benzoquinoliny group, a quinoxaliny group, a quinazoliny group, a cinnoliny group, a carbazolyl group, a phenanthroliny group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, or

[0149] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinoliny group, an isoquinoliny group, a benzoquinoliny group, a quinoxaliny group, a quinazoliny group, a cinnoliny group, a carbazolyl group, a phenanthroliny group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isoben-

zothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinoliny group, an isoquinoliny group, a benzoquinoliny group, a quinoxaliny group, a quinazoliny group, a cinnoliny group, a carbazolyl group, a phenanthroliny group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group; and

[0150] * and *' each indicates a binding site to M in Formula 1.

[0151] In some other embodiments, in Formulae 3-1 to 3-4 and Formulae 4-1 to 4-4, Z_3 , Z_4 , R_1 to R_4 , and R_{11} to R_{16} may be each independently

[0152] a hydrogen, —F, a cyano group, a nitro group, a methyl group, an ethyl group, n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, or

[0153] a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, each substituted with at least one of —F, a cyano group, and a nitro group. However, embodiments of the present inventive concept are not limited thereto.

[0154] In some embodiments, R₂₁ and R₂₂ in Formula 5 may be each independently a cyano group or a C₁-C₂₀ alkoxy group.

[0155] a C₁-C₂₀ alkyl group or a C₁-C₂₀ alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof.

[0156] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoidindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group,

[0157] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group,

a cinnoliny group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, a benzo-carbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, or

[0158] —Si(Q₁)(Q₂)(Q₃), wherein Q₁ to Q₃ may be each independently a hydrogen, a phenyl group, or a naphthyl group; and

[0159] at least one of R_{21} and R_{22} in Formula 5 may be

[0160] a cyano group or a C₁-C₂₀ alkoxy group,

[0161] a C₁-C₂₀ alkyl group or a C₁-C₂₀ alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof.

[0162] a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoidolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, or

[0163] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoidinyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a

phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group.

[0164] In some other embodiments, R_{21} and R_{22} in Formula 5 may be each independently

[0165] a cyano group or a C_1 - C_{20} alkoxy group,

[0166] a phenyl group, a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, or a dibenzothiophenyl group,

[0167] a phenyl group, a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, or a dibenzothiophenyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, or

[0168] —Si(Q_1X)(Q_2)(Q_3), wherein Q_1 to Q_3 are each independently a hydrogen, a phenyl group, or a naphthyl group; and

[0169] at least one of R_{21} and R_{22} in Formula 5 may be


[0170] a cyano group or a C_1 - C_{20} alkoxy group,

[0171] a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, or a dibenzothiophenyl group, or

a phenyl group, a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, or a dibenzothiophenyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group. However, embodiments of the present inventive concept are not limited thereto.


[0172] In some embodiments, L_2 in Formula 1 is a group represented by Formula 5A or 5B:

Formula 5A



-continued

Formula 5B



[0173] In Formulae 5A and 5B,


[0174] Z_3 , Z_4 , Z_{32} , and b_2 may be the same as those defined in claim 1;[0175] X_{31} may be N or CR_{31} ;[0176] X_{32} may be N or CR_{32} ;[0177] X_{33} may be N or CR_{33} ;[0178] X_{34} may be N or CR_{34} ;[0179] X_{35} may be N or CR_{35} ;[0180] X_{36} may be N or CR_{36} ;[0181] X_{37} may be N or CR_{37} ;[0182] X_{38} may be N or CR_{38} ;[0183] at least one of X_{31} to X_{38} may be N; and[0184] R_{31} to R_{38} are the same or different and may each have the same definition as R_1 .[0185] For example, R_{31} to R_{38} in Formulae 5A and 5B may be each independently

[0186] a hydrogen, —F, a cyano group, a nitro group, a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, or


[0187] a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, each substituted with at least one of —F, a cyano group, and a nitro group. However, embodiments of the present inventive concept are not limited thereto.

[0188] In some embodiments, L_2 in Formula 1 may be selected from groups represented by Formulae 5-1 to 5-25. However, embodiments of the present inventive concept are not limited thereto.


Formula 5-1




Formula 5-2




Formula 5-3




Formula 5-4




Formula 5-5




Formula 5-6




-continued




Formula 5-7




Formula 5-8




Formula 5-9



Formula 5-10




Formula 5-11




Formula 5-12


-continued




Formula 5-13



Formula 5-14




Formula 5-15




Formula 5-16

-continued




Formula 5-17


-continued




Formula 5-21




Formula 5-18




Formula 5-22




Formula 5-19



Formula 5-23




Formula 5-20



Formula 5-24

-continued

Formula 5-25



[0189] In Formulae 5-1 to 5-25, Z_3 , Z_4 , R_{31} to R_{38} , and Q_{52} to Q_{55} may be the same as those defined above.

[0190] For example, in Formulae 5-1 to 5-25, Z_3 , Z_4 , R_{31} to R_{38} , and Q_{52} to Q_{55} may be each independently

[0191] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, or a C_1 - C_{20} alkoxy group,

[0192] a C_1 - C_{20} alkyl group or a C_1 - C_{20} alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

[0193] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyrimidinyl group, or

[0194] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a

benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyrimidinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyrimidinyl group, and an imidazopyrimidinyl group;

[0195] d_1 may be an integer selected from 1 to 4;

[0196] d_2 may be an integer selected from 1 to 5;

[0197] d_3 may be an integer selected from 1 to 3;

[0198] d_4 may be 1 or 2; and

[0199] d_5 may be an integer selected from 1 to 7.

[0200] In some other embodiments, in Formulae 5-1 to 5-25, Z_3 , Z_4 , R_{31} to R_{38} , and Q_{52} to Q_{55} may be each independently

[0201] a hydrogen, —F, a cyano group, a nitro group, a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, or

[0202] a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a

butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, each substituted with at least one of —F, a cyano group, and a nitro group. However, embodiments of the present inventive concept are not limited thereto.

[0203] In some embodiments, in Formula 2,

[0204] CY_1 may be a pyridine or an imidazole;

[0205] CY_2 may be a benzene, a pyridine, or a dibenzofuran;

[0206] Z_1 and Z_2 may be each independently

[0207] a hydrogen, —F, a cyano group, a nitro group, a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, or

[0208] a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isoheptyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, each substituted with at least one of —F, a cyano group, and a nitro group; and

[0209] L_2 in Formula 1 may be a ligand represented by one of Formulae 3-1 to 3-4, Formulae 4-1 to 4-4, and Formulae 5-1 to 5-25.

[0210] In some embodiments,

[0211] L_1 in Formula 1 may be a ligand represented by one of Formulae 2-1 to 2-90, and L_2 in Formula 1 may be a ligand represented by one of Formulae 3-1 to 3-4, Formulae 4-1 to 4-4, and Formulae 5-1 to 5-25.

[0212] In some other embodiments, L_1 in Formula 1 may be a ligand represented by one of Formulae 2-1A, 2-2A, 2-70A, and 2-87A, and L_2 in Formula 1 may be a ligand represented by one of Formulae 3-1 to 3-4, Formulae 4-1 to 4-4, and Formulae 5-1 to 5-25.


[0213] In Formula 2, a_1 and a_2 , which indicate the number of groups Z_1 and the number of groups Z_2 , respectively, may be each independently an integer of 0 to 5. For example, a_1 may be 0, 1, or 2, and a_2 may be 0, 1, 2, or 3.

[0214] When a_1 is 2 or greater, a_1 number of groups Z_1 may be identical to or different from each other. When a_2 is 2 or greater, a_2 number of groups Z_2 may be identical to or different from each other.


[0215] In Formula 1, n_1 and n_2 may be each independently 1 or 2.

[0216] For example, in Formula 1, M may be Ir; n_1 may be 1; and n_2 may be 2. In some other embodiments, n_1 may be 2, and n_2 may be 1.

[0217] In some embodiments, the organometallic compound of Formula 1 may be one of Compounds 1 to 56:




-continued




6


-continued




11




7




12




8




13




9



14




10




15

-continued




16


-continued




21




17




22




18




23




19



24




20




25

-continued




26


-continued




31




27




32




28




33




29



34








30







35


-continued



-continued




-continued




45


-continued




49




46




50




47




51



48






52




53

-continued




[0218] In Formula 1, L_1 may be a ligand represented by Formula 2 as described above. Thus, an organic light-emitting device including the organometallic compound of Formula 1 may have an improved emission efficiency.

[0219] In Formula 1, L_2 may be one of the ligands represented by Formulae 3 to 5 as described above,




Formula 3



Formula 4

-continued

Formula 5



[0220] As described above, X_1 to X_4 in Formula 3 may be each independently nitrogen (N), and at least one of X_{11} to X_{16} in Formula 4 may be N. Thus, an organometallic compound including a ligand represented by Formula 3 and 4 may have improved electron mobility and improved electron transport ability. Thus, an organic light-emitting device including the organometallic compound of Formula 1, wherein L_2 is a ligand represented by Formula 3 or 4, may have an improved emission efficiency.

[0221] In Formula 5, the following conditions regarding R_{21} and R_{22} are excluded:

- where R_{21} and R_{22} are both phenyl groups,
- where R_{21} and R_{22} are both phenyl groups substituted with a tert-butyl group,
- where R_{21} and R_{22} are both ethyl groups,
- where R_{21} and R_{22} are both propyl groups,
- where R_{21} and R_{22} are both butyl groups, and
- where R_{21} and R_{22} are both $-\text{Si}(\text{CH}_3)_3$.

For example, at least one of R_{21} and R_{22} in Formula 5 may be

[0222] a cyano group or a C_1 - C_{20} alkoxy group,

[0223] a C_1 - C_{20} alkyl group or a C_1 - C_{20} alkoxy group, each substituted with at least one of a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

[0224] a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group,

[0225] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an

indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranlyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoidolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranlyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, or

[0226] —Si(Q₁)(Q₂)(Q₃), wherein Q₁ to Q₃ may be each independently selected from a hydrogen, a phenyl group, and a naphthyl group.

[0227] An organometallic compound including the ligand of Formula 5 may have improved electron mobility and improved electron transport ability. Thus, an organic light-emitting device including the organometallic compound of Formula 1, wherein L₂ is a ligand of Formula 5, may have improved emission efficiency.

[0228] For example, the organometallic compound of Formula 1 may emit deep blue light having a peak emission wavelength of about 435 nanometers (nm) to about 500 nm, an x-color coordinate of about 0.14 to about 0.25, for example, about 0.16 to about 0.23, and a y-color coordinate of about 0.10 to about 0.41, for example, about 0.25 to about 0.35.

[0229] A synthesis method of the organometallic compound of Formula 1 above may be easily understood to one of ordinary skill in the art based on the synthesis examples described below.

[0230] As described above, the organometallic compound of Formula 1 above may be appropriate for use as a material for the organic layer, for example, a dopant of the EML.

[0231] According to another embodiment of the present disclosure, an organic light-emitting device includes

[0232] a first electrode,

[0233] a second electrode, and

[0234] an organic layer disposed between the first electrode and the second electrode,

[0235] wherein the organic layer includes an EML and at least one of the organometallic compounds of Formula 1 above.

[0236] Due to the inclusion of the organic layer including the organometallic compound of Formula 1 described above, the organic light-emitting device may have a low driving voltage, a high efficiency, and a long lifetime.

[0237] The organometallic compound of Formula 1 above may be used between a pair of electrodes of an organic light-emitting device. For example, the organometallic compound of Formula 1 may be included in the EML. In this regard, the organometallic compound of Formula 1 may serve as a dopant in the EML, and the EML may further include a host. The EML may emit red light, green light, or blue light.

[0238] As used herein, the phrase “(for example, the organic layer) including at least one organometallic compound means that “(the organic layer) including one of the organometallic compounds of Formula 1 above, or at least two different organometallic compounds of Formula 1 above”.

[0239] For example, the organic layer of the organic light-emitting device may include only Compound 1 as the organometallic compound. For example, Compound 1 may be included in the EML of the organic light-emitting device. In some embodiments, the organic layer of the organic light-emitting device may include Compounds 1 and 2 as the organometallic compound. For example, Compounds 1 and 2 may be included both in the EML.

[0240] The first electrode may be an anode as a hole injection electrode, and the second electrode may be a cathode as an electron injection electrode. In some embodiments, the first electrode may be a cathode as an electron injection electrode, and the second electrode may be an anode as a hole injection electrode.

[0241] For example, the first electrode may be an anode, the second electrode may be a cathode, and the organic layer may include:

[0242] i) a hole transport region disposed between the first electrode and the emission layer and including at least one of a hole injection layer, a hole transport layer, and an electron blocking layer; and

[0243] ii) an electron transport region disposed between the emission layer and the second electrode and including at least one of a hole blocking layer, an electron transport layer, and an electron injection layer.

[0244] The term “organic layer” as used herein refers to a single layer and/or a plurality of layers disposed between the first and second electrodes of the organic light-emitting device. The “organic layer” may include, for example, an organic compound or an organometallic complex including a metal.

[0245] FIG. 1 is a schematic view of an organic light-emitting device 10 according to an embodiment of the present disclosure. Hereinafter, a structure of an organic light-emitting device according to an embodiment of the present disclosure and a method of manufacturing the same will now be described with reference to FIG. 1. Referring to FIG. 1, the organic light-emitting device 10 has a structure in which a substrate 11, a first electrode 11, an organic layer 15, and a second electrode 19 are sequentially stacked in this order.

[0246] A substrate (not shown) may be disposed under the first electrode 11 or on the second electrode 19 in FIG. 1. The substrate may be any substrate that is used in conventional organic light emitting devices. In some embodiments the

substrate may be a glass substrate or a transparent plastic substrate with strong mechanical strength, thermal stability, transparency, surface smoothness, ease of handling, and water resistance.

[0247] The first electrode **11** may be formed by depositing or sputtering a first electrode-forming material on the substrate **11**. The first electrode **11** may be an anode. A material having a high work function may be selected as a material for the first electrode to facilitate hole injection. The first electrode **11** may be a reflective electrode, a semi-transmissive electrode, or a transmissive electrode. For example, the material for the first electrode **13** may be indium tin oxide (ITO), indium zinc oxide (IZO), tin oxide (SnO_2), or zinc oxide (ZnO). In some embodiments, the material for the first electrode **13** may be metals, for example, magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg-In), magnesium-silver (Mg-Ag), or the like.

[0248] The first electrode **11** may have a single-layer structure or a multi-layer structure including at least two layers. For example, the first electrode **11** may have, but not limited to, a three-layered structure including ITO, Ag, and ITO layers.

[0249] The organic layer **15** may be disposed on the first electrode **11**.

[0250] The organic layer **15** may include at least one a hole transport region; an EML, and an electron transport region.

[0251] The hole transport region may be disposed between the first electrode **11** and the EML.

[0252] The hole transport region may include at least one of a hole injection layer (HIL), a hole transport layer (HTL), an electron blocking layer (EBL), and a buffer layer.

[0253] The hole transport region may include exclusively the HIL or the HTL. In some embodiments, the electron transport region may have a structure including a HIL/HTL or a HIL/HTL/EBL, wherein the layers forming the structure of the electron transport region may be sequentially stacked on the first electrode **10** in the stated order.



[0254] When the hole transport region includes the HIL, the HIL may be formed on the first electrode **11** by any of a variety of methods, for example, vacuum deposition, spin coating, casting, Langmuir-Blodgett (LB) deposition, or the like.

[0255] When the HIL is formed using vacuum deposition, vacuum deposition conditions may vary depending on the material that is used to form the HIL, and the desired structure and thermal properties of the HIL to be formed. For example, vacuum deposition may be performed at a temperature of about 100°C . to about 500°C ., a pressure of about 10^{-8} torr to about 10^{-3} torr, and a deposition rate of about 0.01 to about 100 Angstroms per second ($\text{\AA}/\text{sec}$). However, the deposition conditions are not limited thereto.


[0256] When the HIL is formed using spin coating, the coating conditions may vary depending on the material that is used to form the HIL, and the desired structure and thermal properties of the HIL to be formed. For example, the coating rate may be in the range of about 2,000 revolutions per minute (rpm) to about 5,000 rpm, and a temperature at which heat treatment is performed to remove a solvent after coating may be in a range of about 80°C . to about 200°C . However, the coating conditions are not limited thereto.

[0257] Conditions for forming the HTL and the EBL may be the same as those for the HIL described above.








[0258] In some embodiments, the hole transport region may include at least one of m-MTDATA, TDATA, 2-TNATA, NPB, β -NPB, TPD, Spiro-TPD, Spiro-NPB, methylated-NPB, TAPC, HMTPD, 4,4',4''-tris(N-carbazolyl)triphenylamine (TCTA), polyaniline/dodecylbenzene sulfonic acid (Pani/DBSA), poly(3,4-ethylenedioxythiophene)/poly(4-styrenesulfonate)(PEDOT/PSS), polyaniline/camphor sulfonic acid (Pani/CSA), polyaniline/poly(4-styrenesulfonate) (PANI/PSS), a compound represented by Formula 201 below, and a compound represented by Formula 202 below.



-continued




-continued




-continued

Formula 201



Formula 202



[0259] In Formula 201 above, Ar₁₀₁ and Ar₁₀₂ may be each independently

[0260] a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, or a pentacenylene group, or

[0261] a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, or a pentacenylene group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀

cycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₂-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

[0262] In Formula 201, xa and xb may be each independently an integer from 0 to 5, for example, may be 0, 1, or 2. For example, xa may be 1, and xb may be 0, but are not limited thereto.

[0263] In Formulae 201 and 202, R₁₀₁ to R₁₀₈, R₁₁₁ to R₁₁₉, and R₁₂₁ to R₁₂₄ may be each independently

[0264] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group (for example, a methyl group, an ethyl group, a propyl group, a butyl group, a pentyl group, a hexyl group, or the like), or a C₁-C₁₀ alkoxy group (for example, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, or the like),

[0265] a C₁-C₁₀ alkyl group or a C₁-C₁₀ alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

[0266] a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, or a pyrenyl group, or

[0267] a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, or a pyrenyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, and a C₁-C₁₀ alkoxy group. However, embodiments of the present disclosure are not limited thereto.

[0268] In Formula 201 above, R₁₀₉ may be


[0269] a phenyl group, a naphthyl group, an anthracenyl group, or a pyridinyl group, or

[0270] a phenyl group, a naphthyl group, an anthracenyl group, or a pyridinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group.


[0271] In some embodiments, the compound of Formula 201 may be a compound represented by Formula 201A, but is not limited thereto:

-continued

Formula 201A




HT2




[0272] In Formula 201A, R_{101} , R_{111} , R_{112} , and R_{109} may be the same as those defined above.

[0273] For example, the compound of Formula 201 and the compound of Formula 202 may be Compounds HT1 to HT20 below, but are not limited thereto:

HT3




HT1




-continued

-continued


HT4




HT6



HT5




HT7




-continued

-continued


HT8




HT10



HT9




HT11




-continued

HT12




-continued


HT16




HT17




HT18




HT14



HT15




HT19



-continued


HT20



[0274] A thickness of the hole transport region may be from about 100 Å to about 10,000 Å, and in some embodiments, from about 100 Å to about 1,000 Å. When the hole transport region includes a HIL and a HTL, a thickness of the HIL may be from about 100 Å to about 10,000 Å, and in some embodiments, from about 100 Å to about 1,000 Å, and a thickness of the HTL may be from about 50 Å to about 2,000 Å, and in some embodiments, from about 100 Å to about 1,500 Å. When the thicknesses of the hole transport region, the HIL, and the HTL are within these ranges, satisfactory hole transport characteristics may be obtained without a substantial increase in driving voltage.

[0275] The hole transport region may further include a charge-generating material to improve conductivity, in addition to the materials as described above. The charge-generating material may be homogeneously or non-homogeneously dispersed in the hole transport region.


[0276] The charge-generating material may be, for example, a p-dopant. The p-dopant may be one of a quinine derivative, a metal oxide, and a cyano group-containing compound, but is not limited thereto. Non-limiting examples of the p-dopant are quinone derivatives such as tetracyanoquinodimethane (TCNQ), 2,3,5,6-tetrafluoro-tetracyano-1,4-benzoquinodimethane (F4-TCNQ), and the like; metal oxides such as tungsten oxide, molybdenum oxide, and the like; and cyano-containing compounds such as Compound 200 below.



Compound HT-D1

-continued

F4-TCNQ




[0277] The hole transport region may further include a buffer layer.

[0278] The buffer layer may compensate for an optical resonance distance of light according to a wavelength of the light emitted from the EML, and thus may increase efficiency.


[0279] The EML may be formed on the hole transport region by using vacuum deposition, spin coating, casting, LB deposition, or the like. When the EML is formed using vacuum deposition or spin coating, the conditions for deposition and coating may be similar to those for the formation of the HIL, though the conditions for the deposition and coating may vary depending on the material that is used to form the EML.

[0280] The EML may include a host and a dopant.


[0281] The host may include at least one of TPBi, TBADN, AND (also referred to as "DNA"), CBP, CDBP, and TCP:



TPBi




TBADN



[0282] In some embodiments, the host may further include a compound represented by Formula 301:

Formula 301



[0283] In Formula 301, Ar_{111} and Ar_{112} may be each independently

[0284] a phenylene group, a naphthylene group, a phenanthrenylene group, or a pyrenylene group, or

[0285] a phenylene group, a naphthylene group, a phenanthrenylene group, a fluorenyl group, or a pyrenylene group, each substituted with at least one of a phenyl group, a naphthyl group, and an anthracenyl group.

[0286] In Formula 301, Ar_{113} to Ar_{116} may be each independently

[0287] a C_1 - C_{10} alkyl group, a phenyl group, a naphthyl group, a phenanthrenyl group, or a pyrenyl group, or

[0288] a phenyl group, a naphthyl group, a phenanthrenyl group, a fluorenyl group, or a pyrenyl group, each substituted with at least one of a phenyl group, a naphthyl group, and an anthracenyl group.


[0289] In Formula 301, g, h, i, and j may be each independently an integer of 0 to 4, for example, 0, 1, or 2.

[0290] In Formula 301, Ar_{113} to Ar_{116} may be each independently

[0291] a C_1 - C_{10} alkyl group substituted with at least one of a phenyl group, a naphthyl group, and an anthracenyl group,

[0292] a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, or a fluorenyl group,


[0293] a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, or a fluorenyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, and a fluorenyl group, or



However, embodiments of the present inventive concept are not limited thereto.

[0294] In some embodiments, the host may include a compound represented by Formula 302:

Formula 302




[0295] In Formula 302, Ar_{122} to Ar_{125} may be defined the same as for Ar_{113} in Formula 301 described above.

[0296] In Formula 302, Ar_{126} and Ar_{127} may be each independently a C_1 - C_{10} alkyl group, for example, a methyl group, an ethyl group, or a propyl group.


[0297] In Formula 302, k and l may be each independently an integer of 0 to 4, for example, 0, 1, or 2.

[0298] Non-limiting examples of the compound of Formula 301 and the compound of Formula 302 may include Compounds H1 to H42. However, embodiments of the present inventive concept are not limited thereto.


-continued




H6




H1




H7




H2




H8




H3




H9



H4




H5




H10

-continued


H11




H12




H13




H14



H15




H16




-continued


H17




H18




H19



H20




-continued




H21


-continued




H26




H22




H27




H23




H28




H24




H29



H25




H30




H31

-continued


H32




H33



H34




H35




-continued


H36



H37




H38




-continued

H39




-continued


H42



H40



H41



[0299] When the organic light-emitting device is a full color organic light-emitting device, the emission layer may be patterned into a red emission layer, a green emission layer, and a blue emission layer. In some embodiments, the EML may have a stack structure including a red emission layer, a green emission layer, and/or a blue emission layer that are stacked upon one another to emit white light, but is not limited thereto.

[0300] The EML may include the organometallic compound of Formula 1 as a dopant.

[0301] When the EML includes both a host and a dopant, the amount of the dopant may be from about 0.01 to about 20 parts by weight based on 100 parts by weight of the host. However, the amount of the dopant is not limited to this range.

[0302] The thickness of the EML may be about 100 Å to about 1,000 Å, and in some embodiments, may be from about 200 Å to about 600 Å. When the thickness of the EML is within these ranges, the EML may have improved light emitting ability without a substantial increase in driving voltage.


[0303] Next, the electron transport region may be formed on the EML.

[0304] The electron transport region may include at least one of a HBL, an ETL, and an EIL.


[0305] In some embodiments, the electron transport region may have a structure including a HBL/ETL/EIL, or an ETL/EIL, wherein the layers forming the structure of the electron transport region may be sequentially stacked on the EML in the stated order. However, embodiments of the present disclosure are not limited thereto. The ETL may have a single-layer structure or a multi-layer structure including at least two different materials.

[0306] Conditions for forming the HBL, ETL, and EIL of the electron transport region may be the same as those for the HIL described above.

[0307] When the electron transport region includes the HBL, the HBL may include at least one of BCP below and Bphen below. However, embodiments of the present disclosure are not limited thereto.





BCP




Bphen

[0308] The thickness of the HBL may be from about 20 Å to about 1,000 Å, and in some embodiments, from about 30 Å to about 300 Å. When the thickness of the HBL is within these ranges, the HBL may have improved hole blocking ability without a substantial increase in driving voltage.


[0309] The ETL may further include at least one of Alq₃, Balq, TAZ, and NTAZ, in addition to BCP and Bphen described above.

Alq₃

Balq




TAZ



NTAZ


[0310] In some embodiments, the ETL may include at least one of Compounds ET1 and ET2 represented below, but is not limited thereto.



ET1

-continued

ET2




[0311] A thickness of the ETL may be from about 100 Å to about 1,000 Å, and in some embodiments, from about 150 Å to about 500 Å. When the thickness of the ETL is within these ranges, the ETL may have satisfactory electron transporting ability without a substantial increase in driving voltage.


[0312] In some embodiments the ETL may further include a metal-containing material, in addition to the above-described materials.

[0313] The metal-containing material may include a lithium (Li) complex. Non-limiting examples of the Li complex are compound ET-D1 below (lithium quinolate (LiQ)), or compound ET-D2 below.

ET-D1



ET-D2



[0314] The electron transport region may include an EIL that may facilitate injection of electrons from the second electrode 19. The EIL may include at least one selected from LiF, NaCl, CsF, Li₂O, and BaO. The thickness of the EIL may be from about 1 Å to about 100 Å, and in some embodiments, from about 3 Å to about 90 Å. When the thickness of the EIL is within these ranges, the EIL may have satisfactory electron injection ability without a substantial increase in driving voltage.

[0315] The second electrode 19 is disposed on the organic layer 15. The second electrode 19 may be a cathode. A material for the second electrode 19 may be a metal, an alloy, or an electrically conductive compound that have a low work function, or a combination thereof. Non-limiting examples of the material for the second electrode 19 are lithium (Li), magnesium (Mg), aluminum (Al), aluminum (Al)-lithium (Li), calcium (Ca), magnesium (Mg)-indium (In), and magnesium (Mg)-silver (Ag), or the like. In some embodiments, to manufacture a top-emission light-emitting device, the second electrode 19 may be formed as a transmissive electrode from, for example, indium tin oxide (ITO) or indium zinc oxide (IZO).

[0316] Although the organic light-emitting device of FIG. 1 is described above, embodiments of the present disclosure are not limited thereto.

[0317] As used herein, a C₁-C₆₀ alkyl group refers to a linear or branched aliphatic hydrocarbon monovalent group having 1 to 60 carbon atoms. Non-limiting examples of the C₁-C₆₀ alkyl group are a methyl group, an ethyl group, a propyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a pentyl group, an iso-amyl group, and a hexyl group. A C₁-C₆₀ alkylene group refers to a divalent group having the same structure as the C₁-C₆₀ alkyl.

[0318] As used herein, a C₁-C₆₀ alkoxy group refers to a monovalent group represented by —OA₁₀₁ (where A₁₀₁ is a C₁-C₆₀ alkyl group as described above. Non-limiting examples of the C₁-C₆₀ alkoxy group are a methoxy group, an ethoxy group, and an isopropoxy group.

[0319] As used herein, a C₂-C₆₀ alkenyl group refers to a structure including at least one carbon double bond in the middle or at the terminal of the C₂-C₆₀ alkyl group. Non-limiting examples of the C₂-C₆₀ alkenyl group are an ethenyl group, a propenyl group, and a butenyl group. A C₂-C₆₀ alkylene group refers to a divalent group having the same structure as the C₂-C₆₀ alkenyl group.

[0320] As used herein, a C₂-C₆₀ alkynyl group refers to a structure including at least one carbon triple bond in the middle or at the terminal of the C₂-C₆₀ alkyl group. Non-limiting examples of the C₂-C₆₀ alkynyl group are an ethynyl group and a propynyl group. A C₂-C₆₀ alkynylene group used herein refers to a divalent group having the same structure as the C₂-C₆₀ alkynyl group.

[0321] As used herein, a C₃-C₁₀ cycloalkyl group refers to a monovalent, monocyclic hydrocarbon group having 3 to 10 carbon atoms. Non-limiting examples of the C₃-C₁₀ cycloalkyl group are a cyclopropyl group, a cyclobutyl group, a cyclopentyl group, a cyclohexyl group, and a cycloheptyl group. A C₃-C₁₀ cycloalkylene group refers to a divalent group having the same structure as the C₃-C₁₀ cycloalkyl group.

[0322] As used herein, a C₂-C₁₀ heterocycloalkyl group refers to a monovalent monocyclic group having 2 to 10 carbon atoms in which at least one hetero atom selected from N, O, P, and S is included as a ring-forming atom. Non-limiting examples of the C₃-C₁₀ heterocycloalkyl group are a tetrahydrofuranyl group and a tetrahydrothiophenyl group. A C₂-C₁₀ heterocycloalkylene group refers to a divalent group having the same structure as the C₂-C₁₀ heterocycloalkyl group.

[0323] As used herein, a C₃-C₁₀ cycloalkenyl group refers to a monovalent monocyclic group having 3 to 10 carbon atoms that includes at least one double bond in the ring but does not have aromaticity. Non-limiting examples of the C₃-C₁₀ cycloalkenyl group are a cyclopentenyl group, a

cyclohexenyl group, and a cycloheptenyl group. A C₃-C₁₀ cycloalkenylene group refers to a divalent group having the same structure as the C₃-C₁₀ cycloalkenyl group.

[0324] As used herein, a C₂-C₁₀ heterocycloalkenyl group used herein refers to a monovalent monocyclic group having 2 to 10 carbon atoms that includes at least one double bond in the ring and in which at least one hetero atom selected from N, O, P, and S is included as a ring-forming atom. Non-limiting examples of the C₂-C₁₀ heterocycloalkenyl group are a 2,3-dihydrofuranyl group and a 2,3-dihydrothiophenyl group. A C₂-C₁₀ heterocycloalkenylene group used herein refers to a divalent group having the same structure as the C₂-C₁₀ heterocycloalkenyl group.

[0325] As used herein, a C₆-C₆₀ aryl group refers to a monovalent, aromatic carbocyclic aromatic group having 6 to 60 carbon atoms, and a C₆-C₆₀ arylene group refers to a divalent, aromatic carbocyclic group having 6 to 60 carbon atoms. Non-limiting examples of the C₆-C₆₀ aryl group are a phenyl group, a naphthyl group, an anthracenyl group, a phenanthrenyl group, a pyrenyl group, and a chrysenyl group. When the C₆-C₆₀ aryl group and the C₆-C₆₀ arylene group include at least two rings, the rings may be fused to each other.

[0326] As used herein, a C₂-C₆₀ heteroaryl group refers to a monovalent, aromatic carbocyclic aromatic group having 2 to 60 carbon atoms in which at least one heteroatom selected from N, O, P, and S is included as a ring-forming atom, and 2 to 60 carbon atoms. A C₂-C₆₀ heteroarylene group refers to a divalent, aromatic carbocyclic group having 2 to 60 carbon atoms in which at least one hetero atom selected from N, O, P, and S is included as a ring-forming atom. Non-limiting examples of the C₂-C₆₀ heteroaryl group are a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, and an isoquinolinyl group. When the C₂-C₆₀ heteroaryl and the C₂-C₆₀ heteroarylene include at least two rings, the rings may be fused to each other.

[0327] As used herein, a C₆-C₆₀ aryloxy group indicates —OA₁₀₂ (where A₁₀₂ is a C₆-C₆₀ aryl group as described above), and a C₆-C₆₀ arylthio group indicates —SA₁₀₃ (where A₁₀₃ is a C₆-C₆₀ aryl group as described above).

[0328] As used herein, a monovalent non-aromatic condensed polycyclic group refers to a monovalent group having at least two rings condensed to each other, in which only carbon atoms (for example, 8 to 60 carbon atoms) are exclusively included as ring-forming atoms and the entire molecule is non-aromatic. A non-limiting example of the monovalent non-aromatic condensed polycyclic group is a fluorenyl group. A divalent non-aromatic condensed polycyclic group refers to a divalent group having the same structure as the monovalent non-aromatic condensed polycyclic group.

[0329] As used herein, a monovalent non-aromatic condensed heteropolycyclic group refers to a monovalent group having at least two rings condensed to each other, in which carbon atoms (for example, 2 to 60 carbon atoms) and a hetero atom selected from N, O, P, and S are as ring-forming atoms and the entire molecule is non-aromatic. A non-limiting example of the monovalent non-aromatic condensed heteropolycyclic group is a carbazolyl group. A divalent non-aromatic condensed heteropolycyclic group refers to a divalent group having the same structure as the monovalent non-aromatic condensed heteropolycyclic group.

[0330] As used herein, at least one substituent of the substituted C₁-C₆₀ alkyl group, the substituted C₂-C₆₀ alkenyl group, the substituted C₂-C₆₀ alkynyl group, the substituted

C₁-C₆₀ alkoxy group, the substituted C₃-C₁₀ cycloalkyl group, the substituted C₂-C₁₀ heterocycloalkyl group, the substituted C₃-C₁₀ cycloalkenyl group, the substituted C₂-C₁₀ heterocycloalkenyl group, the substituted C₆-C₆₀ aryl group, the substituted C₆-C₆₀ aryloxy group, the substituted C₆-C₆₀ arylthio group, the substituted C₂-C₆₀ heteroaryl group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group may be selected from

[0331] a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and C₁-C₆₀ alkoxy group;

[0332] a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and C₁-C₆₀ alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₃-C₁₀ cycloalkyl group, a C₂-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₂-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁₁)(Q₁₂), —Si(Q₁₃)(Q₁₄)(Q₁₅), and —B(Q₁₆)(Q₁₇),

[0333] a C₃-C₁₀ cycloalkyl group, a C₂-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₂-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group,

[0334] a C₃-C₁₀ cycloalkyl group, a C₂-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₂-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₂-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₂-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₂₁)(Q₂₂), —Si(Q₂₃)(Q₂₄)(Q₂₅), and —B(Q₂₆)(Q₂₇), and

[0335] —N(Q₃₁)(Q₃₂), —Si(Q₃₃)(Q₃₄)(Q₃₅), and —B(Q₃₆)(Q₃₇),

[0336] wherein Q₁ to Q₃, Q₁₁ to Q₁₇, Q₂₁ to Q₂₇, and Q₃₁ to Q₃₇ may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group

or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_2 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_2 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_2 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

[0337] In some embodiments, as used herein, at least one substituent of the substituted C_1 - C_{60} alkyl group, the substituted C_2 - C_{60} alkenyl group, the substituted C_2 - C_{60} alkynyl group, the substituted C_1 - C_{60} alkoxy group, the substituted C_3 - C_{10} cycloalkyl group, the substituted C_2 - C_{10} heterocycloalkyl group, the substituted C_3 - C_{10} cycloalkenyl group, the substituted C_2 - C_{10} heterocycloalkenyl group, the substituted C_6 - C_{60} aryl group, the substituted C_6 - C_{60} aryloxy group, the substituted C_6 - C_{60} arylthio group, the substituted C_2 - C_{60} heteroaryl group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group may be selected from

[0338] a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_0 alkenyl group, a C_2 - C_0 alkynyl group, and C_1 - C_{60} alkoxy group,

[0339] a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, and a C_1 - C_{60} alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cydopentenyl group, a cydoheptenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group,

a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, $N(Q_{11})(Q_{12})$, —Si(Q_{13})(Q_{14})(Q_{15}), and —B(Q_{16})(Q_{17}),

[0340] a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cydopentenyl group, a cydoheptenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group,

[0341] a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cydopentenyl group, a cycloheptenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a

hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a phenyl group, a naphthyl group, $-N(Q_{21})(Q_{22})$, $-Si(Q_{23})(Q_{24})(Q_{25})$, and $-B(Q_{26})(Q_{27})$, and

[0342] $-N(Q_{31})(Q_{32})$, $-Si(Q_{33})(Q_{34})(Q_{35})$, and $-B(Q_{36})(Q_{37})$,

[0343] wherein Q_1 to Q_3 , Q_{11} to Q_{17} , Q_{21} to Q_{27} , and Q_{31} to Q_{37} may be each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclopentenyl group, a cycloheptenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazoyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuran group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group.


[0344] Hereinafter, the present inventive concept will be described in detail with reference to the following synthesis examples and other examples of compounds and organic light-emitting devices. However, these examples are for illustrative purposes only and are not intended to limit the scope of the present inventive concept. In the following synthesis examples, the expression that “‘B’ instead of ‘A’ was used” means that the amounts of ‘B’ and ‘A’ were the same in equivalent amounts.

EXAMPLES

Synthesis Example 1

Synthesis of Compound 52

[0345]



[0346] A solution of n-BuLi in hexane (2.77 M, 0.14 mL, 0.4 mmol) was added to a solution of 3-trifluoromethyl pyrazole (0.4 mmol) in tetrahydrofuran (THF, 5 mL) in a 100-mL Schlenk flask at room temperature in an argon atmosphere. The resulting reaction product was stirred at room temperature for about 2 hours, and 50 mg (0.4 mmol) of diisopropylcarbodiimide was dropwise added thereto and stirred for about 2 hours. Then, a solution of Intermediate A (0.2 mmol) in THF (15 mL) was dropwise added thereto and stirred at about 80°C for about 16 hours. The resulting reaction product was cooled down to room temperature, and then the solvent was removed under reduced pressure. The residue was dissolved in toluene, and the toluene was removed under reduced pressure, thereby completely removing THF from the residue. The resulting reaction product was dissolved again in

toluene, filtered to remove lithium chloride, and washed with Et₂O to obtain Compound 52 (240 mg, Yield: 72%).


[0347] ¹H NMR: 300 MHz, CDCl₃, rt: δ 8.30 (d, J=8.5 Hz, 2H.), 7.81 (m, 4H), 7.18 (t, 2H), 6.73 (s, 1H), 6.4 (s, 1H), 3.65-3.82 (m, 2H), 1.28 (d, 6H), 0.91 (d, 6H).

[0348] MS (MALDI-TOF) [m/e]: 828.20

Synthesis Example 2

Synthesis of Compound 19

[0349]




[0350] Compound 19 (303 mg, Yield: 76%) was synthesized in the same manner as in Synthesis Example 1, except that Intermediate B instead of Intermediate A was used.

[0351] MS (MALDI-TOF) [m/e]: 998.2

Synthesis Example 3

Synthesis of Compound 2

[0352]




[0353] Compound 2 (292 mg, Yield: 81%) was synthesized in the same manner as in Synthesis Example 1, except that 3,5-bis(trifluoromethyl)-pyrazole instead of 3-trifluoromethyl-pyrazole was used.

[0354] MS (MALDI-TOF) [m/e]: 904.1

Synthesis Example 4

Synthesis of Compound 50

[0355]




[0356] Compound 50 (290 mg, Yield: 78%) was synthesized in the same manner as in Synthesis Example 1, except that pyrazole and Intermediate B instead of 3-trifluoromethyl pyrazole and Intermediate A, respectively, were used.

[0357] MS (MALDI-TOF) [m/e]: 930.0

Synthesis Example 5

Synthesis of Compound 1

[0358]




[0359] Compound 1 (209 mg, Yield: 68%) was synthesized in the same manner as in Synthesis Example 1, except that pyrazole instead of 3-trifluoromethyl pyrazole was used.

[0360] MS (MALDI-TOF) [m/e]: 768.20

Synthesis Example 6

Synthesis of Compound 3

[0361]




[0362] Compound 3 (268 mg, Yield: 82%) was synthesized in the same manner as in Synthesis Example 1, except that 4,5-dicyanoimidazole instead of 3-trifluoromethyl-pyrazole was used.

[0363] MS (MALDI-TOF) [m/e]: 818.10

Synthesis Example 7

Synthesis of Compound 5

[0364]




[0365] Compound 5 (200 mg, Yield: 65%) was synthesized in the same manner as in Synthesis Example 1, except that 1,2,4-triazole instead of 3-trifluoromethyl-pyrazole was used.


[0366] MS (MALDI-TOF) [m/e]: 769.2

Synthesis Example 8

Synthesis of Compound 9

[0367]








[0368] Compound 9 (298 mg, Yield: 80%) was synthesized in the same manner as in Synthesis Example 1, except that 1,2,4-triazole and Intermediate B instead of 3-trifluoromethyl-pyrazole and Intermediate A, respectively, were used.

[0369] MS (MALDI-TOF) [m/e]: 769.2

Synthesis Example 9

Synthesis of Compound 54

[0370]





[0371] Compound 54 (223 mg, Yield: 62%) was synthesized in the same manner as in Synthesis Example 1, except that 5-methyl-tetrazole and Intermediate D instead of 3-trifluoromethyl-pyrazole and Intermediate A, respectively, were used.


[0372] MS (MALDI-TOF) [m/e]: 896.12

Synthesis Example 10

Synthesis of Compound 53

[0373]





[0374] Compound 53 (220 mg, Yield: 58%) was synthesized in the same manner as in Synthesis Example 1, except that Intermediate D instead of Intermediate A was used.




[0375] $^1\text{H NMR}$: 300 MHz, CDCl_3 , rt: δ 8.32 (d, $J=8.45$ Hz, 2H), 7.91 (m, 1H), 7.83 (d, 1H), 7.21 (d, 2H), 6.75 (s, 2H), 6.49 (s, 1H), 5.7 (s, 1H), 3.54-3.83 (m, 2H), 1.56 (d, 6H), 1.46 (s, 9H), 0.02 (d, 6H).

[0376] MS (MALDI-TOF) $[m/e]$: 948.34

Synthesis Example 11

Synthesis of Compound 51

[0377]





[0378] Compound 51 (223 mg, Yield: 63%) was synthesized in the same manner as in Synthesis Example 1, except that Intermediate E instead of Intermediate A was used.


[0379] MS (MALDI-TOF) $[m/e]$: 884.20

Synthesis Example 12

Synthesis of Compound 56

[0380]





[0381] Compound 56 (251 mg, Yield: 72%) was synthesized in the same manner as in Synthesis Example 1, except that Intermediate F instead of Intermediate A was used.




[0382] $^1\text{H NMR}$: 300 MHz, CDCl_3 , rt: δ 8.99 (d, $J=8.35$ Hz, 2H), 7.97 (d, 2H), 6.79-6.94 (m, 4H), 6.70 (m, 2H), 6.55 (s, 1H), 6.07 (s, 1H), 4.25 (s, 3H), 3.31-3.36 (m, 2H), 2.07 (d, 6H), 1.16 (d, 6H).

[0383] MS (MALDI-TOF) $[m/e]$: 904.0

Synthesis Example 13

Synthesis of Compound 30

[0384]



[0385] Compound 30 (194 mg, Yield: 52%) was synthesized in the same manner as in Synthesis Example 1, except that sodium dicyanamide and Intermediate B instead of 3-trifluoromethyl-pyrazole and Intermediate A, respectively, were used.

[0386] MS (MALDI-TOF) $[m/e]$: 929.10

Evaluation Example 1: Evaluation of photoluminescence (PL) spectrum and photoluminescence quantum yield (PLQY)

[0387] Compound 52 was diluted in toluene to a concentration of 10 mM, and the photoluminescence (PL) of Compound 52 in the solution was measured using an ISC PC1 Spectrofluorometer equipped with a Xenon lamp. The same measurement was repeated for Compounds 19, 2, 50, 1, 3, 5, 9, 54, 53, 51, 56, and 30. PL spectra of Compounds 52, 19, 2, 50, 1, 3, 5, 9, 54, 53, 51, 56, and 30 are shown in FIGS. 2 to 14, respectively.


[0388] A solution of polymethylmethacrylate (PMMA) in CH_2Cl_2 was mixed with 8 weight % of Compound 52 to obtain a mixture. This mixture was coated on a quartz substrate by using a spin coater, thermally treated in a 80 C oven, and cooled down to room temperature to form a film. This film was used to evaluate photoluminescence quantum yield (PLQY) and color coordination of compound 52. The photoluminescence quantum yield in film and the color coordination in film of Compound 52 were evaluated using a Hamamatsu Photonics absolute PL quantum yield measurement system using PLQY measurement software (Hamamatsu Photonics, Ltd., Shizuoka, Japan), equipped with a Xenon light source, a monochromator, a photonic multichannel analyzer, and an integrating sphere. The same evaluation as above was repeated for Compounds 19, 2, 50, 1, 3, 5, 9, 54, 53, 51, 56, and 30 and Compounds A to D to obtain photoluminescence quantum yields and color purity data thereof, which are shown in Table 1.

TABLE 1

Compound No.	PLQY (%)	CIE_X	CIE_Y
52	73	0.16	0.26
19	65	0.17	0.32
2	66	0.18	0.34
50	58	0.17	0.34

TABLE 1-continued

Compound No.	PLQY (%)	CIE_X	CIE_Y
1	68	0.19	0.36
3	48	0.23	0.40
5	56	0.18	0.33
9	54	0.17	0.35
54	64	0.17	0.30
53	78	0.16	0.26
51	75	0.16	0.30
56	86	0.22	0.41
30	68	0.16	0.27
A	22	0.38	0.58
B	36	0.42	0.56
C	18	0.43	0.55
D	16	0.46	0.52



[0389] Referring to FIGS. 2 to 14 and Table 1, Compounds 52, 19, 2, 50, 1, 3, 5, 9, 54, 53, 51, 56, and 30 were found to have higher photoluminescence quantum yields compared to those of Compounds A, B, C, and D, and emit high-purity blue light.


[0390] As described above, according to the one or more of the above embodiments of the present inventive concept, an

organometallic compound represented by Formula 1 may have improved electric characteristics and improved thermal stability, and thus an organic light-emitting device including the organometallic compound may have a low driving voltage, a high efficiency, a high luminance, and improved life-time characteristics.

[0391] It should be understood that the exemplary embodiments described therein should be considered in a descriptive sense only and not for purposes of limitation. Descriptions of features or aspects within each embodiment should typically be considered as available for other similar features or aspects in other embodiments.

What is claimed is:

1. An organometallic compound represented by Formula 1:




A

wherein, in Formula 1,

L_1 is a ligand represented by Formula 2, and


L_2 is a ligand represented by one of Formulae 3 to 5:

Formula 2




B

Formula 3




C

Formula 4



D

Formula 5



wherein, in Formulae 1 to 5,

M is Ir, Pt, Os, Ti, Zr, Hf, Eu), Tb, or Tm;

CY₁ and CY₂ are each independently a benzene, a naphthalene, a fluorene, a spiro-fluorene, an indene, a pyr-

role, a thiophene, a furan, an imidazole, a pyrazole, a thiazole, an isothiazole, an oxazole, an isoxazole, a pyridine, a pyrazine, a pyrimidine, a pyridazine, a quinoline, an isoquinoline, a benzoquinoline, a quinoxaline, a quinazoline, a carbazole, a benzimidazole, a benzofuran, a benzothiophene, an isobenzothiophene, an benzoxazole, an isobenzoxazole, a triazole, a tetrazole, an oxadiazole, a triazine, a dibenzofuran, or a dibenzothiophene, wherein CY_1 and CY_2 are optionally linked to each other via a single bond or a first linking group;

Y_1 to Y_4 are each independently C or N;

Y_1 and Y_2 are linked to each other via a single bond or a double bond, and

Y_3 and Y_4 are linked to each other via a single bond or a double bond;

X_1 is N or CR_1 ;

X_2 is N or CR_2 ;

X_3 is N or CR_3 ;

X_4 is N or CR_4 ;

X_{11} is N or CR_{11} ;

X_{12} is N or CR_{12} ;


X_{13} is N or CR_{13} ;

X_{14} is N or CR_{14} ;

X_{15} is N or CR_{15} ;

X_{16} is N or CR_{16} ;


Z_1 to Z_4 , R_1 to R_4 , R_{11} to R_{16} , R_{21} , R_{22} , and Q_{51} to Q_{59} are each independently a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_2 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_2 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_2 - C_{60} heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, or $-Si(Q_1)(Q_2)(Q_3)$, wherein R_{21} and R_{22} are optionally linked to each other via a single bond or a second linking group represented by Formula 7:



Formula 7

wherein, in Formula 7,

Z_{32} is $*-O-*$, $*-S-*$, $*-N(Q_{51})-*$, $*-C(Q_{52})(Q_{53})-*$, $*-C(Q_{54})=C(Q_{55})-*$, or



$b2$ is an integer selected from 1 to 10, and when $b2$ is 2 or greater, groups Z_{32} are identical to or different from each other;

$a1$ and $a2$ are each independently an integer selected from 0 to 5;

$n1$ and $n2$ are each independently 1 or 2;

$*$ and $*$ ' each indicates a binding site to M in Formula 1; when the ligand of Formula 2 is represented by Formula

2A, $a2$ in Formula 2A is 2, and Z_2 in Formula 2A is $-F$;

at least one of X_{11} to X_{16} in Formula 4 is N;

the following conditions regarding R_{21} and R_{22} in Formula 5 are excluded:

- i) where R_{21} and R_{22} are both phenyl groups,
- ii) where R_{21} and R_{22} are both phenyl groups substituted with a tert-butyl group,
- iii) where R_{21} and R_{22} are both ethyl groups,
- iv) where R_{21} and R_{22} are both propyl groups,
- v) where R_{21} and R_{22} are both butyl groups, and
- vi) where R_{21} and R_{22} are both $-Si(CH_3)_3$;

at least one substituent of the substituted C_1 - C_{60} alkyl group, the substituted C_2 - C_{60} alkenyl group, the substituted C_2 - C_{60} alkynyl group, the substituted C_1 - C_{60} alkoxy group, the substituted C_3 - C_{10} cycloalkyl group, the substituted C_2 - C_{10} heterocycloalkyl group, the substituted C_3 - C_{10} cycloalkenyl group, the substituted C_2 - C_{10} heterocycloalkenyl group, the substituted C_6 - C_{60} aryl group, the substituted C_6 - C_{60} aryloxy group, the substituted C_6 - C_{60} arylthio group, the substituted C_2 - C_{60} heteroaryl group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group is

a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, or a C_1 - C_{60} alkoxy group,


a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, or a C_1 - C_{60} alkoxy group, each substituted with at least one of a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_3 - C_{10} cycloalkyl group, a C_2 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_2 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_2 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, $-N(Q_{11})(Q_{12})$, $-Si(Q_{13})(Q_{14})(Q_{15})$, and $-B(Q_{16})(Q_{17})$,

a C₃-C₁₀ cycloalkyl group, a C₂-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₂-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group,

a C₃-C₁₀ cycloalkyl group, a C₂-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₂-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₂-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₂-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₂₁)(Q₂₂), —Si(Q₂₃)(Q₂₄)(Q₂₅), and —B(Q₂₆)(Q₂₇), or


—N(Q₃₁)(Q₃₂), —Si(Q₃₃)(Q₃₄)(Q₃₅), or —B(Q₃₆)(Q₃₇); wherein

Q₁ to Q₃, Q₁₁ to Q₁₇, Q₂₁ to Q₂₇, and Q₃₁ to Q₃₇ are each independently a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₂-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₂-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₂-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, or a monovalent non-aromatic condensed heteropolycyclic group:




Formula 2A


2. The organometallic compound of claim 1, wherein the organometallic compound of Formula 1 is represented by Formula 1A, 1B, or 1C:



Formula 1A



Formula 1B



Formula 1C

wherein, in Formulae 1A to 1C, M, CY₁, CY₂, Y₁ to Y₄, X₁ to X₄, X₁₁ to X₁₆, Z₁ to Z₄, R₂₁, R₂₂, n₁, and n₂ are the same as those defined in claim 1.

3. The organometallic compound of claim 1, wherein M is Ir or Pt.


4. The organometallic compound of claim 1, wherein CY₁ and CY₂ are each independently a benzene, a naphthalene, a fluorene, a thiophene, a furan, an imidazole, a pyrazole, a pyridine, a pyrimidine, a quinoline, an isoquinoline, a benzoquinoline, a quinoxaline, a quinazoline, a carbazole, a benzimidazole, a benzofuran, a benzothiophene, an isobenzothiophene, a triazole, a tetrazole, a triazine, a dibenzofuran, or a dibenzothiophene.

5. The organometallic compound of claim 1, wherein

CY₁ is a pyridine or an imidazole, and


CY₂ is a benzene, a pyridine, or a dibenzofuran.

6. The organometallic compound of claim 1, wherein CY₁ and CY₂ are linked to each other via a single bond or the first linking group, and the first linking group is a linking group represented by Formula 6:



Formula 6

wherein, in Formula 6, Z₃₁ is selected from *—O—*, *—S—*, *—N(Q₄₁)—*, *—C(Q₄₂)(Q₄₃)—*, *—C(Q₄₄)=C(Q₄₅)—*, and,




wherein Q₄₁ to Q₄₉ are each independently

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, or a C₁-C₂₀ alkoxy group,


a C₁-C₂₀ alkyl group or a C₁-C₂₀ alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a phenyl group, a naphthyl group, a pyridinyl group, and a pyrimidinyl group, or

a phenyl group, a naphthyl group, a pyridinyl group, or a pyrimidinyl group.


7. The organometallic compound of claim 1, wherein L₁ in Formula 1 is selected from groups represented by Formulae 2-1 to 2-90:




Formula 2-1




Formula 2-2




Formula 2-3




Formula 2-4



Formula 2-5








Formula 2-6




Formula 2-7

-continued


-continued




Formula 2-8




Formula 2-9




Formula 2-10



Formula 2-11



Formula 2-12



-continued

Formula 2-13






Formula 2-14

Formula 2-15


Formula 2-16

Formula 2-17


-continued




Formula 2-18




Formula 2-19




Formula 2-20



Formula 2-21



Formula 2-22



-continued

Formula 2-23


Formula 2-24

Formula 2-25


Formula 2-26

Formula 2-27


-continued




Formula 2-28




Formula 2-29




Formula 2-30



Formula 2-31




Formula 2-32




-continued


Formula 2-33




Formula 2-34



Formula 2-35








Formula 2-36




Formula 2-37

-continued




Formula 2-38




Formula 2-43

Formula 2-39




Formula 2-44

Formula 2-40




Formula 2-45

Formula 2-41




Formula 2-46

Formula 2-42




Formula 2-47


-continued




Formula 2-48




Formula 2-49



Formula 2-50




Formula 2-51




Formula 2-52


-continued




Formula 2-53




Formula 2-54



Formula 2-55




Formula 2-56




Formula 2-57


-continued




Formula 2-58




Formula 2-63




Formula 2-59




Formula 2-64




Formula 2-60




Formula 2-65




Formula 2-61



Formula 2-66




Formula 2-62




Formula 2-67

-continued




Formula 2-68




Formula 2-73


-continued




Formula 2-69




Formula 2-74




Formula 2-70




Formula 2-75




Formula 2-71



Formula 2-76




Formula 2-72




Formula 2-77


-continued




Formula 2-78




Formula 2-79



Formula 2-80




Formula 2-81




Formula 2-82


-continued




Formula 2-83




Formula 2-84



Formula 2-85




Formula 2-86




Formula 2-87


-continued




Formula 2-88




Formula 2-1A




Formula 2-89




Formula 2-2A



Formula 2-70A



Formula 2-90



Formula 2-87A

wherein, in Formulae 2-1 to 2-90,

Z_1 and Z_2 are the same as those defined in claim 1;

Z_{1a} and Z_{1b} are the same or different and each has the same definition as Z_1 ;

Z_{2a} , Z_{2b} and Z_{2c} are the same or different and each has the same definition as Z_2 ;

a_{12} is 1 or 2;

a_{13} is an integer selected from 1 to 3;

a_{14} is an integer selected from 1 to 4; and

* and *' each indicates a binding site to M.

8. The organometallic compound of claim 1, wherein L_1 in Formula 1 is selected from groups represented by Formulae 2-1A, 2-2A, 2-70A, and 2-87A:

wherein, in Formulae 2-1A, 2-2A, 2-70A, and 2-87A,

Z_1 and Z_2 are the same as those defined in claim 1,

Z_{2a} , Z_{2b} , and Z_{2c} are the same or different and each has the same definition as Z_2 , and

* and *' each indicates a binding site to M.

9. The organometallic compound of claim 1, wherein Z_1 to Z_4 , R_1 to R_4 , R_{11} to R_{16} , R_{21} , R_{22} , and Q_{51} to Q_{59} are each independently

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, or a C_1 - C_{20} alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br,

—I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a phenyl group, a naphthyl group, a pyridinyl group, and a pyrimidinyl group,

a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothienophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a thiadiazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group,

a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a thiadiazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group,

group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzooxazolyl group, an isobenzooxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, or —Si(Q₁)(Q₂)(Q₃), wherein Q₁ to Q₃ are each independently a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, a fluorenyl group, a chrysenyl group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a quinolinyl group, an isoquinolinyl group, a quinazolinyl group, or a quinoxalinyl group.

10. The organometallic compound of claim 1, wherein Z₁ to Z₄, R₁ to R₄, R₁₁ to R₁₆, R₂₁, R₂₂, and Q₅₁ to Q₅₉ are each independently

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, or a C₁-C₂₀ alkoxy group, a C₁-C₂₀ alkyl group or a C₁-C₂₀ alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br,

—I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyll group, an isoquinolinyll group, a benzoquinolinyll group, a quinoxalinyll group, a quinazolinyll group, a cinnolinyll group, a carbazolyl group, a phenanthrolinyll group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group,

a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyll group, an isoquinolinyll group, a benzoquinolinyll group, a quinoxalinyll group, a quinazolinyll group, a cinnolinyll group, a carbazolyl group, a phenanthrolinyll group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyll group, an isoquinolinyll group, a benzoquinolinyll group, a quinoxalinyll group, a quinazolinyll group, a cinnolinyll group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group,

nyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, or

—Si(Q₁)(Q₂)(Q₃),

wherein Q₁ to Q₃ are each independently a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, or a triazinyl group.

11. The organometallic compound of claim 1, wherein Z₁ to Z₄, R₁ to R₄, R₁₁ to R₁₆, R₂₁, R₂₂, and Q₅₁ to Q₅₉ are each independently


a hydrogen, —F, a cyano group, a nitro group, a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isohexyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group,

a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isohexyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, each substituted with at least one of —F, a cyano group, and a nitro group, or


—Si(Q₁)(Q₂)(Q₃), wherein Q₁ to Q₃ are each independently a hydrogen, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, or a triazinyl group.

12. The organometallic compound of claim 1, wherein at least one of X₁ to X₄ in Formula 3 is N.


13. The organometallic compound of claim 1, wherein L₂ in Formula 1 is represented by one of Formulae 3-1 to 3-4 and Formulae 4-1 to 4-4:




Formula 3-1




Formula 3-2




Formula 3-3




Formula 3-4



Formula 4-1




Formula 4-2



Formula 4-3

-continued



Formula 4-4

wherein, in Formulae 3-1 to 3-4, and Formulae 4-1 to 4-4, Z_3 , Z_4 , R_1 to R_4 , and R_{11} to R_{16} are each independently a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, or a C_1 - C_{20} alkoxy group, a C_1 - C_{20} alkyl group or a C_1 - C_{20} alkoxy group, each substituted with at least one of a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyrimidinyl group, or an imidazopyrimidinyl group, or

a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl

group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁–C₂₀ alkyl group, a C₁–C₂₀ alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group; and

* and *' each indicates a binding site to M.

14. The organometallic compound of claim 1, wherein R₂₁ and R₂₂ in Formula 5 are each independently

a cyano group or a C₁-C₂₀ alkoxy group,

a C₁-C₂₀ alkyl group or a C₁-C₂₀ alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinoliny group, an isoquinoliny group, a benzoquinoliny group, a quinoxaliny group, a quinazoliny group, a cinnoliny group, a carbazolyl group, a phenanthroliny group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group,

a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoran-

thienyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 – C_{20} alkyl group, a C_1 – C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, or

—Si(Q₁)(Q₂)(Q₃), wherein Q₁ to Q₃ are each independently a hydrogen, a phenyl group, or a naphthyl group; and

at least one of $R_{2,1}$ and $R_{2,2}$ in Formula 5 is

a cyano group or a C₁-C₂₀ alkoxy group,

a C₁-C₂₀ alkyl group or a C₁-C₂₀ alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidin-

nyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinylnyl group, an isoquinolinylnyl group, a benzoquinolinylnyl group, a quinoxalinylnyl group, a quinazolinylnyl group, a cinnolinylnyl group, a carbazolyl group, a phenanthroli-nyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, or

a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinylnyl group, an isoquinolinylnyl group, a benzoquinolinylnyl group, a quinoxalinylnyl group, a quinazolinylnyl group, a cinnolinylnyl group, a carbazolyl group, a phenanthroli-nyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinylnyl group, an isoquinolinylnyl group, a benzoquinolinylnyl group, a quinoxalinylnyl group, a quinazolinylnyl group, a cinnolinylnyl group, a carbazolyl group, a phenanthroli-nyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group.

15. The organometallic compound of claim 1, wherein R₂₁ and R₂₂ in Formula 5 are each independently

a cyano group or a C₁-C₂₀ alkoxy group,

a phenyl group, a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinylnyl group, an isoquinolinylnyl group, a quinoxalinylnyl group, a quinazolinylnyl group, a phenanthroli-nyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, or a dibenzothiophenyl group,

a phenyl group, a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinylnyl group, an isoquinolinylnyl group, a quinoxalinylnyl group, a quinazolinylnyl group, a phenanthroli-nyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, or a dibenzothiophenyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinylnyl group, an isoquinolinylnyl group, a quinoxalinylnyl group, a quinazolinylnyl group, a phenanthroli-nyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, or

—Si(Q₁)(Q₂)(Q₃), wherein Q₁ to Q₃ are each independently a hydrogen, a phenyl group, or a naphthyl group; and


at least one of R₂₁ and R₂₂ in Formula 5 is

a cyano group or a C₁-C₂₀ alkoxy group,


a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinylnyl group, an isoquinolinylnyl group, a quinoxalinylnyl group, a quinazolinylnyl group, a phenanthroli-nyl group, a benzoimidazolyl group, a

benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, or a dibenzothiophenyl group, or a phenyl group, a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, or a dibenzothiophenyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group.

16. The organometallic compound of claim 1, wherein L₂ in Formula 1 is represented by Formula 5A or 5B:



Formula 5A



Formula 5B

wherein, in Formulae 5A and 5B, Z₃, Z₄, Z₃₂, and b₂ are the same as those defined in claim 1; X₃₁ is N or CR₃₁;

X₃₂ is N or CR₃₂;

X₃₃ is N or CR₃₃; X₃₄ is N or CR₃₄;

X₃₅ is N or CR₃₅;

X₃₆ is N or CR₃₆;

X₃₇ is N or CR₃₇;

X₃₈ is N or CR₃₈; at least one of X₃₁ to X₃₈ is N; and


R₃₁ to R₃₈ are the same or different and each has the same definition as for R₁.

17. The organometallic compound of claim 16, wherein R₃₁ to R₃₈ in Formulae 5A and 5B are each independently


a hydrogen, —F, a cyano group, a nitro group, a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isohexyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, or

a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isohexyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, each substituted with at least one of —F, a cyano group, and a nitro group.

18. The organometallic compound of claim 1, wherein L₂ in Formula 1 is selected from groups represented by Formulae 5-1 to 5-25:




Formula 5-1




Formula 5-2


-continued




Formula 5-3




Formula 5-4




Formula 5-5



Formula 5-6




Formula 5-7




Formula 5-8


-continued




Formula 5-9




Formula 5-10



Formula 5-11




Formula 5-12




Formula 5-13

-continued





Formula 5-14

-continued





Formula 5-18

Formula 5-15





Formula 5-19

Formula 5-16




Formula 5-20

Formula 5-17




Formula 5-21


-continued




Formula 5-22



Formula 5-23



Formula 5-24



Formula 5-25

wherein, in Formulae 5-1 to 5-25,

Z_3 , Z_4 , R_{31} to R_{38} , and Q_{52} to Q_{55} are each independently a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, or a C_1 - C_{20} alkoxy group,

a C_1 - C_{20} alkyl group or a C_1 - C_{20} alkoxy group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzo-carbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, or

a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzo-carbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, or an imidazopyrimidinyl group, each substituted with at least one of a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquino-

linyl group, a quinoxaliny group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthroli-
nyl group, a benzoimidazolyl group, a benzofuranyl
group, a benzothiophenyl group, an isobenzothiazolyl
group, a benzoxazolyl group, an isobenzoxazolyl group,
a triazolyl group, a tetrazolyl group, an oxadiazolyl
group, a triazinyl group, a dibenzofuranyl group, a
dibenzothiophenyl group, a benzocarbazolyl group, a
dibenzocarbazolyl group, an imidazopyridinyl group,
and an imidazopyrimidinyl group;

d1 is an integer selected from 1 to 4;

d2 is an integer selected from 1 to 5;

d3 is an integer selected from 1 to 3;

d4 is 1 or 2; and

d5 is an integer selected from 1 to 7.

19. The organometallic compound of claim 1, wherein CY₁
is a pyridine or an imidazole;


CY₂ is a benzene, a pyridine, or a dibenzofuran;

Z₁ and Z₂ are each independently

a hydrogen, —F, a cyano group, a nitro group, a methyl
group, an ethyl group, a n-propyl group, an isopropyl
group, a n-butyl group, an isobutyl group, a sec-butyl
group, a tert-butyl group, a n-pentyl group, an isopentyl
group, a sec-pentyl group, a tert-pentyl group, a n-hexyl
group, an isohexyl group, a sec-hexyl group, a tert-hexyl
group, a n-heptyl group, an isoheptyl group, a sec-heptyl
group, a tert-heptyl group, a n-octyl group, an isooctyl
group, a sec-octyl group, a tert-octyl group, a n-nonyl
group, an isononyl group, a sec-nonyl group, a tert-
nonyl group, a n-decyl group, an isodecyl group, a sec-
decyl group, a tert-decyl group, a methoxy group, an
ethoxy group, a propoxy group, a butoxy group, a pen-
toxy group, a phenyl group, or a naphthyl group, or


a methyl group, an ethyl group, a n-propyl group, an iso-
propyl group, a n-butyl group, an isobutyl group, a sec-
butyl group, a tert-butyl group, a n-pentyl group, an
isopentyl group, a sec-pentyl group, a tert-pentyl group,
a n-hexyl group, an isohexyl group, a sec-hexyl group, a
tert-hexyl group, a n-heptyl group, an isoheptyl group, a
sec-heptyl group, a tert-heptyl group, a n-octyl group, an
isooctyl group, a sec-octyl group, a tert-octyl group, a
n-nonyl group, an isononyl group, a sec-nonyl group, a
tert-nonyl group, a n-decyl group, an isodecyl group, a
sec-decyl group, a tert-decyl group, a methoxy group, an
ethoxy group, a propoxy group, a butoxy group, a pen-
toxy group, a phenyl group, or a naphthyl group, each
substituted with at least one of-F, a cyano group, and a
nitro group; and

L₂ in Formula 1 is represented by one of Formulae 3-1 to
3-4, Formulae 4-1 to 4-4, and Formulae 5-1 to 5-25:




Formula 3-1


-continued




Formula 3-2




Formula 3-3




Formula 3-4



Formula 4-1









Formula 4-2




Formula 4-3

-continued




Formula 4-4


-continued




Formula 5-1




Formula 5-2




Formula 5-3



Formula 5-4



Formula 5-5



Formula 5-6

Formula 5-7


Formula 5-8

Formula 5-9

Formula 5-10


Formula 5-11

-continued




Formula 5-12

-continued




Formula 5-16

Formula 5-13




Formula 5-17


Formula 5-14




Formula 5-15




Formula 5-18




Formula 5-19




-continued




Formula 5-20



Formula 5-21




Formula 5-22




Formula 5-23

-continued



Formula 5-24



Formula 5-25

wherein, in Formulae 3-1 to 3-4, Formulae 4-1 to 4-4, and Formulae 5-1 to 5-25,

Z_3 , Z_4 , R_1 to R_4 , R_{11} to R_{16} , R_{31} to R_{38} , and Q_{52} to Q_{55} are each independently

a hydrogen, —F, a cyano group, a nitro group, a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isohexyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, or

a methyl group, an ethyl group, a n-propyl group, an isopropyl group, a n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a n-hexyl group, an isohexyl group, a sec-hexyl group, a tert-hexyl group, a n-heptyl group, an isohexyl group, a sec-heptyl group, a tert-heptyl group, a n-octyl group, an isooctyl group, a sec-octyl group, a tert-octyl group, a n-nonyl group, an isononyl group, a sec-nonyl group, a tert-nonyl group, a n-decyl group, an isodecyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, or a naphthyl group, each substituted with at least one of —F, a cyano group, and a nitro group;

d1 is an integer selected from 1 to 4;

d2 is an integer selected from 1 to 5;










d3 is an integer selected from 1 to 3;

d4 is 1 or 2;


d5 is an integer selected from 1 to 7; and

* and *' each indicates a binding site to M in Formula 1.

20. The organometallic compound of claim 1, wherein the organometallic compound of Formula 1 is one of Compounds 1 to 56:




-continued




10


-continued




15




11




16




12




17




13



18




14




19

-continued




20


-continued




25




21




26




22




27




23



28








24








29

-continued



-continued



30

31

32

33

34

35


36

37


38

39


-continued




40




41



42




43




44


-continued




45



46




47




48


-continued




49




50



51




52




53


-continued



54



55



56

21. An organic light-emitting device comprising:
a first electrode;
a second electrode; and
an organic layer disposed between the first electrode and the second electrode,
wherein the organic layer comprises an emission layer and
at least one of the organometallic compounds of claim 1.

22. The organic light-emitting device of claim 21, wherein the first electrode is an anode, the second electrode is a cathode, and the organic layer comprises

i) a hole transport region disposed between the first electrode and the emission layer and comprising at least one of a hole injection layer, a hole transport layer, and an electron blocking layer, and

ii) an electron transport region disposed between the emission layer and the second electrode and comprising at least one of a hole blocking layer, an electron transport layer, and an electron injection layer.

23. The organic light-emitting device of claim 21, wherein the emission layer comprises the at least one of the organometallic compounds.

24. The organic light-emitting device of claim 23, wherein the emission layer further comprises a host.

* * * * *

专利名称(译)	有机金属化合物和包括其的有机发光器件		
公开(公告)号	US20150255733A1	公开(公告)日	2015-09-10
申请号	US14/636401	申请日	2015-03-03
[标]申请(专利权)人(译)	三星电子株式会社 第一毛织株式会社		
申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD. 第一毛织INC.		
当前申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD. 第一毛织INC.		
[标]发明人	RAI VIRENDRA KUMAR NOH CHANG HO DAS RUPASREE RAGINI LEE KANG MUN KRAVCHUK DMITRY		
发明人	RAI, VIRENDRA KUMAR NOH, CHANG-HO DAS, RUPASREE RAGINI LEE, KANG-MUN KRAVCHUK, DMITRY		
IPC分类号	H01L51/00 H01L51/50 C07F15/00		
CPC分类号	H01L51/0085 C07F15/0033 H01L51/5072 H01L51/5056 H01L51/5012 H01L51/5016		
优先权	1020140027947 2014-03-10 KR		
其他公开文献	US10381578		
外部链接	Espacenet USPTO		

摘要(译)

由式1表示的有机金属化合物： $M(L_1)_{n1}(L_2)_{n2}$ 公式1 其中，
在式1中， L_1 是由式2表示的配体， L_2 是由式3至5中的一个表示的配体，并且 $n1$ 和 $n2$ 各自独立地为1或2，其中式1至5描述于说明书中。

