



US 20180248137A1

(19) **United States**(12) **Patent Application Publication**
JEON et al.(10) **Pub. No.: US 2018/0248137 A1**(43) **Pub. Date: Aug. 30, 2018**(54) **ORGANOMETALLIC COMPOUND,
ORGANIC LIGHT-EMITTING DEVICE
INCLUDING THE ORGANOMETALLIC
COMPOUND, AND DIAGNOSTIC
COMPOSITION INCLUDING THE
ORGANOMETALLIC COMPOUND**(52) **U.S. Cl.**CPC **H01L 51/0087** (2013.01); **C09K 11/06**
(2013.01); **H01L 51/5206** (2013.01); **C07F**
15/0086 (2013.01); **C09K 11/025** (2013.01)


(57)

ABSTRACT

An organometallic compound represented by Formula 1:

(71) Applicant: **SAMSUNG ELECTRONICS CO.,
LTD.**, Suwon-si (KR)(72) Inventors: **Aram JEON**, Suwon-si (KR);
Seungyeon KWAK, Suwon-si (KR);
Kum Hee LEE, Suwon-si (KR);
Banglin LEE, Suwon-si (KR);
Jongwon CHOI, Yongin-si (KR);
Hyeonho CHOI, Seoul (KR);
Yoonhyun KWAK, Seoul (KR); **Ohyun
KWON**, Seoul (KR)


Formula 1




wherein, in Formula 1, groups and variables are the same as described in the specification.

(21) Appl. No.: **15/785,742**(22) Filed: **Oct. 17, 2017**(30) **Foreign Application Priority Data**

Feb. 27, 2017 (KR) 10-2017-0025650

Publication Classification(51) **Int. Cl.****H01L 51/00** (2006.01)
C09K 11/06 (2006.01)
C09K 11/02 (2006.01)
C07F 15/00 (2006.01)

THE FIGURE



**ORGANOMETALLIC COMPOUND,
ORGANIC LIGHT-EMITTING DEVICE
INCLUDING THE ORGANOMETALLIC
COMPOUND, AND DIAGNOSTIC
COMPOSITION INCLUDING THE
ORGANOMETALLIC COMPOUND**

**CROSS-REFERENCE TO RELATED
APPLICATION**

[0001] This application claims priority to Korean Patent Application No. 10-2017-0025650, filed on Feb. 27, 2017, in the Korean Intellectual Property Office, and all the benefits accruing therefrom under 35 U.S.C. § 119, the disclosure of which is incorporated herein in its entirety by reference.

BACKGROUND

1. Field

[0002] One or more embodiments relate to an organometallic compound, an organic light-emitting device including the organometallic compound, and a diagnostic composition including the organometallic compound.

2. Description of the Related Art

[0003] Organic light-emitting devices (OLEDs) are self-emission devices, which have better characteristics such as viewing angles, response times, brightness, driving voltage, response speed, and which produce full-color images.

[0004] In an example, an organic light-emitting device includes an anode, a cathode, and an organic layer disposed between the anode and the cathode, wherein the organic layer includes an emission layer. A hole transport region may be disposed between the anode and the emission layer, and an electron transport region may be disposed between the emission layer and the cathode. Holes provided from the anode may move toward the emission layer through the hole transport region, and electrons provided from the cathode may move toward the emission layer through the electron transport region. The holes and the electrons recombine in the emission layer to produce excitons. These excitons transition from an excited state to a ground state, thereby generating light.

[0005] Meanwhile, luminescent compounds may be used to monitor, sense, or detect a variety of biological materials including cells and proteins. An example of the luminescent compounds includes a phosphorescent luminescent compound.

[0006] Various types of organic light emitting devices are known. However, there still remains a need in OLEDs having low driving voltage, high efficiency, high brightness, and long lifespan.


SUMMARY

[0007] One or more embodiments include a novel organometallic compound, an organic light-emitting device including the organometallic compound, and a diagnostic composition including the organometallic compound.

[0008] Additional aspects will be set forth in part in the description which follows and, in part, will be apparent from the description, or may be learned by practice of the presented embodiments.

[0009] According to one or more embodiments, an organometallic compound is represented by Formula 1:

Formula 1



[0010] In Formula 1,

[0011] M may be Pt or Pd,

[0012] X₁ to X₃ may each independently be nitrogen or carbon,

[0013] two bonds selected from a bond X₁ and M, a bond between X₂ and M, and a bond between X₃ and M may each be a coordinate bond, and the other thereof may be a covalent bond,

[0014] Y₁ to Y₄ and Y₇ to Y₁₂ may each independently be C or N,

[0015] Y₅ and Y₆ may each independently be C, N, Si, O, or S,

[0016] a bond between Y₅ and X₁, a bond between X₁ and Y₁, a bond between Y₂ and X₂, a bond between X₂ and Y₃, a bond between Y₄ and X₃, a bond between X₃ and Y₆, a bond between Y₇ and Y₈, a bond between Y₈ and Y₉, a bond between Y₁₀ and Y₁₁, and a bond between Y₁₁ and Y₁₂ may each be a chemical bond that links the corresponding atoms,

[0017] CY₁ to CY₅ may each independently be a C₅-C₃ cyclic group or a C₁-C₃ heterocyclic group,

[0018] T₁ may be selected from *—N[(L₆)_{b6}—(R₆)—*], *—B(R₆)—*, *—P(R₆)—*, *—C(R₆)(R₇)—*, *—Si(R₆)(R₇)—*, *—Ge(R₆)(R₇)—*, *—S—*, *—Se—*, *—O—*, *—C(=O)—*, *(=O)—*, *—S(=O)₂—*, *—C(R₆)=*, *—C(R₆)=*, *C(R₆)=C(R₇)—*, *—C(=S)—*, and *—C≡C—*,

[0019] L₆ may be selected from a single bond, a substituted or unsubstituted C₅-C₃₀ carbocyclic group, and a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

[0020] b₆ may be selected from 1 to 3, wherein, when b₆ is two or more, two or more groups L₆ may be identical to or different from each other,

[0021] R₆ and R₇ may optionally be linked via a first linking group to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

[0022] n₁ may be 0, 1, 2, or 3, wherein, when n₁ is zero, *(T₁)_{n1}—* may be a single bond,

[0023] R₁ to R₇ may each independently be selected from hydrogen, deuterium, —F, —Cl, —Br, —I, —SF₅, a

hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_7 - C_{60} arylalkyl group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted C_2 - C_{60} heteroaryloxy group, a substituted or unsubstituted C_2 - C_{60} heteroarylthio group, a substituted or unsubstituted C_3 - C_{60} heteroarylalkyl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, $-N(Q_1)(Q_2)$, $-Si(Q_3)(Q_4)(Q_5)$, $-B(Q_6)(Q_7)$, and $-P(=O)(Q_8)(Q_9)$,

[0024] a1 to a5 may each independently be 0, 1, 2, 3, 4, or 5,

[0025] two of groups R_1 in the number of a1 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0026] two of groups R_2 in the number of a2 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0027] two of groups R_3 in the number of a3 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0028] two of groups R_4 in the number of a4 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0029] two of groups R_5 in the number of a5 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0030] R_2 and R_3 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0031] R_2 and R_4 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0032] R_1 and R_5 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0033] at least one substituent of the substituted C_5 - C_{30} carbocyclic group, the substituted C_1 - C_{30} heterocyclic group, the substituted C_1 - C_{60} alkyl group, the substituted C_2 - C_{60} alkenyl group, the substituted C_2 - C_{60} alkynyl group, the substituted C_1 - C_{60} alkoxy group, the substituted C_3 - C_{10} cycloalkyl group, the substituted C_1 - C_{10} heterocycloalkyl group, the substituted C_3 - C_{10} cycloalkenyl group, the substituted C_1 - C_{10} heterocycloalkenyl group, the substituted C_6 - C_{60} aryl group, the substituted C_6 - C_{60} aryloxy group, the

substituted C_6 - C_{60} arylthio group, the substituted C_7 - C_{60} arylalkyl group, the substituted C_1 - C_{60} heteroaryl group, the substituted C_2 - C_{60} heteroaryloxy group, the substituted C_2 - C_{60} heteroarylthio group, the substituted C_3 - C_{60} heteroarylalkyl group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group may be selected from:

[0034] deuterium, $-F$, $-Cl$, $-Br$, $-I$, $-CD_3$, $-CD_2H$, $-CDH_2$, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, and a C_1 - C_{60} alkoxy group;

[0035] a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, and a C_1 - C_{60} alkoxy group, each substituted with at least one selected from deuterium, $-F$, $-Cl$, $-Br$, $-I$, $-CD_3$, $-CD_2H$, $-CDH_2$, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_7 - C_{60} arylalkyl group, a C_1 - C_{60} heteroaryl group, a C_2 - C_{60} heteroaryloxy group, a C_2 - C_{60} heteroarylthio group, a C_3 - C_{60} heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, $-N(Q_{11})(Q_{12})$, $-Si(Q_{13})(Q_{14})(Q_{15})$, $-B(Q_{16})(Q_{17})$, and $-P(=O)(Q_{18})(Q_{19})$;

[0036] a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_7 - C_{60} arylalkyl group, a C_1 - C_{60} heteroaryl group, a C_2 - C_{60} heteroaryloxy group, a C_2 - C_{60} heteroarylthio group, a C_3 - C_{60} heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group;

[0037] a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_7 - C_{60} arylalkyl group, a C_1 - C_{60} heteroaryl group, a C_2 - C_{60} heteroaryloxy group, a C_2 - C_{60} heteroarylthio group, a C_3 - C_{60} heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one selected from deuterium, $-F$, $-Cl$, $-Br$, $-I$, $-CD_3$, $-CD_2H$, $-CDH_2$, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_7 - C_{60} arylalkyl group, a C_1 - C_{60} heteroaryl group, a C_2 - C_{60} heteroaryloxy group, a C_2 - C_{60} heteroarylthio group, a C_3 - C_{60} heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-

aromatic condensed heteropolycyclic group, $-\text{N}(\text{Q}_{21})$ (Q_{22}), $-\text{Si}(\text{Q}_{23})(\text{Q}_{24})(\text{Q}_{25})$, $-\text{B}(\text{Q}_{26})(\text{Q}_{27})$, and $-\text{P}(=\text{O})(\text{Q}_{28})(\text{Q}_{29})$; and

[0038] $-\text{N}(\text{Q}_{31})(\text{Q}_{32})$, $-\text{Si}(\text{Q}_{33})(\text{Q}_{34})(\text{Q}_{35})$, $-\text{B}(\text{Q}_{36})(\text{Q}_{37})$, and $-\text{P}(=\text{O})(\text{Q}_{38})(\text{Q}_{39})$, and

[0039] Q_1 to Q_9 , Q_{11} to Q_{19} , Q_{21} to Q_{29} , and Q_{31} to Q_{39} may each independently be selected from hydrogen, deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a $\text{C}_1\text{-C}_{60}$ alkyl group, a $\text{C}_2\text{-C}_{60}$ alkenyl group, a $\text{C}_2\text{-C}_{60}$ alkynyl group, a $\text{C}_1\text{-C}_{60}$ alkoxy group, a $\text{C}_3\text{-C}_{10}$ cycloalkyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkyl group, a $\text{C}_3\text{-C}_{10}$ cycloalkenyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkenyl group, a $\text{C}_6\text{-C}_{60}$ aryl group, a $\text{C}_6\text{-C}_{60}$ aryl group substituted with at least one selected from a $\text{C}_1\text{-C}_{60}$ alkyl group and a $\text{C}_6\text{-C}_{60}$ aryl group, a $\text{C}_6\text{-C}_{60}$ aryloxy group, a $\text{C}_6\text{-C}_{60}$ arylthio group, a $\text{C}_7\text{-C}_{60}$ arylalkyl group, a $\text{C}_1\text{-C}_{60}$ heteroaryl group, a $\text{C}_2\text{-C}_{60}$ heteroaryloxy group, a $\text{C}_2\text{-C}_{60}$ heteroarylthio group, a $\text{C}_3\text{-C}_{60}$ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

[0040] According to one or more embodiments, an organic light-emitting device includes:

[0041] a first electrode;

[0042] a second electrode; and

[0043] an organic layer disposed between the first electrode and the second electrode,

[0044] wherein the organic layer includes an emission layer and at least one of the above organometallic compounds.

[0045] The organometallic compound may act as a dopant in the organic layer.

[0046] According to one or more embodiments, a diagnostic composition includes at least one organometallic compound represented by Formula 1.

BRIEF DESCRIPTION OF THE DRAWING

[0047] These and/or other aspects will become apparent and more readily appreciated from the following description of the embodiments, taken in conjunction with the FIGURE which is a schematic view of an organic light-emitting device according to an embodiment.

DETAILED DESCRIPTION

[0048] Reference will now be made in detail to embodiments, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to like elements throughout. In this regard, the present embodiments may have different forms and should not be construed as being limited to the descriptions set forth herein. Accordingly, the embodiments are merely described below, by referring to the figures, to explain aspects of the present description. As used herein, the term “and/or” includes any and all combinations of one or more of the associated listed items. Expressions such as “at least one of,” when preceding a list of elements, modify the entire list of elements and do not modify the individual elements of the list.

[0049] It will be understood that when an element is referred to as being “on” another element, it can be directly in contact with the other element or intervening elements

may be present therebetween. In contrast, when an element is referred to as being “directly on” another element, there are no intervening elements present.

[0050] It will be understood that, although the terms first, second, third etc. may be used herein to describe various elements, components, regions, layers, and/or sections, these elements, components, regions, layers, and/or sections should not be limited by these terms. These terms are only used to distinguish one element, component, region, layer, or section from another element, component, region, layer, or section. Thus, a first element, component, region, layer, or section discussed below could be termed a second element, component, region, layer, or section without departing from the teachings of the present embodiments.

[0051] The terminology used herein is for the purpose of describing particular embodiments only and is not intended to be limiting. As used herein, the singular forms “a,” “an,” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise.

[0052] The term “or” means “and/or.” It will be further understood that the terms “comprises” and/or “comprising,” or “includes” and/or “including” when used in this specification, specify the presence of stated features, regions, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, regions, integers, steps, operations, elements, components, and/or groups thereof.


[0053] Unless otherwise defined, all terms (including technical and scientific terms) used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this general inventive concept belongs. It will be further understood that terms, such as those defined in commonly used dictionaries, should be interpreted as having a meaning that is consistent with their meaning in the context of the relevant art and the present disclosure, and will not be interpreted in an idealized or overly formal sense unless expressly so defined herein.

[0054] Exemplary embodiments are described herein with reference to cross section illustrations that are schematic illustrations of idealized embodiments. As such, variations from the shapes of the illustrations as a result, for example, of manufacturing techniques and/or tolerances, are to be expected. Thus, embodiments described herein should not be construed as limited to the particular shapes of regions as illustrated herein but are to include deviations in shapes that result, for example, from manufacturing. For example, a region illustrated or described as flat may, typically, have rough and/or nonlinear features. Moreover, sharp angles that are illustrated may be rounded. Thus, the regions illustrated in the figures are schematic in nature and their shapes are not intended to illustrate the precise shape of a region and are not intended to limit the scope of the present claims.

[0055] “About” or “approximately” as used herein is inclusive of the stated value and means within an acceptable range of deviation for the particular value as determined by one of ordinary skill in the art, considering the measurement in question and the error associated with measurement of the particular quantity (i.e., the limitations of the measurement system). For example, “about” can mean within one or more standard deviations, or within $\pm 30\%$, 20% , 10% , 5% of the stated value.

[0056] An organometallic compound according to an embodiment may be represented by Formula 1:

Formula 1



[0057] M in Formula 1 may be selected from a first row transition metal, a second row transition metal, and a third row transition metal.

[0058] For example, M in Formula 1 may be platinum (Pt) or palladium (Pd), but embodiments of the present disclosure are not limited thereto.

[0059] The organometallic compound represented by Formula 1 may be a neutral compound which does not consist of an ion pair of an anion and a cation.

[0060] X₁ to X₃ in Formula 1 may each independently be carbon (C) or nitrogen (N).

[0061] For example, in Formula 1, X₁ may be N, X₂ and X₃ may each independently be C or N, but embodiments of the present disclosure are not limited thereto.

[0062] In Formula 1, two bonds selected from a bond between X₁ and M, a bond between X₂ and M, and a bond between X₃ and M may each be a coordinate bond, and the other thereof may be a covalent bond.

[0063] In Formula 1, Y₁ to Y₄ and Y₇ to Y₁₂ may each independently be C or N, and Y₅ and Y₆ may each independently be C, N, Si, O, or S.

[0064] In Formula 1, a bond between Y₅ and X₁, a bond between X₁ and Y₁, a bond between Y₂ and X₂, a bond between X₂ and Y₃, a bond between Y₄ and X₃, a bond between X₃ and Y₆, a bond between Y₇ and Y₈, a bond between Y₈ and Y₉, a bond between Y₁₀ and Y₁₁, and a bond between Y₁₁ and Y₁₂ may each be a chemical bond that links the corresponding atoms.

[0065] In one or more embodiments, in Formula 1,

[0066] X₁ and X₂ may each be N, X₃ may be C, a bond between X₁ and M and a bond between X₂ and M may each be a coordinate bond, and a bond between X₃ and M may be a covalent bond;

[0067] X₁ and X₃ may each be N, X₂ may be C, a bond between X₁ and M and a bond between X₃ and M may each be a coordinate bond, and a bond between X₂ and M may be a covalent bond; or

[0068] X₂ and X₃ may each be N, X₁ may be C, a bond between X₂ and M and a bond between X₃ and M may each be a coordinate bond, and a bond between X₁ and M may be a covalent bond.

[0069] CY₁ to CY₅ in Formula 1 may each independently be a C₅-C₃₀ carbocyclic group or a C₁-C₃₀ heterocyclic group.

[0070] For example, CY₁ to CY₅ in Formula 1 may each independently be selected from a 5-membered ring, a 6-membered ring, a condensed ring with a 5-membered ring and a 6-membered ring, or a condensed ring with two 6-membered rings.

[0071] In an embodiment, CY₁ to CY₅ in Formula 1 may each independently be selected from a benzene group, a naphthalene group, an anthracene group, a phenanthrene group, a triphenylene group, a pyrene group, a chrysene group, a cyclopentadiene group, a 1,2,3,4-tetrahydronaphthalene group, a pyrrole group, a thiophene group, a furan group, an indole group, an isoindole group, a benzoborole group, a benzophosphole group, an indene group, a benzosilole group, a benzogermole group, a benzothiophene group, a benzoselenophene group, a benzofuran group, a carbazole group, a dibenzoborole group, a dibenzophosphole group, a fluorene group, a dibenzosilole group, a dibenzogermole group, a dibenzothiophene group, a dibenzoselenophene group, a dibenzofuran group, a dibenzothiophene 5-oxide group, a 9H-fluorene-9-on group, a dibenzothiophene 5,5-dioxide group, an azacarbazole group, an azadibenzoborole group, an azadibenzophosphole group, an azafluorene group, an azadibenzosilole group, an azadibenzogermole group, an azadibenzothiophene group, an azadibenzoselenophene group, an azadibenzofuran group, an azadibenzothiophene 5-oxide group, an aza-9H-fluorene-9-on group, an azadibenzothiophene 5,5-dioxide group, a pyridine group, a pyrimidine group, a pyrazine group, a pyridazine group, a triazine group, a quinoline group, an isoquinoline group, a quinoxaline group, a quinazoline group, a phenanthroline group, a pyrazole group, an imidazole group, a triazole group, a tetrazole group, an oxazole group, an isoxazole group, a thiazole group, an isothiazole group, an oxadiazole group, a thiadiazole group, a benzopyrazole group, a benzimidazole group, a benzoxazole group, a benzothiazole group, a benzoxadiazole group, a benzothiadiazole group, a 5,6,7,8-tetrahydroisoquinoline group, and a 5,6,7,8-tetrahydroquinoline group.

[0072] In one or more embodiments, CY₁ to CY₅ in Formula 1 may each independently be a benzene group, a naphthalene group, an indole group, an isoindole group, a dibenzothiophene group, a dibenzofuran group, an azadibenzothiophene group, an azadibenzofuran group, a pyridine group, a pyrimidine group, a pyrazine group, a pyridazine group, a quinoline group, an isoquinoline group, a pyrazole group, an imidazole group, or a benzimidazole group, but embodiments of the present disclosure are not limited thereto.

[0073] "An azacarbazole group, an azadibenzoborole group, an azadibenzophosphole group, an azafluorene group, an azadibenzosilole group, an azadibenzogermole group, an azadibenzothiophene group, an azadibenzoselenophene group, an azadibenzofuran group, an azadibenzothiophene 5-oxide group, an aza-9H-fluorene-9-on group, and an azadibenzothiophene 5,5-dioxide group" as used herein may mean hetero-rings that respectively have the same backbones as "a carbazole group, a dibenzoborole

group, a dibenzophosphole group, a fluorene group, a dibenzosilole group, a dibenzogermole group, a dibenzothiophene group, a dibenzoselenophene group, a dibenzofuran group, a dibenzothiophene 5-oxide group, a 9H-fluorene-9-on group, and a dibenzothiophene 5,5-dioxide group", provided that at least one of carbons forming rings thereof is substituted with nitrogen.

[0074] T_1 in Formula 1 may be selected from $*-N[(L_6)_{b6}-(R_6)]-*$, $*-B(R_a)-*$, $*-P(R_6)-*$, $*-C(R_6)(R_7)-*$, $*-Si(R_6)(R_7)-*$, $*-Ge(R_6)(R_7)-*$, $*-S-*$, $*-Se-*$, $*-O-*$, $*-C(=O)-*$, $*-S(=O)-*$, $*-S(=O)_2-*$, $*-C(R_6)=*$, $*-C(R_6)-*$, $*-C(R_6)=C(R_7)-*$, $*-C(=S)-*$, and $*-C\equiv C-*$, R_6 and R_7 are each independently the same as described below.

[0075] L_6 may be selected from a single bond, a substituted or unsubstituted C_5-C_{30} carbocyclic group, and a substituted or unsubstituted C_1-C_{30} heterocyclic group, and b_6 may be selected from 1 to 3 (for example, b_6 may be 1), wherein, when b_6 is two or more, two or more groups L_6 may be identical to or different from each other.

[0076] In an embodiment, L_6 may be selected from:

[0077] a single bond, a phenylene group, a naphthylene group, a fluorenylene group, a pyridinylene group, a pyrimidinylene group, and a carbazolyene group; and

[0078] a phenylene group, a naphthylene group, a fluorenylene group, a pyridinylene group, a pyrimidinylene group, and a carbazolyene group, each substituted with at least one selected from deuterium, $-F$, $-Cl$, $-Br$, $-I$, $-CD_3$, $-CD_2H$, $-CDH_2$, $-CF_3$, $-CF_2H$, $-CFH_2$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1-C_{20} alkyl group, a C_1-C_{20} alkoxy group, a phenyl group, a naphthyl group, a biphenyl group, and a terphenyl group,

[0079] but embodiments of the present disclosure are not limited thereto.

[0080] R_6 and R_7 may optionally be linked via a first linking group to form a substituted or unsubstituted C_5-C_{30} carbocyclic group or a substituted or unsubstituted C_1-C_{30} heterocyclic group (for example, a C_5-C_6 5-membered to 7-membered cyclic group; or a C_5-C_6 5-membered to 7-membered cyclic group substituted with at least one selected from deuterium, a cyano group, $-F$, a C_1-C_{10} alkyl group, and a C_6-C_{14} aryl group).

[0081] In an embodiment, T_1 in Formula 1 may be $*-N[(L_6)_{b6}-(R_6)]-*$, $*-C(R_6)(R_7)-*$, $*-Si(R_6)(R_7)-*$, $*-S-*$, or $*-O-*$, but embodiments of the present disclosure are not limited thereto.

[0082] In one or more embodiments, T_1 in Formula 1 may be selected from $*-C(R_6)(R_7)-*$, $*-Si(R_6)(R_7)-*$, and $*-Ge(R_6)(R_7)-*$,

[0083] R_6 and R_7 may be linked via a single bond or a first linking group,

[0084] the first linking group may be selected from $*-N[(L_8)_{b8}-(R_8)]-*$, $*-B(R_8)-*$, $*-P(R_8)-*$, $*-C(R_8)(R_9)-*$, $*-Si(R_8)(R_9)-*$, $*-Ge(R_8)(R_9)-*$, $*-S-*$, $*-Se-*$, $*-O-*$, $*-C(=O)-*$, $*-S(=O)-*$, $*-S(=O)_2-*$, $*-C(R_8)=*$, $*-C(R_8)-*$, $*-C(R_8)=C(R_9)-*$, $*-C(=S)-*$, and $*-C\equiv C-*$,

[0085] L_6 , b_6 , R_8 , and R_9 are each independently the same as described in connection with L_6 , b_6 , R_6 , and R_7 and $*$ and

$*$ each indicate a binding site to a neighboring atom, but embodiments of the present disclosure are not limited thereto.

[0086] n_1 in Formula 1 indicates the number of groups T_1 and may be 0, 1, 2, or 3, wherein, when n_1 is zero, $*(T_1)_{n_1}-*$ may be a single bond. When n_1 is two or more, two or more groups T_1 may be identical to or different from each other.

[0087] In an embodiment, n_1 in Formula 1 may be 0 or 1.

[0088] R_1 to R_7 may each independently be selected from hydrogen, deuterium, $-F$, $-Cl$, $-Br$, $-I$, $-SF_5$, a hydroxyl group, a cyano group, a nitro group, an amidino group, hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1-C_{60} alkyl group, a substituted or unsubstituted C_2-C_{60} alkenyl group, a substituted or unsubstituted C_2-C_{60} alkynyl group, a substituted or unsubstituted C_1-C_{60} alkoxy group, a substituted or unsubstituted C_3-C_{10} cycloalkyl group, a substituted or unsubstituted C_1-C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3-C_{10} cycloalkenyl group, a substituted or unsubstituted C_1-C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6-C_{60} aryl group, a substituted or unsubstituted C_6-C_{60} aryloxy group, a substituted or unsubstituted C_6-C_{60} arylthio group, a C_7-C_{60} arylalkyl group, a substituted or unsubstituted C_1-C_{60} heteroaryl group, a C_2-C_{60} heteroaryloxy group, a C_2-C_{60} heteroarylthio group, a C_3-C_{60} heteroarylalkyl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, $-N(Q_1)(Q_2)$, $-Si(Q_3)(Q_4)(Q_5)$, $-B(Q_6)(Q_7)$, and $-P(=O)(Q_8)(Q_9)$. Q_1 to Q_9 are each independently the same as described herein.

[0089] For example, R_1 to R_7 may each independently be selected from:

[0090] hydrogen, deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, $-SF_5$, a C_1-C_{20} alkyl group, and a C_1-C_{20} alkoxy group;

[0091] a C_1-C_{20} alkyl group and a C_1-C_{20} alkoxy group, each substituted with at least one selected from deuterium, $-F$, $-Cl$, $-Br$, $-I$, $-CD_3$, $-CD_2H$, $-CDH_2$, $-CF_3$, $-CF_2H$, $-CFH_2$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1-C_{10} alkyl group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a pyridinyl group, and a pyrimidinyl group;

[0092] a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an

imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranlyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, an azadibenzofuranlyl group, and an azadibenzothiophenyl group;

[0093] a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranlyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, an azadibenzofuranlyl group, and an azadibenzothiophenyl group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranlyl group, a benzothiophenyl group, an isobenzothiazolyl

group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, an azadibenzofuranlyl group, and an azadibenzothiophenyl group; and

[0094] —N(Q₁)(Q₂), —Si(Q₃)(Q₄)(Q₅), —B(Q₆)(Q₇), and —P(=O)(Q₈)(Q₉), and

[0095] Q₁ to Q₉ may each independently be selected from:

[0096] —CH₃, —CD₃, —CD₂H, —CDH₂, —CH₂CH₃, —CH₂CD₃, —CH₂CD₂H, —CH₂CDH₂, —CHDCH₃, —CHDCH₂H, —CHDCHD₂, —CHDCHD₃, —CD₂CD₃, —CD₂CD₂H, and —CD₂CDH₂;

[0097] an n-propyl group, an iso-propyl group, an n-butyl group, an iso-butyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an iso-pentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group; and

[0098] an n-propyl group, an iso-propyl group, an n-butyl group, an iso-butyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an iso-pentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group, each substituted with at least one selected from deuterium, a C₁-C₁₀ alkyl group, and a phenyl group.

[0099] In an embodiment, R₁ to R₇ may each independently be selected from:

[0100] hydrogen, deuterium, —F, a cyano group, a nitro group, —SF₅, a methyl group, an ethyl group, an n-propyl group, an iso-propyl group, an n-butyl group, an iso-butyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an iso-pentyl group, a sec-pentyl group, a tert-pentyl group, an n-hexyl group, an iso-hexyl group, a sec-hexyl group, a tert-hexyl group, an n-heptyl group, an iso-heptyl group, a sec-heptyl group, a tert-heptyl group, an n-octyl group, an iso-octyl group, a sec-octyl group, a tert-octyl group, an n-nonyl group, an iso-nonyl group, a sec-nonyl group, a tert-nonyl group, an n-decyl group, an iso-decyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a carbazolyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, an azadibenzofuranlyl group, and an azadibenzothiophenyl group;

[0101] a methyl group, an ethyl group, an n-propyl group, an iso-propyl group, an n-butyl group, an iso-butyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an iso-pentyl group, a sec-pentyl group, a tert-pentyl group, an n-hexyl group, an iso-hexyl group, a sec-hexyl group, a tert-hexyl group, an n-heptyl group, an iso-heptyl group, a sec-heptyl group, a tert-heptyl group, an n-octyl group, an iso-octyl group, a sec-octyl group, a tert-octyl group, an n-nonyl group, an iso-nonyl group, a sec-nonyl group, a tert-nonyl group, an n-decyl group, an iso-decyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a

phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a carbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, an azadibenzofuranyl group, and an azadibenzothiophenyl group, each substituted with at least one selected from deuterium, $-F$, $-CD_3$, $-CD_2H$, $-CDH_2$, $-CF_3$, $-CF_2H$, $-CFH_2$, a cyano group, a nitro group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a carbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, an azadibenzofuranyl group, and an azadibenzothiophenyl group; and


[0102] $-N(Q_1)(Q_2)$, $-Si(Q_3)(Q_4)(Q_5)$, $-B(Q_6)(Q_7)$, and $-P(=O)(Q_8)(Q_9)$, and

[0103] Q_1 to Q_9 are each independently the same as described herein.

[0104] In one or more embodiments, R_1 to R_7 may each independently be selected from hydrogen, deuterium, $-F$, a cyano group, a nitro group, $-SF_5$, $-CH_3$, $-CD_3$, $-CD_2H$, $-CDH_2$, $-CF_3$, $-CF_2H$, $-CFH_2$, groups represented by Formulae 9-1 to 9-19, groups represented by Formulae 10-1 to 10-166, and $-Si(Q_3)(Q_4)(Q_5)$ (Q_3 to Q_5 are the same as described herein), but embodiments of the present disclosure are not limited thereto:



Formula 9-1



Formula 9-2



Formula 9-3




Formula 9-4



Formula 9-5




Formula 9-6



Formula 9-7




Formula 9-8




Formula 9-9




Formula 9-10




-continued




Formula 9-11




Formula 9-12




Formula 9-13




Formula 9-14




Formula 9-15




Formula 9-16




Formula 9-17




Formula 9-18




Formula 9-19



Formula 10-1




Formula 10-2




Formula 10-3




Formula 10-4













Formula 10-5



Formula 10-6



-continued



Formula 10-7

Formula 10-8

Formula 10-9

Formula 10-10

Formula 10-11

Formula 10-12












Formula 10-13

Formula 10-14

Formula 10-15

Formula 10-16

-continued



Formula 10-17

Formula 10-18

Formula 10-19

Formula 10-20

Formula 10-21

Formula 10-22

Formula 10-23












Formula 10-24

Formula 10-25

Formula 10-26

Formula 10-27

-continued



Formula 10-28

Formula 10-29

Formula 10-30

Formula 10-31

Formula 10-32

Formula 10-33

Formula 10-34












Formula 10-35

Formula 10-36

Formula 10-37

Formula 10-38

-continued



Formula 10-39

Formula 10-40

Formula 10-41

Formula 10-42

Formula 10-43

Formula 10-44

Formula 10-45








Formula 10-46

Formula 10-47

Formula 10-48

Formula 10-70

-continued



Formula 10-71

Formula 10-72

Formula 10-73








Formula 10-74

Formula 10-75

Formula 10-76

Formula 10-77

-continued



Formula 10-78

Formula 10-79

Formula 10-80









Formula 10-81

Formula 10-82

Formula 10-83


Formula 10-84

-continued




-continued

Formula 10-85




Formula 10-70

Formula 10-71




Formula 10-72

Formula 10-73




Formula 10-74

Formula 10-75



Formula 10-76



Formula 10-77

Formula 10-78













Formula 10-79

Formula 10-80

Formula 10-81

Formula 10-82

-continued



Formula 10-83

Formula 10-84

Formula 10-85

Formula 10-86

Formula 10-87

Formula 10-88

Formula 10-89

Formula 10-90













Formula 10-91

Formula 10-92

Formula 10-93

Formula 10-94

-continued



Formula 10-95

Formula 10-96

Formula 10-97

Formula 10-98

Formula 10-99

Formula 10-100

Formula 10-101

Formula 10-102









Formula 10-103

Formula 10-104

Formula 10-105

Formula 10-106

-continued



Formula 10-107

Formula 10-108

Formula 10-109

Formula 10-110








Formula 10-111

Formula 10-112

Formula 10-113

Formula 10-114

-continued



Formula 10-115

Formula 10-116

Formula 10-117








Formula 10-118

Formula 10-119

Formula 10-120

Formula 10-121

-continued



Formula 10-122

Formula 10-123

Formula 10-124








Formula 10-125

Formula 10-126

Formula 10-127

Formula 10-128

-continued



Formula 10-129

Formula 10-130

Formula 10-131








Formula 10-132

Formula 10-133

Formula 10-134

Formula 10-135

-continued



Formula 10-136

Formula 10-137

Formula 10-138









Formula 10-139

Formula 10-140

Formula 10-141

Formula 10-142

-continued



Formula 10-143

Formula 10-144

Formula 10-145

Formula 10-146









Formula 10-147

Formula 10-148

Formula 10-149

Formula 10-150

-continued



Formula 10-151

Formula 10-152

Formula 10-153

Formula 10-154







Formula 10-155

Formula 10-156

Formula 10-157

Formula 10-158

-continued



Formula 10-159

Formula 10-160


Formula 10-161

Formula 10-162


Formula 10-163

Formula 10-164

-continued



Formula 10-165



Formula 10-166

[0105] In Formulae 9-1 to 9-19 and 10-1 to 10-166, “Ph” indicates a phenyl group, TMS indicates a trimethylsilyl group, and * indicates a binding site to a neighboring atom.

[0106] In one or more embodiments, at least one of R_1 to R_5 in Formula 1 may not be hydrogen.

[0107] a_1 , a_2 , a_3 , a_4 , and a_5 in Formula 1 respectively indicate the number of groups R_1 , the number of groups R_2 , the number of groups R_3 , the number of groups R_4 , and the number of groups R_5 , and may each independently be 0, 1, 2, 3, 4, or 5. When a_1 is two or more, two or more groups R_1 may be identical to or different from each other, when a_2 is two or more, two or more groups R_2 may be identical to or different from each other, when a_3 is two or more, two or more groups R_3 may be identical to or different from each other, when a_4 is two or more, two or more groups R_4 may be identical to or different from each other, and when a_5 is two or more, two or more groups R_5 may be identical to or different from each other, but embodiments of the present disclosure are not limited thereto.

[0108] In Formula 1, two of groups R_1 in the number of a_1 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, two of groups R_2 in the number of a_2 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, two of groups R_3 in the number of a_3 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, two of groups R_4 in the number of a_4 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, two of groups R_5 in the number of a_5 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, R_2 and R_3 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, R_2 and R_4 may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, and R_1 and R_5 may optionally be linked to form a substituted or

unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group.

[0109] For example, i) a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, formed by linking two of groups R_1 in the number of a_1 , ii) a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, formed by linking two of groups R_2 in the number of a_2 , iii) a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, formed by linking two of groups R_3 in the number of a_3 , iv) a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, formed by linking two of groups R_4 in the number of a_4 , v) a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, formed by linking two of groups R_5 in the number of a_5 , vi) a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, formed by linking R_2 and R_3 , vii) a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, formed by linking R_2 and R_4 , and viii) a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, formed by linking R_1 and R_5 in Formula 1, may each independently be selected from:


[0110] a pentadiene group, a cyclohexane group, a cycloheptane group, an adamantane group, a bicycloheptane group, a bicyclooctane group, a benzene group, a pyridine group, a pyrimidine group, a pyrazine group, a pyridazine group, a naphthalene group, an anthracene group, a tetracene group, a phenanthrene group, a dihydronaphthalene group, a phenalene group, a benzothiophene group, a benzofuran group, an indene group, an indole group, a benzosilole group, an azabenzothiophene group, an azabenzofuran group, an azaindene group, an azaindole group, and an azabenzosilole group; and

[0111] a pentadiene group, a cyclohexane group, a cycloheptane group, an adamantane group, a bicycloheptane group, a bicyclooctane group, a benzene group, a pyridine group, a pyrimidine group, a pyrazine group, a pyridazine group, a naphthalene group, an anthracene group, a tetracene group, a phenanthrene group, a dihydronaphthalene group, a phenalene group, a benzothiophene group, a benzofuran group, an indene group, an indole group, a benzosilole group, an azabenzothiophene group, an azabenzofuran group, an azaindene group, an azaindole group, and an azabenzosilole group, each substituted with at least one R_{10} .


[0112] but embodiments of the present disclosure are not limited thereto.

[0113] R_{10} is the same as described in connection with R_1 .


[0114] In one or more embodiments, a moiety represented by




in Formula 1 may be selected from groups represented by Formulae CY1-1 to CY1-51 (for example, groups represented by Formulae CY1-1, CY1-3, CY1-9, CY1-19, CY1-20, CY1-31, CY1-46, and CY1-51):




Formula CY1-1




Formula CY1-2




Formula CY1-3




Formula CY1-4




Formula CY1-5




Formula CY1-6



Formula CY1-7




Formula CY1-8




Formula CY1-9


-continued




Formula CY1-10




Formula CY1-11




Formula CY1-12




Formula CY1-13



Formula CY1-14




Formula CY1-15




Formula CY1-16


-continued




Formula CY1-17




Formula CY1-18




Formula CY1-19



Formula CY1-20




Formula CY1-21




Formula CY1-22


-continued




Formula CY1-23




Formula CY1-24




Formula CY1-25




Formula CY1-26




Formula CY1-27




Formula CY1-28




Formula CY1-29



Formula CY1-30




Formula CY1-31




Formula CY1-32


-continued




Formula CY1-33




Formula CY1-34




Formula CY1-35




Formula CY1-36




Formula CY1-37




Formula CY1-38




Formula CY1-39



Formula CY1-40




Formula CY1-41




Formula CY1-42


-continued




Formula CY1-43




Formula CY1-44




Formula CY1-45




Formula CY1-46




Formula CY1-47




Formula CY1-48



Formula CY1-49



Formula CY1-50



Formula CY1-51

[0115] In Formulae CY1-1 to CY1-51,

[0116] X_1 and R_1 are each independently the same as described herein,[0117] X_{11} may be O, S, N(R_{11}), or C(R_{11})(R_{12}),[0118] X_{19} may be N or C(R_{19}),

[0119] R_{11} to R_{19} are each independently the same as described in connection with R_1 ,

[0120] a_{15} may be an integer from 0 to 5,


[0121] a_{14} may be an integer from 0 to 4,

[0122] a_{13} may be an integer from 0 to 3,


[0123] a_{12} may be an integer from 0 to 2, and

[0124] * and *' each indicate a binding site to a neighboring atom.


[0125] In one or more embodiments, a moiety represented by




in Formula 1 may be selected from groups represented by Formulae CY2-1 to CY2-36 (for example, groups represented by Formulae CY2-1 and CY2-9):




Formula CY2-1




Formula CY2-2




Formula CY2-3



Formula CY2-4




Formula CY2-5




-continued


Formula CY2-6




Formula CY2-7




Formula CY2-8




Formula CY2-9



Formula CY2-10











Formula CY2-11



Formula CY2-12

-continued



Formula CY2-13

Formula CY2-14

Formula CY2-15

Formula CY2-16










Formula CY2-17

Formula CY2-18

Formula CY2-19

Formula CY2-20

-continued



Formula CY2-21

Formula CY2-22

Formula CY2-23

Formula CY2-24

Formula CY2-25


Formula CY2-26

Formula CY2-27


Formula CY2-28

Formula CY2-29


-continued




Formula CY2-30




Formula CY2-31




Formula CY2-32




Formula CY2-33




Formula CY2-34



Formula CY2-35




Formula CY2-36




in Formula 1 may be selected from groups represented by Formulae CY3-1 to CY3-53 (for example, groups represented by Formulae CY3-1, CY3-5, CY3-9, CY3-17, CY3-20, CY3-47, CY3-51, and CY3-52):


Formula CY3-1




Formula CY3-2




Formula CY3-3




Formula CY3-4




Formula CY3-5



Formula CY3-6



Formula CY3-7



[0126] In Formulae CY2-1 to CY2-36,

[0127] X_2 and R_2 are each independently the same as described herein,

[0128] X_{21} may be O, S, N(R_{21}), or C(R_{21})(R_{22}),

[0129] X_{29} may be N or C(R_{29}),

[0130] R_{21} to R_{29} are each independently the same as described in connection with R_2 ,

[0131] a_{24} may be an integer from 0 to 4,


[0132] a_{23} may be an integer from 0 to 3,

[0133] a_{22} may be an integer from 0 to 2, and


[0134] *, *', and *'' each indicate a binding site to a neighboring atom.

[0135] In one or more embodiments, a moiety represented by


-continued




Formula CY3-8




Formula CY3-9




Formula CY3-10



Formula CY3-11




Formula CY3-12




Formula CY3-13


-continued




Formula CY3-14




Formula CY3-15




Formula CY3-16



Formula CY3-17











Formula CY3-18



Formula CY3-19

-continued



Formula CY3-20

Formula CY3-21

Formula CY3-22

Formula CY3-23











Formula CY3-24

Formula CY3-25

Formula CY3-26

Formula CY3-27

-continued



Formula CY3-28

Formula CY3-29

Formula CY3-30

Formula CY3-31

Formula CY3-32

Formula CY3-33


Formula CY3-34

Formula CY3-35


Formula CY3-36

Formula CY3-37


-continued




Formula CY3-38




Formula CY3-39




Formula CY3-40




Formula CY3-41




Formula CY3-42




Formula CY3-43



Formula CY3-44




Formula CY3-45




Formula CY3-46


-continued




Formula CY3-47




Formula CY3-48




Formula CY3-49




Formula CY3-50



Formula CY3-51



Formula CY3-52



Formula CY3-53

[0136] In Formulae CY3-1 to CY3-53,


[0137] X_3 and R_3 are each independently the same as described herein,[0138] X_{31} may be O, S, N(R_{31}), or C(R_{31})(R_{32}),[0139] X_{39} may be N or C(R_{39}),[0140] R_{31} to R_{39} are each independently the same as described in connection with R_3 ,[0141] a_{35} may be an integer from 0 to 5,[0142] a_{34} may be an integer from 0 to 4,

[0143] a33 may be an integer from 0 to 3,


[0144] a32 may be an integer from 0 to 2, and

[0145] * and *' each indicate a binding site to a neighboring atom.


[0146] In one or more embodiments, a moiety represented by




in Formula 1 may be selected from groups represented by Formulae CZ-1 to CZ-18 (for example, groups represented by Formulae CZ-1 to CZ-6, CZ-9, and CZ-12):




Formula CZ-1



Formula CZ-2




Formula CZ-3




Formula CZ-4


-continued




Formula CZ-5




Formula CZ-6




Formula CZ-7




Formula CZ-8



Formula CZ-9




Formula CZ-10



Formula CZ-11

-continued




Formula CZ-12

[0150] a_{43} and a_{53} may each independently be an integer from 0 to 3,


[0151] a_{42} and a_{52} may each independently be an integer from 0 to 2, and

[0152] $*$, $*'$, and $*''$ each indicate a binding site to a neighboring atom.

[0153] In one or more embodiments, a moiety represented by




Formula CZ-13




Formula CZ-14

in Formula 1 may be selected from groups represented by Formulae $CY_1(1)$ to $CY_1(24)$, and/or

[0154] a moiety represented by




Formula CZ-15




in Formula 1 may be selected from groups represented by Formulae $CY_2(1)$ to $CY_2(8)$, and/or

[0155] a moiety represented by




Formula CZ-16




Formula CZ-17

in Formula 1 may be selected from groups represented by Formulae $CY_3(1)$ to $CY_3(20)$, and/or

[0156] a moiety represented by



Formula CZ-18




[0147] In Formulae CZ-1 to CZ-18,

[0148] R_4 and R_5 are each independently the same as described herein,


[0149] a_{45} and a_{55} may each independently be an integer from 0 to 5,

in Formula 1 may be selected from groups represented by Formulae CZ(1) to CZ(19), but embodiments of the present disclosure are not limited thereto:


-continued




Formula CY1(1)




Formula CY1(2)




Formula CY1(3)




Formula CY1(4)




Formula CY1(5)




Formula CY1(6)




Formula CY1(7)




Formula CY1(8)




Formula CY1(9)




Formula CY1(10)




Formula CY1(11)




Formula CY1(12)




Formula CY1(13)




Formula CY1(14)




Formula CY1(15)




Formula CY1(16)



Formula CY1(17)












Formula CY1(18)



Formula CY1(19)

-continued



Formula CY1(20)

Formula CY1(21)

Formula CY1(22)

Formula CY1(23)

Formula CY1(24)










Formula CY2(1)

Formula CY2(2)

Formula CY2(3)

Formula CY2(4)

-continued



Formula CY2(5)

Formula CY2(6)

Formula CY2(7)

Formula CY2(8)

Formula CY3(1)


Formula CY3(2)

Formula CY3(3)


Formula CY3(4)

Formula CY3(5)


-continued




Formula CY3(6)




Formula CY3(7)




Formula CY3(8)




Formula CY3(9)



Formula CY3(10)




Formula CY3(11)




Formula CY3(12)


-continued




Formula CY3(13)




Formula CY3(14)




Formula CY3(15)




Formula CY3(16)




Formula CY3(17)



Formula CY3(18)



Formula CY3(19)




Formula CY3(20)


-continued

-continued


Formula CZ(1)




Formula CZ(8)




Formula CZ(2)




Formula CZ(9)




Formula CZ(3)




Formula CZ(10)




Formula CZ(4)




Formula CZ(11)




Formula CZ(5)




Formula CZ(12)




Formula CZ(6)




Formula CZ(13)




Formula CZ(7)




Formula CZ(14)




-continued




Formula CZ(15)




Formula CZ(16)



Formula CZ(17)



Formula CZ(18)



Formula CZ(19)

[0157] In Formulae CY1(1) to CY1(24), CY2(1) to CY2(8), CY3(1) to CY3(20), and CZ(1) to CZ(19),

[0158] X_{11} may be O, S, N(R_{11}), or C(R_{11})(R_{12}),

[0159] X_{31} may be O, S, N(R_{31}), or C(R_{31})(R_{32}),

[0160] X_1 to X_3 and R_1 to R_5 are each independently the same as described herein,

[0161] R_{1a} , R_{1b} , R_{11} , and R_{12} are each independently the same as described in connection with R_1 ,

[0162] R_{2a} to R_{2c} are each independently the same as described in connection with R_2 ,


[0163] R_{3a} , R_{3b} , R_{31} , and R_{32} are each independently the same as described in connection with R_3 , provided that R_1 , R_{1a} , R_{1b} , R_2 , R_{2a} to R_{2c} , R_3 , R_{3a} , R_{3b} , R_4 , and R_5 are each not hydrogen, and

[0164] *, * , and ** each indicate a binding site to a neighboring atom.

[0165] R_2 and R_3 in Formula 1 may be linked to form a 5-membered ring, a 6-membered ring, or a 7-membered ring.

[0166] For example, the organometallic compound may be represented by Formula 1-1:

Formula 1-1



[0167] In Formula 1-1,

[0168] M , X_1 to X_3 , Y_1 to Y_{12} , CY_1 to CY_5 , T_1 , $n1$ R_1 to R_5 , and $a1$ to $a5$ are each independently the same as described herein,


[0169] Y_{13} and Y_{14} may each independently be C or N,

[0170] T_2 may be selected from a single bond, $^*N(L_8)_{b8}(R_8)^*$, $^*B(R_8)^*$, $^*P(R_6)^*$, $^*C(R_8)(R_9)^*$, $^*Si(R_8)(R_9)^*$, $^*Ge(R_8)(R_9)^*$, $^*S^*$, $^*Se^*$, $^*O^*$, $^*C(=O)^*$, $^*S(=O)^*$, $^*S(=O)_2^*$, $^*C(R_8)^*$, $^*C(R_9)^*$, $^*C(R_8)=C(R_9)^*$, $^*13C(=S)^*$, and $^*C\equiv C^*$, and

[0171] L_8 , $b8$, R_8 , and R_9 are each independently the same as described in connection with L_6 , $b6$, R_6 , and R_7 .

[0172] In an embodiment, the organometallic compound may be represented by Formula 1-A, but embodiments of the present disclosure are not limited thereto:

Formula 1-A




[0173] In Formula 1-A,


[0174] M, X_1 to X_3 , Y_1 , Y_5 , Y_7 to Y_{12} , CY_1 , CY_4 , CY_5 , R_1 to R_5 , a1, a4, and a5 are each independently the same as described herein, and

[0175] R_8 and R_9 are each independently the same as described in connection with R_6 and R_7 .


[0176] The organometallic compound represented by Formula 1 may be selected from Compounds 1 to 142:




1




2




3



4



5





6

-continued



7

8





9

10





11

12




13

14




-continued


15




16




17




18




19



20




-continued





21

22





23

24




25

26




-continued





27

28





29

30




31

32




-continued


33




34




35




36




37




38




-continued




39




40




41



42









43




44

-continued




-continued


51




52




53



54





55




-continued

56


57



58




59




-continued


60




61



62





-continued





63

64




65

66




67


68




-continued




69



70




71




72

-continued


73




74




75




76




77




-continued




78




79




80



81




82




83

-continued





84

85





86

87





88

89




90

91




-continued





92

93





94

95




96

97




-continued





98

99





100

101




102


103




-continued




104




105




106



107











108




109


-continued




-continued




118




119




120



121




122




123

-continued


124




125




126




127




128




129



130




131




-continued


132




133




134




135




136




137



138





139




-continued

140

141



142



[0177] The organometallic compound represented by Formula 1 has an emission wavelength that is easily adjustable by varying a type of a substituent, and has electrical characteristics (for example, the highest occupied molecular orbital (HOMO) energy level, the lowest unoccupied molecular orbital (LUMO) energy level, a T_1 energy level, or the like) suitable for use in an electronic device, for example, an organic light-emitting device. Thus, an electronic device, for example, an organic light-emitting device, which includes the organometallic compound, may have excellent light-emission efficiency, lifespan, and/or roll-off ratio characteristics.


[0178] For example, HOMO energy levels, LUMO energy levels, and triplet (T_1) energy levels of some Compounds and Compound A were evaluated by a density functional theory (DFT) method of a Gaussian program (the structure was optimized at a B3LYP, 6-31G(d,p) level). Evaluation results are shown in Table 1 below.

TABLE 1

Compound No.	HOMO (eV)	LUMO (eV)	T_1 energy level (eV)
1	-4.781	-1.713	2.167
2	-4.643	-1.665	2.070
3	-4.648	-1.655	2.091
10	-4.871	-1.966	1.977
11	-5.305	-2.135	2.277
12	-5.534	-2.372	2.286
14	-4.621	-1.719	2.061
23	-4.613	-1.794	2.020
29	-4.664	-1.684	2.087

TABLE 1-continued

Compound No.	HOMO (eV)	LUMO (eV)	T_1 energy level (eV)
32	-4.606	-1.825	1.998
60	-4.580	-1.865	1.973
92	-4.458	-1.657	2.064
103	-4.424	-1.859	1.912
106	-4.416	-1.914	1.897
A	-4.418	-1.584	1.971



[0179] From Table 1, it is determined that the organometallic compound represented by Formula 1 has such electrical characteristics suitable for use in an electronic device, for example, for use as a dopant for an organic light-emitting device. For example, it is determined that the organometallic

compound represented by Formula 1 has a relatively low LUMO energy level (that is, a large absolute value of a LUMO energy level).

[0180] Synthesis methods of the organometallic compound represented by Formula 1 may be recognizable by one of ordinary skill in the art by referring to Synthesis Examples provided below.

[0181] Therefore, the organometallic compound represented by Formula 1 is suitable for use in an organic layer of an organic light-emitting device, for example, for use as a dopant in an emission layer of the organic layer. Thus, another aspect provides an organic light-emitting device that includes: a first electrode, a second electrode, and an organic layer that is disposed between the first electrode and the second electrode, wherein the organic layer includes an emission layer and at least one organometallic compound represented by Formula 1.

[0182] The organic light-emitting device may have, due to the inclusion of an organic layer including the organometallic compound represented by Formula 1, low driving voltage, high light-emission efficiency, high quantum light-emission efficiency, and low roll-off ratios.

[0183] The organometallic compound of Formula 1 may be used between a pair of electrodes of an organic light-emitting device. For example, the organometallic compound represented by Formula 1 may be included in the emission layer. In this regard, the organometallic compound may act as a dopant, and the emission layer may further include a host (that is, an amount of the organometallic compound represented by Formula 1 is smaller than an amount of the host).

[0184] The expression “(an organic layer) includes at least one of organometallic compound” as used herein may include an embodiment in which “(an organic layer) includes identical organometallic compounds represented by Formula 1” and an embodiment in which “(an organic layer) includes two or more different organometallic compounds represented by Formula 1”.

[0185] For example, the organic layer may include, as the organometallic compound, only Compound 1. In this regard, Compound 1 may be included in an emission layer of the organic light-emitting device. In one or more embodiments, the organic layer may include, as the organometallic compound, Compound 1 and Compound 2. In this regard, Compound 1 and Compound 2 may be included in an identical layer (for example, Compound 1 and Compound 2 all may be included in an emission layer).

[0186] The first electrode may be an anode, which is a hole injection electrode, and the second electrode may be a cathode, which is an electron injection electrode; or the first electrode may be a cathode, which is an electron injection electrode, and the second electrode may be an anode, which is a hole injection electrode.

[0187] In an embodiment, in the organic light-emitting device, the first electrode is an anode, and the second electrode is a cathode, and the organic layer further includes a hole transport region disposed between the first electrode and the emission layer and an electron transport region disposed between the emission layer and the second electrode, wherein the hole transport region includes a hole injection layer, a hole transport layer, an electron blocking layer, or any combination thereof, and wherein the electron

transport region includes a hole blocking layer, an electron transport layer, an electron injection layer, or any combination thereof.

[0188] The term “organic layer” as used herein refers to a single layer and/or a plurality of layers disposed between the first electrode and the second electrode of the organic light-emitting device. The “organic layer” may include, in addition to an organic compound, an organometallic complex including metal.

[0189] The FIGURE is a schematic view of an organic light-emitting device **10** according to an embodiment. Hereinafter, the structure of an organic light-emitting device according to an embodiment and a method of manufacturing an organic light-emitting device according to an embodiment will be described in connection with the FIGURE. The organic light-emitting device **10** includes a first electrode **11**, an organic layer **15**, and a second electrode **19**, which are sequentially stacked.

[0190] A substrate may be additionally disposed under the first electrode **11** or above the second electrode **19**. For use as the substrate, any substrate that is used in general organic light-emitting devices may be used, and the substrate may be a glass substrate or a transparent plastic substrate, each having excellent mechanical strength, thermal stability, transparency, surface smoothness, ease of handling, and water resistance.

[0191] The first electrode **11** may be formed by depositing or sputtering a material for forming the first electrode **11** on the substrate. The first electrode **11** may be an anode. The material for forming the first electrode **11** may be selected from materials with a high work function to facilitate hole injection. The first electrode **11** may be a reflective electrode, a semi-transmissive electrode, or a transmissive electrode. The material for forming the first electrode may be, for example, indium tin oxide (ITO), indium zinc oxide (IZO), tin oxide (SnO₂), and zinc oxide (ZnO). In one or more embodiments, magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), or magnesium-silver (Mg—Ag) may be used as the material for forming the first electrode.

[0192] The first electrode **11** may have a single-layered structure or a multi-layered structure including two or more layers. For example, the first electrode **11** may have a three-layered structure of ITO/Ag/ITO, but the structure of the first electrode **110** is not limited thereto.

[0193] The organic layer **15** is disposed on the first electrode **11**.

[0194] The organic layer **15** may include a hole transport region, an emission layer, and an electron transport region.

[0195] The hole transport region may be disposed between the first electrode **11** and the emission layer.

[0196] The hole transport region may include a hole injection layer, a hole transport layer, an electron blocking layer, a buffer layer, or any combination thereof.

[0197] The hole transport region may include only either a hole injection layer or a hole transport layer. In one or more embodiments, the hole transport region may have a hole injection layer/hole transport layer structure or a hole injection layer/hole transport layer/electron blocking layer structure, which are sequentially stacked in this stated order from the first electrode **11**.


[0198] A hole injection layer may be formed on the first electrode **11** by using one or more suitable methods selected from vacuum deposition, spin coating, casting, or Langmuir-Blodgett (LB) deposition.

[0199] When the hole injection layer is formed by vacuum deposition, the deposition conditions may vary according to a compound that is used to form the hole injection layer, and the structure and thermal characteristics of the hole injection layer. For example, the deposition conditions may include a deposition temperature of about 100° C. to about 500° C., a vacuum pressure of about 10⁻⁸ torr to about 10⁻³ torr, and a deposition rate of about 0.01 Å/sec to about 100 Å/sec, but embodiments of the present disclosure are not limited thereto.

[0200] When the hole injection layer is formed using spin coating, coating conditions may vary according to the material used to form the hole injection layer, and the structure and thermal properties of the hole injection layer. For example, a coating speed may be from about 2,000 revolutions per minute (rpm) to about 5,000 rpm, and a temperature at which a heat treatment is performed to remove a solvent after coating may be from about 80° C. to about 200° C. However, the coating conditions are not limited thereto.


[0201] Conditions for forming a hole transport layer and an electron blocking layer may be understood by referring to conditions for forming the hole injection layer.

[0202] The hole transport region may include at least one selected from m-MTDATA, TDATA, 2-TNATA, NPB, β-NPB, TPD, Spiro-TPD, Spiro-NPB, methylated-NPB, TAPC, HMTDP, 4,4',4"-tris(N-carbazolyl)triphenylamine (TCTA), polyaniline/dodecylbenzene sulfonic acid (PANI/DBSA), poly(3,4-ethylenedioxythiophene)/poly(4-styrene sulfonate) (PEDOT/PSS), polyaniline/camphor sulfonic acid (PANI/CSA), polyaniline/poly(4-styrene sulfonate) (PANI/PSS), a compound represented by Formula 201 below, and a compound represented by Formula 202 below:




m-MTDATA


-continued



TDATA





2-TNATA




NPB


-continued

 β -NPB


TPD



Spiro-TPD




Spiro-NPB




methylated NPB

-continued




TAPC




HMTPD

Formula 201



Formula 202



[0203] Ar_{101} and Ar_{102} in Formula 201 may each independently be selected from:

[0204] a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene-

nylene group, a naphthacenylenylene group, a picenylene group, a perylenylene group, and a pentacenylene group; and [0205] a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylenylene group, a heptalenylene group, an acenaphthylenylene group, a fluorenylenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylenylene group, a fluoranthenylenylene group, a triphenylenylene group, a pyrenylene group, a chrysene-nylenylene group, a naphthacenylenylene group, a picenylene group, a perylenylene group, and a pentacenylene group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ heteroaryloxy group, a C₂-C₆₀ heteroarylthio group, a C₃-C₆₉ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

[0206] In Formula 201, xa and xb may each independently be an integer from 0 to 5, or may be 0, 1, or 2. For example, xa may be 1 and xb may be 0, but xa and xb are not limited thereto.

[0207] R₁₀₁ to R₁₀₈, R₁₁₁ to R₁₁₉, and R₁₂₁ to R₁₂₄ in Formulae 201 and 202 may each independently be selected from:

[0208] hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group (for example, a methyl group, an ethyl group, a propyl group, a butyl group, a pentyl group, a hexyl group, and the like), and a C₁-C₁₀ alkoxy group (for example, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, and the like);

[0209] a C₁-C₁₀ alkyl group and a C₁-C₁₀ alkoxy group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof;

[0210] a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, and a pyrenyl group; and a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, and a pyrenyl group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, and a C₁-C₁₀ alkoxy group;

[0211] but embodiments of the present disclosure are not limited thereto.

[0212] R₁₀₉ in Formula 201 may be selected from:


[0213] a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group; and

[0214] a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group, each substituted with at least

one selected from deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, an alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group.

[0215] According to an embodiment, the compound represented by Formula 201 may be represented by Formula 201A, but embodiments of the present disclosure are not limited thereto:


Formula 201A



[0216] R₁₀₁, R₁₁₁, R₁₁₂, and R₁₀₉ in Formula 201A may be understood by referring to the description provided herein.

[0217] For example, the compound represented by Formula 201, and the compound represented by Formula 202 may include compounds HT1 to HT20 illustrated below, but are not limited thereto.

HT1





-continued

-continued



HT2

HT4



HT3

HT5





-continued

-continued



HT8

HT6




HT9

HT7




HT10




-continued

HT11




-continued


HT14




HT15




HT12




H16



HT13




HT17




-continued


HT18



HT19



HT20




[0218] A thickness of the hole transport region may be in a range of about 100 Å to about 10,000 Å, for example, about 100 Å to about 1,000 Å. When the hole transport region includes at least one of a hole injection layer and a hole transport layer, the thickness of the hole injection layer may be in a range of about 100 Å to about 10,000 Å, and for example, about 100 Å to about 1,000 Å, and the thickness of the hole transport layer may be in a range of about 50 Å to about 2,000 Å, and for example, about 100 Å to about 1,500 Å. While not wishing to be bound by theory, it is understood that when the thicknesses of the hole transport region, the hole injection layer, and the hole transport layer are within these ranges, satisfactory hole transporting characteristics may be obtained without a substantial increase in driving voltage.

[0219] The hole transport region may further include, in addition to these materials, a charge-generation material for the improvement of conductive properties. The charge-

generation material may be homogeneously or non-homogeneously dispersed in the hole transport region.

[0220] The charge-generation material may be, for example, a p-dopant. The p-dopant may be one selected from a quinone derivative, a metal oxide, and a cyano group-containing compound, but embodiments of the present disclosure are not limited thereto. Non-limiting examples of the p-dopant are a quinone derivative, such as tetracyanoquinonodimethane (TCNQ) or 2,3,5,6-tetrafluoro-tetracyano-1,4-benzoquinonodimethane (F4-TCNQ); a metal oxide, such as a tungsten oxide or a molybdenum oxide; and a cyano group-containing compound, such as Compound HT-D1 below, but are not limited thereto.

HT-D1



F4-TCNQ

[0221] The hole transport region may include a buffer layer.






[0222] Also, the buffer layer may compensate for an optical resonance distance according to a wavelength of light emitted from the emission layer, and thus, efficiency of a formed organic light-emitting device may be improved.

[0223] Then, an emission layer may be formed on the hole transport region by vacuum deposition, spin coating, casting, LB deposition, or the like. When the emission layer is formed by vacuum deposition or spin coating, the deposition or coating conditions may be similar to those applied to form the hole injection layer although the deposition or coating conditions may vary according to the compound that is used to form the emission layer.



[0224] Meanwhile, when the hole transport region includes an electron blocking layer, a material for the electron blocking layer may be selected from materials for the hole transport region described above and materials for a host to be explained later. However, the material for the electron blocking layer is not limited thereto. For example, when the hole transport region includes an electron blocking layer, a material for the electron blocking layer may be mCP, which will be explained later.

[0225] The emission layer may include a host and a dopant, and the dopant may include the organometallic compound represented by Formula 1.


[0226] The host may include at least one selected from TPBi, TBADN, ADN (also referred to as “DNA”), CBP, CDBP, TCP, mCP, Compound H50, and Compound H51:




-continued



H50




H51



[0227] In one or more embodiments, the host may further include a compound represented by Formula 301 below.

Formula 301



[0228] Ar_{111} and Ar_{112} in Formula 301 may each independently be selected from:

[0229] a phenylene group, a naphthylene group, a phenanthrenylene group, and a pyrenylene group; and

[0230] a phenylene group, a naphthylene group, a phenanthrenylene group, and a pyrenylene group, each substituted with at least one selected from a phenyl group, a naphthyl group, and an anthracenyl group.

[0231] Ar_{113} to Ar_{116} in Formula 301 may each independently be selected from:

[0232] a C_1 - C_{10} alkyl group, a phenyl group, a naphthyl group, a phenanthrenyl group, and a pyrenyl group; and

[0233] a phenyl group, a naphthyl group, a phenanthrenyl group, and a pyrenyl group, each substituted with at least one selected from a phenyl group, a naphthyl group, and an anthracenyl group.


[0234] g , h , i , and j in Formula 301 may each independently be an integer from 0 to 4, and may be, for example, 0, 1, or 2.

[0235] Ar_{113} to Ar_{116} in Formula 301 may each independently be selected from:

[0236] a C_1 - C_{10} alkyl group, substituted with at least one selected from a phenyl group, a naphthyl group, and an anthracenyl group;

[0237] a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl, a phenanthrenyl group, and a fluorenyl group;


[0238] a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, and a fluorenyl group, each substituted with at least one selected from deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, an alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, and a fluorenyl group; and



[0239] but embodiments of the present disclosure are not limited thereto.

[0240] In one or more embodiments, the host may include a compound represented by Formula 302 below:

Formula 302




[0241] Ar_{122} to Ar_{125} in Formula 302 are each independently the same as described in connection with Ar_{113} in Formula 301.


[0242] Ar_{126} and Ar_{127} in Formula 302 may each independently be a C_1 - C_{10} alkyl group (for example, a methyl group, an ethyl group, or a propyl group).

[0243] k and l in Formula 302 may each independently be an integer from 0 to 4. For example, k and l may be 0, 1, or 2.


[0244] The compound represented by Formula 301 and the compound represented by Formula 302 may include Compounds H1 to H42 illustrated below, but are not limited thereto.




H1




H2



H3




H4




H5


-continued




H6




H7



H8




H9




H10


-continued




H11




H12




H13



H14




H15



H16


-continued

H17




-continued


H21




H22




H23




H24




H25




H18



H19




H20




-continued

H26




-continued


H31




H32




H33




H28




H29




H30



H34




-continued




H35


-continued




H38




H36



H39




H37




H40

-continued

H41



H42



[0245] When the organic light-emitting device is a full-color organic light-emitting device, the emission layer may be patterned into a red emission layer, a green emission layer, and a blue emission layer. In one or more embodiments, due to a stack structure including a red emission layer, a green emission layer, and/or a blue emission layer, the emission layer may emit white light.

[0246] When the emission layer includes a host and a dopant, an amount of the dopant may be in a range of about 0.01 parts by weight to about 15 parts by weight based on 100 parts by weight of the host, but embodiments of the present disclosure are not limited thereto.

[0247] A thickness of the emission layer may be in a range of about 100 Å to about 1,000 Å, for example, about 200 Å to about 600 Å. While not wishing to be bound by theory, it is understood that when the thickness of the emission layer is within this range, excellent light-emission characteristics may be obtained without a substantial increase in driving voltage.


[0248] Then, an electron transport region may be disposed on the emission layer.

[0249] The electron transport region may include a hole blocking layer, an electron transport layer, an electron injection layer, or any combination thereof.


[0250] For example, the electron transport region may have a hole blocking layer/electron transport layer/electron injection layer structure or an electron transport layer/electron injection layer structure, but the structure of the electron transport region is not limited thereto. The electron transport layer may have a single-layered structure or a multi-layered structure including two or more different materials.

[0251] Conditions for forming the hole blocking layer, the electron transport layer, and the electron injection layer which constitute the electron transport region may be understood by referring to the conditions for forming the hole injection layer.

[0252] When the electron transport region includes a hole blocking layer, the hole blocking layer may include, for example, at least one of BCP, Bphen, and BALq but embodiments of the present disclosure are not limited thereto.




BCP




Bphen



[0253] A thickness of the hole blocking layer may be in a range of about 20 Å to about 1,000 Å, for example, about 30 Å to about 300 Å. While not wishing to be bound by theory, it is understood that when the thickness of the hole blocking layer is within these ranges, the hole blocking layer may have improved hole blocking ability without a substantial increase in driving voltage.

[0254] The electron transport layer may further include at least one selected from BCP, Bphen, Alq₃, BALq, TAZ, and NTAZ.

Alq₃




[0255] In one or more embodiments, the electron transport layer may include at least one of ET1 and ET2, but are not limited thereto:




[0256] A thickness of the electron transport layer may be in a range of about 100 Å to about 1,000 Å, for example, about 150 Å to about 500 Å. While not wishing to be bound by theory, it is understood that when the thickness of the electron transport layer is within the range described above, the electron transport layer may have satisfactory electron transport characteristics, without a substantial increase in driving voltage.

[0257] Also, the electron transport layer may further include, in addition to the materials described above, a metal-containing material.

[0258] The metal-containing material may include a Li complex. The Li complex may include, for example, Compound ET-D1(LiQ) or ET-D2:



ET-D1



ET-D2

[0259] Also, the electron transport region may include an electron injection layer (EIL) that promotes electron flow from the second electrode 19 therein.

[0260] The electron injection layer may include at least one selected from LiF, NaCl, CsF, Li₂O, and BaO.

[0261] A thickness of the electron injection layer may be in a range of about 1 Å to about 100 Å, for example, about

3 Å to about 90 Å. While not wishing to be bound by theory, it is understood that when the thickness of the electron injection layer is within the range described above, the electron injection layer may have satisfactory electron injection characteristics without a substantial increase in driving voltage.

[0262] The second electrode 19 is disposed on the organic layer 15. The second electrode 19 may be a cathode. A material for forming the second electrode 19 may be selected from a metal, an alloy, an electrically conductive compound, and a combination thereof, which have a relatively low work function. For example, lithium (Li), magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), or magnesium-silver (Mg—Ag) may be used as a material for forming the second electrode 19. In one or more embodiments, to manufacture a top-emission-type light-emitting device, a transmissive electrode formed using ITO or IZO may be used as the second electrode 19.

[0263] Hereinbefore, the organic light-emitting device has been described with reference to the FIGURE, but embodiments of the present disclosure are not limited thereto.

[0264] Another aspect of the present disclosure provides a diagnostic composition including at least one organometallic compound represented by Formula 1.

[0265] The organometallic compound represented by Formula 1 provides high luminescent efficiency. Accordingly, a diagnostic composition including the organometallic compound may have high diagnosis efficiency.

[0266] The diagnostic composition may be used in various applications including a diagnosis kit, a diagnosis reagent, a biosensor, and a biomarker.

[0267] The term “C₁-C₆₀ alkyl group” as used herein refers to a linear or branched saturated aliphatic hydrocarbon monovalent group having 1 to 60 carbon atoms, and non-limiting examples thereof includes a methyl group, an ethyl group, a propyl group, an iso-butyl group, a sec-butyl group, a tert-butyl group, pentyl group, an iso-amyl group, and a hexyl group. The term “C₁-C₆₀ alkylene group” as used herein refers to a divalent group having the same structure as the C₁-C₆₀ alkyl group.

[0268] The term “C₁-C₆₀ alkoxy group” as used herein refers to a monovalent group represented by —OA₁₀₁ (wherein A₁₀₁ is the C₁-C₆₀ alkyl group), and non-limiting examples thereof include a methoxy group, an ethoxy group, and an iso-propyloxy (iso-propoxy) group.

[0269] The term “C₂-C₆₀ alkenyl group” as used herein refers to a hydrocarbon group formed by including at least one carbon-carbon double bond in the middle or at the terminus of the C₂-C₆₀ alkyl group, and examples thereof include an ethenyl group, a propenyl group, and a butenyl group. The term “C₂-C₆₀ alkenylene group” as used herein refers to a divalent group having the same structure as the C₂-C₆₀ alkenyl group.

[0270] The term “C₂-C₆₀ alkynyl group” as used herein refers to a hydrocarbon group formed by including at least one carbon-carbon triple bond in the middle or at the terminus of the C₂-C₆₀ alkyl group, and examples thereof include an ethynyl group and a propynyl group. The term “C₂-C₆₀ alkynylene group” as used herein refers to a divalent group having the same structure as the C₂-C₆₀ alkynyl group.

[0271] The term “C₃-C₁₀ cycloalkyl group” as used herein refers to a monovalent saturated hydrocarbon monocyclic

group having 3 to 10 carbon atoms, and non-limiting examples thereof include a cyclopropyl group, a cyclobutyl group, a cyclopentyl group, a cyclohexyl group, and a cycloheptyl group. The term “C₃-C₁₀ cycloalkylene group” as used herein refers to a divalent group having the same structure as the C₃-C₁₀ cycloalkyl group.

[0272] The term “C₁-C₁₀ heterocycloalkyl group” as used herein refers to a monovalent saturated monocyclic group having at least one heteroatom selected from N, O, P, Si and S as a ring-forming atom and 1 to 10 carbon atoms, and non-limiting examples thereof include a tetrahydrofuranlyl group, and a tetrahydrothiophenyl group. The term “C₁-C₁₀ heterocycloalkylene group” as used herein refers to a divalent group having the same structure as the C₁-C₁₀ heterocycloalkyl group.

[0273] The term “C₃-C₁₀ cycloalkenyl group” as used herein refers to a monovalent monocyclic group that has 3 to 10 carbon atoms and at least one carbon-carbon double bond in the ring thereof and which is non-aromatic, and non-limiting examples thereof include a cyclopentenyl group, a cyclohexenyl group, and a cycloheptenyl group. The term “C₃-C₁₀ cycloalkenylene group” as used herein refers to a divalent group having the same structure as the C₃-C₁₀ cycloalkenyl group.

[0274] The term “C₁-C₁₀ heterocycloalkenyl group” as used herein refers to a monovalent monocyclic group that has at least one heteroatom selected from N, O, P, Si, and S as a ring-forming atom, 1 to 10 carbon atoms, and at least one carbon-carbon double bond in its ring. Examples of the C₁-C₁₀ heterocycloalkenyl group are a 2,3-dihydrofuranlyl group and a 2,3-dihydrothiophenyl group. The term “C₁-C₁₀ heterocycloalkenylene group” as used herein refers to a divalent group having the same structure as the C₁-C₁₀ heterocycloalkenyl group.

[0275] The term “C₆-C₆₀ aryl group” as used herein refers to a monovalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms, and the term “C₆-C₆₀ arylene group” as used herein refers to a divalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms. Non-limiting examples of the C₆-C₆₀ aryl group include a phenyl group, a naphthyl group, an anthracenyl group, a phenanthrenyl group, a pyrenyl group, and a chrysenyl group. When the C₆-C₆₀ aryl group and the C₆-C₆₀ arylene group each include two or more rings, the rings may be fused to each other.

[0276] The term “C₁-C₆₀ heteroaryl group” as used herein refers to a monovalent group having a heterocyclic aromatic system that has at least one heteroatom selected from N, O, P, Si, and S as a ring-forming atom, and 1 to 60 carbon atoms. The term “C₁-C₆₀ heteroarylene group” as used herein refers to a divalent group having a heterocyclic aromatic system that has at least one heteroatom selected from N, O, P, and S as a ring-forming atom, and 1 to 60 carbon atoms. Non-limiting examples of the C₁-C₆₀ heteroaryl group include a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, and an isoquinolinyl group. When the C₁-C₆₀ heteroaryl group and the C₁-C₆₀ heteroarylene group each include two or more rings, the rings may be fused to each other.

[0277] The term “C₆-C₆₀ aryloxy group” as used herein indicates —OA₁₀₂ (wherein A₁₀₂ is the C₆-C₆₀ aryl group), the term “a C₆-C₆₀ arylthio group” as used herein indicates —SA₁₀₃ (wherein A₁₀₃ is the C₆-C₆₀ aryl group), and the

term “C₇-C₆₀ arylalkyl group” as used herein indicates —A₁₀₄A₁₀₅ (wherein A₁₀₄ is the C₆-C₅₉ aryl group and A₁₀₅ is the C₁-C₅₃ alkyl group).

[0278] The term “C₂-C₆₀ heteroaryloxy group” as used herein indicates —OA₁₀₆ (wherein A₁₀₆ is the C₂-C₆₀ heteroaryl group), the term “C₂-C₆₀ heteroarylthio group” as used herein indicates —SA₁₀₇ (wherein A₁₀₇ is the C₂-C₆₀ heteroaryl group), and the term “C₃-C₆₀ heteroarylalkyl group” as used herein indicates to —A₁₀₈A₁₀₉ (A₁₀₉ is a C₂-C₅₉ heteroaryl group, and A₁₀₈ is a C₁-C₅₈ alkylene group).

[0279] The term “monovalent non-aromatic condensed polycyclic group” as used herein refers to a monovalent group (for example, having 8 to 60 carbon atoms) having two or more rings condensed to each other, only carbon atoms as ring-forming atoms, and no aromaticity in its entire molecular structure. Examples of the monovalent non-aromatic condensed polycyclic group include a fluorenyl group. The term “divalent non-aromatic condensed polycyclic group,” as used herein, refers to a divalent group having the same structure as the monovalent non-aromatic condensed polycyclic group.

[0280] The term “monovalent non-aromatic condensed heteropolycyclic group” as used herein refers to a monovalent group (for example, having 2 to 60 carbon atoms) having two or more rings condensed to each other, a heteroatom selected from N, O, P, Si, and S, other than carbon atoms, as a ring-forming atom, and no aromaticity in its entire molecular structure. Non-limiting examples of the monovalent non-aromatic condensed heteropolycyclic group include a carbazolyl group. The term “divalent non-aromatic condensed heteropolycyclic group” as used herein refers to a divalent group having the same structure as the monovalent non-aromatic condensed heteropolycyclic group.

[0281] The term “C₅-C₃₀ carbocyclic group” as used herein refers to a saturated or unsaturated cyclic group having, as a ring-forming atom, 5 to 30 carbon atoms only. The C₅-C₃₀ carbocyclic group may be a monocyclic group or a polycyclic group.

[0282] The term “C₁-C₃₀ heterocyclic group” as used herein refers to a saturated or unsaturated cyclic group having, as a ring-forming atom, at least one heteroatom selected from N, O, Si, P, and S other than 1 to 30 carbon atoms. The C₁-C₃₀ heterocyclic group may be a monocyclic group or a polycyclic group.

[0283] At least one substituent of the substituted C₅-C₃₀ carbocyclic group, the substituted C₂-C₃₀ heterocyclic group, the substituted C₁-C₆₀ alkyl group, the substituted C₂-C₆₀ alkenyl group, the substituted C₂-C₆₀ alkynyl group, the substituted C₁-C₆₀ alkoxy group, the substituted C₃-C₁₀ cycloalkyl group, the substituted C₁-C₁₀ heterocycloalkyl group, the substituted C₃-C₁₀ cycloalkenyl group, the substituted C₁-C₁₀ heterocycloalkenyl group, the substituted C₆-C₆₀ aryl group, the substituted C₆-C₆₀ aryloxy group, the substituted C₆-C₆₀ arylthio group, the substituted C₇-C₆₀ arylalkyl group, the substituted C₁-C₆₀ heteroaryl group, the substituted C₂-C₆₀ heteroaryloxy group, the substituted C₂-C₆₀ heteroarylthio group, the substituted C₃-C₆₀ heteroarylalkyl group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group may be selected from:

[0284] deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and a C₁-C₆₀ alkoxy group;

[0285] a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and a C₁-C₆₀ alkoxy group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ heteroaryloxy group, a C₂-C₆₀ heteroarylthio group, a C₃-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁₁)(Q₁₂), —Si(Q₁₃)(Q₁₄)(Q₁₅), —B(Q₁₆)(Q₁₇), and —P(=O)(Q₁₈)(Q₁₉);

[0286] a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ heteroaryloxy group, a C₂-C₆₀ heteroarylthio group, a C₃-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group;

[0287] a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ heteroaryloxy group, a C₂-C₆₀ heteroarylthio group, a C₃-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ heteroaryloxy group, a C₂-C₆₀ heteroarylthio group, a C₃-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₂₁)(Q₂₂), —Si(Q₂₃)(Q₂₄)(Q₂₅), —B(Q₂₆)(Q₂₇), and —P(=O)(Q₂₈)(Q₂₉); and

[0288] —N(Q₃₁)(Q₃₂), —Si(Q₃₃)(Q₃₄)(Q₃₅), —B(Q₃₆)(Q₃₇), and —P(=O)(Q₃₈)(Q₃₉), and

[0289] Q_1 to Q_9 , Q_{11} to Q_{19} , Q_{21} to Q_{29} , and Q_{31} to Q_{39} may each independently be selected from hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryl group substituted with at least one selected from a C_1 - C_{60} alkyl group and a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_7 - C_{60} arylalkyl group, a C_1 - C_{60} heteroaryl group, a C_2 - C_{60} heteroaryloxy group, a C_2 - C_{60} heteroarylthio group, a C_3 - C_{60} heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

[0290] When a group containing a specified number of carbon atoms is substituted with any of the groups listed in the preceding paragraph, the number of carbon atoms in the resulting “substituted” group is defined as the sum of the carbon atoms contained in the original (unsubstituted) group and the carbon atoms (if any) contained in the substituent. For example, when the term “substituted C_1 - C_{30} alkyl” refers to a C_1 - C_{30} alkyl group substituted with C_6 - C_{30} aryl group, the total number of carbon atoms in the resulting aryl substituted alkyl group is C_7 - C_{60} .


[0291] Hereinafter, a compound and an organic light-emitting device according to embodiments are described in detail with reference to Synthesis Examples and Examples. However, the organic light-emitting device is not limited thereto. The wording “B was used instead of A” used in describing Synthesis Examples means that an amount of A used was identical to an amount of B used, in terms of a molar equivalent.

EXAMPLES


Synthesis Example 1

Synthesis of Compound 1

[0292]



-continued



[0293] Synthesis of Intermediate 1-3

[0294] 11.7 grams (g) (36 millimoles, mmol) of Intermediate 1A and 1.45 g (35 mmol) of 60% sodium hydride were dissolved in 400 mL of tetrahydrofuran (THF), stirred at a temperature of -78°C . for about 10 minutes, and then stirred at room temperature for about 2 hours. Then, 20 mL (1.76 mmol) of tetrakis(triphenylphosphine)palladium (0) and 79 mL (39.5 mmol) of 0.5 M (molar) 2-pyridylzinc bromide dissolved in THF were added thereto and heated under reflux at a temperature of 80°C . for about 16 hours. When the reaction was completed, the mixture was cooled to room temperature, added to a saturated sodium hydrogen carbonate aqueous solution, and an organic layer was extracted therefrom by using dichloromethane. The extracted organic layer was dried by using magnesium sulfate and distilled under reduced pressure. The residue obtained therefrom was separated and purified by silica gel column chromatography to obtain 8.5 g (73%) of Intermediate 1-3. The obtained compound was identified by LC-MS.

[0295] LC-MS $m/z=323.01$ ($M+H$) $^{+}$.

[0296] Synthesis of Intermediate 1-2

[0297] 3.4 g (10.66 mmol) of Intermediate 1-3, 3.3 g (12.80 mmol) of bis(pinacolato) diboron, 3.1 g (31.98

mmol) of potassium acetate, and 0.78 g (1.07 mmol) of Pd(dppf)₂Cl₂ were mixed with 150 mL of toluene, and the mixture was heated to a temperature of 120° C. and stirred under reflux for 8 hours. The reactant obtained therefrom was cooled to room temperature. Then, an organic layer was extracted therefrom by using 300 mL (milliliters) of water and 300 mL of ethyl acetate. The extracted organic layer was dried by using MgSO₄, and a solvent was evaporated therefrom. The residue obtained therefrom was separated and purified by silica gel column chromatography to obtain 2.3 g (58%) of Intermediate 1-2. The obtained compound was identified by LC-MS.

[0298] LC-MS m/z=371.19 (M+H)⁺.

[0299] Synthesis of Intermediate 1-1

[0300] 2.3 g (6.18 mmol) of Intermediate 1-2, 1.2 g (5.144 mmol) of Intermediate 1B, 1.36 g (12.86 mmol) of sodium carbonate, and 0.4 g (0.36 mmol) of Pd(PPh₃)₄ were mixed with 60 mL of THF, 20 mL of distilled water, 20 mL of ethanol, and the mixture was heated to a temperature of 100° C. and stirred under reflux for 16 hours. The reactant obtained therefrom was cooled to room temperature. Then, an organic layer was extracted therefrom by using 200 mL of water and 200 mL of ethyl acetate. The extracted organic layer was dried by using MgSO₄, and a solvent was evaporated therefrom. The residue obtained therefrom was separated and purified by silica gel column chromatography to obtain 2.0 g (81%) of Intermediate 1-1. The obtained compound was identified by LC-MS.

[0301] LC-MS m/z=398.16 (M+H)⁺.

[0302] Synthesis of Compound 1

[0303] 2.0 g (5.01 mmol) of Intermediate 1-1, 2.07 g (5.01 mmol) of potassium tetrachloroplatinate, and 100 mL of acetic acid were mixed, and the mixture was heated to a temperature of 130° C. and stirred under reflux for 16 hours. The product thus obtained was cooled to room temperature. Then, an organic layer was extracted therefrom by using sodium bicarbonate (aq), water, and 200 mL of ethyl acetate. The extracted organic layer was dried by using MgSO₄, and a solvent was evaporated therefrom. The residue obtained therefrom was separated and purified by silica gel column chromatography to obtain 1.33 g (45%) of Compound 1. The obtained compound was identified by LC-MS.

[0304] LC-MS m/z=591.11 (M+H)⁺.

Synthesis Example 2

Synthesis of Compound 2

[0305] Compound 2 was synthesized in the same manner as in Synthesis Example 1, except that 1,8-dibromo-3,6-dimethyl-9H-carbazole was used instead of Intermediate 1A in synthesizing Intermediate 1-3. The obtained compound was identified by LC-MS.

[0306] LC-MS m/z=619.14 (M+H)⁺.

Synthesis Example 3

Synthesis of Compound 3

[0307] Compound 3 was synthesized in the same manner as in Synthesis Example 1, except that 1,8-dibromo-3,6-di-tert-butyl-9H-carbazole was used instead of Intermediate 1A in synthesizing Intermediate 1-3. The obtained compound was identified by LC-MS.

[0308] LC-MS m/z=703.23 (M+H)⁺.

Synthesis Example 4

Synthesis of Compound 14

[0309] Compound 14 was synthesized in the same manner as in Synthesis Example 1, except that 1,8-dibromo-3,6-di-tert-butyl-9H-carbazole was used instead of Intermediate 1A in synthesizing Intermediate 1-3, and 2-bromo-4,6-diphenylpyridine was used instead of Intermediate 1B in synthesizing Intermediate 1-1. The obtained compound was identified by LC-MS.

[0310] LC-MS m/z=779.26 (M+H)⁺.

Synthesis Example 5

Synthesis of Compound 23

[0311] Compound 23 was synthesized in the same manner as in Synthesis Example 1, except that 1,8-dibromo-3,6-di-tert-butyl-9H-carbazole and (4-phenylpyridin-2-yl)zinc bromide were respectively used instead of Intermediate 1A and 2-pyridylzinc bromide in synthesizing Intermediate 1-3. The obtained compound was identified by LC-MS.

[0312] LC-MS m/z=779.26 (M+H)⁺.

Synthesis Example 6

Synthesis of Compound 29

[0313] Compound 29 was synthesized in the same manner as in Synthesis Example 1, except that 1,8-dibromo-3,6-di-tert-butyl-9H-carbazole was used instead of Intermediate 1A in synthesizing Intermediate 1-3, and 2-([1,1'-biphenyl]-3-yl)-6-bromopyridine was used instead of Intermediate 1B in synthesizing Intermediate 1-1. The obtained compound was identified by LC-MS.

[0314] LC-MS m/z=779.26 (M+H)⁺.

Synthesis Example 7

Synthesis of Compound 32

[0315] Compound 32 was synthesized in the same manner as in Synthesis Example 1, except that 1,8-dibromo-3,6-di-tert-butyl-9H-carbazole and (4-phenylpyridin-2-yl)zinc bromide were respectively used instead of Intermediate 1A and 2-pyridylzinc bromide in synthesizing Intermediate 1-3, and 2-([1,1'-biphenyl]-3-yl)-6-bromo-4-phenylpyridine was used instead of Intermediate 1B in synthesizing Intermediate 1-1. The obtained compound was identified by LC-MS.

[0316] LC-MS m/z=931.33 (M+H)⁺.

Synthesis Example 8

(Synthesis of Compound 60)


[0317] Compound 60 was synthesized in the same manner as in Synthesis Example 1, except that 1,8-dibromo-3,6-di-tert-butyl-9H-carbazole and (4-([1,1'-biphenyl]-4-yl)pyridin-2-yl)zinc bromide were respectively used instead of Intermediate 1A and 2-pyridylzinc bromide in synthesizing Intermediate 1-3, and 4-([1,1'-biphenyl]-4-yl)-2-bromo-6-phenylpyridine was used instead of Intermediate 1B in synthesizing Intermediate 1-1. The obtained compound was identified by LC-MS.

[0318] LC-MS m/z=1007.36 (M+H)⁺.

Synthesis Example 9

Synthesis of Compound 90

[0319]



[0320] Synthesis of Intermediate 1-3

[0321] Intermediate 1-3 was synthesized in the same manner as in Synthesis of Intermediate 1-3 of Synthesis Example 1.

[0322] Synthesis of Intermediate 90-1

[0323] 3.2 g (10 mmol) of Intermediate 1-3, 2.4 g (12 mmol) of Intermediate 90B, 2.64 g (25 mmol) of sodium carbonate, and 0.8 g (0.7 mmol) of $\text{Pd}(\text{PPh}_3)_4$ were mixed with 90 mL of THF, 30 mL of distilled water, and 30 mL of

ethanol, and the mixture was heated to a temperature of 100° C. and stirred under reflux for 16 hours. The product thus obtained was cooled to room temperature. Then, an organic layer was extracted therefrom by using 200 mL of water and 200 mL of ethyl acetate. The extracted organic layer was dried by using MgSO_4 , and a solvent was evaporated therefrom. The residue obtained therefrom was separated and purified by silica gel column chromatography to obtain 3.3 g (84%) of Intermediate 90-1. The obtained compound was identified by LC-MS.

[0324] LC-MS $m/z=398.16$ ($\text{M}+\text{H}$)⁺.

[0325] Synthesis of Compound 90

[0326] 3.3 g (8.4 mmol) of Intermediate 90-1, 3.47 g (8.4 mmol) of potassium tetrachloroplatinate, and 120 mL of acetic acid were mixed, and the mixture was heated to a temperature of 130° C. and stirred under reflux for 16 hours. The product thus obtained was cooled to room temperature. Then, an organic layer was extracted therefrom by using sodium bicarbonate (aq), water, and 200 mL of ethyl acetate. The extracted organic layer was dried by using MgSO_4 , and solvent was evaporated therefrom. The residue obtained therefrom was separated and purified by silica gel column chromatography to obtain 1.89 g (38%) of Compound 90. The obtained compound was identified by LC-MS.

[0327] LC-MS $m/z=591.11$ ($\text{M}+\text{H}$)⁺.

Synthesis Example 10

Synthesis of Compound 91

[0328] Compound 91 was synthesized in the same manner as in Synthesis Example 9, except that 1,8-dibromo-3,6-dimethyl-9H-carbazole was used instead of Intermediate 1A in synthesizing Intermediate 1-3. The obtained compound was identified by LC-MS.

[0329] LC-MS $m/z=619.14$ ($\text{M}+\text{H}$)⁺.

Synthesis Example 11

Synthesis of Compound 92

[0330] Compound 92 was synthesized in the same manner as in Synthesis Example 9, except that 1,8-dibromo-3,6-di-tert-butyl-9H-carbazole was used instead of Intermediate 1A in synthesizing Intermediate 1-3. The obtained compound was identified by LC-MS.

[0331] LC-MS $m/z=703.23$ ($\text{M}+\text{H}$)⁺.

Synthesis Example 12

Synthesis of Compound 103

[0332] Compound 103 was synthesized in the same manner as in Synthesis Example 9, except that 1,8-dibromo-3,6-di-tert-butyl-9H-carbazole and (4-phenylpyridin-2-yl)zinc bromide were respectively used instead of Intermediate 1A and 2-pyridylzinc bromide in synthesizing Intermediate 1-3, and (5-(4-phenylpyridin-2-yl)-[1,1'-biphenyl]-3-yl)boronic acid was used instead of Intermediate 90B in synthesizing Intermediate 90-1. The obtained compound was identified by LC-MS.

[0333] LC-MS $m/z=931.33$ ($\text{M}+\text{H}$)⁺.

Synthesis Example 13

Synthesis of Compound 106

[0334] Compound 106 was synthesized in the same manner as in Synthesis Example 9, except that 1,8-dibromo-3,6-di-tert-butyl-9H-carbazole was used instead of Intermediate 1A in synthesizing Intermediate 1-3, and (3-(4-([1,1'-biphenyl]-4-yl)pyridin-2-yl)phenyl)boronic acid was used instead of Intermediate 90B in synthesizing Intermediate 90-1. The obtained compound was identified by LC-MS.

[0335] LC-MS $m/z=855.29$ ($M+H$)⁺.

Example 1

[0336] An ITO glass substrate was cut to a size of 50 mm×50 mm×0.5 mm (mm=millimeters), sonicated with acetone, iso-propyl alcohol, and pure water each for 15 minutes, and then cleaned by exposure to ultraviolet (UV) rays and ozone for 30 minutes.

[0337] Then, m-MTDATA was deposited on an ITO electrode (anode) of the ITO glass substrate at a deposition rate of 1 Angstrom per second (Å/sec) to form a hole injection layer having a thickness of 600 Å, and then, α -NPD was deposited on the hole injection layer at a deposition rate of 1 Å/sec to form a hole transport layer having a thickness of 250 Å.

[0338] Compound 3 (dopant) and CBP (host) were co-deposited on the hole transport layer at a weight ratio of 2:98 to form an emission layer having a thickness of 400 Å.

[0339] BALq was deposited on the emission layer at a deposition rate of 1 Å/sec to form a hole blocking layer having a thickness of 50 Å, Alq₃ was deposited on the hole blocking layer to form an electron transport layer having a

thickness of 300 Å, LiF was deposited on the electron transport layer to form an electron injection layer having a thickness of 10 Å, and Al was vacuum-deposited on the electron injection layer to form a second electrode (cathode) having a thickness of 1,200 Å, thereby completing the manufacture of an organic light-emitting device having a structure of ITO/m-MTDATA (600 Å)/ α -NPD (250 Å)/CBP+Compound 3 (2 percent by weight, wt %) (400 Å)/BALq (50 Å)/Alq₃ (300 Å)/LiF (10 Å)/Al (1,200 Å).

Examples 2 to 7

Comparative Example A

[0340] Organic light-emitting devices were manufactured in the same manner as in Example 1, except that Compounds shown in Table 2 were each used instead of Compound 3 as a dopant in forming an emission layer.

Evaluation Example 1

Evaluation of Characteristics of Organic Light-Emitting Devices

[0341] The driving voltage, light-emission efficiency, quantum light-emission efficiency, roll-off ratio, maximum emission wavelength, and full width at half maximum (FWHM) of the organic light-emitting devices manufactured according to Examples 1 to 7 and Comparative Example A were evaluated by using a current-voltage meter (Keithley 2400) and a luminance meter (Minolta Cs-1000Å). Results thereof are shown in Table 2. The roll-off ratio was calculated by using Equation 20.

$$\text{Roll off} = \{1 - (\text{efficiency (at 9000 nit)} / \text{maximum light-emission efficiency})\} \times 100\% \quad \text{Equation 20}$$

TABLE 2

	Dopant Compound No.	Driving Voltage (V)	Light- emission Efficiency (cd/A)	Quantum light- emission efficiency (%)	Roll- off ratio (%)	Maximum emission wavelength (nm)	FWHM (nm)
Example 1	3	4.18	34.6	18.6	14	597	58.9
Example 2	23	4.30	32.8	19.2	14	609	74.7
Example 3	32	4.52	28.0	20.4	17	615	68.5
Example 4	60	4.47	28.6	20.5	19	614	66.7
Example 5	92	4.28	35.6	18.8	18	598	91.3
Example 6	103	4.34	28.4	19.4	18	619	93.5
Example 7	106	4.62	30.1	21.4	16	614	97.2
Comparative Example A	A	5.371	16.461	13.32	25.5	615	68.1






TABLE 2-continued


Dopant Compound No.	Driving Voltage (V)	Light- emission Efficiency (cd/A)	Quantum light- emission efficiency (%)	Roll- off ratio (%)	Maximum emission wavelength (nm)	FWHM (nm)
---------------------------	---------------------------	--	--	------------------------------	---	--------------




23



32






60



92

TABLE 2-continued

Dopant Compound No.	Driving Voltage (V)	Light- emission Efficiency (cd/A)	Quantum light- emission efficiency (%)	Roll- off ratio (%)	Maximum emission wavelength (nm)	FWHM (nm)
						
103						
						
106						
						
A						

[0342] Referring to Table 2, it is determined that the organic light-emitting devices of Examples 1 to 7 have excellent driving voltage, light-emission efficiency, quantum light-emission efficiency, and roll-off ratio characteristics, as compared with those of the organic light-emitting device of Comparative Example A.

[0343] Since the organometallic compound has excellent electrical characteristics and thermal stability, an organic

light-emitting device including the organometallic compound may have excellent driving voltage, light-emission efficiency, quantum light-emission efficiency, and roll-off ratio characteristics. Also, since the organometallic compound has excellent phosphorescence characteristics, a diagnostic composition having high diagnostic efficiency may be provided by using the organometallic compound.


[0344] It should be understood that embodiments described herein should be considered in a descriptive sense only and not for purposes of limitation. Descriptions of features or aspects within each embodiment should typically be considered as available for other similar features or aspects in other embodiments.

[0345] While one or more embodiments have been described with reference to the figures, it will be understood by those of ordinary skill in the art that various changes in form and details may be made therein without departing from the spirit and scope of the present disclosure as defined by the following claims.

What is claimed is:

1. An organometallic compound represented by Formula 1:

Formula 1



wherein, in Formula 1,

M is Pt or Pd,

X₁ to X₃ are each independently C or N,

two bonds selected from a bond between X₁ and M, a bond between X₂ and M, and a bond between X₃ and M are each a coordinate bond, and the other thereof is a covalent bond,

Y₁ to Y₄ and Y₇ to Y₁₂ are each independently C or N,

Y₅ and Y₆ are each independently C, N, Si, O, or S,

a bond between Y₅ and X₁, a bond between X₁ and Y₁, a bond between Y₂ and X₂, a bond between X₂ and Y₃, a bond between Y₄ and X₃, a bond between X₃ and Y₆, a bond between Y₇ and Y₈, a bond between Y₈ and Y₉, a bond between Y₁₀ and Y₁₁, and a bond between Y₁₁ and Y₁₂ are each a chemical bond that links the corresponding atoms,

CY₁ to CY₅ are each independently a C₅-C₃₀ carbocyclic group or a C₁-C₃₀ heterocyclic group,

T₁ is selected from *—N[(L₆)_{b6}—(R₆)]—*, *—B(R₆)—*, *—P(R₆)—*, *—C(R₆)(R₇)—*, *—Si(R₆)(R₇)—*, *—Ge(R₆)(R₇)—*, *—S—*, *—Se—*, *—O—*, *—C(=O)—*, *—S(=O)—*, *—S(=O)₂—*, *—C(R₆)=*, *—C(R₆)=*, *—C(R₆)=C(R₇)—*, *—C(=S)—*, and *—C≡C—*,

L₆ is selected from a single bond, a substituted or unsubstituted C₅-C₃₀ carbocyclic group, and a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

b₆ is selected from 1 to 3, wherein, provided that when b₆ is two or more, two or more groups L₆ are identical to or different from each other,

R₆ and R₇ are optionally linked via a first linking group to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

n₁ is 0, 1, 2, or 3, wherein, when n₁ is zero, *—(T₁)_{n1}—* is a single bond,

R₁ to R₇ are each independently selected from hydrogen, deuterium, —F, —Cl, —Br, —I, —SF₅, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C₁-C₆₀ alkyl group, a substituted or unsubstituted C₂-C₆₀ alkenyl group, a substituted or unsubstituted C₂-C₆₀ alkynyl group, a substituted or unsubstituted C₁-C₆₀ alkoxy group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₇-C₆₀ arylalkyl group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted C₂-C₆₀ heteroaryloxy group, a substituted or unsubstituted C₂-C₆₀ heteroarylthio group, a substituted or unsubstituted C₃-C₆₀ heteroarylalkyl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁)(Q₂), —Si(Q₃)(Q₄)(Q₅), —B(Q₆)(Q₇), and —P(=O)(Q₈)(Q₉),

a₁ to a₅ are each independently 0, 1, 2, 3, 4, or 5,

two of groups R₁ in the number of a₁ are optionally linked to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

two of groups R₂ in the number of a₂ are optionally linked to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

two of groups R₃ in the number of a₃ are optionally linked to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

two of groups R₄ in the number of a₄ are optionally linked to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

two of groups R₅ in the number of a₅ are optionally linked to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

R₂ and R₃ are optionally linked to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

R₂ and R₄ are optionally linked to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

R₁ and R₅ are optionally linked to form a substituted or unsubstituted C₅-C₃₀ carbocyclic group or a substituted or unsubstituted C₁-C₃₀ heterocyclic group,

at least one substituent of the substituted C₅-C₃₀ carbocyclic group, the substituted C₁-C₃₀ heterocyclic group, the substituted C₁-C₆₀ alkyl group, the substituted C₂-C₆₀ alkenyl group, the substituted C₂-C₆₀ alkynyl group, the substituted C₁-C₆₀ alkoxy group, the substituted C₃-C₁₀ cycloalkyl group, the substituted C₁-C₁₀ heterocycloalkyl group, the substituted C₃-C₁₀ cycloalkenyl group, the substituted C₁-C₁₀ heterocycloalkenyl group, the substituted C₆-C₆₀ aryl group, the substituted C₆-C₆₀ aryloxy group, the substituted C₆-C₆₀ arylthio group, the substituted C₇-C₆₀ arylalkyl group, the substituted C₁-C₆₀ heteroaryl group, the substituted C₂-C₆₀ heteroaryloxy group, the substituted C₂-C₆₀ heteroarylthio group, the substituted C₃-C₆₀ heteroarylalkyl group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group is selected from:

deuterium, —F, Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and a C₁-C₆₀ alkoxy group;

a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and a C₆₀ alkoxy group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ heteroaryloxy group, a C₂-C₆₀ heteroarylthio group, a C₃-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁₁)(Q₁₂), —Si(Q₁₃)(Q₁₄)(Q₁₅), —B(Q₁₆)(Q₁₇), and —P(=O)(Q₁₈)(Q₁₉);

a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ heteroaryloxy group, a C₂-C₆₀ heteroarylthio group, a C₃-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group;

a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ heteroaryloxy group, a C₂-C₆₀ heteroarylthio group, a C₃-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent

non-aromatic condensed heteropolycyclic group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ heteroaryloxy group, a C₂-C₆₀ heteroarylthio group, a C₃-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₂₁)(Q₂₂), —Si(Q₂₃)(Q₂₄)(Q₂₅), —B(Q₂₆)(Q₂₇), and —P(=O)(Q₂₈)(Q₂₉); and

—N(Q₃₁)(Q₃₂), —Si(Q₃₃)(Q₃₄)(Q₃₅), —B(Q₃₆)(Q₃₇), and —P(=O)(Q₃₈)(Q₃₉), and

Q₁ to Q₉, Q₁₁ to Q₁₉, Q₂₁ to Q₂₉, and Q₃₁ to Q₃₉ are each independently selected from hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryl group substituted with at least one selected from a C₁-C₆₀ alkyl group and a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₂-C₆₀ heteroaryloxy group, a C₂-C₆₀ heteroarylthio group, a C₃-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

2. The organometallic compound of claim 1, wherein

X₁ and X₂ are each N, X₃ is C, a bond between X₁ and M and a bond between X₂ and M are each a coordinate bond, and a bond between X₃ and M is a covalent bond;

X₁ and X₃ are each N, X₂ is C, a bond between X₁ and M and a bond between X₃ and M are each a coordinate bond, and a bond between X₂ and M is a covalent bond; or

X₂ and X₃ are each N, X₁ is C, a bond between X₂ and M and a bond between X₃ and M are each a coordinate bond, and a bond between X₁ and M is a covalent bond.

3. The organometallic compound of claim 1, wherein

CY₁ to CY₅ are each independently selected from a benzene group, a naphthalene group, an anthracene group, a phenanthrene group, a triphenylene group, a pyrene group, a chrysene group, a cyclopentadiene group, a 1,2,3,4-tetrahydronaphthalene group, a pyrrole group, a thiophene group, a furan group, an indole group, an isoindole group, a benzoborole group, a benzophosphole group, an indene group, a benzosilole group, a benzogermole group, a benzothiophene group, a benzoselenophene group, a benzofuran group, a car-

bazole group, a dibenzoborole group, a dibenzophosphole group, a fluorene group, a dibenzosilole group, a dibenzogermole group, a dibenzothiophene group, a dibenzoselenophene group, a benzofuran group, a dibenzothiophene 5-oxide group, a 9H-fluorene-9-on group, a dibenzothiophene 5,5-dioxide group, an azacarbazole group, an azadibenzoborole group, an azadibenzophosphole group, an azafluorene group, an azadibenzosilole group, an azadibenzogermole group, an azadibenzothiophene group, an azadibenzoselenophene group, an azadibenzofuran group, an azadibenzothiophene 5-oxide group, an aza-9H-fluorene-9-on group, an azadibenzothiophene 5,5-dioxide group, a pyridine group, a pyrimidine group, a pyrazine group, a pyridazine group, a triazine group, a quinoline group, an isoquinoline group, a quinoxaline group, a quinazoline group, a phenanthroline group, a pyrazole group, an imidazole group, a triazole group, a tetrazole group, an oxazole group, an isoxazole group, a thiazole group, an isothiazole group, an oxadiazole group, a thiadiazole group, a benzopyrazole group, a benzimidazole group, a benzoxazole group, a benzothiazole group, a benzoxadiazole group, a benzothiadiazole group, a 5,6,7,8-tetrahydroisoquinoline group, and a 5,6,7,8-tetrahydroquinoline group.

4. The organometallic compound of claim 1, wherein

CY₁ to CY₅ are each independently a benzene group, a naphthalene group, an indole group, an isoindole group, a dibenzothiophene group, a benzofuran group, an azadibenzothiophene group, an azadibenzofuran group, a pyridine group, a pyrimidine group, a pyrazine group, a pyridazine group, a quinoline group, an isoquinoline group, a pyrazole group, an imidazole group, or a benzimidazole group.

5. The organometallic compound of claim 1, wherein

T₁ is $^*-\text{N}[(\text{L}_6)_{b6}-(\text{R}_6)]-^*$, $^*-\text{C}(\text{R}_6)(\text{R}_7)-^*$, $^*-\text{Si}(\text{R}_6)(\text{R}_7)-^*$, $^*-\text{S}-^*$, or $^*-\text{O}-^*$,
n1 is 0 or 1.

6. The organometallic compound of claim 1, wherein

R₁ to R₇ are each independently selected from:

hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, —SF₅, a C₁-C₂₀ alkyl group, and a C₁-C₂₀ alkoxy group;

a C₁-C₂₀ alkyl group and a C₁-C₂₀ alkoxy group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a pyridinyl group, and a pyrimidinyl group;

a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a

norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a benzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, an azadibenzofuranyl group, and an azadibenzothiophenyl group,

a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a benzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, an azadibenzofuranyl group, and an azadibenzothiophenyl group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a

triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuran group, a benzothienophenyl group, a benzothiazolyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, an azadibenzofuran group, and an azadibenzothiophenyl group; and

—N(Q₁)(Q₂), —Si(Q₃)(Q₄)(Q₅), —B(Q₆)(Q₇), and —P(=O)(Q₈)(Q₉), and

Q₁ to Q₉ are each independently selected from:

—CH₃, —CD₃, —CD₂H, —CDH₂, —CH₂CH₃, —CH₂CD₃, —CH₂CD₂H, —CH₂CDH₂, —CHDCD₃, —CHDCD₂H, —CHDCDH₂, —CHDCH₂CD₃, —CD₂CD₃, —CD₂CD₂H, and —CD₂CDH₂;

an n-propyl group, an iso-propyl group, an n-butyl group, an iso-butyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an iso-pentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group; and


an n-propyl group, an iso-propyl group, an n-butyl group, an iso-butyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an iso-pentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group, each substituted with at least one selected from deuterium, a C₁-C₁₀ alkyl group, and a phenyl group.

7. The organometallic compound of claim 1, wherein

R₁ to R₇ are each independently selected from hydrogen, deuterium, —F, a cyano group, a nitro group, —SF₅, —CH₃, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, groups represented by Formulae 9-1 to 9-19, groups represented by Formulae 10-1 to 10-166, and —Si(Q₃)(Q₄)(Q₅):



Formula 9-1




Formula 9-2




Formula 9-3



Formula 9-4




Formula 9-5




-continued


Formula 9-6




Formula 9-7




Formula 9-8




Formula 9-9




Formula 9-10




Formula 9-11




Formula 9-12




Formula 9-13




Formula 9-14




Formula 9-15




Formula 9-16




Formula 9-17




Formula 9-18



Formula 9-19













Formula 10-1




Formula 10-2


-continued




Formula 10-3




Formula 10-4




Formula 10-5




Formula 10-6




Formula 10-7




Formula 10-8




Formula 10-9





Formula 10-10



Formula 10-11



Formula 10-12



-continued

Formula 10-13

Formula 10-14

Formula 10-15

Formula 10-16

Formula 10-17

Formula 10-18

Formula 10-19











Formula 10-20

Formula 10-21

Formula 10-22

Formula 10-23

-continued



Formula 10-24

Formula 10-25

Formula 10-26

Formula 10-27

Formula 10-28

Formula 10-29












Formula 10-30

Formula 10-31

Formula 10-32

Formula 10-33

-continued



Formula 10-34

Formula 10-35

Formula 10-36

Formula 10-37

Formula 10-38

Formula 10-39

Formula 10-40










Formula 10-41

Formula 10-42

Formula 10-43

Formula 10-44

-continued



Formula 10-45

Formula 10-46

Formula 10-47

Formula 10-48

Formula 10-49









Formula 10-50

Formula 10-51

Formula 10-52

Formula 10-53

-continued



Formula 10-54

Formula 10-55

Formula 10-56

Formula 10-57











Formula 10-58

Formula 10-59

Formula 10-60

Formula 10-61

-continued



Formula 10-62

Formula 10-63

Formula 10-64

Formula 10-65

Formula 10-66

Formula 10-67








Formula 10-68

Formula 10-69

Formula 10-70

Formula 10-71

-continued



Formula 10-72

Formula 10-73

Formula 10-74









Formula 10-75

Formula 10-76




Formula 10-77

Formula 10-78



-continued




Formula 10-79




Formula 10-80




Formula 10-81




Formula 10-82




Formula 10-83






Formula 10-84



Formula 10-85



Formula 10-86



-continued

Formula 10-87

Formula 10-88

Formula 10-89

Formula 10-90

Formula 10-91

Formula 10-92

Formula 10-93

Formula 10-94

Formula 10-95











Formula 10-96

Formula 10-97

Formula 10-98


Formula 10-99

-continued




-continued

Formula 10-100




Formula 10-101




Formula 10-102

Formula 10-103




Formula 10-104

Formula 10-105




Formula 10-106




Formula 10-107

Formula 10-108



Formula 10-109



Formula 10-110

Formula 10-111

Formula 10-112








Formula 10-113

Formula 10-114

Formula 10-115

Formula 10-116

-continued



Formula 10-117

Formula 10-118

Formula 10-119








Formula 10-120

Formula 10-121

Formula 10-122

Formula 10-123

-continued



Formula 10-124

Formula 10-125

Formula 10-126


Formula 10-127

Formula 10-128


Formula 10-129

Formula 10-130


-continued




Formula 10-131




Formula 10-132




Formula 10-133




Formula 10-134



Formula 10-135




Formula 10-136




Formula 10-137


-continued




Formula 10-138




Formula 10-139




Formula 10-140




Formula 10-141



Formula 10-142












Formula 10-143



Formula 10-144

-continued



Formula 10-145

Formula 10-146

Formula 10-147

Formula 10-148

Formula 10-149








Formula 10-150

Formula 10-151

Formula 10-152

Formula 10-153

-continued



Formula 10-154

Formula 10-155

Formula 10-156







Formula 10-157

Formula 10-158

Formula 10-159

Formula 10-160


-continued



wherein, in Formulae 9-1 to 9-19 and 10-1 to 10-166, Ph indicates a phenyl group, TMS indicates a trimethylsilyl group, and * indicates a binding site to a neighboring atom.

Formula 10-161


8. The organometallic compound of claim 1, wherein a moiety represented by



Formula 10-162


in Formula 1 is selected from groups represented by Formulae CY1-1 to CY1-51:

Formula 10-163




Formula CY1-1

Formula 10-164




Formula CY1-2

Formula 10-165




Formula CY1-3


Formula 10-166




Formula CY1-4




Formula CY1-5



Formula CY1-6




Formula CY1-7




Formula CY1-8


-continued




Formula CY1-9




Formula CY1-10




Formula CY1-11




Formula CY1-12



Formula CY1-13




Formula CY1-14




Formula CY1-15


-continued




Formula CY1-16




Formula CY1-17




Formula CY1-18



Formula CY1-19













Formula CY1-20



Formula CY1-21

-continued



Formula CY1-22

Formula CY1-23

Formula CY1-24

Formula CY1-25

Formula CY1-26

Formula CY1-27











Formula CY1-28

Formula CY1-29

Formula CY1-30

Formula CY1-31

-continued



Formula CY1-32

Formula CY1-33

Formula CY1-34

Formula CY1-35

Formula CY1-36

Formula CY1-37










Formula CY1-38

Formula CY1-39

Formula CY1-40

Formula CY1-41

-continued



Formula CY1-42

Formula CY1-43

Formula CY1-44

Formula CY1-45

Formula CY1-46

Formula CY1-47


Formula CY1-48

Formula CY1-49

Formula CY1-50

-continued

Formula CY1-51



wherein, in Formulae CY1-1 to CY1-51,
 X_1 and R_1 are each independently the same as described
 in claim 1,

X_{11} is O, S, N(R_{11}), or C(R_{11})(R_{12}),

X_{19} is N or C(R_{19}),

R_{11} to R_{19} are each independently the same as described
 in connection with R_1 in claim 1,

a_{15} is an integer from 0 to 5,


a_{14} is an integer from 0 to 4,

a_{13} is an integer from 0 to 3,

a_{12} is an integer from 0 to 2, and


* and *' each indicate a binding site to a neighboring
 atom.

9. The organometallic compound of claim 1, wherein
 a moiety represented by




in Formula 1 is selected from groups represented by For-
 mulae CY2-1 to CY2-36:


Formula CY2-1










Formula CY2-2



Formula CY2-3



-continued



Formula CY2-4

Formula CY2-5

Formula CY2-6








Formula CY2-7

Formula CY2-8

Formula CY2-9

Formula CY2-10

-continued



Formula CY2-11

Formula CY2-12

Formula CY2-13










Formula CY2-14

Formula CY2-15

Formula CY2-16

Formula CY2-17

-continued



Formula CY2-18

Formula CY2-19

Formula CY2-20

Formula CY2-21

Formula CY2-22










Formula CY2-23

Formula CY2-24

Formula CY2-25

Formula CY2-26

-continued



Formula CY2-27

Formula CY2-28

Formula CY2-29

Formula CY2-30

Formula CY2-31


Formula CY2-32

Formula CY2-33

Formula CY2-34

Formula CY2-35

-continued



Formula CY2-36

wherein, in Formulae CY2-1 to CY2-36,

X_2 and R_2 are each independently the same as described in claim 1,

X_{21} is O, S, N(R_{21}), or C(R_{21})(R_{22}),

X_{29} is N or C(R_{29}),

R_{21} to R_{29} are each independently the same as described in connection with R_2 in claim 1,


a_{24} is an integer from 0 to 4,

a_{23} is an integer from 0 to 3,


a_{22} is an integer from 0 to 2, and

*, *', and *'' each indicate a binding site to a neighboring atom.


10. The organometallic compound of claim 1, wherein a moiety represented by




in Formula 1 is selected from groups represented by Formulae CY3-1 to CY3-53:



Formula CY3-1




Formula CY3-2




Formula CY3-3


-continued




Formula CY3-4




Formula CY3-5




Formula CY3-6




Formula CY3-7




Formula CY3-8



Formula CY3-9




Formula CY3-10




Formula CY3-11


-continued




Formula CY3-12




Formula CY3-13




Formula CY3-14



Formula CY3-15




Formula CY3-16




Formula CY3-17


-continued




Formula CY3-18




Formula CY3-19




Formula CY3-20




Formula CY3-21



Formula CY3-22




Formula CY3-23




Formula CY3-24


-continued




Formula CY3-25




Formula CY3-26




Formula CY3-27




Formula CY3-28




Formula CY3-29




Formula CY3-30




Formula CY3-31



Formula CY3-32




Formula CY3-33




Formula CY3-34


-continued




Formula CY3-35




Formula CY3-36




Formula CY3-37




Formula CY3-38




Formula CY3-39




Formula CY3-40



Formula CY3-41












Formula CY3-42



Formula CY3-43

-continued



Formula CY3-44

Formula CY3-45

Formula CY3-46

Formula CY3-47

Formula CY3-48

Formula CY3-49


Formula CY3-50

Formula CY3-51

Formula CY3-52

-continued

Formula CY3-53



wherein, in Formulae CY3-1 to CY3-53,

X_3 and R_3 are each independently the same as described in claim 1,

X_{31} is O, S, $N(R_{31})$, or $C(R_{31})(R_{32})$,

X_{39} is N or $C(R_{39})$,

R_{31} to R_{39} are each independently the same as described in connection with R_3 in claim 1,

a_{35} is an integer from 0 to 5,


a_{34} is an integer from 0 to 4,

a_{33} is an integer from 0 to 3,

a_{32} is an integer from 0 to 2, and

* and *' each indicate a binding site to a neighboring atom.


11. The organometallic compound of claim 1, wherein a moiety represented by




Formula CY3-50

in Formula 1 is selected from groups represented by Formulae CZ-1 to CZ-18:

Formula CZ-1




Formula CZ-2




-continued

Formula CZ-3




-continued


Formula CZ-10




Formula CZ-4




Formula CZ-11




Formula CZ-5




Formula CZ-12




Formula CZ-6




Formula CZ-13




Formula CZ-7




Formula CZ-14




Formula CZ-8




Formula CZ-15




Formula CZ-9




Formula CZ-16



-continued



Formula CZ-17



Formula CZ-18

wherein, in Formulae CZ-1 to CZ-18,

R_4 and R_5 are each independently the same as described in claims 1,


a_{45} and a_{55} are each independently an integer from 0 to 5,

a_{43} and a_{53} are each independently an integer from 0 to 3,

a_{42} and a_{52} are each independently an integer from 0 to 2, and


*, *', and *'' each indicate a binding site to a neighboring atom.

12. The organometallic compound of claim 1, wherein a moiety represented by




in Formula 1 is selected from groups represented by Formulae CY1(1) to CY1(24),

a moiety represented by




in Formula 1 is selected from groups represented by Formulae CY2(1) to CY2(8),

a moiety represented by




in Formula 1 is selected from groups represented by Formulae CY3(1) to CY3(20), and


a moiety represented by




in Formula 1 is selected from groups represented by Formulae CZ(1) to CZ(19):




Formula CY1(1)




Formula CY1(2)



Formula CY1(3)












Formula CY1(4)




Formula CY1(5)


-continued




Formula CY1(6)




Formula CY1(7)




Formula CY1(8)




Formula CY1(9)




Formula CY1(10)




Formula CY1(11)




Formula CY1(12)



Formula CY1(13)



Formula CY1(14)



-continued

Formula CY1(15)

Formula CY1(16)

Formula CY1(17)

Formula CY1(18)

Formula CY1(19)










Formula CY1(20)

Formula CY1(21)

Formula CY1(22)

Formula CY1(23)

-continued



Formula CY1(24)

Formula CY2(1)

Formula CY2(2)

Formula CY2(3)

Formula CY2(4)










Formula CY2(5)

Formula CY2(6)

Formula CY2(7)

Formula CY2(8)

-continued



Formula CY3(1)

Formula CY3(2)

Formula CY3(3)

Formula CY3(4)

Formula CY3(5)









Formula CY3(6)

Formula CY3(7)

Formula CY3(8)

Formula CY3(9)

-continued



Formula CY3(10)

Formula CY3(11)

Formula CY3(12)

Formula CY3(13)









Formula CY3(14)

Formula CY3(15)

Formula CY3(16)

Formula CY3(17)

-continued



Formula CY3(18)

Formula CY3(19)

Formula CY3(20)

Formula CZ(1)


Formula CZ(2)

Formula CZ(3)


Formula CZ(4)

Formula CZ(5)


-continued




Formula CZ(6)




Formula CZ(7)




Formula CZ(8)




Formula CZ(9)




Formula CZ(10)




Formula CZ(11)



Formula CZ(12)




Formula CZ(13)




Formula CZ(14)




-continued




Formula CZ(15)




Formula CZ(16)



Formula CZ(17)



Formula CZ(18)



Formula CZ(19)

wherein, in Formulae CY1(1) to CY1(24), CY2(1) to CY2(8), CY3(1) to CY3(20), and CZ(1) to CZ(19),

X_{11} is O, S, N(R_{11}), or C(R_{11})(R_{12}),

X_{31} is O, S, N(R_{31}), or C(R_{31})(R_{32}),

X_1 to X_3 and R_1 to R_5 are each independently the same as described in claim 1,

R_{1a} , R_{1b} , R_{11} , and R_{12} are each independently the same as described in connection with R_1 ,


R_{2a} to R_{2c} are each independently the same as described in connection with R_2 ,

R_{3a} , R_{3b} , R_{31} , and R_{32} are each independently the same as described in connection with R_3 , provided that R_1 , R_{1a} , R_{1b} , R_2 , R_{2a} to R_{2c} , R_3 , R_{3a} , R_{3b} , R_4 , and R_5 are each not hydrogen, and

*, *', and *'' each indicate a binding site to a neighboring atom.

13. The organometallic compound of claim 1, wherein the organometallic compound is represented by Formula 1-1:

Formula 1-1



wherein, in Formula 1-1,

M, X₁ to X₃, Y₁ to Y₂, CY₁ to CY₅, T₁, n1, R₁ to R₅, and a1 to a5 are each independently the same as described in claims 1,


Y₁₃ and Y₁₄ are each independently C or N,

T₂ is selected from a single bond, *—N[(L₈)_{b8}—(R₈)—*], *—B(R₈)—*, *—C(R₈)(R₉)—*, *—Si(R₈)(R₉)—*, *—Ge(R₈)(R₉)—*, *—S—*, *—Se—*, *—O—*, *—C(=O)—*, *—S(=O)—*, *—S(=O)₂—*, *—C(R₈)=*, *—C(R₉)=*, *—C(R₈)=C(R₉)—*, *—C(=S)—*, and *—C≡C—*, and

L₈, b8, R₈, and R₉ are each independently the same as described L₆, b6, R₆, and R₇ in claim 1.

14. The organometallic compound of claim 1, wherein the organometallic compound is represented by Formula 1-A:

Formula 1-A







wherein, in Formula 1-A,




M, X₁ to X₃, Y₁, Y₅, Y₇ to Y₁₂, CY₁, CY₄, CY₅, R₁ to R₅, a1, a4, and a5 are each independently the same as described in claims 1, and

R₈ and R₉ are each independently the same as described in connection with R₆ and R₇ in claim 1.





15. The organometallic compound of claim 1, wherein the organometallic compound is selected from Compounds 1 to 142:



-continued



-continued







8

9

10


11

-continued




-continued


16




17



18



19



12







13

14


15

-continued

-continued




-continued




26


-continued




29




27



30




28




31

-continued


32



33




34




-continued


35



36




37




-continued

38




-continued


41




39




42



40









43



-continued

-continued





-continued

-continued



50

53





51

54



55

52





-continued


-continued

58


56




59




57



60









61



-continued

-continued





-continued

-continued



68

71





69

72



70

73





-continued

-continued



77

74





78

75




79

76




80




-continued


-continued




81




84




82




85



83







86



87


-continued



-continued


88

92



89


93




90

94

91




-continued




95


-continued




98




99




96



100




97




101

-continued




102


-continued




105




103



106




104




107

-continued


-continued




108




111




109




112



110




113




114


-continued




115



116




117




118


-continued



119




120




121

-continued




122


-continued




125




126




123



127




124




128


-continued




129



130




131




132


-continued




133



134




135




136

-continued




137


-continued




141



138




142



139

- 16.** An organic light-emitting device comprising:
a first electrode;
a second electrode; and
an organic layer disposed between the first electrode and the second electrode,
wherein the organic layer comprises an emission layer and at least one organometallic compound of claim 1.
- 17.** The organic light-emitting device of claim 16, wherein the first electrode is an anode, the second electrode is a cathode, and the organic layer further comprises a hole transport region disposed between the first electrode and the emission layer and an electron transport region disposed between the emission layer and the second electrode, wherein the hole transport region comprises a hole injection layer, a hole transport layer, an electron blocking layer, or any combination thereof, and wherein the electron transport region comprises a hole blocking layer, an electron transport layer, an electron injection layer, or any combination thereof.



140

- 18.** The organic light-emitting device of claim 16, wherein the emission layer comprises the organometallic compound.
- 19.** The organic light-emitting device of claim 18, wherein the emission layer further comprises a host, and an amount of the host in the emission layer is larger than an amount of the organometallic compound in the emission layer.
- 20.** A diagnostic composition comprising at least one organometallic compound of claim 1.

* * * * *

专利名称(译)	有机金属化合物，包括有机金属化合物的有机发光装置和包含有机金属化合物的诊断组合物		
公开(公告)号	US20180248137A1	公开(公告)日	2018-08-30
申请号	US15/785742	申请日	2017-10-17
[标]申请(专利权)人(译)	三星电子株式会社		
申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD.		
当前申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD.		
[标]发明人	JEON ARAM KWAK SEUNGYEON LEE KUM HEE LEE BANGLIN CHOI JONGWON CHOI HYEONHO KWAK YOONHYUN KWON OHYUN		
发明人	JEON, ARAM KWAK, SEUNGYEON LEE, KUM HEE LEE, BANGLIN CHOI, JONGWON CHOI, HYEONHO KWAK, YOONHYUN KWON, OHYUN		
IPC分类号	H01L51/00 C09K11/06 C09K11/02 C07F15/00		
CPC分类号	H01L51/0087 C09K11/06 C09K11/025 C07F15/0086 H01L51/5206 H01L51/5221 H01L51/5016 H01L51/5088 H01L51/5056 H01L51/5096 H01L51/5072 H01L51/5092 C09K2211/185 C09K2211/1029 H01L51/0081		
优先权	1020170025650 2017-02-27 KR		
外部链接	Espacenet USPTO		

摘要(译)

由式1表示的有机金属化合物：其中，在式1中，基团和变量与说明书中描述的相同。

