



US007979102B2

(12) **United States Patent**  
**Hannula et al.**

(10) **Patent No.:** **US 7,979,102 B2**  
(45) **Date of Patent:** **Jul. 12, 2011**

- (54) **HAT-BASED OXIMETER SENSOR**
- (75) Inventors: **Don Hannula**, San Luis Obispo, CA (US); **Paul Mannheimer**, Danville, CA (US)
- (73) Assignee: **Nellcor Puritan Bennett LLC**, Boulder, CO (US)
- (\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1510 days.

- 4,510,938 A 4/1985 Jobsis et al.
- 4,570,638 A 2/1986 Stoddart et al.
- 4,675,919 A 6/1987 Heine et al.
- 4,739,757 A 4/1988 Edwards
- 4,775,116 A 10/1988 Klein
- 4,784,162 A 11/1988 Ricks et al.
- 4,802,485 A 2/1989 Bowers et al.
- 4,825,872 A 5/1989 Tan et al.
- 4,825,879 A 5/1989 Tan et al.
- 4,833,734 A 5/1989 Der Estephanian
- 4,838,279 A 6/1989 Fore
- 4,856,116 A 8/1989 Sullivan
- 4,890,619 A 1/1990 Hatschek
- 4,910,804 A 3/1990 Lidgren
- 4,918,758 A 4/1990 Rendina

(Continued)

(21) Appl. No.: **11/358,868**

(22) Filed: **Feb. 21, 2006**

(65) **Prior Publication Data**

US 2006/0195028 A1 Aug. 31, 2006

**Related U.S. Application Data**

(62) Division of application No. 10/606,668, filed on Jun. 25, 2003, now Pat. No. 7,047,056.

(51) **Int. Cl.**  
**A61B 5/1455** (2006.01)

(52) **U.S. Cl.** ..... **600/340; 600/344**

(58) **Field of Classification Search** ..... **600/310, 600/322, 323, 340, 344**  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 1,304,215 A \* 5/1919 Snyder ..... 2/181
- 1,899,020 A \* 2/1933 Drueding ..... 2/181
- 4,025,733 A 5/1977 Klar et al.
- 4,047,400 A 9/1977 Thorneburg
- 4,321,930 A \* 3/1982 Jobsis et al. .... 600/344
- 4,462,116 A 7/1984 Sanzone et al.
- 4,499,741 A 2/1985 Harris

**FOREIGN PATENT DOCUMENTS**

CN 1306260 8/2001  
(Continued)

**OTHER PUBLICATIONS**


U.S. Appl. No. 10/677,742, filed Oct. 1, 2003, Hannula.  
(Continued)

*Primary Examiner* — Eric F Winakur  
(74) *Attorney, Agent, or Firm* — Fletcher Yoder

(57) **ABSTRACT**

A method for use and an improved oximeter sensor substrate that is conforming to the shape of the patient's forehead. In one embodiment, the present invention is an oximeter sensor, having a substrate with a shape similar to a shape of at least a portion of a patient's forehead and including a section adapted to substantially fit over a portion of a forehead of a patient; an emitter disposed on the substrate at a position located on the section; and a detector disposed on the substrate at a distance from the emitter. In one embodiment, the substrate includes a hat that holds the emitter and the detector in a spaced-part manner against the patient's forehead.

**20 Claims, 3 Drawing Sheets**



U.S. PATENT DOCUMENTS							
4,930,888	A	6/1990	Feisleben et al.	5,671,750	A	9/1997	Shinoda
4,942,877	A	7/1990	Sakai et al.	5,673,708	A	10/1997	Athanasίου et al.
4,972,331	A	11/1990	Chance	5,678,544	A	10/1997	DeLonzor et al.
4,977,011	A	12/1990	Smith	5,681,285	A	10/1997	Ford et al.
4,991,234	A	2/1991	Greenberg	5,683,434	A	11/1997	Archer
4,996,975	A	3/1991	Nakamura	5,697,363	A	12/1997	Hart
5,005,374	A	4/1991	Spitler	5,697,367	A	12/1997	Lewis et al.
5,054,488	A	10/1991	Muz	5,701,894	A	12/1997	Cherry et al.
5,080,096	A	1/1992	Hooper et al.	5,706,820	A	1/1998	Hossack et al.
5,080,098	A	1/1992	Willett et al.	5,732,475	A	3/1998	Sacks et al.
H1039	H	4/1992	Tripp, Jr. et al.	5,738,612	A	4/1998	Tsuda
5,111,817	A	5/1992	Clark et al.	5,743,856	A	4/1998	Oka et al.
5,119,815	A	6/1992	Chance	5,743,857	A	4/1998	Shinoda et al.
5,122,974	A	6/1992	Chance	5,752,913	A	5/1998	Oka
5,125,403	A	6/1992	Culp	5,752,920	A	5/1998	Ogura et al.
5,167,230	A	12/1992	Chance	5,758,644	A	6/1998	Diab et al.
5,188,108	A	2/1993	Secker	5,772,601	A	6/1998	Oka et al.
5,191,891	A	3/1993	Righter	5,776,058	A	7/1998	Levinson et al.
5,209,230	A	5/1993	Swedlow et al.	5,776,071	A	7/1998	Inuka et al.
5,214,409	A	5/1993	Beigel	5,779,631	A	7/1998	Chance
5,217,012	A	6/1993	Young et al.	5,779,639	A	7/1998	Yeung
5,217,013	A	6/1993	Lewis et al.	5,782,757	A	7/1998	Diab et al.
5,241,300	A	8/1993	Buschmann	5,786,592	A	7/1998	Hök
5,246,003	A	9/1993	DeLonzor	5,791,347	A	8/1998	Flaherty et al.
5,253,645	A	10/1993	Friedman et al.	5,791,348	A	8/1998	Aung et al.
5,267,563	A	12/1993	Swedlow et al. ....	5,792,052	A	8/1998	Isaacson
5,267,567	A	12/1993	Aung et al.	5,792,058	A	8/1998	Lee et al.
5,295,490	A	3/1994	Dodakian	5,797,841	A	8/1998	Delonzer et al.
5,313,940	A	5/1994	Fuse et al.	5,810,724	A	9/1998	Gronvall
5,337,744	A	8/1994	Branigan	5,813,980	A	9/1998	Levinson et al.
5,348,008	A	9/1994	Bornn et al.	5,817,008	A	10/1998	Rafert et al.
5,353,798	A	10/1994	Sieben	5,823,012	A	10/1998	Hacskeylo
5,354,979	A	10/1994	Adelson et al.	5,823,952	A	10/1998	Levinson et al.
5,357,953	A	10/1994	Merrick et al.	5,826,277	A	10/1998	McConville
5,368,025	A	11/1994	Young et al.	5,830,136	A	11/1998	Delonzer et al.
5,368,562	A	11/1994	Blomquist et al.	5,830,137	A	11/1998	Scharf
5,369,808	A	12/1994	Brewer et al. ....	5,830,148	A	11/1998	Inukai et al.
5,383,874	A	1/1995	Jackson et al.	5,830,149	A	11/1998	Oka et al.
5,392,777	A	2/1995	Swedlow et al.	5,833,602	A	11/1998	Osemwota
5,398,689	A	3/1995	Connor et al.	5,836,887	A	11/1998	Oka et al.
5,400,267	A	3/1995	Denen et al.	5,839,439	A	11/1998	Nierlich et al.
5,405,269	A	4/1995	Stupecky	RE36,000	E	12/1998	Swedlow et al.
5,405,614	A	4/1995	D'Angelo et al.	5,842,981	A	12/1998	Larsen et al.
5,413,099	A	5/1995	Schmidt et al.	5,842,982	A	12/1998	Mannheimer
5,413,101	A	5/1995	Sugiura	5,851,179	A	12/1998	Ritsen et al.
5,413,102	A	5/1995	Schmidt et al.	5,857,974	A	1/1999	Eberie et al.
5,415,166	A	5/1995	Imran	5,860,932	A	1/1999	Goto et al.
5,425,360	A	6/1995	Nelson	5,860,957	A	1/1999	Jacobsen et al.
5,431,170	A	7/1995	Mathews	5,868,133	A	2/1999	DeVries et al.
5,437,275	A	8/1995	Amundsen et al.	5,870,626	A	2/1999	Lebeau
5,437,634	A	8/1995	Amano	5,872,713	A	2/1999	Douglas et al.
5,444,254	A	8/1995	Thomson	5,873,821	A	2/1999	Chance et al.
5,451,763	A	9/1995	Pickett et al.	5,879,294	A	3/1999	Anderson et al.
5,452,717	A	9/1995	Branigan et al.	5,891,021	A	4/1999	Dillon et al.
5,465,714	A	11/1995	Scheuing .....	5,891,026	A	4/1999	Wang et al.
5,469,845	A	11/1995	DeLonzor et al.	5,895,359	A	4/1999	Peel, II
5,482,034	A	1/1996	Lewis et al. ....	5,902,235	A	5/1999	Lewis et al.
5,490,523	A	2/1996	Isaacson et al.	5,906,581	A	5/1999	Tsuda
5,507,752	A	4/1996	Elliott	5,913,819	A	6/1999	Taylor et al.
5,528,519	A	6/1996	Onkura et al.	5,916,154	A	6/1999	Hobbs et al.
5,546,955	A	8/1996	Wilk	5,919,133	A	7/1999	Taylor et al.
5,551,423	A	9/1996	Sugiura	5,931,789	A	8/1999	Alfano et al.
5,562,718	A	10/1996	Palermo	5,931,790	A	8/1999	Peel, II
5,564,108	A	10/1996	Hunsaker et al.	5,931,791	A	8/1999	Saltzstein et al.
5,564,417	A	10/1996	Chance	5,934,925	A	8/1999	Tobler et al.
5,584,296	A	12/1996	Cui et al.	5,936,539	A	8/1999	Fuchs
5,592,408	A	1/1997	Keskin et al.	5,947,905	A	9/1999	Hadjicostis et al.
5,596,987	A	1/1997	Chance	5,954,053	A	9/1999	Chance et al.
5,617,865	A	4/1997	Palczewska et al.	5,957,850	A	9/1999	Marian, Jr.
5,617,866	A	4/1997	Marian, Jr.	5,964,701	A	10/1999	Asada et al.
5,627,323	A	5/1997	Stern	5,980,464	A	11/1999	Tsuda
5,634,466	A	6/1997	Gruner	5,983,129	A	11/1999	Cowan et al.
5,638,593	A	6/1997	Gerhardt et al.	5,987,343	A	11/1999	Kinast
5,638,818	A	6/1997	Diab et al.	5,987,351	A	11/1999	Chance
5,640,953	A	6/1997	Bishop et al.	5,991,648	A	11/1999	Levin
5,645,440	A	7/1997	Tobler et al.	5,995,077	A	11/1999	Wilcox et al.
5,645,586	A	7/1997	Meltzer	5,995,855	A	11/1999	Kiani et al.
5,646,416	A	7/1997	Vande Velde	5,995,856	A	11/1999	Mannheimer et al.
				5,995,857	A	11/1999	Toomim et al.

6,007,492	A	12/1999	Goto et al.	6,417,774	B1	7/2002	Hibbs et al.
6,011,986	A	1/2000	Diab et al.	6,423,010	B1	7/2002	Friedman et al.
6,022,320	A	2/2000	Ogura et al.	6,430,423	B2	8/2002	DeLonzer et al.
6,027,453	A	2/2000	Miwa et al.	6,432,050	B1	8/2002	Porat et al.
6,030,351	A	2/2000	Schmidt et al.	6,450,168	B1	9/2002	Nguyen
6,031,603	A	2/2000	Fine et al.	6,450,957	B1	9/2002	Yoshimi et al.
6,036,651	A	3/2000	Inukai et al.	6,450,981	B1	9/2002	Shabty et al.
6,041,247	A	3/2000	Weckstrom et al.	6,454,708	B1	9/2002	Ferguson et al.
6,047,201	A	4/2000	Jackson, III	6,456,862	B2	9/2002	Benni
6,047,203	A	4/2000	Sackner et al.	6,461,305	B1	10/2002	Schnall
6,049,958	A	4/2000	Eberle et al.	6,463,310	B1	10/2002	Swedlow et al.
6,050,951	A	4/2000	Friedman et al.	6,466,809	B1	10/2002	Riley
6,052,619	A	4/2000	John	6,468,241	B1	10/2002	Gelfand et al.
6,073,038	A	6/2000	Wang et al.	6,470,199	B1	10/2002	Kopotic et al.
6,084,380	A	7/2000	Burton	6,470,279	B1	10/2002	Samsouandar
6,085,752	A	7/2000	Kehr et al.	6,480,762	B1	11/2002	Uchikubo et al.
6,088,607	A	7/2000	Diab et al.	6,491,638	B2	12/2002	Oka
6,106,780	A	8/2000	Douglas et al.	6,491,639	B1	12/2002	Turcott
6,112,107	A	8/2000	Hannula	6,503,087	B1	1/2003	Eggert et al.
6,115,621	A	9/2000	Chin	6,503,204	B1	1/2003	Sumanaweera et al.
6,118,382	A	9/2000	Hibbs et al.	6,505,061	B2	1/2003	Larson
6,134,459	A	10/2000	Roberts et al.	6,511,478	B1	1/2003	Burnside et al.
6,144,868	A	11/2000	Parker	6,516,289	B2	2/2003	David
6,149,481	A	11/2000	Wang et al.	6,519,487	B1	2/2003	Parker
6,152,754	A	11/2000	Gerhardt et al.	6,524,257	B2	2/2003	Ogura
6,154,667	A	11/2000	Miura et al.	6,525,386	B1	2/2003	Mills et al.
6,162,188	A	12/2000	Barnea	6,526,309	B1	2/2003	Chance
6,165,173	A	12/2000	Kamdar et al.	6,526,970	B2	3/2003	DeVries et al.
6,171,258	B1	1/2001	Karakasoglu et al.	6,527,725	B1	3/2003	Inukai et al.
6,173,196	B1	1/2001	Delonzer et al.	6,527,726	B2	3/2003	Goto et al.
6,179,786	B1	1/2001	Young	6,535,765	B1	3/2003	Amely-Velez et al.
6,181,959	B1	1/2001	Schollermann et al.	6,537,220	B1	3/2003	Friemel et al.
6,184,521	B1	2/2001	Coffin, IV et al.	6,541,756	B2	4/2003	Schulz et al.
6,186,953	B1	2/2001	Narimatsu	6,542,081	B2	4/2003	Torch
6,186,954	B1	2/2001	Narimatsu	6,547,743	B2	4/2003	Brydon
6,190,325	B1	2/2001	Narimatsu	6,551,252	B2	4/2003	Sackner et al.
6,196,974	B1	3/2001	Miwa	6,553,242	B1	4/2003	Sarussi
6,198,952	B1	3/2001	Miesel	6,575,902	B1	6/2003	Burton
6,199,550	B1	3/2001	Wiesmann et al.	6,577,884	B1	6/2003	Boas
6,209,144	B1	4/2001	Carter	6,580,086	B1	6/2003	Schulz et al.
6,216,021	B1	4/2001	Franceschini et al.	6,582,371	B2	6/2003	Miller
6,223,063	B1	4/2001	Chaiken et al.	6,582,374	B2	6/2003	Yokozeki
6,241,680	B1	6/2001	Miwa	6,584,356	B2	6/2003	Wassmund et al.
6,248,083	B1	6/2001	Smith et al.	6,589,171	B2	7/2003	Keirsbilck
6,251,076	B1	6/2001	Hovland et al.	6,589,183	B2	7/2003	Yokozeki
6,251,080	B1	6/2001	Henkin et al.	6,589,189	B2	7/2003	Meyerson et al.
6,251,081	B1	6/2001	Narimatsu	6,594,513	B1	7/2003	Jobsis et al.
6,251,113	B1	6/2001	Appelbaum et al.	6,597,933	B2	7/2003	Kiani et al.
6,256,523	B1	7/2001	Diab et al.	6,605,038	B1	8/2003	Teller et al.
6,256,524	B1	7/2001	Walker et al.	6,606,993	B1	8/2003	Wiesmann et al.
6,263,221	B1	7/2001	Chance et al.	6,611,793	B1	8/2003	Burnside et al.
6,263,223	B1	7/2001	Shepherd et al.	6,615,065	B1*	9/2003	Barrett et al. .... 600/340
6,280,213	B1	8/2001	Tobler et al.	6,622,034	B1	9/2003	Gorski et al.
6,282,450	B1	8/2001	Hartlaub et al.	6,626,537	B1	9/2003	Odom et al.
6,283,922	B1	9/2001	Goto et al.	6,635,048	B1	10/2003	Ullestad et al.
6,285,895	B1	9/2001	Ristolainen et al.	6,645,154	B2	11/2003	Oka
6,306,076	B1	10/2001	Gill	6,645,155	B2	11/2003	Inukai et al.
6,308,089	B1	10/2001	von der Ruhr et al.	6,654,622	B1	11/2003	Eberhard et al.
6,321,100	B1	11/2001	Parker	6,666,860	B1	12/2003	Takahashi
6,322,516	B1	11/2001	Masuda et al.	6,671,531	B2	12/2003	Al-Ali et al.
6,343,223	B1	1/2002	Chin	6,678,543	B2	1/2004	Diab et al.
6,343,224	B1	1/2002	Parker	6,681,454	B2	1/2004	Modgil et al.
6,346,886	B1	2/2002	DeLa Huerga	6,684,091	B2	1/2004	Parker
6,349,228	B1	2/2002	Kiani et al.	6,694,160	B2	2/2004	Chin
6,356,774	B1	3/2002	Bernstein et al.	6,700,497	B2	3/2004	Hibbs et al.
6,362,622	B1	3/2002	Stauber et al.	6,704,601	B1	3/2004	Amely-Velez et al.
6,368,282	B1	4/2002	Oka et al.	6,708,048	B1	3/2004	Chance
6,370,411	B1	4/2002	Osadchy et al.	6,711,425	B1	3/2004	Reuss
6,377,829	B1	4/2002	Al-Ali	6,712,767	B2	3/2004	Hossack et al.
6,381,480	B1	4/2002	Stoddart et al.	6,721,585	B1	4/2004	Parker
6,381,481	B1	4/2002	Levendowski et al.	6,721,602	B2	4/2004	Engmark et al.
6,385,486	B1	5/2002	John et al.	6,725,075	B2	4/2004	Al-Ali
6,385,821	B1	5/2002	Medgil et al.	6,726,327	B2	4/2004	Torrey et al.
6,387,092	B1	5/2002	Burnside et al.	6,731,963	B2	5/2004	Finarov et al.
6,388,240	B2	5/2002	Schulz et al.	6,735,459	B2	5/2004	Parker
6,397,091	B2	5/2002	Diab et al.	6,736,759	B1	5/2004	Stubbs et al.
6,405,075	B1	6/2002	Levin	6,736,786	B1	5/2004	Shabty et al.
6,416,471	B1	7/2002	Kumar et al.	6,743,173	B2	6/2004	Penner et al.
6,416,474	B1	7/2002	Penner et al.	6,743,202	B2	6/2004	Hirschman et al.

6,745,061	B1	6/2004	Hicks et al.	7,248,910	B2	7/2007	Li
6,748,254	B2	6/2004	O'Neil et al.	7,289,837	B2	10/2007	Mannheimer et al.
6,763,255	B2	7/2004	DeLonzer et al.	7,297,119	B2	11/2007	Westbrook et al.
6,771,994	B2	8/2004	Kiani et al.	7,313,427	B2	12/2007	Benni
6,776,758	B2	8/2004	Peszynski et al.	7,349,726	B2	3/2008	Casciani et al.
6,779,257	B2	8/2004	Kiepen et al.	7,376,454	B2	5/2008	Casciani et al.
6,792,300	B1	9/2004	Diab et al.	7,415,298	B2	8/2008	Casciani et al.
6,796,946	B2	9/2004	Ogura et al.	2001/0000790	A1	5/2001	Delonzer et al.
6,804,543	B2	10/2004	Miller et al.	2001/0009265	A1	7/2001	Schulz et al.
6,808,496	B2	10/2004	Oka et al.	2001/0009398	A1	7/2001	Sekura et al.
6,811,538	B2	11/2004	Westbrook et al.	2001/0028309	A1	10/2001	Torch
6,813,511	B2	11/2004	Diab et al.	2001/0029325	A1	10/2001	Parker
6,824,520	B2	11/2004	Orr et al.	2001/0034506	A1	10/2001	Hirschman et al.
6,827,688	B2	12/2004	Goto et al.	2001/0037068	A1	11/2001	Goto et al.
6,830,711	B2	12/2004	Mills et al.	2001/0045532	A1	11/2001	Schulz et al.
6,832,987	B2	12/2004	David et al.	2001/0047126	A1	11/2001	Nagai et al.
6,842,722	B2	1/2005	David	2001/0048466	A1	12/2001	Takami
6,847,294	B1	1/2005	Lin et al.	2001/0051773	A1	12/2001	Oka
6,849,074	B2	2/2005	Chen et al.	2002/0005197	A1	1/2002	DeVries et al.
6,853,304	B2	2/2005	Reisman et al.	2002/0013538	A1	1/2002	Teller
6,870,479	B2	3/2005	Gabriel	2002/0013613	A1	1/2002	Haller et al.
6,893,400	B2	5/2005	Kawaguchi et al.	2002/0026107	A1	2/2002	Kiani et al.
6,898,299	B1	5/2005	Brooks	2002/0026109	A1	2/2002	Diab et al.
6,904,124	B2	6/2005	Staver et al.	2002/0032386	A1	3/2002	Sackner et al.
6,909,912	B2	6/2005	Melker	2002/0038082	A1	3/2002	Chin
6,911,027	B1	6/2005	Edwards et al.	2002/0042558	A1	4/2002	Mendelson
6,920,345	B2	7/2005	Al-Ali et al.	2002/0045807	A1	4/2002	Al-Ali et al.
6,921,198	B2	7/2005	Gruszecki et al.	2002/0049372	A1	4/2002	Diab
6,923,771	B2	8/2005	Ogura et al.	2002/0052539	A1	5/2002	Haller et al.
6,923,776	B2	8/2005	Shabty et al.	2002/0052552	A1	5/2002	Jokozeki
6,930,608	B2	8/2005	Grajales et al.	2002/0077535	A1	6/2002	Finarov et al.
6,934,570	B2	8/2005	Kiani et al.	2002/0082486	A1	6/2002	Lavery et al.
6,934,571	B2	8/2005	Wiesmann et al.	2002/0082489	A1	6/2002	Casciani et al.
6,936,011	B2	8/2005	Sheldon	2002/0082665	A1	6/2002	Haller et al.
6,939,314	B2	9/2005	Hall et al.	2002/0084904	A1	7/2002	De La Huerga
6,943,881	B2	9/2005	Wang	2002/0087087	A1	7/2002	Oka et al.
6,955,650	B2	10/2005	Mault et al.	2002/0091335	A1	7/2002	John et al.
6,965,071	B2	11/2005	Watchko et al.	2002/0091416	A1	7/2002	Wassmund et al.
6,971,790	B2	12/2005	Quinn et al.	2002/0091417	A1	7/2002	Splett et al.
6,985,763	B2	1/2006	Boas et al.	2002/0095087	A1	7/2002	Mourad et al.
6,985,764	B2	1/2006	Mason et al.	2002/0095092	A1	7/2002	Kondo et al.
6,990,371	B2	1/2006	Powers et al.	2002/0099268	A1	7/2002	Paul et al.
6,993,371	B2	1/2006	Kiani et al.	2002/0099298	A1	7/2002	Yokozeki
6,995,665	B2	2/2006	Appelt et al.	2002/0103445	A1	8/2002	Rahdert et al.
7,001,334	B2	2/2006	Reed et al.	2002/0109600	A1	8/2002	Mault et al.
7,018,338	B2	3/2006	Vetter et al.	2002/0111543	A1	8/2002	Penner et al.
7,020,508	B2	3/2006	Stivoric et al.	2002/0111777	A1	8/2002	David
7,024,235	B2	4/2006	Melker et al.	2002/01115919	A1	8/2002	Al-Ali
7,027,850	B2	4/2006	Wasserman	2002/0116797	A1	8/2002	Modgil et al.
7,027,871	B2	4/2006	Burnes et al.	2002/0124295	A1	9/2002	Fenwick et al.
7,039,449	B2	5/2006	Al-Ali	2002/0133066	A1	9/2002	Miller et al.
7,041,121	B1	5/2006	Williams et al.	2002/0133082	A1	9/2002	Ogura
7,047,054	B2	5/2006	Benni	2002/0135488	A1	9/2002	Hibbs et al.
7,047,055	B2	5/2006	Boas et al.	2002/0139368	A1	10/2002	Bachinski
7,047,056	B2	5/2006	Hannula et al.	2002/0148470	A1	10/2002	Blue et al.
7,048,687	B1	5/2006	Reuss et al.	2002/0151929	A1	10/2002	Goto et al.
7,054,453	B2	5/2006	Causevic et al.	2002/0156353	A1	10/2002	Larson
7,054,454	B2	5/2006	Causevic et al.	2002/0156354	A1	10/2002	Larson
7,063,669	B2	6/2006	Brawner et al.	2002/0156503	A1	10/2002	Powers et al.
7,067,893	B2	6/2006	Mills et al.	2002/0161290	A1	10/2002	Chance
7,072,704	B2	7/2006	Bucholz et al.	2002/0161305	A1	10/2002	Oka
7,079,036	B2	7/2006	Cooper et al.	2002/0161309	A1	10/2002	Marro
7,085,597	B2	8/2006	Fein et al.	2002/0165440	A1	11/2002	Mason et al.
7,087,023	B2	8/2006	Daft et al.	2002/0165462	A1	11/2002	Westbrook et al.
7,089,061	B2	8/2006	Grey	2002/0165590	A1	11/2002	Crowe et al.
7,096,052	B2	8/2006	Mason et al.	2002/0173706	A1	11/2002	Takatani
7,096,054	B2	8/2006	Abdul-Hafiz et al.	2002/0173708	A1	11/2002	DeLonzer et al.
7,097,621	B2	8/2006	Narimatsu et al.	2002/0188206	A1	12/2002	Davis et al.
7,107,706	B1	9/2006	Bailey	2002/0193692	A1	12/2002	Inukai et al.
7,113,815	B2	9/2006	O'Neil et al.	2003/0004445	A1	1/2003	Hall et al.
RE39,359	E	10/2006	McGraw et al.	2003/0004547	A1	1/2003	Owen et al.
7,127,278	B2	10/2006	Melker et al.	2003/0009083	A1	1/2003	Takahashi
7,132,641	B2	11/2006	Schulz et al.	2003/0009092	A1	1/2003	Parker
7,136,452	B2	11/2006	Spartiotis et al.	2003/0009119	A1	1/2003	Kamm et al.
7,171,251	B2	1/2007	Sarussi et al.	2003/0009308	A1	1/2003	Kirtley
7,181,264	B2	2/2007	Wiesmann et al.	2003/0018243	A1	1/2003	Gerhardt et al.
7,204,250	B1	4/2007	Burton	2003/0023140	A1	1/2003	Chance
7,220,220	B2	5/2007	Stubbs et al.	2003/0023146	A1	1/2003	Shusterman
7,245,953	B1	7/2007	Parker	2003/0023277	A1	1/2003	Owen et al.

2003/0028105	A1	2/2003	Miller	2004/0092919	A1	5/2004	Ritchie et al.
2003/0032887	A1	2/2003	Harada et al.	2004/0100784	A1	5/2004	Willers et al.
2003/0032988	A1	2/2003	Fincke	2004/0102931	A1	5/2004	Ellis et al.
2003/0040779	A1	2/2003	Engmark et al.	2004/0114659	A1	6/2004	Quinn et al.
2003/0040820	A1	2/2003	Stover et al.	2004/0117891	A1	6/2004	Hannula et al.
2003/0045785	A1	3/2003	Diab et al.	2004/0122302	A1	6/2004	Mason et al.
2003/0045806	A1	3/2003	Brydon	2004/0133088	A1	7/2004	Al-Ali
2003/0050551	A1	3/2003	Shabty et al.	2004/0144391	A1	7/2004	Brady et al.
2003/0055308	A1	3/2003	Friemel et al.	2004/0147822	A1	7/2004	Al-Ali et al.
2003/0062046	A1	4/2003	Wiesmann et al.	2004/0147823	A1	7/2004	Kiani et al.
2003/0065269	A1	4/2003	Vetter et al.	2004/0147974	A1	7/2004	Engmark et al.
2003/0065273	A1	4/2003	Mault et al.	2004/0149282	A1	8/2004	Hickle
2003/0065274	A1	4/2003	Mault et al.	2004/0158303	A1	8/2004	Lennox et al.
2003/0065275	A1	4/2003	Mault et al.	2004/0160144	A1	8/2004	Daft et al.
2003/0066672	A1	4/2003	Watchko et al.	2004/0162494	A1	8/2004	Ogura et al.
2003/0069508	A1	4/2003	Kawaguchi et al.	2004/0163648	A1	8/2004	Burton
2003/0074037	A1	4/2003	Moore et al.	2004/0168519	A1	9/2004	Kalvensten et al.
2003/0086156	A1	5/2003	McGuire, Jr.	2004/0173456	A1	9/2004	Boos et al.
2003/0088203	A1	5/2003	Gelfand et al.	2004/0186390	A1	9/2004	Ross et al.
2003/0088385	A1	5/2003	David	2004/0221370	A1	11/2004	Hannula et al.
2003/0092999	A1	5/2003	Goto et al.	2004/0230108	A1	11/2004	Melker et al.
2003/0097074	A1	5/2003	Oka et al.	2004/0230116	A1	11/2004	Cowan et al.
2003/0105403	A1	6/2003	Istvan et al.	2004/0231772	A1	11/2004	Leonard et al.
2003/0109775	A1*	6/2003	O'Neil et al. .... 600/323	2004/0236207	A1	11/2004	Widener et al.
2003/0116159	A1	6/2003	Orr et al.	2004/0236224	A1	11/2004	Stringer et al.
2003/0120183	A1	6/2003	Simmons	2004/0236242	A1	11/2004	Graham et al.
2003/0120271	A1	6/2003	Burnside et al.	2004/0242981	A1	12/2004	Pattisapu
2003/0122706	A1	7/2003	Choi et al.	2004/0252750	A1	12/2004	Gruszecki et al.
2003/0125616	A1	7/2003	Black et al.	2004/0254490	A1	12/2004	Egli
2003/0132495	A1	7/2003	Mills et al.	2004/0254501	A1	12/2004	Mault
2003/0135124	A1	7/2003	Russell	2004/0254569	A1	12/2004	Brosch et al.
2003/0135127	A1	7/2003	Sackner et al.	2004/0260161	A1	12/2004	Melker et al.
2003/0137425	A1	7/2003	Gabriel	2004/0260191	A1	12/2004	Stubbs et al.
2003/0139641	A1	7/2003	Hoedeman et al.	2004/0263337	A1	12/2004	Terauchi et al.
2003/0139656	A1	7/2003	Kiani et al.	2004/0267104	A1	12/2004	Hannula et al.
2003/0139680	A1	7/2003	Sheldon	2004/0267145	A1	12/2004	David et al.
2003/0143297	A1	7/2003	Mills et al.	2005/0001728	A1	1/2005	Appelt et al.
2003/0144579	A1	7/2003	Buss	2005/0012617	A1	1/2005	DiSilvestro et al.
2003/0144584	A1	7/2003	Mendelson	2005/0015653	A1	1/2005	Hajji et al.
2003/0149366	A1	8/2003	Stringer et al.	2005/0017864	A1	1/2005	Tsoukalis
2003/0153834	A1	8/2003	Miller	2005/0020919	A1	1/2005	Stringer et al.
2003/0156288	A1	8/2003	Barnum et al.	2005/0027207	A1	2/2005	Westbrook et al.
2003/0159844	A1	8/2003	Wolf et al.	2005/0029432	A1	2/2005	Bacarella et al.
2003/0162414	A1	8/2003	Schulz et al.	2005/0041531	A1	2/2005	Sekura
2003/0167080	A1	9/2003	Hart et al.	2005/0043599	A1	2/2005	O'Mara
2003/0176810	A1	9/2003	Maahs et al.	2005/0043763	A1	2/2005	Marcovecchio et al.
2003/0181799	A1	9/2003	Lindekugel et al.	2005/0046575	A1	3/2005	Cooper et al.
2003/0189492	A1	10/2003	Harvie	2005/0049465	A1	3/2005	Wang
2003/0208109	A1	11/2003	David et al.	2005/0049501	A1	3/2005	Conero et al.
2003/0208128	A1	11/2003	Hamilton et al.	2005/0059869	A1	3/2005	Scharf et al.
2003/0210149	A1	11/2003	Reisman et al.	2005/0070776	A1	3/2005	Mannheimer et al.
2003/0212334	A1	11/2003	Ogura et al.	2005/0070778	A1	3/2005	Lakcey et al.
2003/0214408	A1	11/2003	Grajales et al.	2005/0070813	A1	3/2005	Donofrio et al.
2003/0216659	A1	11/2003	Brawner et al.	2005/0075550	A1	4/2005	Lindekugel
2003/0216728	A1	11/2003	Stern et al.	2005/0080345	A1	4/2005	Finburgh et al.
2003/0217972	A1	11/2003	Connell et al.	2005/0085799	A1	4/2005	Luria et al.
2003/0225323	A1	12/2003	Kiani et al.	2005/0090754	A1	4/2005	Wolff et al.
2003/0229276	A1	12/2003	Sarussi et al.	2005/0096557	A1	5/2005	Vosburgh et al.
2003/0230307	A1	12/2003	DeVries et al.	2005/0102167	A1	5/2005	Kapoor
2003/0233087	A1	12/2003	Chen et al.	2005/0113650	A1	5/2005	Pacione et al.
2004/0002655	A1	1/2004	Bolorforosh et al.	2005/0113656	A1	5/2005	Chance
2004/0004547	A1	1/2004	Appelt et al.	2005/0113703	A1	5/2005	Farringdon et al.
2004/0007585	A1	1/2004	Griffith et al.	2005/0114154	A1	5/2005	Wolkowicz et al.
2004/0030258	A1	2/2004	Williams et al.	2005/0154299	A1	7/2005	Hocter et al.
2004/0030323	A1	2/2004	Ullestad et al.	2005/0171576	A1	8/2005	Williams et al.
2004/0035208	A1	2/2004	Diaz et al.	2005/0182458	A1	8/2005	Goedeke
2004/0036854	A1	2/2004	Fukuda et al.	2005/0188991	A1	9/2005	Sun et al.
2004/0039254	A1	2/2004	Stivoric et al.	2005/0190068	A1	9/2005	Gentry et al.
2004/0039272	A1	2/2004	Abdul-Hafiz et al.	2005/0197548	A1	9/2005	Dietiker
2004/0044286	A1	3/2004	Hossack et al.	2005/0197550	A1	9/2005	Al-Ali et al.
2004/0044545	A1	3/2004	Wiesmann et al.	2005/0206518	A1	9/2005	Welch et al.
2004/0047210	A1	3/2004	Iwasaki	2005/0215847	A1	9/2005	Heruth et al.
2004/0054287	A1	3/2004	Stephens	2005/0215880	A1	9/2005	Harrison et al.
2004/0054289	A1	3/2004	Eberle et al.	2005/0215947	A1	9/2005	Heruth et al.
2004/0054291	A1	3/2004	Schulz et al.	2005/0216064	A1	9/2005	Heruth et al.
2004/0064097	A1	4/2004	Peterson	2005/0216199	A1	9/2005	Banet
2004/0064165	A1	4/2004	Thompson	2005/0222522	A1	10/2005	Heruth et al.
2004/0082842	A1	4/2004	Lumba et al.	2005/0222643	A1	10/2005	Heruth et al.
2004/0088027	A1	5/2004	Burnes et al.	2005/0228234	A1	10/2005	Yang

2005/0228296	A1	10/2005	Banet	2006/0264725	A1	11/2006	Hannula et al.
2005/0228297	A1	10/2005	Banet et al.	2006/0264726	A1	11/2006	Mannheimer et al.
2005/0231686	A1	10/2005	Rathjen	2006/0264727	A1	11/2006	Mannheimer et al.
2005/0234312	A1	10/2005	Suzuki et al.	2006/0264771	A1	11/2006	Lin et al.
2005/0234317	A1	10/2005	Kiani	2006/0276700	A1	12/2006	O'Neil et al.
2005/0234518	A1	10/2005	Heruth et al.	2006/0276701	A1	12/2006	Ray
2005/0240087	A1	10/2005	Keenan et al.	2006/0281984	A1	12/2006	Mannheimer et al.
2005/0245797	A1	11/2005	Al-Ali et al.	2007/0032732	A1	2/2007	Shelley et al.
2005/0256523	A1	11/2005	Chen et al.	2007/0149871	A1	6/2007	Sarussi et al.
2005/0261594	A1	11/2005	Banet	2007/0293746	A1	12/2007	Sarussi et al.
2005/0268916	A1	12/2005	Mumford et al.	2008/0009691	A1	1/2008	Parker
2005/0272986	A1	12/2005	Smith et al.	2008/0076988	A1	3/2008	Sarussi et al.
2005/0277819	A1	12/2005	Kiani et al.	2008/0076990	A1	3/2008	Sarussi et al.
2005/0277821	A1	12/2005	Payne et al.				
2005/0283082	A1	12/2005	Geddes et al.				
2006/0009685	A1	1/2006	Finarov et al.				
2006/0009698	A1	1/2006	Banet et al.				
2006/0011199	A1	1/2006	Rashad et al.				
2006/0020181	A1	1/2006	Schmitt				
2006/0030049	A1	2/2006	Bhimani et al.				
2006/0030767	A1	2/2006	Lang et al.				
2006/0036179	A1	2/2006	Miller				
2006/0047447	A1	3/2006	Brady et al.				
2006/0058593	A1	3/2006	Drinan et al.				
2006/0058690	A1	3/2006	Bartnik et al.				
2006/0064133	A1	3/2006	Von Arx et al.				
2006/0064134	A1	3/2006	Mazar et al.				
2006/0064142	A1	3/2006	Chavan et al.				
2006/0064143	A1	3/2006	Von Arx et al.				
2006/0072645	A1	4/2006	Quinn et al.				
2006/0074283	A1	4/2006	Henderson et al.				
2006/0074324	A1	4/2006	Wu et al.				
2006/0084848	A1	4/2006	Mitchnick				
2006/0084852	A1	4/2006	Mason et al.				
2006/0085227	A1	4/2006	Rosenfeld et al.				
2006/0095032	A1	5/2006	Jackson et al.				
2006/0100496	A1	5/2006	Avron				
2006/0100530	A1	5/2006	Kliot et al.				
2006/0100618	A1	5/2006	Chan et al.				
2006/0122517	A1	6/2006	Banet et al.				
2006/0122520	A1	6/2006	Banet et al.				
2006/0124128	A1	6/2006	Deane et al.				
2006/0125623	A1	6/2006	Appelt et al.				
2006/0132382	A1	6/2006	Jannard				
2006/0133362	A1	6/2006	Stein et al.				
2006/0142640	A1	6/2006	Takahashi				
2006/0149132	A1	7/2006	Iddan				
2006/0149339	A1	7/2006	Burnes et al.				
2006/0167351	A1	7/2006	Isaacson et al.				
2006/0173247	A1	8/2006	Medina				
2006/0183980	A1	8/2006	Yang				
2006/0184051	A1	8/2006	Hempstead et al.				
2006/0189859	A1	8/2006	Kiani et al.				
2006/0195026	A1	8/2006	Casciani et al.				
2006/0195027	A1	8/2006	Casciani et al.				
2006/0195028	A1	8/2006	Hannula et al.				
2006/0211929	A1	9/2006	Casciani et al.				
2006/0211942	A1	9/2006	Hocor et al.				
2006/0217604	A1	9/2006	Fein et al.				
2006/0217605	A1	9/2006	Fein et al.				
2006/0217606	A1	9/2006	Fein et al.				
2006/0217607	A1	9/2006	Fein et al.				
2006/0217608	A1	9/2006	Fein et al.				
2006/0224040	A1	10/2006	Khait et al.				
2006/0224326	A1	10/2006	St. Ores et al.				
2006/0224421	A1	10/2006	St. Ores et al.				
2006/0229510	A1	10/2006	Fein et al.				
2006/0229511	A1	10/2006	Fein et al.				
2006/0229517	A1	10/2006	Lin et al.				
2006/0241358	A1	10/2006	Al-Ali et al.				
2006/0241384	A1	10/2006	Fisher et al.				
2006/0241510	A1	10/2006	Halperin et al.				
2006/0247504	A1	11/2006	Tice				
2006/0253010	A1	11/2006	Brady et al.				
2006/0253953	A1	11/2006	Williams				
2006/0258922	A1	11/2006	Mason et al.				
2006/0264722	A1	11/2006	Hannula et al.				
2006/0264723	A1	11/2006	Hannula et al.				
2006/0264724	A1	11/2006	Hannula et al.				

## FOREIGN PATENT DOCUMENTS

CN	1657007	8/2005
DE	3705493	8/1988
DE	3744781 A1	1/1989
DE	3810411 A1	10/1989
DE	3927038	2/1991
DE	4429845 C1	10/1995
DE	19541605 A1	5/1997
DE	19939302	5/2001
DE	10029205	1/2002
EP	0268850	6/1988
EP	0 313 238 A1	10/1988
EP	0338518	10/1989
EP	0463620	1/1992
EP	0 573 137 A1	2/1993
EP	0543172 A2	5/1993
EP	0 572 684 A1	8/1993
EP	0578530	1/1994
EP	0580385 A1	1/1994
EP	0621026 A2	10/1994
EP	0631756	1/1995
EP	0665025 A2	8/1995
EP	0 721 110 A1	7/1996
EP	1 683 478 A1	10/1999
EP	0 695 139 A1	12/1999
EP	0996063	4/2000
EP	1048323 A2	11/2000
EP	1 169 965 A1	6/2001
EP	1130412 A2	9/2001
EP	0775311 B1	7/2002
FR	2555744	5/1985
FR	002601137 A1	1/1988
GB	834469	5/1960
GB	2135074 A	8/1984
GB	2390903 A	1/2004
JP	55024614 A	2/1980
JP	07336597 A	12/1985
JP	04057161 A	2/1992
JP	08111295 A	4/1996
JP	08112257 A	5/1996
JP	08336546 A	12/1996
JP	09010319 A	1/1997
JP	9154937 A	6/1997
JP	10314149 A	12/1998
JP	11259583 A	9/1999
JP	2000/189440 A	7/2000
JP	2001/161648 A	6/2001
JP	2001-190498 A	7/2001
JP	2001-308576 A	11/2001
JP	2001-332832 A	11/2001
JP	2001/346775 A	12/2001
JP	2002/065647 A	3/2002
JP	2003/210402 A	7/2003
JP	2003/235813 A	8/2003
JP	2003/265425 A	9/2003
JP	2004-16659 A	1/2004
JP	2004/065832 A	3/2004
JP	2004/121549 A	4/2004
JP	2004258761 A	9/2004
JP	2005/013612 A	1/2005
JP	2005/110816 A	4/2005
JP	2005/111187 A	4/2005
JP	2005/143782 A	5/2005
JP	2005/168600 A	6/2005
JP	2005/266860 A	9/2005


JP 2006/061178 A 3/2006  
 JP 2006/066512 A 3/2006  
 JP 2006/122693 A 5/2006  
 KR 2003-195176 8/2002  
 KR 2005-292552 12/2004  
 RU 2000-337592 C1 6/1999  
 RU 2132204 6/1999  
 WO WO9001293 2/1990  
 WO WO9111137 8/1991  
 WO WO 91/15151 A1 10/1991  
 WO WO 91/18550 12/1991  
 WO WO 92/20273 11/1992  
 WO WO 95/06430 3/1995  
 WO WO9512349 5/1995  
 WO WO 96/15714 5/1996  
 WO WO 96/16591 A1 6/1996  
 WO WO 96/41138 A1 12/1996  
 WO WO 97/20494 6/1997  
 WO WO 97/20497 A1 6/1997  
 WO WO9817174 4/1998  
 WO WO9947039 9/1999  
 WO WO 99/63883 12/1999  
 WO WO0059374 10/2000  
 WO WO 00/78209 A1 12/2000  
 WO WO 01/01855 A1 1/2001  
 WO WO 01/17425 A2 3/2001

WO WO0176471 10/2001  
 WO WO 01/87224 A1 11/2001  
 WO WO 02/15784 A1 2/2002  
 WO WO 02/065901 A2 8/2002  
 WO WO 02/066977 A1 8/2002  
 WO WO 02/089664 11/2002  
 WO WO 02/089664 A2 11/2002  
 WO WO 03/026558 A2 4/2003  
 WO WO 03/057030 A1 7/2003  
 WO WO03071928 9/2003  
 WO WO 03/080152 A1 10/2003  
 WO WO 2004/030480 A1 4/2004  
 WO WO 2004/046673 A1 6/2004  
 WO WO 2004/084720 A2 10/2004  
 WO WO 2005/046466 A1 5/2005  
 WO WO 2005/079663 A1 9/2005  
 WO WO 2006/007231 1/2006  
 WO WO 2006/017117 A1 2/2006  
 WO WO 2006/021956 A2 3/2006  
 WO WO 2006/094108 A1 8/2006

OTHER PUBLICATIONS

U.S. Appl. No. 10/779,331, filed Feb. 13, 2004, Hannula et al.

\* cited by examiner






FIG. 2B





FIG. 2C






FIG. 3A




FIG. 3B




FIG. 3C




FIG. 3D




FIG. 3F




FIG. 3E

**HAT-BASED OXIMETER SENSOR****CROSS REFERENCE TO RELATED APPLICATIONS**

This application is a divisional of prior U.S. application Ser. No. 10/606,668, filed Jun. 25, 2003, the specification of which is incorporated by reference in its entirety.

**BACKGROUND OF THE INVENTION****Field of the Invention**

The present invention relates to optical oximeter sensors, and in particular to hat-based pulse oximeter sensors.

Many types of optical sensors are used to measure physiological characteristics of a patient. Typically, an optical sensor provides emitted light which is then scattered through a portion of a patient's tissue and detected. Various characteristics of a patient can be determined from analyzing such light, such as oxygen saturation, pulse rate, tissue bilirubin, etc.

Pulse oximetry is typically used to measure various blood flow characteristics including, but not limited to, the blood-oxygen saturation of hemoglobin in arterial blood, the volume of individual blood pulsations supplying the tissue, and the rate of blood pulsations corresponding to each heartbeat of a patient. Measurement of these characteristics has been accomplished by use of a non-invasive sensor which scatters light through a portion of the patient's tissue where blood perfuses the tissue, and photoelectrically senses the absorption of light in such tissue. The amount of light absorbed is then used to calculate the amount of blood constituent being measured.

The light scattered through the tissue is selected to be of one or more wavelengths that are absorbed by the blood in an amount representative of the amount of the blood constituent present in the blood. The amount of transmitted light scattered through the tissue will vary in accordance with the changing amount of blood constituent in the tissue and the related light absorption. For measuring blood oxygen level, such sensors have typically been provided with a light source that is adapted to generate light of at least two different wavelengths, and with photodetectors sensitive to both of those wavelengths, in accordance with known techniques for measuring blood oxygen saturation.

Known non-invasive sensors include devices that are secured to a portion of the body, such as a finger, an ear or the scalp. In animals and humans, the tissue of these body portions is perfused with blood and the tissue surface is readily accessible to the sensor.

Certain types of oximeter sensors are applied to a patient's forehead. To aid in the sensor's proper placement and the proper application of pressure by the sensor to the forehead site, some forehead sensors are maintained at the forehead site by either the assistance of an adhesive layer and/or a headband. While these approaches are helpful, there is still a need for an improved and easy way of placing, retaining, and locating the sensor on the forehead of its user.

**BRIEF SUMMARY OF THE INVENTION**

The present invention provides an oximeter sensor which will attach to a patient's forehead in an improved manner. In certain embodiments, the securing of the sensor to the fore-

head of the patient is achieved by attaching the sensor to the inside of hat which is worn by the patient when the sensor is in use.

In one embodiment, the present invention is an oximeter sensor, having: a substrate having a shape similar to a shape of at least a portion of a patient's forehead and including a section adapted to substantially fit over a portion of a forehead of a patient; an emitter disposed on the substrate at a position located on the section; and a detector disposed on the substrate at a distance from the emitter.

In one embodiment, the substrate is resilient and has a shape conformable to the forehead of a patient.

In one embodiment, the substrate includes an adhesive layer for adhering to the forehead of a patient.

In one embodiment, a hat is used for holding the sensor against the patient's forehead.

In one embodiment, the substrate is adhered to the inside of said hat.

In one embodiment, the substrate is adhesively attached to the inside of the hat. Alternately, the substrate is sewn into the hat.

In another embodiment, the present invention provides a method for determination of a blood characteristic, including: applying an emitter and a detector to spaced-apart positions on a forehead of a patient in the lower forehead region, above the eyebrow, with both the detector and the emitter placed above and predominantly lateral of the iris; securing the emitter and detector to the patient; emitting electromagnetic radiation with the emitter; detecting electromagnetic radiation scattered by the tissues of the forehead by the detector and producing a detector signal; and determining a blood characteristic in the patient from the detector signal.

In one embodiment, the securing of the emitter and the detector to the patient's forehead is achieved by attaching the emitter and the detector to an inside of a hat, and placing the hat on the head of the patient.

For a further understanding of the nature and advantages of the present invention, reference should be made to the following description in conjunction with the accompanying drawings.

**BRIEF DESCRIPTION OF THE DRAWINGS**

FIG. 1A is a top view of an embodiment of the sensor in accordance with the present disclosure with the face layer removed that can be placed within a hat or cap.

FIG. 1B is an internal cross-sectional view of an embodiment of the sensor in accordance with the present disclosure.

FIG. 1C is a top view of an embodiment of the face layer of the sensor in accordance with the present disclosure.

FIG. 1D is a top view of an embodiment of the back layer of the sensor in accordance with the present disclosure.

FIG. 1E is a perspective view of an embodiment of the sensor in accordance with the present disclosure placed within a hat.

FIG. 2A is a perspective view of a stocking hat, with an embodiment of the sensor in accordance with the present disclosure shown mounted in the hat.

FIG. 2B is a top view of an embodiment of the sensor in accordance with the present disclosure.

FIG. 2C is a partial cross-sectional view of an embodiment of the sensor in accordance with the present disclosure mounted in the hat.

FIG. 3A is a top view of an embodiment of the flex circuit of the sensor in accordance with the present disclosure.

FIG. 3B is a top view of an embodiment of the top layer of the sensor in accordance with the present disclosure.

FIG. 3C is a top view of an embodiment of the face layer of the sensor in accordance with the present disclosure.

FIG. 3D is a side view of an embodiment of the flex circuit of the sensor in accordance with the present disclosure.

FIG. 3E is a top view of an embodiment of the sensor in accordance with the present disclosure with the top layer removed.

FIG. 3F is an internal view of an embodiment of the sensor in accordance with the present disclosure.

#### DETAILED DESCRIPTION OF THE INVENTION

The embodiments of the present invention are directed towards configuring a reflectance-type oximeter sensor for placement in a hat in order to provide a relatively easy means of placing, retaining, and locating the sensor on the forehead of the user. With regard to the location of the sensor on the patient's forehead, it is preferred to have the sensor be located on the lower forehead region, above the eyebrow, with the sensor optics (emitter and detector) located above and predominantly lateral to or centered over the iris. The oximeter sensor can be attached to the inside band of a hat. The precise location of the reflectance sensor in the hat allows appropriate placement of the sensor in the optimal forehead location by a user not skilled in sensor placement. It has been found that the placement of a reflectance forehead sensor is a factor in the accurate determination of a blood flow characteristic, due to the vasculature of the forehead. In addition, it has been shown that having a certain amount of pressure on the forehead sensor can reduce the incidence of venous pulsations effects on the oximeter reading. The placement of the sensor in the band of the hat would minimize these issues, as the placement of a hat is fairly repeatable and predictable. A hat-based oximeter sensor as embodied by the present invention can be used on patients in clinical settings, or by athletes, soldiers, firemen, or in any environment where information related to a physiological parameter, such as heart rate or oxygen saturation information is desired.

FIG. 1A is a top view of an embodiment of a sensor 100 in accordance with the present disclosure with a face layer 112 removed that can be placed within a hat or cap. FIG. 1B shows the oximeter sensor 100 placed on a substrate 102, or face layer 112, that can be placed or adhered to the inside of a hat 104 as shown in FIG. 1E. As shown in FIG. 1E, the sensor 100, including the substrate 102, is arcuate both in three dimensions and in two dimensions. First, the substrate 102 may be conformable to a patient's forehead. In other words, the substrate 102 is arcuate in three dimensions to conform, for example, to the shape of the hat 104 placed on the patient's forehead. Second, as shown in the top views of FIGS. 1A and 1C, the substrate 102 is arcuate when flat against a planar surface in the absence of any restraining force. In other words, when the substrate 102 is flat in two dimensions, the substrate 102 has a curved shape. Moreover, the substrate 102 is not forced, held, conformed, or bent into an arcuate shape when flat, but is fabricated to remain arcuate without any external forces acting on the substrate 102. In the hat-based embodiment, the sensor uses an emitter 106, such as a light emitting diode (LED), containing two discrete wavelengths and a detector 108 placed more than 2 mm away, and ideally 10 mm-15 mm from the emitter. As shown in FIGS. 1A, 1C, and 1E, both the emitter 106 and the detector 108 are disposed to one side of an imaginary line 109 that bisects the substrate 102 through its arc. The substrate 102 can be black in order to minimize any shunting of light between sensor and patient skin. The sensor in a hat could be used in conjunction with a small, portable oximeter to allow mobility of the user during

activities. Similarly, the sensor could be incorporated into a headband. Alternately, it may be desirable to provide a sensor with adhesive backing that would allow the user to place the sensor in a hat of their choice. Also shown in FIGS. 1A and 1B is a cable 110 for providing drive current to the LED and for providing the detector signal to the oximeter. The cable provides the electrical connection to the monitor; it also provides power for the emitter, signal carrying conductors from the detector, and shielding to protect the small signals from the detector against external electrical interference.

In FIG. 1B, the sensor is shown in a multi-layer structure having the face layer 112. The face layer 112 is the surface that is placed against the patient's skin. The face material may have an adhesive layer such as an acrylic or synthetic rubber adhesive, or it may be without adhesive, and typically made from a foam PVC or foam polyurethane material. The face layer 112 is preferably black so as to minimize the incidence of reflected light that does not go through the tissue. As shown in FIGS. 1B and 1C, the face layer 112 includes two windows 114. The windows 114 are generally a clear component, such as for example, a thin film or a clear molded plastic component that makes contact with the skin. The thin film window may be a polyurethane or an acrylic adhesive on a polyester film. The intent of the window 114 is to provide an efficient optical coupling mechanism between the optical components (emitter and detector) and the skin. As shown in FIG. 1B, located above the face 114, is a Faraday shield 116. The Faraday shield 116 is a conductive material, for example, a copper film or copper mesh, that is electrically connected to the monitor ground to help shield the detector from extraneous electrical interference while passing light to the detector. Next located are the LED 106 and the detector 108. Above the LED and the detector is a mask layer 118, which may include more than one mask layer. The mask layer 118 is generally a thin film that is intended to block light from entering the back side of the sensor, or from traveling directly from emitter to detector (shunt light). The purpose of the mask layer 118 is to ensure that all of the light reaching the detector is light from the emitter that has traveled through the capillary bed. Above the mask layer 118 is the back layer 120, shown separately in FIG. 1D. The back or the top layer is the non-tissue contacting surface of the sensor. This layer may include a cosmetic finish for the sensor, which can be white with some printed artwork identifying the sensor. Typical materials may be Velcro loop, or soft PVC foam. In a case where the sensor is mounted inside a hat or cap, as shown in FIG. 1E, the top layer is sometimes referred to as the back layer. In this case, the back layer may include a double stick adhesive so that it can be mounted inside the hat.

FIG. 2A shows a top view of a stocking hat, with an embodiment of the sensor in accordance with the present disclosure shown mounted in the hat. This alternate embodiment of the present disclosure, is directed towards the placement of a small reflectance sensor 202 in a stocking cap or beanie 204 as shown in FIG. 2C. FIGS. 2B and 2C show the sensor carrier layer 202 holding an LED 206 and a detector 208 and a cable 210, similar to the ones described above in conjunction with FIGS. 1A-1E. This embodiment may be used for neonates. This embodiment would allow easy placement of a sensor on the forehead of a patient while applying a predictable pressure on the sensor. The sensor in a hat also resolves a concern about the cosmetic appearance of having a sensor on the forehead of the patient. A sensor in a stocking cap is much more acceptable to a parent than having a sensor located on the forehead. Depending on the tension of the stocking cap, provided by its own stretchiness or by an adjustable integral headband strap, the sensor may have a light tack

5

adhesive, or no adhesive at all. The lack of an adhesive layer is a desirable feature, especially on neonates as adhesives may sometimes leave visible damage to the fragile skin of a neonate.

FIG. 3E is a top view of an embodiment of the sensor in accordance with the present disclosure with the top layer removed. FIG. 3F shows that the sensor portion generally includes a face layer 302, a top layer 304 and a flex circuit 306 that is placed between the face and top layers. The top layer 304 is shown separately in FIG. 3B and the face layer 302 is shown separately in FIG. 3C. Also shown in FIG. 3E is a multi-layer unassembled view showing the relative positions of the face 302, flex circuit 306, a cable 308 and the top layer 304. The flex circuit layer 306 holds the emitter (LED) 310 and the detector 312 as well as the mask layer 314 and Faraday shield as described above. FIG. 3D shows a side view of the flex circuit 306. As shown in FIG. 3A, the flex circuit 306 also has several holes 316 to allow for electrical connections between the leads in the cable and the LED and the detector.

As will be understood by those skilled in the art, the present invention may be embodied in other specific forms without departing from the essential characteristics thereof. For example, the sensor may include adhesive layers for adhering to the inside of a hat or the user's skin, or that the sensor may be sewn into the hat. These other embodiments are intended to be included within the scope of the present invention, which is set forth in the following claims.

What is claimed is:

1. A pulse oximetry sensor adapted for use on a patient's forehead comprising:

a substrate conformable to a patient's forehead, wherein the substrate is arcuate when placed flat upon a planar surface in the absence of any restraining force;

an emitter disposed on the substrate; and  
a detector disposed on the substrate, wherein both the emitter and the detector are disposed to one side of an imaginary line that bisects the substrate through its arc.

2. The sensor of claim 1, comprising a hat or cap, wherein the substrate is associated with the hat or cap and configured to be positioned on the patient in a predetermined position.

3. The sensor of claim 2, wherein the predetermined position comprises a lower forehead region.

4. The sensor of claim 2, wherein the predetermined position comprises a position substantially centering the emitter and the detector above the patient's iris.

5. The sensor of claim 2, wherein the predetermined position comprises a position wherein the emitter and the detector are lateral to the patient's iris.

6

6. The sensor of claim 1, wherein the substrate comprises an adhesive layer adapted to contact the patient's forehead.

7. The sensor of claim 1, wherein the emitter comprises at least one light emitting diode.

8. The sensor of claim 1, wherein the detector comprises at least one photodetector.

9. The sensor of claim 1, wherein the emitter and detector are disposed asymmetrically on the substrate in relation to one another.

10. The sensor of claim 1, comprising a cable disposed on the substrate.

11. A method of manufacturing a pulse oximetry sensor comprising:

providing a substrate conformable to a patient's forehead, wherein the substrate is arcuate when placed flat upon a planar surface in the absence of any restraining force; providing an emitter disposed on the substrate; and providing a detector disposed on the substrate, wherein both the emitter and the detector are disposed to one side of an imaginary line that bisects the substrate through its arc.

12. The method of claim 11, comprising configuring the substrate to be positioned on the patient in a predetermined position, wherein the substrate is associated with a hat or cap.

13. The method of claim 12, wherein the predetermined position comprises a lower forehead region.

14. The method of claim 12, wherein the predetermined position comprises a position substantially centering the emitter and the detector above the patient's iris.

15. The method of claim 12, wherein the predetermined position comprises a position wherein the emitter and the detector are lateral to the patient's iris.

16. The method of claim 11, comprising providing the substrate having an adhesive layer adapted to contact the patient's forehead.

17. The method of claim 11, wherein the emitter comprises at least one light emitting diode.

18. The method of claim 11, wherein the detector comprises at least one photodetector.

19. The method of claim 11, wherein the emitter and detector are disposed asymmetrically on the substrate in relation to one another.

20. The method of claim 11, comprising providing a cable disposed on the substrate.

\* \* \* \* \*

专利名称(译)	基于帽子的血氧计传感器		
公开(公告)号	<a href="#">US7979102</a>	公开(公告)日	2011-07-12
申请号	US11/358868	申请日	2006-02-21
[标]申请(专利权)人(译)	HANNULA DON MANNHEIMER PAUL		
申请(专利权)人(译)	HANNULA DON MANNHEIMER PAUL		
当前申请(专利权)人(译)	COVIDIEN LP		
[标]发明人	HANNULA DON MANNHEIMER PAUL		
发明人	HANNULA, DON MANNHEIMER, PAUL		
IPC分类号	A61B5/1455 A61B5/00		
CPC分类号	A61B5/14552 A61B5/6804 A61B5/6814 A61B5/6833 A61B5/14553 A61B2503/06		
其他公开文献	US20060195028A1		
外部链接	<a href="#">Espacenet</a> <a href="#">USPTO</a>		

摘要(译)

一种使用方法和改进的血氧计传感器基板，其符合患者前额的形状。在一个实施例中，本发明是一种血氧计传感器，其具有基板，该基板的形状类似于患者前额的至少一部分的形状，并且包括适于基本上配合在患者前额的一部分上的部分；发射器，设置在基板上位于该部分上的位置；探测器设置在距离发射器一定距离的基板上。在一个实施例中，基板包括帽子，该帽子以间隔开的方式将发射器和检测器保持在患者的前额上。

