



US008433383B2

(12) **United States Patent**  
**O'Neil et al.**

(10) **Patent No.:** **US 8,433,383 B2**  
 (45) **Date of Patent:** **\*Apr. 30, 2013**

(54) **STACKED ADHESIVE OPTICAL SENSOR**

(56) **References Cited**

(75) Inventors: **Michael Patrick O'Neil**, Sunnyvale, CA (US); **Paul Mannheimer**, Danville, CA (US); **Rodney Chin**, Oakland, CA (US); **Adnan Merchant**, Fremont, CA (US); **Joseph Coakley**, Dublin, CA (US); **Don Hannula**, San Luis Obispo, CA (US)

**U.S. PATENT DOCUMENTS**

3,721,813 A 3/1973 Condon et al.  
 4,321,930 A 3/1982 Jobsis et al.

(Continued)

**FOREIGN PATENT DOCUMENTS**

DE 3516338 11/1986  
 DE 3703458 8/1988

(Continued)

**OTHER PUBLICATIONS**

Faisst, Karin, et al.; "Intrapartum Reflectance Pulse Oximetry: Effects of Sensor Location and Fixation Duration on Oxygen Saturation Readings," Journal of Clinical Monitoring, vol. 13, pp. 299-302 (1997).

(Continued)

(73) Assignee: **Covidien LP**, Mansfield, MA (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 2033 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **11/482,258**

(22) Filed: **Jul. 7, 2006**

(65) **Prior Publication Data**

US 2006/0276700 A1 Dec. 7, 2006

**Related U.S. Application Data**

(63) Continuation of application No. 10/831,706, filed on Apr. 23, 2004, now Pat. No. 7,113,815, which is a continuation of application No. 10/256,245, filed on Sep. 25, 2002, now Pat. No. 6,748, 254.

(60) Provisional application No. 60/328,924, filed on Oct. 12, 2001.

(51) **Int. Cl.**  
**A61B 5/1455** (2006.01)

(52) **U.S. Cl.**  
 USPC ..... **600/323; 600/310; 600/322; 600/344**

(58) **Field of Classification Search** ..... **600/310, 600/322, 323, 324, 326, 340, 344; 356/41**  
 See application file for complete search history.

*Primary Examiner* — Eric Winakur


*Assistant Examiner* — Chu Chuan (JJ) Liu

(74) *Attorney, Agent, or Firm* — Fletcher Yoder

(57) **ABSTRACT**

An optical sensor having a cover layer, an emitter disposed on a first side of the cover, a detector disposed on the first side of said cover, and a plurality of stacked independent adhesive layers disposed on the same first side of the cover, wherein the top most exposed adhesive layer is attached to a patient's skin. Thus, when the sensor is removed to perform a site check of the tissue location, one of the adhesive layers may also be removed and discarded, exposing a fresh adhesive surface below for reattachment to a patient's skin. The independent pieces of the adhesive layers can be serially used to extend the useful life of the product.

**21 Claims, 4 Drawing Sheets**



## U.S. PATENT DOCUMENTS

4,380,240 A	4/1983	Jobsis et al.	5,089,880 A *	2/1992	Meyer et al. .... 257/692
4,494,550 A	1/1985	Blazek et al.	5,090,410 A	2/1992	Saper et al.
4,510,938 A	4/1985	Jobsis et al.	5,094,239 A	3/1992	Jaeb et al.
4,586,513 A	5/1986	Hamaguri	5,094,240 A	3/1992	Muz
4,603,700 A	8/1986	Nichols et al.	5,099,841 A	3/1992	Heinonen et al.
4,621,643 A	11/1986	New, Jr. et al.	5,099,842 A	3/1992	Mannheimer et al.
4,653,498 A	3/1987	New, Jr. et al.	H1039 H	4/1992	Tripp et al.
4,685,464 A	8/1987	Goldberger et al.	5,104,623 A	4/1992	Miller
4,694,833 A	9/1987	Hamaguri	5,109,849 A	5/1992	Goodman et al.
4,697,593 A	10/1987	Evans et al.	5,111,817 A	5/1992	Clark et al.
4,700,708 A	10/1987	New, Jr. et al.	5,113,861 A	5/1992	Rother
4,714,080 A	12/1987	Edgar, Jr. et al.	5,125,403 A	6/1992	Culp
4,714,341 A	12/1987	Hamaguri et al.	5,127,406 A	7/1992	Yamaguchi
4,759,369 A	7/1988	Taylor	5,131,391 A	7/1992	Sakai et al.
4,770,179 A	9/1988	New, Jr. et al.	5,140,989 A	8/1992	Lewis et al.
4,773,422 A	9/1988	Isaacson et al.	5,152,296 A	10/1992	Simons
4,776,339 A	10/1988	Schreiber	5,154,175 A	10/1992	Gunther
4,781,195 A	11/1988	Martin	5,158,082 A	10/1992	Jones
4,796,636 A	1/1989	Branstetter et al.	5,170,786 A	12/1992	Thomas et al.
4,800,495 A	1/1989	Smith	5,188,108 A	2/1993	Secker et al.
4,800,885 A	1/1989	Johnson	5,190,038 A	3/1993	Polson et al.
4,802,486 A	2/1989	Goodman et al.	5,193,542 A	3/1993	Missanelli et al.
4,805,623 A	2/1989	Jöbsis	5,193,543 A	3/1993	Yelderman
4,807,630 A	2/1989	Malinouskas	5,203,329 A	4/1993	Takatani et al.
4,807,631 A	2/1989	Hersh et al.	5,209,230 A	5/1993	Swedlow et al.
4,819,646 A	4/1989	Cheung et al.	5,213,099 A	5/1993	Tripp et al.
4,819,752 A	4/1989	Zelin	5,216,598 A	6/1993	Branstetter et al.
4,824,242 A	4/1989	Frick et al.	5,217,012 A	6/1993	Young et al.
4,825,872 A	5/1989	Tan et al.	5,217,013 A	6/1993	Lewis et al.
4,825,879 A	5/1989	Tan et al.	5,218,962 A	6/1993	Mannheimer et al.
4,830,014 A	5/1989	Goodman et al.	5,224,478 A	7/1993	Sakai et al.
4,832,484 A	5/1989	Aoyagi et al.	5,226,417 A	7/1993	Swedlow et al.
4,846,183 A	7/1989	Martin	5,228,440 A	7/1993	Chung et al.
4,848,901 A	7/1989	Hood, Jr.	5,237,994 A	8/1993	Goldberger
4,854,699 A	8/1989	Edgar, Jr.	5,239,185 A	8/1993	Ito et al.
4,859,056 A	8/1989	Prosser et al.	5,246,002 A	9/1993	Prosser
4,859,057 A	8/1989	Taylor et al.	5,246,003 A	9/1993	DeLonzor
4,863,265 A	9/1989	Flower et al.	5,247,931 A	9/1993	Norwood
4,865,038 A	9/1989	Rich et al.	5,247,932 A	9/1993	Chung et al.
4,867,557 A	9/1989	Takatani et al.	5,249,576 A	10/1993	Goldberger et al.
4,869,253 A	9/1989	Craig, Jr. et al.	5,253,645 A	10/1993	Friedman et al.
4,869,254 A	9/1989	Stone et al.	5,253,646 A	10/1993	Delpy et al.
4,880,304 A	11/1989	Jaeb et al.	5,259,381 A	11/1993	Cheung et al.
4,883,055 A	11/1989	Merrick	5,259,761 A	11/1993	Schnettler et al.
4,883,353 A	11/1989	Hausman et al.	5,263,244 A	11/1993	Centa et al.
4,890,619 A	1/1990	Hatschek	5,267,562 A	12/1993	Ukawa et al.
4,892,101 A	1/1990	Cheung et al.	5,267,563 A	12/1993	Swedlow et al.
4,901,238 A	2/1990	Suzuki et al.	5,273,036 A	12/1993	Kronberg et al.
4,908,762 A	3/1990	Suzuki et al.	5,275,159 A	1/1994	Griebel
4,911,167 A	3/1990	Corenman et al.	5,279,295 A	1/1994	Martens et al.
4,913,150 A	4/1990	Cheung et al.	5,285,783 A	2/1994	Secker
4,926,867 A	5/1990	Kanda et al.	5,285,784 A	2/1994	Seeker
4,927,264 A	5/1990	Shiga et al.	5,287,853 A	2/1994	Vester et al.
4,928,692 A	5/1990	Goodman et al.	5,291,884 A	3/1994	Heinemann et al.
4,934,372 A	6/1990	Corenman et al.	5,297,548 A	3/1994	Pologe
4,938,218 A	7/1990	Goodman et al.	5,299,120 A	3/1994	Kaestle
4,942,877 A	7/1990	Sakai et al.	5,299,570 A	4/1994	Hatschek
4,948,248 A	8/1990	Lehman	5,309,908 A	5/1994	Friedman et al.
4,955,379 A	9/1990	Hall	5,311,865 A	5/1994	Mayeux
4,960,126 A	10/1990	Conlon et al.	5,313,940 A	5/1994	Fuse et al.
4,964,408 A	10/1990	Hink et al.	5,323,776 A	6/1994	Blakeley et al.
4,971,062 A	11/1990	Hasebe et al.	5,329,922 A	7/1994	Atlee, III
4,974,591 A	12/1990	Awazu et al.	5,337,744 A	8/1994	Branigan
5,007,423 A	4/1991	Branstetter et al.	5,339,810 A	8/1994	Ivers et al.
5,025,791 A	6/1991	Niwa	5,343,818 A	9/1994	McCarthy et al.
RE33,643 E	7/1991	Isaacson et al.	5,343,869 A	9/1994	Pross et al.
5,028,787 A	7/1991	Rosenthal et al.	5,348,003 A	9/1994	Caro
5,035,243 A	7/1991	Muz	5,348,004 A	9/1994	Hollub et al.
5,040,539 A	8/1991	Schmitt et al.	5,349,519 A	9/1994	Kaestle
5,054,488 A	10/1991	Muz	5,349,952 A	9/1994	McCarthy et al.
5,055,671 A	10/1991	Jones	5,349,953 A	9/1994	McCarthy et al.
5,058,588 A	10/1991	Kaestle	5,351,685 A	10/1994	Potratz
5,065,749 A	11/1991	Hasebe et al.	5,353,799 A	10/1994	Chance
5,066,859 A	11/1991	Karkar et al.	5,355,880 A	10/1994	Thomas et al.
5,069,213 A	12/1991	Polczynski	5,355,882 A	10/1994	Ukawa et al.
5,078,136 A	1/1992	Stone et al.	5,361,758 A	11/1994	Hall et al.
5,084,327 A	1/1992	Stengel	5,365,066 A	11/1994	Krueger, Jr. et al.
5,088,493 A	2/1992	Giannini et al.	5,368,025 A	11/1994	Young et al.
			5,368,026 A	11/1994	Swedlow et al.

5,368,224 A	11/1994	Richardson et al.	5,638,593 A	6/1997	Gerhardt et al.
5,372,136 A	12/1994	Steuer et al.	5,638,818 A	6/1997	Diab et al.
5,377,675 A	1/1995	Ruskewicz et al.	5,645,060 A	7/1997	Yorkey et al.
5,385,143 A	1/1995	Aoyagi	5,645,440 A	7/1997	Tobler et al.
5,387,122 A	2/1995	Goldberger et al.	5,660,567 A	8/1997	Nierlich et al.
5,390,670 A	2/1995	Centa et al.	5,662,105 A	9/1997	Tien
5,392,777 A	2/1995	Swedlow et al.	5,662,106 A	9/1997	Swedlow et al.
5,398,680 A	3/1995	Polson et al.	5,666,952 A	9/1997	Fuse et al.
5,402,777 A	4/1995	Warring et al.	5,671,529 A	9/1997	Nelson
5,411,023 A	5/1995	Morris, Sr. et al.	5,673,692 A	10/1997	Schulze et al.
5,411,024 A	5/1995	Thomas et al.	5,673,693 A	10/1997	Solenberger
5,413,099 A	5/1995	Schmidt et al.	5,676,139 A	10/1997	Goldberger et al.
5,413,100 A	5/1995	Barthelemy et al.	5,676,141 A	10/1997	Hollub
5,413,101 A	5/1995	Sugiura	5,678,544 A	10/1997	DeLonzor et al.
5,413,102 A	5/1995	Schmidt et al.	5,680,857 A	10/1997	Pelikan et al.
5,417,207 A	5/1995	Young et al.	5,685,299 A	11/1997	Diab et al.
5,421,329 A	6/1995	Casciani et al.	5,685,301 A	11/1997	Klomhaus
5,425,360 A	6/1995	Nelson	5,687,719 A	11/1997	Sato et al.
5,425,362 A	6/1995	Siker et al.	5,687,722 A	11/1997	Tien et al.
5,427,093 A	6/1995	Ogawa et al.	5,692,503 A	12/1997	Kuenstner
5,429,128 A	7/1995	Cadell et al.	5,692,505 A	12/1997	Fouts
5,429,129 A	7/1995	Lovejoy et al.	5,709,205 A	1/1998	Bukta
5,431,159 A	7/1995	Baker et al.	5,713,355 A	2/1998	Richardson et al.
5,431,170 A	7/1995	Mathews	5,724,967 A	3/1998	Venkatachalam
5,437,275 A	8/1995	Amundsen et al.	5,727,547 A	3/1998	Levinson et al.
5,438,986 A	8/1995	Disch et al.	5,731,582 A	3/1998	West
5,448,991 A	9/1995	Polson et al.	D393,830 S	4/1998	Tobler et al.
5,452,717 A	9/1995	Branigan et al.	5,743,260 A	4/1998	Chung et al.
5,465,714 A	11/1995	Scheuing	5,743,263 A	4/1998	Baker, Jr.
5,469,845 A	11/1995	DeLonzor et al.	5,746,206 A	5/1998	Mannheimer
RE35,122 E	12/1995	Corenman et al.	5,746,697 A	5/1998	Swedlow et al.
5,474,065 A	12/1995	Meathrel et al.	5,752,914 A	5/1998	Delonzor et al.
5,482,034 A	1/1996	Lewis et al.	5,755,226 A	5/1998	Carim et al.
5,482,036 A	1/1996	Diab et al.	5,758,644 A	6/1998	Diab et al.
5,483,646 A	1/1996	Uchikoga	5,760,910 A	6/1998	Lepper, Jr. et al.
5,485,847 A	1/1996	Baker, Jr.	5,766,125 A	6/1998	Aoyagi et al.
5,490,505 A	2/1996	Diab et al.	5,766,127 A	6/1998	Pologe et al.
5,490,523 A	2/1996	Isaacson et al.	5,769,785 A	6/1998	Diab et al.
5,491,299 A	2/1996	Naylor et al.	5,772,587 A	6/1998	Gratton et al.
5,494,032 A	2/1996	Robinson et al.	5,774,213 A	6/1998	Trebino et al.
5,497,771 A	3/1996	Rosenheimer	5,776,058 A	7/1998	Levinson et al.
5,499,627 A	3/1996	Steuer et al.	5,776,059 A	7/1998	Kaestle
5,503,148 A	4/1996	Pologe et al.	5,779,630 A	7/1998	Fein et al.
5,505,199 A	4/1996	Kim	5,779,631 A	7/1998	Chance
5,507,286 A	4/1996	Solenberger	5,782,237 A	7/1998	Casciani et al.
5,511,546 A	4/1996	Hon	5,782,756 A	7/1998	Mannheimer
5,517,988 A	5/1996	Gerhard	5,782,757 A	7/1998	Diab et al.
5,520,177 A	5/1996	Ogawa et al.	5,782,758 A	7/1998	Ausec et al.
5,521,851 A	5/1996	Wei et al.	5,786,592 A	7/1998	Hök
5,522,388 A	6/1996	Ishikawa et al.	5,790,729 A	8/1998	Pologe et al.
5,524,617 A	6/1996	Mannheimer	5,792,052 A	8/1998	Isaacson et al.
5,529,064 A	6/1996	Rall et al.	5,795,292 A	8/1998	Lewis et al.
5,533,507 A	7/1996	Potratz et al.	5,797,841 A	8/1998	DeLonzor et al.
5,551,423 A	9/1996	Sugiura	5,800,348 A	9/1998	Kaestle
5,551,424 A	9/1996	Morrison et al.	5,800,349 A	9/1998	Isaacson et al.
5,553,614 A	9/1996	Chance	5,803,910 A	9/1998	Potratz
5,553,615 A	9/1996	Carim et al.	5,807,246 A	9/1998	Sakaguchi et al.
5,555,882 A	9/1996	Richardson et al.	5,807,247 A	9/1998	Merchant et al.
5,558,096 A	9/1996	Palatnik	5,807,248 A	9/1998	Mills
5,560,355 A	10/1996	Merchant et al.	5,810,723 A	9/1998	Aldrich
5,564,417 A	10/1996	Chance	5,810,724 A	9/1998	Gronvall
5,575,284 A	11/1996	Athan et al.	5,813,980 A	9/1998	Levinson et al.
5,575,285 A	11/1996	Takanashi et al.	5,817,008 A	10/1998	Rafert et al.
5,577,500 A	11/1996	Potratz	5,817,009 A	10/1998	Rosenheimer et al.
5,582,169 A	12/1996	Oda et al.	5,817,010 A	10/1998	Hibl
5,584,296 A	12/1996	Cui et al.	5,818,985 A	10/1998	Merchant et al.
5,588,425 A	12/1996	Sackner et al.	5,820,550 A	10/1998	Polson et al.
5,588,427 A	12/1996	Tien	5,823,950 A	10/1998	Diab et al.
5,590,652 A	1/1997	Inai	5,823,952 A	10/1998	Levinson et al.
5,595,176 A	1/1997	Yamaura	5,827,182 A	10/1998	Raley et al.
5,596,986 A	1/1997	Goldfarb	5,830,135 A	11/1998	Bosque et al.
5,611,337 A	3/1997	Bukta	5,830,136 A	11/1998	DeLonzor et al.
5,617,852 A	4/1997	MacGregor	5,830,137 A	11/1998	Scharf
5,619,992 A	4/1997	Guthrie et al.	5,839,439 A	11/1998	Nierlich et al.
5,626,140 A	5/1997	Feldman et al.	RE36,000 E	12/1998	Swedlow et al.
5,630,413 A	5/1997	Thomas et al.	5,842,979 A	12/1998	Jarman et al.
5,632,272 A	5/1997	Diab et al.	5,842,981 A	12/1998	Larsen et al.
5,632,273 A	5/1997	Suzuki	5,842,982 A	12/1998	Mannheimer
5,634,459 A	6/1997	Gardosi	5,846,190 A	12/1998	Woehrl

5,851,178 A	12/1998	Aronow	6,088,607 A	7/2000	Diab et al.
5,851,179 A	12/1998	Ritson et al.	6,094,592 A	7/2000	Yorkey et al.
5,853,364 A	12/1998	Baker, Jr. et al.	6,095,974 A	8/2000	Shemwell et al.
5,860,919 A	1/1999	Kiani-Azarbayjany et al.	6,104,938 A	8/2000	Huiku et al.
5,865,736 A	2/1999	Baker, Jr. et al.	6,112,107 A	8/2000	Hannula
5,871,442 A	2/1999	Madarasz et al.	6,113,541 A	9/2000	Dias et al.
5,879,294 A	3/1999	Anderson et al.	6,115,621 A	9/2000	Chin
5,879,373 A	3/1999	Roper et al.	6,122,535 A	9/2000	Kaestle et al.
5,885,213 A	3/1999	Richardson et al.	6,133,994 A	10/2000	Mathews et al.
5,890,929 A	4/1999	Mills et al.	6,135,952 A	10/2000	Coetzee
5,891,021 A	4/1999	Dillon et al.	6,144,444 A	11/2000	Haworth et al.
5,891,022 A	4/1999	Pologe	6,144,867 A	11/2000	Walker et al.
5,891,024 A	4/1999	Jarman et al.	6,144,868 A	11/2000	Parker
5,891,025 A	4/1999	Buschmann et al.	6,149,481 A	11/2000	Wang et al.
5,891,026 A	4/1999	Wang et al.	6,150,951 A	11/2000	Olejniczak
5,902,235 A	5/1999	Lewis et al.	6,151,107 A	11/2000	Schöllermann et al.
5,910,108 A	6/1999	Solenberger	6,151,518 A	11/2000	Hayashi
5,911,690 A	6/1999	Rall	6,152,754 A	11/2000	Gerhardt et al.
5,912,656 A	6/1999	Tham et al.	6,154,667 A	11/2000	Miura et al.
5,913,819 A	6/1999	Taylor et al.	6,157,850 A	12/2000	Diab et al.
5,916,154 A	6/1999	Hobbs et al.	6,163,715 A	12/2000	Larsen et al.
5,916,155 A	6/1999	Levinson et al.	6,165,005 A	12/2000	Mills et al.
5,919,133 A	7/1999	Taylor et al.	6,173,196 B1	1/2001	Delonzor et al.
5,919,134 A	7/1999	Diab	6,178,343 B1	1/2001	Bindzus et al.
5,920,263 A	7/1999	Huttenhoff et al.	6,181,958 B1	1/2001	Steuer et al.
5,921,921 A	7/1999	Potratz et al.	6,181,959 B1	1/2001	Schöllermann et al.
5,922,607 A	7/1999	Bernreuter	6,184,521 B1	2/2001	Coffin, IV et al.
5,924,979 A	7/1999	Swedlow et al.	6,188,470 B1	2/2001	Grace
5,924,980 A	7/1999	Coetzee	6,192,260 B1	2/2001	Chance
5,924,982 A	7/1999	Chin	6,195,575 B1	2/2001	Levinson
5,924,985 A	7/1999	Jones	6,198,951 B1	3/2001	Kosuda et al.
5,934,277 A	8/1999	Mortz	6,206,830 B1	3/2001	Diab et al.
5,934,925 A	8/1999	Tobler et al.	6,213,952 B1	4/2001	Finarov et al.
5,940,182 A	8/1999	Lepper, Jr. et al.	6,217,523 B1	4/2001	Amano et al.
5,954,644 A	9/1999	Dettling et al.	6,222,189 B1	4/2001	Misner et al.
5,960,610 A	10/1999	Levinson et al.	6,226,539 B1	5/2001	Potratz
5,961,450 A	10/1999	Merchant et al.	6,226,540 B1	5/2001	Bernreuter et al.
5,961,452 A	10/1999	Chung et al.	6,229,856 B1	5/2001	Diab et al.
5,964,701 A	10/1999	Asada et al.	6,230,035 B1	5/2001	Aoyagi et al.
5,971,930 A	10/1999	Elghazzawi	6,233,470 B1	5/2001	Tsuchiya
5,978,691 A	11/1999	Mills	6,236,871 B1	5/2001	Tsuchiya
5,978,693 A	11/1999	Hamilton et al.	6,236,872 B1	5/2001	Diab et al.
5,983,122 A	11/1999	Jarman et al.	6,240,305 B1	5/2001	Tsuchiya
5,987,343 A	11/1999	Kinast	6,253,097 B1	6/2001	Aronow et al.
5,991,648 A	11/1999	Levin	6,253,098 B1	6/2001	Walker et al.
5,995,855 A	11/1999	Kiani et al.	6,256,523 B1	7/2001	Diab et al.
5,995,856 A	11/1999	Mannheimer et al.	6,256,524 B1	7/2001	Walker et al.
5,995,858 A	11/1999	Kinast	6,261,236 B1	7/2001	Grimblatov
5,995,859 A	11/1999	Takahashi	6,263,221 B1	7/2001	Chance et al.
5,997,343 A	12/1999	Mills et al.	6,263,222 B1	7/2001	Diab et al.
5,999,834 A	12/1999	Wang et al.	6,263,223 B1	7/2001	Shepherd et al.
6,002,952 A	12/1999	Diab et al.	6,266,546 B1	7/2001	Steuer et al.
6,005,658 A	12/1999	Kaluza et al.	6,266,547 B1	7/2001	Walker et al.
6,006,120 A	12/1999	Levin	6,272,363 B1	8/2001	Casciani et al.
6,011,985 A	1/2000	Athan et al.	6,278,522 B1	8/2001	Lepper, Jr. et al.
6,011,986 A	1/2000	Diab et al.	6,280,213 B1	8/2001	Tobler et al.
6,014,576 A	1/2000	Raley et al.	6,280,381 B1	8/2001	Malin et al.
6,018,673 A	1/2000	Chin et al.	6,285,894 B1	9/2001	Oppelt et al.
6,018,674 A	1/2000	Aronow	6,285,895 B1	9/2001	Ristolainen et al.
6,022,321 A	2/2000	Amano et al.	6,285,896 B1	9/2001	Tobler et al.
6,023,541 A	2/2000	Merchant et al.	6,298,252 B1	10/2001	Kovach et al.
6,026,312 A	2/2000	Shemwell et al.	6,321,100 B1	11/2001	Parker
6,026,314 A	2/2000	Amerov et al.	6,343,224 B1	1/2002	Parker
6,031,603 A	2/2000	Fine et al.	6,349,228 B1	2/2002	Kiani et al.
6,035,223 A	3/2000	Baker, Jr.	6,351,658 B1	2/2002	Middleman et al.
6,036,642 A	3/2000	Diab et al.	6,353,750 B1	3/2002	Kimura et al.
6,041,247 A	3/2000	Weckstrom et al.	6,356,774 B1	3/2002	Bernstein et al.
6,044,283 A	3/2000	Fein et al.	6,360,113 B1	3/2002	Dettling
6,047,201 A	4/2000	Jackson, III	6,360,114 B1	3/2002	Diab et al.
6,061,584 A	5/2000	Lovejoy et al.	6,361,501 B1	3/2002	Amano et al.
6,064,898 A	5/2000	Aldrich	6,363,269 B1	3/2002	Hanna et al.
6,064,899 A	5/2000	Fein et al.	6,370,408 B1	4/2002	Merchant et al.
6,067,462 A	5/2000	Diab et al.	6,370,409 B1	4/2002	Chung et al.
6,073,038 A	6/2000	Wang et al.	6,374,129 B1	4/2002	Chin et al.
6,078,833 A	6/2000	Hueber	6,377,829 B1	4/2002	Al-Ali et al.
6,081,735 A	6/2000	Diab et al.	6,381,479 B1	4/2002	Norris
6,081,742 A	6/2000	Amano et al.	6,381,480 B1	4/2002	Stoddard et al.
6,083,157 A	7/2000	Noller	6,381,489 B1	4/2002	Ashibe
6,083,172 A	7/2000	Baker, Jr. et al.	6,385,471 B1	5/2002	Mortz

6,385,821	B1	5/2002	Modgil et al.	6,615,064	B1	9/2003	Aldrich
6,388,240	B2	5/2002	Schulz et al.	6,615,065	B1	9/2003	Barrett et al.
6,393,310	B1	5/2002	Kuenstner	6,618,602	B2	9/2003	Levin et al.
6,397,091	B2	5/2002	Diab et al.	6,622,034	B1	9/2003	Gorski et al.
6,397,092	B1	5/2002	Norris et al.	6,628,975	B1	9/2003	Fein et al.
6,397,093	B1	5/2002	Aldrich	6,631,281	B1	10/2003	Kästle
6,400,971	B1	6/2002	Finarov et al.	6,643,530	B2	11/2003	Diab et al.
6,400,972	B1	6/2002	Fine	6,643,531	B1	11/2003	Katarow
6,402,690	B1	6/2002	Rhee et al.	6,647,279	B2	11/2003	Pologe
6,408,198	B1	6/2002	Hanna et al.	6,647,280	B2	11/2003	Bahr et al.
6,411,832	B1	6/2002	Guthermann	6,650,917	B2	11/2003	Diab et al.
6,411,833	B1	6/2002	Baker, Jr. et al.	6,650,918	B2	11/2003	Terry
6,415,167	B1	7/2002	Blank et al.	6,654,621	B2	11/2003	Palatnik et al.
6,419,671	B1	7/2002	Lemberg	6,654,622	B1	11/2003	Eberhard et al.
6,421,549	B1	7/2002	Jacques	6,654,623	B1	11/2003	Kästle
6,430,423	B2	8/2002	DeLonzor et al.	6,654,624	B2	11/2003	Diab et al.
6,430,513	B1	8/2002	Wang et al.	6,658,276	B2	12/2003	Kiani et al.
6,430,525	B1	8/2002	Weber et al.	6,658,277	B2	12/2003	Wasserman
6,434,408	B1	8/2002	Heckel et al.	6,662,033	B2	12/2003	Casciani et al.
6,438,399	B1	8/2002	Kurth	6,665,551	B1	12/2003	Suzuki
6,449,501	B1	9/2002	Reuss	6,668,182	B2	12/2003	Hubelbank
6,453,183	B1	9/2002	Walker	6,668,183	B2	12/2003	Hicks et al.
6,453,184	B1	9/2002	Hyogo et al.	6,671,526	B1	12/2003	Aoyagi et al.
6,456,862	B2	9/2002	Benni	6,671,528	B2	12/2003	Steuer et al.
6,461,305	B1	10/2002	Schnall	6,671,530	B2	12/2003	Chung et al.
6,463,310	B1	10/2002	Swedlow et al.	6,671,531	B2	12/2003	Al-Ali et al.
6,463,311	B1	10/2002	Diab	6,671,532	B1	12/2003	Fudge et al.
6,466,808	B1	10/2002	Chin et al.	6,675,031	B1	1/2004	Porges et al.
6,466,809	B1	10/2002	Riley	6,678,543	B2	1/2004	Diab et al.
6,470,199	B1	10/2002	Kopotic et al.	6,681,126	B2	1/2004	Solenberger
6,470,200	B2	10/2002	Walker et al.	6,681,128	B2	1/2004	Steuer et al.
6,480,729	B2	11/2002	Stone	6,681,454	B2	1/2004	Modgil et al.
6,490,466	B1	12/2002	Fein et al.	6,684,090	B2	1/2004	Ali et al.
6,496,711	B1	12/2002	Athan et al.	6,684,091	B2	1/2004	Parker
6,498,942	B1	12/2002	Esenaliev et al.	6,694,160	B2	2/2004	Chin
6,501,974	B2	12/2002	Huiku	6,697,653	B2	2/2004	Hanna
6,501,975	B2	12/2002	Diab et al.	6,697,655	B2	2/2004	Sueppel et al.
6,505,060	B1	1/2003	Norris	6,697,656	B1	2/2004	Al-Ali
6,505,061	B2	1/2003	Larson	6,697,658	B2	2/2004	Al-Ali
6,505,133	B1	1/2003	Hanna et al.	6,699,194	B1	3/2004	Diab et al.
6,510,329	B2	1/2003	Heckel	6,699,199	B2	3/2004	Asada et al.
6,510,331	B1	1/2003	Williams et al.	6,701,170	B2	3/2004	Stetson
6,512,937	B2	1/2003	Blank et al.	6,702,752	B2	3/2004	Dekker
6,515,273	B2	2/2003	Al-Ali	6,707,257	B2	3/2004	Norris
6,519,484	B1	2/2003	Lovejoy et al.	6,708,049	B1	3/2004	Berson et al.
6,519,486	B1	2/2003	Edgar, Jr. et al.	6,709,402	B2	3/2004	Dekker
6,519,487	B1	2/2003	Parker	6,711,424	B1	3/2004	Fine et al.
6,525,386	B1	2/2003	Mills et al.	6,711,425	B1	3/2004	Reuss
6,526,300	B1	2/2003	Kiani et al.	6,714,803	B1	3/2004	Mortz
6,526,301	B2	2/2003	Larsen et al.	6,714,804	B2	3/2004	Al-Ali et al.
6,541,756	B2	4/2003	Schulz et al.	6,714,805	B2	3/2004	Jeon et al.
6,542,764	B1	4/2003	Al-Ali et al.	6,719,686	B2	4/2004	Coakley et al.
6,546,267	B1	4/2003	Sugiura et al.	6,719,705	B2	4/2004	Mills
6,553,241	B2	4/2003	Mannheimer et al.	6,720,734	B2	4/2004	Norris
6,553,242	B1	4/2003	Sarussi	6,721,584	B2	4/2004	Baker, Jr. et al.
6,553,243	B2	4/2003	Gurley	6,721,585	B1	4/2004	Parker
6,556,852	B1	4/2003	Schulze et al.	6,725,074	B1	4/2004	Kästle
6,560,470	B1	5/2003	Pologe	6,725,075	B2	4/2004	Al-Ali
6,564,077	B2	5/2003	Mortara	6,731,963	B2	5/2004	Finarov et al.
6,564,088	B1	5/2003	Soller et al.	6,731,967	B1	5/2004	Turcott
6,571,113	B1	5/2003	Fein et al.	6,735,459	B2	5/2004	Parker
6,571,114	B1	5/2003	Koike et al.	6,745,060	B2	6/2004	Diab et al.
6,574,491	B2	6/2003	Elghazzawi	6,745,061	B1	6/2004	Hicks et al.
6,580,086	B1	6/2003	Schulz et al.	6,748,253	B2	6/2004	Norris et al.
6,584,336	B1	6/2003	Ali et al.	6,748,254	B2	6/2004	O'Neil et al.
6,587,703	B2	7/2003	Cheng et al.	6,754,515	B1	6/2004	Pologe
6,587,704	B1	7/2003	Fine et al.	6,754,516	B2	6/2004	Mannheimer
6,589,172	B2	7/2003	Williams et al.	6,760,607	B2	7/2004	Al-Ali
6,591,122	B2	7/2003	Schmitt	6,760,609	B2	7/2004	Jacques
6,591,123	B2	7/2003	Fein et al.	6,760,610	B2	7/2004	Tschupp et al.
6,594,511	B2	7/2003	Stone et al.	6,763,255	B2	7/2004	DeLonzor et al.
6,594,512	B2	7/2003	Huang	6,763,256	B2	7/2004	Kimball et al.
6,594,513	B1	7/2003	Jobsis et al.	6,770,028	B1	8/2004	Ali et al.
6,597,931	B1	7/2003	Cheng et al.	6,771,994	B2	8/2004	Kiani et al.
6,597,933	B2	7/2003	Kiani et al.	6,773,397	B2	8/2004	Kelly
6,600,940	B1	7/2003	Fein et al.	6,778,923	B2	8/2004	Norris et al.
6,606,510	B2	8/2003	Swedlow et al.	6,780,158	B2	8/2004	Yarita
6,606,511	B1	8/2003	Ali et al.	6,791,689	B1	9/2004	Weckström
6,606,512	B2	8/2003	Muz et al.	6,792,300	B1	9/2004	Diab et al.

6,793,654	B2	9/2004	Lemberg	7,257,438	B2	8/2007	Kinast
6,801,797	B2	10/2004	Mannheimer et al.	7,272,425	B2	9/2007	Al-Ali
6,801,798	B2	10/2004	Geddes et al.	7,297,119	B2	11/2007	Westbrook et al.
6,801,799	B2	10/2004	Mendelson	7,341,559	B2	3/2008	Schulz et al.
6,801,802	B2	10/2004	Sitzman et al.	7,359,741	B2	4/2008	Sarussi
6,802,812	B1	10/2004	Walker et al.	7,435,222	B2	10/2008	Gopinathan
6,805,673	B2	10/2004	Dekker	2001/0021803	A1	9/2001	Blank et al.
6,810,277	B2	10/2004	Edgar, Jr. et al.	2001/0051767	A1	12/2001	Williams et al.
6,813,511	B2	11/2004	Diab et al.	2002/0016537	A1	2/2002	Muz et al.
6,816,741	B2	11/2004	Diab	2002/0026109	A1	2/2002	Diab et al.
6,819,950	B2	11/2004	Mills	2002/0028990	A1	3/2002	Shepherd et al.
6,822,564	B2	11/2004	Al-Ali	2002/0038078	A1	3/2002	Ito
6,825,619	B2	11/2004	Norris	2002/0042558	A1	4/2002	Mendelson
6,826,419	B2	11/2004	Diab et al.	2002/0068859	A1	6/2002	Knopp
6,829,496	B2	12/2004	Nagai et al.	2002/0103423	A1	8/2002	Chin
6,830,711	B2	12/2004	Mills et al.	2002/0128544	A1	9/2002	Diab et al.
6,836,679	B2	12/2004	Baker, Jr. et al.	2002/0133067	A1	9/2002	Jackson, III
6,839,579	B1	1/2005	Chin	2002/0156354	A1	10/2002	Larson
6,839,580	B2	1/2005	Zonios et al.	2002/0173706	A1	11/2002	Takatani
6,839,582	B2	1/2005	Heckel	2002/0173709	A1	11/2002	Fine et al.
6,839,583	B1	1/2005	Lewandowski et al.	2002/0190863	A1	12/2002	Lynn
6,839,659	B2	1/2005	Tarassenko et al.	2002/0198442	A1	12/2002	Rantala et al.
6,842,635	B1	1/2005	Parker	2003/0018243	A1	1/2003	Gerhardt et al.
6,845,256	B2	1/2005	Chin et al.	2003/0036690	A1	2/2003	Geddes et al.
6,850,787	B2	2/2005	Weber et al.	2003/0045785	A1	3/2003	Diab et al.
6,850,788	B2	2/2005	Al-Ali	2003/0069484	A1	4/2003	Blank et al.
6,850,789	B2	2/2005	Schweitzer, Jr. et al.	2003/0073889	A1	4/2003	Keilbach et al.
6,861,639	B2	3/2005	Al-Ali	2003/0100840	A1	5/2003	Sugiura et al.
6,863,652	B2	3/2005	Huang et al.	2003/0135099	A1	7/2003	Al-Ali
6,865,407	B2	3/2005	Kimball et al.	2003/0162414	A1	8/2003	Schulz et al.
6,873,865	B2	3/2005	Steuer	2003/0171662	A1	9/2003	O'Connor et al.
6,879,850	B2	4/2005	Kimball	2003/0176776	A1	9/2003	Huiku
6,882,874	B2	4/2005	Huiku	2003/0181799	A1	9/2003	Lindekugel et al.
6,889,153	B2	5/2005	Dietiker	2003/0187337	A1	10/2003	Tarassenko et al.
6,898,452	B2	5/2005	Al-Ali et al.	2003/0195402	A1	10/2003	Fein et al.
6,909,912	B2	6/2005	Melker et al.	2004/0006261	A1	1/2004	Swedlow et al.
6,912,413	B2	6/2005	Rantala et al.	2004/0010188	A1	1/2004	Wasserman et al.
6,916,289	B2	7/2005	Schnall	2004/0024297	A1	2/2004	Chen et al.
6,920,345	B2	7/2005	Al-Ali et al.	2004/0024326	A1	2/2004	Yeo et al.
6,931,269	B2	8/2005	Terry	2004/0054291	A1	3/2004	Schulz et al.
6,934,570	B2	8/2005	Kiani et al.	2004/0133088	A1	7/2004	Al-Ali et al.
6,939,307	B1	9/2005	Dunlop	2004/0138538	A1	7/2004	Stetson
6,941,162	B2	9/2005	Fudge et al.	2004/0138540	A1	7/2004	Baker, Jr. et al.
6,947,781	B2	9/2005	Asada et al.	2004/0143172	A1	7/2004	Fudge et al.
6,950,687	B2	9/2005	Al-Ali	2004/0147821	A1	7/2004	Al-Ali et al.
6,963,767	B2	11/2005	Rantala et al.	2004/0147822	A1	7/2004	Al-Ali et al.
6,971,580	B2	12/2005	DeLonzor et al.	2004/0147823	A1	7/2004	Kiani et al.
6,983,178	B2	1/2006	Fine et al.	2004/0147824	A1	7/2004	Diab et al.
6,985,763	B2	1/2006	Boas et al.	2004/0199063	A1	10/2004	O'Neil et al.
6,985,764	B2	1/2006	Mason et al.	2004/0260161	A1	12/2004	Melker et al.
6,990,426	B2	1/2006	Yoon et al.	2005/0043599	A1	2/2005	O'Mara
6,992,751	B2	1/2006	Al-Ali	2005/0043600	A1	2/2005	Diab et al.
6,992,772	B2	1/2006	Block et al.	2005/0163412	A1	7/2005	Glebov et al.
6,993,371	B2	1/2006	Kiani et al.	2006/0020179	A1	1/2006	Anderson et al.
6,993,372	B2	1/2006	Fine et al.	2006/0064024	A1	3/2006	Schnall
6,996,427	B2	2/2006	Ali et al.	2006/0089547	A1	4/2006	Sarussi
7,003,338	B2	2/2006	Weber et al.	2006/0200018	A1	9/2006	Al-Ali
7,003,339	B2	2/2006	Diab et al.	2006/0276700	A1	12/2006	O'Neil et al.
7,006,855	B1	2/2006	Sarussi	2007/0021659	A1	1/2007	DeLonzor et al.
7,006,856	B2	2/2006	Baker, Jr. et al.	2007/0021660	A1	1/2007	DeLonzor et al.
7,016,715	B2	3/2006	Stetson	2007/0021662	A1	1/2007	DeLonzor et al.
7,020,507	B2	3/2006	Scharf et al.	2007/0027378	A1	2/2007	DeLonzor et al.
7,024,233	B2	4/2006	Ali et al.	2007/0027379	A1	2/2007	DeLonzor et al.
7,024,235	B2	4/2006	Melker et al.	2007/0027380	A1	2/2007	DeLonzor et al.
7,025,728	B2	4/2006	Ito et al.	2008/0009691	A1	1/2008	Parker
7,027,849	B2	4/2006	Al-Ali et al.				
7,027,850	B2	4/2006	Wasserman				
7,035,697	B1	4/2006	Brown				
7,039,449	B2	5/2006	Al-Ali				
7,043,289	B2	5/2006	Fine et al.				
7,047,055	B2	5/2006	Boaz et al.				
7,047,056	B2	5/2006	Hannula et al.				
7,060,035	B2	6/2006	Wasserman et al.				
7,062,307	B2	6/2006	Norris et al.				
7,067,893	B2	6/2006	Mills et al.				
7,072,701	B2	7/2006	Chen et al.				
7,112,175	B2	9/2006	Gopinathan				
7,113,815	B2	9/2006	O'Neil et al.				
7,245,953	B1	7/2007	Parker				

## FOREIGN PATENT DOCUMENTS

DE	19632361	2/1997
EP	0127947	5/1984
EP	0204259	5/1986
EP	204459	12/1986
EP	430340	6/1991
EP	0531631	6/1992
EP	724860	8/1996
EP	0724860	8/1996
EP	1491135	12/2004
FR	2685865	7/1993
JP	2111343	4/1990
JP	3245042	10/1991

JP	5049625	3/1993
JP	6014906	1/1994
JP	6029504	4/1994
JP	6154177	6/1994
JP	6269430	9/1994
JP	6285048	10/1994
JP	7001273	1/1995
JP	7155311	6/1995
JP	7155313	6/1995
JP	7236625	9/1995
JP	7246191	9/1995
JP	10216115	8/1998
JP	10337282	12/1998
JP	20237170	9/2000
JP	2000237170	9/2000
JP	3116259	10/2000
JP	3116260	10/2000
JP	3134144	2/2001
JP	2002224088	8/2002
JP	23275192	9/2003
JP	2003275192	9/2003
JP	24089546	3/2004
JP	2004089546	3/2004
JP	2004248820	9/2004
JP	2004329406	11/2004
JP	2004329607	11/2004
JP	2004337605	12/2004
JP	2004344367	12/2004
JP	2004351107	12/2004
JP	26122693	5/2006
WO	WO8909566	10/1989
WO	WO9001293	2/1990
WO	WO9001293	2/1990
WO	WO9111137	8/1991
WO	WO9221281	12/1992
WO	WO9502358	1/1995
WO	WO9616591	6/1996
WO	WO9736536	10/1997
WO	WO98/57577	12/1998
WO	WO9947039	9/1999
WO	WO0028888	5/2000
WO	WO0059374	10/2000
WO	WO03039326	5/2003
WO	WO2005010567	2/2005
WO	WO2005010568	2/2005

## OTHER PUBLICATIONS

Izumi, Akio, et al.; "Accuracy and Utility of a New Reflectance Pulse Oximeter for Fetal Monitoring During Labor," *Journal of Clinical Monitoring*, vol. 13, pp. 103-108 (1997).

"Smaller Product, Tighter Tolerances Pose Dispensing Challenges for Medical Device Manufacturer," *Adhesives Age*, pp. 40-41 (Oct. 1997).

Crilly, Paul B., et al.; "An Integrated Pulse Oximeter System for Telemedicine Applications," *IEEE Instrumentation and Measurement Technology Conference*, Ottawa, Canada; May 19-21, 1997; pp. 102-104.

DeKock, Marc; "Pulse Oximetry Probe Adhesive Disks: a Potential for Infant Aspiration," *Anesthesiology*, vol. 89, pp. 1603-1604 (1998).

Rhee, Sokwoo, et al.; "The Ring Sensor: a New Ambulatory Wearable Sensor for Twenty-Four Hour Patient Monitoring," *Proceedings of the 20th annual International Conference of the IEEE Engineering in Medicine and Biology Society*, vol. 20, No. 4, pp. 1906-1919.

Yang, Boo-Ho, et al.; "A Twenty-Four Hour Tele-Nursing System Using a Ring Sensor," *Proceedings of the 1998 IEEE International Conference on Robotics & Automation*, Leaven, Belgium, May 1998; pp. 387-392.

König, Volker, et al.; "Reflectance Pulse Oximetry—Principles and Obstetric Application in the Zurich System," *Journal of Clinical Monitoring and Computing*, vol. 14, pp. 403-412 (1998).

Nogawa, Masamichi, et al.; "A Novel Hybrid Reflectance Pulse Oximeter Sensor with improved Linearity and General Applicability to Various Portions of the Body," *Proceedings of the 20th Annual International Conference of the IEEE Engineering in Medicine and Biology*, vol. 20.

Ferrell, T.L., et al.; "Medical Telesensors," *SPIE*, vol. 3253, pp. 193-198 (1998).

Ikeda, Kenji, et al.; "Improvement of Photo-Electric Plethysmograph Applying Newly Developed Opto-Electronic Devices," *IEEE Tencon*, pp. 1109-1112 (1999).

Yang, Boo-Ho, et al.; "Development of the ring sensor for healthcare automation," *Robotics and Autonomous Systems*, vol. 30, pp. 273-281 (2000).

Rhee, Sokwoo, et al.; "Artifact-Resistant, Power-Efficient Design of Finger-Ring Plethysmographic Sensor—Part I: Design and Analysis," *Proceedings of the 22nd Annual EMBS International Conference*, Chicago, Illinois; Jul. 23-28, 2000; pp. 2792-2795.

Rhee, Sokwoo, et al.; "Artifact-Resistant, Power-Efficient Design of Finger-Ring Plethysmographic Sensor—Part II: Prototyping and Benchmarking," *Proceedings of the 22nd Annual EMBS International Conference*, Chicago, Illinois; Jul. 23-28, 2000; pp. 2796.

Nijland, Mark J.M., et al.; "Assessment of fetal scalp oxygen saturation determination in the sheep by transmission pulse oximetry," *Am. J. Obstet Gynecol.*, vol. 183, No. 6, pp. 1549-1553 (Dec. 2000).

Schulz, Christian Eric; "Design of a Pulse Oximetry Sensor Housing Assembly," California State University Master's Thesis, *UMI Dissertation Services*, UMI No. 1401306, (May 2000) 63 pages.

Yokota, Nakaura, Takahashi, et al.; "Pilot Model of a Reflectance-Type Pulse Oximeter for Pre-hospital Evaluation," *Journal of the Japanese Society of Emergency Medicine*, Kanto Region, vol. 21, pp. 26-27 (2000) (Article in Japanese—contains English summary).

Cubeddu, Rinaldo, et al.; "Portable 8-channel time-resolved optical imager for functional studies of biological tissues," *Photon Migration, Optical Coherence Tomography, and Microscopy, Proceedings of SPIE*, vol. 4431, pp. 260-265 (2001).

Gisiger, P.A., et al.; "OxiCarbo®, a single sensor for the non-invasive measurement of arterial oxygen saturation and CO<sub>2</sub> partial pressure at the ear lobe," *Sensor and Actuators*, vol. B-76, pp. 527-530 (2001).

Rhee, Sokwoo, et al.; "Artifact-Resistant, Power-Efficient Design of Finger-Ring Plethysmographic Sensor," *IEEE Transactions on Biomedical Engineering*, vol. 48, No. 7, pp. 795-805 (Jul. 2001).

Lopez-Silva, Sonnia Maria Lopez, et al.; "NIR transmittance pulse oximetry system with laser diodes," *Clinical Diagnostic Systems, Proceedings of SPIE*, vol. 4255, pp. 80-87 (2001).

Malettras, Francois-Xavier, et al.; "Construction and calibration of a new design of Fiber Optic Respiratory Plethysmograph (FORP)," *Optomechanical Design and Engineering, Proceedings of SPIE*, vol. 4444, pp. 285-293 (2001).

Earthrowl-Gould, T., et al.; "Chest and abdominal surface motion measurement for continuous monitoring of respiratory function," *Proc. Instn Mech Engrs*, V215, Part H; pp. 515-520 (2001).

Liu, Ying, et al.; "Sensor design of new type reflectance pulse oximetry," *Optics in Health Care and Biomedical Optics: Diagnostics and Treatment, Proceedings of SPIE*, vol. 4916, pp. 98-102 (2002).

Kyriacou, Panayiotis a., et al.; "Esophageal Pulse Oximetry Utilizing Reflectance Photoplethysmography," *IEEE Transactions on Biomedical Engineering*, vol. 49, No. 11, pp. 1360-1368 (Nov. 2002).

Kyriacou, P. A., et al.; "Investigation of esophageal photoplethysmographic signals and blood oxygen saturation measurements in cardiothoracic surgery patients," *Physiological Measurement*, vol. 23, No. 3, pp. 533-545 (Aug. 2002).

Irie, A., et al.; "Respiration Monitors—Pulse Oximeters," *Neonatal Care*, vol. 15, No. 12, pp. 78-83 (2002) (Article in Japanese—contains English summary of article).

Shaltis, Phillip, et al.; "Implementation and Validation of a Power-Efficient, High-Speed Modulation Design for Wireless Oxygen Saturation Measurement Systems," *IEEE*, pp. 193-194 (2002).

Warren, Steve, et al.; "Wearable Sensors and Component-Based Design for Home Health Care," *Proceedings of the Second Joint EMBS/BMES Conference*, Houston, Texas; Oct. 23-26, 2002; pp. 1871-1872.

Matsui, A., et al.; "Pulse Oximeter," *Neonatal Care*, vol. 16, No. 3, pp. 38-45 (2003) (Article in Japanese—contains English summary of article).


Nakagawa, M., et al.; "Oxygen Saturation Monitor," *Neonatal Monitoring*, vol. 26, No. 5, pp. 536-539 (2003) (Article in Japanese—contains English summary of article).

Wendelken, Suzanne, et al.; "The Feasibility of Using a Forehead Reflectance Pulse Oximeter for Automated Remote Triage," *IEEE*, pp. 180-181 (2004).  
Lopez-Silva, S.M., et al.; "Transmittance Photoplethysmography and Pulse Oximetry With Near Infrared Laser Diodes," *IMTC 2004—Instrumentation and Measurement Technology Conference*, Como, Italy, May 18-20, 2004; pp. 718-723.

Urquhart, C., et al.; "Ear probe pulse oximeters and neonates," *Anaesthesia*, vol. 60, p. 294 (2005).  
Bentley, David J. et al.; "Measure Pressure with Thin Film"; Paper Film & Foil Converter; May 1, 2003.

\* cited by examiner








FIG. 2




FIG. 3






FIG. 4

**FIG. 5**

**FIG. 6**

## STACKED ADHESIVE OPTICAL SENSOR

## CROSS-REFERENCE TO RELATED APPLICATION

The present application claims priority to U.S. Provisional Patent Application No. 60/328,924, filed Oct. 12, 2001, the teachings of which are incorporated herein by reference for all purposes.

This application is a continuation of U.S. patent application Ser. No. 10/831,706 filed on Apr. 23, 2004, now U.S. Pat. No. 7,113,815 which is a continuation of U.S. patent application Ser. No. 10/256,245, filed on Sep. 25, 2002, now U.S. Pat. No. 6,748,254, the full disclosures of which are incorporated herein by reference.

## BACKGROUND OF THE INVENTION

The present invention relates to optical sensors, and in particular to pulse oximeter sensors.

Many types of optical sensors are used to measure physiological characteristics of a patient. Typically, an optical sensor provides emitted light which is then scattered through a portion of a patient's tissue and detected. Various characteristics of a patient can be determined from analyzing such light, such as oxygen saturation, pulse rate, tissue bilirubin, etc.

Pulse oximetry is typically used to measure various blood flow characteristics including, but not limited to, the blood-oxygen saturation of hemoglobin in arterial blood, the volume of individual blood pulsations supplying the tissue, and the rate of blood pulsations corresponding to each heartbeat of a patient. Measurement of these characteristics has been accomplished by use of a non-invasive sensor which scatters light through a portion of the patient's tissue where blood perfuses the tissue, and photoelectrically senses the absorption of light in such tissue. The amount of light absorbed is then used to calculate the amount of blood constituent being measured.

The light scattered through the tissue is selected to be of one or more wavelengths that are absorbed by the blood in an amount representative of the amount of the blood constituent present in the blood. The amount of transmitted light scattered through the tissue will vary in accordance with the changing amount of blood constituent in the tissue and the related light absorption. For measuring blood oxygen level, such sensors have typically been provided with a light source that is adapted to generate light of at least two different wavelengths, and with photodetectors sensitive to both of those wavelengths, in accordance with known techniques for measuring blood oxygen saturation.

Known non-invasive sensors include devices that are secured to a portion of the body, such as a finger, an ear or the scalp. In animals and humans, the tissue of these body portions is perfused with blood and the tissue surface is readily accessible to the sensor.

Certain types of optical sensors are applied to a patient's external tissue by way of an adhesive attachment, enabled by an adhesive layer on the sensor. During the monitoring of a patient, there is a need to remove the sensor to perform a site check of the tissue location, and this removal typically damages the adhesive layer. Furthermore, adhesive type sensors are often used with disposable type sensors where the photo emitter and the detector are mounted on a backing without the benefit of a rigid optical mount to maintain the emitter and

detector's separation relatively fixed, and thus the sensor is subject to motion induced artifacts that may adversely affect measurement accuracy.

There is therefore a need to improve the functionality of adhesive-type optical sensors.

## BRIEF SUMMARY OF THE INVENTION

The present invention provides an optical sensor having a cover layer, an emitter disposed on a first side of the cover, a detector disposed on the first side of said cover, and a plurality of stacked independent adhesive layers disposed on the same first side of the cover, wherein the top most exposed adhesive layer is attached to a patient's skin. Thus, when the sensor is removed to perform a site check of the tissue location, one of the adhesive layers may also be removed and discarded, exposing a fresh adhesive surface below for re-attachment to a patient's skin. The independent pieces of the adhesive layers can be serially used to extend the useful life of the product.

One aspect of the present invention is directed towards using a generally annulus-shaped adhesive layer that surround the emitter and the detector and thus avoids having any adhesive present between the emitter and the detector to minimize optical shunt, which is known to adversely affect measurement accuracy.

Another aspect of the present invention is directed towards using optical lenses made from a soft or compliant material such as an optically transparent PVC material to minimize tissue necrosis.

Another aspect of the invention is directed towards the use of a semi-rigid optical mount structure to hold the emitter and the detector in place to maintain the separation between the electro-optics (emitter and detector) relatively fixed and yet allow a certain minimal amount of torque and twisting to occur as the sensor is applied. The semi-rigid optical mount, by maintaining the separation relatively fixed reduces motion induced artifacts in the detected electro-optic signals, which may adversely interfere with measurement accuracy. For a further understanding of the nature and advantages of the present invention, reference should be made to the following description in conjunction with the accompanying drawings.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a perspective disassembled view of the sensor according to an embodiment of the present invention.

FIG. 2 is a perspective view of the sensor according to an embodiment of the present invention.

FIG. 3 is a top view of the embodiment of FIG. 2.

FIG. 4 is a sectional view "A-A" of FIG. 3.

FIG. 5 is a perspective view of an alternate embodiment of the sensor of the present invention having a hinged lid.

FIG. 6 is a diagram showing the sensor of FIG. 5 positioned on a patient during a site check.

## DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 is a perspective disassembled view of the sensor according to an embodiment of the present invention. The sensor includes a sensor top 1 or cover layer which is exposed to the ambient environment when the sensor is attached to a patient's skin. In one embodiment, the cover layer 1 is fabricated of a common PVC foam. Alternately, the cover layer 1 is fabricated of a urethane foam material and particularly, an open cell breathable urethane foam such as, for example, the PORON™ family of urethanes commercially available from the Rogers corporation of Connecticut. A mask layer 2 pref-

erably including a metalized plastic film is adhesively attached to the cover layer 1. In a preferred embodiment, the metalized masked layer 2 is an aluminized polypropylene film with a synthetic adhesive layer for attachment to the cover layer 1. The metalized mask layer 2 is so placed to prevent, minimize or reject secondary light from interfering with the photodetector 7. As used herein, secondary light includes all light that originates from sources other than the emitter 11, and which may have originated from sources including ambient or surgical light sources. An emitter 11 is placed above the mask layer 2. The emitter 11 is configured to direct light at predetermined wavelengths at a patient's skin. The light directed to the patient's skin is scattered through the patient's tissue and is selected to be of one or more wavelengths that are absorbed by the blood in an amount representative of the amount of blood constituent present in the body. A photo detector 7 is also placed above the mask layer 2 and adjacent to the emitter 11 to detect the amount of light that has been diffused through the patient's tissue. The amount of light that has diffused through the patient's tissue will vary in accordance with the changing amount of blood constituent in the tissue and the related light absorption.

For measuring blood oxygen level, the emitter is adapted to generate light of at least two different wavelengths, in accordance with known techniques for measuring blood oxygen saturation. The sensor, when adapted for blood oxygen saturation is useable for not only adult patients, but may also be adapted for use for neonatal and pediatric patients. Adaptations for neonatal and pediatric use may include accommodations of size and/or adhesive materials more compatible with the geometry and skin characteristics of those patients. Further, the sensor may optionally use emitters of different wavelengths and hence may use emitter and detector combinations that lead to more accurate readings at low blood oxygen saturations, which is the case for some patients. Light sources which are optimized for low oxygen saturation ranges are described in U.S. Pat. No. 5,782,237, entitled: "Pulse Oximeter and Sensor Optimized for Low Saturation," assigned to the assignee herein, the disclosure of which is hereby incorporated by reference herein in its entirety.

A Faraday shield 5 is placed in front of photodetector 7 to reduce the effect of extrinsic electrical fields that could adversely affect the electrical signal from the photodetector. A semi-rigid optical mount 6 is placed above the mask layer 2, and which surrounds and holds the emitter 11 and the detector 7 in a manner to maintain the separation between the emitter 11 and the detector 7 fixed and yet allow a certain minimal amount of flexing and twisting to occur as the sensor is applied to a patient. Without the semi-rigid optical mount in place, torque can often cause orientation changes between the emitter 11 and the detector 7 which can interfere with the accuracy of the measurements obtained by the sensor through changes in calibration and motion-induced artifact. Furthermore, the semi-rigid optical mount 6 substantially reduces the flex and the twist which may also create significant motion artifact, which is also known to adversely affect measurement accuracy. In one embodiment, the semi-rigid optical mount 6 is manufactured from a black polypropylene material. The black color of the optical mount also reduces the potential for optical shunt between the emitter and the detector, which can also cause measurement inaccuracies. Windows or lenses 4 are attached or bonded using a suitable adhesive (e.g., an ultraviolet cure adhesive process), one each to the detector and the emitter to assist in coupling the light emitted from the emitter 11 into the tissue, and collected from the tissue and directed towards the detector 7. In one embodiment, the lenses 4 are made of an optically transparent plastic material

to minimize optical attenuation. In an alternate embodiment, the lenses 4 are made of a compliant material such as a transparent PVC, urethanes, or room temperature vulcanized (RTV) material, and so on. The choice of selecting a compliant material for the lenses is driven by the desire to prevent the possibility of necrosis of the skin, when the sensor is applied to the patient. Preferably, the compliant material has a hardness of less than 60 on a Shore A durometer scale. Alternately, or in addition to the lenses, the emitter and/or the detector arrangements may also include optical diffusers. The advantage of using optical diffusers is that the sensor would have less sensitivity to tissue heterogeneity, and thus provide more uniform and more accurate results.

A mask layer 3 is adhesively connected with the parts below it. The mask layer 3 has openings therein that fit over and surround the optical mount 6 placed below it (the mask layer 3). The mask layer 3 serves as a substantially flat platform for the subsequent attachment of the stack of adhesive layers. In one embodiment, the mask layer is fabricated from a cellular urethane foam such as the PORON™ family of urethane foams, and is attached to the cover layer 1 using a pressure sensitive adhesive. Lastly, a stack of adhesive layers 8, 9, and 10 are placed above the mask layer 3. The lower most adhesive layer 9 is attached to the mask layer 3 using an acrylic transfer adhesive. While in one embodiment a stack of three adhesive layers is placed above the mask layer 3, other multiple stacked adhesive layers are also within the scope of the embodiments of the present invention.

In one embodiment, the adhesive layers are in a ring shape so that no adhesive is present between the photo emitter 11 and the photo detector 7, thereby minimizing optical shunt between the photo emitter and the photo detector, which is known to lead to measurement inaccuracies. The adhesive layers or rings may be manufactured of a polyethylene film having an acrylic adhesive on one side for attachment to the patient's tissue. Alternately, the adhesive layers or rings may have an adhesive layers on both sides, in which case the adhesive layers are separated from one another by release layers (e.g. release paper). Preferably, the adhesive layers include a non-adhesive tab portion (e.g. 8a), arranged stacked or in a fanned-out array, to enable the clinician to easily grab and remove the used adhesive layer to expose the layer below. The tab portions may be non-adhesive colored tabs (e.g., a green, yellow, red, lavender, orange) to enable the easy removal of the adhesive rings. Additionally, another release layer (not shown) is placed above the stack of adhesive layers to cover the very first adhesive layer while it is in storage.

In certain embodiments, the adhesive rings are black to minimize reflected light, which is known to impact the accuracy of optical-based measurements. In certain embodiments, the adhesive rings are thermally stable, so that the adhesion between the rings is not compromised as a result of exposure to heat. Additionally, the adhesive rings may include a release agent, such as, for example, a low molecular weight silicone oil on the back side of the ring, in order to minimize or prevent adjacent rings from sticking to one another. Various alternate ring construction may be employed, including a continuous 0.001 inch thick polyethylene film with acrylic pressure sensitive adhesive on one side. The continuous film can be made of other materials such as polyester, polyimide or Teflon, to achieve specific strength, release and temperature stability requirements. The adhesives used on the surface of the film can be acrylic, synthetic rubber, natural rubber (e.g., latex) or other non-toxic adhesive. The ring may include a paper with a release agent on one side as the carrier film. This allows printing on each release liner, user information such as "adhesive layer #1" or can be inked black to control optical shunt.

Alternately, the adhesive rings need not be in a ring shape, but may be continuous adhesive surface, with a black strip between the emitter and detector in order to minimize optical shunt.

The pre-attached stacks of adhesive layers enables the extended use of a disposable adhesive-type sensor. A desired feature for sensors is the ability to check the sensor site periodically (e.g. once every 12 hours), and remain capable of continuous use for multiple days. In prior disposable sensors which were adhesively attached to a patient's skin, multiple cycles of repositioning the sensor was not possible due to the degradation of the adhesive and the sloughing nature of the tissue beneath the sensor attachment location. This failed reattachment would necessitate the replacement of the sensor in its entirety, which would increase the overall cost of the patient monitoring procedure. However, with the use of a stack of pre-attached adhesive rings, when the sensor is removed to perform a site check, one of the adhesive layers may also be removed exposing a fresh adhesive surface below. Thus, having several independent pieces of adhesive layers that can be serially used, extends the useful life of the product and reduces the overall costs of the patient monitoring procedure.

FIG. 2 is a perspective view of the assembled sensor 100. This figure (FIG. 2) shows the top most adhesive layer 8, and lenses 4 covering the photo emitter 11 and photo detector 7. Furthermore, FIG. 2 shows cable 14 attached to the sensor 100. Tab portions 1a and 1b (shown in FIG. 1) wrap around the cable 14 to hold the cable and the sensor in a stable manner. Cable 14 attaches to the photo emitter 11 and detector 7 via traces or wires (not shown).

FIG. 3 is a top view of the embodiment of FIG. 2. FIG. 3 also shows the top most adhesive layer 8, and lenses 4 covering the photo emitter 11 and photo detector 7. Furthermore, FIG. 2 shows cable 14 attached to the sensor 100. FIG. 4 shows sectional view "A-A" of FIG. 3. FIG. 4 shows the cover layer 1, the top most adhesive layer 8 and lenses 4 which are placed above the photo emitter 11 and photo detector 7. As can be seen from FIG. 4, the sensor 100 is substantially flat, while the lenses 4 protrude outward from a plane of the sensor. Thus, when attached, the lenses push on the patient's tissue location (e.g. forehead) to enhance light coupling and the depth of optical penetration by pressing mildly into the skin. Since the lenses protrude outward from the sensor plane, the adjacent adhesive layers necessarily lie in a plane which is offset or away from the patient's tissue location, thus "pulling" the lenses into the skin during use. This assures good optical contact between sensor and tissue, and reduces the potential contribution of light shunting.

FIG. 5 is a perspective view of an alternate embodiment of the sensor 200 of the present invention having a hinged lid. The sensor 200 includes a ring-shaped layer 202 having an adhesive side, which is configured to be attached to a patient during monitoring. The sensor 200 also includes a hinged lid 204 which holds the necessary electro-optics including a photo emitter and a photo detector (not shown) as described above. The hinged lid 204 is coupled to the ring-shaped adhesive layer 202 by a hinged connection 208 that enables the lifting and the checking of the sensor site without the need to remove the sensor from the patient. Cable 210 provides the leads or wires connected with the photo detector and photo emitter for the proper operation of the sensor. A clasp 206 secures the hinged lid 204 in a position effective for patient monitoring. The clasp 206 is also used by a clinician to lift the hinged lid 204 for checking the sensor site. In one embodiment, the clasp 206 adhesively engages the ring-shaped layer 202. In an alternate embodiment, the clasp 206 engages the

ring-shaped layer via a mechanical clasp-type connection. The ring-shaped layer 202 may also incorporate a stacked adhesive arrangement as described above to enable the repeated removal and re-attachment of the sensor to the patient.

FIG. 6 is a diagram showing the sensor of FIG. 5 positioned on a patient during a site check. As can be seen from this figure (FIG. 6), the ring-shaped layer 202 is adhesively attached to a patient, while the hinged lid 204 containing the photo emitter 212 and photo detector 214 is lifted from the patient's forehead to enable the checking of the tissue location underneath the sensor site. Cable 210 provides the leads or wires connected with the photo detector and photo emitter for the proper operation of the sensor.

The multiple stacked adhesive layer embodiments and the hinged lid embodiments of the present invention may be also be used to improve the operation of any disposable sensor and particularly disposable oximeter sensors. These disposable sensors include sensors based on the reflectance of light from tissue to the detector (as described above with the emitter and the detector placed on the same side of the tissue) as well as transmissive type sensors, where the emitter and the detector are placed on opposite sides of a tissue site being probed. Examples of sensors that can incorporate the multiple stacked adhesive layer embodiments or the hinged-lid embodiments include the adhesive, and reusable sensors for use at various tissue locations, including the finger tip, foot, nose, and forehead locations such as the D-20, D-25, N-25, 1-20, R-15, as well as the A, N, I, and P series of sensors manufactured by the assignee herein.

Furthermore, the multiple stacked adhesive layer embodiments and the hinged lid embodiments of the present invention are not only useable for adult patients, but are also useable with patients on whom it is sometimes preferable to use a soft gel adhesive to minimize the occurrence of tearing of the skin. Such patients include geriatric, pediatric or neonatal patients. The inclusion of a soft gel in an optical sensor is described in U.S. Pat. No. 5,830,136, entitled: "Gel Pad Optical Sensor," assigned to the assignee herein, the disclosure of which is hereby incorporated herein in its entirety. An alternate embodiment of a soft gel adhesive includes only a single adhesive layer (not stacked), since some gel materials can be cleaned with water or other liquid agents to refresh the adhesive properties. As such, the use of multiple layers of gel adhesive may not be required for limited but multiple sensor placements on an individual patient.

As will be understood by those skilled in the art, the present invention may be embodied in other specific forms without departing from the essential characteristics thereof. For example, the disposable sensor may be a forehead or a nasal sensor, the sensor may be configured for use on an adult, pediatric or neonatal patient, the sensor may use several possible arrangements of adhesive layers arranged in a stacked manner, or the sensor may use suitable materials other than those described above. These other embodiments are intended to be included within the scope of the present invention, which is set forth in the following claims.

What is claimed is:

1. A sensor comprising:

a reflectance type sensor body;

an emitter and a detector coupled to the reflectance type sensor body, wherein the emitter and the detector are positioned at a substantially fixed distance relative to one another when the sensor is applied to a patient; and a semi-rigid optical mount coupled to the reflectance type sensor body, wherein the semi-rigid optical mount is configured to surround the emitter and the detector in

order to hold the emitter and the detector at the substantially fixed distance, wherein the semi-rigid optical mount comprises a first aperture and a second aperture sized to hold the emitter and the detector, respectively.

2. The sensor of claim 1, wherein the sensor comprises a pulse oximetry sensor.

3. The sensor of claim 1, wherein the semi-rigid optical mount is coupled to the non-rigid portion of the sensor body.

4. The sensor of claim 1, wherein the semi-rigid optical mount comprises a polypropylene material.

5. The sensor of claim 1, wherein the semi-rigid optical mount is black.

6. The sensor of claim 1, wherein the emitter and the detector are coupled to a patient contact side of the sensor body, and wherein the sensor comprises a plurality of stacked independent adhesive layers disposed on the patient contact side of the sensor body, the plurality of stacked independent adhesive layers being configured to adhere to a tissue location on a patient.

7. The sensor of claim 1, comprising a sensor base having an opening therein, and wherein the sensor body is configured to be disposed in the sensor base, and wherein one end of the sensor body is pivotally connected to the sensor base.

8. The sensor of claim 7, comprising a clasp connected with another end of the sensor body, and wherein the clasp is configured to engage the sensor base.

9. The sensor of claim 7, comprising an adhesive layer disposed on a patient contact side of the sensor base, the adhesive layer configured to adhere to a tissue location on a patient.

10. The sensor of claim 1, wherein the emitter and the detector protrude beyond a patient contact side of the sensor body.

11. A sensor comprising:

a non-rigid reflectance type sensor body;

an emitter and a detector, wherein the emitter and the detector are sized to be disposed within a first aperture and a second aperture of a semi-rigid optical mount; and the semi-rigid optical mount coupled to the non-rigid reflectance type sensor body, wherein the semi-rigid optical mount surrounds the emitter and the detector in order to hold the emitter and the detector at a substantially fixed distance relative to one another when the sensor is applied to a patient and wherein the semi-rigid optical mount is configured to maintain the emitter and detector in a fixed orientation that resists motion-induced flexing.

12. The sensor of claim 11, wherein the sensor comprises a pulse oximetry sensor.

13. The sensor of claim 11, wherein the semi-rigid optical mount comprises a polypropylene material.

14. The sensor of claim 11, wherein the semi-rigid optical mount is black.

15. The sensor of claim 11, wherein the emitter and the detector are coupled to a patient contact side of the non-rigid sensor body, and wherein the sensor comprises a plurality of stacked independent adhesive layers disposed on the patient contact side of the non-rigid sensor body, the plurality of stacked independent adhesive layers being configured to adhere to a tissue location on a patient.

16. The sensor of claim 11, comprising a sensor base having an opening therein, and wherein the non-rigid sensor body is configured to be disposed in the sensor base, and wherein one end of the non-rigid sensor body is pivotally connected to the sensor base.

17. The sensor of claim 16, comprising a clasp connected with another end of the non-rigid sensor body, and wherein the clasp is configured to engage the sensor base.

18. The sensor of claim 16, comprising an adhesive layer disposed on a patient contact side of the sensor base, the adhesive layer configured to adhere to a tissue location on a patient.

19. The sensor of claim 11, wherein the emitter and the detector protrude beyond a patient contact side of the non-rigid sensor body.

20. A method comprising:

applying a reflectance type sensor to a patient, wherein the reflectance type sensor comprises,

a non-rigid sensor body,

an optical emitter and a photodetector disposed a fixed distance apart such that the patient's movements do not alter the fixed distance, and;

a semi-rigid optical mount coupled to the non-rigid sensor body, wherein the semi-rigid optical mount surrounds the optical emitter and the photodetector in order to hold the optical emitter and the photodetector at the fixed distance, and wherein the optical emitter and the photodetector are sized to be disposed within a first aperture and a second aperture of the semi-rigid optical mount.

21. A method of manufacturing a pulse oximetry sensor, comprising:

providing a flexible reflectance type sensor body to which an emitter and a detector are coupled, wherein the reflectance type sensor body is a non-rigid sensor body configured to hold the emitter and the detector at a substantially fixed distance relative to one another, and

providing a semi-rigid optical mount coupled to the non-rigid sensor body, wherein the semi-rigid optical mount surrounds the emitter and the detector in order to hold the emitter and the detector at the substantially fixed distance, and wherein the emitter and the detector are sized to be disposed within a first aperture and a second aperture of the semi-rigid optical mount.

\* \* \* \* \*



专利名称(译)	堆叠式粘合剂光学传感器		
公开(公告)号	<a href="#">US8433383</a>	公开(公告)日	2013-04-30
申请号	US11/482258	申请日	2006-07-07
[标]申请(专利权)人(译)	奥尼尔MICHAEL P MANNHEIMER PAUL CHIN RODNEY 商家ADNAN COAKLEY JOSEPH HANNULA DON		
申请(专利权)人(译)	奥尼尔MICHAEL P MANNHEIMER PAUL CHIN RODNEY 商家ADNAN COAKLEY JOSEPH HANNULA DON		
当前申请(专利权)人(译)	COVIDIEN LP		
[标]发明人	ONEIL MICHAEL PATRICK MANNHEIMER PAUL CHIN RODNEY MERCHANT ADNAN COAKLEY JOSEPH HANNULA DON		
发明人	O'NEIL, MICHAEL PATRICK MANNHEIMER, PAUL CHIN, RODNEY MERCHANT, ADNAN COAKLEY, JOSEPH HANNULA, DON		
IPC分类号	A61B5/1455 G01N21/17 A61B5/00 A61B5/024 A61B5/145		
CPC分类号	A61B5/6814 A61B5/6819 A61B5/6826 A61B5/6829 A61B5/6833 A61B5/6838 A61B5/6841 A61B5/0205 A61B5/14551 A61B5/6832 A61B5/14552 A61B5/02427 Y10T29/49826 A61B2562/0233 A61B2562/043 A61B2562/146 A61B2562/164 G01N21/49 G01N2021/3144 A61B5/68335		
优先权	60/328924 2001-10-12 US		
其他公开文献	US20060276700A1		
外部链接	<a href="#">Espacenet</a> <a href="#">USPTO</a>		

#### 摘要(译)

一种光学传感器，具有覆盖层，设置在所述覆盖物的第一侧上的发射器，设置在所述覆盖物的第一侧上的检测器，以及设置在所述覆盖物的相同的第一侧上的多个堆叠的独立的粘合剂层，最顶部暴露的粘合剂层附接到患者的皮肤。因此，当移除传感器以执行组织位置的位置检查时，粘合剂层之一也可以被移除和丢弃，从而暴露下面的新的粘合剂表面用于重新附接到患者的皮肤。独立的粘合剂层可以连续使用以延长产品的使用寿命。

