



(19) **United States**
(12) **Patent Application Publication**
Gizewski

(10) **Pub. No.: US 2008/0161661 A1**
(43) **Pub. Date: Jul. 3, 2008**

(54) **DERMA DIAGNOSTIC AND AUTOMATED DATA ANALYSIS SYSTEM**

(52) **U.S. Cl. 600/306**

(76) **Inventor: Theodore M. Gizewski, Santa Barbara, CA (US)**

(57) **ABSTRACT**

Disclosed is a derma diagnostic and automated data analysis system configured to acquire an array of data pertaining to a subject and their skin disorders. This data is subjected to a comprehensive analysis that culminates in diagnoses, treatments, monitoring activity and health strategy implementation. The derma diagnostic and automated data analysis system comprises a user interface and display unit, capable of acquiring a range of subject data, and communicatively coupled to a remotely located data analysis and reporting unit. The data analysis and reporting unit is capable of receiving and assessing the acquired data, using multiple analytical processes that culminate in a highly probable diagnosis and an effective treatment that is documented in a report and submitted to the subject. The diagnoses, treatments and supporting data are then permanently archived and made available for retrieval.


Correspondence Address:
Theodore M. Gizewski
1102 Las Positas Road
Santa Sarbara, CA 93105

(21) **Appl. No.: 11/649,921**

(22) **Filed: Jan. 3, 2007**

Publication Classification

(51) **Int. Cl. A61B 5/00 (2006.01)**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

DERMA DIAGNOSTIC AND AUTOMATED DATA ANALYSIS SYSTEM

FIELD OF THE INVENTION

[0001] The present invention generally relates to a health maintenance system, and more particularly, relates to a derma diagnostic and automated data analysis system for diagnosing the nature, probable cause, progression, severity, treatment and monitoring of both common and exotic derma or skin abnormalities affecting humans and animals.

BACKGROUND OF THE INVENTION

[0002] Innumerable people, worldwide, suffer from skin disorders. These skin disorders can include burns, cuts, sores, dry skin, thinning skin, wrinkling, eczema, inflammations, itchy skin, infections, psoriasis, skin rashes, sunburn, parasites and many more. The reasons for these skin problems may be faulty diet, hormone imbalances, blood toxicity, ineffective cleansing, illness, disease, injury, exposure to an irritants or caustic substances, allergies, aging, excess or improper use of cosmetics or any other reason, causing an afflicted individual or subject discomfort or suffering. To relieve this suffering, the afflicted individual or subject needs to pursue: (1) a quick and accurate diagnosis; (2) identification and administration of an effective treatment; (3) monitoring the progression of the condition and the effectiveness of the treatment; (4) identify and implement of prevention, avoidance and/or mitigation strategies; and (5) long term surveillance.

[0003] In a traditional outpatient consultation and treatment process, the subject observes or is in some way made aware of a skin condition or disorder which causes him/her to consult with a physician. The physician asks a series of questions and does a preliminary examination. On conformation of a skin condition or disorder, the physician refers the subject to a specialist, typically a dermatologist, wherein a second appointment is made and the subject proceeds to consult with the dermatologist. The dermatologist reviews the referring physician's notes and asks a series of additional questions, many of which are the same as those asked by the referring physician. The dermatologist then performs an examination and may surgically or in some other way remove a sample of tissue for closer examination under a microscope or by a laboratory. It is also likely that, if laboratory testing is prescribed, a select set of blood tests will also be ordered. This will require the subject to schedule a third appointment to address the lab work. Several days or weeks after the visit to the lab, the subject is given a follow-up appointment with the dermatologist who: reviews his/her notes from the previous visit; reviews the lab reports; asks a few more questions; and reexamines the affected area. If the medical history, symptoms and lab results point to a skin condition or disorder that the dermatologist is familiar with, the dermatologist will make a diagnosis and prescribe a treatment. On the other hand, if the dermatologist does not recognize the symptoms, the dermatologist will order additional laboratory tests and may consult with another specialist. This process will continue until a diagnosis can be made or until no specific diagnosis can be made (based on the resources available to the dermatologist) and the condition/disorder is labeled as a non-specific disorder and a treatment may be prescribed to address one or more of the overt symptoms.

[0004] When a condition is unchanged or worsens, due to a misdiagnosis or failure-to-diagnose situation, the appointment, questioning, examination and lab work sequence is resumed until the next diagnosis and treatment. This process is inherently flawed due to its highly qualitative nature, requiring human judgment, experience, training/education, knowledge, curiosity, intuition, skill, interest, energy, memory, motivation, intelligence and many other variable and often limited human characteristics. Consequentially, serious problems such as misdiagnosis, delayed-diagnosis, failure-to-diagnose and failure-to-detect treatment complications occur more frequently than what is desired or appropriate. This process is also inefficient and expensive, requiring: access to qualified physicians; a protracted period of time to acquire a diagnosis; a significant amount of high-cost physician labor hours; and unnecessary laboratory tests.

[0005] In recent time, technology and medical science has shown significant developments in this field of detecting, diagnosing, and treating derma disorders. Derma disorders can display unique visible spectrum, fluorescent, and radiometric characteristics, thus attempts have been made wherein by digitally capturing the quantitative value of these characteristics of a derma disorder, analysis may be performed. Derma disorder analysis and condition diagnosis may be done by local or remotely situated dermatologists by looking at these captured quantitative values. Attempts could be seen wherein computerized systems have been used to address some of the derma disorders.

[0006] U.S. Pat. No. 6,571,003 discloses an apparatus and method that can be implemented by a human operator and a computing device to analyze and display human skin images. The system acquires a digital image from a camera or scanner. Subsequently, the system determines which area(s) of the image to analyze using landmarks such as the corner of the eye. The determined areas are then analyzed to locate skin defects such as red spots, and the defects are visually identified on a display. A severity is calculated for the defects and the severity is compared to an average skin severity associated with a population of people. In addition, a simulation is generated and displayed showing an improvement to the defect areas. The above approach is limited to solve the visual skin problems of a subject's face and enables a beauty counselor in selecting a suitable cosmetic product in regard to the subject's facial problem.

[0007] United States Patent Publication Number 20060095297 discloses a kiosk for topical skin assessment surveys and skin care selection. The topical skin assessment survey is performed by a self-guided interactive program using a plurality of UVA lamps which illuminate trouble spots on the skin that cannot be seen in a natural light environment. The kiosk also provides price comparison of available cosmetic and skin-care products, and the option to purchase products. The above approach simply enables a subject to select a suitable cosmetic product present in kiosk database, and the equipment used for analysis does not include advance technologies and methodologies.

[0008] Such attempts have addressed only a miniscule portion of the derma problems at large. Accordingly, what is needed is a comprehensive, automated derma diagnostic system for assessing the condition of a subject's skin or derma, in

order to establish a diagnosis, prescribe a treatment and monitor a condition's progression and the effectiveness of the treatment.

SUMMARY OF THE INVENTION

[0009] The general purpose of the present invention is to provide a readily accessible, highly effective, automated derma detection, analysis, diagnostic, treatment, and monitoring system which is capable of detecting the presence of a derma disorder and assessing the: nature; circumstances; probable cause; progression; and severity of common and exotic derma conditions, injuries and disorders that affect humans and animals. Also incorporated, into the present invention, is the capability of systematically monitoring the stages of a derma condition and monitoring the effectiveness of a prescribed treatment. The present invention would include the advantages of the prior art and overcome the drawbacks inherent therein.

[0010] In one aspect, the present invention provides a derma diagnostic and automated data analysis system. The derma diagnostic and automated data analysis system comprises at least one user interface and display unit capable of interacting with a subject and acquiring subject data from the subject, and at least one data analysis and reporting unit communicatively coupled to the user interface and display unit. The data analysis and reporting unit is capable of remotely controlling the interactions between the user interface and display unit and the subject, and acquiring and analyzing subject data for developing diagnosis, prescribing treatments, initiating monitoring processes, prescribing health strategies, generating health reports, and archiving diagnoses and treatments.

[0011] In another aspect, the present invention provides a method of performing automated data analysis for diagnosing skin disorders of a subject and prescribing treatments. The method comprises: acquiring preliminary subject information, including descriptive data, background data and a description of skin condition, using user-interface features of a user interface and display unit; transmitting the acquired preliminary subject information to a data analysis and reporting unit over a communication network; processing preliminary subject information for establishing a data acquisition strategy which is implemented through the user interface and display unit by user interface and display unit; systematically acquiring supportive data and skin condition imagery, sensory, and test and measurement data based on the established data acquisition strategy by user interface and display unit; analyzing the data and developing primary and secondary diagnoses and treatments by data analysis and reporting unit, monitoring criteria, and health strategies; generating a series of health status reports incorporating diagnoses, treatments, monitoring criteria, and health strategies which are transmitted to the user interface and display unit over the communication network by data analysis and reporting unit; and user interface and display unit acting to present the health status reports to the subject.

[0012] These, together with other aspects of the present invention, along with the various features of novelty that characterize the invention, are pointed out with particularity in the claims annexed hereto and forming a part of this disclosure. For a better understanding of the invention, its operating advantages, and the specific objects attained by its uses, reference should be made to the accompanying drawings and

descriptive matter in which there are illustrated exemplary embodiments of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

[0013] The advantages and features of the present invention will become better understood with reference to the following more detailed description and claims taken in conjunction with the accompanying drawings, wherein:

[0014] FIG. 1 is a block diagram illustrating derma diagnostic and automated data analysis system 1000, according to an exemplary embodiment of the present invention;

[0015] FIG. 2 is a schematic block diagram illustrating user interface and display unit 100 having a data acquisition module 200 comprising an imagery and sensory data unit 300, a breath analyzer unit 340, a test and measurement unit 360, and a supportive data unit 400, of the derma diagnostic and automated data analysis system 1000, according to an exemplary embodiment of the present invention;

[0016] FIG. 3 is a schematic block diagram illustrating the imagery and sensory data unit 300 of the data acquisition module 200, according to an exemplary embodiment of the present invention;

[0017] FIG. 4 is a schematic block diagram illustrating the supportive data unit 400 of the data acquisition module 200, according to an exemplary embodiment of the present invention; and

[0018] FIG. 5 is a schematic block diagram illustrating data analysis and reporting unit 500 having a data requirements and communications module 600, a data analysis module 700 and a reporting module 800, according to an exemplary embodiment of the present invention.

[0019] Like reference numerals refer to like parts throughout several views of the drawings of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

[0020] For a thorough understanding of the subject invention, reference is to be made to the following detailed description, including the appended claims, in connection with the above-referenced drawings. Although, the present invention is described in connection with several embodiments, the invention is not intended to be limited to the specific forms set forth herein. On the contrary, it is intended to cover such alternatives, modifications, and equivalents as can be reasonably included within the scope of the invention as defined by the appended claims.

[0021] In the following description, for purposes of explanation, numerous specific details are set forth in order to provide a thorough understanding of the invention. It will be apparent, however, to one skilled in the art that the invention may be practiced without these specific details.

[0022] The present invention provides a derma diagnostic and automated data analysis system for a readily available, efficient and economical method of detecting, analyzing, diagnosing, treating and monitoring both common and exotic derma abnormalities/diseases/infections/conditions/disorders/injuries (herein cumulatively referred to as abnormalities or disorders) that affect humans and animals. The derma diagnostic and automated data analysis system utilizes multiple abnormality detection technologies to sense and image skin disorders for capturing a significant number of different kinds of skin disorder characteristics and further cross-checking against each other and authoritative standards for ensuring consistency and a higher confidence in diagnosis. The

derma diagnostic and automated data analysis system, of the present invention, acquires imagery, sensory, test and measurement, and supportive data as quantitative values. The imagery and sensory data may be acquired from multiple devices, utilizing different technologies. This information is then transmitted over a communication network, to a remotely situated repository for analysis and generating reports. The quantitative values are then processed and analyzed in order to form a diagnosis, develop treatment options, construct monitoring programs and develop personalized health strategies. A detailed report is generated and thereafter transmitted, over the communication network and presented to the subject.

[0023] 'Subject', as used in this specification, refers to afflicted individuals, and users subscribing to or using the derma diagnostic and automated data analysis system for the purposes of detecting, diagnosing, treating and monitoring both common and exotic derma conditions, abnormalities and disorders. The imagery, sensory, and supportive data, acquired from the subject, may be hereinafter referred to for the purposes of explanation as 'subject data'. The subject data may be captured through a series of inquiries and diagnostic tests.

[0024] Referring to FIG. 1, illustrated is one exemplary embodiment of a derma diagnostic and automated data analysis system 1000 of the present invention (hereinafter, referred to as 'system' 1000). The system 1000 may comprise a user interface and display unit 100, communicatively coupled to a data analysis and reporting unit 500, through a communication network, for example, the Internet. Alternatively, the communication network may include a public switched telephone network (PSTN), global system for mobile communications (GSM) network, general packet radio service (GPRS) network, and the like, to establish communication between the user interface and display unit 100 and the data analysis and reporting unit 500. The user interface and display unit 100 configuration may include a data acquisition module 200, an image selection and adjustment module 350, and a display module 900. The data acquisition module 200 may be responsible for acquiring quantitative subject data including an array of imagery, sensory, test and measurement data, as well as supportive data that addresses the subject's particular characteristics and the particular characteristics of the skin condition, abnormality or disorder. Further, the data analysis and reporting unit 500 may be configured to comprise a data requirements and communications module 600, a data analysis module 700 and a reporting module 800. The user interface features of the user interface and display unit 100, or more specifically, the features of the data acquisition module 200, the image selection and adjustment module 350, and the display module 900 may include or support audio communication features, video communication features, data security features, and the like, for implementing sophisticated graphical-user-interface technologies, enhanced audio and voice recognition facilities for advanced data security features. The user interface features may interact with the subject at a personal level, very much the way a person would interact with a trusted advisor rather than the rigid and regimented way people typically interact with computers.

[0025] The subject data, collected by the data acquisition module 200 may be transmitted, through the communication network, to the data analysis and reporting unit 500 wherein the data requirements and communications module 600 receives, organizes, structures, and prepares the investigatory

subject data as subject data elements which may then be submitted to the data analysis module 700 for analysis. The data analysis module 700 applies a plurality of analytical processes which may be based on specific programmable instructions that address analytical protocols and include data structuring, the establishment of relative and absolute relationships between the subject data elements themselves and between the subject data elements and specially compiled databases containing authoritative standards and reference materials. The user interface and display unit 100 maybe designed to capture a variety of particular characteristics of a condition or disorder, utilizing multiple and diverse technologies. Each variation of imagery data, sensory data, and test and measurement data may be systematically weighted and assessed. Upon completion of the analysis process, by the data analysis module 700, the analytical results are submitted to the reporting module 800 where it may prepare a series of reports which are submitted back to the data requirements and communications module 600 and finally to the subject through the display module 900 of the user interface and display unit 100.

[0026] Now, referring to FIG. 2, illustrated is the user interface and display unit 100 in more detail. The data acquisition module 200, of the user interface and display unit 100, works collaboratively with the remotely located data analysis and reporting unit 500 for digitally capturing a plurality of subject characteristics with an emphasis on the detection and assessment of derma or skin conditions, abnormalities and disorders. The data acquisition module 200 may comprise a imagery and sensory data unit 300, a breath analyzer 340, a test and measurement unit 360, and a supportive data unit 400.

[0027] The imagery and sensory data unit 300 digitally captures a plurality of derma characteristics that may be used to distinguish between normal and abnormal skin conditions. Multiple, usually three or more, diverse diagnostic technologies may be used to evaluate the subject's skin condition in order to detect particular characteristics of skin abnormalities, irregularities and disorders. Each of these technologies emphasizes a unique diagnostic methodology or capability and may be designed to be used conjointly with the other technologies for ensuring a thorough, comprehensive and accurate assessment will be performed.

[0028] The breath analyzer 340 may utilize a plurality of technologies to capture and analyze exhaled gases in order to identify the presence and/or concentration of certain molecules or chemical compounds that may suggest a physiological abnormality that may manifest itself as a skin condition or skin disorder.

[0029] The test and measurement unit 360 may be available in a stationary configuration or a portable configuration and may utilize a plurality of technologies to capture and digitally record certain physical and physiological characteristics as well as an array of environmental characteristics that may effect or influence the diagnostic process. The test and measurement unit 360 is also capable importing laboratory results and an array of test results acquired by external (not system 1000) devices.

[0030] The supportive data unit 400 may utilize a systematic query process to acquire personal background information, behaviors, medical histories, health background information, skin condition descriptions, genealogical predispositions, and the like. The supportive data unit 400 may also have the capability of capturing particular categories of data such as levels of pain, itchiness, discomfort,

swelling, throbbing, pressure, numbness, fatigue, moodiness and the like. This category of data is systematically quantified by gauging each response against a relatively tight set of standard criteria. For example, pain is scaled in a range of 1 through 10 with 1 being a minor irritation and 10 being almost unbearable.

[0031] The image selection and adjustment module **350** maybe capable of collaboratively working with the subject, through the display module **900**, and the data acquisition and reporting module **500** for ensuring the quality, accuracy and adequacy of the data being captured. For example, an operator or subject may review images to ensure the best view, of an area-of-interest, is captured or, in another case, data pertaining to a image or sensory input is correctly annotated, consistent and complete.

[0032] The display module **900** may be capable of interfacing between the subject (or an operator) and the system **1000**. These interactions may be managed by the data analysis and reporting unit **500** and may include biometric identification verification sequences, security features, supportive data query presentations, query response registration, explanation presentations, test set-up instruction presentations, testing procedure presentations, image focusing, image view selection processes, captured imagery and sensory data display, test take-down instruction presentations, supportive data verification presentations, condition status report presentations, diagnosis report presentations, and the like. The display module **900** further may be capable of interfacing with the subject in order to perform monitoring, including but not limited to condition progression monitoring, treatment effectiveness monitoring, and health strategy monitoring. In such cases, the data analysis and reporting unit **500** initiates periodic monitoring sequences which may include alerts, reminders or notifications as well as specific monitoring procedures. The data analysis and reporting unit **500** may also be capable of alerting the subject of a monitoring requirement through means other than the display module **900**. This may include e-mail messages, voice mail messages, mailings, and the like.

[0033] Now, referring more specifically to FIG. 3, illustrated is the imagery and sensory data unit **300** of the data acquisition module **200**. The imagery and sensory data unit **300** may include, but is not limited to, a stationary digital image scanner **310**, a portable digital image scanner **320**, and a digital camera **330**. The imaging components of the imagery and sensory data unit **300** may be further communicatively coupled to the image selection and adjustment module **350** and the display module **900** in order to display and optimize the imagery data that is being acquired.

[0034] The stationary digital image scanners **310** may be divided into two configurations, namely, the horizontal digital image scanner (not shown) and the vertical digital image scanner (not shown). These devices are similar except the horizontal digital image scanner may be designed to image bodies lying in a horizontal position while the vertical digital image scanner may be designed to image bodies standing vertically or erect. The horizontal digital image scanner and the vertical digital image scanner may incorporate and use three or more uniquely different technologies that separately acquire images of particular characteristics of a skin condition or disorder. These technologies may include digital imagery white-light photographic, fluorescence spectroscopic imagery, and radiometric imagery.

[0035] The stationary digital image scanner **310** may incorporate an adjustable white-light digital camera **312** and suit-

able lighting, which may include a reticle projector and may be attached to the traversing head assembly of the horizontal and vertical digital image scanners, and may be remotely manipulated in multiple planes to permit optimized focusing, lighting and viewing. The white-light digital camera **312** may capture images, of areas-of-interest, either individually or by a streamed video. A scanning mode may be selected which automatically manipulates the white-light digital camera **312** to permit the scanning and imaging of an entire body or just a specific sector. The precise positioning and location of suspected abnormality may be digitally recorded in each of the photographic images by using fixed datum point triangulation using fixed landmarks and/or anatomical features. For the purpose of this invention, white-light or visible-light is electromagnetic radiation that has a wavelength in the range from about 4,000 (violet) to about 7,700 (red) angstroms and may be perceived by the normal unaided human eye. The white-light digital camera **312** may be designed to capture white-light images of high-resolution, high contrast-ratios and true color, and with high quality color saturation. These images may be precisely scaled in order to accurately depict precise dimensional characteristics that may delineate even minute differentiations in the manifestation of skin conditions and disorders. During a white-light digital camera scanning process, the captured imagery may continuously be screened in order to detect suspicious edges, shapes, colors, textures and other differentiating characteristics of a peculiar or unusual skin aberration. Once a suspected area-of-interest is detected, the white-light digital camera **312** typically focuses on the area with magnification typically ranging from 2x to 700x. For example magnification, in the range of 160x, maybe used to detect pathogenesis associated with hair follicle mites. Magnification of greater than 700x may be available and utilized under unusual circumstances where high magnification, microscopic imaging is necessary. Images that have been photographed or videoed may be accurately scaled down to less than 1 mm at a magnification of 1x. Image quality may be reviewed and, if desired, manually optimized through the use of the image selection and adjustment module **350**. In one embodiment, the magnified objects may be scaled accurate to less than 0.1 mm under higher magnification. The white-light digital camera **312** may be the lead or initial imagery technology that is applied, and may be responsible for establishing common or shared datum points that may be used to precisely locate objects within areas-of-interest.

[0036] A fluorescence spectroscopy **314** may be used as a safe, noninvasive skin condition assessment or diagnostic tool that detects sizes and quantifies variances in the fluorescence landscapes and the presence of markers that may indicate a condition or tissue abnormalities. The emitter and detector, of the fluorescence spectroscopy **314**, may be mounted on the head assembly of the horizontal digital image scanner and/or the vertical digital image scanner and may include a reticle projector and may be positionable in the same manner as the white-light digital camera **312**. Image quality may be reviewed and, if desired, manually optimized through the use of the image selection and adjustment module **350**. The fluorescence spectroscopy **314** may be used to scan the body's surface areas independently of other imaging devices as well as in collaboration with other imaging devices. For example, fluorescence spectroscopy may scan the body for peculiarities and abnormalities without regard to areas-of-interest detected by other imaging devices and then focus the fluorescence spectra imaging on the areas-of-inter-

est, it has detected, as well as areas-of-interest detected by the other imagers. In this way, the fluorescence spectroscopy **314** may perform independent assessments as well as elaborate or expand on discoveries made by other imaging technologies.

[0037] A high-definition Infra Red (IR) imager **316** may be used to capture the sized digital radiometric images of the body's surface area and quantify minute variances in temperature by registering the radiometric values of each detector pixel. This permits the detection of hyperthermia, localized vasodilation, hypervascularization, discrete temperature variations, and other abnormalities that display unique temperature characteristics. The high-definition IR imager **316** may include a reticle projector and may be mounted on the head assembly of horizontal digital image scanner and/or on the vertical digital image scanner in the same manner as the white-light digital camera **312** and the fluorescence Spectroscopy **314**. Image quality may be reviewed and, if desired, manually optimized through the use of the image selection and adjustment module **350**. The high-definition IR imager **316** may be used to scan the body's surface areas independently of other imaging devices and in collaboration with other imaging devices. For example, the high-definition IR imager **316** may scan the body for peculiarities and abnormalities without regard to areas-of-interest detected by other imaging devices and then focus the high-definition IR imaging on the areas-of-interest it has detected as well as areas-of-interest detected by the other imagers. In this way, the high-definition IR imager **316** may perform independent assessments as well as elaborate or expand on discoveries made by other imaging technologies.

[0038] The portable digital image scanner **320**, also referred to as derma imager, may consist of a set of compact, lightweight devices used to capture various characteristics of skin conditions and skin disorders. There may be one or more portable digital image scanners **320** operationally subordinate to a user interface and display unit **100** configured to facilitate access, to the system **1000**, by remotely located subjects who might otherwise not have access to the stationary digital image scanners **310**. The portable digital image scanner **320** may include three imager configurations in its set or suite of components. These imagers may include: a derma imager WLP (White-Light Photographic) **322**; a derma imager FS (Fluorescence Spectroscopy) **324**; and a derma imager IR (Thermo-Graphic IR) **326**. Each of these imagers is compact, light weight and may be comfortably operated by one hand. The portable digital image scanner's **320** suite of components also incorporates a portable ruggedized computer with a high-contrast, true-color, high-resolution touch-screen display with built-in ambient temperature/air quality/humidity/elevation sensors, stylus, mouse and high-speed modem (not shown), a cable set (not shown), a battery set and charger (not shown), adapters (not shown), miscellaneous spare components (not shown), a cleaning kit (not shown), a manual (not shown), software applications and training materials (not shown) and other supporting items, all stowed in one or more ruggedized carrying cases (not shown). Data captured by the portable digital image scanners **320** may be transmitted to the portable computer which thereafter may transmit the data, via the communication network, to the data analysis and reporting unit **500**. This transmission may be either direct or through the user interface and display unit **100**, to which the portable digital image scanner **320** is operationally subordinate. Alternatively, the portable digital image scanner **320** may be assigned to or managed by an indepen-

dent third party. In this case, the portable digital image scanner **320** may directly forward the captured data to the data analysis and reporting unit **500**.

[0039] The derma imager WLP **322** may be designed to capture individual and streamed digitized photographic/video images of a similar kind and for the same purposes as the stationary digital image scanner **310** but at a slower rate and smaller scale and with fewer automated functions. The components that may be built-into the derma imager WLP **322** may include a digital camera (not shown) with high-contrast, high-resolution, true color (high color accuracy) and high quality color saturation capabilities and features. The derma imager WLP **322** incorporates: magnification selections ranging between 1× to 700×; a reticle projection device; a light meter sensor; an adjustable light source; and an appended surface texture and thickness sensor. The reticle, projected onto the skin, is used for positioning the device correctly over the area-of-interest. The video image may be transmitted to the portable computer and displayed on the touch-screen monitor. The subject may adjust the derma imager WLP **322** until the lighting, focus and view are optimized. Once the desired image is suitably displayed, the subject initiates a capture sequence. Areas-of-interest, captured by the derma imager WLP **322**, may be accurately scaled down to 1 mm or smaller, at a magnification of 1× which means the dimensional size (height and width) of objects in the images may be accurately gauged. Additionally, magnified objects (greater than 2×) may be scaled accurate to less than 0.1 mm. Additionally, the derma imager WLP **322** may be equipped with self-diagnostics and self-calibration devices which permit simplified maintenance and ensure high quality performance.

[0040] The derma imager FS **324** may consist of a fluorescence spectroscopy (including an ultraviolet and/or infrared emitters and detectors), a digital camera with a light meter, adjustable light source, and a reticle projector. The fluorescence spectroscopy and digital camera may generate a video, of the targeted area, which may be transmitted to the portable computer and viewed on its monitor. When a suitable view has been selected, the operator may initiate a capture sequence and the images will be captured and automatically transmitted to the user interface and display unit **100** or the data analysis and reporting unit **500**. Both visual images (digital photographs/video) and the fluorescent spectra data may be captured along with location identification data. Additionally, the derma imager FS **324** can be equipped with self-diagnostics and self-calibration devices which permit simplified maintenance and ensure high quality performance.

[0041] The derma imager IR **326** may consist of a thermo graphic imager or sensor, reticle projector, and a digital camera with a light meter, adjustable light source, and a reticle projector. The thermo graphic imager and the digital camera may generate a video, of the targeted area, which may be transmitted to the portable computer and viewed on its monitor. When a suitable view has been selected, the operator may initiate a capture sequence and the images will be captured and automatically transmitted to the user interface and display unit **100** or the data analysis and reporting unit **500**. Both visual images (digital photographs/video) and the thermo graphic data may be captured along with location identification data. Additionally, the derma imager IR **326** can be equipped with self-diagnostics and self-calibration devices which permit simplified maintenance and ensure high quality performance.

[0042] Additionally, a standard, off-the-shelf, high quality, high-contrast, true color, high-resolution, digital camera 330, in combination with appropriate full-spectrum lighting, may be used to capture digitized photographic/video images of an object-of-interest. These images are typically not of the quality acquired by the stationary digital image scanners 310 or the portable digital image scanners 320 however, the image quality is frequently adequate to allow at least a preliminary automated analysis. This capability offers a significant advantage since digital images of derma abnormalities may be captured, by almost anyone, and electronically transmitted, over the communications network, to the data analysis and reporting unit 500 directly or through the user interface and display unit 100.

[0043] The data acquisition module 200 may incorporate a breath analyzer 340, which may be used to analyze the composition of the subject's breath in order to detect the presence and concentration of certain molecules or chemical compounds that provide markers of a physiological condition that can manifest it self in the form of skin disorders. The breath analyzer 340 is simple and easy to administer and produces near real-time and accurate assessments of the breath gasses. The subject breathes into the device through a disposable mouth-piece & cartridge assembly which may be inserted into the breath analyzer 340 housing. In one configuration of the breath analyzer 340, the breath analysis technology may utilize laser absorption spectroscopy. Near ultraviolet (UV) to near infrared (IR) wavelengths may be emitted into the gas and a spectrophotometer can be used to measure the absorption spectrum, which is recorded as a quantitative value. Absorption spectrums are unique to particular compounds and change with varying concentrations. Available technologies of breath analyzer 340, such as the gas chromatography-electrolyzer powered flame ionization detector (EFID) may also be used. The output of the breath analyzer 340 may be transmitted to the data analysis and reporting unit 500 directly or through the user interface and display unit 100.

[0044] The data acquisition module 200 may incorporate a test and measurement unit 360 as a stationary and portable configuration. The test and measurement unit 360 may be used to capture quantitative physical characteristics and physiological characteristics of the subject, as well as test environment characteristics (including calendar day, time-of-day, and location). Additionally the test and measurement unit 360 is capable of importing outside laboratory results and test results.

[0045] The physical characteristics or features, captured by the test and measurement unit 360, include height, weight, body dimensions, body fat ratios, skin tone/shade, fingernail characteristics, eye color, hair color, and the like. The physical features may be captured for the purposes of developing a comprehensive physical description of the subject, including both their peculiar or unusual characteristics and their common or normal characteristics.

[0046] The physiological characteristics, captured by the test and measurement unit 360, include vital signs, bone density, muscular/skeletal strength and flexibility, arterial blood oxygen saturation, endurance, skin thickness, skin texture, skin translucence, skin elasticity, skin moisture content, skin sensitivity, vision, eye clarity, hearing, hair loss and hair condition, fingernail characteristics, hormone levels, and the like. The physiological characteristics may be captured for the purposes of developing a comprehensive physiological

description of the subject, including both their common or normal characteristics as well as their abnormal or peculiar characteristics.

[0047] The test environment characteristics, captured by the test and measurement unit 360, include ambient temperature, air quality, humidity, elevation, air pollutants, geographical location, and calendar day and time of day. The test environment characteristics may be captured for the purposes of defining those influencing environmental factors that may affect test results.

[0048] The test and measurement unit's capability to import laboratory test results and test results captured by external test equipment is provided for the purposes of including potentially important diagnostic data elements, developed outside of the system 1000. This enables the capability for ensuring the broadest practicable selection of test and measurement data is captured and made available to the data analysis and reporting unit 500 for analysis.

[0049] The data acquisition module 200 may be responsible for the acquisition of prescribed data elements as quantitative values. These data elements are derived from continuously evolving sets of tests, measurements and background queries and may comprise essential prerequisite source data for the high-speed automated analysis preformed by the data analysis and reporting unit 500. These data elements may include imagery data (or spectral data), sensory data, physical/physiological and environmental test and measurement data, and supportive data. Imagery data may be collected by the white light digital camera 312 (including but not limited to the dermatoscope and videomicroscope), fluorescence spectroscopy 314, high-definition IR imager 316, derma imager WLP 322, derma imager PS 324, and the derma imager IR 326, and, additionally by the independently operated digital camera 330. These devices may be designed to detect and quantitatively register particular visual, florescent and/or thermal characteristics of skin conditions and skin disorders. For capturing the appearance, size, shape, color, edge characteristics, spectral characteristics, and density characteristics of skin conditions and disorders, other additional technological applications such as, ultrasonography and optical coherence tomography may also be used. Sensory data may be collected by the breath analyzer 340 which may include, but is not limited to, laser absorption spectroscopy and gas chromatography technologies. The breath analyzer 340 may be designed to detect and quantitatively register chemical compounds or markers, in the subject's breath, that correlate to certain known conditions, diseases, toxicity/poisoning, inflammation, or other types of disorders or abnormalities. The breath analyzers may also be used to detect evidence or indications of dietary/nutritional deficiencies, hormonal imbalances, drug and alcohol abuse, drug interactions/reactions, and the like. The test and measurement unit 360 may be designed to digitally acquire at least two categories of data which includes physical/physiological characteristics and test environment characteristics. The physical and physiological characteristics include information such as height, weight, body fat ratio, body dimensions, vital signs, vision performance, hearing performance, coordination, strength, flexibility, arterial blood oxygen saturation, blood type, skin texture, skin thickness, skin elasticity and the like. The test environment data includes ambient temperature, air quality, humidity, air quality, and elevation.

[0050] Additionally, data originating from other sources (i.e. laboratory reports, medical histories, skin tests, blood

tests, biopsies, and the like) may also be imported into the user interface and display unit **100**, through direct entry or the use of a communication network such as high-speed internet connection or the like. Once the key data prerequisites have been verified, the user interface and display unit **100** transmits the data, through the communication network, to the data analysis and reporting unit **500** for processing and subsequent analysis.

[0051] The digitized imagery, measurement, and sensory data, that have been captured by the imagery and sensory data unit **300**, may be submitted to the image selection and adjustment module **350** where the data is processed for presentation by the display module **900**. Once displayed, the subject or the operator may make image selections, modify or add references or data elements, verify dimensional data, verify area-of-interest location designators, modify or add narrative, adjust image quality, and perform a number of other material enhancement and equipment operational verification and maintenance tasks through the use of the user-interface devices (i.e. touch-screen display, stylus, key board, mouse, etc.) incorporated into the display module **900**. Commands, entered through the display module **900** user-interface devices, may be routed to the image selection and adjustment module **350**, which interprets the inputs, acts on the commands, and/or disseminates instructions to other modules or units including the imagery and sensory data unit **300**, breath analyzer **340**, test and measurement unit **360**, and the supportive data unit **400**.

[0052] Referring to FIG. 4, illustrated is the supportive data unit **400** of the data acquisition module **200**. The various data acquisition features of the supportive data unit **400** may be automatically initiated, by the data analysis and reporting unit **500**, whenever: certain background data and condition descriptive data is required for new clients; updated data is required to support a condition monitoring activities; updated information is required to support treatment and health strategy effectiveness monitoring activities; database updates are needed due to data inconsistencies or outdated material; imagery and/or sensory data inputs reveals insufficient, inconclusive, inconsistent or missing supportive data; analysis reveals a need for additional supportive data; and the like. The network of user interface and display units **100**, including the supportive data unit **400**, function as extensions of the centrally located data analysis and reporting units **500**. The supportive data unit **400** may be designed to digitally acquire a broad array of personal identification data and background health information such as demographics, personal health history, family health history (i.e. health history of blood relatives), medical history, diet/nutrition, environmental exposures, occupational exposures to noxious and toxic substances, and behaviors (i.e. alcohol, tobacco and drug usage). Additionally the supportive data unit **400** may capture specific symptomatic data such as: condition history, physical symptoms (i.e. swelling, itchiness, pain, discharges, burning, numbness, dryness, scaling, heat sensitivity, cold sensitivity, etc.); symptom severity; symptom progression; and the like. The supportive data unit **400** offers a host of data acquisition features and is designed to present a series of queries that are personalized to the unique characteristics of the subject. Subject responses are assessed and logical follow-up queries are generated and pursued in a series of query tiers. The query process may focus on both targeted objective (i.e. establish personal identity characteristics, establish health histories, establish medical histories, collect condition monitoring

data, collect treatment effectiveness monitoring data, establish predispositions, identify drug usage, identify behaviors, and so on) or key response elements that suggests more information (i.e. follow-up queries) may be required to adequately document the subject's condition or situation.

[0053] The supportive data unit **400**, in collaboration with the data analysis and reporting unit **500**, may be designed to acquire data, that includes but is not limited to: personal identification information such as name, address, phone number, e-mail address, and the like; demographics data such as age, gender, race, ethnicity, educational level, occupation, sexual preference, marital status, children, religion, recreational activities, and the like; physical features such as hair growth, hair color, eye color, skin tone, fingernail condition, posture, and the like; physical fitness including activity level, relative strength, energy level, coordination, disabilities, deformities, and the like; health history, medical history data; occupation environment including exposure to radiation, poisons, and other noxious and toxic substances and irritants; hygiene; prescription drug and nonprescription drug usage; behavioral data including alcohol and tobacco usage; diet and nutritional information; sleep patterns; non-occupational environment including exposure to radiation, poisons and other noxious substances and irritants; observed skin characteristics, abnormalities, and disorders; observed physiological characteristics, abnormalities and disorders; and the like.

[0054] Referring to FIG. 5, illustrated is the data analysis and reporting unit **500**. The data analysis and reporting unit **500** may be remotely located and connected to the user interface and display unit **100** over the communication network such as internet. The data analysis and reporting module **500** may consist of a data requirements and communications module **600**, a data analysis module **700**, and a reporting module **800**. The data requirements and communications module **600** may be capable of interacting with the network of user interface and display units **100** in order to facilitate user interactions and the exchange of information, acquire prescribed imagery data, sensory data, test and measurement data, and supportive data, managing the implementation of condition monitoring programs, and transmit health status reports. The data requirements and communications module **600** may be communicatively linked to the user interface and display units **100** or more specifically the data acquisition module **200**, image selection and adjustment module **350**, and the display module **900** through the communication network. The interactions between these units and the data requirements and communications module **600** is transparent to the subject whereas the user interface and display units **100** provide the interface with the subject, the data analysis and reporting unit **500** provides centralized data processing and analysis capabilities as well as a host of integrated database reference libraries.

[0055] The data requirements and communications module **600** may be capable of processing and preparing sensory data, test and measurement data, and supportive data, received from the user interface and display units **100**, for analysis by the data analysis module **700** and the establishment of population groups that share similar characteristics. The data preparation may include: screening the data for completeness; categorizing the data by demographic characteristics such as age, gender, race, ethnicity, sexual preference, marital status, children, geographical location, recreational activities and occupation; categorizing the data by physical features such as height, weight, body fat ratio, body dimensions, skin

tone, hair color and growth, and eye color; categorizing the data by physiological characteristics such as heart rate, respiratory rate, blood type, blood pressure, blood chemistry composition, exhaled gas chemistry composition, and temperature; categorize the data by preexisting medical conditions, prescription drug usage, medical treatments, and disabilities; categorize the data by shared behaviors; categorize the data by diet and nutritional characteristics; categorize the data by environmental exposure to specific toxic or noxious substances; categorize the data by infestation by specific parasites; categorize the data by fungal infections; categorize the data by dermal injuries; and the like. This preparation is used to pre-select comparative population groups, expedite the analysis process and enhance the effectiveness and speed of the analysis.

[0056] Additionally, the data requirements and communications module **600** may be responsible for data security and operational availability monitoring and system diagnostics and maintenance.

[0057] The data analysis module **700** may be considered to contain the core intellect of the system **1000**. The data analysis module **700** is configured to: collect a diverse range of quantitative data elements which include demographic, historical, physical, physiological, behavioral and psychological characteristics and a plurality of test results which are categorically grouped and organized by the data requirements and communications module **600**; systematically analyze the data elements; develop a primary and one or more secondary diagnoses (meaning treatments for the primary diagnosis may normally not be incompatible with treatments of the secondary diagnosis, particularly when the analysis of the available data indicates relatively little difference in which diagnosis is most probably correct); identify effective treatments, for the subject's skin condition, that are compatible with the subject's unique characteristics, behaviors and preferences; establish condition monitoring parameters; establish treatment effectiveness monitoring parameters; and develop health strategies (i.e. avoidance and mitigation strategies and health enhancement strategies).

[0058] The data analysis module **700** may incorporate multiple analytical methodologies that are based on deductive and inductive reasoning processes. The core analytical methodologies may include: comparative analysis; pattern and trend analysis; correlation analysis; risk analysis; and health strategy development.

[0059] Comparative analysis may be comprised of multiple elements. This includes the comparison of individual and combined imagery, sensory, test and measurement, and supportive data elements against each other in order to identify peculiarities, establish relationships and confirm consistency or continuity. Comparative analysis also includes the comparisons of individual and combined data elements against equivalent data elements associated with population groups sharing similar skin conditions, abnormalities, disorders, demographics, physical/physiological/psychological/behavioral characteristics, diets, and historical characteristics (i.e. medical history, robustness, health condition histories, rates of recovery, prescription drug usage characteristics, etc.), and the like. It is unlikely that a single population group would share all or even most of the same characteristics as the subject. Therefore, comparative population groups are tailored to incorporate certain critical or core shared characteristics (i.e. age, gender, and race) first and then systematically expanded to share other characteristics in whatever combina-

tions that are logical. In one form of comparative analysis, the comparison process may include the comparison of test results captured by diverse technologies. For example, imagery data, captured by a fluorescence spectroscopic device, may be compared to imagery data captured by a high-definition IR imaging device. In this case, the comparisons are performed in order to identify similarities and dissimilarities, in the resulting test data, that would tend to support a diagnosis or indicate whether additional analysis is required. The information that is derived from data element comparison and comparisons to similar population groups may reveal subject peculiarities and/or abnormalities that may not otherwise be evident. In comparative analysis, the related individual data elements, collective data elements and test results may continuously be updated and subjected to additional comparison. If new data causes an irregularity in the comparisons, the incongruity is gauged for severity and the impact on the current diagnosis and treatment is assessed.

[0060] Pattern and trend analysis may utilize an assessment of individual or various combinations of imagery data elements, sensory data elements, test and measurement data elements, and supportive data elements in order to identify the presence of similarities and regularities in results and/or behaviors, as well as natural classifications or clusters of data. Additionally, the patterns are assessed individually, in various combinations and cumulatively. New data element inputs may cause a reassessment of current patterns. When a pattern deviation is detected, it is gauged for severity and the impact on the current diagnosis is assessed. Patterns are continuously monitored in order to identify directional tendencies to change-over-time (also known as trends) and to identify the stability of the subject and the severity and direction of change. A file may be established that represents the subject's "normal" condition (not necessarily indicating the subject's condition is normal) across a broad range of characteristics. This file is continuously updated and the patterns and trends analysis program is sensitized to detect deviations from the subject's norm

[0061] Correlation analysis may be performed in order to identify relationships between similar and diverse data elements in order to better establish the nature, cause, severity, and most effective treatment of a skin condition. Data correlations are more tightly focused by sensitizing the correlations to the subject's age, gender, race, ethnicity, geographical location, and other influential factors. The correlation analysis process may be comprised of multiple segments which include: systematically cross-correlating the subject's individual test results and data elements (including imagery data, sensory data, test and measurement data, and supportive data) against each other, systematically cross-correlating various combinations of data elements and test results against other individual and combinations of data elements and test results; systematically cross-correlating the subject's data elements and test results against authoritative standards, research, studies, reports, and other credible reference materials.

[0062] Risk analysis may be comprised of systematic procedures that identify and analyze the subject's health threats and health vulnerabilities. These may include: risks related to the skin condition's symptomology; risks pertaining to influencing factors (i.e. age, medical conditions, health conditions, occupation, diet, hygiene practices, environmental exposure, and the like); risks related to one diagnosis versus another diagnosis; risks related to the treatment options; risks associated with condition degradation if treatment is ineffec-

tive; risks associated with alternative diagnoses; risks associated with alternative treatments; risk of a contagion, risk to fertility, risks during nursing; risks during pregnancy; and the like. The subject's probable exposure to the risk(s) is ascertained and calculated. The risk analysis program may then offer a plan or strategy for risk avoidance, risk mitigation, and risk monitoring.

[0063] Health strategy analysis may be comprised of a systematic assessment of the subject's physical characteristics, physiological characteristics, psychological characteristics, health condition, medical conditions, behaviors, family health history (genetic predispositions), diet and eating habits, sleeping habits, nutrition, activity level and fitness, prescription drug and non-prescription drug usage, occupation, environmental exposures, living environment, work environment, chemical exposures, travel, recreational activities, hygiene, lifestyle, and the like. Additionally, the subject's age, gender, race, ethnicity, geographical location, marital status, religion, emotional condition, educational level, sexual interest and activity level, and the like may be taken into consideration. The health strategy analysis is performed in order to identify those exposures, behaviors and other elements, of a subject's condition or lifestyle that may be creating an unhealthy situation that may cause or exasperate the subject's susceptibility to illness, disease, injury, contamination, infections, infestation, premature aging, and other causes of distress, and anguish. Once these elements are identified, the health strategy analysis process develops a detailed personalized plan or strategy that systematically incorporates a sequence of unique features that are designed to target certain unhealthy hygiene issues, exposures, behaviors, nutritional deficiencies and the like. Additionally, they may be designed to sensitize the subject to the need to avoid, or protect themselves against, unhealthy substances, irritants, parasites, fungus, and microbes that they may be exposed to in their particular home or work environments. The health strategy analysis also offers listings of safe and effective hygiene and skin care products that may be designed to be compatible with the subject's own unique characteristics. The purpose of the health strategy analysis may be to enhance or augment the subject's overall health and wellbeing through healthy behaviors, nutrition, practices, and products. To ensure effective implementation, the health strategy analysis process establishes a realistic schedule, achievable milestone objectives, and a set of monitoring parameters.

[0064] Analyzer module **750** of the data analysis module **700** may be capable of performing technical analysis of data categories including imagery data, sensory data, test and measurement data, and supportive data. Imagery data may include digital photographic imagery data, radiographic imagery, and fluorescent spectra imagery. Sensory data may include breath-gas analysis data elements. Test and measurement data may include a host of physical physiological, and environmental test and measurement data elements. Supportive data may include a host of descriptive data elements. Each of these categories of data may be captured by diverse and sophisticated technologies. The analyzer module **750** can provide technical analysis processes that incorporate methodologies such as scientific/technical assessments, comparative analysis, patterns and trends analysis, correlation analysis, risk analysis and the like.

[0065] The analyzer module **750** may incorporate a digital photographic imagery data analysis function that may filter (screens), process, segment and categorize the imagery inputs

from devices such as the white-light digital camera **310**, derma imager WLP **322**, and the digital camera **330**, in order to establish usable material, tables and files of quantitative data that may be structured in a manner that would facilitate, among other things, technical analysis, comparative analysis, pattern and trend analysis, data correlation analysis and risk analysis. The digital photographic image analysis may be used to formulate and assess specific image characteristics that may include appearance, size, shape, edge characteristics, color, and the like. The appearance characteristic may address the high-contrast, high-resolution and accurately scaled images of distinctive phenomena, objects and object clusters within an area-of-interest. The size characteristic may address the precise quantitative representations of the size of distinctive phenomena, objects and object clusters within an area-of-interest. The shape characteristic may address the precise quantitative representations of the shape of distinctive phenomena, objects in the area-of-interest. The edge characteristic may address the precise quantitative representations of the edge characteristics of distinctive phenomena, objects within the area-of-interest. And color characteristic may address the precise quantitative representations of color (including color accuracy and color saturation) of the phenomena and/or objects within the area-of-interest.

[0066] The analyzer module **750** may incorporate a radiographic image data analysis function that may filter (screens), process, segment and categorize the radiographic imagery inputs from devices such as the high-definition IR imager **316** and the derma imager IR **326** in order to establish usable tables and files of quantitative data that may be structured in a manner that would facilitate, among other things, technical analysis, comparative analysis, pattern and trend analysis, data correlation analysis and risk analysis. The radiographic image analysis function may be used to formulate and assess specific radiographic images that may be used to establish quantitative values depicting the precise temperatures and temperature differentiations of the phenomena and/or object, in the area-of-interest, and the surrounding tissues.

[0067] The analyzer module **750** may incorporate a fluorescent spectra data analysis function that may filter (screen), process, segment and categorize the fluorescent spectrographic inputs from devices such as the fluorescence spectroscope **314** and the derma imager FS **324** in order to establish usable tables and files of quantitative data that may be structured in a manner that would facilitate, among other things, comparative analysis, pattern and trend analysis, data correlation analysis and risk analysis. The fluorescent spectra analysis function may be used to formulate and assess specific fluorescent spectrographic images that may be used to establish quantitative values depicting the precise fluorescent spectrographic emission characteristics of the phenomena and/or object in the area-of-interest.

[0068] The analyzer module **750** may incorporate a breath-gas analysis function that may filter (screen), process, segment, and categorize data inputs that include but are not limited to, laser absorption spectrographic data and gas chromatography data, captured by devices such as the breath analyzer **340**. The breath analysis process establishes usable tables and files of quantitative data that may be structured in a manner that would facilitate, among other things, comparative analysis, pattern and trend analysis, data correlation analysis and risk analysis. The breath analysis function may be used to identify and assess specific chemical compounds,

molecules, and markers that may be used to establish precise quantitative depictions of the substances present in the subject's breath.

[0069] The analyzer module **750** may further incorporate a test and measurement data analysis function that may filter (screen), process, segment and categorize a host of test and measurement inputs, from the test and measurement unit **360**, in order to establish usable tables and files of quantitative data that may be structured in a manner that would facilitate, among other things, comparative analysis, pattern and trend analysis, data correlation analysis and risk analysis. The test and measurement analysis function may be used to formulate and assess specific physical and environmental characteristics that may be used to develop precise quantitative depictions of the subject's physical characteristics, vital signs, strength, vision, hearing, sensitivity to pain/touch/hot/cold, physical features of the skin condition (i.e. surface texture and moisture content, density, thickness, etc.), test environment (ambient temperature, humidity, elevation, etc.), and the like.

[0070] The analyzer module **750** may also incorporate a supportive data analysis function that may filter (screen), process, segment, and categorize supportive data inputs from the supportive data unit **400**. The supportive data analysis process establishes usable tables and files of quantitative data that may be structured in a manner that would facilitate, among other things, comparative analysis, pattern and trend analysis, data correlation analysis and risk analysis. The supportive data analysis function may be used to identify and assess specific personal, physical, physiological, psychological, and behavioral characteristics as well as family health histories, military service, occupation exposures, health histories, medical histories, prescription drug usage, travel, diet and eating habits, home environment, work environment, personal hygiene, recreational activities, exposure to sunlight, exposure to chemicals, perceived sensitivity to pain and touch, and the like. The subjective data analysis may be used to establish precise quantitative depictions of the subject's background and history.

[0071] The analyzer module **750** utilizes at least two reference databases which include primary reference database **710** and secondary reference database **720**. These reference databases represent a comprehensive collection of specially formulated materials that address the quantitative characteristics of skin conditions, irregularities, abnormalities and disorders, organized with sensitivity to age, gender, race, ethnicity, geographical area, educational level, occupation and the like. Also, addressed are treatments (including success rates, complications, adverse reactions, effectiveness monitoring parameters, side effects, etc.), skin disorder avoidance and mitigation strategies, diets/nutrition, cosmetics—effectiveness and safety, health optimization strategies, and other materials that would support the diagnosis, treatment, monitoring (including condition monitoring and treatment effectiveness monitoring), avoidance and mitigation strategies, and health enhancement strategies. The authoritative standards and reference materials are comprised of a broad range of current scientific data, medical data, health studies, nutritional/dietary data, nuclear and biochemical data, demographic data, census data, gender specific research, geriatric research, cosmetic data, parasitic data, fungal data, physiological data, genealogical data, and other like data and a host of authoritative standards that are in various ways associated with known skin disorders. A key element of this analytical

process is the cross-correlation of the multiple data elements utilizing both deductive and inductive reasoning.

[0072] The primary reference database **710** may include a vast array of quantitative materials derived from demographic data, census data, scientific studies, medical journals, nutritional and diet data, medical encyclopedias, pharmaceutical data, health research, vitamin and mineral supplement directories, hazardous substance identification and exposure effects data, environmental health data, occupational health data, household chemical research (i.e. detergents, cleaners, soaps, shampoos, bubble baths, polishes, waxes, polishes, air fresheners, etc.), research data, personal hygiene data, cosmetics and skin care research data, occupational exposure to hazardous materials, and the like. These materials may be specifically created, altered, tailored, and/or customized to facilitate rapid search features and data cross-correlation functions of the system **1000**. The database architecture, structure, and organization may be optimized to ensure full compatibility with the analyzer module **750**.

[0073] The secondary reference database **720** may consist of quantitative materials derived from sources that may be considered to represent lesser quality. This data will have been carefully compiled, modified, and enhanced where necessary. However, this data may lack some of the attributes and graphical imagery found in the primary reference database **710**. The secondary reference database **720** may be selected for use because it depicts certain key quantitative identifiers of skin conditions that may not yet have been incorporated into the primary reference database **710**. This information may be new or it may not incorporate all of the data elements necessary for inclusion in the primary reference database. In many cases, the secondary reference database **720** addresses the most recent information, research or studies, or it may address fragmented, incomplete or only partially substantiated information that may relate to more unusual or exotic skin conditions, abnormalities and disorders.

[0074] The analyzer module **750** may incorporate a diagnostic reconciliation step, where two or more possible skin condition diagnoses may be subjected to further analysis that culminates in the identification of one, most probable diagnosis. The alternative or second, third, fourth, and fifth most probable diagnoses may also be retained and referenced during the reconciliation step to ensure the primary diagnosis, and its prescribed treatment(s), are reasonably compatible with the second, third, fourth, and fifth most likely diagnosis. Meaning that if the primary diagnosis is only marginally more probable than a secondary diagnosis, the prescribed treatment may not cause harm or unnecessary risk to the subject, if it turns out the secondary diagnosis was correct. As the confidence in the primary diagnosis increases, the tolerance of risk increases slightly. The treatment effectiveness monitoring activity may be also sensitized to the alternative diagnoses and treatments so that certain peculiarities or responses to a treatment may be correlated to the corresponding response characteristics of one or more of the alternative diagnoses. If there is evidence that the treatment is ineffective against the primary diagnosis and/or if the subject's response to the treatment correspond to one or more unique response characteristic associated with one of the alternative diagnoses, the initial diagnosis is automatically reassessed and, when appropriate, the treatment is modified and a re-diagnosis is initiated.

[0075] The analyzer module **750** may generate an automated diagnosis (also known as the computer generated diag-

nosis), which is derived from the reconciliation step. The automated diagnosis then may be sent to either the review function 730 or the reporting module 800.

[0076] When laws, regulations, policy, rules, procedures and practices require an appropriately trained and licensed physician review and approve a diagnosis, the automated diagnosis maybe sent to the review function 730. The review function 730 may be comprised of one or more qualified and licensed physicians that systematically review the automated diagnosis to verify its accuracy and completeness. This means the basis of the automated diagnosis, including the application of analytical methodologies, and the detailed analytical processes (i.e. imagery analysis, sensory analysis, test and measurement analysis, supportive data analysis, and the like) is examined. Also each premise, upon which the diagnosis was made, is reviewed. Upon a satisfactory review of the supporting materials, the diagnosis is routed to the reporting module 800 for transmission (over the communications network) to the appropriate user interface and display unit 100 for presentation to the subject

[0077] The automated diagnosis may be directly routed to the reporting module 800 when the receiving party is a duly licensed and qualified medical practitioner who is legally authorized to receive, review and concur with the diagnosis, or when laws, regulations, policies, rules, procedures, standards and practices permit the direct submission, of computer generated diagnoses, to the subject. The analyzer module 750 may incorporate numerous fail-safes and cross checks that ensure compliance to a comprehensive and thorough review of each phase or step of the process. In this way, the automated diagnosis is expected to be at least as accurate as one made by a typical physician.

[0078] The reporting module 800 may be responsible for acquiring the diagnosis, from the analyzer module 750 or from the review function 730, and generating a diagnostic health report. The diagnostic health report may have two formats, namely plain language report format and medical report format. The plain language report format can be designed to be read by a person with no medical training and limited education. The plain language report format includes information, such as, but not limited to condition description, severity, progression, probable cause and proposed treatments. The medical report format may be designed to be read by the subject's physician. It includes more technical description of the condition, such as medical description, progression, basis of diagnosis, relevant history, reference data, and the like.

[0079] Once the health report is generated, the health report may be automatically transmitted to the user interface and display unit 100 over the communication network, and may be displayed to the subject using the display module 900. Additionally, the subject may be given an opportunity to ask questions and request various summaries of the analysis process.

[0080] The analyzer module 750 may construct and implement a sequence of monitoring processes and health strategies which may be designed to ensure oversight of the subject's condition and oversight of the treatment administration as well as offer techniques and methodologies to avoid, mitigate, or prevent skin irregularities and disorders.

[0081] The monitoring processes may include condition-monitoring and treatment/strategy effectiveness-monitoring. The condition monitoring may address the monitoring of a health condition or, more specifically, the monitoring of the

progression of skin conditions and health conditions that manifest themselves as skin disorders. This monitoring may be also sensitized to identify influencing factors such as time of day, date/season, biological cycles, and changes in diet, travel, recreational activities, schedules, work environment peculiarities, stress, and the like. The treatment/strategy effectiveness-monitoring may address the effectiveness of a treatment and/or health strategy on a specific condition, and its effect on the subjects overall health and performance. Additionally, treatment effectiveness-monitoring may be designed to: monitor and gauge the effects of a treatment on a diagnosed condition; and to monitor and gauge the subject's reactions to a treatment, and how the reaction correlates to anticipated reactions, plus how the reactions correlate to reactions associated with one or more of the alternative diagnoses.

[0082] The avoidance and mitigation strategies may include: enhanced sensitivity to proper hygiene, behaviors, diet/nutrition; recognition of environmental irritants, parasites, infectious diseases, hazardous microorganisms, hazardous chemicals, poisons, harmful cosmetics, funguses, and environmental exposure (i.e. sun, wind, rain, dampness, dryness, etc.); and personalized strategies for cause avoidance and/or condition mitigation. Avoidance strategies may address techniques and methods of identifying and avoiding certain situations, exposures, environments, substances, conditions, and behaviors, that are know to cause or exasperate, or may cause or exasperate adverse skin reactions in the subject. Mitigation strategies may address certain individualized techniques, methods, and practices that are known to alleviate, or may alleviate symptoms of a condition and/or disorder.

[0083] The health optimization strategies may include a series of highly personalized techniques, methods, behaviors and practices that may enhance the wellness and robustness (i.e., the ability to usually resist becoming ill or injured, the ability to experience less severe symptoms and/or complications when becoming ill or injured, and the ability to recover quickly, with minimal external intervention, when becoming ill or injured) of the subject while considering their age, gender, race, ethnicity, geographical location, physical characteristics, occupation, fitness, health, medical conditions, recreational activities, lifestyle, preferences, and the like. Health optimization strategies may include diet/nutritional programs, vitamin and mineral supplement regimens, exercise programs, behavior modification programs, stress management programs, hygiene, selection and application of cosmetics and perfumes, selection and application of skin care products, selection and usage of soaps/detergents/shampoos, and the like. Health optimization strategies may be designed to optimize the subject's health and, by doing so, minimize susceptibility to illness and disease as well as minimizing the adverse effects of aging.

[0084] Hereafter, the reporting module 800 may submit reports to the data analysis module 700 and where the data analysis module 700 archives the acquired subject data (i.e. imagery data, sensory data, test and measurement data, and supportive data), diagnoses, prescribed treatments, monitoring data, and health strategies, along with the key premises and authoritative standards that form the bases of the diagnosis. The cumulative data (the data compiled from the full population of subjects as well as various combinations) is assessed, by the data analysis module 700, in order to establish population patterns and trends, and to identify peculiarities and abnormalities. The cumulative assessment is used to

evaluate the accuracy of the diagnoses and the effectiveness of the treatments and health strategies. Certain important diagnostic and treatment factors can be derived from this assessment. These factors include but are not limited to: demographic characteristics that can most consistently and effectively influence the establishment of a highly-probable diagnosis and most effective treatment; physical, physiological, psychological, and behavioral characteristics that can most consistently and effectively influence the establishment of a diagnosis and the effectiveness of a treatment; health history, medical history, and family health history (i.e. genealogical relationships) characteristics that can most consistently and effectively influence the establishment of a diagnosis and the effectiveness of a treatment; what skin/health condition symptoms can most consistently and effectively be used to establish a highly-probable diagnosis and effective treatment; which treatments are most effective in treating a particular symptom or combination of symptoms; what are the best and quickest indicators that a treatment is effective; what are the best and quickest indicators that a treatment is not effective; what are the best and quickest indications that the administration of a treatment is excessive or inadequate; what are the best and quickest indications that a diagnosis is incorrect; what are the best and quickest indicators that there are two or more conditions simultaneously present; what are the most probable causes of a specific condition; what conditions are most likely to appear or cluster in a specific geographical area; what skin conditions are most likely to be associated with a particular occupation; which of two or more treatments is most effective; and combinations of two or more of the above. Additionally, the assessment of the archive can identify outbreaks or unusual phenomena that may indicate early evidence of some form of contamination or epidemic. The above factors are automatically referenced and may result in readdressing a diagnosis or treatment. Copies of the archived diagnoses, treatments, monitoring results, medical history, health history, family health history, and physical/physiological/psychological and behavioral characteristics may be rapidly retrieved, by the subject or their representative (including emergency medical practitioners), at a future date.

[0085] The foregoing descriptions of specific embodiments of the present invention have been presented for purposes of illustration and description. They are not intended to be exhaustive or to limit the invention to the precise forms disclosed, and obviously many modifications and variations are possible in light of the above teaching. The embodiments were chosen and described in order to best explain the principles of the invention and its practical application, to thereby enable others skilled in the art to best utilize the invention and various embodiments with various modifications as are suited to the particular use contemplated. It is understood that various omissions, substitutions of equivalents are contemplated as circumstance may suggest or render expedient, but is intended to cover the application or implementation without departing from the spirit or scope of the claims of the present invention.

What is claimed is:

1. A derma diagnostic and automated data analysis system, comprising:

at least one user interface and display unit capable of interacting with a subject and acquiring subject data from the subject; and

at least one data analysis and reporting unit communicatively coupled to the user interface and display unit, the data analysis and reporting unit capable of

remotely controlling the interactions between the user interface and display unit and the subject, and

acquiring and analyzing subject data for developing diagnosis, prescribing treatments, initiating monitoring processes, prescribing health strategies, generating health reports, archiving diagnoses and treatments, and assessing compilation of data for identifying correlations and influencing factors for enhancing accuracy of diagnoses and effectiveness of treatments.

2. The derma diagnostic and automated data analysis system of claim 1, wherein the subject data is selected from at least one of sensory data, imagery data, test and measurement data and supportive data.

3. The derma diagnostic and automated data analysis system of claim 1, wherein the user interface and display unit is communicatively coupled to the data analysis and reporting unit through a communication network comprising at least one of Internet, public switched telephone network, global system for mobile communications network, and general packet radio service network.

4. The derma diagnostic and automated data analysis system of claim 1, wherein the user interface and display unit comprises a data acquisition module, an image selection and adjustment module and a display module, the data acquisition module having

an imagery and sensory data unit capable of detecting and digitally capturing a plurality of skin characteristics in the form of quantitative imagery data,

a breath analyzer capable of analyzing the subject's exhaled breath for identifying the presence and concentration of molecules and chemical compounds indicating the presence of a disease, imbalance or abnormality,

a test and measurement unit capable of capturing multiple physical and physiological subject characteristics, and multiple environmental characteristics, and

a supportive data unit capable of acquiring an array of supportive data;

the image selection and adjustment module works in conjunction with the data acquisition module and the display module for interacting with the subject for selecting, modifying, and optimizing the imagery data, sensory data, test and measurement data, and the supportive data; and

the display module capable for interfacing with the subject for facilitating two way communication between the subject and the derma diagnostic and automated data analysis system for presenting information, graphical imagery, sensory data, queries, test set-up instructions and reports using at least one of touch-screen display, mouse, stylus, and keyboard.

5. The derma diagnostic and automated data analysis system of claim 1, wherein the data analysis and reporting unit further capable of

systematically constructing and presenting a logical sequence of interactive queries designed for acquiring supportive data from the subject,

systematically orchestrating administration of a logical sequence of special tests and measurements designed for

acquiring imagery data, sensory data, and a series of physical, physiological, psychological and environmental tests and measurements,

collecting and analyzing data captured by the data acquisition module for establishing a diagnosis and selecting and implementing suitable treatments, avoidance and mitigation strategies, condition monitoring programs, and treatment/strategy effectiveness monitoring programs,

performing systematic reviews of the diagnoses and prescribed treatments,

developing a set of health status reports for transmitting to the user interface and display unit for presentation to the subject,

permanently archiving the subject's background data, health data, diagnoses and treatments, and

assessing cumulative data in order to identify important factors influencing the accuracy of diagnosis and effectiveness of treatments and health maintenance strategies.

6. The derma diagnostic and automated data analysis system of claim 4, wherein the imagery and sensory data unit acquires an array of skin condition characteristics using

- at least one stationary digital image scanner,
- at least one portable digital image scanner, and
- at least one digital camera.

7. The derma diagnostic and automated data analysis system of claim 6, wherein the stationary digital image scanner configuration includes

- at least one horizontal digital image scanner capable of imaging bodies lying in horizontal position, and
- at least one vertical digital image scanner capable of imaging bodies standing vertically.

8. The derma diagnostic and automated data analysis system of claim 7, wherein the stationary digital image scanners acquire imagery data of the subject's skin using

- white-light digital photography for detecting, locating areas-of-interest in reference to fixed datum points and capturing white-light, high-contrast ratio, high-color saturation, high-color accuracy and high-resolution, scaled imagery of skin irregularities, abnormalities or peculiarities, on the subject's skin as either individual digitized photographs or streamed video,
- fluorescence spectroscopy for detecting, locating and capturing scaled fluorescent spectroscopic properties associated with skin irregularities, abnormalities, and peculiarities, on the subject's body as either individual digitized images or streamed video, and
- high definition infrared (IR) imagery for detecting, locating and capturing body temperature and scaled radiometric spectroscopic properties of skin irregularities, abnormalities or peculiarities, on the subject's body as either individual digitized images or streamed video.

9. The derma diagnostic and automated data analysis system of claim 6, wherein the portable digital image scanner is compact, robust, portable and shares performance capabilities and data acquisition objectives of the stationary digital image scanners, the portable digital image scanner includes

- a derma imager-white-light photographic (WLP) capable of detecting, locating area-of-interest in reference to fixed datum points and capturing white-light, high-contrast ratio, high-color saturation, high-color accuracy and high-resolution, scaled imagery of skin abnormali-

ties, irregularities, and peculiarities, on the subject's body as either individual photographs or streamed video,

- a derma imager-fluorescence spectroscopy (FS) capable of detecting, locating and capturing scaled fluorescent spectroscopic properties associated with skin irregularities, abnormalities and disorders found on the subject's body as either individual images or streamed video, and
- a derma imager-thermo-graphic infrared (IR) capable of detecting, locating and capturing scaled radiometric spectroscopic properties associated with skin irregularities, abnormalities and disorders, found on the subject's body, as either individual images or streamed video.

10. The derma diagnostic and automated data analysis system of claim 6, wherein the digital camera is capable of capturing color photographic images, of skin conditions and skin abnormalities, and submitting the images, over the communication network, to the user interface and display unit for processing.

11. The derma diagnostic and automated data analysis system of claim 4, wherein the presence and concentration of molecules or chemical compounds detected by the breath analyzer correlate to hormonal levels, chemical imbalances, metabolic performance, inflammation, disease, infection and other localized or major organ system conditions manifesting as skin peculiarities, irregularities, abnormalities or disorders.

12. The derma diagnostic and automated data analysis system of claim 4, wherein the display module, further comprises user interface features including

- audio communication features for two way audio communication between the subject or operator and the derma diagnostic and automated data analysis system,
- video communication features for visual communication of messages, images, graphics, alerts, instructions, reports, and general information, and
- data security features for preventing infection, corruption, alteration, debasement effecting the integrity of data or the derma diagnostic and automated data analysis system, and further preventing unauthorized access, including viewing of data, applications, processes, procedures, reference materials and other sensitive, private, and/or proprietary data contained in the derma diagnostic and automated data analysis system.

13. The derma diagnostic and automated data analysis system of claim 4, wherein the supportive data unit works collaboratively with the data analysis and reporting unit for acquiring an array of personal identification data selected from at least one of physical descriptive data, demographics data; personal hygiene data; health history data; medical history data; family health history data; travel history data; behavioral data; diet/nutritional data; mental health data; home/work environmental data; nuclear/biological/chemical substance exposure data; skin condition symptoms and skin condition history data; occupation descriptive data; allergy data; prescription and nonprescription drug usage data; cosmetics usage data; genetic predisposition data; sleeping habits; exposure to contagious and infectious diseases; exposure to fungal infections; exposure to parasitical infections and environmental exposure data.

14. The derma diagnostic and automated data analysis system of claim 1, wherein the data analysis and reporting unit comprises

a data requirements and communications module, a data analysis module, and a reporting module.

15. The derma diagnostic and automated data analysis system of claim **14**, wherein the data requirements and communications module is capable of

interfacing with the user interface and display units, through the communication network, for interacting with the operator or subject and orchestrate the data acquisition processes, diagnosis and treatment reporting process, health strategy implementation processes, avoidance and mitigation strategy implementation processes, condition monitoring implementation processes, and treatment effectiveness and strategy effectiveness monitoring implementation processes,

systematically monitoring the collection and quality of imagery data, sensory data, test and measurement data; and supportive data acquired through the user interface and display units,

preparing the imagery data, sensory data, test and measurement data, and supportive data for analyzing and routing to the data analysis module,

interacting with the data analysis module for acquiring new, additional, and/or modified subject data as needed for performing data analysis,

monitoring the user interface and display units for operational availability and performance, and maintaining system security.

16. The derma diagnostic and automated data analysis system of claim **14**, wherein the data analysis module comprises an analyzer module capable of

detailed and comprehensive analysis of imagery data, sensory data, test and measurement data, and supportive data acquired through the data acquisition module,

developing diagnoses of skin conditions, skin abnormalities and skin disorders,

identifying treatment options for each diagnosis,

developing avoidance and mitigation strategies,

developing health enhancement strategies,

establishing condition monitoring criteria, assessing and responding to monitoring results,

establishing treatment and strategy effectiveness monitoring criteria, assessing and responding to monitoring results,

permanently archiving the analyzed data, and

assessing cumulative data in order to identify important factors and correlations influencing accuracy of diagnosis, and effectiveness of treatments and health maintenance strategies, and

assessing cumulative data to identify peculiar or deviant patterns and trends indicating early evidence of occurrence of a health phenomenon.

17. The derma diagnostic and automated data analysis system of claim **16**, wherein the detailed and comprehensive analysis comprises at least one of comparative analysis, patterns and trends analysis, correlation analysis, risk analysis, and health strategy analysis.

18. The derma diagnostic and automated data analysis system of claim **16**, wherein the diagnoses of skin conditions, abnormalities and disorders is derived from the analysis and includes one or more diagnoses, with the primary or most probable diagnosis presented first and the secondary diag-

noses retained for reference and reassessment as condition monitoring and treatment effectiveness monitoring progresses.

19. The derma diagnostic and automated data analysis system of claim **16**, wherein the treatment options are based on

nature, cause, and severity of the condition,

subject considerations including demographic characteristics, physical/physiological/psychological and behavioral characteristics, occupation, medical history, current medical condition(s), allergies, health history, current conditions, preferences, prescription and non-prescription drug usage, genealogical predispositions, diet/nutrition, physical fitness, sleep patterns, predispositions and preferences, and

secondary diagnoses considerations.

20. The derma diagnostic and automated data analysis system of claim **16**, wherein the avoidance and mitigation strategies, targeting susceptibility to specific skin conditions, are designed to

sensitize the subject to be aware of environmental, microbial, chemical, nuclear, insect, animal and human dangers or hazards causing, spreading or exasperating a particular skin condition,

offer strategies for controlling or lessening the intensity or severity of a skin condition or skin disorder including diet/nutrition modification, immunizations, personal hygiene optimization, prescription and nonprescription treatments, desensitization, behavior modification, cosmetics and skin care product optimization, soaps/detergents/cleaning product optimization, contamination recognition, protective clothing and safety equipment, and

offer emergency intervention and decontamination in case of exposure to at least one of hazardous chemical spills, environmental pollutants, infestations, nuclear/biological/chemical contamination, and injury.

21. The derma diagnostic and automated data analysis system of claim **16**, wherein the health enhancement strategies target the enhancement of the subject's general health and immune system for augmenting resistance to, or mitigating the effects of, contamination, infection, disease, skin injury or damage, parasites, fungal infections, irritation, inflammation, skin degradation due to aging, and includes personalized strategies for behavior modifications, diet/nutrition optimization, vitamin and mineral supplement regimens, stress reduction strategies, exercise regimes, skin care optimization, hygiene optimization, clothing optimization, home environment optimization, work environmental hazard avoidance, sleep optimization, protective emergency gear, and sensitivity to detection and identification of skin irregularities and abnormalities.

22. The derma diagnostic and automated data analysis system of claim **16**, wherein the condition monitoring criteria consists of specific monitoring parameters, milestones and instructions for supporting the user interface and display unit in effectively tracking and gauging the progression of a skin condition or skin disorder.

23. The derma diagnostic and automated data analysis system of claim **16**, wherein the treatment and strategy effectiveness monitoring criteria consists of specific monitoring parameters, milestones and instructions for supporting the

user interface and display unit in tracking and gauging the subject's response to, and effectiveness of a treatment and/or health strategy.

24. The derma diagnostic and automated data analysis system of claim **16**, wherein permanently archiving analyzed data consists of collecting, centrally storing and making available, for retrieval by the subject and subject's authorized representatives including emergency medical practitioners, the subject's identification data, demographic data, physical/physiological/psychological and behavioral data, current health conditions, medical histories, health histories, skin condition descriptions/symptoms, test and measurement results, diagnoses, treatments, avoidance and mitigation strategies, health enhancement strategies, condition monitoring data, treatment and strategy effectiveness monitoring data, and core diagnostic premises.

25. The derma diagnostic and automated data analysis system of claim **16**, wherein the data analysis module further comprises a review function having one or more qualified health care professionals capable of reviewing and modifying the automated diagnoses and treatments.

26. The derma diagnostic and automated data analysis system of claim **14**, wherein the reporting module is configured to generate and transmit health status reports including diagnoses and treatments, health strategies, and monitoring criteria to the subject over the communication network.

27. The derma diagnostic and automated data analysis system of claim **26**, wherein the reporting module is capable of generating at least two output report formats including

a plain language formatted report having a summary of the subscriber's health condition, the diagnoses and proposed treatments, the monitoring parameters and monitoring results, and

a medically formatted report, designed to be read by health care professionals, comprising formal and comprehensive descriptions of the subject's health condition, diagnoses, proposed treatments, and rational behind diagnoses and treatments.

28. The derma diagnostic and automated data analysis system of claim **4**, wherein test and measurement unit is available in stationary and portable configuration, the test and measurement unit capable of capturing quantitative measurements of

subject's physical features including height, weight, body dimensions, body fat ratios, posture, skin tone/shade, eye color, hair color, and hair density and thickness,

subject's physiological characteristics including vital signs, bone density, muscular/skeletal strength and flexibility, blood oxygen levels, skin thickness, skin texture, skin translucence, skin elasticity, skin moisture content, blood type, skin sensitivity, gait, posture, strength and strength symmetry, vision, eye clarity, hearing, hair loss and hair condition, fingernail characteristics, and hormone levels, and

test environment, including ambient temperature, humidity, elevation, air quality, geographical location, and calendar day and time of day.

29. The derma diagnostic and automated data analysis system of claim **28**, wherein the test and measurement unit further capable of importing medical data, laboratory test results and test results derived from a variety of test devices external to the derma diagnostic and automated data analysis system.

30. A method of performing automated data analysis for diagnosing subject's skin disorders and prescribing treatments, the method comprising:

acquiring preliminary subject information, including basic demographic data, general background data and a overview description of skin condition, using user-interface features of a user interface and display unit;

transmitting the acquired preliminary subject information to a data analysis and reporting unit over a communication network;

processing preliminary subject information for establishing a data acquisition strategy and implementation process;

transmitting the data acquisition strategy implementation process, over the communications network, to the user interface and display unit;

systematically acquiring prescribed supportive data and skin condition imagery, sensory, and test and measurement data based on the established data acquisition strategy and implementation process;

transmitting the acquired supportive data and skin condition imagery, sensory, and test and measurement data, over the communications network, to the data analysis and reporting unit;

analyzing the data and developing primary and secondary diagnoses and treatments, monitoring criteria, and health strategies;

generating a series of health status reports incorporating diagnoses, treatments, monitoring criteria, and health strategies, and transmitting the health status reports, to the user interface and display unit, over the communications network;

presenting the health status reports to the subject;

administering the treatment and monitoring activities;

continuously acquiring data updates and monitoring results and transmitting, over the communication network, to the data analysis and reporting unit; and

continuously reassessing the updated data and monitoring data, and adjusting the data acquisition requirements, diagnoses and treatments as appropriate.

31. The method of claim **30**, wherein the data analysis and reporting unit further capable of remotely managing the condition monitoring implementation, treatment effectiveness monitoring implementation, avoidance and mitigation strategy implementation, health strategy implementation, and strategy effectiveness monitoring implementation through the user interface and display unit.

32. The method of claim **30**, wherein the user interface and display unit interacts with the subject for implementing condition monitoring, treatment effectiveness monitoring, avoidance and mitigation strategies, health strategies, strategy effectiveness monitoring activities and further continuously provides updates to the data analysis and reporting unit.

33. The method of claim **30**, wherein the data analysis and reporting unit further capable of

implementing a cycle for assessing updates, provided by the user interface and display unit, and adjusting data acquisition requirements, providing feed-back, updating diagnoses and treatments, administering monitoring activities, and providing clarifications and instructions, and

permanently archiving data comprising demographic data, physical characteristics, physiological characteristics, psychological characteristics, behavioral characteris-

tics, family health history, diagnoses, treatments, health history, and medical history, available for retrieval by the subject and the subject's authorized representatives including emergency medical practitioners.

34. The method of claim **30**, wherein the data analysis and reporting unit is communicatively coupled to the user inter-

face and display unit through a communication network selected from at least one of Internet, public switched telephone network, global system for mobile communications network, and general packet radio service network.

* * * * *

专利名称(译)	Derma诊断和自动数据分析系统		
公开(公告)号	US20080161661A1	公开(公告)日	2008-07-03
申请号	US11/649921	申请日	2007-01-03
[标]申请(专利权)人(译)	GIZEWSKI THEODORE中号		
申请(专利权)人(译)	GIZEWSKI THEODORE M.		
当前申请(专利权)人(译)	GIZEWSKI THEODORE M.		
[标]发明人	GIZEWSKI THEODORE M		
发明人	GIZEWSKI, THEODORE M.		
IPC分类号	A61B5/00		
CPC分类号	A61B5/0059 A61B5/0064 A61B5/0071 A61B5/0075 A61B5/08 A61B5/0013 A61B5/442 A61B5/445 A61B2560/0242 G06F19/3418 A61B5/0022 A61B5/411 A61B5/082 A61B5/7465		
其他公开文献	US8109875		
外部链接	Espacenet USPTO		

摘要(译)

公开了一种皮肤诊断和自动数据分析系统，其被配置为获取与受试者及其皮肤病有关的数据阵列。这些数据经过全面分析，最终在诊断，治疗，监测活动和健康战略实施方面达到顶峰。皮肤诊断和自动数据分析系统包括用户界面和显示单元，能够获取一系列主题数据，并且通信地耦合到远程定位的数据分析和报告单元。数据分析和报告单元能够使用多个分析过程接收和评估所获取的数据，这些过程最终导致高度可能的诊断和有效的治疗，并在报告中记录并提交给受试者。然后将诊断，治疗和支持数据永久存档并提供检索。

