

(12) EUROPEAN PATENT APPLICATION

(43) Date of publication:  
16.02.2011 Bulletin 2011/07

(51) Int Cl.:  
A61B 8/14 (2006.01)

(21) Application number: 10170229.8

(22) Date of filing: 21.07.2010


|                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>(84) Designated Contracting States:<br/>AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR<br/>Designated Extension States:<br/>BA ME RS</div> <div>(30) Priority: 10.08.2009 KR 20090073365</div> <div>(71) Applicant: MEDISON CO., LTD.<br/>Kangwon-do 250-870 (KR)</div> | <div>(72) Inventors:<br/> <ul style="list-style-type: none"> <li>Yoo, Jae Heung<br/>135-851, Seoul (KR)</li> <li>Hyun, Dong Gyu<br/>135-851, Seoul (KR)</li> <li>Lee, Kwang Hee<br/>135-851, Seoul (KR)</li> </ul> </div> <div>(74) Representative: Schmid, Wolfgang<br/>Lorenz &amp; Kollegen<br/>Patentanwälte Partnerschaftsgesellschaft<br/>Alte Ulmer Strasse 2<br/>89522 Heidenheim (DE)</div> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

(54) Ultrasound system and method for performing vessel labeling

(57)

There are disclosed embodiments for an ultrasound system for performing vessel labeling. The ultrasound system comprises: an ultrasound data acquisition unit configured to transmit an ultrasound signal to a target object including vessels, receive an ultrasound echo signal reflected from the target object and form ultrasound data corresponding to the target object; a volume data forming unit configured to form volume data based on the ultrasound data; and a processor configured to form a 3-dimensional ultrasound image based on the volume data, perform vessel segmentation on the 3-dimensional ultrasound image to provide at least one segmented image including at least one segmented vessel, detect at least one vessel junction from the at least one segmented vessel and perform vessel labeling on the at least one segmented image based on the detected at least one vessel junction.

FIG. 1



## Description

### CROSS-REFERENCE TO RELATED APPLICATIONS

**[0001]** The present application claims priority from Korean Patent Application No. 10-2009-0073365 filed on August 10, 2009, the entire subject matter of which is incorporated herein by reference.

### TECHNICAL FIELD

**[0002]** The present disclosure generally relates to ultrasound systems, and more particularly to an ultrasound system and method for automatically performing vessel labeling.

### BACKGROUND

**[0003]** An ultrasound system has been extensively used for acquiring internal information of a target object due to its non-invasive and non-destructive nature. Since the ultrasound system may provide a high resolution image without any surgical treatment, it has proven to be very helpful in the medical profession.

**[0004]** Generally, the ultrasound system may provide 3-dimensional ultrasound images including clinical information such as spatial information and anatomical information, which 2-dimensional ultrasound images do not include. The ultrasound system may operate to transmit an ultrasound signal to a target object, receive the ultrasound signal reflected from the target object (i.e., ultrasound echo signal) and acquire ultrasound data. The ultrasound system may form volume data by using the acquired ultrasound data and provide a 3-dimensional image through rendering of the formed volume data.

**[0005]** Also, the ultrasound system may perform segmentation on the 3-dimensional ultrasound image and extract an object of interest from the 3-dimensional ultrasound image. However, if a structure of vessel is complicated after performing segmentation, then it is difficult to recognize a specific vessel among many vessels as well as to locate vessel connection points (or junctions).

### SUMMARY

**[0006]** There are disclosed embodiments of an ultrasound system and a method adapted to perform segmentation of vessel and automatically labeling on the vessel. In one embodiment, by way of non-limiting example, the ultrasound system comprises: an ultrasound data acquisition unit configured to transmit an ultrasound signal to a target object including vessels, receive an ultrasound echo signal reflected from the target object and form ultrasound data corresponding to the target object; a volume data forming unit configured to form volume data based on the ultrasound data; and a processor configured to form a 3-dimensional ultrasound image based on the volume data, perform vessel segmentation

on the 3-dimensional ultrasound image to provide at least one segmented image including at least one segmented vessel, detect at least one vessel junction from the at least one segmented vessel and perform vessel labeling on the at least one segmented image based on the detected at least one vessel junction.

**[0007]** In another embodiment, a method of performing segmentation of vessels, comprises: a) transmitting an ultrasound signal to a target object including vessels and receiving an ultrasound echo signal reflected from the target object to thereby form ultrasound data corresponding to the target object; b) forming volume data based on the ultrasound data; c) forming a 3-dimensional ultrasound image based on the volume data; d) performing vessel segmentation on the 3-dimensional ultrasound image to provide at least one segmented image including at least one segmented vessel; e) detecting at least one vessel junction from the at least one segmented vessel; and f) performing vessel labeling on the at least one segmented image based on the detected at least one vessel junction.

**[0008]** The Summary is provided to introduce a selection of concepts in a simplified form that are further described below in the Detailed Description. This Summary is not intended to identify key or essential features of the claimed subject matter, nor is it intended to be used in determining the scope of the claimed subject matter.

### BRIEF DESCRIPTION OF THE DRAWINGS

#### [0009]

- FIG. 1 is a block diagram showing an illustrative embodiment of an ultrasound system.
- FIG. 2 is a block diagram showing an illustrative embodiment of an ultrasound data acquisition unit.
- FIG. 3 is a block diagram showing an illustrative embodiment of a processor.
- FIG. 4 is a schematic diagram showing an example of a plurality of slices and vessel edges.
- FIG. 5 is a schematic diagram showing an example of location difference between vessel edges on adjacent slices.
- FIG. 6 is a schematic diagram showing an example of segmentation of vessel.
- FIG. 7 is a schematic diagram showing an example of labeled vessels.

### DETAILED DESCRIPTION

**[0010]** A detailed description may be provided with reference to the accompanying drawings.

**[0011]** FIG. 1 is a block diagram showing an illustrative embodiment of an ultrasound system 100. The ultrasound system 100 comprises an ultrasound data acquisition unit 110, a volume data forming unit 120, a processor 130, a display unit 140 and a control unit 150.

**[0012]** The ultrasound data acquisition unit 110 may be operable to transmit an ultrasound signal to a target object, and receive the ultrasound signal (i.e., ultrasound echo signal) reflected from the target object to thereby acquire ultrasound data.

**[0013]** FIG. 2 is a block diagram showing an illustrative embodiment of the ultrasound data acquisition unit 110. The ultrasound data acquisition unit 110 may include a transmit signal forming unit 210, an ultrasound probe 220 including a plurality of transducer elements (not shown), a beam former 230 and an ultrasound data forming unit 240.

**[0014]** The transmit signal forming unit 210 may be operable to form a transmit signal to be applied to each of the transducer elements of the ultrasound probe 220. By way of a non-limiting example, the positions and focusing points of the transducer elements may be considered in forming the transmit signal. In one embodiment, the transmit signal may include a transmit signal for acquiring a plurality of frames of the target object.

**[0015]** The ultrasound probe 220 may operate to convert the transmit signal provided by the transmit signal forming unit 210 into an ultrasound signal and transmit it to the target object. The ultrasound probe 220 may further operate to receive the ultrasound echo signal reflected from the target object and form a receive signal.

**[0016]** The beam former 230 may be configured to form a digital signal through analog-to-digital conversion of the receive signal provided by the ultrasound probe 220. The beam former 230 may operate to perform receive-focusing upon the digital signal in consideration of the positions and focusing points of the transducer elements, and form a receive-focused signal thereby.

**[0017]** The ultrasound data forming unit 240 may be configured to form ultrasound data of the target object using the receive-focused signal provided by the beam former 230. In one embodiment, the ultrasound data may comprise RF (radio frequency) data and IQ (in-phase/quadrature) data.

**[0018]** Referring back to FIG. 1, the volume data forming unit 120 may operate to form volume data by using the ultrasound data provided by the ultrasound acquisition unit 110. The volume data may comprise a plurality of frames and a plurality of voxels having brightness values.

**[0019]** The processor 130 may operate to form a 3-dimensional ultrasound image including vessels in the target object by using the volume data provided by the volume data forming unit 120, and perform segmentation of the vessels and vessel labeling by using the 3-dimensional ultrasound image.

**[0020]** FIG. 3 is a block diagram showing an illustrative embodiment of the processor 130. The processor 130 comprises an image forming unit 310, an edge detection unit 320, a slice setting unit 330, a segmentation unit 340 and a labeling unit 350.

**[0021]** The image forming unit 310 may operate to form the 3-dimensional ultrasound image through rendering

of the volume data provided by the volume data forming unit 120. In one embodiment, the rendering may comprise ray-casting rendering, surface rendering, etc.

**[0022]** The edge detection unit 320 may operate to detect vessel edges through performing edge detection on the 3-dimensional ultrasound image provided by the image forming unit 310. In one embodiment, the vessel edges may be detected by using an edge mask such as a Sobel mask, a Prewitt mask, a Robert mask, a Canny mask, etc. Also, the vessel edges may be detected from the difference of eigen values by using a structure tensor.

**[0023]** The slice setting unit 330 may operate to set a plurality of slices  $S_0$  to  $S_n$  on the 3-dimensional ultrasound image in which the vessel edges were detected, as illustrated in FIG. 4. In one embodiment, the plurality of slices may comprise slices corresponding to the plurality of frames.

**[0024]** The segmentation unit 340 may be configured to perform segmentation of the vessels based on a degree of registration between the respective vessels on the adjacent slices. In one embodiment, the segmentation unit 340 may operate to compare the location of vessels on adjacent slices by using the vessel edges and perform segmentation of the vessels. Following is illustrative operation of the segmentation unit 340 with reference to FIG. 4 to 6.

**[0025]** The segmentation unit 340 may operate to analyze a first slice  $S_1$  and detect vessel edges  $VE_{11}$ ,  $VE_{12}$  on the first slice  $S_1$ .

**[0026]** The segmentation unit 340 may operate to analyze a second slice  $S_2$  and detect vessel edges  $VE_{21}$ ,  $VE_{22}$  on the second slice  $S_2$ . The segmentation unit 340 may operate to detect location difference between the vessel edges on the adjacent slices (i.e., the first slice  $S_1$  and the second slice  $S_2$ ), as illustrated in FIG. 5. Specifically, the segmentation unit 340 may operate to detect the location difference between the vessel edge  $VE_{11}$  of the first slice  $S_1$  and the vessel edge  $VE_{21}$  of the second slice  $S_2$ , as well as the location difference between the vessel edge  $VE_{11}$  of the first slice  $S_1$  and the vessel edge  $VE_{22}$  of the second slice  $S_2$ . Further, the segmentation unit 340 may operate to detect the location difference between the vessel edge  $VE_{12}$  of the first slice  $S_1$  and the vessel edge  $VE_{21}$  of the second slice  $S_2$ , as well as the location difference between the vessel edge  $VE_{12}$  of the first slice  $S_1$  and the vessel edge  $VE_{22}$  of the second slice  $S_2$ . In case that the location difference between the vessel edge  $VE_{11}$  of the first slice  $S_1$  and the vessel edge  $VE_{21}$  of the second slice  $S_2$  and the location difference between the vessel edge  $VE_{12}$  of the first slice  $S_1$  and the vessel edge  $VE_{22}$  of the second slice  $S_2$  are equal to or less than a predetermined threshold, and the location difference between the vessel edge  $VE_{11}$  of the first slice  $S_1$  and the vessel edge  $VE_{22}$  of the second slice  $S_2$  and the location difference between the vessel edge  $VE_{12}$  of the first slice  $S_1$  and the vessel edge  $VE_{21}$  of the second slice  $S_2$  are more than the predetermined threshold, the segmentation unit 134 may connect the vessel edge  $VE_{21}$

of the second slice  $S_2$  with the vessel edge  $VE_{11}$  of the first slice  $S_1$ , and connect the vessel edge  $VE_{22}$  of the second slice  $S_2$  with the vessel edge  $VE_{12}$  of the first slice  $S_1$ . The segmentation unit 340 may perform the same operation with respect to a third slice  $S_3$  and a fourth slice  $S_4$ , as described above.

**[0027]** The segmentation unit 340 may operate to analyze a fifth slice  $S_5$  and detect a vessel edge  $VE_5$  on the fifth slice  $S_5$ . The segmentation unit 134 may operate to detect the location difference between the vessel edges on the adjacent slices (i.e., the fourth slice  $S_4$  and the fifth slice  $S_5$ ). In case that the location difference between the vessel edge  $VE_{41}$  of the fourth slice  $S_4$  and the vessel edge  $VE_5$  of the fifth slice  $S_5$  and the location difference between the vessel edge  $VE_{42}$  of the fourth slice  $S_4$  and the vessel edge  $VE_5$  of the fifth slice  $S_5$  are equal to or less than the predetermined threshold, the segmentation unit 340 may connect the vessel edge  $VE_5$  of the fifth slice  $S_5$  with the vessel edges  $VE_{41}$ ,  $VE_{41}$  of the fourth slice  $S_4$ .

**[0028]** The segmentation unit 340 may operate to analyze a sixth slice  $S_6$  and detect a vessel edge  $VE_6$  on the sixth slice  $S_6$ . The segmentation unit 340 may operate to detect the location difference between the vessel edges on the adjacent slices (i.e., the fifth slice  $S_5$  and the sixth slice  $S_6$ ). In case that the location difference between the vessel edge  $VE_5$  of the fifth slice  $S_5$  and the vessel edge  $VE_6$  of the sixth slice  $S_6$  are equal to or less than the predetermined threshold, the segmentation unit 340 may connect the vessel edge  $VE_6$  of the sixth slice  $S_6$  with the vessel edge  $VE_5$  of the fifth slice  $S_5$ .

**[0029]** The segmentation unit 340 may perform the same operation with respect to a seventh slice  $S_7$  to an  $n$ th slice  $S_n$  as described above in order to perform segmentation of the vessels, as illustrated in FIG. 6.

**[0030]** Although in the aforementioned embodiment, segmentation of vessel is performed by setting a plurality of slices on the 3-dimensional ultrasound image and calculating location differences between the edges of the vessels on each adjacent pair of the slices, the present invention is certainly not limited thereto. In another embodiment, segmentation of vessel may be performed using another well-known method of segmentation.

**[0031]** The labeling unit 350 may operate to detect vessel junctions using edges of vessels on a respective plurality of slices after segmentation of vessel and perform vessel labeling based on the detected vessel junctions. In one embodiment, labeling unit 135 may operate to detect a vessel junction VJ analyzing a respective plurality of slices, as illustrated in FIG. 7. The vessel junction VJ may comprise a junction where one vessel diverges to at least two vessels or at least two vessels join and merge to one vessel. The labeling unit 350 may operate to perform vessel labeling based on the vessel junction VJ. Although in FIG. 7, vessel labeling is performed based on the vessel junction VJ with number, the present invention is certainly not limited thereto. In another embodiment, vessel labeling may be performed with at least

one of number, text and color.

**[0032]** Referring back to FIG. 1, the display unit 140 may operate to display the 3-dimensional ultrasound image formed by the processor. The display unit 140 may further operate to display the 3-dimensional ultrasound image on which the processor 130 performed segmentation of the vessels. In one embodiment, the display unit 140 may include a liquid crystal display (LCD), a cathode ray tube (CRT) or any other device capable of displaying an image.

**[0033]** The control unit 150 may operate to control acquisition of the ultrasound data, and formation of the volume data and the 3-dimensional ultrasound image. The control unit 150 may further operate to control image processing of the 3-dimensional ultrasound image (i.e., segmentation of the vessels and vessel labeling).

**[0034]** Although embodiments have been described with reference to a number of illustrative embodiments thereof, it should be understood that numerous other modifications and embodiments can be devised by those skilled in the art that will fall within the spirit and scope of the principles of this disclosure. More particularly, numerous variations and modifications are possible in the component parts and/or arrangements within the scope of the disclosure, the drawings and the appended claims. In addition to variations and modifications in the component parts and/or arrangements, alternative uses will also be apparent to those skilled in the art.

## Claims

### 1. An ultrasound system, comprising:

an ultrasound data acquisition unit configured to transmit an ultrasound signal to a target object including vessels, receive an ultrasound echo signal reflected from the target object and form ultrasound data corresponding to the target object;  
a volume data forming unit configured to form volume data based on the ultrasound data; and  
a processor configured to form a 3-dimensional ultrasound image based on the volume data, perform vessel segmentation on the 3-dimensional ultrasound image to provide at least one segmented image including at least one segmented vessel, detect at least one vessel junction from the at least one segmented vessel and perform vessel labeling on the at least one segmented image based on the detected at least one vessel junction.

### 2. The ultrasound system of Claim 1, wherein the processor further comprises:

a slice setting unit configured to set a plurality of slices on the 3-dimensional ultrasound image;

an edge detection unit configured to detect edges of the vessels on each of the plurality of slices;  
and  
a segmentation unit configured to calculate differences in location between the edges of the vessels on each adjacent pair of the slices and perform segmentation of the vessels based on the location differences. 5

3. The ultrasound system of Claim 1, wherein the processor comprises a labeling unit configured to perform vessel labeling on the at least one segmented image using at least one of number, text and color. 10

4. A method of performing segmentation of vessels, comprising: 15

a) transmitting an ultrasound signal to a target object including vessels and receiving an ultrasound echo signal reflected from the target object to thereby form ultrasound data corresponding to the target object; 20  
b) forming volume data based on the ultrasound data;  
c) forming a 3-dimensional ultrasound image based on the volume data; 25  
d) performing vessel segmentation on the 3-dimensional ultrasound image to provide at least one segmented image including at least one segmented vessel; 30  
e) detecting at least one vessel junction from the at least one segmented vessel; and  
f) performing vessel labeling on the at least one segmented image based on the detected at least one vessel junction. 35

5. The method of Claim 4, wherein the performing segmentation of the vessels comprises:

setting a plurality of slices on the 3-dimensional ultrasound image; 40  
detecting edges of the vessels on each of the plurality of slices;  
calculating differences in location between the edges of the vessels on each adjacent pair of the slices; and 45  
performing segmentation of the vessels based on the location differences.

6. The ultrasound system of Claim 5, wherein the performing vessel labeling comprises: 50

performing vessel labeling on the at least one segmented image using at least one of number, text and color. 55

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7





## EUROPEAN SEARCH REPORT

Application Number  
EP 10 17 0229

| DOCUMENTS CONSIDERED TO BE RELEVANT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                       |                                                    |                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-----------------------------------------|
| Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Citation of document with indication, where appropriate, of relevant passages                                                                                                                                                                                                                                                                                                         | Relevant to claim                                  | CLASSIFICATION OF THE APPLICATION (IPC) |
| X                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | US 2009/003675 A1 (MOREAU-GOBARD ROMAIN [US]) 1 January 2009 (2009-01-01)                                                                                                                                                                                                                                                                                                             | 1,4                                                | INV.<br>A61B8/14                        |
| Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | * abstract *<br>* paragraphs [0011], [0013], [0042], [0043], [0047], [0050] - [0052], [0059] - [0061] *<br>* claims 1,6,18-20 *<br>* figures 4-6 *                                                                                                                                                                                                                                    | 2,3,5,6                                            |                                         |
| Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | -----<br>KIRBAS C ET AL: "Vessel extraction techniques and algorithms :a survey" BIOINFORMATICS AND BIOENGINEERING, 2003. PROCEEDINGS. THIRD IEEE SYMPO SIUM ON 10-12 MARCH 2003, PISCATAWAY, NJ, USA,IEEE, 10 March 2003 (2003-03-10), pages 238-245, XP010637101 ISBN: 978-0-7695-1907-4<br>* title *<br>* abstract *<br>* section "3.4 Generalized Cylinder Model"<br>* figure 4 * | 2,5                                                | TECHNICAL FIELDS SEARCHED (IPC)<br>A61B |
| The present search report has been drawn up for all claims                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                       |                                                    |                                         |
| Place of search<br>Munich                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                       | Date of completion of the search<br>4 October 2010 | Examiner<br>Willig, Hendrik             |
| <p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone<br/>Y : particularly relevant if combined with another document of the same category<br/>A : technological background<br/>O : non-written disclosure<br/>P : intermediate document</p> <p>T : theory or principle underlying the invention<br/>E : earlier patent document, but published on, or after the filing date<br/>D : document cited in the application<br/>L : document cited for other reasons<br/>&amp; : member of the same patent family, corresponding document</p> |                                                                                                                                                                                                                                                                                                                                                                                       |                                                    |                                         |

2

EPO FORM 1503 03/02 (P04C01)



## EUROPEAN SEARCH REPORT

Application Number  
EP 10 17 0229

| DOCUMENTS CONSIDERED TO BE RELEVANT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                    |                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-----------------------------------------|
| Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Citation of document with indication, where appropriate, of relevant passages                                                                                                                                                                                                                                                                                                                                                                                                              | Relevant to claim                                  | CLASSIFICATION OF THE APPLICATION (IPC) |
| Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | STEFANCIK R M ET AL: "HIGHLY AUTOMATED SEGMENTATION OF ARTERIAL AND VENOUS TREES FROM THREE-DIMENSIONAL MAGNETIC RESONANCE ANGIOGRAPHY (MRA)"<br>INTERNATIONAL JOURNAL OF CARDIAC IMAGING, DORDRECHT, NL LNKD-<br>DOI:10.1023/A:1010656618835,<br>vol. 17, no. 1,<br>1 February 2001 (2001-02-01), pages 37-47,<br>XP009000839<br>ISSN: 0167-9899<br>* section "Introduction" *<br>* section "Knowledge-based approach to vessel detection and artery-vessel separation" *<br>* figure 2 * | 3,6                                                |                                         |
| A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | US 2008/119734 A1 (PRUVOT CELINE [FR] ET AL) 22 May 2008 (2008-05-22)<br>* abstract *<br>* figures 1,2 *<br>-----                                                                                                                                                                                                                                                                                                                                                                          | 1-6                                                | TECHNICAL FIELDS<br>SEARCHED (IPC)      |
| The present search report has been drawn up for all claims                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                    |                                         |
| Place of search<br>Munich                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Date of completion of the search<br>4 October 2010 | Examiner<br>Willig, Hendrik             |
| CATEGORY OF CITED DOCUMENTS<br>X : particularly relevant if taken alone<br>Y : particularly relevant if combined with another document of the same category<br>A : technological background<br>O : non-written disclosure<br>P : intermediate document<br>T : theory or principle underlying the invention<br>E : earlier patent document, but published on, or after the filing date<br>D : document cited in the application<br>L : document cited for other reasons<br>& : member of the same patent family, corresponding document |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                    |                                         |

 2  
EPO FORM 1503 03/02 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 10 17 0229

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.  
The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

04-10-2010

| Patent document<br>cited in search report | Publication<br>date | Patent family<br>member(s) | Publication<br>date |
|-------------------------------------------|---------------------|----------------------------|---------------------|
| US 2009003675 A1                          | 01-01-2009          | NONE                       |                     |
| US 2008119734 A1                          | 22-05-2008          | NONE                       |                     |

**REFERENCES CITED IN THE DESCRIPTION**

*This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.*

**Patent documents cited in the description**

- KR 1020090073365 [0001]

|               |                                                                                                |         |            |
|---------------|------------------------------------------------------------------------------------------------|---------|------------|
| 专利名称(译)       | 超声系统和用于执行血管标记的方法                                                                               |         |            |
| 公开(公告)号       | <a href="#">EP2283775A1</a>                                                                    | 公开(公告)日 | 2011-02-16 |
| 申请号           | EP2010170229                                                                                   | 申请日     | 2010-07-21 |
| 申请(专利权)人(译)   | MEDISON CO. , LTD.                                                                             |         |            |
| 当前申请(专利权)人(译) | 三星MEDISON CO. , LTD.                                                                           |         |            |
| [标]发明人        | YOO JAE HEUNG<br>HYUN DONG GYU<br>LEE KWANG HEE                                                |         |            |
| 发明人           | YOO, JAE HEUNG<br>HYUN, DONG GYU<br>LEE, KWANG HEE                                             |         |            |
| IPC分类号        | A61B8/14                                                                                       |         |            |
| CPC分类号        | A61B8/14 A61B5/02007 A61B8/483 G06T7/12 G06T7/174 G06T2207/10136 G06T2207/20164 G06T2207/30101 |         |            |
| 代理机构(译)       | SCHMID , WOLFGANG                                                                              |         |            |
| 优先权           | 1020090073365 2009-08-10 KR                                                                    |         |            |
| 其他公开文献        | EP2283775B1                                                                                    |         |            |
| 外部链接          | <a href="#">Espacenet</a>                                                                      |         |            |

#### 摘要(译)

公开了用于执行血管标记的超声系统的实施例。超声系统包括：超声数据获取单元，被配置为将超声信号发送到包括血管的目标对象，接收从目标对象反射的超声回波信号，并形成与目标对象相对应的超声数据；体数据形成单元，被配置为基于超声数据形成体数据；处理器，被配置为基于体数据形成三维超声图像，对三维超声图像执行血管分割以提供包括至少一个分割血管的至少一个分割图像，从中检测至少一个血管结。至少一个分段血管并基于检测到的至少一个血管连接在至少一个分割图像上执行血管标记。

FIG. 1

