

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
13 February 2003 (13.02.2003)


PCT

(10) International Publication Number  
WO 03/011129 A1

- (51) International Patent Classification<sup>7</sup>: A61B 5/00, 8/00
- (74) Agent: CHARPAIL, François; Internationaal Octrooibureau B.V., Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).
- (21) International Application Number: PCT/IB02/03199
- (81) Designated State (national): JP.
- (22) International Filing Date: 26 July 2002 (26.07.2002)
- (84) Designated States (regional): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR).
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 09/917,925 31 July 2001 (31.07.2001) US
- Published:
  - with international search report
  - before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (71) Applicant: KONINKLIJKE PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).
- (72) Inventor: BROCK-FISHER, George, A.; Prof. Holstlaan 6, NL-5656 AA Eindhoven (NL).

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: PORTABLE ULTRASOUND DIAGNOSTIC DEVICE WITH AUTOMATIC DATA TRANSMISSION



(57) Abstract: A portable ultrasound diagnostic device dynamically collecting diagnostic data from a patient and, once the portable ultrasound diagnostic device determines that collecting the diagnostic data is complete, the portable ultrasound diagnostic device transmits the diagnostic data using a communication channel to a person at another location to analyze the diagnostic data.



WO 03/011129 A1

## Portable ultrasound diagnostic device with automatic data transmission

### BACKGROUND OF THE INVENTION

With the advent of miniaturized digital technology, it is now possible to reduce the size of diagnostic devices to a hand-held or portable case-like size. For instance, it is now possible to reduce the size of an oscilloscope to a device that fits in the palm of one's hand. Also, diagnostic ultrasound imaging devices are also being produced which are small enough to carry as readily as a book. The diagnostic data obtained by these devices is typically an image or graphical display or numerical data.

The convenience which these smaller, lighter devices offer results in their expanded use, often times by persons less skilled than in the past. Specifically, rescuers in an emergency situation may be required to use portable ultrasound diagnostic devices, such as a hand-held oscilloscope, to perform specific diagnostic procedures. However, once the rescuers obtain the diagnostic data from a patient using the diagnostic device, often times these rescuers do not have adequate training to determine from the diagnostic data a medical treatment the patient needs. Thus, while persons less skilled can obtain the diagnostic data, assessment of the diagnostic data obtained needs to be performed by someone not present at the field examination.

Accordingly, the rescuer or user would read the diagnostic data from an ultrasound device or oscilloscope and enter the data in a personal computer (PC), for instance, which requires a certain degree of expertise from the user. Further, manually entering the diagnostics obtained from either an ultrasound device or oscilloscope into the PC creates an uncertain degree of inaccuracy and mistake. While portable ultrasound diagnostic devices exist with serial interfaces, these devices require a connection to a PC to a serial interface, and therefore, require a person skilled in the use of specialized software to run the PC to extract the diagnostic data from the hand-held diagnostic device.

Thus, it is necessary to develop an evaluation system allowing for individualized evaluation configurations and a centralized hierarchy so large computer resources are not necessary at the user's end in order to make an adequate determination of the treatment for the patient, for instance, based on diagnostic data obtained from the patient. The evaluation system may also be used to obtain evaluation configurations from devices or

systems such as electronic devices or vehicles. Further, an evaluation system is needed that allows authorized users to enter new diagnostic data and edit and view existing diagnostic data, including searching for diagnostic data within available databases at another location.

## 5 SUMMARY OF THE INVENTION

In an exemplary embodiment, the present invention provides for an apparatus including a portable ultrasound diagnostic device dynamically collecting diagnostic data and transmitting the diagnostic data using a communication channel to a person at another location to analyze the diagnostic data.

10 The present invention also provides an apparatus including a portable ultrasound diagnostic device dynamically collecting diagnostic data from a patient; and a user interface where a user commands the portable ultrasound diagnostic device to transmit the diagnostic data via a communication channel in the portable ultrasound diagnostic device once collecting the diagnostic data from the patient is complete, to a person at another  
15 location to analyze the diagnostic data.

The present invention is also achieved by a method including connecting a portable ultrasound diagnostic device to a patient; dynamically collecting diagnostic data from the patient; transmitting the diagnostic data using a communication channel to a person at another location once collecting the diagnostic data from the patient is complete; and  
20 receiving and analyzing the diagnostic data.

The present invention is also achieved by a method including connecting a portable ultrasound diagnostic device to a patient; dynamically collecting diagnostic data from the patient; connecting the portable ultrasound diagnostic device to a connector once collecting the diagnostic data from the patient is complete; transmitting the diagnostic data  
25 using a communication channel to a person at another location; and analyzing the diagnostic data and determining therefrom a medical treatment for the patient.

## BRIEF DESCRIPTION OF THE DRAWINGS

Advantages of the invention will become apparent and more readily  
30 appreciated for the following description of the preferred embodiments, taken in conjunction with the accompanying drawings of which:

FIG. 1 illustrates a general system overview for an embodiment of the present invention; and

FIG. 2 is a flow chart illustrating a method embodiment of the present invention.

#### DETAILED DESCRIPTION OF THE INVENTION

5 Reference will be now made in detail to the present exemplary embodiments of the present invention, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to the like elements throughout.

The present invention provides for the addition of one or more common types of data interface to a portable ultrasound diagnostic device, such as a hand-held oscilloscope  
10 to transmit acquired diagnostic image data, graphical data, or numerical data of a patient to another location. In accordance with an exemplary embodiment of the present invention, the portable ultrasound diagnostic device includes a telephone or Internet connection or wireless modem for transmitting the diagnostic data directly to another location.

Fig. 1 is a schematic diagram of an embodiment of a system including a  
15 portable ultrasound diagnostic device 10, in accordance with the present invention. The portable ultrasound diagnostic device 10 includes hand carry, hand use, or hand-held devices. In an exemplary embodiment, the present invention is described using the portable ultrasound diagnostic device 10, such as a hand-held oscilloscope. However, those skilled in the art will recognize that any other implementations of portable diagnostic devices or other  
20 types of hand-held devices may be used, such as ultrasound devices, blood pressure meters, reaction time meters, electroencephalographical oscilloscopes, cardiac resuscitation apparatuses, pulse rate meters, general purpose electronic scopes, etc.

The portable ultrasound diagnostic device 10 is embodied, for example, as a hand-held personal computer (H/PC) having an LCD touch screen, a keypad, and a  
25 communication channel (not shown). In the alternative, the portable ultrasound diagnostic device 10 may include, for example, a pointing member, such as a stylus or user's finger or thumb, and may be connected to an external keyboard. In other implementations, the handheld input device 10 may be implemented as a personal digital assistant (PDA), a palmtop computer, or other computing device. In an exemplary embodiment, the portable  
30 ultrasound diagnostic device 10 includes a screen 12 where the user would be able to determine whether a process of collecting the diagnostic data is complete or whether the diagnostic data obtained is enough to make an adequate diagnosis of the treatment the patient would require.

Once the user connects the portable ultrasound diagnostic device 10 to the patient and the portable ultrasound diagnostic device 10 is turned ON, the portable ultrasound diagnostic device 10 would run a program collecting diagnostic data from the patient. The portable ultrasound diagnostic device 10 dynamically, that is, in an automated manner using a computer processor, obtains diagnostic data from the patient and stores the diagnostic data in a permanent or removable storage unit, such as magnetic and optical discs, RAM, ROM, etc. on which the data can be stored and distributed. The diagnostic data includes, for example, an image, a graphical image of an organ of the patient, or a numerical measurement (voltage or heart rate).

Once the portable ultrasound diagnostic device 10 is done collecting the diagnostic data, the user then connects, using a communication cable 14, the portable ultrasound diagnostic device 10 from the portable ultrasound diagnostic device 10 to a telephone connector or docketing station 16, thereby connecting to a business intranet connection, facsimile, or Internet at another location. Although FIG. 1 shows the communication cable 14 connecting to the telephone connector or the like, those skilled in the art will appreciate that alternative communication channels may be used, such as an infrared (IR) port, a telephone modem, a wireless modem, or business intranet connection. The user commands the portable ultrasound diagnostic device 10 using a user interface, such as a screen or a button or the like on the portable ultrasound diagnostic device 10 to transmit the diagnostic data via the communication channel connected to the telephone connector or docketing station 16 to a person, such as a doctor or expert at another location.

In the alternative, once the portable ultrasound diagnostic device 10 determines that collecting the diagnostic data is complete, the portable ultrasound diagnostic device 10 may automatically transmit the diagnostic data to another location using a wireless modem, thereby eliminating the time required to connect the portable ultrasound diagnostic device 10 to a phone line connection. In the alternative, upon command from the user, the portable ultrasound diagnostic device 10 may transmit the diagnostic data to another location using the wireless modem.

The diagnostic device might also, for example, allow authorized users to enter new patient data and edit and view existing patient data, including searching for patient data within available databases at another location. Further, the portable ultrasound diagnostic device 10 may be programmed to dynamically dial a particular telephone number and transmit the data to a PC under the expert's control or transmit the diagnostic data using facsimile encoding or transmit the diagnostic data to the expert using a pre-stored Internet

web address. In the alternative, the user may directly dial the telephone number or enter the Internet web address of the expert using the user interface in the portable ultrasound diagnostic device or a keyboard, a mouse, or the like.

At another location, the expert, such as a cardiologist, retrieves the diagnostic data via the PC, a fax machine, or the like and determines therefrom a treatment for the patient. The diagnostic data may be in graphical, wave, or numerical form. Thus, in the event that there is a limited number of individuals that know how to determine from the diagnostic data the type of treatment the patient needs, the portable ultrasound diagnostic device 10 provides flexibility where the expert may be at a remote location and multiple users may communicate with the expert thereby providing a system that is effective in providing adequate assistance to individuals in an emergency or other type of situation.

Upon review of the diagnostic data, the expert may communicate with the user and make recommendations as to the treatment the patient would require. In the event that the diagnostic data is not sufficient for the expert to make an adequate determination of the treatment the patient needs, the present invention allows continuous communication between the expert and the user via the telephone and the portable ultrasound diagnostic device 10, thereby significantly reducing the risk of misdiagnosing or not providing the patient with the adequate medical treatment. The user may obtain additional data and transmit new diagnostic data to the expert; thereby the diagnostics may be repeated until the patient is stabilized.

As illustrated in FIG. 2, a flow chart illustrating a method embodiment of the present invention is shown. At operation 100, a user connects the portable ultrasound diagnostic device 10 to the patient. At operation 110, the portable ultrasound diagnostic device 10 dynamically collects diagnostic data. At operation 120, once collecting the diagnostic data is complete, the user would connect the portable ultrasound diagnostic device 10 to a telephone line. At operation 130, the portable ultrasound diagnostic device 10 automatically transmits the diagnostic data to the expert at another location using the communication channel on the portable ultrasound diagnostic device 10 to analyze the diagnostic data. In the alternative, the user may command the portable ultrasound diagnostic device 10 to transmit the diagnostic data to the expert at another location. At operation 140, if the diagnostic data is adequate to determine a medical treatment for the patient, then, at operation 150, the expert recommends the medical treatment for the patient to the user. Otherwise, from operation 140, the method returns to operation 100 where the expert requests the user, via the telephone for instance, to either check the connections of the

portable ultrasound diagnostic device to the patient or repeat the procedure to dynamically obtain the diagnostic data.

Thus, the present invention provides for a portable ultrasound diagnostic device that, once the user connects the device to patient, the device dynamically obtains  
5 diagnostic data from the patient. Further, the portable ultrasound diagnostic device allows transmission of the diagnostic data to an expert at another location, thereby substantially eliminating human error.

Although a few preferred embodiments of the present invention have been shown and described, it would be appreciated by those skilled in the art that changes may be  
10 made in this embodiment without departing from the principles and spirit of the invention, the scope of which is defined in the claims and their equivalents.

## CLAIMS:

1. An apparatus comprising:  
a portable ultrasound diagnostic device dynamically collecting diagnostic data from a patient and, once the portable ultrasound diagnostic device determines that collecting the diagnostic data is complete, the portable ultrasound diagnostic device transmits the  
5 diagnostic data using a communication channel to a person at another location to analyze the diagnostic data.
2. The apparatus as recited in claim 1, wherein the portable ultrasound diagnostic device dynamically accesses a pre-stored Internet web address and transmits the diagnostic  
10 data to the person.
3. The apparatus as recited in claim 1, wherein the portable ultrasound diagnostic device transmits the diagnostic device automatically using the communication channel.
- 15 4. The apparatus as recited in claim 1, wherein the communication channel comprises one of a communication cable, an infrared (IR) port, a telephone modem, a wireless modem, and business intranet connection.
5. The apparatus as recited in claim 1, wherein the portable ultrasound diagnostic  
20 device dynamically determines when collecting the diagnostic data from the patient is complete.
6. The apparatus as recited in claim 1, wherein the portable ultrasound diagnostic device comprises a storage unit storing the diagnostic data.  
25
7. The apparatus as recited in claim 1, wherein the portable ultrasound diagnostic device dials a pre-stored telephone or facsimile number and through the communication channel, transmits the diagnostic data to a PC or a fax machine of the person at another location to analyze the diagnostic data.

8. An apparatus comprising:

a portable ultrasound diagnostic device dynamically collecting diagnostic data from a patient; and

5 a user interface where a user commands the portable ultrasound diagnostic device to transmit the diagnostic data via a communication channel in the hand-held oscilloscope once collecting the diagnostic data from the patient is complete, to a person at another location to analyze the diagnostic data.

10 9. A method comprising:

connecting a portable ultrasound diagnostic device to a patient;

dynamically collecting diagnostic data from the patient;

transmitting the diagnostic data using a communication channel to a person at another location once collecting the diagnostic data from the patient is complete; and

15 receiving and analyzing the diagnostic data.

10. A method comprising:

connecting a portable ultrasound diagnostic device to a patient;

dynamically collecting diagnostic data from the patient;

20 connecting the portable ultrasound diagnostic device to a connector once collecting the diagnostic data from the patient is complete;

transmitting the diagnostic data using a communication channel to a person at another location; and

25 analyzing the diagnostic data and determining therefrom a medical treatment for the patient.

1/2




FIG.1




FIG.2

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 02/03199

**A. CLASSIFICATION OF SUBJECT MATTER**  
 IPC 7 A61B5/00 A61B8/00

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
 IPC 7 A61B G01S

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	US 2002/028995 A1 (MAULT) 7 March 2002 (2002-03-07) the whole document ---	1,2,5,6, 8-10
P,X	US 2002/016545 A1 (QUISTGAARD ET AL.) 7 February 2002 (2002-02-07) the whole document ---	1,4,8-10
P,X	US 2002/040186 A1 (SOUNEY ET AL.) 4 April 2002 (2002-04-04) the whole document ---	1-3,6, 8-10
	-/--	

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

° Special categories of cited documents:

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \* & \* document member of the same patent family

Date of the actual completion of the international search

26 November 2002

Date of mailing of the international search report

03/12/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
 Fax: (+31-70) 340-3016

Authorized officer

Beitner, M

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 02/03199

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>WO 01 28416 A (HEALTHETECH INC.)  26 April 2001 (2001-04-26)  page 1, line 6 -page 4, line 7  page 8, line 24 -page 9, line 14  page 10, line 21 -page 11, line 7  page 41, line 15 -page 43, line 1; figures  1A,1B,22-24</p> <p style="text-align: center;">---</p>	1-10
X	<p>WO 97 01768 A (TERATECH CORPORATION)  16 January 1997 (1997-01-16)  abstract  page 25, line 2 -page 28, line 32; figures  3,4</p> <p style="text-align: center;">---</p>	1,4,6-10
X	<p>US 6 241 673 B1 (WILLIAMS)  5 June 2001 (2001-06-05)  abstract  column 2, line 14 -column 3, line 25;  figures 1,2</p> <p style="text-align: center;">---</p>	1,2,4, 6-10
A	<p>US 5 938 607 A (JAGO ET AL.)  17 August 1999 (1999-08-17)  abstract  column 2, line 52 -column 6, line 67;  figures 1-3</p> <p style="text-align: center;">-----</p>	1,2,4,6

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 02/03199

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2002028995	A1	07-03-2002	AU 1801701 A 04-06-2001
			AU 3650001 A 31-07-2001
			AU 7714200 A 30-04-2001
			EP 1217942 A1 03-07-2002
			EP 1234265 A1 28-08-2002
			EP 1250085 A2 23-10-2002
			WO 0128416 A1 26-04-2001
			WO 0139089 A1 31-05-2001
			WO 0152718 A2 26-07-2001
			US 2001049470 A1 06-12-2001
			US 2001044588 A1 22-11-2001
US 2002016545	A1	07-02-2002	NONE
US 2002040186	A1	04-04-2002	NONE
WO 0128416	A	26-04-2001	AU 7715500 A 30-04-2001
			EP 1217942 A1 03-07-2002
			WO 0128416 A1 26-04-2001
			AU 2112901 A 30-04-2001
			WO 0128495 A2 26-04-2001
			US 2002107433 A1 08-08-2002
			US 6478736 B1 12-11-2002
			US 2002062069 A1 23-05-2002
			AU 8007600 A 23-04-2001
			EP 1220637 A2 10-07-2002
			WO 0126535 A2 19-04-2001
			AU 8015600 A 23-04-2001
			EP 1223861 A1 24-07-2002
			WO 0126547 A1 19-04-2001
			AU 1801701 A 04-06-2001
			EP 1234265 A1 28-08-2002
			WO 0139089 A1 31-05-2001
			AU 3650001 A 31-07-2001
			EP 1250085 A2 23-10-2002
			WO 0152718 A2 26-07-2001
			US 2001049470 A1 06-12-2001
			AU 7714200 A 30-04-2001
			AU 5983101 A 12-11-2001
			WO 0182789 A2 08-11-2001
			US 2001044588 A1 22-11-2001
			US 2002028995 A1 07-03-2002
			US 2001044581 A1 22-11-2001
			AU 7494201 A 03-12-2001
			WO 0189365 A2 29-11-2001
			AU 6502201 A 03-12-2001
			WO 0189368 A2 29-11-2001
			AU 7200901 A 24-12-2001
			WO 0197211 A2 20-12-2001
			AU 8061501 A 30-01-2002
			WO 0205702 A2 24-01-2002
			AU 3331101 A 14-08-2001
			AU 7529001 A 17-12-2001
			AU 9322601 A 13-03-2002
			EP 1251773 A2 30-10-2002
			WO 0156454 A2 09-08-2001
			WO 0193743 A2 13-12-2001
			WO 0217991 A2 07-03-2002

## INTERNATIONAL SEARCH REPORT

 International Application No  
 PCT/IB 02/03199

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0128416	A		US 2001029340 A1 US 2002026937 A1	11-10-2001 07-03-2002
WO 9701768	A	16-01-1997	US 5590658 A US 5839442 A US 5690114 A AU 700274 B2 AU 6344696 A CA 2225622 A1 EP 0835458 A2 JP 11508461 T TW 381226 B WO 9701768 A2 US 6106472 A US 6248073 B1 US 6379304 B1 US 5904652 A US 5957846 A US 5964709 A ZA 9605568 A	07-01-1997 24-11-1998 25-11-1997 24-12-1998 30-01-1997 16-01-1997 15-04-1998 27-07-1999 01-02-2000 16-01-1997 22-08-2000 19-06-2001 30-04-2002 18-05-1999 28-09-1999 12-10-1999 29-01-1997
US 6241673	B1	05-06-2001	NONE	
US 5938607	A	17-08-1999	US 5715823 A AU 704680 B2 AU 3924697 A BR 9705239 A CA 2216123 A1 CN 1185308 A EP 0833266 A2 JP 10179581 A NO 974389 A US 5891035 A US 5897498 A AU 4534397 A BR 9705770 A CA 2221908 A1 CN 1192882 A EP 0844581 A2 JP 10179586 A NO 975308 A	10-02-1998 29-04-1999 02-04-1998 20-03-2001 25-03-1998 24-06-1998 01-04-1998 07-07-1998 26-03-1998 06-04-1999 27-04-1999 28-05-1998 23-11-1999 21-05-1998 16-09-1998 27-05-1998 07-07-1998 22-05-1998

专利名称(译)	便携式超声诊断设备，具有自动数据传输		
公开(公告)号	<a href="#">EP1414338A1</a>	公开(公告)日	2004-05-06
申请号	EP2002755455	申请日	2002-07-26
[标]申请(专利权)人(译)	皇家飞利浦电子股份有限公司		
申请(专利权)人(译)	皇家飞利浦电子N.V.		
当前申请(专利权)人(译)	皇家飞利浦电子N.V.		
[标]发明人	BROCK FISHER GEORGE A		
发明人	BROCK-FISHER, GEORGE, A.		
IPC分类号	A61B8/00 A61B5/00 A61B5/022 A61B5/08		
CPC分类号	A61B5/0002 A61B5/00 A61B5/022 A61B5/08 A61B8/4427 A61B2560/0271 Y10S128/92 Y10S128/923		
优先权	09/917925 2001-07-31 US		
外部链接	<a href="#">Espacenet</a>		

#### 摘要(译)

便携式超声诊断设备动态地从患者收集诊断数据，并且一旦便携式超声诊断设备确定收集诊断数据完成，便携式超声诊断设备使用通信信道将诊断数据发送到另一位置处的人以进行分析诊断数据。