



US010010725B2

(12) **United States Patent**
Slayton et al.

(10) **Patent No.:** **US 10,010,725 B2**
(45) **Date of Patent:** ***Jul. 3, 2018**

(54) **ULTRASOUND PROBE FOR FAT AND CELLULITE REDUCTION**

(71) Applicant: **Guided Therapy Systems, LLC**, Mesa, AZ (US)

(72) Inventors: **Michael H. Slayton**, Tempe, AZ (US);
Peter G. Barthe, Phoenix, AZ (US);
Inder Raj S. Makin, Mesa, AZ (US)

(73) Assignee: **Guided Therapy Systems, LLC**, Mesa, AZ (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **15/821,281**

(22) Filed: **Nov. 22, 2017**

(65) **Prior Publication Data**

US 2018/0085608 A1 Mar. 29, 2018

Related U.S. Application Data

(63) Continuation of application No. 15/650,246, filed on Jul. 14, 2017, now Pat. No. 9,827,450, which is a (Continued)

(51) **Int. Cl.**
A61N 7/02 (2006.01)
G01S 15/89 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC **A61N 7/02** (2013.01); **A61B 8/14** (2013.01); **A61B 8/429** (2013.01); **A61B 8/4483** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC A61N 7/02; A61N 7/00; A61N 2007/0008; A61B 8/14; A61B 8/4455; A61B 8/429;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,427,348 A 9/1947 Bond et al.
2,792,829 A 2/1952 Calosi
(Continued)

FOREIGN PATENT DOCUMENTS

CN 104027893 9/2014
DE 4029175 3/1992
(Continued)

OTHER PUBLICATIONS

Ulthera Exhibit 1025, Ulthera Oral Proceeding Demonstrative Slides (filed Oct. 2, 2017 in re IPR2016-01459).

(Continued)


Primary Examiner — Bo J Peng

(74) *Attorney, Agent, or Firm* — Knobbe Martens Olson & Bear LLP

(57) **ABSTRACT**

A method and system for providing ultrasound treatment to a tissue that contains a lower part of dermis and proximal protrusions of fat lobuli into the dermis. An embodiment delivers ultrasound energy to the region creating a thermal injury and coagulating the proximal protrusions of fat lobuli, thereby eliminating the fat protrusions into the dermis. An embodiment can also include ultrasound imaging configurations using the same or a separate probe before, after or during the treatment. In addition various therapeutic levels of ultrasound can be used to increase the speed at which fat metabolizes. Additionally the mechanical action of ultrasound physically breaks fat cell clusters and stretches the fibrous bonds. Mechanical action will also enhance lymphatic drainage, stimulating the evacuation of fat decay products.

20 Claims, 18 Drawing Sheets



Related U.S. Application Data

continuation of application No. 15/374,918, filed on Dec. 9, 2016, now Pat. No. 9,707,412, which is a continuation of application No. 15/041,829, filed on Feb. 11, 2016, now Pat. No. 9,522,290, which is a continuation of application No. 14/550,720, filed on Nov. 21, 2014, now Pat. No. 9,283,410, which is a continuation of application No. 14/164,598, filed on Jan. 27, 2014, now Pat. No. 8,915,854, which is a continuation of application No. 13/789,562, filed on Mar. 7, 2013, now Pat. No. 8,636,665, which is a continuation of application No. 13/356,405, filed on Jan. 23, 2012, now Pat. No. 8,672,848, which is a continuation of application No. 11/163,154, filed on Oct. 6, 2005, now Pat. No. 8,331,180.

- (60) Provisional application No. 60/616,753, filed on Oct. 6, 2004.

(51) **Int. Cl.**

A61N 7/00 (2006.01)

A61B 8/14 (2006.01)

A61B 8/08 (2006.01)

A61B 8/00 (2006.01)

A61B 90/00 (2016.01)

(52) **U.S. Cl.**

CPC *A61B 8/461* (2013.01); *A61B 8/483* (2013.01); *A61N 7/00* (2013.01); *G01S 15/8906* (2013.01); *G01S 15/8936* (2013.01); *A61B 8/4455* (2013.01); *A61B 2090/378* (2016.02); *A61N 2007/0008* (2013.01)

(58) **Field of Classification Search**

CPC *A61B 8/4483*; *A61B 8/461*; *A61B 8/483*; *A61B 2090/378*; *G01S 15/8906*; *G01S 15/8936*

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,913,386 A	10/1975	Saglio	4,534,221 A	8/1985	Fife et al.
3,965,455 A	6/1976	Hurwitz	4,566,459 A	1/1986	Umemura et al.
3,992,925 A	11/1976	Perilhou	4,567,895 A	2/1986	Putzke
4,039,312 A	8/1977	Patru	4,586,512 A	5/1986	Do-Huu
4,059,098 A	11/1977	Murdock	4,601,296 A	7/1986	Yerushalmi
4,101,795 A	7/1978	Fukumoto	4,620,546 A	11/1986	Aida et al.
4,151,834 A	5/1979	Sato et al.	4,637,256 A	1/1987	Sugiyama et al.
4,166,967 A	9/1979	Benes et al.	4,646,756 A	3/1987	Watmough
4,211,948 A	7/1980	Smith et al.	4,663,358 A	5/1987	Hyon
4,211,949 A	7/1980	Briskin et al.	4,668,516 A	5/1987	Duraffourd et al.
4,213,344 A	7/1980	Rose	4,672,591 A	6/1987	Breimesser et al.
4,276,491 A	6/1981	Daniel	4,680,499 A	7/1987	Umemura et al.
4,315,514 A	2/1982	Drewes et al.	4,697,588 A	10/1987	Reichenberger
4,325,381 A	4/1982	Glenn	4,754,760 A	7/1988	Fukukita et al.
4,343,301 A	8/1982	Indech	4,757,820 A	7/1988	Itoh
4,372,296 A	2/1983	Fahim	4,771,205 A	9/1988	Mequio
4,379,145 A	4/1983	Masuho et al.	4,801,459 A	1/1989	Liburdy
4,381,007 A	4/1983	Doss	4,803,625 A	2/1989	Fu et al.
4,381,787 A	5/1983	Hottinger	4,807,633 A	2/1989	Fry
4,397,314 A	8/1983	Vaguine	4,817,615 A	4/1989	Fukukita et al.
4,409,839 A	10/1983	Taenzer	4,858,613 A	8/1989	Fry
4,431,008 A	2/1984	Wanner et al.	4,860,732 A	8/1989	Hasegawa et al.
4,441,486 A	4/1984	Pounds	4,865,041 A	9/1989	Hassler
4,452,084 A	6/1984	Taenzer	4,865,042 A	9/1989	Umemura
4,484,569 A	11/1984	Driller	4,867,169 A	9/1989	Machida
4,507,582 A	3/1985	Glenn	4,874,562 A	10/1989	Hyon
4,513,749 A	4/1985	Kino	4,875,487 A	10/1989	Seppi
4,513,750 A	4/1985	Heyman et al.	4,881,212 A	11/1989	Takeuchi
4,527,550 A	7/1985	Ruggera et al.	4,891,043 A	1/1990	Zeimer et al.
4,528,979 A	7/1985	Marchenko	4,893,624 A	1/1990	Lele
			4,896,673 A	1/1990	Rose
			4,900,540 A	2/1990	Ryan et al.
			4,901,729 A	2/1990	Saitoh
			4,917,096 A	4/1990	Englehart
			4,932,414 A	6/1990	Coleman et al.
			4,938,216 A	7/1990	Lele
			4,938,217 A	7/1990	Lele
			4,947,046 A	8/1990	Kawabata et al.
			4,951,653 A	8/1990	Fry
			4,955,365 A	9/1990	Fry
			4,958,626 A	9/1990	Nambu
			4,976,709 A	12/1990	Sand
			4,979,501 A	12/1990	Valchanov
			4,992,989 A	2/1991	Watanabe et al.
			5,012,797 A	5/1991	Liang
			5,018,508 A	5/1991	Fry et al.
			5,030,874 A	7/1991	Saito et al.
			5,036,855 A	8/1991	Fry
			5,040,537 A	8/1991	Katakura
			5,054,310 A	10/1991	Flynn
			5,054,470 A	10/1991	Fry
			5,054,491 A	10/1991	Saito et al.
			5,070,879 A	12/1991	Herres
			5,088,495 A	2/1992	Miyagawa
			5,115,814 A	5/1992	Griffith
			5,117,832 A	6/1992	Sanghi
			5,123,418 A	6/1992	Saurel
			5,142,511 A	8/1992	Kanai et al.
			5,143,063 A	9/1992	Fellner
			5,143,074 A	9/1992	Dory
			5,149,319 A	9/1992	Unger
			5,150,711 A	9/1992	Dory
			5,150,714 A	9/1992	Green
			5,152,294 A	10/1992	Mochizuki et al.
			5,156,144 A	10/1992	Iwasaki
			5,158,536 A	10/1992	Sekins
			5,159,931 A	11/1992	Pini
			5,163,421 A	11/1992	Bernstein
			5,163,436 A	11/1992	Saitoh et al.
			5,178,135 A	1/1993	Uchiyama et al.
			5,190,518 A	3/1993	Takasu
			5,190,766 A	3/1993	Ishihara
			5,191,880 A	3/1993	McLeod
			5,205,287 A	4/1993	Erbel et al.
			5,209,720 A	5/1993	Unger
			5,212,671 A	5/1993	Fujii et al.
			5,215,680 A	6/1993	D'Arrigo
			5,224,467 A	7/1993	Oku
			5,230,334 A	7/1993	Klopotek

(56)

References Cited

U.S. PATENT DOCUMENTS

5,230,338 A	7/1993	Allen et al.	5,577,507 A	11/1996	Snyder et al.	
5,247,924 A	9/1993	Suzuki et al.	5,577,991 A	11/1996	Akui et al.	
5,255,681 A	10/1993	Ishimura et al.	5,580,575 A	12/1996	Unger et al.	
5,257,970 A	11/1993	Dougherty	5,601,526 A *	2/1997	Chapelon	A61N 7/02
5,265,614 A	11/1993	Hayakawa				601/2
5,267,985 A	12/1993	Shimada	5,603,323 A	2/1997	Pflugrath et al.	
5,269,297 A	12/1993	Weng	5,605,154 A *	2/1997	Ries	G01S 7/52046
5,282,797 A	2/1994	Chess				600/444
5,295,484 A	3/1994	Marcus	5,609,562 A	3/1997	Kaali	
5,295,486 A	3/1994	Wollschlager et al.	5,615,091 A	3/1997	Palatnik	
5,304,169 A	4/1994	Sand	5,618,275 A	4/1997	Bock	
5,305,756 A	4/1994	Entrekin et al.	5,620,479 A	4/1997	Diederich	
5,321,520 A	6/1994	Inga et al.	5,622,175 A	4/1997	Sudol et al.	
5,323,779 A	6/1994	Hardy et al.	5,617,858 A	5/1997	Taverna et al.	
5,327,895 A	7/1994	Hashimoto et al.	5,638,819 A	6/1997	Manwaring et al.	
5,329,202 A	7/1994	Garlick et al.	5,643,179 A *	7/1997	Fujimoto	A61N 7/02
5,348,016 A	9/1994	Unger et al.				601/2
5,358,466 A *	10/1994	Aida	5,644,085 A	7/1997	Lorraine et al.	
			5,647,373 A	7/1997	Paltieli	
			5,655,535 A	8/1997	Frlemel et al.	
			5,655,538 A	8/1997	Lorraine	
			5,657,760 A	8/1997	Ying	
			5,658,328 A	8/1997	Johnson	
			5,660,836 A *	8/1997	Knowlton	A61B 18/12
						128/898
5,360,268 A	11/1994	Hayashi	5,662,116 A	9/1997	Kondo	
5,370,121 A	12/1994	Reichenberger	5,665,053 A	9/1997	Jacobs	
5,370,122 A	12/1994	Kunig et al.	5,665,141 A	9/1997	Vago	
5,371,483 A	12/1994	Bhardwaj	5,671,746 A	9/1997	Dreschel et al.	
5,375,602 A	12/1994	Lancee et al.	5,673,699 A	10/1997	Trahey et al.	
5,379,773 A	1/1995	Hornsby	5,676,692 A	10/1997	Sanghvi	
5,380,280 A	1/1995	Peterson	5,685,820 A	11/1997	Riek et al.	
5,380,519 A	1/1995	Schneider et al.	5,690,608 A	11/1997	Watanabe	
5,383,917 A	1/1995	Desai et al.	5,694,936 A	12/1997	Fujimoto	
5,391,140 A	2/1995	Schaetzle et al.	5,697,897 A	12/1997	Buchholtz	
5,391,197 A	2/1995	Burdette et al.	5,701,900 A	12/1997	Shehada et al.	
5,392,259 A	2/1995	Bolorforosh	5,704,361 A	1/1998	Seward et al.	
5,396,143 A	3/1995	Seyed-Bolorforosh et al.	5,706,252 A	1/1998	Le Verrier et al.	
5,398,689 A	3/1995	Connor et al.	5,706,564 A	1/1998	Rhyne	
5,406,503 A	4/1995	Williams	5,715,823 A	2/1998	Wood et al.	
5,413,550 A *	5/1995	Castel	5,720,287 A	2/1998	Chapelon et al.	
			5,722,411 A	3/1998	Suzuki	
			5,727,554 A	3/1998	Kalend et al.	
			5,735,280 A	4/1998	Sherman et al.	
			5,743,863 A	4/1998	Chapelon	
			5,746,005 A	5/1998	Steinberg	
			5,746,762 A	5/1998	Bass	
			5,748,767 A	5/1998	Raab	
			5,749,364 A	5/1998	Sliwa et al.	
			5,755,228 A	5/1998	Wilson et al.	
			5,755,753 A	5/1998	Knowlton	
			5,762,066 A	6/1998	Law	
			5,763,886 A	6/1998	Schulte	
			5,769,790 A	6/1998	Watkins	
			5,779,644 A	7/1998	Eberle et al.	
			5,792,058 A	8/1998	Lee	
			5,795,297 A	8/1998	Daigle	
			5,795,311 A	8/1998	Wess	
			5,810,009 A	9/1998	Mine et al.	
			5,810,888 A	9/1998	Fenn	
			5,814,599 A	9/1998	Mitragotri et al.	
			5,817,013 A	10/1998	Ginn et al.	
			5,817,021 A	10/1998	Reichenberger	
			5,820,564 A	10/1998	Slayton	
			5,823,962 A	10/1998	Schaetzle	
			5,827,204 A	10/1998	Grandia et al.	
			5,840,032 A	11/1998	Hatfield et al.	
			5,844,140 A	12/1998	Seale	
			5,853,367 A	12/1998	Chalek et al.	
			5,869,751 A	2/1999	Bonin	
			5,871,524 A	2/1999	Knowlton	
			5,873,902 A	2/1999	Sanghvi	
			5,876,341 A	3/1999	Wang et al.	
			5,879,303 A	3/1999	Averkiou et al.	
			5,882,557 A	3/1999	Hayakawa	
			5,891,034 A	4/1999	Bucholz	
			5,895,356 A	4/1999	Andrus et al.	
			5,899,861 A	5/1999	Friemel et al.	
			5,904,659 A	5/1999	Duarte	
5,417,216 A	5/1995	Tanaka				
5,419,327 A	5/1995	Rohwedder				
5,423,220 A	6/1995	Finsterwald et al.				
5,435,311 A	7/1995	Umemura				
5,438,998 A	8/1995	Hanafy				
5,443,068 A *	8/1995	Cline	A61B 5/0555			600/411
5,445,611 A	8/1995	Eppstein et al.				
5,458,596 A	10/1995	Lax				
5,460,179 A	10/1995	Okunuki et al.				
5,460,595 A	10/1995	Hall et al.				
5,469,854 A	11/1995	Unger et al.				
5,471,488 A	12/1995	Fujio				
5,472,405 A	12/1995	Buchholtz et al.				
5,487,388 A	1/1996	Rello et al.				
5,492,126 A	2/1996	Hennige				
5,496,256 A	3/1996	Bock				
5,501,655 A	3/1996	Rolt				
5,503,152 A	4/1996	Oakley et al.				
5,503,320 A	4/1996	Webster et al.				
5,507,790 A	4/1996	Weiss				
5,511,296 A	4/1996	Dias et al.				
5,520,188 A	5/1996	Hennige				
5,522,869 A	6/1996	Burdette				
5,523,058 A	6/1996	Umemura et al.				
5,524,620 A	6/1996	Rosenchein				
5,524,624 A	6/1996	Tepper				
5,524,625 A	6/1996	Okazaki				
5,526,624 A	6/1996	Berg				
5,526,812 A	6/1996	Dumoulin et al.				
5,526,814 A	6/1996	Cline et al.				
5,526,815 A	6/1996	Granz				
5,529,070 A	6/1996	Augustine et al.				
5,540,235 A	7/1996	Wilson				
5,558,092 A	9/1996	Unger				
5,560,362 A	10/1996	Sliwa et al.				
5,575,291 A	11/1996	Hayakawa				
5,575,807 A	11/1996	Faller				
5,577,502 A	11/1996	Darrow et al.				

(56)

References Cited

U.S. PATENT DOCUMENTS

5,919,219 A	7/1999	Knowlton	6,246,898 B1	6/2001	Vesely et al.
5,923,099 A	7/1999	Bilir	6,251,074 B1	6/2001	Averkiou et al.
5,924,989 A	7/1999	Polz	6,251,088 B1	6/2001	Kaufman et al.
5,928,169 A	7/1999	Schatzle et al.	6,268,405 B1	7/2001	Yao
5,931,805 A	8/1999	Briskin	6,273,864 B1	8/2001	Duarte
5,938,606 A	8/1999	Bonnefous	6,280,402 B1	8/2001	Ishibashi et al.
5,938,612 A	8/1999	Kline-Schoder	6,287,257 B1	9/2001	Maticchuk
5,948,011 A	9/1999	Knowlton	6,287,304 B1	9/2001	Eggers et al.
5,957,844 A	9/1999	Dekel	6,296,619 B1	10/2001	Briskin
5,957,882 A	9/1999	Nita et al.	6,301,989 B1	10/2001	Brown et al.
5,957,941 A	9/1999	Ream	6,307,302 B1	10/2001	Toda
5,964,707 A	10/1999	Fenster et al.	6,309,355 B1	10/2001	Cain et al.
5,967,980 A	10/1999	Ferre et al.	6,311,090 B1	10/2001	Knowlton
5,968,034 A	10/1999	Fullmer	6,315,741 B1 *	11/2001	Martin A61B 8/4254
5,971,949 A	10/1999	Levin			601/3
5,977,538 A	11/1999	Unger et al.	6,322,509 B1	11/2001	Pan et al.
5,984,881 A *	11/1999	Ishibashi A61B 17/2256	6,322,532 B1	11/2001	D'Sa
		601/2	6,325,540 B1	12/2001	Lounsberry et al.
5,984,882 A	11/1999	Rosenchein	6,325,758 B1	12/2001	Carol et al.
5,990,598 A	11/1999	Sudol et al.	6,325,769 B1	12/2001	Klopotek
5,997,471 A	12/1999	Gumb et al.	6,325,798 B1	12/2001	Edwards et al.
5,997,497 A	12/1999	Nita et al.	6,350,276 B1	2/2002	Knowlton
5,999,843 A	12/1999	Anbar	6,356,780 B1	3/2002	Licato et al.
6,004,262 A	12/1999	Putz et al.	6,361,531 B1	3/2002	Hissong
6,007,499 A	12/1999	Martin et al.	6,370,411 B1	4/2002	Osadchy et al.
6,013,032 A	1/2000	Savord	6,375,672 B1	4/2002	Aksan
6,014,473 A	1/2000	Hossack et al.	6,377,854 B1	4/2002	Knowlton
6,016,255 A	1/2000	Bolan et al.	6,377,855 B1	4/2002	Knowlton
6,019,724 A	2/2000	Gronningsaeter et al.	6,381,497 B1	4/2002	Knowlton
6,022,308 A	2/2000	Williams	6,381,498 B1	4/2002	Knowlton
6,022,327 A	2/2000	Chang	6,387,380 B1	5/2002	Knowlton
6,030,374 A	2/2000	McDaniel	6,390,982 B1	5/2002	Bova et al.
6,036,646 A	3/2000	Barthe	6,405,090 B1	6/2002	Knowlton
6,039,048 A	3/2000	Silberg	6,409,720 B1	6/2002	Hissong
6,039,689 A	3/2000	Lizzi	6,413,216 B1	7/2002	Cain et al.
6,042,556 A *	3/2000	Beach A61N 7/02	6,413,253 B1	7/2002	Koop
		600/437	6,413,254 B1	7/2002	Hissong
6,049,159 A	4/2000	Barthe	6,419,648 B1	7/2002	Vitek
6,050,943 A	4/2000	Slayton	6,423,007 B2	7/2002	Lizzi et al.
6,059,727 A	5/2000	Fowlkes	6,425,865 B1	7/2002	Salcudean
6,071,239 A	6/2000	Cribbs	6,425,867 B1	7/2002	Vaezy
6,080,108 A	6/2000	Dunham	6,425,912 B1	7/2002	Knowlton
6,083,148 A	7/2000	Williams	6,428,477 B1	8/2002	Mason
6,086,535 A	7/2000	Ishibashi	6,428,532 B1	8/2002	Doukas
6,086,580 A	7/2000	Mordon et al.	6,430,446 B1	8/2002	Knowlton
6,090,054 A	7/2000	Tagishi	6,432,057 B1	8/2002	Mazess et al.
6,093,148 A *	7/2000	Fujimoto A61N 7/00	6,432,067 B1	8/2002	Martin
		600/438	6,432,101 B1	8/2002	Weber
6,093,883 A	7/2000	Sanghvi	6,436,061 B1	8/2002	Costantino
6,101,407 A	8/2000	Groezinger	6,438,424 B1	8/2002	Knowlton
6,106,469 A	8/2000	Suzuki et al.	6,440,071 B1	8/2002	Slayton
6,113,558 A	9/2000	Rosenchein	6,440,121 B1	8/2002	Weber
6,113,559 A	9/2000	Klopotek	6,443,914 B1	9/2002	Costantino
6,120,452 A	9/2000	Barthe	6,447,443 B1	9/2002	Keogh et al.
6,123,081 A	9/2000	Durette	6,451,013 B1	9/2002	Bays et al.
6,126,619 A	10/2000	Peterson et al.	6,453,202 B1	9/2002	Knowlton
6,135,971 A	10/2000	Hutchinson	6,461,304 B1	10/2002	Tanaka et al.
6,139,499 A	10/2000	Wilk	6,461,378 B1	10/2002	Knowlton
6,159,150 A	12/2000	Yale et al.	6,470,216 B1	10/2002	Knowlton
6,171,244 B1	1/2001	Finger et al.	6,338,716 B1	11/2002	Hossack
6,176,840 B1	1/2001	Nishimura	6,488,626 B1	12/2002	Lizzi
6,183,426 B1	2/2001	Akisada	6,491,657 B2	12/2002	Rowe
6,183,502 B1	2/2001	Takeuchi	6,500,121 B1	12/2002	Slayton
6,183,773 B1	2/2001	Anderson	6,500,141 B1	12/2002	Irion
6,190,323 B1	2/2001	Dias	6,506,171 B1	1/2003	Vitek et al.
6,190,336 B1	2/2001	Duarte	6,508,774 B1	1/2003	Acker
6,193,658 B1	2/2001	Wendelken	6,511,427 B1	1/2003	Sliwa, Jr. et al.
6,198,956 B1	3/2001	Dunne	6,511,428 B1	1/2003	Azuma
6,210,327 B1	4/2001	Brackett et al.	6,514,244 B2	2/2003	Pope
6,213,948 B1	4/2001	Barthe	6,517,484 B1	2/2003	Wilk
6,216,029 B1	4/2001	Paltiel	6,524,250 B1	2/2003	Weber
6,233,476 B1	5/2001	Strommer et al.	6,666,835 B2	3/2003	Martin
6,234,990 B1	5/2001	Rowe et al.	6,540,679 B2	4/2003	Slayton
6,241,753 B1 *	6/2001	Knowlton A61B 18/12	6,540,685 B1	4/2003	Rhoads et al.
		128/898	6,540,700 B1	4/2003	Fujimoto et al.
			6,547,788 B1	4/2003	Maguire et al.
			6,554,771 B1	4/2003	Buil et al.
			6,569,099 B1	5/2003	Babaev
			6,569,108 B2	5/2003	Sarvazyan et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,572,552	B2	6/2003	Fukukita	7,258,674	B2	8/2007	Cribbs
6,575,956	B1	6/2003	Briskin et al.	7,273,459	B2	9/2007	Desilets
6,595,934	B1	7/2003	Hissong	7,294,125	B2	11/2007	Phalen et al.
6,599,256	B1	7/2003	Acker	7,297,117	B2	11/2007	Trucco
6,605,080	B1	8/2003	Altshuler et al.	7,303,555	B2	12/2007	Makin et al.
6,607,498	B2	8/2003	Eshel	7,311,679	B2	12/2007	Desilets et al.
6,618,620	B1	9/2003	Freundlich et al.	7,327,071	B2	2/2008	Nishiyama et al.
6,623,430	B1	9/2003	Slayton	7,331,951	B2	2/2008	Eshel et al.
6,626,854	B2	9/2003	Friedman	7,332,985	B2	2/2008	Larson et al.
6,626,855	B1	9/2003	Weng	7,338,434	B1	3/2008	Haarstad et al.
6,638,226	B2	10/2003	He et al.	7,347,855	B2	3/2008	Eshel
6,645,150	B2	11/2003	Angelsen et al.	RE40,403	E	6/2008	Cho et al.
6,645,162	B2	11/2003	Friedman	7,393,325	B2	7/2008	Barthe
6,662,054	B2	12/2003	Kreindel	7,398,116	B2	7/2008	Edwards
6,663,627	B2	12/2003	Francischelli	7,399,279	B2	7/2008	Abend et al.
6,665,806	B1	12/2003	Shimizu	7,491,171	B2	2/2009	Barthe et al.
6,669,638	B1	12/2003	Miller	7,507,235	B2	3/2009	Keogh et al.
6,685,639	B1	2/2004	Wang et al.	7,510,536	B2	3/2009	Foley et al.
6,685,640	B1	2/2004	Fry	7,517,315	B2	4/2009	Willis
6,692,450	B1	2/2004	Coleman	7,530,356	B2	5/2009	Slayton
6,699,237	B2	3/2004	Weber	7,530,958	B2	5/2009	Slayton
6,716,184	B2	4/2004	Vaezy et al.	7,532,201	B2	5/2009	Quistgaard et al.
6,719,449	B1	4/2004	Laughlin	7,571,336	B2	8/2009	Barthe
6,719,694	B2	4/2004	Weng	7,601,120	B2	10/2009	Moilanen et al.
6,726,627	B1	4/2004	Lizzi et al.	7,615,015	B2	11/2009	Coleman
6,733,449	B1	5/2004	Krishnamurthy et al.	7,615,016	B2	11/2009	Barthe
6,749,624	B2	6/2004	Knowlton	7,631,611	B1	12/2009	Dick et al.
6,772,490	B2	8/2004	Toda	7,652,411	B2	1/2010	Crunkilton et al.
6,773,409	B2	8/2004	Truckai et al.	7,662,114	B2	2/2010	Seip et al.
6,775,404	B1	8/2004	Pagoulatos et al.	7,674,257	B2	3/2010	Pless et al.
6,790,187	B2	9/2004	Thompson et al.	7,686,763	B2	3/2010	Vaezy et al.
6,824,516	B2	11/2004	Batten et al.	7,713,203	B2	3/2010	Lacoste et al.
6,825,176	B2	11/2004	White et al.	7,694,406	B2	4/2010	Wildes et al.
6,835,940	B2	12/2004	Morikawa et al.	7,695,437	B2	4/2010	Quistgaard et al.
6,846,290	B2	1/2005	Lizzi et al.	7,727,156	B2	6/2010	Angelsen et al.
6,875,176	B2	4/2005	Mourad et al.	7,758,524	B2	7/2010	Barthe
6,882,884	B1	4/2005	Mosk et al.	7,766,848	B2	8/2010	Desilets et al.
6,887,239	B2	5/2005	Elstrom	7,789,841	B2	9/2010	Huckle et al.
6,889,089	B2	5/2005	Behl	7,806,839	B2	10/2010	Mast et al.
6,896,657	B2	5/2005	Willis	7,815,570	B2	10/2010	Eshel et al.
6,902,536	B2	6/2005	Manna	7,819,826	B2	10/2010	Diederich et al.
6,905,466	B2	6/2005	Salgo	7,828,734	B2	10/2010	Azhari et al.
6,918,907	B2	7/2005	Kelly	7,824,348	B2	11/2010	Barthe
6,920,883	B2	7/2005	Besette	7,833,162	B2	11/2010	Hasegawa et al.
6,921,371	B2	7/2005	Wilson	7,841,984	B2	11/2010	Cribbs et al.
6,932,771	B2	8/2005	Whitmore	7,846,096	B2	12/2010	Mast et al.
6,932,814	B2	8/2005	Wood	7,857,773	B2	12/2010	Desilets et al.
6,936,044	B2	8/2005	McDaniel	7,875,023	B2	1/2011	Eshel et al.
6,936,046	B2	8/2005	Hissong	7,901,359	B2	3/2011	Mandrusov et al.
6,945,937	B2	9/2005	Culp et al.	7,905,007	B2	3/2011	Calisti et al.
6,948,843	B2	9/2005	Laugharn et al.	7,905,844	B2	3/2011	Desilets et al.
6,953,941	B2	10/2005	Nakano et al.	7,914,453	B2	3/2011	Slayton et al.
6,958,043	B2	10/2005	Hissong	7,914,469	B2	3/2011	Torbati
6,971,994	B1	12/2005	Young et al.	7,955,281	B2	6/2011	Pedersen et al.
6,974,417	B2	12/2005	Lockwood	7,967,764	B2	6/2011	Lidgren et al.
6,976,492	B2	12/2005	Ingle	7,967,839	B2	6/2011	Flock et al.
6,992,305	B2	1/2006	Maizawa et al.	7,955,262	B2	7/2011	Rosenberg
6,997,923	B2	2/2006	Anderson	7,993,289	B2	8/2011	Quistgaard et al.
7,006,874	B2	2/2006	Knowlton	8,057,465	B2	9/2011	Sliwa, Jr. et al.
7,020,528	B2	3/2006	Neev	8,057,389	B2	11/2011	Barthe et al.
7,022,089	B2	4/2006	Ooba	8,066,641	B2	11/2011	Barthe et al.
7,058,440	B2	6/2006	Heuscher et al.	8,123,707	B2	2/2012	Huckle et al.
7,063,666	B2	6/2006	Weng	8,128,618	B2	3/2012	Gliklich et al.
7,070,565	B2	7/2006	Vaezy et al.	8,133,180	B2	3/2012	Slayton et al.
7,074,218	B2	7/2006	Washington et al.	8,133,191	B2	3/2012	Rosenberg et al.
7,094,252	B2	8/2006	Koop	8,142,200	B2	3/2012	Crunkilton et al.
7,108,663	B2	9/2006	Talish et al.	8,152,904	B2	4/2012	Slobodgian et al.
7,115,123	B2	10/2006	Knowlton	8,162,858	B2	4/2012	Manna et al.
7,122,029	B2	10/2006	Koop et al.	8,166,332	B2	4/2012	Barthe et al.
7,142,905	B2	11/2006	Slayton	8,182,428	B2	5/2012	Angelsen et al.
7,165,451	B1	1/2007	Brooks et al.	8,197,409	B2	6/2012	Foley et al.
7,179,238	B2	2/2007	Hissong	8,206,299	B2	6/2012	Foley et al.
7,189,230	B2	3/2007	Knowlton	8,208,346	B2	6/2012	Crunkilton
7,229,411	B2	6/2007	Slayton	8,211,017	B2	7/2012	Foley et al.
7,235,592	B2	6/2007	Muratoglu	8,262,591	B2	9/2012	Pedersen et al.
				8,262,650	B2	9/2012	Zanelli et al.
				8,264,126	B2	9/2012	Toda et al.
				8,273,037	B2	9/2012	Kreindel et al.
				8,282,554	B2	10/2012	Makin et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

8,292,835	B1	10/2012	Cimino	9,833,639	B2	12/2017	Slayton et al.	
8,298,163	B1	10/2012	Cimino	9,833,640	B2	12/2017	Barthe et al.	
8,333,700	B1	12/2012	Barthe et al.	2001/0009997	A1	5/2001	Pope	
8,334,637	B2	12/2012	Crunkilton et al.	2001/0009999	A1	7/2001	Kaufman et al.	
8,337,407	B2	12/2012	Quistgaard et al.	2001/0014780	A1	8/2001	Martin	
8,343,051	B2	1/2013	Desilets et al.	2001/0014819	A1	8/2001	Ingle	
8,454,540	B2	1/2013	Eshel et al.	2001/0031922	A1 *	10/2001	Weng	A61B 17/0057 600/439
8,366,622	B2	2/2013	Slayton et al.	2001/0039380	A1	11/2001	Larson et al.	
8,398,549	B2	3/2013	Palmeri et al.	2001/0041880	A1	11/2001	Briskin	
8,409,097	B2	4/2013	Slayton et al.	2002/0000763	A1	1/2002	Jones	
8,425,435	B2	4/2013	Wing et al.	2002/0002345	A1	1/2002	Marlinghaus	
8,388,535	B2	5/2013	Weng et al.	2002/0040199	A1	4/2002	Klopotek	
8,444,562	B2	5/2013	Barthe et al.	2002/0040442	A1	4/2002	Ishidera	
8,460,193	B2	6/2013	Barthe et al.	2002/0055702	A1	5/2002	Atala	
8,480,585	B2	7/2013	Slayton et al.	2002/0062077	A1	5/2002	Emmenegger	
8,506,486	B2	8/2013	Slayton et al.	2002/0062142	A1	5/2002	Knowlton	
8,512,250	B2	8/2013	Quistgaard et al.	2002/0072691	A1	6/2002	Thompson et al.	
8,523,775	B2	9/2013	Barthe et al.	2002/0082528	A1	6/2002	Friedman	
8,535,228	B2	9/2013	Slayton et al.	2002/0082529	A1	6/2002	Suorsa et al.	
8,570,837	B2	10/2013	Toda et al.	2002/0082589	A1	6/2002	Friedman	
8,573,392	B2	11/2013	Bennett et al.	2002/0087080	A1	7/2002	Slayton	
8,583,211	B2	11/2013	Salomir et al.	2002/0095143	A1	7/2002	Key	
8,585,618	B2	11/2013	Hunziker et al.	2002/0099094	A1	7/2002	Anderson	
8,604,672	B2	12/2013	Toda et al.	2002/0115917	A1	8/2002	Honda et al.	
8,622,937	B2	1/2014	Weng et al.	2002/0128639	A1	8/2002	Pless et al.	
8,636,665	B2	1/2014	Slayton et al.	2002/0128648	A1	9/2002	Weber	
8,640,193	B2	1/2014	Shigeeda	2002/0143252	A1	10/2002	Dunne Shane et al.	
8,641,622	B2	2/2014	Barthe et al.	2002/0156400	A1	10/2002	Babaev	
8,663,112	B2	3/2014	Slayton et al.	2002/0161357	A1	10/2002	Anderson	
8,672,848	B2	3/2014	Slayton et al.	2002/0165529	A1	11/2002	Danek	
8,690,778	B2	4/2014	Slayton et al.	2002/0168049	A1	11/2002	Schriever	
8,690,779	B2	4/2014	Slayton et al.	2002/0169394	A1	11/2002	Eppstein et al.	
8,690,780	B2	4/2014	Slayton et al.	2002/0169442	A1	11/2002	Neev	
8,708,935	B2	4/2014	Barthe et al.	2002/0173721	A1	11/2002	Grunwald et al.	
8,715,186	B2	5/2014	Slayton et al.	2002/0193784	A1	12/2002	McHale et al.	
8,726,781	B2	5/2014	Eckhoff et al.	2002/0193831	A1	12/2002	Smith	
8,728,071	B2	5/2014	Lischinsky et al.	2003/0009153	A1	1/2003	Briskin et al.	
8,753,295	B2	6/2014	Thierman	2003/0014039	A1	1/2003	Barzell et al.	
8,758,253	B2	6/2014	Sano et al.	2003/0018255	A1	1/2003	Martin	
8,836,203	B2	9/2014	Nobles et al.	2003/0018270	A1	1/2003	Makin et al.	
8,857,438	B2	10/2014	Barthe et al.	2003/0023283	A1 *	1/2003	McDaniel	A61K 8/02 607/88
8,858,471	B2	10/2014	Barthe et al.	2003/0028111	A1	2/2003	Vaezy et al.	
8,915,853	B2	12/2014	Barthe et al.	2003/0028113	A1	2/2003	Gilbert et al.	
8,915,854	B2	12/2014	Slayton et al.	2003/0032900	A1	2/2003	Ella	
8,915,870	B2	12/2014	Barthe et al.	2003/0036706	A1	2/2003	Slayton et al.	
8,920,320	B2	12/2014	Stecco et al.	2003/0040739	A1	2/2003	Koop	
8,920,324	B2	12/2014	Slayton et al.	2003/0050678	A1	3/2003	Sierra	
8,926,533	B2	1/2015	Bockenstedt et al.	2003/0055308	A1	3/2003	Friemel et al.	
8,932,224	B2	1/2015	Barthe et al.	2003/0055417	A1	3/2003	Truckai et al.	
8,932,238	B2	1/2015	Wing et al.	2003/0060736	A1	3/2003	Martin et al.	
8,968,205	B2	3/2015	Zeng et al.	2003/0065313	A1	4/2003	Koop	
9,011,336	B2	4/2015	Slayton et al.	2003/0066708	A1	4/2003	Allison et al.	
9,039,617	B2	5/2015	Slayton et al.	2003/0073907	A1	4/2003	Taylor	
9,039,619	B2	5/2015	Barthe et al.	2003/0074023	A1	4/2003	Kaplan	
9,095,697	B2	8/2015	Barthe et al.	2003/0083536	A1	5/2003	Eshel	
9,114,247	B2	8/2015	Barthe et al.	2003/0092988	A1	5/2003	Makin	
9,216,276	B2	12/2015	Slayton et al.	2003/0097071	A1	5/2003	Halmann et al.	
9,272,162	B2	3/2016	Slayton et al.	2003/0099383	A1	5/2003	Lefebvre	
9,283,409	B2	3/2016	Slayton et al.	2003/0125629	A1	7/2003	Ustuner	
9,283,410	B2	3/2016	Slayton et al.	2003/0135135	A1	7/2003	Miwa et al.	
9,320,537	B2	4/2016	Slayton et al.	2003/0139790	A1	7/2003	Ingle et al.	
9,421,029	B2	8/2016	Barthe et al.	2003/0149366	A1	8/2003	Stringer et al.	
9,427,600	B2	8/2016	Barthe et al.	2003/0153961	A1	8/2003	Babaev	
9,427,601	B2	8/2016	Barthe et al.	2003/0171678	A1	9/2003	Batten et al.	
9,440,096	B2	9/2016	Barthe et al.	2003/0171701	A1	9/2003	Babaev	
9,510,802	B2	12/2016	Barthe et al.	2003/0176790	A1	9/2003	Slayton	
9,522,290	B2	12/2016	Slayton et al.	2003/0191396	A1	10/2003	Sanghvi	
9,533,175	B2	1/2017	Slayton et al.	2003/0199794	A1	10/2003	Sakurai et al.	
9,694,211	B2	7/2017	Barthe et al.	2003/0200481	A1	10/2003	Stanley	
9,694,212	B2	7/2017	Barthe et al.	2003/0212129	A1	11/2003	Liu et al.	
9,707,412	B2	7/2017	Slayton et al.	2003/0212351	A1	11/2003	Hissong	
9,713,731	B2	7/2017	Slayton et al.	2003/0212393	A1	11/2003	Knowlton	
9,802,063	B2	10/2017	Barthe et al.	2003/0216648	A1	11/2003	Lizzi et al.	
9,827,449	B2	11/2017	Barthe et al.	2003/0216795	A1	11/2003	Harth	
9,827,450	B2	11/2017	Slayton et al.	2003/0220536	A1	11/2003	Hissong	
				2003/0220585	A1	11/2003	Hissong	
				2003/0229331	A1	12/2003	Briskin et al.	

(56)

References Cited

U.S. PATENT DOCUMENTS

2003/0233085	A1	12/2003	Giammarusti	2005/0256406	A1	11/2005	Barthe
2003/0236487	A1	12/2003	Knowlton	2005/0261584	A1	11/2005	Eshel
2004/0000316	A1	1/2004	Knowlton	2005/0261585	A1	11/2005	Makin et al.
2004/0001809	A1	1/2004	Brisklen	2005/0267454	A1	12/2005	Hissong
2004/0002658	A1	1/2004	Marian, Jr.	2005/0288748	A1	12/2005	Li et al.
2004/0002705	A1	1/2004	Knowlton	2006/0004306	A1	1/2006	Altshuler
2004/0010222	A1	1/2004	Nunomura et al.	2006/0020260	A1	1/2006	Dover et al.
2004/0015079	A1	1/2004	Berger et al.	2006/0025756	A1	2/2006	Francischelli
2004/0015106	A1	1/2004	Coleman	2006/0042201	A1	3/2006	Curry
2004/0030227	A1	2/2004	Littrup	2006/0058664	A1	3/2006	Barthe
2004/0039312	A1	2/2004	Hillstead	2006/0058671	A1	3/2006	Vitek et al.
2004/0039418	A1	2/2004	Elstrom	2006/0058707	A1	3/2006	Barthe
2004/0041563	A1	3/2004	Lewin et al.	2006/0058712	A1	3/2006	Altshuler et al.
2004/0041880	A1	3/2004	Ikeda et al.	2006/0074309	A1	4/2006	Bonnefous
2004/0042168	A1	3/2004	Yang Myeong et al.	2006/0074313	A1	4/2006	Slayton et al.
2004/0044375	A1	3/2004	Diederich et al.	2006/0074314	A1	4/2006	Slayton
2004/0049134	A1	3/2004	Tosaya et al.	2006/0074355	A1	4/2006	Slayton
2004/0049734	A1	3/2004	Tosaya et al.	2006/0079816	A1	4/2006	Barthe
2004/0059266	A1	3/2004	Fry	2006/0079868	A1	4/2006	Makin
2004/0068186	A1	4/2004	Ishida et al.	2006/0084891	A1	4/2006	Barthe
2004/0073079	A1	4/2004	Altshuler et al.	2006/0089632	A1	4/2006	Barthe
2004/0073113	A1	4/2004	Salgo	2006/0089688	A1	4/2006	Panesco
2004/0073115	A1	4/2004	Horzowski et al.	2006/0094988	A1	5/2006	Tosaya
2004/0073116	A1	4/2004	Smith	2006/0111744	A1	5/2006	Makin
2004/0073204	A1	4/2004	Ryan et al.	2006/0116583	A1	6/2006	Ogasawara et al.
2004/0077977	A1	4/2004	Ella et al.	2006/0116671	A1	6/2006	Slayton
2004/0082857	A1	4/2004	Schonenberger	2006/0122508	A1	6/2006	Slayton
2004/0082859	A1	4/2004	Schaer	2006/0122509	A1	6/2006	Desilets
2004/0102697	A1	5/2004	Evron	2006/0161062	A1	7/2006	Arditi et al.
2004/0105559	A1	6/2004	Aylward et al.	2006/0184069	A1	8/2006	Vaitekunas
2004/0106867	A1	6/2004	Eshel et al.	2006/0184071	A1	8/2006	Klopotek
2004/0122323	A1	6/2004	Vortman et al.	2006/0189972	A1	8/2006	Grossman
2004/0122493	A1	6/2004	Ishibashi et al.	2006/0206105	A1	9/2006	Chopra
2004/0143297	A1	7/2004	Ramsey	2006/0224090	A1	10/2006	Ostrovsky et al.
2004/0152982	A1	8/2004	Hwang et al.	2006/0229514	A1	10/2006	Wiener
2004/0158150	A1	8/2004	Rabiner et al.	2006/0241440	A1	10/2006	Eshel
2004/0186535	A1	9/2004	Knowlton	2006/0241442	A1	10/2006	Barthe
2004/0189155	A1	9/2004	Funakubo	2006/0241470	A1	10/2006	Novak et al.
2004/0206365	A1	10/2004	Knowlton	2006/0241576	A1	10/2006	Diederich et al.
2004/0210214	A1	10/2004	Knowlton	2006/0250046	A1	11/2006	Koizumi et al.
2004/0217675	A1	11/2004	Desilets	2006/0282691	A1	12/2006	Barthe
2004/0249318	A1	12/2004	Tanaka	2006/0291710	A1	12/2006	Wang et al.
2004/0254620	A1	12/2004	Lacoste	2007/0016039	A1	1/2007	Vortman et al.
2004/0267252	A1	12/2004	Washington et al.	2007/0032784	A1	2/2007	Gliklich et al.
2005/0033201	A1	2/2005	Takahashi	2007/0035201	A1	2/2007	Desilets
2005/0033316	A1	2/2005	Kertz	2007/0055154	A1	3/2007	Torbati
2005/0038340	A1	2/2005	Vaezy et al.	2007/0055155	A1	3/2007	Owen et al.
2005/0055018	A1	3/2005	Kreindel	2007/0055156	A1	3/2007	Desilets et al.
2005/0055073	A1	3/2005	Weber	2007/0065420	A1	3/2007	Johnson
2005/0061834	A1	3/2005	Garcia et al.	2007/0083120	A1	4/2007	Cain et al.
2005/0070961	A1	3/2005	Maki	2007/0087060	A1	4/2007	Dietrich
2005/0074407	A1	4/2005	Smith	2007/0088245	A1	4/2007	Babaev et al.
2005/0080469	A1	4/2005	Larson	2007/0088346	A1	4/2007	Mirizzi et al.
2005/0085731	A1	4/2005	Miller et al.	2007/0161902	A1	7/2007	Dan
2005/0091770	A1	5/2005	Mourad et al.	2007/0166357	A1	7/2007	Shaffer et al.
2005/0096542	A1	5/2005	Weng et al.	2007/0167709	A1	7/2007	Slayton
2005/0104690	A1	5/2005	Larson et al.	2007/0208253	A1	9/2007	Slayton
2005/0113689	A1	5/2005	Gritzky	2007/0219604	A1	9/2007	Yaroslaysky et al.
2005/0131302	A1	6/2005	Poland	2007/0219605	A1	9/2007	Yaroslaysky et al.
2005/0137656	A1	6/2005	Malak	2007/0238994	A1	10/2007	Stecco et al.
2005/0143677	A1	6/2005	Young et al.	2007/0239075	A1	10/2007	Rosenberg
2005/0154313	A1	7/2005	Desilets	2007/0239077	A1	10/2007	Azhari et al.
2005/0154314	A1	7/2005	Quistgaard	2007/0239079	A1	10/2007	Manstein et al.
2005/0154332	A1	7/2005	Zanelli	2007/0239142	A1	10/2007	Altshuler
2005/0154431	A1	7/2005	Quistgaard	2008/0015435	A1	1/2008	Cribbs et al.
2005/0187495	A1	8/2005	Quistgaard	2008/0027328	A1	1/2008	Klopotek
2005/0191252	A1	9/2005	Mitsui	2008/0039724	A1	2/2008	Seip et al.
2005/0193451	A1	9/2005	Quistgaard	2008/0071255	A1	3/2008	Barthe
2005/0193820	A1	9/2005	Sheljaskow et al.	2008/0086054	A1	4/2008	Slayton
2005/0197681	A1	9/2005	Barolet et al.	2008/0086056	A1	4/2008	Chang et al.
2005/0228281	A1	10/2005	Nefos	2008/0097214	A1	4/2008	Meyers et al.
2005/0240127	A1	10/2005	Seip et al.	2008/0097253	A1	4/2008	Pedersen et al.
2005/0240170	A1	10/2005	Zhang et al.	2008/0114251	A1	5/2008	Weymer et al.
2005/0251120	A1	11/2005	Anderson et al.	2008/0139974	A1	6/2008	Da Silva
2005/0251125	A1	11/2005	Pless et al.	2008/0146970	A1	6/2008	Litman et al.
				2008/0167556	A1	7/2008	Thompson
				2008/0183077	A1	7/2008	Moreau-Gobard et al.
				2008/0183110	A1	7/2008	Davenport et al.
				2008/0188745	A1	8/2008	Chen et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0194964 A1	8/2008	Randall et al.	2011/0190745 A1	8/2011	Uebelhoer et al.
2008/0195000 A1	8/2008	Spooner et al.	2011/0201976 A1	8/2011	Sanghvi et al.
2008/0200810 A1	8/2008	Buchalter	2011/0251524 A1	10/2011	Azhari et al.
2008/0200813 A1	8/2008	Quistgaard	2011/0251527 A1	10/2011	Kushculey et al.
2008/0214966 A1	9/2008	Slayton	2011/0270137 A1	11/2011	Goren et al.
2008/0214988 A1	9/2008	Altshuler et al.	2011/0319793 A1	12/2011	Henrik et al.
2008/0221491 A1	9/2008	Slayton	2011/0319794 A1	12/2011	Gertner
2008/0223379 A1	9/2008	Stuker et al.	2012/0004549 A1	1/2012	Barthe et al.
2008/0242991 A1	10/2008	Moon et al.	2012/0016239 A1	1/2012	Barthe et al.
2008/0243035 A1	10/2008	Crunkilton	2012/0029353 A1	2/2012	Slayton et al.
2008/0269608 A1	10/2008	Anderson et al.	2012/0035473 A1	2/2012	Sanghvi et al.
2008/0275342 A1	11/2008	Barthe	2012/0035475 A1	2/2012	Barthe et al.
2008/0281206 A1	11/2008	Bartlett et al.	2012/0035476 A1	2/2012	Barthe et al.
2008/0281236 A1	11/2008	Eshel et al.	2012/0046547 A1	2/2012	Barthe et al.
2008/0281237 A1	11/2008	Slayton	2012/0053458 A1	3/2012	Barthe et al.
2008/0281255 A1	11/2008	Slayton	2012/0059288 A1	3/2012	Barthe et al.
2008/0294073 A1	11/2008	Barthe	2012/0111339 A1	5/2012	Barthe et al.
2008/0319356 A1	12/2008	Cain	2012/0123304 A1	5/2012	Rybyanets et al.
2009/0005680 A1	1/2009	Jones et al.	2012/0136280 A1	5/2012	Rosenberg et al.
2009/0012394 A1	1/2009	Hobelsberger et al.	2012/0136282 A1	5/2012	Rosenberg et al.
2009/0043198 A1	2/2009	Milner et al.	2012/0143056 A1	6/2012	Slayton et al.
2009/0043293 A1	2/2009	Pankratov et al.	2012/0143100 A1	6/2012	Jeong et al.
2009/0048514 A1	2/2009	Azhari et al.	2012/0165668 A1	6/2012	Slayton et al.
2009/0069677 A1	3/2009	Chen et al.	2012/0165848 A1	6/2012	Slayton et al.
2009/0093737 A1	4/2009	Chomas et al.	2012/0191019 A1	7/2012	Desilets et al.
2009/0156969 A1	6/2009	Santangelo	2012/0191020 A1	7/2012	Vitek et al.
2009/0163807 A1	6/2009	Sliwa	2012/0197120 A1	8/2012	Makin et al.
2009/0171252 A1	7/2009	Bockenstedt et al.	2012/0197121 A1	8/2012	Slayton et al.
2009/0177122 A1	7/2009	Peterson	2012/0209150 A1	8/2012	Zeng et al.
2009/0177123 A1	7/2009	Peterson	2012/0215105 A1	8/2012	Slayton et al.
2009/0182231 A1	7/2009	Barthe et al.	2012/0271202 A1	10/2012	Wisdom
2009/0198157 A1	8/2009	Babaev et al.	2012/0271294 A1	10/2012	Barthe et al.
2009/0216159 A1	8/2009	Slayton et al.	2012/0296240 A1	11/2012	Azhari et al.
2009/0226424 A1	9/2009	Hsu	2012/0302883 A1	11/2012	Kong et al.
2009/0227910 A1	9/2009	Pedersen et al.	2012/0316426 A1	12/2012	Foley et al.
2009/0230823 A1	9/2009	Kushculey et al.	2012/0330197 A1	12/2012	Makin et al.
2009/0253988 A1	10/2009	Slayton et al.	2012/0330222 A1	12/2012	Makin et al.
2009/0281463 A1	11/2009	Chapelon et al.	2012/0330223 A1	12/2012	Makin et al.
2009/0312693 A1	12/2009	Thapliyal et al.	2012/0330283 A1	12/2012	Hyde et al.
2009/0318909 A1	12/2009	Debenedictis et al.	2012/0330284 A1	12/2012	Hyde et al.
2009/0326420 A1	12/2009	Mooney et al.	2013/0012755 A1	1/2013	Slayton
2010/0011236 A1	1/2010	Barthe et al.	2013/0012816 A1	1/2013	Slayton et al.
2010/0022919 A1	1/2010	Peterson	2013/0012838 A1	1/2013	Jaeger et al.
2010/0022921 A1	1/2010	Seip et al.	2013/0012842 A1	1/2013	Barthe
2010/0022922 A1	1/2010	Barthe et al.	2013/0018285 A1	1/2013	Park et al.
2010/0030076 A1	2/2010	Vortman et al.	2013/0018286 A1	1/2013	Slayton et al.
2010/0042020 A1	2/2010	Ben-Ezra	2013/0046209 A1	2/2013	Slayton et al.
2010/0049178 A1	2/2010	Deem et al.	2013/0051178 A1	2/2013	Rybyanets
2010/0056925 A1	3/2010	Zhang et al.	2013/0060170 A1	3/2013	Lee et al.
2010/0100014 A1	4/2010	Eshel et al.	2013/0066208 A1	3/2013	Barthe et al.
2010/0113983 A1	5/2010	Heckerman et al.	2013/0066237 A1	3/2013	Smotrich et al.
2010/0130891 A1	5/2010	Taggart et al.	2013/0072826 A1	3/2013	Slayton et al.
2010/0160782 A1	6/2010	Slayton et al.	2013/0096471 A1	4/2013	Slayton et al.
2010/0160837 A1	6/2010	Hunziker et al.	2013/0190659 A1	7/2013	Slayton et al.
2010/0168576 A1	7/2010	Poland et al.	2013/0211293 A1	8/2013	Auboiroux et al.
2010/0191120 A1	7/2010	Kraus et al.	2013/0225994 A1	8/2013	Hsu et al.
2010/0241035 A1	9/2010	Barthe et al.	2013/0268032 A1	10/2013	Neev
2010/0249602 A1	9/2010	Buckley et al.	2013/0274603 A1	10/2013	Barthe et al.
2010/0249669 A1	9/2010	Ulric et al.	2013/0281853 A1	10/2013	Slayton et al.
2010/0256489 A1	10/2010	Pedersen et al.	2013/0281891 A1	10/2013	Slayton et al.
2010/0274161 A1	10/2010	Azhari et al.	2013/0296697 A1	11/2013	Slayton et al.
2010/0280420 A1	11/2010	Barthe et al.	2013/0296700 A1	11/2013	Slayton et al.
2010/0286518 A1	11/2010	Lee et al.	2013/0296743 A1	11/2013	Lee et al.
2010/0312150 A1	12/2010	Douglas et al.	2013/0303904 A1	11/2013	Barthe et al.
2011/0040171 A1	2/2011	Foley et al.	2013/0303905 A1	11/2013	Barthe et al.
2011/0040190 A1	2/2011	Jahnke et al.	2013/0310714 A1	11/2013	Eshel et al.
2011/0040213 A1	2/2011	Dietz et al.	2013/0310863 A1	11/2013	Makin et al.
2011/0040214 A1	2/2011	Foley et al.	2013/0345562 A1	12/2013	Barthe et al.
2011/0066084 A1	3/2011	Desilets et al.	2014/0024974 A1	1/2014	Slayton et al.
2011/0087099 A1	4/2011	Eshel et al.	2014/0050054 A1	2/2014	Toda et al.
2011/0087255 A1	4/2011	McCormack et al.	2014/0081300 A1	3/2014	Melodelima et al.
2011/0112405 A1	5/2011	Barthe et al.	2014/0082907 A1	3/2014	Barthe et al.
2011/0144490 A1	6/2011	Davis et al.	2014/0117814 A1	5/2014	Toda et al.
2011/0178444 A1	7/2011	Slayton et al.	2014/0142430 A1	5/2014	Slayton et al.
2011/0178541 A1	7/2011	Azhari	2014/0148834 A1	5/2014	Barthe et al.
			2014/0180174 A1	6/2014	Slayton et al.
			2014/0187944 A1	7/2014	Slayton et al.
			2014/0188015 A1	7/2014	Slayton et al.
			2014/0188145 A1	7/2014	Slayton et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0194723 A1 7/2014 Herzog et al.
 2014/0208856 A1 7/2014 Schmid
 2014/0221823 A1 8/2014 Keogh et al.
 2014/0236049 A1 8/2014 Barthe et al.
 2014/0236061 A1 8/2014 Lee et al.
 2014/0243713 A1 8/2014 Slayton et al.
 2014/0257145 A1 9/2014 Emery
 2014/0276055 A1 9/2014 Barthe et al.
 2015/0000674 A1 1/2015 Barthe et al.
 2015/0080723 A1 3/2015 Barthe et al.
 2015/0080771 A1 3/2015 Barthe et al.
 2015/0080874 A1 3/2015 Slayton et al.
 2015/0088182 A1 3/2015 Slayton et al.
 2015/0164734 A1 6/2015 Slayton et al.
 2015/0165238 A1 6/2015 Slayton et al.
 2015/0165243 A1 6/2015 Slayton et al.
 2015/0174388 A1 6/2015 Slayton
 2015/0202468 A1 7/2015 Slayton et al.
 2015/0217141 A1 8/2015 Barthe et al.
 2015/0360058 A1 12/2015 Barthe et al.
 2015/0374333 A1 12/2015 Barthe et al.
 2015/0375014 A1 12/2015 Slayton et al.
 2016/0027994 A1 1/2016 Toda et al.
 2016/0151618 A1 6/2016 Powers et al.
 2016/0175619 A1 6/2016 Lee et al.
 2016/0206335 A1 7/2016 Slayton
 2016/0206341 A1 7/2016 Slayton
 2016/0256675 A1 9/2016 Slayton
 2016/0296769 A1 10/2016 Barthe et al.
 2016/0361572 A1 12/2016 Slayton
 2017/0028227 A1 2/2017 Emery et al.

FOREIGN PATENT DOCUMENTS

DE 10140064 3/2003
 DE 10219297 11/2003
 DE 10219217 12/2004
 DE 20314479 12/2004
 EP 0142215 5/1984
 EP 0344773 12/1989
 EP 1479412 11/1991
 EP 0473553 4/1992
 EP 670147 2/1995
 EP 0661029 7/1995
 EP 724894 2/1996
 EP 763371 11/1996
 EP 1044038 10/2000
 EP 1050322 11/2000
 EP 1234566 8/2002
 EP 1262160 12/2002
 EP 0659387 4/2003
 EP 1374944 1/2004
 EP 1028660 1/2008
 EP 1874241 1/2008
 EP 1362223 5/2008
 EP 1750804 7/2008
 EP 1283690 11/2008
 EP 1811901 4/2009
 EP 1785164 8/2009
 EP 2230904 9/2010
 EP 1501331 6/2011
 EP 2066405 11/2011
 EP 2474050 7/2012
 FR 2532851 9/1983
 FR 2685872 1/1992
 FR 2672486 8/1992
 FR 2703254 3/1994
 GB 2113099 8/1983
 IL 102516 1/1996
 IL 112369 8/1999
 IL 120079 3/2001
 JP 63036171 2/1988
 JP 03048299 3/1991
 JP 3123559 5/1991
 JP 03136642 6/1991

JP 4089058 3/1992
 JP 04150847 5/1992
 JP 7080087 3/1995
 JP 07505793 6/1995
 JP 7184907 7/1995
 JP 7222782 8/1995
 JP 09047458 2/1997
 JP 9108288 4/1997
 JP 9503926 4/1997
 JP 11123226 5/1999
 JP 11505440 5/1999
 JP 11506636 6/1999
 JP 10248850 9/1999
 JP 2000126310 5/2000
 JP 2000166940 6/2000
 JP 2000233009 8/2000
 JP 2001170068 6/2001
 JP 2002505596 2/2002
 JP 2002078764 3/2002
 JP 2002515786 5/2002
 JP 2002521118 7/2002
 JP 2002537939 11/2002
 JP 2003050298 7/2003
 JP 2003204982 7/2003
 JP 2004-504898 2/2004
 JP 2004-507280 3/2004
 JP 2004-509671 4/2004
 JP 2004-512856 4/2004
 JP 2004147719 5/2004
 JP 2005503388 2/2005
 JP 2005527336 9/2005
 JP 2005323213 11/2005
 JP 2006520247 9/2006
 JP 2008515559 5/2008
 JP 2009518126 5/2009
 JP 2010517695 5/2010
 KR 1020010024871 3/2001
 KR 100400870 10/2003
 KR 20060121267 11/2006
 KR 1020060113930 11/2006
 KR 1020070065332 6/2007
 KR 1020070070161 7/2007
 KR 1020070098856 10/2007
 KR 1020070104878 10/2007
 KR 1020070114105 11/2007
 KR 1020000059516 4/2012
 KR 10-2013-0124598 11/2013
 KR 10-1365946 2/2014
 TW 386883 9/2000
 TW 201208734 A 3/2012
 WO WO9312742 7/1993
 WO WO9524159 9/1995
 WO WO9625888 8/1996
 WO WO9634568 11/1996
 WO WO9639079 12/1996
 WO WO9735518 10/1997
 WO WO9832379 7/1998
 WO WO9852465 11/1998
 WO WO9933520 7/1999
 WO WO9949788 10/1999
 WO WO200006032 2/2000
 WO WO0015300 3/2000
 WO WO0021612 4/2000
 WO WO0053113 9/2000
 WO WO0128623 4/2001
 WO WO01045550 6/2001
 WO WO0182777 11/2001
 WO WO0182778 11/2001
 WO WO0187161 11/2001
 WO WO01080709 11/2001
 WO WO2001087161 11/2001
 WO WO02/09812 2/2002
 WO WO0209813 2/2002
 WO WO02015768 2/2002
 WO WO0224050 3/2002
 WO WO2002054018 7/2002
 WO WO02092168 11/2002
 WO WO03053266 7/2003
 WO WO03065347 8/2003

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	WO03070105	8/2003
WO	WO03077833	9/2003
WO	WO03086215	10/2003
WO	WO03096883	11/2003
WO	WO03099177	12/2003
WO	WO03099382	12/2003
WO	WO03101530	12/2003
WO	WO2004000116	12/2003
WO	WO2004080147	9/2004
WO	WO2004110558	12/2004
WO	WO2005/011804	2/2005
WO	WO2005065408	7/2005
WO	WO2005065409	7/2005
WO	WO2005090978	9/2005
WO	WO2005113068	12/2005
WO	WO2006/042163	4/2006
WO	WO2006036870	4/2006
WO	WO2006042168	4/2006
WO	WO2006042201	4/2006
WO	WO2006065671	6/2006
WO	WO2006082573	8/2006
WO	WO2006104568	10/2006
WO	WO2007067563	6/2007
WO	WO2008036479	3/2008
WO	WO2008036622	3/2008
WO	WO2008144274	11/2008
WO	WO2009013729	1/2009
WO	WO2009149390	10/2009
WO	WO2012134645	10/2012
WO	WO2013048912	4/2013
WO	WO2014045216	3/2014
WO	WO2014055708	4/2014
WO	WO2014057388	4/2014
WO	WO2014127091	8/2014
WO	WO2015160708	10/2015
WO	WO2018035012	2/2018

OTHER PUBLICATIONS

Dermafocus Exhibit 2027, DermaFocus Oral Proceeding Demonstrative Slides (filed Oct. 2, 2017 in re IPR2016-01459). PTAB Record of Oral Hearing held Oct. 4, 2017 in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 67 pages (PTAB Document sent to Ulthera on Nov. 1, 2017).

A Validated Photonumeric Cellulite Severity Scale; Hexsel et al; J Eur Acad Dermatol Venereol. May 2009;23(5):523-8, 6 pages.

Agren, Magnus S. et al., Collagenase in Wound Healing: Effect of Wound Age and Type. The Journal of Investigative Dermatology, vol. 99/No. 6, (Dec. 1992).

Alam, M., "The future of noninvasive procedural dermatology". Semin Cutan Med Surg. Mar. 2013; 32(1):59-61.

Alam, M., et al., "Ultrasound tightening of facial and neck skin: a rater-blinded prospective cohort study". J Am Acad Dermatol, 2010. 62(2): p. 262-9.

Alexiades-Armenakas, M., "Ultrasound Technologies for Dermatologic Techniques". J Drugs Derm. 2014. 12 (11): p. 1305.

Alster, T.S., et al., "Noninvasive lifting of arm, thigh, and knee skin with transcutaneous intense focused ultrasound". Dermatol Surg, 2012. 38(5): p. 754-9.

Alster, Tinas S., Tanzi, Elizabeth L., "Cellulite Treatment using a Novel Combination Radiofrequency, Infrared Light, and Mechanical Tissue Manipulation Device," Journal of Cosmetic & Laser Therapy, Jun. 2005, vol. 7, Issue 2, pp. 81-85.

Arosarena, O., "Options and Challenges for Facial Rejuvenation in Patients With Higher Fitzpatrick Skin Phototypes". JAMA Facial Plastic Surgery, 2015.

Arthur et al., "Non-invasive estimation of hyperthermia temperatures with ultrasound," Int. J. Hyperthermia, Sep. 2005, 21(6), pp. 589-600.

Barthe et al., "Ultrasound therapy system and ablation results utilizing miniature imaging/therapy arrays," Ultrasonics Symposium, 2004 IEEE, Aug. 23, 2004, pp. 1792-1795, vol. 3.

Bozec, Laurent et al., Thermal Denaturation Studies of Collagen by Microthermal Analysis and Atomic Force Microscopy, Biophysical Journal, vol. 101, pp. 228-236. (Jul. 2001).

Brobst, R.W., et. al., "Noninvasive Treatment of the Neck". Facial Plast Surg Clin North Am, 2014. 22(2): p. 191-202.

Brobst, R.W., et., al., "Ulthera: initial and six month results". Facial Plast Surg Clin North Am, 2012. 20(2): p. 163-76.

Calderhead et al., "One Mechanism Behind LED Photo-Therapy for Wound Healing and Skin Rejuvenation: Key Role of the Mast Cell" Laser Therapy 17.3: 141-148 (2008).

Casabona, G., et. al., "Microfocused Ultrasound With Visualization and Fillers for Increased Neocollagenesis: Clinical and Histological Evaluation". Dermatol Surg 2014;40:S194-S198.

Chan, N.P., et al., "Safety study of transcutaneous focused ultrasound for non-invasive skin tightening in Asians". Lasers Surg Med, 2011. 43(5): p. 366-75.

Chapelon et al., "Effects of Cavitation in the High Intensity Therapeutic Ultrasound", Ultrasonics Symposium—1357 (1991).

Chapelon, et al., "Thresholds for Tissue Ablation by Focused Ultrasound" (1990).

Chen, L. et al., "Effect of Blood Perfusion on the ablation of liver parenchyma with high intensity focused ultrasound," Phys. Med. Biol; 38:1661-1673; 1993b.

Coon, Joshua et al., "Protein identification using sequential ion/ion reactions and tandem mass spectrometry" Proceedings of the National Academy of Sciences of the USA, vol. 102, No. 27, Jul. 27, 2005, pp. 9463-9468.

Corry, Peter M., et al., "Human Cancer Treatment with Ultrasound", IEEE Transactions on Sonics and Ultrasonics, vol. SU-31, No. 5, Sep. 1984, pp. 444, 456.

Damianou et al., "Application of the Thermal Dose Concept for Predicting the Necrosed Tissue Volume During Ultrasound Surgery," 1993 IEEE Ultrasound Symposium, pp. 1199-1202.

Daum et al., Design and Evaluation of a Feedback Based Phased Array System for Ultrasound Surgery, IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, vol. 45, No. 2, Mar. 1998, pp. 431-438.

Davis, Brian J., et al., "An Acoustic Phase Shift Technique for the Non-Invasive Measurement of Temperature Changes in Tissues", 1985 Ultrasonics Symposium, pp. 921-924.

Dayan, S.H., et al., "Prospective, Multi-Center, Pivotal Trial Evaluating the Safety and Effectiveness of Micro-Focused Ultrasound with Visualization (MFU-V) for Improvement in Lines and Wrinkles of the Décolletage". Plast Reconstr Surg. Oct. 2014; 134(4 Suppl 1):123-4.

Decision of the Korean Intellectual Property Tribunal dated Jun. 28, 2013 regarding Korean Patent No. 10-1142108, which is related to the pending application and/or an application identified in the Table on pp. 1-4 of the Information Disclosure Statement herein (English translation, English translation certification, and Korean decision included).

Delon Martin, C., et al, "Venous Thrombosis Generation by Means of High-Intensity Focused Ultrasound" Ultrasound in Med. & Biol., vol. 21, No. 1, pp. 113-119 (1995).

Dierickx, Christine C., "The Role of Deep Heating for Noninvasive Skin Rejuvenation" Lasers in Surgery and Medicine 38:799-807 (2006).

Dobke, M.K., et al., "Tissue restructuring by energy-based surgical tools". Clin Plast Surg, 2012. 39(4): p. 399-408.

Dong, Yuan-Lin et al., "Effect of Ibuprofen on the Inflammatory Response to Surgical Wounds" The Journal of Trauma, vol. 35, No. 3. (1993).

Dvivedi, Sanjay, et al. "Effect of Ibuprofen and diclofenac sodium on experimental wound healing" Indian Journal of Experimental Biology, vol. 35, pp. 1243-1245. (Nov. 1997).

Fabi, S.G., "Microfocused Ultrasound With Visualization for Skin Tightening and Lifting: My Experience and a Review of the Literature". Dermatol Surg. Dec. 2014; 40 Suppl 12:S164-7.

Fabi, S.G., "Noninvasive skin tightening: focus on new ultrasound techniques". Clin Cosmet Invest Dermatol. Feb. 5, 2015; 8:47-52.

(56)

References Cited

OTHER PUBLICATIONS

- Fabi, S.G., et. al., "A prospective multicenter pilot study of the safety and efficacy of microfocused ultrasound with visualization for improving lines and wrinkles of the décolleté". *Dermatol Surg.* Mar. 2015; 41(3):327-35.
- Fabi, S.G., et. al., "Evaluation of microfocused ultrasound with visualization for lifting, tightening, and wrinkle reduction of the décolletage". *J Am Acad Dermatol.* 2013. 69(6): p. 965-71.
- Fabi, S.G., et. al., "Future directions in cutaneous laser surgery". *Dermatol Clin.* 2014. 32(1): p. 61-9.
- Fabi, S G. et. al., "Retrospective Evaluation of Micro-focused Ultrasound for Lifting and Tightening the Face and Neck". *Dermatol Surg.* 2014.
- Friedmann D.P., "Comments on evaluation of microfocused ultrasound system for improving skin laxity and tightening in the lower face". *Aesthet Surg J.* Mar. 2015;35(3):NP81-2.
- Friedmann, D.P., et. al., "Combination of intense pulsed light, Sculptra, and Ultherapy for treatment of the aging face". *J Cosmet Dermatol.* 2014. 13(2): p. 109-18.
- Fry, W.J. et al., "Production of Focal Destructive Lesions in the Central Nervous System with Ultrasound," *J. Neurosurg.*, 11:471-478; 1954.
- Fujimoto, et al., "A New Cavitation Suppression Technique for Local Ablation Using High-Intensity Focused Ultrasound" *Ultrasonics Symposium—1629* (1995).
- Gliklich et al., Clinical Pilot Study of Intense Ultrasound therapy to Deep Dermal Facial Skin and Subcutaneous Tissues, *Arch Facial Plastic Surgery*, Mar. 1, 2007, vol. 9, No. 1.
- Gold, M.H., et. al., "Use of Micro-Focused Ultrasound with Visualization to Lift and Tighten Lax Knee Skin". *J Cosmet Laser Ther.* 2014: p. 1-15.
- Goldberg, D.J., et. al., "Safety and Efficacy of Microfocused Ultrasound to Lift, Tighten, and Smooth the Buttocks". *Dermatol Surg* 2014; 40:1113-1117.
- Greene, R.M., et al., "Skin tightening technologies". *Facial Plast Surg.* Feb. 2014; 30(1):62-7.
- Greenhalgh, David G., "Wound healing and diabetes mellitus" *Clinics in Plastic Surgery* 30; 37-45. (2003).
- Guo, S. et al., "Factors Affecting Wound Healing" *Critical Reviews in Oral Biology & Medicine, J Dent Res* 89(3), pp. 219-229. (2010).
- Haar, G.R. et al., "Tissue Destruction with Focused Ultrasound in Vivo," *Eur. Urol.* 23 (suppl. 1):8-11; 1993.
- Hantash, Basil M. et al., "Bipolar Fractional Radiofrequency Treatment Induces Neocollagenesis and Neocollagenesis" *Lasers in Surgery and Medicine* 41:1-9 (2009).
- Hantash, Basil M. et al., "In Vivo Histological Evaluation of a Novel Ablative Fractional Resurfacing Device" *Lasers in Surgery and Medicine* 39:96-107 (2007).
- Harris, M.O., "Safety of Microfocused Ultrasound With Visualization in Patients With Fitzpatrick Skin Phototypes III to VI". *JAMA Facial Plast. Surg.* 2015.
- Hart, et. al., "Current Concepts in the Use of PLLA: Clinical Synergy Noted with Combined Use of Microfocused Ultrasound and Poly-L-Lactic Acid on the Face, Neck, and Décolletage". *Amer. Soc. Plast. Surg.* 2015. 136; 180-187S.
- Hassan et al., "Structure and Applications of Poly(vinyl alcohol) Hydrogels Produced by Conventional Crosslinking or by Freezing/Thawing Methods," *advanced in Polymer Science*, 2000, pp. 37-65, vol. 153.
- Hassan et al., "Structure and Morphology of Freeze/Thawed PVA Hydrogels," *Macromolecules*, Mar. 11, 2000, pp. 2472-2479, vol. 33, No. 7.
- Hitchcock, T.M. et. al., "Review of the safety profile for microfocused ultrasound with visualization". *Journal of Cosmetic Dermatology*, 13, 329-335. (2014).
- Husseini et al., "The Role of Cavitation in Acoustically Activated Drug Delivery," *J. Control Release*, Oct. 3, 2005, pp. 253-261, vol. 107(2).
- Husseini et al. "Investigating the mechanism of acoustically activated uptake of drugs from Pluronic micelles," *BMD Cancer* 2002, 2:20k, Aug. 30, 2002, pp. 1-6.
- Hynynen et al., *Temperature Distributions During Local Ultrasound Induced Hyperthermia in Vivo*, *Ultrasonics Symposium—745* (1982).
- Jeffers et al., "Evaluation of the Effect of Cavitation Activity on Drug-Ultrasound Synergisms," 1993 *IEEE Ultrasonics Symposium*, pp. 925-928.
- Jenne, J., et al., "Temperature Mapping for High Energy US-Therapy", 1994 *Ultrasonics Symposium*, pp. 1879-1882.
- Jeong, K.H., et al., "Neurologic complication associated with intense focused ultrasound". *J Cosmet Laser Ther.* 2013.
- Johnson, S.A., et al., "Non-Intrusive Measurement of Microwave and Ultrasound-Induced Hyperthermia by Acoustic Temperature Tomography", *Ultrasonics Symposium Proceedings*, pp. 977-982. (1977).
- Kim, H.J., et al., "Coagulation and ablation patterns of high-intensity focused ultrasound on a tissue mimicking phantom and cadaveric skin". *Laser Med Sci.* Sep. 4, 2015.
- Kornstein, A.N., "Ulthera for silicone lip correction". *Plast Reconstr Surg.* 2012. 129(6): p. 1014e-1015e.
- Kornstein, A.N., "Ultherapy shrinks nasal skin after rhinoplasty following failure of conservative measures". *Plast Reconstr Surg.* 2013. 131(4): p. 664e-6e.
- Krischak, G.D., et al., "The effects of non-steroidal anti-inflammatory drug application on incisional wound healing in rats" *Journal of Wound Care*, vol. 6, No. 2, (Feb. 2007).
- Laubach, H.J., et. al., "Confined Thermal Damage with Intense Ultrasound (IUS)" [abstr.] *American Society for Laser Medicine and Surgery Abstracts*, p. 15 #43 (Apr. 2006).
- Laubach, H.J., et. al., "Intense focused ultrasound: evaluation of a new treatment modality for precise microcoagulation within the skin". *Dermatol Surg.* 2008. 34(5): p. 727-34.
- Lee, H.J., et. al., "The efficacy and safety of intense focused ultrasound in the treatment of enlarged facial pores in Asian skin". *J Dermatol Treat.* 2014.
- Lee, H.S., et. al., "Multiple Pass Ultrasound Tightening of Skin Laxity of the Lower Face and Neck". *Dermatol Surg.* 2011.
- Lin, Sung-Jan, et al., "Monitoring the thermally induced structural transitions of collagen by use of second-harmonic generation microscopy" *Optics Letters*, vol. 30, No. 6, (Mar. 15, 2005).
- MacGregor J.L., et. al., "Microfocused Ultrasound for Skin Tightening". *Semin Cutan Med Surg* 32:18-25. (2013).
- Madersbacher, S. et al., "Tissue Ablation in Benign Prostatic Hyperplasia with High Intensity Focused Ultrasound," *Dur. Urol.*, 23 (suppl. 1):39-43; 1993.
- Makin et al., "B-Scan Imaging and Thermal Lesion Monitoring Using Miniaturized Dual-Functionality Ultrasound Arrays," *Ultrasonics Symposium, 2004 IEEE*, Aug. 23, 2004, pp. 1788-1791, vol. 3.
- Makin et al., "Confirmed Bulk Ablation and Therapy Monitoring Using Intracorporeal Image-Treat Ultrasound Arrays," 4th International Symposium on Therapeutic Ultrasound, Sep. 19, 2004.
- Makin et al., "Miniaturized Ultrasound Arrays for Interstitial Ablation and Imaging," *UltraSound Med. Biol.* 2005, Nov. 1, 2005, pp. 1539-1550, vol. 31(11).
- Manohar et al., "Photoacoustic mammography laboratory prototype: imaging of breast tissue phantoms," *Journal of Biomedical Optics*, Nov./Dec. 2004, pp. 1172-1181, vol. 9, No. 6.
- Mast et al., "Bulk Ablation of Soft Tissue with Intense Ultrasound; Modeling and Experiments," *J. Acoust. Soc. Am.*, Oct. 1, 2005, pp. 2715-2724, vol. 118(4).
- Meshkinpour, Azin, et al., "Treatment of Hypertrophic Scars and Keloids With a Radiofrequency Device: A Study of Collagen Effects" *Lasers in Surgery and Medicine* 37:343-349 (2005).
- Microfocused Ultrasound with Visualization and Calcium Hydroxylapatite for Improving Skin Laxity and Cellulite Appearance; Casabona et al.; *Plast Reconstr Surg Glob Open.* Jul. 25, 2017;5(7):e1388, 8 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Microfocused Ultrasound With Visualization and Fillers for Increased Neocollagenesis: Clinical and Histological Evaluation; Casabona et al.; *Dermatol Surg.* Dec. 2014; 40 Suppl 12:S194-8, 5 pages.
- Minkis, K., et. al., "Ultrasound skin tightening". *Dermatol Clin.* 2014. 32(1): p. 71-7.
- Mitragotri, S., "Healing sound: the use of ultrasound in drug delivery and other therapeutic applications," *Nature Reviews; Drug Delivery*, pp. 255-260, vol. 4 (Mar. 2005).
- Mosser, David M. et al., "Exploring the full spectrum of macrophage activation" *Nat Rev Immunol*; 8(12): 958-969. (Dec. 2008).
- Murota, Sei-Itsu, et al., "Stimulatory Effect of Prostaglandins on the Production of Hexosamine-Containing Substances by Cultured Fibroblasts (3) Induction of Hyaluronic Acid Synthetase by Prostaglandin" Department of Pharmacology, Tokyo Metropolitan Institute of Gerontology, Itabashiku, Tokyo-173, Japan. (Nov. 1977, vol. 14, No. 5).
- Murota, Sei-Itsu, et al., "The Stimulatory Effect of Prostaglandins on Production of Hexosamine-Containing Substances by Cultured Fibroblasts" Department of Pharmacology, Tokyo Metropolitan Institute of Gerontology, Itabashiku, Tokyo-173, Japan. (Aug. 1976, vol. 12, No. 2).
- Nestor, M.S. et. al., "Safety and Efficacy of Micro-focused Ultrasound Plus Visualization for the Treatment of Axillary Hyperhidrosis". *J Clin Aesthet Dermatol.* 2014. 7(4): p. 14-21.
- Oni, G., et. al. "Response to 'comments on evaluation of microfocused ultrasound system for improving skin laxity and tightening in the lower face'". *Aesthet Surg J.* Mar. 2015;35(3):NP83-4.
- Oni, G., et. al., "Evaluation of a Microfocused Ultrasound System for Improving Skin Laxity and Tightening in the Lower Face". *Aesthet Surg J.* 2014. 38:861-868.
- Pak, C.S., et. al., "Safety and Efficacy of Ulthera in the Rejuvenation of Aging Lower Eyelids: A Pivotal Clinical Trial". *Aesthetic Plast Surg.* 2014.
- Paradossi et al., "Poly(vinyl alcohol) as versatile biomaterial for potential biomedical applications," *Journal of Materials Science: Materials in Medicine*, 2003, pp. 687-691, vol. 14.
- Pritzker, R.N., et. al., "Updates in noninvasive and minimally invasive skin tightening". *Semin Cutan Med Surg.* Dec. 2014;33(4):182-7.
- Pritzker, R.N., et. al., "Comparison of different technologies for noninvasive skin tightening". *Journal of Cosmetic Dermatology*, 13, 315-323. (2014).
- Rappolee, Daniel A., et al., "Wound Macrophages Express TGF and Other Growth Factors in Vivo: Analysis by mRNA Phenotyping" *Science*, vol. 241, No. 4866 (Aug. 1988).
- Reid, Gavin, et al., "Tandem Mass spectrometry of ribonuclease A and B: N-linked glycosylation site analysis of whole protein ions," *Analytical Chemistry*, Feb. 1, 2002, vol. 74, No. 3, pp. 577-583.
- Righetti et al., "Elastographic Characterization of HIFU-Induced Lesions in Canine Livers," 1999, *Ultrasound in Med & Bio*, vol. 25, No. 7, pp. 1099-1113.
- Rokhsar, C., et. al., "Safety and efficacy of microfocused ultrasound in tightening of lax elbow skin". *Dermatol Surg.* 2015; 41(7):821-6.
- Rosenberg, Carol S. "Wound Healing in the Patient with Diabetes Mellitus" *Nursing Clinics of North America*, vol. 25, No. 1, (Mar. 1990).
- Saad et al., "Ultrasound-Enhanced Effects of Adriamycin Against Murine Tumors," *Ultrasound in Med. & Biol.* vol. 18, No. 8, pp. 715-723 (1992).
- Sabet-Peyman, E.J. et. al., "Complications Using Intense Ultrasound Therapy to Treat Deep Dermal Facial Skin and Subcutaneous Tissues". *Dermatol Surg.* 2014; 40:1108-1112.
- Sandulache, Vlad C. et al., "Prostaglandin E2 inhibition of keloid fibroblast migration, contraction, and transforming growth factor (TGF)- β 1-induced collagen synthesis" *Wound Rep Reg* 15 122-133, 2007. (2007).
- Sanghvi, N.T., et al., "Transrectal Ablation of Prostate Tissue Using Focused Ultrasound," 1993 *Ultrasonics Symposium*, IEEE, pp. 1207-1210.
- Sasaki, G.H. et. al., "Clinical Efficacy and Safety of Focused-Image Ultrasonography: A 2-Year Experience". *Aesthet Surg J.* 2012.
- Sasaki, G.H. et. al., "Microfocused Ultrasound for Nonablative Skin and Subdermal Tightening to the Periorbitum and Body Sites: Preliminary Report on Eighty-Two Patients". *Journal of Cosmetics, Dermatological Sciences and Applications*, 2012, 2, 108-116.
- Sassen, Sander, "ATI's R520 architecture, the new king of the hill?" <http://www.hardwareanalysis.com/content/article/1813>, Sep. 16, 2005, 2 pages.
- Seip, Ralf, et al., "Noninvasive Detection of Thermal Effects Due to Highly Focused Ultrasonic Fields," *IEEE Symposium*, pp. 1229-1232, vol. 2, Oct. 3-Nov. 1993.
- Seip, Ralf, et al., "Noninvasive Estimation of Tissue Temperature Response to Heating Fields Using Diagnostic Ultrasound," *IEEE Transactions on Biomedical Engineering*, vol. 42, No. 8, Aug. 1995, pp. 828-839.
- Simon et al., "Applications of Lipid-Coated Microbubble Ultrasonic Contrast to Tumor Therapy," *Ultrasound in Med. & Biol.* vol. 19, No. 2, pp. 123-125 (1993).
- Sklar, L.R. et. al., "Use of transcutaneous ultrasound for lipolysis and skin tightening: a review". *Aesthetic Plast Surg.* 2014. 38(2): p. 429-41.
- Smith, Nadine Barrie, et al., "Non-invasive in Vivo Temperature Mapping of Ultrasound Heating Using Magnetic Resonance Techniques", 1994 *Ultrasonics Symposium*, pp. 1829-1832, vol. 3.
- Suh, D.H., et. al., "A intense-focused ultrasound tightening for the treatment of infraorbital laxity". *J Cosmet Laser Ther.* 2012. 14(6): p. 290-5.
- Suh, D.H., et. al., "Comparative histometric analysis of the effects of high-intensity focused ultrasound and radiofrequency on skin". *J Cosmet Laser Ther.* Mar. 24, 2015:1-7.
- Suh, D.H., et. al., "Intense Focused Ultrasound Tightening in Asian Skin: Clinical and Pathologic Results" *American Society for Dermatologic Surgery, Inc.*; 37:1595-1602. (2011).
- Suh, D.H., et. al., "Intense focused ultrasound tightening in asian skin: clinical and pathologic results". *Dermatol Surg.* 2011. 37(11): p. 1595-602.
- Surry et al., "Poly(vinyl alcohol) cryogel phantoms for use in ultrasound and MR imaging," *Phys. Med. Biol.*, Dec. 6, 2004, pp. 5529-5546, vol. 49.
- Syka J. E. P. et al., "Peptide and Protein Sequence Analysis by Electron Transfer Dissociation Mass Spectrometry," *Proceedings of the National Academy of Sciences of USA*, National Academy of Science, Washington, DC, vol. 101, No. 26, Jun. 29, 2004, pp. 9528-9533.
- Talbert, D. G., "An Add-On Modification for Linear Array Real-Time Ultrasound Scanners to Produce 3D Displays," *UTS Int'l 1977 Brighton, England* (Jun. 28-30, 1977) pp. 57-67.
- Tata et al., "Interaction of Ultrasound and Model Membrane Systems: Analyses and Predictions," *American Chemical Society, Phys. Chem.* 1992, 96, pp. 3548-3555.
- Ueno, S., et al., "Ultrasound Thermometry in Hyperthermia", 1990 *Ultrasonic Symposium*, pp. 1645-1652.
- Verhofstad, Michiel H.J. et al., "Collagen Synthesis in rat skin and ileum fibroblasts is affected differently by diabetes-related factors" *Int. J. Exp. Path.* (1998), 79, 321-328.
- Wang, H., et al., "Limits on Focused Ultrasound for Deep Hyperthermia", 1994 *Ultrasonic Symposium*, Nov. 1-4, 1994, pp. 1869-1872, vol. 3.
- Wasson, Scott, "NVIDIA's GeForce 7800 GTX graphics processor Power MADD," <http://techreport.com/reviews/2005q2/geforce-7800gtx/index.x?pg=1>, Jun. 22, 2005, 4 pages.
- Weiss, M., "Commentary: noninvasive skin tightening: ultrasound and other technologies: where are we in 2011?" *Dermatol Surg.* 2012. 38(1): p. 28-30.
- White et al "Selective Creating of Thermal Injury Zones in the Superficial Musculoaponeurotic System Using Intense Ultrasound Therapy," *Arch Facial Plastic Surgery*, Jan./Feb. 2007, vol. 9, No. 1 (pp. 22-29).

(56)

References Cited**OTHER PUBLICATIONS**

White, W. M., et al., "Selective Transcutaneous Delivery of Energy to Facial Subdermal Tissues Using the Ultrasound Therapy System" [abstr]. American Society for Laser Medicine and Surgery Abstracts, p. 37 #113 (Apr. 2006).

White, W. Matthew, et al., "Selective Transcutaneous Delivery of Energy to Porcine Soft Tissues Using Intense Ultrasound (IUS)" *Lasers in Surgery and Medicine* 40:67-75 (2008).

Woodward, J.A., et. al. "Safety and Efficacy of Combining Microfocused Ultrasound With Fractional CO₂ Laser Resurfacing for Lifting and Tightening the Face and Neck". *Dermatol Surg.* Dec. 40, 2014:S190-S193.

Zelickson, Brian D. et al., "Histological and Ultrastructural Evaluation of the Effects of a Radiofrequency-Based Nonablative Dermal Remodeling Device, A Pilot Study" *Arch Dermatol.* vol. 140, (Feb. 2004).

Ulthera, Inc., Petition for Inter Partes Review filed Jul. 19, 2016 in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 63 pages (Filed Jul. 19, 2016).

Ulthera Exhibit 1001, U.S. Pat. No. 6,113,559 to Klopotek, filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1002, Patent file history of U.S. Pat. No. 6,113,559 Klopotek filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1003, Declaration of Expert Witness Mark E. Schafer, Ph.D. filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1004, Curriculum Vitae of Mark E. Schafer, Ph.D. filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1005, International PCT Publication WO96/34568 Knowlton filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1006, French Patent No. 2,672,486, Technomed patent filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1007, English translation of French Patent No. 2,672,486, Technomed filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1008, International PCT Publication WO93/12742, Technomed PCT filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1009, English translation of International PCT Publication WO93/12742, Technomed PCT filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1010, U.S. Pat. No. 5,601,526, which claims priority to Technomed PCT filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1011, Patent file history for European Patent Application No. 98964890.2, Klopotek filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1012, Translator Declaration filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1013, U.S. Pat. No. 5,230,334 to Klopotek filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1014, U.S. Pat. No. 5,755,753 to Knowlton filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1015, Excerpts from the American Medical Association Encyclopedia of Medicine (1989) filed Jul. 19, 2016 in re IPR2016-01459.

Ulthera Exhibit 1016, The Simultaneous Study of Light Emissions and Shock Waves Produced by Cavitation Bubbles, G. Gimenez, J. Acoust. Soc. Am. 71(4), Apr. 1982, pp. 839-847 (filed Jul. 19, 2016 in re IPR2016-01459).

Ulthera Exhibit 1017, Excerpts from Gray's Anatomy (1995) (filed Jul. 19, 2016 in re IPR2016-01459).

Ulthera Exhibit 1018, Anatomy of the Superficial Venous System, Comjen G.M., *Dermatol. Surg.*, 1995; 21:35-45 (filed Jul. 19, 2016 in re IPR2016-01459).

Ulthera Exhibit 1019, Section 2.6 from *Ultrasonics Theory and Application*, by G.L. Gooberman (Hart Publishing Co., 1969) (filed Jul. 19, 2016 in re IPR2016-01459).

Ulthera Exhibit 1020, Deep Local Hyperthermia for Cancer Therapy: External Electromagnetic and Ultrasound Techniques, A.Y. Cheung and A. Neyzari, *Cancer Research (Suppl.)*, vol. 44, pp. 4736-4744 (1984) (filed Jul. 19, 2016 in re IPR2016-01459).

Decision on Institution of Inter Partes Review in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 20 pages [011] (Dated Jan. 23, 2017).

Dermafocus Response to Institution of Inter Partes Review in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 73 pages [018] (Dated Apr. 26, 2017).

Dermafocus Exhibit List in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 5 pages [019] (Dated Apr. 26, 2017).

Dermafocus Exhibit 2002, Declaration of Mark Palmeri, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 136 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2003, Deposition of Dr. Mark Schafer, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 327 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2004, Amendment No. 4 to Ulthera Form S-1, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 308 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2005, Excerpt from Churchill Livingstone, Gray's Anatomy (38th ed. 1995), in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 7 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2006, Bo Eklof et al., "Revision of the CEAP Classification for Chronic Venous Disorders: Consensus Statement," *ACTA FAC MED NAISS*, vol. 25, No. 1 (2008), 3-10 in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 7 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2007, WebMD, "Varicose Veins and Spider Veins" downloaded from <http://www.webmd.com/skin-problems-and-treatments/guide/varicose-spider-veins#1> in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 3 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2008, John M. Porter et al., "Reporting Standards in Venous Disease: An Update," *Journal of Vascular Surgery*, vol. 21, No. 4 (1995), 635-645 in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 11 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2009, Kullervo Hynynen, "Review of Ultrasound Therapy," 1997 Ultrasonics Symposium (1997), 1305-1313, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 9 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2010, A.G. Visioli et al., "Preliminary Results of a Phase I Dose Escalation Clinical Trial Using Focused Ultrasound in the Treatment of Localised Tumours," *European Journal of Ultrasound*, vol. 9 (1999), 11-18, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 8 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2011, U.S. Pat. No. 5,143,063, issued on Sep. 1, 1992, Fellner, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 6 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2012, Hugh G. Beebe et al., "Consensus Statement: Classification and Grading of Chronic Venous Disease in the Lower Limbs," *European Journal of Vascular and Endovascular Surgery*, vol. 12 (1996), 487-492, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 6 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2013, Excerpt from Mosby's Medical Dictionary (3rd ed. 1990), in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 4 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2014, Excerpt from Miller-Keane Encyclopedia & Dictionary of Medicine, Nursing, & Allied Health (5th ed. 1992), in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 6 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2015, David J. Tibbs et al, *Varicose Veins, Venous Disorders, and Lymphatic Problems in the Lower Limbs* (1997), Chapter 4: Clinical Patterns of Venous Disorder I, 47-67, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 24 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2016, Mitchel P. Goldman et al, *Varicose Veins and Telangiectasias* (2nd ed. 1999), Chapter 22: Treatment of Leg Telangiectasias with Laser and High-Intensity Pulsed Light, 470-497, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 31 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2017, Email from Anderson to Klopotek dated May 25, 2004, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 1 page (Filed Apr. 26, 2017).

Dermafocus Exhibit 2018, List of Klopotek Patents, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 411 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2019, Declaration of Peter Klopotek Civil Action 15-cv-654-SLR, dated Nov. 2, 2016, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 1 page (Filed Apr. 26, 2017).

(56)

References Cited

OTHER PUBLICATIONS

Dermafocus Exhibit 2020, "Our Technology," downloaded from <http://jobs.ulthera.com/about> on Apr. 10, 2017, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 4 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2021, C. Damianou and K. Hynynen, "Focal Spacing and Near-Field Heating During Pulsed High Temperature Ultrasound Therapy," *Ultrasound in Medicine & Biology*, vol. 19, No. 9 (1993), 777-787, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 11 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2022, Excerpt from Mosby's Medical Dictionary (5th ed. 1997), in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 5 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2023, Excerpt from Miller-Keane Encyclopedia & Dictionary of Medicine, Nursing, & Allied Health (6th ed. 1997), in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 7 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2024, Excerpt from Stedman's Concise Medical Dictionary (3rd ed. 1997), in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 4 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2025, Excerpt from Taber's Cyclopedic Medical Dictionary (18th ed. 1997), in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 9 pages (Filed Apr. 26, 2017).

Dermafocus Exhibit 2026, Bo Eklof et al., "Revision of the CEAP Classification for Chronic Venous Disorders: Consensus Statement," *Journal of Vascular Surgery*, vol. 40, No. 6 (2004), 1248-1252.e1, in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 6 pages (Filed Apr. 26, 2017).

Ulthera, Inc., Reply in Support of Petition for Inter Partes Review in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 33 pages (Filed Aug. 2, 2017).


Ulthera Exhibit 1022, Use of the Argon and Carbon Dioxide Lasers for Treatment of Superficial Venous Varicosities of the Lower Extremity, D. Apfelberg et al., *Lasers in Surgery and Medicine*, vol. 4.3, pp. 221-231 (1984) (filed Aug 2, 2017 in re IPR2016-01459).


Ulthera Exhibit 1023, 532-Nanometer Green Laser Beam Treatment of Superficial Varicosities of the Lower Extremities, T. Smith et al., *Lasers in Surgery and Medicine*, vol. 8.2, pp. 130-134 (1988) (filed Aug 2, 2017 in re IPR2016-01459).


Ulthera Exhibit 1024, Deposition Transcript of Dr. Mark Palmeri on Jul. 11, 2017 (filed Aug 2, 2017 in re IPR2016-01459).


Carruthers et al., "Consensus Recommendations for Combined Aesthetic Interventions in the Face Using Botulinum Toxin, Fillers, and Energy-Based Devices" *Dermatol Surg* 2016 (pp. 1-12). Final Written Decision of Inter Partes Review in Re U.S. Pat. No. 6,113,559; IPR2016-01459; 37 pages [030] (Entered Jan. 19, 2018).


* cited by examiner

**FIG. 1**

**FIG. 2**

**FIG. 3A**

**FIG. 3B**

**FIG. 4A**







FIG. 4B

**FIG. 5**

**FIG. 6A**

**FIG. 6B**




FIG. 7




FIG. 8A







FIG. 8B

**FIG. 9**

**FIG. 10A**

**FIG. 10B**




FIG. 10C




FIG. 10D




FIG. 10E




FIG. 10F





FIG. 11

**FIG. 12**

ULTRASOUND PROBE FOR FAT AND CELLULITE REDUCTION

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. patent application Ser. No. 15/650,246 filed Jul. 14, 2017, now U.S. Pat. No. 9,827,450, which is a continuation of U.S. patent application Ser. No. 15/374,918 filed Dec. 9, 2016, now U.S. Pat. No. 9,707,412, which is a continuation of U.S. application Ser. No. 15/041,829 filed Feb. 11, 2016, now U.S. Pat. No. 9,522,290, which is a continuation of U.S. application Ser. No. 14/550,720 filed Nov. 21, 2014, now U.S. Pat. No. 9,283,410, which is a continuation of U.S. application Ser. No. 14/164,598 filed Jan. 27, 2014, now U.S. Pat. No. 8,915,854, which is a continuation of U.S. application Ser. No. 13/789,562 filed Mar. 7, 2013, now U.S. Pat. No. 8,636,665, which is a continuation of U.S. application Ser. No. 13/356,405 filed Jan. 23, 2012, now U.S. Pat. No. 8,672,848, which is a continuation of U.S. application Ser. No. 11/163,154 filed on Oct. 6, 2005, now U.S. Pat. No. 8,133,180, which claims the benefit of priority to U.S. Provisional No. 60/616,753, filed on Oct. 6, 2004, each of which are hereby incorporated by reference in their entirety herein. Any and all priority claims identified in the Application Data Sheet, or any correction thereto, are hereby incorporated by reference under 37 CFR 1.57.

BACKGROUND

Field of the Invention

The present invention relates to ultrasound therapy systems, and in particular to a method and system for treating cellulite.

Description of the Related Art

Cellulite is a common skin disorder that appears as an irregularity of skin contour, often characterized by a dimple appearance of the skin. This condition affects 80% of women worldwide and tends to gather superficially around the thighs, hips, and buttocks.

Cellulite develops in the body when fat is deposited immediately below the dermis and contained in fat chambers (lobuli) that can become swollen. As the fat cells grow in size, lobuli tend to protrude into a dermis layer, surrounding tissue becomes compressed and hardened, making blood circulation more difficult in trapping fluids. Reduced elasticity of the adipose tissue produces an undesirable tension between the layers. The resulting protrusions and depressions of connective tissue anchor points create the appearance of cellulite.

This condition responds with varying results to invasive procedures, such as liposuction. The non-invasive technologies such as massagers, and low frequency ultrasound diathermy, show marginal results. Preliminary results shown by combination of infrared light and RF energy have some promise of improving skin contours, but significant progress is needed.

SUMMARY

In accordance with various aspects of the present invention, a method and system for non-invasive treatment of cellulite with ultrasound are provided. An exemplary treatment method and system comprises a therapeutic ultrasound system for providing ultrasound treatment to a deep tissue region that contains a lower part of dermis and proximal

protrusions of fat lobuli into the dermis. Such an exemplary treatment system delivers conformal ultrasound therapeutic energy to the region creating a thermal injury and coagulating the proximal protrusions of fat lobuli, thereby eliminating the fat protrusions into the dermis the dermis resulting in improved appearance of the overlying superficial layers of the skin. In accordance with exemplary embodiments, an exemplary treatment system may include ultrasound imaging mechanisms using the same or a separate probe before, after or during the treatment. Other imaging configurations can be utilized to image, monitor, and provide feedback of ultrasound therapy, such as MRI, X-Ray, PET, infrared or others.

BRIEF DESCRIPTION OF THE DRAWINGS

The subject matter of the invention is particularly pointed out in the concluding portion of the specification. The invention, however, both as to organization and method of operation, may best be understood by reference to the following description taken in conjunction with the accompanying drawing figures, in which like parts may be referred to by like numerals:

FIG. 1 illustrates a block diagram of an exemplary ultrasound treatment system for treating cellulite in accordance with an exemplary embodiment of the present invention;

FIG. 2 illustrates a cross sectional diagram of an exemplary probe system in accordance with exemplary embodiments of the present invention;

FIGS. 3A and 3B illustrate block diagrams of an exemplary control system in accordance with exemplary embodiments of the present invention;

FIGS. 4A and 4B illustrate block diagrams of an exemplary probe system in accordance with exemplary embodiments of the present invention;

FIG. 5 illustrates a cross-sectional diagram of an exemplary transducer in accordance with an exemplary embodiment of the present invention;

FIGS. 6A and 6B illustrate cross-sectional diagrams of an exemplary transducer in accordance with exemplary embodiments of the present invention;

FIG. 7 illustrates exemplary transducer configurations for ultrasound treatment in accordance with various exemplary embodiments of the present invention;

FIGS. 8A and 8B illustrate cross-sectional diagrams of an exemplary transducer in accordance with another exemplary embodiment of the present invention;

FIG. 9 illustrates an exemplary transducer configured as a two-dimensional array for ultrasound treatment in accordance with an exemplary embodiment of the present invention;

FIGS. 10A-10F illustrate cross-sectional diagrams of exemplary transducers in accordance with other exemplary embodiments of the present invention;

FIG. 11 illustrates a schematic diagram of an acoustic coupling and cooling system in accordance with an exemplary embodiment of the present invention; and

FIG. 12 illustrates a block diagram of a treatment system comprising an ultrasound treatment subsystem combined with additional subsystems and methods of treatment monitoring and/or treatment imaging as well as a secondary treatment subsystem in accordance with an exemplary embodiment of the present invention.

DETAILED DESCRIPTION

The present invention may be described herein in terms of various functional components and processing steps. It

should be appreciated that such components and steps may be realized by any number of hardware components configured to perform the specified functions. For example, the present invention may employ various medical treatment devices, visual imaging and display devices, input terminals and the like, which may carry out a variety of functions under the control of one or more control systems or other control devices. In addition, the present invention may be practiced in any number of medical contexts and that the exemplary embodiments relating to a non-invasive cellulite treatment system as described herein are merely indicative of exemplary applications for the invention. For example, the principles, features and methods discussed may be applied to any medical application. Further, various aspects of the present invention may be suitably applied to other applications.

In accordance with various aspects of the present invention, a non-invasive method and system for treating cellulite are provided. For example, in accordance with an exemplary embodiment, with reference to FIG. 1, an exemplary treatment system **100** configured to treat a region of interest **106** comprises a control system **102**, an imaging/therapy probe with acoustic coupling **104**, and a display system **108**.

Control system **102** and display system **108** can comprise various configurations for controlling probe **104** and overall system **100** functionality, such as, for example, a microprocessor with software and a plurality of input/output devices, system and devices for controlling electronic and/or mechanical scanning and/or multiplexing of transducers, a system for power delivery, systems for monitoring, systems for sensing the spatial position of the probe and/or transducers, and/or systems for handling user input and recording treatment results, among others. Imaging/therapy probe **104** can comprise various probe and/or transducer configurations. For example, probe **104** can be configured for a combined dual-mode imaging/therapy transducer, coupled or co-housed imaging/therapy transducers, or simply a separate therapy probe and an imaging probe.

In accordance with an exemplary embodiment, treatment system **100** is configured for treating a deep tissue region that contains a lower part of dermis and proximal protrusions of fat lobuli into the dermis, by first, imaging of region of interest **106** for localization of the treatment area and surrounding structures, second, delivery of ultrasound energy at a depth, distribution, timing, and energy level to achieve the desired therapeutic effect, and third to monitor the treatment area before, during, and after therapy to plan and assess the results and/or provide feedback. As to the delivery of energy, control system **102** and transducer system **102** can be suitably configured to deliver conformal ultrasound therapeutic energy to ROI **106** creating a thermal injury and coagulating the proximal protrusions of fat lobuli, thereby eliminating the fat protrusions into the dermis. As used herein, the term "dermis" refers to any part of the dermis and/or the epidermis.

In addition, by treatment of ROI **106**, transducer system **102** may be configured to deliver one or more energy fields to promote one or more effects, for example, ablation of existing tissue, the breaking up of fat cell clusters, stretching of the fibrous bonds, enhancement of lymphatic drainage, stimulation of the evacuation of fat decay products, and/or enhanced cell permeability in order to treat cellulite.

An exemplary ultrasound therapy system of FIG. 1 is further illustrated in an exemplary embodiment in FIG. 2. A therapy transducer system **200** includes a transducer probe **202** connected to a control system **204**, and display **206**, in combination may provide therapy, imaging, and/or tempera-

ture or other tissue parameters monitoring to region of interest **210**. Exemplary transducer system **200** is configured for first, imaging and display of region of interest **210** for localization of the treatment area and surrounding structures, second, delivery of focused, unfocused, or defocused ultrasound energy at a depth, distribution, timing, and energy level to achieve the desired therapeutic effect of thermal ablation to treat cellulite, and third to monitor the treatment area and surrounding structures before, during, and after therapy to plan and assess the results and/or provide feedback to control system **204** and/or an operator.

Exemplary transducer probe **202** can be configured to be suitably controlled and/or operated in various manners. For example, transducer probe **202** may be configured for use within an ultrasound treatment system, an ultrasound imaging system and/or an ultrasound imaging, therapy, and/or treatment monitoring system, including motion control subsystems.

Control system **204** can be configured with one or more subsystems, processors, input devices, displays and/or the like. Display **206** may be configured to image and/or monitor ROI **210** and/or any particular sub-region within ROI **210**. Display **206** can be configured for two-dimensional, three-dimensional, real-time, analog, digital and/or any other type of imaging. Exemplary embodiments of both control system **204** and display **206** are described in greater detail herein.

Region of interest **210**, can be comprised of superficial layer (epidermis/dermis) subcutaneous fat, lobuli, and muscle. Exemplary transducer system **200**, is configured to provide cross-sectional two-dimensional imaging of the region **207**, displayed as an image **205**, with a controlled thermal lesion **209**, confined approximately to proximal portion of fat lobuli and lower portion of dermis.

Transducer system **200** can be configured with the ability to controllably produce conformal treatment areas in superficial human tissue within region of interest **210** through precise spatial and temporal control of acoustic energy deposition. In accordance with an exemplary embodiment, control system **204** and transducer probe **202** can be suitably configured for spatial control of the acoustic energy by controlling the manner of distribution of the acoustical energy. For example, spatial control may be realized through selection of the type of one or more transducer configurations insonifying region of interest **210**, selection of the placement and location of transducer probe **202** for delivery of acoustical energy relative to region-of-interest **210**, e.g., transducer probe **202** configured for scanning over part or whole of region-of-interest **210** to deliver conformal ultrasound therapeutic energy to create a thermal injury and to coagulate the proximal protrusions of fat lobuli, thereby eliminating the fat protrusions into the dermis. Transducer probe **202** may also be configured for control of other environment parameters, e.g., the temperature at the acoustic coupling interface can be controlled. In addition to the spatial control, control system **204** and/or transducer probe **202** can also be configured for temporal control, such as through adjustment and optimization of drive amplitude levels, frequency/waveform selections, and timing sequences and other energy drive characteristics to control the treatment of tissue. The spatial and/or temporal control can also be facilitated through open-loop and closed-loop feedback arrangements, such as through the monitoring of various positional and temporal characteristics. For example, through such spatial and/or temporal control, an exemplary treatment system **200** can enable the regions of

thermal injury to possess arbitrary shape and size and allow the tissue to be treated in a controlled manner.

Transducer system **200** may be used to provide a mechanical action of ultrasound to physically break fat cell clusters and stretch the fibrous bonds. This mechanical action will also enhance lymphatic drainage, stimulating the evacuation of fat decay products. That is, the ultrasound may facilitate movement of the muscles and soft tissues within ROI **210**, thereby facilitating the loosening of fat deposits and/or the break up of fibrous tissue surrounding fat deposits.

In addition, transducer system **200** can be configured to deliver various therapeutic levels of ultrasound to increase the speed at which fat metabolizes, according to the Arrhenius Law: $Y=Ae^{-B/T}$, where Y is the yield of metabolic reaction, A and B are constants, and T is the temperature in degrees Kelvin. In one exemplary embodiment, transducer system **200** is configured to provide various therapeutic levels of ultrasound to increase the speed at which fat metabolizes. That is, according to Arrhenius Law, the yield, Y of a metabolic reaction is a function of temperature, T: $Y=Ae^{-B/T}$, where A and B are constants, and T is the temperature in degrees Kelvin. Thus, ultrasound treatment from transducer system **200**, ranging from approximately 750 kHz to 20 MHz, can increase the temperature in a treatment area, thereby increasing the metabolic reaction yield for that treatment area.

As previously described, control systems **104** and **204** may be configured in various manners with various subsystems and subcomponents. With reference to FIGS. 3A and 3B, in accordance with exemplary embodiments, an exemplary control system **300** can be configured for coordination and control of the entire therapeutic treatment process in accordance with the adjustable settings made by a therapeutic treatment system user. For example, control system **300** can suitably comprise power source components **302**, sensing and monitoring components **304**, cooling and coupling controls **306**, and/or processing and control logic components **308**. Control system **300** can be configured and optimized in a variety of ways with more or less subsystems and components to implement the therapeutic system for cellulite treatment, and the embodiment in FIGS. 3A and 3B are merely for illustration purposes.

For example, for power sourcing components **302**, control system **300** can comprise one or more direct current (DC) power supplies **303** configured to provide electrical energy for entire control system **300**, including power required by a transducer electronic amplifier/driver **312**. A DC current sense device **305** can also be provided to confirm the level of power going into amplifiers/drivers **312** for safety and monitoring purposes.

Amplifiers/drivers **312** can comprise multi-channel or single channel power amplifiers and/or drivers. In accordance with an exemplary embodiment for transducer array configurations, amplifiers/drivers **312** can also be configured with a beamformer to facilitate array focusing. An exemplary beamformer can be electrically excited by an oscillator/digitally controlled waveform synthesizer **310** with related switching logic.

The power sourcing components can also include various filtering configurations **314**. For example, switchable harmonic filters and/or matching may be used at the output of amplifier/driver **312** to increase the drive efficiency and effectiveness. Power detection components **316** may also be included to confirm appropriate operation and calibration. For example, electric power and other energy detection

components **316** may be used to monitor the amount of power going to an exemplary probe system.

Various sensing and monitoring components **304** may also be suitably implemented within control system **300**. For example, in accordance with an exemplary embodiment, monitoring, sensing and interface control components **324** may be configured to operate with various motion detection systems **322** implemented within transducer probe **104** to receive and process information such as acoustic or other spatial and temporal information from a region of interest. Sensing and monitoring components can also include various controls, interfacing and switches **309** and/or power detectors **316**. Such sensing and monitoring components **304** can facilitate open-loop and/or closed-loop feedback systems within treatment system **100**.

For example, In such an open-loop system, a system user can suitably monitor the imaging and/or other spatial or temporal parameters and then adjust or modify same to accomplish a particular treatment objective. Instead of, or in combination with open-loop feedback configurations, an exemplary treatment system can comprise a closed-loop feedback system, wherein images and/or spatial/temporal parameters can be suitably monitored within monitoring component to generate signals.

During operation of exemplary treatment system **100**, a lesion configuration of a selected size, shape, orientation is determined. Based on that lesion configuration, one or more spatial parameters are selected, along with suitable temporal parameters, the combination of which yields the desired conformal lesion. Operation of the transducer can then be initiated to provide the conformal lesion or lesions. Open and/or closed-loop feedback systems can also be implemented to monitor the spatial and/or temporal characteristics, and/or other tissue parameter monitoring, to further control the conformal lesions.

Cooling/coupling control systems **306** may be provided to remove waste heat from exemplary probe **104**, provide a controlled temperature at the superficial tissue interface and deeper into tissue, and/or provide acoustic coupling from transducer probe **104** to region-of-interest **106**. Such cooling/coupling control systems **306** can also be configured to operate in both open-loop and/or closed-loop feedback arrangements with various coupling and feedback components.

Processing and control logic components **308** can comprise various system processors and digital control logic **307**, such as one or more of microcontrollers, microprocessors, field-programmable gate arrays (FPGAs), computer boards, and associated components, including firmware and control software **326**, which interfaces to user controls and interfacing circuits as well as input/output circuits and systems for communications, displays, interfacing, storage, documentation, and other useful functions. System software and firmware **326** controls all initialization, timing, level setting, monitoring, safety monitoring, and all other system functions required to accomplish user-defined treatment objectives. Further, various control switches **308** can also be suitably configured to control operation.

An exemplary transducer probe **104** can also be configured in various manners and comprise a number of reusable and/or disposable components and parts in various embodiments to facilitate its operation. For example, transducer probe **104** can be configured within any type of transducer probe housing or arrangement for facilitating the coupling of transducer to a tissue interface, with such housing comprising various shapes, contours and configurations depending on the particular treatment application. For example, in

accordance with an exemplary embodiment, transducer probe **104** can be depressed against a tissue interface whereby blood perfusion is partially or wholly cut-off, and tissue flattened in superficial treatment region-of-interest **106**. Transducer probe **104** can comprise any type of matching, such as for example, electric matching, which may be electrically switchable; multiplexer circuits and/or aperture/element selection circuits; and/or probe identification devices, to certify probe handle, electric matching, transducer usage history and calibration, such as one or more serial EEPROM (memories). Transducer probe **104** may also comprise cables and connectors; motion mechanisms, motion sensors and encoders; thermal monitoring sensors; and/or user control and status related switches, and indicators such as LEDs. For example, a motion mechanism in probe **104** may be used to controllably create multiple lesions, or sensing of probe motion itself may be used to controllably create multiple lesions and/or stop creation of lesions, e.g. for safety reasons if probe **104** is suddenly jerked or is dropped. In addition, an external motion encoder arm may be used to hold the probe during use, whereby the spatial position and attitude of probe **104** is sent to the control system to help controllably create lesions. Furthermore, other sensing functionality such as profilometers or other imaging modalities may be integrated into the probe in accordance with various exemplary embodiments.

With reference to FIGS. **4A** and **4B**, in accordance with an exemplary embodiment, a transducer probe **400** can comprise a control interface **402**, a transducer **404**, coupling components **406**, and monitoring/sensing components **408**, and/or motion mechanism **410**. However, transducer probe **400** can be configured and optimized in a variety of ways with more or less parts and components to provide ultrasound energy for cellulite treatment, and the embodiment in FIGS. **4A** and **4B** are merely for illustration purposes.

In accordance with an exemplary embodiment of the present invention, transducer probe **400** is configured to deliver energy over varying temporal and/or spatial distributions in order to provide energy effects and initiate responses in a region of interest. These effects can include, for example, thermal, cavitation, hydrodynamic, and resonance induced tissue effects. For example, exemplary transducer probe **400** can be operated under one or more frequency ranges to provide two or more energy effects and initiate one or more responses in the region of interest. In addition, transducer probe **400** can also be configured to deliver planar, defocused and/or focused energy to a region of interest to provide two or more energy effects and to initiate one or more reactions. These responses can include, for example, diathermy, hemostasis, revascularization, angiogenesis, growth of interconnective tissue, tissue reformation, ablation of existing tissue, protein synthesis and/or enhanced cell permeability. These and various other exemplary embodiments for such combined ultrasound treatment, effects and responses are more fully set forth in U.S. patent application Ser. No. 10/950,112, entitled "METHOD AND SYSTEM FOR COMBINED ULTRASOUND TREATMENT," Filed Sep. 24, 2004 and incorporated herein by reference.

Control interface **402** is configured for interfacing **428** with control system **300** to facilitate control of transducer probe **400**. Control interface components **402** can comprise multiplexer/aperture select **424**, switchable electric matching networks **426**, serial EEPROMs and/or other processing components and matching and probe usage information **430** and interface connectors **432**.

Coupling components **406** can comprise various devices to facilitate coupling of transducer probe **400** to a region of interest. For example, coupling components **406** can comprise cooling and acoustic coupling system **420** configured for acoustic coupling of ultrasound energy and signals. Acoustic cooling/coupling system **420** with possible connections such as manifolds may be utilized to couple sound into the region-of-interest, control temperature at the interface and deeper into tissue, provide liquid-filled lens focusing, and/or to remove transducer waste heat. Coupling system **420** may facilitate such coupling through use of various coupling mediums, including air and other gases, water and other fluids, gels, solids, and/or any combination thereof, or any other medium that allows for signals to be transmitted between transducer active elements **412** and a region of interest. In addition to providing a coupling function, in accordance with an exemplary embodiment, coupling system **420** can also be configured for providing temperature control during the treatment application. For example, coupling system **420** can be configured for controlled cooling of an interface surface or region between transducer probe **400** and a region of interest and beyond and beyond and beyond by suitably controlling the temperature of the coupling medium. The suitable temperature for such coupling medium can be achieved in various manners, and utilize various feedback systems, such as thermocouples, thermistors or any other device or system configured for temperature measurement of a coupling medium. Such controlled cooling can be configured to further facilitate spatial and/or thermal energy control of transducer probe **400**.

In accordance with an exemplary embodiment, with additional reference to FIG. **11**, acoustic coupling and cooling **1140** can be provided to acoustically couple energy and imaging signals from transducer **1104** to and from the region of interest **1102**, to provide thermal control at the probe **1100** to region-of-interest interface **1110**, and to remove potential waste heat from the transducer probe at region **1144**. Temperature monitoring can be provided at the coupling interface via a thermal sensor **1146** to provide a mechanism of temperature measurement **1148** and control via control system **1106** and a thermal control system **1142**. Thermal control may consist of passive cooling such as via heat sinks or natural conduction and convection or via active cooling such as with peltier thermoelectric coolers, refrigerants, or fluid-based systems comprised of pump, fluid reservoir, bubble detection, flow sensor, flow channels/tubing **1144** and thermal control **1142**.

Monitoring and sensing components **408** can comprise various motion and/or position sensors **416**, temperature monitoring sensors **418**, user control and feedback switches **414** and other like components for facilitating control by control system **300**, e.g., to facilitate spatial and/or temporal control through open-loop and closed-loop feedback arrangements that monitor various spatial and temporal characteristics.

Motion mechanism **410** can comprise manual operation, mechanical arrangements, or some combination thereof. For example, a motion mechanism **422** can be suitably controlled by control system **300**, such as through the use of accelerometers, encoders or other position/orientation devices **416** to determine and enable movement and positions of transducer probe **400**. Linear, rotational or variable movement can be facilitated, e.g., those depending on the treatment application and tissue contour surface.

Transducer **404** can comprise one or more transducers configured for producing conformational lesions of thermal injury in superficial human tissue within a region of interest

through precise spatial and temporal control of acoustic energy deposition. Transducer **404** can also comprise one or more transduction elements and/or lenses **412**. The transduction elements can comprise a piezoelectrically active material, such as lead zirconate titanate (PZT), or any other piezoelectrically active material, such as a piezoelectric ceramic, crystal, plastic, and/or composite materials, as well as lithium niobate, lead titanate, barium titanate, and/or lead metaniobate. In addition to, or instead of, a piezoelectrically active material, transducer **404** can comprise any other materials configured for generating radiation and/or acoustic energy. Transducer **404** can also comprise one or more matching layers configured along with the transduction element such as coupled to the piezoelectrically active material. Acoustic matching layers and/or damping may be employed as necessary to achieve the desired electroacoustic response.

In accordance with an exemplary embodiment, the thickness of the transduction element of transducer **404** can be configured to be uniform. That is, a transduction element **412** can be configured to have a thickness that is substantially the same throughout. In accordance with another exemplary embodiment, the thickness of a transduction element **412** can also be configured to be variable. For example, transduction element(s) **412** of transducer **404** can be configured to have a first thickness selected to provide a center operating frequency of a lower range, for example from approximately 750 kHz to 5 MHz. Transduction element **404** can also be configured with a second thickness selected to provide a center operating frequency of a higher range, for example from approximately 5 MHz to 20 MHz or more. Transducer **404** can be configured as a single broadband transducer excited with at least two or more frequencies to provide an adequate output for generating a desired response. Transducer **404** can also be configured as two or more individual transducers, wherein each transducer comprises one or more transduction element. The thickness of the transduction elements can be configured to provide center-operating frequencies in a desired treatment range. For example, transducer **404** can comprise a first transducer configured with a first transduction element having a thickness corresponding to a center frequency range of approximately 750 kHz to 5 MHz, and a second transducer configured with a second transduction element having a thickness corresponding to a center frequency of approximately 5 MHz to 20 MHz or more.

Transducer **404** may be composed of one or more individual transducers in any combination of focused, planar, or unfocused single-element, multi-element, or array transducers, including 1-D, 2-D, and annular arrays; linear, curvilinear, sector, or spherical arrays; spherically, cylindrically, and/or electronically focused, defocused, and/or lensed sources. For example, with reference to an exemplary embodiment depicted in FIG. 5, transducer **500** can be configured as an acoustic array to facilitate phase focusing. That is, transducer **500** can be configured as an array of electronic apertures that may be operated by a variety of phases via variable electronic time delays. By the term "operated," the electronic apertures of transducer **500** may be manipulated, driven, used, and/or configured to produce and/or deliver an energy beam corresponding to the phase variation caused by the electronic time delay. For example, these phase variations can be used to deliver defocused beams **508**, planar beams **504**, and/or focused beams **506**, each of which may be used in combination to achieve different physiological effects in a region of interest **510**. Transducer **500** may additionally comprise any software

and/or other hardware for generating, producing and/or driving a phased aperture array with one or more electronic time delays.

Transducer **500** can also be configured to provide focused treatment to one or more regions of interest using various frequencies. In order to provide focused treatment, transducer **500** can be configured with one or more variable depth devices to facilitate treatment. For example, transducer **500** may be configured with variable depth devices disclosed in U.S. patent application Ser. No. 10/944,500, entitled "System and Method for Variable Depth Ultrasound", filed on Sep. 16, 2004, having at least one common inventor and a common Assignee as the present application, and incorporated herein by reference. In addition, transducer **500** can also be configured to treat one or more additional ROI **510** through the enabling of sub-harmonics or pulse-echo imaging, as disclosed in U.S. patent application Ser. No. 10/944,499, entitled "Method and System for Ultrasound Treatment with a Multi-directional Transducer", filed on Sep. 16, 2004, having at least one common inventor and a common Assignee as the present application, and also incorporated herein by reference.

Moreover, any variety of mechanical lenses or variable focus lenses, e.g. liquid-filled lenses, may also be used to focus and or defocus the sound field. For example, with reference to exemplary embodiments depicted in FIGS. 6A and 6B, transducer **600** may also be configured with an electronic focusing array **604** in combination with one or more transduction elements **606** to facilitate increased flexibility in treating ROI **610**. Array **602** may be configured in a manner similar to transducer **502**. That is, array **602** can be configured as an array **604** of electronic apertures that may be operated by a variety of phases via variable electronic time delays, for example, T_1, T_2, \dots, T_j . By the term "operated," the electronic apertures of array **604** may be manipulated, driven, used, and/or configured to produce and/or deliver energy in a manner corresponding to the phase variation caused by the electronic time delay. For example, these phase variations can be used to deliver defocused beams, planar beams, and/or focused beams, each of which may be used in combination to achieve different physiological effects in ROI **610**.

Transduction elements **606** may be configured to be concave, convex, and/or planar. For example, in an exemplary embodiment depicted in FIG. 6A, transduction elements **606** are configured to be concave in order to provide focused energy for treatment of ROI **610**. Additional embodiments are disclosed in U.S. patent application Ser. No. 10/944,500, entitled "Variable Depth Transducer System and Method", and again incorporated herein by reference.

In another exemplary embodiment, depicted in FIG. 6B, transduction elements **606** can be configured to be substantially flat in order to provide substantially uniform energy to ROI **610**. While FIGS. 6A and 6B depict exemplary embodiments with transduction elements **604** configured as concave and substantially flat, respectively, transduction elements **604** can be configured to be concave, convex, and/or substantially flat. In addition, transduction elements **604** can be configured to be any combination of concave, convex, and/or substantially flat structures. For example, a first transduction element can be configured to be concave, while a second transduction element can be configured to be substantially flat.

With reference to FIGS. 8A and 8B, transducer **800** can be configured as single-element arrays, wherein a single-element **802**, e.g., a transduction element of various structures

and materials, can be configured with a plurality of masks **804**, such masks comprising ceramic, metal or any other material or structure for masking or altering energy distribution from element **802**, creating an array of energy distributions **808**. Masks **804** can be coupled directly to element **802** or separated by a standoff **806**, such as any suitably solid or liquid material.

An exemplary transducer **404** can also be configured as an annular array to provide planar, focused and/or defocused acoustical energy. For example, with reference to FIGS. **10A** and **10B**, in accordance with an exemplary embodiment, an annular array **1000** can comprise a plurality of rings **1012**, **1014**, **1016** to N. Rings **1012**, **1014**, **1016** to N can be mechanically and electrically isolated into a set of individual elements, and can create planar, focused, or defocused waves. For example, such waves can be centered on-axis, such as by methods of adjusting corresponding transmit and/or receive delays, τ_1 , τ_2 , τ_3 , . . . τ_N . An electronic focus can be suitably moved along various depth positions, and can enable variable strength or beam tightness, while an electronic defocus can have varying amounts of defocusing. In accordance with an exemplary embodiment, a lens and/or convex or concave shaped annular array **1000** can also be provided to aid focusing or defocusing such that any time differential delays can be reduced. Movement of annular array **1000** in one, two or three-dimensions, or along any path, such as through use of probes and/or any conventional robotic arm mechanisms, may be implemented to scan and/or treat a volume or any corresponding space within a region of interest.

Transducer **404** can also be configured in other annular or non-array configurations for imaging/therapy functions. For example, with reference to FIGS. **10C-10F**, a transducer can comprise an imaging element **1012** configured with therapy element(s) **1014**. Elements **1012** and **1014** can comprise a single-transduction element, e.g., a combined imaging/transducer element, or separate elements, can be electrically isolated **1022** within the same transduction element or between separate imaging and therapy elements, and/or can comprise standoff **1024** or other matching layers, or any combination thereof. For example, with particular reference to FIG. **10F**, a transducer can comprise an imaging element **1012** having a surface **1028** configured for focusing, defocusing or planar energy distribution, with therapy elements **1014** including a stepped-configuration lens configured for focusing, defocusing, or planar energy distribution.

In accordance with another aspect of the invention, transducer probe **400** may be configured to provide one, two or three-dimensional treatment applications for focusing acoustic energy to one or more regions of interest. For example, as discussed above, transducer probe **400** can be suitably diced to form a one-dimensional array, e.g., a transducer comprising a single array of sub-transduction elements.

In accordance with another exemplary embodiment, transducer probe **400** may be suitably diced in two-dimensions to form a two-dimensional array. For example, with reference to FIG. **9**, an exemplary two-dimensional array **900** can be suitably diced into a plurality of two-dimensional portions **902**. Two-dimensional portions **902** can be suitably configured to focus on the treatment region at a certain depth, and thus provide respective slices **904** of the treatment region. As a result, the two-dimensional array **900** can provide a two-dimensional slicing of the image plane of a treatment region, thus providing two-dimensional treatment.

In accordance with another exemplary embodiment, transducer probe **400** may be suitably configured to provide

three-dimensional treatment. For example, to provide three dimensional treatment of a region of interest, with reference again to FIG. **3**, a three-dimensional system can comprise transducer probe **400** configured with an adaptive algorithm, such as, for example, one utilizing three-dimensional graphic software, contained in a control system, such as control system **300**. The adaptive algorithm is suitably configured to receive two-dimensional imaging, temperature and/or treatment information relating to the region of interest, process the received information, and then provide corresponding three-dimensional imaging, temperature and/or treatment information.

In accordance with an exemplary embodiment, with reference again to FIG. **9**, an exemplary three-dimensional system can comprise a two-dimensional array **900** configured with an adaptive algorithm to suitably receive slices **904**, **907** from different image planes of the treatment region, process the received information, and then provide volumetric information **906**, e.g., three-dimensional imaging, temperature and/or treatment information. Moreover, after processing the received information with the adaptive algorithm, the two-dimensional array **900** may suitably provide therapeutic heating to the volumetric region **906** as desired.

Alternatively, rather than utilizing an adaptive algorithm, such as three-dimensional software, to provide three-dimensional imaging and/or temperature information, an exemplary three-dimensional system can comprise a single transducer **404** configured within a probe arrangement to operate from various rotational and/or translational positions relative to a target region.

To further illustrate the various structures for transducer **404**, with reference to FIG. **7**, ultrasound therapy transducer **700** can be configured for a single focus, an array of foci, a locus of foci, a line focus, and/or diffraction patterns. Transducer **700** can also comprise single elements, multiple elements, annular arrays, one-, two-, or three-dimensional arrays, broadband transducers, and/or combinations thereof, with or without lenses, acoustic components, and mechanical and/or electronic focusing. Transducers configured as spherically focused single elements **702**, annular arrays **704**, annular arrays with damped regions **706**, line focused single elements **708**, 1-D linear arrays **710**, 1-D curvilinear arrays **712** in concave or convex form, with or without elevation focusing, 2-D arrays **714**, and 3-D spatial arrangements of transducers may be used to perform therapy and/or imaging and acoustic monitoring functions. For any transducer configuration, focusing and/or defocusing may be in one plane or two planes via mechanical focus **720**, convex lens **722**, concave lens **724**, compound or multiple lenses **726**, planar form **728**, or stepped form, such as illustrated in FIG. **10F**. Any transducer or combination of transducers may be utilized for treatment. For example, an annular transducer may be used with an outer portion dedicated to therapy and the inner disk dedicated to broadband imaging wherein such imaging transducer and therapy transducer have different acoustic lenses and design, such as illustrated in FIG. **10C-10F**.

Various shaped treatment lesions can be produced using the various acoustic lenses and designs in FIGS. **10A-10F**. For example, mushroom shaped lesions may be produced from a spherically focused source, and/or planar lesions from a flat source. That is, as the application of ablative ultrasound energy continues, this causes thermal expansion to generate a growing lesion. Concave planar sources and arrays can produce a "V-shaped" or ellipsoidal lesion. Electronic arrays, such as a linear array, can produce defocused, planar, or focused acoustic beams that may be employed to

form a wide variety of additional lesion shapes at various depths. An array may be employed alone or in conjunction with one or more planar or focused transducers. Such transducers and arrays in combination produce a very wide range of acoustic fields and their associated benefits. A fixed focus and/or variable focus lens or lenses may be used to further increase treatment flexibility. A convex-shaped lens, with acoustic velocity less than that of superficial tissue, may be utilized, such as a liquid-filled lens, gel-filled or solid gel lens, rubber or composite lens, with adequate power handling capacity; or a concave-shaped, low profile, lens may be utilized and composed of any material or composite with velocity greater than that of tissue. While the structure of transducer source and configuration can facilitate a particular shaped lesion as suggested above, such structures are not limited to those particular shapes as the other spatial parameters, as well as the temporal parameters, can facilitate additional shapes within any transducer structure and source.

Through operation of ultrasound system **100**, a method for treatment of cellulite can be realized that can facilitate effective and efficient therapy without creating chronic injury to human tissue. For example, a user may first select one or more transducer probe configurations for treating a region of interest. The user may select any probe configuration described herein. Because the treatment region ranges from approximately 0 mm to 3.5 cm, exemplary transducer probes may include, for example, an annular array, a variable depth transducer, a mechanically moveable transducer, a cylindrical-shaped transducer, a linear or flat transducer and the like. As used herein, the term user may include a person, employee, doctor, nurse, and/or technician, utilizing any hardware and/or software of other control systems.

Once one or more transducers are selected, the user may then image a region of interest in order to plan a treatment protocol. By imaging a region of interest, the user may use the same treatment transducer probe and/or one or more additional transducers to image the region of interest at a high resolution. In one embodiment, the transducer may be configured to facilitate high speed imaging over a large region of interest to enable accurate imaging over a large region of interest. In another embodiment, ultrasound imaging may include the use of Doppler flow monitoring and/or color flow monitoring. In addition other means of imaging such as photography and other visual optical methods, MRI, X-Ray, PET, infrared or others can be utilized separately or in combination for imaging and feedback of the superficial tissue and the vascular tissue in the region of interest.

In accordance with another exemplary embodiment, with reference to FIG. **12**, an exemplary treatment system **200** can be configured with and/or combined with various auxiliary systems to provide additional functions. For example, an exemplary treatment system **1200** for treating a region of interest **1206** can comprise a control system **1202**, a probe **1204**, and a display **1208**. Treatment system **1200** further comprises an auxiliary imaging modality **1274** and/or auxiliary monitoring modality **1272** may be based upon at least one of photography and other visual optical methods, magnetic resonance imaging (MRI), computed tomography (CT), optical coherence tomography (OCT), electromagnetic, microwave, or radio frequency (RF) methods, positron emission tomography (PET), infrared, ultrasound, acoustic, or any other suitable method of visualization, localization, or monitoring of cellulite within region-of-interest **1206**, including imaging/monitoring enhancements. Such imaging/monitoring enhancement for ultrasound imaging via probe **1204** and control system **1202** could comprise

M-mode, persistence, filtering, color, Doppler, and harmonic imaging among others; furthermore an ultrasound treatment system **1270**, as a primary source of treatment, may be combined with a secondary source of treatment **1276**, including radio frequency (RF), intense pulsed light (IPL), laser, infrared laser, microwave, or any other suitable energy source.

Because the location and thickness of the fat lobuli varies from one patient to another (due to genetics, weight, age, etc.), imaging using a transducer can facilitate treatment within a patient, however imaging is not required to treat cellulite.

By planning a treatment protocol, the user may choose one or more spatial and/or temporal characteristics to provide conformal ultrasound energy to a region of interest. For example, the user may select one or more spatial characteristics to control, including, for example, the use one or more transducers, one or more mechanical and/or electronic focusing mechanisms, one or more transduction elements, one or more placement locations of the transducer relative to the region of interest, one or more feedback systems, one or more mechanical arms, one or more orientations of the transducer, one or more temperatures of treatment, one or more coupling mechanisms and/or the like.

In addition, the user may choose one or more temporal characteristics to control in order to facilitate treatment of the region of interest. For example, the user may select and/or vary the treatment time, frequency, power, energy, amplitude and/or the like in order to facilitate temporal control. For more information on selecting and controlling ultrasound spatial and temporal characteristics, see U.S. application Ser. No. 11/163,148, entitled "Method and System for Controlled Thermal Injury," filed Oct. 6, 2005 and previously incorporated herein by reference.

After planning of a treatment protocol is complete, the treatment protocol can be implemented. That is, a transducer system can be used to deliver ultrasound energy to a treatment region to ablate select tissue in order to facilitate cellulite treatment. By delivering energy, the transducer may be driven at a select frequency, a phased array may be driven with certain temporal and/or spatial distributions, a transducer may be configured with one or more transduction elements to provide focused, defocused and/or planar energy, and/or the transducer may be configured and/or driven in any other ways hereinafter devised.

In one exemplary embodiment, energy is delivered in relatively small ablative areas in order to minimize and/or prevent scar tissue from forming. That is, each ablative area of treatment can range from approximately 100 microns to 55 mm in diameter. In another exemplary embodiment, ultrasound energy is used in a "lawnmower" type fashion to evenly ablate a treatment region to provide a substantially planar surface of lobuli. This "lawnmower"-type ablation in turn, helps to achieve a substantially smooth surface of the epidermis.

In one exemplary embodiment, energy is delivered at a treatment depth of approximately 0 mm to 3.5 cm. The energy may range from 750 kHz to about 10 MHz, with typical applications ranging from 2 MHz to 10 MHz. In order to deliver energy in this treatment range, the transducer can be driven at power levels ranging from 20 W to 200 W. Because treatment time and treatment power are interrelated, these variables may differ from one patient to another and/or from one region of interest to another.

Once the treatment protocol has been implemented, the region of tissue may have one or more reactions to the treatment. For example, in one embodiment, the tissue

15

responds by enhancement of lymphatic drainage, evacuation of fat decay products, creation of a thermal injury and/or coagulation of proximal protrusions of fat lobuli.

Upon treatment, the steps outlined above can be repeated one or more additional times to provide for optimal treatment results. Different ablation sizes and shapes may affect the recovery time and time between treatments. For example, in general, the larger the surface area of the treatment lesion, the faster the recovery. The series of treatments can also enable the user to tailor additional treatments in response to a patient's responses to the ultrasound treatment.

The present invention has been described above with reference to various exemplary embodiments. However, those skilled in the art will recognize that changes and modifications may be made to the exemplary embodiments without departing from the scope of the present invention. For example, the various operational steps, as well as the components for carrying out the operational steps, may be implemented in alternate ways depending upon the particular application or in consideration of any number of cost functions associated with the operation of the system, e.g., various steps may be deleted, modified, or combined with other steps. These and other changes or modifications are intended to be included within the scope of the present invention, as set forth in the following claims.

What is claimed is:

1. An ultrasound treatment probe for treatment of cellulite, the probe comprising:
 - a piezoelectric ultrasound therapy element and a motion mechanism,
 - wherein the piezoelectric ultrasound therapy element is configured for acoustic coupling to a skin surface,
 - wherein the piezoelectric ultrasound therapy element is configured for delivery of ultrasound energy at a temperature sufficient to coagulate at least a portion of a plurality of fat lobuli that protrude into a dermis layer to create an appearance of cellulite at a depth under the skin surface,
 - wherein the piezoelectric ultrasound therapy element is connected to the motion mechanism,
 - wherein the motion mechanism is configured to operate with an encoder configured to determine movement of the piezoelectric ultrasound therapy element,
 - wherein the motion mechanism moves the piezoelectric ultrasound therapy element to form a plurality of thermal foci at the depth for coagulating fat thereby reducing an appearance of cellulite.
2. The probe of claim 1,
 - wherein the encoder is configured for monitoring a position of the piezoelectric ultrasound therapy element on the motion mechanism in a housing of the ultrasound probe,
 - wherein the piezoelectric ultrasound therapy element is a single element that delivers the ultrasound energy at a frequency of between 2 MHz to 10 MHz,
 - wherein the ultrasound energy is delivered with a treatment power of between 20 W and 200 W,
 - wherein the piezoelectric ultrasound therapy element is configured to deliver the ultrasound energy at the depth below the skin surface,
 - wherein the ultrasound energy generates a thermal lesion with a dimension of between 100 microns to 55 mm in the region of interest.
3. The probe of claim 1, wherein the piezoelectric ultrasound therapy element is one of the group consisting of spherically focused and cylindrically focused.

16

4. The probe of claim 1, wherein the ultrasound energy increases a speed at which fat metabolizes according to Arrhenius Law: $Y = A \cdot e^{-B/T}$, where Y is a yield of metabolic reaction, A and B are constants, and T is a temperature in degrees Kelvin.

5. The probe of claim 1, wherein the piezoelectric ultrasound therapy element is configured to operate with a control system comprising a processor, wherein the piezoelectric ultrasound therapy element is configured for communication with the control system, wherein the probe is disposable.

6. The probe of claim 1, wherein the motion mechanism is a linear motion mechanism for linear movement of the piezoelectric ultrasound therapy element to form a plurality of thermal lesions along a line at the depth in the region of interest.

7. The probe of claim 1, further comprising a piezoelectric ultrasound imaging element and an information storage EEPROM, wherein the probe is reusable.

8. The probe of claim 1, further comprising a piezoelectric ultrasound imaging element co-housed with the piezoelectric ultrasound therapy element.

9. The probe of claim 1, wherein the motion mechanism is configured for any one of the group consisting of linear, rotational, and variable movement of the piezoelectric ultrasound therapy element.

10. An ultrasound probe for treatment of cellulite, the probe comprising:

- a piezoelectric ultrasound therapy element configured for acoustic coupling to a skin surface,
 - wherein a plurality of fat lobuli protrude into a dermis layer under the skin surface,
 - wherein the piezoelectric ultrasound therapy element is configured for delivery of energy at a temperature sufficient to coagulate at least a portion of the plurality of fat lobuli at a depth under the skin surface, thereby reducing an appearance of cellulite.
11. The probe of claim 10,
- wherein the piezoelectric ultrasound therapy element is a single element that delivers ultrasound energy at a frequency of between 2 MHz to 10 MHz,
 - wherein the ultrasound energy is delivered with a treatment power of between 20 W and 200 W,
 - wherein the piezoelectric ultrasound therapy element is configured to deliver the ultrasound energy up to 3.5 cm below the skin surface,
 - wherein the ultrasound energy generates a thermal lesion with a dimension of between 100 microns to 55 mm in the region of interest.

12. The probe of claim 10,

- further comprising a housing, the housing containing a piezoelectric ultrasound imaging element,
- wherein the piezoelectric ultrasound imaging element is configured for imaging a region of interest under the skin surface, wherein the region of interest comprises a tissue, wherein the tissue comprises the plurality of fat lobuli,
- wherein the probe is disposable.

13. The probe of claim 10,

- wherein the piezoelectric ultrasound therapy element is a single element that delivers ultrasound energy at a frequency of between 750 kHz to 10 MHz, and
- wherein the ultrasound energy increases a speed at which fat metabolizes according to Arrhenius Law: $Y = A \cdot e^{-B/T}$, where Y is a yield of metabolic reaction, A and B are constants, and T is a temperature in degrees Kelvin.

17

14. The probe of claim 10, further comprising a storage system comprising probe identification and probe usage history,

wherein the piezoelectric ultrasound therapy element is configured for connection to a control system,
 wherein the control system comprises: a processor, software, a power supply, and a communication device.

15. An ultrasound probe for treatment of cellulite, the probe comprising:

a housing, a piezoelectric ultrasound therapy element, and a motion mechanism,

wherein the piezoelectric ultrasound therapy element delivers ultrasound energy to a tissue below a skin surface at a frequency of between 2 MHz to 10 MHz,
 wherein the tissue comprises a plurality of fat lobuli that protrude into a dermis layer to create an appearance of cellulite,

wherein the piezoelectric ultrasound therapy element is configured for delivery of the ultrasound energy at a temperature sufficient to coagulate at least a portion of a plurality of fat lobuli at a depth under the skin surface,
 wherein the piezoelectric ultrasound therapy element is connected to the motion mechanism inside the housing,
 wherein the motion mechanism is configured to connect with an encoder,

wherein the motion mechanism moves the piezoelectric ultrasound therapy element to form a plurality of thermal lesions at the depth for reducing an appearance of cellulite.

16. The probe of claim 15,

wherein the piezoelectric ultrasound therapy element is a single element,

18

wherein the piezoelectric ultrasound therapy element is configured to deliver the ultrasound energy at the depth below the skin surface, wherein the depth is a single, fixed depth,

wherein the ultrasound energy generates a thermal lesion with a dimension of between 100 microns to 55 mm in a region of interest.

17. The probe of claim 15, wherein the piezoelectric ultrasound therapy element is configured to operate with a control system that comprises a spatial control and a temporal control, the spatial control and the temporal control controlling the delivery of the ultrasound energy at a temperature sufficient to cause coagulation of at least the portion of the plurality of fat lobuli at the depth under the skin surface, wherein the ultrasound energy is delivered with a treatment power of between 20 W and 200 W.

18. The probe of claim 17, further comprising a storage system comprising probe identification and probe usage history, wherein the probe is disposable.

19. The probe of claim 15, wherein the ultrasound energy increases a speed at which fat metabolizes according to Arrhenius Law: $Y = A \cdot e^{-B/T}$, where Y is a yield of metabolic reaction, A and B are constants, and T is a temperature in degrees Kelvin.

20. The probe of claim 15, wherein the piezoelectric ultrasound therapy element is configured to deliver the ultrasound energy at an energy level for causing at least one of ablating tissue, stretching fibrous bonds, or stimulating evacuation of fat decay products in the region of interest.

* * * * *

专利名称(译)	用于减少脂肪和脂肪团的超声波探头		
公开(公告)号	US10010725	公开(公告)日	2018-07-03
申请号	US15/821281	申请日	2017-11-22
申请(专利权)人(译)	引导治疗系统公司		
当前申请(专利权)人(译)	引导治疗系统公司		
[标]发明人	SLAYTON MICHAEL H BARTHE PETER G MAKIN INDER RAJ S		
发明人	SLAYTON, MICHAEL H. BARTHE, PETER G. MAKIN, INDER RAJ S.		
IPC分类号	A61N7/02 A61N7/00 A61B8/14 A61B8/08 G01S15/89 A61B90/00 A61B8/00		
CPC分类号	A61N7/02 A61B8/14 A61B8/429 A61B8/4483 A61B8/461 A61N7/00 G01S15/8906 G01S15/8936 A61B8/483 A61N2007/0008 A61B8/4455 A61B2090/378 H05K999/99		
优先权	15/374918 2017-07-18 US 15/041829 2016-12-20 US 14/550720 2016-06-15 US 14/164598 2014-12-23 US 60/616753 2004-10-06 US		
其他公开文献	US20180085608A1		
外部链接	Espacenet		

摘要(译)

一种用于向组织提供超声治疗的方法和系统，所述组织包含真皮的下部和进入真皮的脂肪小叶的近端突起。一个实施例将超声能量传递到该区域，产生热损伤并凝结脂肪小叶的近端突起，从而消除进入真皮的脂肪突起。一个实施例还可以包括在治疗之前，之后或期间使用相同或单独的探针的超声成像配置。此外，可以使用各种治疗水平的超声来增加脂肪代谢的速度。另外，超声的机械作用物理地破坏脂肪细胞团并拉伸纤维状结合。机械作用还会增强淋巴引流，刺激脂肪腐烂产物的排出。

