

(19)



(11)

**EP 2 353 543 B1**

(12)

**EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention of the grant of the patent:  
**13.09.2017 Bulletin 2017/37**

(51) Int Cl.:  
**A61D 19/02** (2006.01)      **A61D 19/04** (2006.01)  
**A61B 17/34** (2006.01)

(21) Application number: **09815714.2**

(86) International application number:  
**PCT/ES2009/070402**

(22) Date of filing: **24.09.2009**

(87) International publication number:  
**WO 2010/034871 (01.04.2010 Gazette 2010/13)**

(54) **DEVICE FOR INSERTING IN OR OBTAINING A FLUID WITH GAMETES, EMBRYOS OR ANY OTHER TYPE OF SOLUTION FROM THE OVIDUCT OF A SOW**

VORRICHTUNG ZUR EINFÜHRUNG ODER GEWINNUNG EINER FLÜSSIGKEIT MIT KEIMZELLEN, EMBRYONEN ODER EINER ANDEREN ART VON LÖSUNG AUS EINER EILEITER VON MUTTERSCHWEINEN

DISPOSITIF D'INTRODUCTION OU D'OBTENTION D'UN FLUIDE AVEC DES GAMÈTES, EMBRYONS OU TOUT AUTRE TYPE DE SOLUTION DE L'INTÉRIEUR DES TROMPES UTÉRINES D'UNE TRUIE

(84) Designated Contracting States:  
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO SE SI SK SM TR**

- **MARTÍNEZ GARCÍA, Emilio**  
E-30003 Murcia (ES)
- **VÁZQUEZ ROJAS, José Luis**  
E-30003 Murcia (ES)
- **ROCA ALEU, Jorge**  
E-30003 Murcia (ES)

(30) Priority: **26.09.2008 ES 200802740 P**

(43) Date of publication of application:  
**10.08.2011 Bulletin 2011/32**

(74) Representative: **Jacob, Reuben Ellis et al**  
**Maucher Jenkins**  
**26 Caxton Street**  
**London SW1H 0RJ (GB)**

(60) Divisional application:  
**17184549.8**

(73) Proprietor: **Universidad de Murcia**  
**30003 Murcia (ES)**

(56) References cited:  
**EP-A1- 0 093 630**      **EP-A1- 0 214 043**  
**WO-A1-2004/100797**      **AU-B2- 599 996**  
**ES-A1- 2 156 579**      **ES-T3- 2 268 405**  
**FR-A1- 2 603 796**      **SU-A1- 1 711 864**  
**US-A- 4 136 695**      **US-A- 4 653 475**  
**US-A- 4 700 694**      **US-A1- 2005 228 225**

(72) Inventors:  
• **VÁZQUEZ ROJAS, Juan María**  
**E-30003 Murcia (ES)**

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

**EP 2 353 543 B1**

## Description

### Purpose and technical field of the invention

[0001] The invention described here deals with a device for inserting and/or collecting, by laparoscopic means, fluids which may or may not contain cells, in the oviduct of a sow. The invention enables the successful insertion of a low number of spermatozooids, embryos, or therapeutic solutions inside the oviduct in a brief period of time. The invention can also be applied in any other animal species.

### Antecedents of the invention

[0002] No method exists in pig farming for the successful insemination with very low number of spermatozooids or the transfer of embryos in the oviduct, except for a surgical approach by laparotomy. Even so, this is an impracticable method in livestock production. The laparoscopic approach to the genital organs is a technique which has been used since the decade of the 1970s in human beings, when there are disturbances in the passage of spermatozooids through the uterus, or in animal species when there are technical problems in the passage of catheters through the cervix. Among domesticated animals, it is the sheep where the greatest development has occurred. In this context, it has been demonstrated that the depositing of spermatozooids diluted to doses as low as 1 million and 10 million, inseminated in the uterus, makes it possible to achieve good fertility results. Besides reproductive efficiency, in terms of the small number of spermatozooids to be inseminated, laparoscopic insemination offers other advantages. Among these is the possibility of performing explorations of the genital organs at the same time as the insemination, making it possible to visualize the functional changes which are occurring, in particular changes in the ovaries, and being able to detect in this way pathologies which could not be handled by nonsurgical systems. It also makes it possible to homogenize the fertility results over the course of the year, which is not always possible when using other insemination procedures.

[0003] In the case of the pig, the nonsurgical procedure of deep intrauterine insemination allows one to successfully deposit spermatozooids in the uterus of a sow down to levels as low as 50 million spermatozooids. There have also been attempts to perform laparoscopic insemination in the uterine horn with at least 20 million spermatozooids, achieving variable fertility results, owing to the characteristics of the uterine wall in this species. Furthermore, this quantity of spermatozooids prevents the insemination of spermatozooids selected by flow cytometry or treated by other technologies where the number of spermatozooids produced per unit of time is extremely low.

[0004] Other similar devices are known from the prior art, such as that described in EP 1177776 B1 of the University of Murcia, although the invention presented here

has many differences and advantages over the known prior art. The device described in document EP 1177776 B1 is a nonsurgical device that is introduced via the vagina, cervix, and body of the uterus until it reaches the depths of the uterine horn as the deepest anatomical location. The number of spermatozooids inseminated should be at least 50 million spermatozooids in order to achieve success in the fecundation.

[0005] Document US4700694 discloses an abdominal endoscope and an ovum picking-up needle employed by inserting through the abdominal endoscope, wherein a hollow aspirator needle is insertable through the hollow passage within the picking-up needle.

### 15 Description of the invention

[0006] The invention describes a device for inserting of fluids, which may or may not contain cells, in the oviduct of a sow, making it possible to introduce spermatozooids, embryos, or any type of therapeutic solution, and obtain a fluid with or without cells (gametes - spermatozooids and/or ovocytes - and embryos) from the interior of the oviduct. The device according to the invention is defined in claim 1. The tubular body of the device for inserting fluids into the oviduct of a sow is in turn covered by a sterile case. In another alternative configuration, this sterile case is disposable.

[0007] In another alternative configuration, the distal end of the flexible tube of the described device is connected to two sheaths, each closed by a piston, which slides inside the sheaths, the two sheaths being connected to the flexible tube by a double cock, alternately enabling the passage of the fluids contained in each sheath.

[0008] Evacuation of the device is done by unlocking the sheath(s), pulling back the beveled needle into the lumen of the rigid tubular body.

[0009] The present disclosure also describes a procedure, which does not form part of the invention, for inserting fluids, with or without cells, in the oviduct of a sow by using the device of the invention. The procedure makes it possible to introduce spermatozooids, embryos or any type of therapeutic solution in the oviduct of the sow, or to obtain gametes (spermatozooids and/or ovocytes), embryos, or any type of solution from inside the oviduct of a sow. In this procedure, one introduces the device into the oviduct of the sow in the proximal region of the oviduct ampoule, from which the gametes, embryos and/or solutions are discharged gently and without difficulty.

[0010] In this procedure for introducing a fluid with spermatozooids, embryos or therapeutic solutions inside the oviduct of a sow, the beveled injection needle is oriented from the ampoule of the oviduct toward the isthmus of the oviduct.

[0011] This procedure for introducing fluids, with or without cells, in the oviduct of a sow makes it possible to verify the correct visualization of the inoculation by means of the temporary dilation of the walls of the oviduct.

**[0012]** A procedure is also described for transfer of embryos in a stage from the zygote to the 4-blastomere stage in the oviduct of a sow, using a device with a double-sheath system, making it possible to introduce separately the fluids contained in each of these sheaths.

### Brief description of the drawings

**[0013]** In order to provide a better understanding of this specification, as an integral part of same, we present a series of drawings showing the subject of the invention in illustrative and nonlimiting manner.

Figure 1 shows in elevated side view the device of the invention, showing the distinct elements of which it is composed.

Figure 2 is an elevated side view of the device of the invention, adapted for the transfer of embryos.

Figure 3 shows a schematic representation of the device of the invention in working state inside the abdominal cavity of a sow.

**[0014]** In the drawings, the following reference numbers are related to the corresponding elements mentioned hereinafter:

- 1 - Rigid tubular body.
- 2 - Sterile case.
- 3 - Flexible tube.
- 4 - Beveled needle.
- 5 - Oviduct ampoule.
- 6 - Sheath/piston device.
- 7 - Sheath.
- 8 - Piston.
- 9 - Posterior end of the flexible tube (3).
- 10 - Viewing system.
- 11 - Forceps.
- 12 - Oviduct.
- 13 - Double sheath.
- 14 - Double cock.
- 15 - First sheath.
- 16 - Second sheath.

### Description of the preferred embodiment of the invention

**[0015]** To solve the drawbacks pointed out in the prior art, the invention develops a new device and procedure making it possible to introduce a fluid, with or without cells, in the oviduct of a sow in the Trendelenburg position and under general anesthesia, at the side where fertilization occurs.

**[0016]** For this, the procedure of the invention involves minor surgery performed under general anesthesia with an incision of 2 cm in the umbilical region. Through this, a trocar with direct viewing is introduced to commence

producing the pneumoperitoneum. After this, CO<sub>2</sub> is introduced to produce the pneumoperitoneum at a pressure of 2 atmospheres via a tube of 2 mm diameter, ending at the trocar. The introduction of the gas is done for a maximum period of 10-15 seconds. The invention is composed of a rigid tubular body (1), inside which runs a flexible tube (3) whose base is connected to a beveled needle (4). The other end is connected to a device (6) comprising a sheath (7) closed by a piston (8) that slides inside the sheath (7) and allowing a precision introduction of low-volume liquids. This body (1) is in turn covered by a sterile case (2), allowing it to be used in different animals; said sterile case (2) can be disposable. The above-described characteristics of flexibility of the tube and diameter and length of the needle make it possible to deposit the fluids, with or without cells, safely inside the oviduct (12). Moreover, the dilation of the oviduct walls during the time of the insemination confirms the proper deposition of the fluid.

**[0017]** To bring about the introduction of the fluid, or its extraction as the case may be, the animal is subjected to what is known as a minimally invasive surgical procedure. For this, as already mentioned, an incision of around 2 cm length in the skin of the abdominal region is made in the sow in the Trendelenburg position and under general anesthesia. After introducing a viewing system (10), such as that illustrated in Fig. 3, one proceeds to introduce a sufficient quantity of CO<sub>2</sub> in the abdominal cavity of the animal, making it possible to visualize the organs. This process of introducing gas is done directly at a pressure of around 2 atmospheres. Once the condition of the inside of the abdominal cavity has been verified, one proceeds to introduce two accessory trocars in the flanks of the animal. The first of these will serve to introduce a nontraumatic forceps (11) to assist in the manipulating and holding of the oviduct (12). The second serves to introduce the specific instrument of the invention.

**[0018]** The instrument for insemination, transfer of embryos or introducing of fluids that is necessary to carry out the procedure consists of an injection system, which is comprised of a rigid external tubular body (1) which, being adjusted to the existing trocar, allows it to be inserted into the abdominal cavity of the sow. This tubular body (1) is in turn covered by a sterile case (2), which allows it to be used in different animals. A flexible tube (3) runs coaxially, whose proximal end connects to a beveled needle (4) that allows it to be inserted at an angle of 45 degrees in the oviduct (12), and more specifically in the vicinity of the oviduct ampoule (5). The distal end of the flexible tube connects to a device comprising a sheath (7), closed at the other end by a piston (8), which slides inside the sheath (7), and enables the precision introduction of low-volume liquids.

**[0019]** When the device is used in the mode of insemination with very low number of spermatozooids, one proceeds to fill the sheath/piston device (6), which comprises the sheath (7) closed by the piston (8), which slides inside

the sheath (7), and enables the precision introduction of low-volume liquids. Once the sheath/piston device (6) has been filled, it is connected to the posterior end of the flexible tube (3) coaxially to the rigid tubular body (1), proceeding with the filling of the latter. The whole is inserted by the trocar, arranged for this purpose until the anterior end of the rigid tubular body (1) is situated in the vicinity of the oviduct ampoule (5), then moving the coaxial flexible tube (3) until the sheath (7) located at the posterior end (9) of the flexible tube is totally locked in the rigid tubular body (1). This arrangement enables an easy insertion of the beveled needle (4) in the lumen of the oviduct by using an access angle of 45 degrees.

**[0020]** The point of access to the oviduct should occur in the oviduct ampoule (5), the end of the needle being oriented toward the isthmus of the oviduct (12), as shown in Fig. 3. The characteristics of the device reduce the risk of accidents from perforation of the opposite wall of the oviduct. Once the flexible tube (3) is in communication with the oviduct ampoule (5) via the needle (4), one proceeds to move the piston (8) on the sheath (7), discharging the predetermined volume of fluid. The proper discharging of the fluid is verified by observing a temporary dilation of the walls of the oviduct (12) in general and of the oviduct ampoule (5) in particular.

**[0021]** The evacuation of the system is done by unlocking the sheath (7), making it possible to conceal the beveled needle (4) inside the rigid tubular body (1), avoiding possible accidents in adjacent areas. The recovery of the sow occurs in the following minutes. The use of this procedure makes it possible to repeat the insemination in the same female in consecutive cycles.

**[0022]** When the device is used in embryo transfer mode, the system includes two sheaths, a first sheath (15) and a second sheath (16), each closed by its own piston, and connected to the flexible tube (3) by means of a double cock system (14), as can be seen in Fig. 2; in this case, the sterile case (2) is not shown. One proceeds to fill the flexible tube (3) by the opening that connects the sheath containing only the embryo transfer medium, which is contained, for example, in the first sheath (15). As can be seen from Fig. 3, the device is introduced by the trocar, arranged for this purpose until the anterior end of the rigid tubular body (1) is in the vicinity of the oviduct ampoule (5), then moving the coaxial flexible tube (3) until total locking of the double sheath system and it is situated in the posterior end of the flexible tube (3) in the rigid tubular body (1).

**[0023]** One then proceeds to close the sheath containing the embryo transfer medium, for example, the first sheath (15), and open the sheath containing the embryos, for example, the second sheath (16), which are going to be transferred in a total volume of 100-200  $\mu$ l. The embryos being transferred should be between the development stage of the zygote to the 4-blastomere stage. The point of access to the oviduct should be in the oviduct ampoule (5), the tip of the needle (4) being oriented toward the isthmus of the oviduct (12). The characteristics

of the device reduce the risk of accidents from perforation of the opposite wall of the oviduct.

**[0024]** Once the flexible tube (3) is in communication with the lumen of the oviduct via the needle (4), one proceeds to move the piston (8) on the sheath that contains the embryos, for example, the second sheath (16), discharging the volume of fluid contained therein. The proper discharging of the fluid is verified by observing a temporary dilation of the walls of the oviduct ampoule (5). After this, one proceeds to close the sheath containing the embryos, for example, the second sheath (16), and open the sheath containing the embryo transfer medium, for example, the first sheath (15), in order to discharge an additional volume of 100  $\mu$ l, allowing the embryos to move from the lumen of the flexible tube (3) to the interior of the oviduct (12). Evacuation of the system is done by unlocking the double sheath system, making it possible to conceal the beveled needle (4) in the lumen of the rigid tubular body (1), avoiding possible accidents in adjacent areas. The recovery of the sow occurs in the following minutes. This procedure makes it possible to repeat the transfers in the same female in consecutive cycles.

## 25 Claims

1. Device for the inserting of fluids in the oviduct of a sow, making it possible to introduce a fluid with spermatozooids, embryos, or a therapeutic solution, and obtain a fluid with or without cells from the interior of the oviduct, comprising a rigid tubular body (1), able to be introduced by a laparoscopic trocar, wherein the rigid tubular body comprises a lumen, and an interior flexible tube (3) able to be introduced through the inside of the rigid tubular body (1), wherein

- the rigid tubular body (1) and the interior flexible tube (3) are coaxial,
- the interior flexible tube (3) being connected at its distal end to a beveled needle (4),
- the proximal end of the flexible tube (3) is connected by one or more sheaths (7) ((15), (16)), wherein each of the one or more sheath is closed by a piston (8), which slide(s) through the inside of the sheath(s) (7) ((15), (16));

wherein the sheath (7) located at the proximal end (9) of the flexible tube is locked to the rigid tubular body; and

wherein in use the one or more sheaths are unlocked from the rigid tubular body to allow the beveled needle (4) to be pulled back and concealed within the lumen of the rigid tubular body, wherein movement of the piston (8) closing each of the one or more sheaths enables the precise introduction of fluids with low volume into the oviduct.

2. Device for inserting of fluids, with or without cells, in

the oviduct of a sow, according to claim 1, **characterized in that** the tubular body (1) is in turn covered by a sterile case (2).

3. Device for inserting of fluids, with or without cells, in the oviduct of a sow, according to claim 2, **characterized in that** the sterile case (2) is disposable.
4. Device for inserting of fluids, with or without cells, in the oviduct of a sow, according to any of the preceding claims, **characterized in that** the distal end of the flexible tube (3) is connected to two sheaths (15), (16), each closed by a piston (8), which slides inside the sheaths (15), (16), the two sheaths (15), (16) being connected to the flexible tube (3) by a double cock (14), alternately enabling the passage of the fluids contained in each sheath (15), (16).

#### Patentansprüche

1. Vorrichtung für die Einführung von Flüssigkeiten in den Eileiter einer Sau, was die Einbringung einer Flüssigkeit mit Spermatozoiden, Embryos oder einer therapeutischen Lösung und die Gewinnung einer Flüssigkeit mit oder ohne Zellen aus dem Inneren des Eileiters ermöglicht, die Folgendes umfasst: einen starren röhrenförmigen Körper (1), der durch einen laparoskopischen Trokar eingebracht werden kann, wobei der starre röhrenförmige Körper ein Lumen umfasst, und ein inneres flexibles Rohr (3), das durch die Innenseite des starren röhrenförmigen Körpers (1) eingebracht werden kann, wobei

- der starre röhrenförmige Körper (1) und das innere flexible Rohr (3) koaxial sind,
- das innere flexible Rohr (3) an seinem distalen Ende mit einer angeschrägten Nadel (4) verbunden ist,
- das proximale Ende des flexiblen Rohrs (3) mit einer oder mehreren Hülsen (7) ((15), (16)) verbunden ist, wobei jede der einen oder mehreren Hülsen durch einen Kolben (8) verschlossen wird, der durch die Innenseite der Hülse(n) (7) ((15), (16)) gleitet;

wobei die Hülse (7), die sich am proximalen Ende (9) des flexiblen Rohrs befindet, am starren röhrenförmigen Körper versperrt ist; und

wobei bei Verwendung die eine oder mehreren Hülsen vom starren röhrenförmigen Körper entsperrt werden, um zu ermöglichen, dass die angeschrägte Nadel (4) zurückgezogen und innerhalb des Lumens des starren röhrenförmigen Körpers verborgen wird, wobei die Bewegung des Kolbens (8), der jede der einen oder mehreren Hülsen verschließt, die genaue Einbringung von Flüssigkeiten mit geringem Volumen in den Eileiter ermöglicht.

2. Vorrichtung für die Einführung von Flüssigkeiten mit oder ohne Zellen in den Eileiter einer Sau nach Anspruch 1, **dadurch gekennzeichnet, dass** der röhrenförmige Körper (1) wiederum von einer sterilen Hülle (2) bedeckt wird.

3. Vorrichtung für die Einführung von Flüssigkeiten mit oder ohne Zellen in den Eileiter einer Sau nach Anspruch 2, **dadurch gekennzeichnet, dass** die sterile Hülle (2) wegwerfbar ist.

4. Vorrichtung für die Einführung von Flüssigkeiten mit oder ohne Zellen in den Eileiter einer Sau nach einem der vorstehenden Ansprüche, **dadurch gekennzeichnet, dass** das distale Ende des flexiblen Rohrs (3) mit zwei Hülsen (15), (16) verbunden ist, wobei jede durch einen Kolben (8) verschlossen wird, der durch die Innenseite der Hülsen (15), (16) gleitet, wobei die zwei Hülsen (15), (16) mit dem flexiblen Rohr (3) durch einen Doppelhahn (14) verbunden sind, der den Durchgang der Flüssigkeiten, die in jeder Hülse (15), (16) enthalten sind, abwechselnd ermöglicht.

#### Revendications

1. Dispositif pour l'insertion de fluides dans l'oviducte d'une truie, rendant possible l'introduction d'un fluide avec des spermatozoïdes, des embryons, ou une solution thérapeutique, et l'obtention d'un fluide avec ou sans cellules de l'intérieur de l'oviducte, comprenant un corps tubulaire rigide (1), pouvant être introduit par un trocart laparoscopique, dans lequel le corps tubulaire rigide comprend une lumière, et un tube flexible intérieur (3) pouvant être introduit à travers l'intérieur du corps tubulaire rigide (1), dans lequel

- le corps tubulaire rigide (1) et le tube flexible intérieur (3) sont coaxiaux,
- le tube flexible intérieur (3) étant connecté au niveau de son extrémité distale à une aiguille biseautée (4),
- l'extrémité proximale du tube flexible (3) est connectée par une ou plusieurs gaines (7) ((15), (16)), dans lequel chacune des une ou plusieurs gaines est fermée par un piston (8), qui coulisse à l'intérieur de la/des gaine(s) (7) ((15), (16)) ;

dans lequel la gaine (7) située au niveau de l'extrémité proximale (9) du tube flexible est verrouillée sur le corps tubulaire rigide ; et

dans lequel pendant l'utilisation les une ou plusieurs gaines sont déverrouillées de sur le corps tubulaire rigide pour permettre à l'aiguille biseautée (4) d'être retirée et dissimulée au sein de la lumière du corps tubulaire rigide,

dans lequel le mouvement du piston (8) fermant chacune des une ou plusieurs gaines permet l'introduction précise de fluides à faible volume dans l'oviducte.

5

2. Dispositif pour l'insertion de fluides, avec ou sans cellules, dans l'oviducte d'une truie, selon la revendication 1, **caractérisé en ce que** le corps tubulaire (1) est à son tour recouvert par un manchon stérile (2). 10
3. Dispositif pour l'insertion de fluides, avec ou sans cellules, dans l'oviducte d'une truie, selon la revendication 2, **caractérisé en ce que** le manchon stérile (2) est jetable. 15
4. Dispositif pour l'insertion de fluides, avec ou sans cellules, dans l'oviducte d'une truie, selon l'une quelconque des revendications précédentes, **caractérisé en ce que** l'extrémité distale du tube flexible (3) est connectée à deux gaines (15), (16), chacune fermée par un piston (8), qui coulisse à l'intérieur des gaines (15), (16), les deux gaines (15), (16) étant connectées au tube flexible (3) par un double robinet (14), permettant tour à tour le passage des fluides contenus dans chaque gaine (15), (16). 20  
25

30

35

40

45

50

55




Figure 1




Figure 2




Figure 3

**REFERENCES CITED IN THE DESCRIPTION**

*This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.*

**Patent documents cited in the description**

- EP 1177776 B1 [0004]
- US 4700694 A [0005]

专利名称(译)	用于从母猪的输卵管插入配子，胚胎或任何其他类型溶液的流体或从其获得流体的装置		
公开(公告)号	<a href="#">EP2353543B1</a>	公开(公告)日	2017-09-13
申请号	EP2009815714	申请日	2009-09-24
申请(专利权)人(译)	大学德MURCIA		
当前申请(专利权)人(译)	大学德MURCIA		
[标]发明人	VAZQUEZ ROJAS JUAN MARIA MARTINEZ GARCIA EMILIO VAZQUEZ ROJAS JOSE LUIS ROCA ALEU JORGE		
发明人	VÁZQUEZ ROJAS, JUAN MARÍA MARTÍNEZ GARCÍA, EMILIO VÁZQUEZ ROJAS, JOSÉ LUIS ROCA ALEU, JORGE		
IPC分类号	A61D19/02 A61D19/04 A61B17/34		
CPC分类号	A61B10/0045 A61B10/0291 A61B17/3478 A61B46/13 A61D19/027 A61D19/04		
优先权	2008002740 2008-09-26 ES		
其他公开文献	EP2353543A4 EP2353543A1		
外部链接	<a href="#">Espacenet</a>		

摘要(译)

该装置由注射系统组成，该注射系统由刚性的外部管状主体（1）组成，其可以被引入母猪的腹腔中。该刚性外管又被无菌护套（2）覆盖，使其可用于不同的动物。它包含同轴的柔性中间管（3），其远端连接到斜面针（4），可以以45°的角度插入子宫管（12）中。柔性管的近端连接到装置（6），该装置包括护套（7），护套（7）在一端由柱塞（8）封闭，柱塞（8）在护套内移动，允许精确引入少量液体。




Figure 1