




- (51) International Patent Classification:
A61B 17/02 (2006.01) A61B 17/28 (2006.01)
- (21) International Application Number:
PCT/IT2018/000068
- (22) International Filing Date:
09 May 2018 (09.05.2018)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
102017000057439 26 May 2017 (26.05.2017) IT
- (72) Inventor; and
(71) Applicant: COSTANTINI, Raffaele [IT/IT]; Via Carlo de
Tocco n. 3, 66100 Chieti (IT).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,

(54) Title: MULTIFUNCTIONAL SURGICAL INSTRUMENT



(57) Abstract: Multifunctional surgical instrument for extension of laparotomic, laparoscopic, robotic and thoracotomic incisions, allowing at the same time the spreading apart of the cutaneous/subcutaneous corners, pinching and lifting of the deep parietal layer, its dissection with the electrosurgical knife and protection of the surrounding and underlying tissues, particularly the intestinal ansae in the peritoneal cavity, during the dissection itself. The instrument comprises a handle with two rings, upper and lower, two straight branches, upper and lower, and a toothed raked stopper, after connecting through a hub the two branches extend to constitute the two prongs of the bite, the lower straight branch extends to constitute the upper prong which after an angle of approximately 130 degrees becomes shaped as an L ribbon-like retractor, centrally fenestrated with a paddle angulated at 90 degrees, facing upwards, terminating at the top with an outwards angulation, the upper straight branch extends to constitute the lower prong of the bite which, too, after an



MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
KM, ML, MR, NE, SN, TD, TG).

Published:

- *with international search report (Art. 21(3))*
- *with amended claims (Art. 19(1))*

angle of approximately 130 degrees at the same level as the angle of the upper prong, becomes shaped as a curved concave valve, with all the components of the surgical instrument situated distally to the upper third of the straight branches of the handle being covered with proper electrical insulated coating.

DESCRIPTION

MULTIFUNCTIONAL SURGICAL INSTRUMENT

- 1) Application field: Medical Science
- 2) State of the Art: The incision of the abdominal wall commonly referred to as laparotomy defines any surgical opening of the abdomen through which the peritoneal cavity can be reached. There are various laparotomic incisions. The correct choice of a laparotomy incision by the surgeon must follow practical criteria based on two fundamental principles:

- A) Wide and sufficient exposure of the operating field;
- B) Minimal aesthetic damage.

Point A regards indication and performance of the right choice of surgical incision of the abdominal wall, i.e., the one able to provide the best visibility of the abdominal cavity; this is conditioned by the clinical examination of the patient and the degree of preoperative diagnostic precision.

Point B refers to keeping the cutaneous incision to the minimum necessary in the case of a small laparotomy, an important decision, especially in the young, children and adolescents, and in the female sex, to avoid unaesthetic surgical scars.

The cutaneous incision is the first step in every surgical intervention, after which the manoeuvres can be initiated to access the peritoneal cavity, where the surgical act is performed.

The laparotomic incisions, in relation to their trajectory, are subdivided into vertical, oblique and transversal; they are also called simple, if formed by one segment, or complex, when resulting from multiple simple segments.

At present, one of the surgical interventions more frequently and universally performed is appendectomy for acute appendicitis. This can be performed with laparoscopic or laparotomic technique. Although the choice between the two approaches is individual and pertaining the experience of each surgeon, the laparotomic access remains highly indicated, if not compulsory, in the most acute forms, where it is fundamental, for a positive outcome of the intervention, to have a sufficiently wide operating field for a better visibility and increased freedom of movements. Among the laparotomic accesses, the Mac Burney's incision remains the classic and most frequently employed.

It consists of a small oblique incision in the right iliac fossa, performed perpendicularly to the line connecting the antero-superior right iliac spine with the umbilicus, located at the point of junction of the median third with the external third of the line itself, with a mean length of 3-4 cm (with some variability in length proportional to the adiposity of the patient).

The intervention starts by incising the skin and subcutaneous adiposity till the aponeurosis of the great oblique muscle, which is incised along the course of the fibers for the whole length of the cutaneous incision. While the two borders of the aponeurosis incision are maintained wide apart, a blunt stretching apart is

performed of the fibers of the small oblique muscle first and of the transverse muscle subsequently, until the preperitoneal adipose tissue is reached. After incising the transversalis fascia and the parietal peritoneum, the peritoneal cavity is reached. Once inside the cavity, when the appendix is not immediately detected and/or its search is difficult, in the case of acute phlegmonic or gangrenous appendicitis, with circumscribed peritonitis or in particular situations of abnormal anatomical locations of the coecum and appendix, it is very difficult to dictate specific rules to render the operation typical. The positive outcome of the intervention then depends on the skills of the surgeon, his ability and decisional promptness to derive from his experience, and then apply, all the technical solutions aimed at finding, externalizing and removing the appendix.

In all these cases, the first and most important act is to extend the surgical incision to obtain a wider exposure of the operating field, preferably avoiding a further skin incision.

3) Technical problem: the most important technical problem in oblique laparoscopic incisions, such as Mac Burney's one, but also other types of small laparotomies, regards the fact that only limited extensions of the surgical wound are possible without further extending the cutaneous incision. Furthermore, these extensions can be performed only through complex procedures, involving the use of multiple monofunctional instruments/devices, this increases the duration of the intervention and involves the risk of reduced precision during the section of the deep parietal layer (fascia, muscles, parietal peritoneum), reduced protection of the tissues and intestinal ansae of the peritoneal cavity, and when the incision

is extended also to the skin, anaesthetic scar outcomes, particularly problematic in children, adolescents and women.

At present, to be able to extend a small laparotomic incision without further incising the skin, it is necessary firstly to insert some gauze pads (device 1) into the peritoneal cavity to protect the ansae from the energy delivered by the electrocautery knife, then to stretch apart the cutaneous and subcutaneous borders at the angles of the surgical wound using one or more retractors (instrument 2), subsequently to insert a thumb forceps with open branches (instrument 3) into the peritoneal cavity, over the gauze pads, to strain and lift the deep parietal layer and then to proceed with the section of the parietal layer itself with the tip of the electrocautery knife along the main direction of the incision without the help of a guide. With this technique of extension of the incision confined to the deep parietal layer (fascia, muscles, parietal peritoneum), a better exposure of the peritoneal cavity is obtained through multiple steps with different instruments and furthermore at the expense of the precision of the section of the deep layer and of the protection of the tissues, with the potential risk of lesions of the intestinal ansae, and also at the expense of the optimal duration of the intervention.

4) Solutions to the technical problem: The invented surgical instrument is multifunctional, it allows the concurrent performing of a number of functions which would normally require the use of multiple instruments/devices: it protects the intestinal ansae insulating them from the deep parietal layer to be incised (replacing the function of the gauze pads, device 1), stretches apart the cutaneous/subcutaneous borders (replacing the retractor, instrument 2), pinches and lifts the deep parietal layer (replacing

the thumb forceps, instrument 3) and provides a guide binary along which the section can be performed (further function, 4). This surgical instrument facilitates the procedure of extension of any small laparotomy, particularly that of Mac Burney, and renders it more precise and safer. The first surgeon himself manoeuvres the instrument, at the same time he: (1) spreads apart the cutaneous/subcutaneous borders at the corners of the surgical wound and, by modulating the strength impressed to the instrument itself, he can regulate the optimal extension that allows the lengthening of the necessary centimeters of the small laparotomy so to obtain the most favourable exposure of the operating field; the skin is therefore not further incised and unaesthetic scars are avoided; (2) pinches, tightens and lifts the deep parietal layer; (3) incises the deep parietal layer with the electrosurgical knife precisely along the guide binary, created by the opening of the two small arms of the upper prong, avoiding the risk of lesioning of the underlying and surrounding structures. In synthesis, a sufficient exposure of the peritoneal cavity is obtained with precision, safety, without aesthetic damage and with a reduction of the operating time.

5) Figures:

FIG. 1a: surgical instrument with open bite, lateral vision; blunt upper surface of the borders of the lower prong, atraumatic

FIG. 1b: detail of the upper prong of the bite, with blunt surface of the inferior borders of the bite, atraumatic

FIG. 2: surgical instrument with closed bite; lateral vision

FIG. 3a: surgical instrument with closed bite; vision from above

FIG. 3b: surgical instrument with closed bite; vision from below

FIG. 4: surgical instrument in use

FIG 5a: detail of the handle of the surgical instrument, with stop self-retaining rack indicated with the letter R

FIG. 5b: detail of the handle of the surgical instrument, without stopper or free

6) Description of the Figures: Fig. 1a shows the invented surgical instrument, shaped as a hemostatic clamp of short-medium length, constituted by a ring handle 1,2, with toothed rack stopper 3,4, two straight articulated branches, one upper branch 5, and one lower branch 6. The upper branch 5, and the lower branch 6, after the hub 7, both extend to constitute the prongs of the surgical bite, indicated with the letters S,U, and then become bent at the same level with an angle of 130 degrees 8. The lower branch 6 extends to form the upper prong of the bite S, in the shape of a ribbon-like flat lamina 9 similar to that of a ribbon-like retractor, which immediately divides into two small arms 10,11, of identical shape and length, which course parallel, creating between them a central fenestration 12, and at their reunification, reconstitute a ribbon-like lamina 13, similar to the initial one 9, with blunt surface of the inferior borders 19a of the two small arms 10,11 providing atraumatic grip Fig 1b, which terminates immediately after in an L ribbon-shaped, upwards facing, retractor 14, with a paddle angled at 90 degrees 15, terminating at the top with a slight outwards angulation 16. The upper branch 5, extends, after the hub 7, to form the lower prong U of the bite, at the same level as the upper lamina 9, always with the same angulation 8, in the shape of a curved concave valve 18, with the same width and length of the upper prong S with blunt upper surface of the borders 19b, providing atraumatic grip, and, at closed bite, with the surfaces of the two prongs fitting together perfectly Fig. 2, 3a, 3b. All the

components of the surgical instrument situated distally to the upper third of the branches of the handle are covered with high technology insulated coating, shown in the Figures 1a,1b, 2, 3a, 3b, 4, 5a and 5b with shaded grey color, indicated with the letter K.

7) Functioning: instrument with open bite, the lower prong U of the bite is inserted into the peritoneal cavity with the upper surface 19b tangent the parietal peritoneum, while the lower surface 19a of the upper prong S rests on the deep parietal layer P, formed by fascia, muscles and parietal peritoneum, both prongs embrace the layer without tightening it, while the curved paddle angled at 90 degrees of the upper prong, shaped as an L ribbon-like retractor, upwards oriented 14, with which it terminates, is pushed against the cutaneous/subcutaneous borders of one angle to open wide and keep them opened, allowing the uncovering of the deep parietal layer which has to be incised.

Once the optimal extension is reached, the bite is tightened, and the deep parietal layer P is pinched and lifted. At this point the deep parietal layer P can be incised, with the electrosurgical knife Z, through the central fenestration 12 of the upper prong S of the bite which serves as a guide Fig 4.

The surfaces of the upper borders 19b, with atraumatic blunt grip, of the curved concave valve 18 of the lower prong U of the bite adhere perfectly to the parietal peritoneum, and the concavity of the valve 18 allows a possible downward excursion of the tip of the electrosurgical knife Z and, during the section, protects all the underlying and adjacent structures Fig.4, particularly the intestinal ansae. If a further extension of the incision is necessary, the whole described procedure can be repeated at the opposite angle.

8) Industrial application: the invented instrument can be employed in all types of laparotomic surgical interventions, laparoscopic interventions and eventually also thoracoscopic interventions in operating rooms of divisions of: general surgery, paediatric surgery (in miniaturized form, baby, short), emergency surgery, digestive surgery, urologic surgery, vascular surgery, thoracic surgery, plastic surgery, laparoscopic surgery, robotic surgery, and in every other use in any other surgical branch (particularly in laparotomic interventions of appendectomy, with incision according to Mac Burney).

9) Advantages: the multifunctionality of the surgical instrument offers several concurrent advantages: (A) safe protection of the intestinal ansae and all the surrounding tissues during the section with the electrosurgical knife; B) spreading apart of skin/subcutis; (C) atraumatic grip of the deep parietal layer to be incised; D) guide to direction of the incision procedure of the deep parietal layer with the electrosurgical knife. The instrument thus offers the advantages of facilitating, rendering more precise, safer and more rapid (reduction of the operating time) the surgical manoeuvre of extension of a small laparotomy, without further incision of the skin.

A) The invented surgical instrument is advantageous because it protects the intestinal ansae in the peritoneal cavity during the section of the deep parietal layer (fascia - muscles - parietal peritoneum) with the electrosurgical knife, thanks to the curved concave valve of the lower prong of the bite. When the bite tightens the deep parietal layer, the upper borders of the valve adhere perfectly to the parietal peritoneum, the concavity of the valve allows a possible downward excursion of the tip of the

electrosurgical knife during the incision, protecting all the underlying and adjacent structures.

Being provided with a high technology insulating coating, the instrument furthermore prevents any possible transmission of the electrical energy to the surrounding structures during the section of the deep parietal layer by the electrosurgical knife, allowing the first operator surgeon to incise this layer in safe conditions.

B) The invented surgical instrument is advantageous because it facilitates the manoeuvre of the spreading apart of the cutaneous/subcutaneous borders, eventually at both corners of a small laparotomy, allowing the exposure of the deep parietal layer to be incised (fascia, muscles, parietal peritoneum). The first surgeon, by personally manoeuvring the instrument, can modulate the strength to be impressed to the instrument itself to spread apart the cutaneous borders, being able to regulate the right extension which permits the gain of the necessary centimeters of opening of the small laparotomy, thus obtaining the most favourable exposure of the operating field, with savings of the cutaneous incision and avoidance of unaesthetic scars.

C) The invented surgical instrument is advantageous because, thanks to the blunt surface of the borders of the two prongs of the bite, it allows an atraumatic grip of the deep parietal layer to be incised.

D) The invented surgical instrument is advantageous because it provides a precise orientation guide for the section of the fascia - muscles - parietal peritoneum, allowing the tip of the electrosurgical knife to easily cut the deep parietal layer through the central opening of the upper prong, formed by small arms which act as a binary guide.

10) Variants: variants can be performed in the handle stopper: with toothed rack stopper Fig. 5a, without stop or free Fig. 5b. Furthermore a short or baby instrument can be conceived for the use in paediatric surgery.

CLAIMS

1) Multifunctional surgical instrument for extension of laparotomic, laparoscopic, robotic and thoracotomic incisions, constituted by a handle including two rings, one upper ring (1) and one lower ring (2), two straight branches, one upper branch (5) and one lower branch (6), a toothed rack stopper (3,4), characterized by the fact that the two straight branches, after their connection through a hub (7), both extend to constitute the two prongs of the bite, one upper prong (S) and one lower prong (U), the lower straight branch extends to constitute the upper prong of the bite which, after an angle of approximately 130 degrees (8), becomes shaped as an L ribbon-like retractor, centrally fenestrated, for its whole length (12) with a paddle angulated at 90 degrees (15), facing upwards, terminating at the top with an outwards angulation (16), which thereby permits to spread apart the cutaneous/subcutaneous corners of the surgical wound, and to incise the deep parietal layer, the upper straight branch extends to constitute the lower prong of the bite which, too, after an angle of approximately 130 degrees at the same level as the angle of the upper prong, becomes shaped as a curved concave valve, so as to ensure protection of the surrounding tissues and underlying organs in the peritoneal cavity, particularly the intestinal ansae during the section with the electrosurgical knife, with all the components of the surgical instrument situated distally to the upper third of the straight branches of the handle being covered with proper electrical insulated coating (K).

2) Surgical instrument according to claim 1, characterized by the fact that the upper prong of the bite terminates as an L ribbon-like

retractor, with a curved paddle at an angle of 90 degrees, facing upwards, ending at the top with an outwards angulation.

3) Surgical instrument according to claim 1, characterized by the fact that the lower prong of the bite is shaped as a curved concave valve.

4) Surgical instrument according to claims 1,2, characterized by the fact that the upper prong of the bite, shaped as a ribbon-like flat lamina, immediately after its formation, divides into two arms of identical shape and length, which course parallel, creating among them a central fenestration serving as a guide binary for the electrosurgical knife.

5) Surgical instrument according to claims 1,2,4, characterized by the fact that the two prongs, constituted after the hub as extensions of the two straight branches, both bend at the same level at an angulation of approximately 130 degrees, to form the bite of the instrument.

6) Surgical instrument according to claims 1,2,3,4,5, characterized by the fact that the grip surfaces of the two prongs of the bite are blunt, allowing an atraumatic grip of the deep parietal layer when the bite is tightened.

7) Surgical instrument according to claims 1,2,3,4,5,6, characterized by the fact that all its components distal to the upper third of the handle are covered with proper electrical insulating coating (K), which avoids the transmission and propagation of the electricity produced by the electrosurgical knife during its use.

received by the International Bureau on 7 November 2018 (07.11.2018)

1) Multifunctional surgical instrument for extension of laparotomic, laparoscopic, robotic and thoracotomic incisions, constituted by a handle including two rings, one upper ring (Fig. 1a;1) and one lower ring (Fig. 1a; 2), two straight articulated branches, one upper branch (Fig. 1a, 5) and one lower branch (Fig. 1a; 6), a toothed rack stopper (Fig. 1a; 3,4), characterized by the fact that the two straight branches, after their connection through a hub (Fig.1a; 7), both extend to constitute the two prongs of a bite, one upper prong (Fig. 1a,1b;S) and one lower prong (Fig. 1a;U), the lower straight branch extends to constitute the upper prong of the bite which, after an angle of approximately 130 degrees (Fig. 1a; 8), becomes shaped as an L ribbon-like retractor, centrally fenestrated, for its length except the proximal and distal borders (Fig. 1a,1b;12) with a paddle angulated at 90 degrees (Fig. 1a; 15), facing upwards, terminating at the top with an outwards angulation (Fig.1a,1b;16), which thereby permits to spread apart the cutaneous/subcutaneous corners of the surgical wound, and to incise the deep parietal layer, the upper straight branch extends to constitute the lower prong of the bite which, too, after an angle of approximately 130 degrees at the same level as the angle of the upper prong, becomes shaped as a curved concave valve, so as to ensure protection of the surrounding tissues and underlying organs in the peritoneal cavity, particularly the intestinal ansae during the section with the electrosurgical knife, with all the components of the surgical instrument situated distally to the upper third of the straight articulated branches of the handle being covered with electrical insulating coating (Fig.1a,1b;K).

- 2) Surgical instrument according to claim 1, characterized by the fact that the upper prong of the bite terminates as an L ribbon-like retractor, with a curved paddle at an angle of 90 degrees, facing upwards, ending at the top with an outwards angulation.
- 3) Surgical instrument according to claim 1, characterized by the fact that the lower prong of the bite is shaped as a curved concave valve.
- 4) Surgical instrument according to claims 1,2, characterized by the fact that the upper prong of the bite, shaped as a ribbon-like flat lamina, immediately after its formation, divides into two arms of identical shape and length, which course parallel, creating among them a central fenestration serving as a guide binary for the electrosurgical knife.
- 5) Surgical instrument according to claims 1,2,4, characterized by the fact that the two prongs, constituted after the hub as extensions of the two straight articulated branches, both bend at the same level at an angulation of approximately 130 degrees, to form the bite of the instrument.
- 6) Surgical instrument according to claims 1,2,3,4,5, characterized by the fact that the grip surfaces of the two prongs of the bite are blunt, allowing an atraumatic grip of the deep parietal layer when the bite is tightened.
- 7) Surgical instrument according to claims 1,2,3,4,5,6, characterized by the fact that all its components distal to the upper third of the handle are covered with electrical insulating coating (Fig. 1a,1b, K), which avoids the transmission and propagation of the electricity produced by the electrosurgical knife during its use.




Fig. 1a

Fig. 1b




Fig. 3b




Fig. 3a




Fig. 5b




Fig. 5a

INTERNATIONAL SEARCH REPORT

International application No
PCT/IT2018/000068

A. CLASSIFICATION OF SUBJECT MATTER
INV. A61B17/02 A61B17/28
ADD.
According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED
Minimum documentation searched (classification system followed by classification symbols)
A61B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 2015/119648 A1 (BARNETT STEVEN L [US] ET AL) 30 April 2015 (2015-04-30) figures 1-5 paragraph [0020] paragraph [0025] paragraph [0029] - paragraph [0030] -----	1-7
A	US 3 391 690 A (ANTHONY ARMAO THOMAS) 9 July 1968 (1968-07-09) column 3, line 65 - column 6, line 20; figures 1-17 -----	1-7
A	US 2012/059407 A1 (ISCH BRYCE ALAN [US] ET AL) 8 March 2012 (2012-03-08) abstract; figure 1 -----	1-7
	-/--	

Further documents are listed in the continuation of Box C.

See patent family annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search 30 August 2018	Date of mailing of the international search report 10/09/2018
---	--

Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Fax: (+31-70) 340-3016	Authorized officer Roudaut, Tanguy
--	---

INTERNATIONAL SEARCH REPORT

International application No
PCT/IT2018/000068

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 2017/007226 A1 (FEHLING GUIDO [DE]) 12 January 2017 (2017-01-12) figures 2b,2c paragraph [0047] - paragraph [0058] -----	1-7
A	US 2015/100080 A1 (KOHLEK KLAUS [DE]) 9 April 2015 (2015-04-09) abstract; figures 1,8 -----	1-7
A	US 2011/282158 A1 (ANTHONY SARAH M [US] ET AL) 17 November 2011 (2011-11-17) figures 1,5 paragraph [0016] - paragraph [0021] -----	1-7
A	US 2004/024291 A1 (ZINKEL JOHN L [US]) 5 February 2004 (2004-02-05) abstract; figures 1,5 -----	1-7

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No PCT/IT2018/000068

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2015119648 A1	30-04-2015	US 2015119648 A1 US 2017128058 A1	30-04-2015 11-05-2017
US 3391690 A	09-07-1968	NONE	
US 2012059407 A1	08-03-2012	NONE	
US 2017007226 A1	12-01-2017	DE 202013105202 U1 EP 2889006 A1 US 2017007226 A1	26-11-2013 01-07-2015 12-01-2017
US 2015100080 A1	09-04-2015	BR 102014025022 A2 CN 104510520 A EP 2859855 A1 ES 2543012 T1 JP 2015073900 A US 2015100080 A1	31-05-2016 15-04-2015 15-04-2015 13-08-2015 20-04-2015 09-04-2015
US 2011282158 A1	17-11-2011	US 2011282158 A1 US 2013317313 A1	17-11-2011 28-11-2013
US 2004024291 A1	05-02-2004	AU 2003268382 A1 CA 2537618 A1 US 2004024291 A1 US 2004215199 A1 WO 2005032385 A1	21-04-2005 14-04-2005 05-02-2004 28-10-2004 14-04-2005

专利名称(译)	手术多功能仪器		
公开(公告)号	EP3629944A1	公开(公告)日	2020-04-08
申请号	EP2018739959	申请日	2018-05-09
[标]发明人	COSTANTINI RAFFAELE		
发明人	COSTANTINI, RAFFAELE		
IPC分类号	A61B17/02 A61B17/28		
CPC分类号	A61B17/02 A61B17/122 A61B17/282 A61B2017/00823 A61B2017/00929 A61B2017/2837 A61B2017/320052 A61B17/0218 A61B17/0281 A61B18/1482 A61B2017/2911 A61B2018/00541 A61B2018/00601		
优先权	102017000057439 2017-05-26 IT		
外部链接	Espacenet		

摘要(译)

扩展腹腔镜，腹腔镜，机器人和胸腔切口的多功能外科手术器械，可同时扩展皮肤/皮下角膜的夹角，捏紧和提起深层壁层，用电外科刀进行解剖并保护周围环境 解剖本身时，以及下层组织，尤其是腹膜腔中的肠肛门。