



US 20090068690A1

(19) **United States**(12) **Patent Application Publication**
Fischer et al.(10) **Pub. No.: US 2009/0068690 A1**(43) **Pub. Date: Mar. 12, 2009**(54) **METHODS FOR IDENTIFYING PATIENTS
WITH AN INCREASED LIKELIHOOD OF
HAVING OVARIAN CANCER AND
COMPOSITIONS THEREFOR****Publication Classification**(51) **Int. Cl.***C12Q 1/02* (2006.01)*C12Q 1/00* (2006.01)*A61B 5/00* (2006.01)*A61B 5/055* (2006.01)*A61B 10/00* (2006.01)*G01N 33/53* (2006.01)(75) **Inventors:** **Timothy J. Fischer**, Raleigh, NC
(US); **Douglas P. Malinowski**,
Hillsborough, NC (US); **Qin He**,
Raleigh, NC (US); **Clark M.**
Whitehead, Raleigh, NC (US);
Robert L. Cheek, Mebane, NC
(US); **John W. Groelke**, Raleigh,
NC (US)(52) **U.S. Cl. 435/7.92; 435/4; 435/7.1; 435/29;
600/300; 600/562; 600/437; 600/410****Correspondence Address:****ALSTON & BIRD LLP****BANK OF AMERICA PLAZA, 101 SOUTH
TRYON STREET, SUITE 4000
CHARLOTTE, NC 28280-4000 (US)**

(57)

ABSTRACT

Screening methods for identifying patients with an increased likelihood of having ovarian cancer are provided. The screening methods involve the detection of expression of a plurality of biomarkers in a body sample, wherein overexpression of the biomarkers is indicative of an increased likelihood of having ovarian cancer. The screening methods may further comprise a two-step analysis. Biomarkers of interest include genes and proteins that are, for example, involved in defects in DNA replication/cell cycle control, cell growth and proliferation, escape from apoptosis, angiogenesis or lymphogenesis, or the mechanisms of cancer cell motility and invasion. In some aspects of the invention, expression of a biomarker is detected at the protein level using a biomarker-specific antibody or at the nucleic acid level using nucleic acid hybridization techniques. Methods for detecting ovarian cancer in patients are further disclosed herein. Kits for practicing the methods of the invention are further provided.

(73) **Assignee:** **TriPath Imaging, Inc.**, Burlington,
NC (US)(21) **Appl. No.: 12/261,205**(22) **Filed: Oct. 30, 2008****Related U.S. Application Data**(63) Continuation of application No. 11/699,229, filed on
Jan. 29, 2007.(60) Provisional application No. 60/762,760, filed on Jan.
27, 2006.**ROC Curve For MM Data**

Overall Sample




FIG. 1





FIG. 2

A



B





FIG. 3

A



B




FIG. 4




FIG. 5





FIG. 6

A



B




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11

A



B




FIG. 12




FIG. 13





FIG. 14



METHODS FOR IDENTIFYING PATIENTS WITH AN INCREASED LIKELIHOOD OF HAVING OVARIAN CANCER AND COMPOSITIONS THEREFOR

CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application is a continuation of U.S. application Ser. No. 11/699,229, filed Jan. 29, 2007, which claims the benefit of U.S. Provisional Application Ser. No. 60/762,760, filed on Jan. 27, 2006, both of which are incorporated herein by reference in their entirety.

REFERENCE TO A SEQUENCE LISTING SUBMITTED AS A TEXT FILE VIA EFS-WEB

[0002] The official copy of the sequence listing is submitted concurrently with the specification as a text file via EFS-Web, in compliance with the American Standard Code for Information Interchange (ASCII), with a file name of 364717SequenceListing.txt, a creation date of Oct. 29, 2008, and a size of 284 KB. The sequence listing filed via EFS-Web is part of the specification and is hereby incorporated in its entirety by reference herein.

FIELD OF THE INVENTION

[0003] The present invention relates to methods and compositions for identifying women having an increased likelihood of having ovarian cancer.

BACKGROUND OF THE INVENTION

[0004] Ovarian cancer represents a heterogeneous group of diseases that affect women on a global basis. There are several forms of ovarian cancer which include epithelial cancer, germ-line cancer of the ovaries and ovarian stromal cancer. Epithelial ovarian cancer represents the most common form of the disease. Approximately 5-10% of epithelial ovarian cancer represents a hereditary form of the disease and three common patterns are recognized: ovarian cancer alone; ovarian and breast cancer linked to BRAC1 and BRCA2 genetic linkage on chromosomes 17q21 and 13q12 respectively; and ovarian and colon cancer. The most important risk factor for ovarian cancer is a first degree relative with the disease (e.g., a mother, sister or daughter with ovarian cancer). See, for example, Patridge et al. (1999) *CA-A Cancer Journal for Clinicians* 49:297-320. In 2005, there were an estimated 22,000 new cases of ovarian cancer diagnoses and 16,000 deaths from ovarian cancer. See generally American Cancer Society website at www.cancer.org; National Cancer Institute website at www.cancer.gov. Ovarian cancer is a disease that primarily affects post-menopausal women with the median age for diagnosis at 63 years of age. However, the disease can affect women at all age groups. National Cancer Institute Surveillance, Epidemiology, and End Results (SEER) Program at www.seer.cancer.gov.

[0005] The classification of ovarian cancer stage is based upon the extent of localization versus spread of the disease beyond the ovaries. Stage 1 ovarian cancer is confined to one or both of the ovaries. Stage 2 disease involves a tumor in one or both ovaries with pelvic extension. In Stage 3 ovarian cancer, a tumor is present in or both ovaries with microscopically confirmed peritoneal metastasis outside the pelvis and/or regional lymph node metastasis. Stage 4 ovarian cancer is characterized by distant metastasis beyond the peritoneal

cavity. Ovarian cancer is generally diagnosed in an advance stage of the disease due to the lack of specific clinical symptoms that would indicate the presence of small tumors. For women under the age of 50, less than 40% of ovarian cancers are detected when tumors are localized to one or both ovaries and when disease prognosis is best. For women over the age of 50, that number drops to less than 15%. Approximately 68% of women of all age groups afflicted with ovarian cancer are not diagnosed until distant metastasis is present. See generally National Cancer Institute Surveillance, Epidemiology, and End Results (SEER) Program at www.seer.cancer.gov.

[0006] Ovarian cancer spreads via local shedding from the ovarian epithelium into the peritoneal cavity followed by implantation on the peritoneum and local invasion of the bowel and bladder. The presence of lymph node involvement in ovarian cancer is evident in all stages of diagnosed ovarian cancer. The percentage of positive lymph nodes increases significantly with progression of the disease (i.e., Stage 1, 24%; Stage 2, 50%; Stage 3, 74%; Stage 4, 73%). Id.

[0007] The survival of patients with ovarian cancer is a function of the stage at which the disease is diagnosed, with the 5-year survival decreasing with advanced disease. More than 90% of women diagnosed with ovarian cancer in Stage 1 survive for at least 5 years following diagnosis. The 5-year survival rate drops to less than 30% when the disease is not diagnosed until Stage 4 (i.e., distant metastasis). Id.

[0008] Epithelial ovarian cancer is the most common form of the disease. There are four recognized major histological classes of epithelial ovarian cancer and include serous, endometrioid, clear cell, and mucinous subtypes. The pathogenesis of ovarian cancer is poorly understood but is believed to arise from ovarian surface epithelium. See Bell (2005) *Mod. Pathol.* 18 (Suppl 2):S19-32. Life factors that provide the greatest reduction in risk of ovarian cancer include multiparity, use of oral contraceptives, and breast feeding, all of which prevent ovulation. Because ovulation results in epithelial damage, followed by repair and possible inflammatory responses, repetition of this process throughout a woman's reproductive life without interruption appears to lead to cell damage and to increase the risk of ovarian cancer. See, for example, Ness et al. (1999) *J. Natl. Cancer Inst.* 91:1459-1467. However, there is no recognized, stepwise progression of ovarian cancer through defined precursor lesions, such as those recognized for both cervical carcinoma and colon cancer. Hence, considerable research has been directed at understanding the molecular basis for ovarian cancer and to understand the basic differences between the various histological subtypes of ovarian cancer. These studies have utilized gene expression analysis to provide this understanding and have identified a series of potential biomarkers for evaluation in diagnostic applications. See for example Ono et al. (2000) *Cancer Res.* 60:5007-11; Welsh et al. (2001) *Proc. Natl. Acad. Sci. USA* 98:1176-1181; Donninger et al. (2004) *Oncogene* 23:8065-8077; and Lee et al. (2004) *Int. J. Oncol.* 24(4):847-851.

[0009] Ovarian cancer is often detected with the presentation of overt clinical symptoms, most notably the presentation of abdominal pain, an adnexal mass, abdominal bloating, and urinary urgency. As such, the detection of ovarian cancer is often detected at an advanced stage, where the prognosis and clinical outcome is poor. Detection of ovarian cancer at an early stage (i.e., Stage 1) results in approximately 90% cure rate using standard surgery and chemotherapy; hence there is

a clinical need to detect ovarian cancer at an early stage where treatment will be most effective. Unfortunately, current screening methods to detect early stage ovarian cancer are insufficient. The current practice for ovarian cancer screening employs the use of CA 125 and transvaginal ultrasound (sonography). Rising serum levels of CA125 are associated with ovarian cancer and subsequent utilization of transvaginal ultrasound helps detect the presence of ovarian cancer. Confirmation of ovarian disease is based upon invasive procedures such as laprotomy. However, the use of CA125 is ineffective for general population screening due to issues of limited sensitivity, limited specificity, and a poor positive predictive value of <3%. Bast (2003) *J Clin Oncol.* 21 (10 Suppl):200-205. As a result, there is no consensus on the recommendations for generally screening for ovarian cancer in the asymptomatic patient population. See National Cancer Institute Web Site at www.cancer.gov. For high risk patients, the generally accepted procedures for the detection of ovarian cancer include the use of pelvic examinations, the use of CA125 serum testing, and transvaginal ultrasound (sonography). Patridge et al. (1999) *CA-A Cancer Journal for Clinicians* 49:297-320.

[0010] CA125 is a well characterized tumor marker normally expressed on the surface of epithelial cells and is often detected in the serum of normal patients at 35 U/mL. Elevated serum levels of CA125 (>35 U/mL) are often detected in approximately 85% of ovarian cancer patients; the remaining 15% of ovarian cancer patients have normal serum levels of CA125. Furthermore, CA125 is elevated in only 50% of stage 1 ovarian cancer patients, thereby limiting its clinical utility in the early detection of ovarian cancer. However, elevated serum levels of CA125 are used for the monitoring of disease recurrence following therapeutic intervention and this represents the currently approved use for CA125 by the FDA. In addition, elevated serum levels of CA125 are predictive of future detectable ovarian cancer.

[0011] The low prevalence rates of ovarian cancer in the general population create significant challenges for the development of a screening test that would promote early detection of the disease. Screening methods for diseases with low prevalence rates such as ovarian cancer often result in a high ratio of false positives to true positives that limits the clinical utility of such screening programs. Given the significant risks associated with surgical exploration for possible ovarian cancer, a clinically useful screening test should refer to surgery no more than 10 women for every woman who actually has ovarian cancer (i.e., a positive predictive value (PPV) of at least 10%). Skates et al. (2004) *J. Clin. Oncol.* 22:4059-4066. PPV is highly dependent upon the prevalence rates for a particular disease or condition and will shift dramatically as a result of differences in disease prevalence. Therefore, with low-prevalence diseases, such as ovarian cancer, screening diagnostic tests with a relatively low PPV still have significant clinical utility. Potential ovarian cancer screening programs must be adjusted for the low prevalence of ovarian cancer and assessed for biomarker performance and clinical need. See, for example, Skates et al. (2004) *J. Clin. Oncol.* 22:4059-4066; Bast et al. (2005) *Int. J. Gynecol. Cancer* 15:274-281; and Rosen et al. (2005) *Gyn. Oncol.* 99:267-277. Despite efforts to identify a biomarker or panel of biomarkers for the detection, particularly early detection, of ovarian cancer, no adequate screening or diagnostic test that satisfies

clinical needs currently exists. Currently available methods, such as detection of CA125, exhibit unacceptably high false-positive rates.

[0012] The current recommendations from the National Cancer Institute state that "there is insufficient evidence to establish that screening for ovarian cancer with serum markers such as CA 125, transvaginal ultrasound or pelvic examinations would result in a decrease in mortality from ovarian cancer" (NCI Summary of Evidence (Level 4, 5); dated February 2005). In light of the serious risk of false-positives with currently available screening techniques, the NCI has not supported institution of general screening procedures for ovarian cancer. As such, no standardized screening test exists for ovarian cancer, despite the fact that early diagnosis significantly improves 5-year survival rates.

[0013] Therefore, a significant need exists in the art for reliable methods and compositions that are capable of specifically identifying women that have ovarian cancer. In particular, screening methods for identifying patients with an increased likelihood of having ovarian cancer are needed. Women identified as having an increased likelihood of having ovarian cancer could be selected for more aggressive diagnostic methods to definitively determine if they presently have the disease. Moreover, such screening methods could be performed in the general female patient population on a routine basis to facilitate the detection of ovarian cancer in the early stages of the disease when prognosis and disease outcome are best.

BRIEF SUMMARY OF THE INVENTION

[0014] Screening methods for identifying patients with an increased likelihood of having ovarian cancer are provided. The methods of the invention generally comprise detecting in a patient body sample expression of a plurality of biomarkers that are selectively overexpressed in ovarian cancer. Overexpression of the biomarkers is indicative of an increased likelihood that the patient has ovarian cancer. The methods of the invention may comprise, for example, a "two-step" analysis, wherein a first assay step is performed to detect the expression of a first biomarker or panel of biomarkers. If the first biomarker or panel of biomarkers is overexpressed, a second assay step is performed to detect the expression of a second biomarker or panel of biomarkers. Overexpression of the first and second biomarkers or panels of biomarkers is indicative of an increased likelihood that the patient has ovarian cancer. The first assay step may be designed to enrich the patient population under review by eliminating a large percentage of women that are "true negatives." The second assay step is typically intended to rule out those patients in the enriched population that do not presently have ovarian cancer by eliminating additional true negative patients from the enriched population. These assay steps may be performed as a single test encompassing both assay steps or as two distinct tests, wherein each test comprises one of the assay steps. A single biomarker or panel of biomarkers may be used in each analysis step to achieve the desired values for sensitivity, specificity, negative predictive value (NPV), and positive predictive value (PPV). Algorithms may be developed to combine particular biomarkers in the different assay steps to achieve the desired sensitivity, specificity, NPV, and PPV.

[0015] In other aspects of the invention, a screening method for identifying patients with an increased likelihood of having ovarian cancer comprises performing a "single-step" or "one-step" assay in which the overexpression of a plurality of

biomarkers that are selectively overexpressed in ovarian cancer is assessed in a patient body sample. Overexpression of these biomarkers is indicative of an increased likelihood of the patient having ovarian cancer. In contrast to the two-step screening method described above, the single-step screening assay does not require performing a first assay step to detect overexpression of a particular biomarker(s) followed by a second assay step to assess if a second biomarker(s) is also overexpressed in order to identify a patient with an increased likelihood of having ovarian cancer.

[0016] A patient that is identified by the screening methods of the invention as having an increased likelihood of having ovarian cancer may be subjected to further diagnostic tests to definitively determine if the patient has ovarian cancer. Patients that are classified as having an increased likelihood of having ovarian cancer in accordance with the methods disclosed herein, but that are determined not to currently have the disease, are generally monitored on a regular basis for the development of ovarian cancer. Moreover, the present methods may be used to screen the general female patient population for ovarian cancer on a routine basis. Thus, the screening methods of the invention may permit the diagnosis of ovarian cancer at earlier stages of the disease when prognosis is significantly better. Kits for practicing the screening methods of the invention are also provided.

[0017] Biomarker expression can be assessed at the protein or nucleic acid level. In some embodiments, biomarker expression is detected at the protein level using biomarker-specific antibodies. Expression of the biomarkers of the invention can also be detected by nucleic acid-based techniques, including, for example, hybridization and RT-PCR. Biomarker expression can be assessed in a variety of body samples, including but not limited to blood (e.g., whole blood, blood serum, blood having platelets removed, etc.), lymph, ascitic fluids, urine, gynecological fluids (e.g., ovarian, fallopian, and uterine secretion, menses, etc.), biopsies, and fluids obtained during laparoscopy.

[0018] Methods for diagnosing ovarian cancer in a patient are also encompassed by the present invention. The diagnostic methods generally comprise detecting in a body sample the expression of a plurality of biomarkers that are selectively overexpressed in ovarian cancer. Overexpression of the plurality of biomarkers is indicative of the presence of ovarian cancer. Kits for practicing the diagnostic methods of the invention are also provided.

[0019] Methods for assessing the efficacy of a particular therapy for ovarian cancer in a patient are also disclosed herein. The invention is further directed to a method for monitoring the regression or progression of ovarian cancer in a patient.

BRIEF DESCRIPTION OF THE DRAWINGS

[0020] FIG. 1 provides a schematic representation of an exemplary "two-step" screening test for identifying patients with an increased likelihood of having ovarian cancer. The 8 million female patients screened in this example represent the high-risk, asymptomatic U.S. patient population, as defined herein below. In the first assay step, a significant number of true negatives are eliminated from further testing, thereby leaving an enriched population for further analysis in the second assay step. The second assay step further rules out additional patients that are true negatives in order to identify

those women with the highest risk of having ovarian cancer. Additional details regarding the two-step screening method are provided in the text.

[0021] FIG. 2 provides the Receiver Operating Characteristic (ROC) plots for HE4 obtained with samples from patients over the age of 55 (A) and with all patient samples. Additional experimental details are provided in Example 2.

[0022] FIG. 3 provides the ROC plots for inhibin A (INH) obtained with samples from patients over the age of 55 (A) and with all patient samples. Additional experimental details are provided in Example 2.

[0023] FIG. 4 provides the ROC plot for prolactin obtained with all patient samples. Additional experimental details are provided in Example 2.

[0024] FIG. 5 provides the ROC plot for PLAU-R obtained with all patient samples. Additional experimental details are provided in Example 2.

[0025] FIG. 6 provides the ROC plots for glycodelin (GLY) obtained with samples from patients over the age of 55 (A) and with all patient samples. Additional experimental details are provided in Example 2.

[0026] FIG. 7 provides the ROC plot for SLPI obtained with all patient samples. Additional experimental details are provided in Example 2.

[0027] FIG. 8 provides the ROC plot for CTHRC1 obtained with all patient samples. Additional experimental details are provided in Example 2.

[0028] FIG. 9 provides the ROC plot for PAI-1 obtained with all patient samples. Additional experimental details are provided in Example 2.

[0029] FIG. 10 provides the ROC plot for KLK-10 obtained with all patient samples. Additional experimental details are provided in Example 2.

[0030] FIG. 11 provides the ROC plots for CA125 obtained with samples from patients over the age of 55 (A) and with all patient samples. Additional experimental details are provided in Example 2.

[0031] FIG. 12 provides the ROC plot for KLK-6 obtained with all patient samples. Additional experimental details are provided in Example 2.

[0032] FIG. 13 provides the ROC plot for Muc-1 (MU) obtained with all patient samples. Additional experimental details are provided in Example 2.

[0033] FIG. 14 provides the ROC plot for MMP-7 (MM) obtained with all patient samples. Additional experimental details are provided in Example 2.

DETAILED DESCRIPTION OF THE INVENTION

[0034] The present invention provides screening methods and compositions for identifying patients with ovarian cancer. The screening methods generally comprise detecting the expression of a plurality of biomarkers in a body sample, particularly a blood sample, more particularly a serum sample, from the patient. Overexpression of the biomarkers used in the practice of the invention is indicative of an increased likelihood of the presence of ovarian cancer. In particular screening methods of the invention, a two-step analysis is used to identify patients having an increased likelihood of having ovarian cancer. The first assay step is performed to detect the expression of a first biomarker or panel of biomarkers in a patient body sample. If the first biomarker or panel of biomarkers is determined to be overexpressed in the sample, a second assay step is performed to detect the expression of a second biomarker or panel of biomarkers. Overex-

pression of the first and second biomarkers or panels of biomarkers is indicative of an increased likelihood that the patient has ovarian cancer. In certain embodiments, antibodies are used to detect biomarker protein expression. In other aspects of the invention, when the expression of a panel of biomarkers is detected, overexpression of only a subset of the biomarkers analyzed may be sufficient to be indicative of an increased likelihood of the patient having ovarian cancer.

[0035] Although the invention is not limited to a particular mechanism, the first assay step is generally designed to enrich the true-positive patient population (i.e., on a percentage basis) by eliminating a large number of true negatives from further testing. The first assay step may employ a higher sensitivity and negative predictive value (NPV) in order to achieve the desired enrichment of the true-positive patient population. The second assay step is typically intended to rule out those patients in the enriched population that do not presently have ovarian cancer, that is, to eliminate additional true negatives from the enriched population. The second assay step may employ a higher specificity and positive predictive value (PPV), while maintaining a reasonable sensitivity, to further eliminate true negatives from the enriched population of true-positive patients. A schematic representation of the two-step screening test and the results that can be obtained with this method is provided in FIG. 1.

[0036] One of skill in the art will recognize that these assay steps may be performed as a single screening test encompassing both assay steps or as two distinct tests, wherein each test encompasses one of the assay steps. A single biomarker or panel of biomarkers may be used in each assay step to achieve the desired values for sensitivity, specificity, NPV, and PPV. Algorithms may be developed to select particular biomarkers or combinations of biomarkers to achieve the desired sensitivity, specificity, NPV, and PPV for each assay step and the combined screening test comprising both assay steps.

[0037] In addition to the two-step analysis described herein above, a screening method for identifying patients with an increased likelihood of having ovarian cancer comprises performing a “single-step” or “one-step” screening method or assay in which the expression of a plurality of biomarkers that are selectively overexpressed in ovarian cancer is assessed in a patient body sample. Overexpression of at least one biomarker(s) is indicative of an increased likelihood of the patient having ovarian cancer. In particular aspects of the invention, the single or one-step screening method comprises detecting expression of a plurality of biomarkers, including, for example, HE4, CA 125, glycodefin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin A, PLAU-R, prolactin, KLK-10, KLK-6, SLPI, and alpha-1 anti-trypsin, in a body sample, wherein overexpression of at least one, particularly two, more particularly three, of the biomarkers is indicative of an increased likelihood of having ovarian cancer. In particular embodiments of the single-step screening method of the invention, expression of glycodefin, HE4, and CA125 is assessed and overexpression of at least one, two, or three of the biomarkers is indicative of an increased likelihood of having ovarian cancer. See, for example, Table 54 and Experimental Example 4. One of skill in the art will appreciate that in contrast to the two-step screening method described above, the single-step screening assay does not require performing a first assay step to detect overexpression of a particular biomarker or panel of biomarkers followed by a second assay step to assess if a second biomarker or panel of biomarkers is also overexpressed in order to identify a patient with an increased

likelihood of having ovarian cancer. As such, a first assay step to enrich the population for “true-positive” patients and a second assay step to rule out those patients from the enriched population that do not actually have ovarian cancer (“false positives”) is not required in the single-step screening method described herein.

[0038] The level of expression of a particular biomarker that is sufficient to constitute “overexpression” will vary depending on the specific biomarker used. In particular embodiments of the invention, a “threshold level” of expression is established for a particular biomarker, wherein expression levels above this value are deemed overexpression. A variety of statistical and mathematical methods for establishing the threshold level of expression are known in the art. A threshold expression level for a particular biomarker may be selected, for example, based on data from Receiver Operating Characteristic (ROC) plots, as described in Examples 2 and 3, or on compilations of data from normal patient samples (i.e., a normal patient population). For example, the threshold expression level may be established at the mean expression level plus two times the standard deviation, based on analysis of samples from normal patients not afflicted with ovarian cancer. One of skill in the art will appreciate that these threshold expression levels can be varied, for example, by moving along the ROC plot for a particular biomarker, to obtain different values for sensitivity, specificity, positive predictive value (PPV), and negative predictive value (NPV), thereby affecting overall assay performance.

[0039] A patient that is identified as having an increased likelihood of having ovarian cancer in accordance with the disclosed methods may be subjected to further diagnostic testing to definitively determine if the patient has ovarian cancer. “Further diagnostic testing” includes but is not limited to pelvic examination, transvaginal ultrasound, CT scan, MRI, laparotomy, laparoscopy, and biopsy. Such diagnostic methods are well known in the art. Moreover, patients classified as having an increased likelihood of having ovarian cancer that are determined by further diagnostic testing not to currently have ovarian cancer may be closely monitored on a regular basis for the development of ovarian cancer. Monitoring of such patients may include but is not limited to periodic pelvic examination, transvaginal ultrasound, CT scan, and MRI. A physician of ordinary skill in the art will appreciate appropriate techniques for monitoring patients for the development of ovarian cancer. By identifying and monitoring patients having an increased likelihood of having ovarian cancer, the screening methods of the invention may permit the detection of ovarian cancer at an earlier stage of the disease, particularly Stage 1 or Stage 2, when prognosis and disease outcome are greatly improved.

[0040] In particular embodiments, antibodies are used to detect biomarker expression at the protein level. In other aspects of the invention, biomarker expression is detected at the nucleic acid level. Kits for practicing the screening methods of the invention, including the two-step screening method, are further provided.

[0041] By “ovarian cancer” is intended those conditions classified by post-exploratory laparotomy as premalignant pathology, malignant pathology, and cancer (FIGO Stages 1-4). Staging and classification of ovarian cancer are described in detail above. “Early-stage ovarian cancer” refers to those disease states classified as Stage 1 or Stage 2 carcinoma. Early detection of ovarian cancer significantly increases 5-year survival rates. The term “screening method”

refers to strategies to identify patients that have an increased likelihood of having ovarian cancer so that such patients can be selected for more aggressive diagnostic methods to definitively determine if the patients have ovarian cancer. The “screening methods” or “diagnostic screening methods” of the invention are generally not intended to definitively diagnose a patient as having or not having ovarian cancer. Rather, such methods are intended to identify women having an increased likelihood of having ovarian cancer so that these women may be definitively diagnosed using other methods (e.g., pelvic examination, transvaginal ultrasound, CT scan, MRI, laparotomy, laparoscopy, and biopsy of tissue samples). Regimens may also be instituted for monitoring patients identified as having an increased likelihood of having ovarian cancer by the present methods but that are determined not to currently have the disease.

[0042] The screening methods of the invention may be performed on a case-by-case basis or as a periodic routine screening test for the general female population. In some embodiments, the screening methods for identifying patients with an increased likelihood of having ovarian cancer may be viewed as comparable to Pap smears for the identification of patients having an increased likelihood of having cervical cancer. As used herein, “identifying patients with an increased likelihood of having ovarian cancer” is intended methods for detecting those females that are more likely to have ovarian cancer. An “increased likelihood of having ovarian cancer” is intended to mean that patients who are determined in accordance with the present methods to exhibit overexpression of particular biomarkers are more likely to have ovarian cancer than those patients who do not.

[0043] “Diagnosing ovarian cancer” is intended to include, for example, diagnosing or detecting the presence of ovarian cancer, monitoring the progression of the disease, and identifying or detecting cells or samples that are indicative of ovarian cancer. The terms diagnosing, detecting, and identifying ovarian cancer are used interchangeably herein. Definitive diagnosis of ovarian cancer will generally comprise performing a biopsy on a tissue sample from the patient.

[0044] The methods of the present invention permit superior assessment of the likelihood of having ovarian cancer when compared with proposed screening methods currently known in the art (e.g., measurement of CA125 levels). As used herein, “specificity” refers to the level at which a method of the invention can accurately identify samples that have been confirmed as nonmalignant by exploratory laparotomy (i.e., true negatives). That is, specificity is the proportion of disease negatives that are test-negative. In a clinical study, specificity is calculated by dividing the number of true negatives by the sum of true negatives and false positives. By “sensitivity” is intended the level at which a method of the invention can accurately identify samples that have been laparotomy-confirmed as positive for ovarian cancer (i.e., true positives). Thus, sensitivity is the proportion of disease positives that are test-positive. Sensitivity is calculated in a clinical study by dividing the number of true positives by the sum of true positives and false negatives. The sensitivity of the disclosed methods for the detection of ovarian cancer is at least about 70%, particularly at least about 80%, more particularly at least about 90, 91, 92, 93, 94, 95, 96, 97, 98, 99% or more. Furthermore, the specificity of the present methods is at least about 70%, particularly at least about 80%, most particularly at least about 90, 91, 92, 93, 94, 95, 96, 97, 98, 99% or more.

[0045] The term “positive predictive value” or “PPV” refers to the percentage of patients with a positive test result in the methods of the invention who actually have ovarian cancer. PPV is calculated in a clinical study by dividing the number of true positives by the sum of true positives and false positives. PPV is highly dependent upon the prevalence rates for a particular disease or condition and will shift dramatically as a result of differences in disease prevalence. Therefore, with low-prevalence diseases, such as ovarian cancer, screening tests with a relatively low PPV still have significant clinical utility. In contrast, a disease with high prevalence rates would require a higher PPV to be clinically useful. See, for example, Skates et al. (2004) *J. Clin. Oncol.* 22:4059-4066; Bast et al. (2005) *Int. J. Gynecol. Cancer* 15:274-281; Rosen et al. (2005) *Gyn. Oncol.* 99:267-277; and Pepe (2004) *The Statistical Evaluation of Medical Tests for Classification and Prediction* (Oxford University Press), all of which are herein incorporated by reference in their entirety. The PPV for the present methods of identifying patients with an increased likelihood of having ovarian cancer is generally at least about 7, 8, 9, 10, 15, 20, 25, 30% or more. In some embodiments, the PPV of a method of the invention is at least about 10%. A PPV of at least about 10% for a diagnostic screening method is considered in the art to be of clinical utility. See Skates et al., *supra*. The “negative predictive value” or “NPV” of a test is the percentage of patients with a negative test result who actually do not have ovarian cancer. NPV is calculated in a clinical study by dividing the number of true negatives by the sum of true negatives and false negatives. The NPV for the present methods of identifying patients with an increased likelihood of having ovarian cancer is generally at least about 80%, particularly at least about 90%, more particularly at least about 91, 92, 93, 94, 95, 96, 97, 98, 99, 99.1, 99.2, 99.3, 99.4, 99.5, 99.6, 99.7, 99.8, 99.9% or more. In some embodiments, the NPV of a method of the invention for is at least about 99%. One of skill in the art will appreciate that the PPV and NPV values for the methods of the invention are based on a prevalence-adjusted population and are reflective of the prevalence rates of ovarian cancer within the U.S. female population.

[0046] A “biomarker” is any gene or protein whose level of expression in a tissue or cell is altered compared to that of a normal or healthy cell or tissue. Biomarkers of the invention are selective for ovarian cancer. By “selectively overexpressed in ovarian cancer” is intended that the biomarker of interest is overexpressed in ovarian cancer but is not overexpressed in conditions classified as nonmalignant, benign, and other conditions that are not considered to be clinical disease. Thus, detection of the biomarkers of the invention permits the differentiation of samples indicative of an increased likelihood of having ovarian cancer or the presence of ovarian cancer from normal samples (i.e., samples from patients that are ovarian-cancer free) and samples that are indicative of nonmalignant and benign proliferation. Biomarkers of the invention may be referred to herein interchangeably as “ovarian cancer biomarkers,” “markers,” or “ovarian cancer markers.”

[0047] The biomarkers of the invention include genes and proteins. Such biomarkers include DNA comprising the entire or partial sequence of the nucleic acid sequence encoding the biomarker, or the complement of such a sequence. The biomarker nucleic acids also include RNA comprising the entire or partial sequence of any of the nucleic acid sequences of interest. A biomarker protein is a protein encoded by or

corresponding to a DNA biomarker of the invention. A biomarker protein comprises the entire or partial amino acid sequence of any of the biomarker proteins or polypeptides. Fragments and variants of biomarker genes and proteins are also encompassed by the present invention. By "fragment" is intended a portion of the polynucleotide or a portion of the amino acid sequence and hence protein encoded thereby. Polynucleotides that are fragments of a biomarker nucleotide sequence generally comprise at least 10, 15, 20, 50, 75, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 800, 900, 1,000, 1,100, 1,200, 1,300, or 1,400 contiguous nucleotides, or up to the number of nucleotides present in a full-length biomarker polynucleotide disclosed herein. A fragment of a biomarker polynucleotide will generally encode at least 15, 25, 30, 50, 100, 150, 200, or 250 contiguous amino acids, or up to the total number of amino acids present in a full-length biomarker protein of the invention. "Variant" is intended to mean substantially similar sequences. Generally, variants of a particular biomarker of the invention will have at least about 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to that biomarker as determined by sequence alignment programs.

[0048] The biomarkers of the invention include any gene or protein that is selectively overexpressed in ovarian cancer, as defined herein above, and may comprise known biomarkers as well as those presently unknown in the art. In particular embodiments, biomarkers are secreted proteins or proteins that are predicted to encode membranous proteins with transmembrane segments and extracellular domains. Biomarkers of interest include HE4, CA125, glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin, PLAU-R, prolactin, KLK-10, KLK-6, and SLPI, alpha-1 anti-trypsin (AAT), Imp-2, FLJ10546, FLJ23499, MGC13057, SPON1, S100A1, SLC39A4, TACSTD2, MBG2, HETKL27 (MAL2), Cox-1, protein kinase C- α , cadherin-6, ADPRT, matriptase, folate receptor, claudin 4, mesothelin, aquaporin 5, cofilin 1, gelsolin, clusterin, alpha tetranectin, vitronectin, pregnancy-associated plasma protein-A (PAPP-A), and folistatin. Biomarkers of particular interest include but are not limited to HE4, CA125, Glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin, PLAU-R, prolactin, KLK-10, KLK-6, SLPI, and alpha-1 anti-trypsin (AAT). Biomarkers of more particular interest include HE4, glycodelin, MMP-7, SLPI, PLAU-R, Muc-1, inhibin A, and PAI-1.

[0049] HE4 is a protein that was first observed in human epididymis tissue, and the name "HE4" is an abbreviation of "Human Epididymis Protein 4". Subsequent studies have shown that HE4 protein is also present in the female reproductive tract and other epithelial tissues. The HE4 gene resides on human chromosome 20q12-13.1, and the 20q12 chromosome region has been found to be frequently amplified in ovarian carcinomas. Studies have shown that HE4 is expressed by ovarian carcinoma cells. The protein is N-glycosylated and is secreted extracellularly. See, for example, Drapin et al. (2005) *Cancer Research* 65(6): 2162-9; Hellström et al. (2003) *Cancer Research* 63: 3695-3700; and Bingle et al. (2002) *Oncogene* 21: 2768-2773.

[0050] CA-125 is a high molecular weight, cell surface glycoprotein detected in the serum of a large proportion of patients with ovarian epithelial cancer (OEC). However, while the percentage is high (75-90%) in advanced stages of this disease, it is only elevated in 50% of the patients with

Stage 1 disease. Use of CA-125 as a marker for OEC is problematic because the molecule is also expressed in a number of normal and pathological conditions including menstruation, pregnancy, endometriosis, inflammatory diseases and other types of cancer. Improved sensitivity and specificity for OEC has been reported among post menopausal women. See, for example, Bast et al. (1998) *Int'l J Biological Markers* 13:170-187; and Moss et al. (2005) *J. Clin. Pathol.* 58:308-312.

[0051] Glycodelin is a member of the lipocalin superfamily with several distinctive actions in cell recognition and differentiation principally in the reproductive axis. Previously, this glycoprotein has been named progesterone-associated endometrial protein (PAEP) and placental protein 14 (PP-14). The name change was in part initiated because glycodelin is not synthesized by the endometrium or placenta. Glycodelin has been purified from amniotic fluid as 28 kDa molecule in SDS gels and reported to be synthesized by the normal ovary and by malignant ovarian tumors. Its presence has been reported in serum. See generally Seppala et al. (2002) *Endocrine Reviews* 23:401-430; Pala et al. (1997) *J. Chromatography B* 704:25-34; Meerit Kamarainen et al. (1996) *Amer. J Pathology* 148:1435-1443.

[0052] Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. The enzyme encoded by the MMP-7 (matrilysin) gene degrades proteoglycans, fibronectin, elastin and casein and differs from most MMP family members in that it lacks a conserved C-terminal protein domain. The enzyme is involved in wound healing, and studies in mice suggest that it regulates the activity of defensins in intestinal mucosa. The MMP-7 gene is part of a cluster of MMP genes which localize to chromosome 11q22.3. MMP-7 is expressed in epithelial cells of normal and diseased tissue. It is known to be expressed in tumors of the breast, colon, and prostate, among others. It is abundant in ovarian carcinoma cells, but not detectable by IHC in normal ovarian epithelial tissue.

[0053] Muc-1 (mucin1, EMA, PEM, episialin) is a large cell surface mucin glycoprotein expressed by most glandular and ductal epithelial cells and some hematopoietic cell lineages. Functionally, Muc-1 is believed to be involved with cell protection and lubrication, and may play a role in cell adhesion, and/or cell signaling. The Muc-1 gene contains seven exons and produces several different alternatively spliced variants. The major expressed form of Muc-1 uses all seven exons and is a type 1 transmembrane protein with a large extracellular tandem repeat domain. The tandem repeat domain is highly O-glycosylated and alterations in glycosylation have been shown in epithelial cancer cells. Muc-1 has been found to be elevated in many types of cancer, most notably with advanced breast cancer. Standing alone as a serum-based marker, it would have little specificity, but could be utilized as a prognostic aid, in conjunction with other, more specific markers.

[0054] PAI-1 (i.e., plasminogen activator inhibitor type 1) is a serine or cysteine proteinase inhibitor. The PAI-1 mRNA is 2876 bp in length, and the encoded protein is 402 amino acids long. The calculated molecular weight is 42,769 Da, whereas the affinity-purified protein is reported to be approxi-

mately 50,000 Da, as determined by SDS gel electrophoresis. PAI-1 plays a role in inhibiting extracellular matrix degradation by PLAU and is a putative unregulated c-Myc target gene. PAI-1 also plays a key role in controlling coagulation and tissue remodeling. PAI-1 limits the production of plasmin and serves to keep fibrinolysis in check. Some physiological functions involving the inhibition of plasmin by PAI-1 include ovulation, cell migration, and epithelial cell differentiation. High PAI-1 levels in cancer indicates poor prognosis for survival of many human cancers, including breast and lung cancers. Pappot et al. (Nov. 29, 2005) *Lung Cancer* [Epub ahead of print]; Chazaud et al. (2002) *American Journal of Pathology* 160:237-246.

[0055] Collagen triple helix repeat containing 1 (CTHRC1) was identified in a screen for differentially expressed sequences in balloon-injured versus normal arteries. In studies by Pyagay et al., CTHRC1 expression was not detectable in normal arteries. However, on injury it was transiently expressed by fibroblasts of the remodeling adventitia and by smooth muscle cells of the neointima. It was also found in the matrix of calcifying human atherosclerotic plaques. CTHRC1 is a secreted 28-kDa protein that is glycosylated and highly conserved from lower chordates to mammals. A short collagen motif with 12 Gly-X-Y repeats appears to be responsible for trimerization of the protein and this renders the molecule susceptible to cleavage by collagenase. Cthrc1 mRNA expression levels are increased in response to transforming growth factor-beta and bone morphogenetic protein-4. Cell migration assays performed with CTHRC1-overexpressing fibroblasts and smooth muscle cells demonstrate that increased CTHRC1 levels are associated with enhanced migratory ability. Furthermore, CTHRC1 overexpression caused a dramatic reduction in collagen type I mRNA and protein levels. The data of Pyagay et al. indicate that the novel molecule CTHRC1 is transiently expressed in the arterial wall in response to injury where it may contribute to vascular remodeling by limiting collagen matrix deposition and promoting cell migration. Pyagay et al. (2005) *Circ. Res.* 96(2): 261-8.

[0056] Inhibins are protein hormones that belong to the transforming growth factor β superfamily and are heterodimers consisting of α and β subunits joined by disulfide bonds. The 2 forms of inhibins (i.e., A and B) differ in the type of β subunit (i.e., βA or βB) linked to the α subunit. In women of reproductive age, inhibins are known to be secreted by granulosa cells of the ovary and circulate in blood. Inhibins vary in concentration through the menstrual cycle and during pregnancy, and impact pituitary FSH production, gametogenesis and gestational events. In post menopausal women inhibins fall to very low levels. Recent publications indicate that inhibins are diagnostic markers for ovarian cancer. See for example Robertson et al. (2002) *Mol. Cell Endocrinol.* 191:97-103; El-Shalakany et al. (2004) *J. Obstet. Gynaecol. Res.* 30: 155-161.

[0057] Plasminogen activator urokinase-receptor (PLAU-R or UPAR) is a cell surface glycoprotein with a molecular weight of approximately 60 kDa that is attached by its carboxy-terminal end to the cell membrane by GPI linkage. PLAU-R serves as a specific receptor for the serine protease urokinase plasminogen activator (uPA) that is involved in basement membrane/extracellular matrix remodeling in both normal and pathological processes. Soluble PLAU-R, released from the cell surface, has been reported to be at elevated concentrations in serum in several types of

human cancer including colorectal, breast and ovarian cancer. See for example Sier et al. (1998) *Cancer Res.* 58:1843-1849; and Begum et al. (2004) *Anticancer Research* 24:1981-1986.

[0058] Prolactin is a 198-amino acid, 23 kDa protein hormone secreted in significant quantities by the anterior pituitary gland. In concert with estrogen, prolactin plays an important role in the initiation of mammary gland growth and in lactation. In addition, prolactin is thought to have a significant role in cell growth and immune function. A recent report using a commercially available ELISA kit reported that prolactin levels in serum were significantly elevated in ovarian cancer. See generally Mor et al. (2005) *Proc. Natl Acad. Sci.* 102: 7677-7682.

[0059] Kallikreins are a subgroup of serine proteases having diverse physiological functions. They are clustered as a group on chromosome 19q13. Growing evidence suggests that many kallikreins are implicated in carcinogenesis and some have potential as novel cancer and other disease biomarkers.

[0060] KLK-6 is one of the fifteen kallikrein subfamily members located in a cluster on chromosome 19. The encoded enzyme is regulated by steroid hormones. In tissue culture, the enzyme has been found to generate amyloidogenic fragments from the amyloid precursor protein, suggesting a potential for involvement in Alzheimer's disease. KLK-6 has been verified as a secreted protein, and found to be elevated in ovarian cancer patients. Thus, it has been hypothesized to have value as a serological marker for this disease.

[0061] The human kallikrein 10 gene (KLK10, also known as normal epithelial cell specific 1 gene (NES-1)) is a member of the kallikrein gene family. The gene product is a secreted serine protease whose concentration in various biological fluids is known to be altered in some disease states. In particular, KLK10 is expressed in epithelial cells of the ovary and this expression has been reported to be elevated in serum of patients with ovarian cancer. Thus, KLK10 may serve as a serum biomarker for ovarian cancer. See for example Liu-Ying et al. (2003) *Cancer Res.* 63:807-811; Yousef and Diamandis (2003) *Thromb Haemost.* 90:7-16.

[0062] Secretory Leukocyte Protease Inhibitor (SLPI) is a protein that was first isolated in human parotid gland secretions. Subsequent studies have shown that the SLPI protein is also present in saliva and numerous mucosal surfaces such as those of the lung, nasal passages, cervix, and seminal vesicles.

[0063] SLPI is believed to act as a defense against chronic lung ailments because it is a potent inhibitor of neutrophil elastase, whose presence is heightened in chronic inflammatory lung diseases and which can destroy many of the components of lung tissue. SLPI also inhibits the release of histamine from mast cells, so it is also active in the allergic response. Protection of fetal membranes and cervical tissue is also thought to be a function of SLPI.

[0064] The gene which encodes the SLPI protein has been found to be up-regulated in ovarian cancer, and a significant difference has been found between the elevated levels of SLPI in the serum of patients with malignant ovarian cancer as opposed to the levels found in patients with benign ovarian cysts or normal patients. The SLPI protein has a mass of 12 kDa, is non-glycosylated, hydrophobic, and cationic. See generally Hollander et al. (2003) *Cancer Cell International* 3:14; Helmig et al. (1995) *Eur. J. Obstet. Gynecol. Reprod.*

Biol. 59(1):95-101; Hough et al. (2001) *Cancer Research* 61: 3869-3876; and Tsukishiro et al. (2005) *Gynecologic Oncology* 96: 516-519.

[0065] Alpha-1 anti-trypsin (AAT) is an acute phase protein synthesized by the liver and the principal serum inhibitor of proteolytic enzymes such as trypsin, chymotrypsin, plasmin and thrombin. In an inflammatory reaction the serum concentration of AAT may be elevated as much as 3-4 fold. The molecule exists as a number of genetic variants with a monomer molecular weight of 40-50 kDa. The mean normal serum concentration (mg/ml) has been reported to be 2.21 ± 0.35 and 2.14 ± 0.37 . Interest in AAT as an ovarian cancer biomarker resulted from an in-house 2D gel electrophoresis/mass spec. study that indicated that AAT was elevated in the serum of ovarian cancer patients. See for example Song et al. (1994) *J. Affect. Disorders* 30:283-288; Ledue et al. (1993) *Clin. Chim. Acta.* 223: 73-28.

[0066] Although the above biomarkers have been discussed in detail, any biomarker whose overexpression is selective for ovarian cancer can be used to practice the invention, including biomarkers known in the art and those not yet identified. Such biomarkers include genes and proteins that are, for example, involved in defects in DNA replication/cell cycle control, cell growth and proliferation, escape from apoptosis, angiogenesis or lymphogenesis, or the mechanisms of cancer cell motility and invasion.

[0067] Of particular interest are biomarkers that are selectively overexpressed in early-stage ovarian cancer. By "selectively overexpressed in early-stage ovarian cancer" is intended that the biomarker of interest is overexpressed in stage 1 or stage 2 ovarian cancer states but is not overexpressed in normal samples or in conditions classified as non-malignant, benign, and other conditions that are not considered to be clinical disease. One of skill in the art will appreciate that early-stage ovarian cancer biomarkers include those genes and proteins specific for ovarian cancer that are initially overexpressed in stage 1 or stage 2 and whose overexpression persists throughout the advanced stages of the disease, as well as biomarkers that are only overexpressed in stage 1 or stage 2 ovarian cancer. Detection of expression of biomarkers that are selectively overexpressed in early-stage ovarian cancer may permit the earlier detection and diagnosis of ovarian cancer and, accordingly, improve patient prognosis.

[0068] The methods of the invention comprise detecting the expression of a plurality of biomarkers. As used herein, a "plurality" of biomarkers refers to 2, 3, 4, 5, 6, 7, 8, 9, 10 or more biomarkers. In particular, when the two-step screening method of the invention is used to identify patients having an increased likelihood of having ovarian cancer, a plurality of biomarkers may refer to the detection of at least one biomarker during the first assay step and at least one additional biomarker during the second assay step. One of skill in the art will also recognize that a panel of biomarkers can be used to identify patients with an increased likelihood of having ovarian cancer in accordance with the present methods. A panel of biomarkers may comprise any number or combination of biomarkers of interest. In some embodiments, a panel comprising a plurality of biomarkers selected from the group consisting of HE4, CA125, Glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin, PLAU-R, prolactin, KLK-10, KLK-6, and SLPI, alpha-1 anti-trypsin (AAT). In other embodiments, a panel of biomarkers selected from the subset

of biomarkers comprising CA125, HE4, glycodelin, MMP-7, SLPI, PLAU-R, Muc-1, inhibin A, and PAI-1 is provided.

[0069] Any female patient or patient population may be assessed using the screening and diagnostic methods of the invention. For example, the methods disclosed herein may be performed on the general female patient population, as well as on the narrower population of post-menopausal women. The term "post-menopausal" is understood by those of skill in the art. In particular embodiments, post-menopausal generally refers to, for example, women over the age of 55. In particular embodiments, the screening methods are performed routinely (e.g., annually, every two years, etc.) on the general female population. Regular screening of patients may begin, for example, at the onset of menses, at age 30, or at the beginning of menopause. Screening of the high-risk patient population, as defined herein below, will typically be performed on a routine basis independent of patient age. Patients who are both asymptomatic and symptomatic (i.e., displaying characteristic symptoms of ovarian cancer, such as pelvic or abdominal pain or swelling) can be assessed for an increased likelihood of having ovarian using the screening and diagnostic methods of the invention. Women that are at a low-risk of developing ovarian and those that are considered high-risk based on clinical and family history risk factors may also be assessed using the present methods. Patients considered "high-risk" based on such clinical and family history risk factors include but are not limited to patients living with breast cancer, colon cancer, or breast/ovarian syndrome, women with a first-degree relative with ovarian cancer (e.g., mother, daughter, or sister), patients positive for at least one breast cancer gene (BRCA 1 or 2), and women suffering from HNPCC (i.e., Hereditary non-polyposis colorectal cancer).

[0070] In one aspect of the invention, the target population for the screening and diagnostic methods is the group of asymptomatic patients classified as high-risk on the basis of, for example, the above-referenced clinical and familial risk factors. This high-risk, asymptomatic population represents more than 8 million women in the U.S. It is recognized that the methods, compositions, and kits of the invention will be of particular utility to patients having an enhanced risk of developing ovarian cancers and to their physicians. Patients recognized in the art as having an increased risk of developing ovarian cancers include, for example, patients having a familial history of ovarian cancer and patients of advancing age (i.e., typically women over 55 years of age).

[0071] A number of clinical conditions or characteristics not directly related to ovarian cancer may exist in the patient populations tested in accordance with the methods of the invention, thereby interfering with the results of the screening and diagnostic methods disclosed herein. Such clinical conditions and characteristics are referred to herein as "interfering substances and pathologies" and include but are not limited to pregnancy (first trimester), breast cancer, chronic hepatitis, colon cancer, oral contraceptive therapy, coronary artery disease, deep vein thrombosis, diabetes, endometriosis, hormone replacement therapy, menstruation, multiple myeloma, ovarian cysts/polycystic disease, polymyalgia, polymyositis, rectal cancer, rheumatoid arthritis, systemic lupus erythematosus (SLE), and warfarin treatment. Additional exemplary interfering pathologies include uterine conditions (e.g., myomas, adenomyosis, and endometrial cancer), ovarian conditions (e.g., benign growths such as functional cysts, theca-lutein cysts, pregnancy luteoma, sclerocystic ovaries, serous cystadenoma, mucinous cystad-

enoma, cystic teratoma, fibroma, thecoma, and Brenner tumor; neoplasms; and malignant conditions such as cystadenocarcinoma and adenocarcinoma), fallopian tube conditions (e.g., tubo-ovarian abscess, hydrosalpinx, parovarian cyst, ectopic pregnancy, and cancer of the fallopian tubes), bowel conditions (e.g., distention with gas and/or feces, diverticulitis, ileitis, appendicitis, and colon cancer), and other miscellaneous conditions (e.g., distended bladder, pelvic kidney, urachal cyst, abdominal wall hematoma, abdominal wall abscess, and retroperitoneal neoplasms, such as lymphoma, sarcoma, and teratoma). In particular embodiments, the biomarkers, threshold expression levels, and mathematical models used in the screening and diagnostic methods described herein will be selected so as to minimize the effects of interfering substances and pathologies on the performance (i.e., the specificity, sensitivity, PPV, and NPV) of the claimed methods.

[0072] By “body sample” is intended any sampling of cells, tissues, or bodily fluids from a patient in which expression of a biomarker can be detected. Examples of such body samples include but are not limited to blood (e.g., whole blood, blood serum, blood having platelets removed, etc.), lymph, ascitic fluids, urine, gynecological fluids (e.g., ovarian, fallopian, and uterine secretion, menses, etc.), biopsies, and fluids obtained during laparoscopy. Body samples may be obtained from a patient by a variety of techniques including, for example, by venipuncture, by scraping or swabbing an area, or by using a needle to aspirate bodily fluids or tissues. Methods for collecting various body samples are well known in the art. In particular embodiments, the body sample comprises blood or serum. The present inventors have recognized that the methods for the collection and storage of blood samples, more particularly serum samples, affect the performance of the methods disclosed herein. Several studies indicate that body sample, particularly serum sample, collection and storage methods are critical to achieve acceptable assay performance. See, for example, Diamandis (2004) *J. Natl. Cancer Institute* 95:353-356 and Thavasu et al. (1992) *J. Immunol. Meth.* 153:115-124, which is herein incorporated reference in its entirety. An exemplary method for serum collection and storage is provided in Example 1.

[0073] Any methods available in the art for the detection biomarker expression can be used to practice the invention. The expression of a biomarker of the invention can be detected on a nucleic acid level or a protein level. In order to determine overexpression, the body sample to be examined may be compared with a corresponding body sample that originates from a healthy person. That is, the “normal” level of expression is the level of expression of the biomarker in a body sample from a patient that is not afflicted with ovarian cancer. Such a sample can be present in standardized form. In some embodiments, determination of biomarker overexpression requires no comparison between the body sample and a corresponding body sample that originates from a normal person.

[0074] Any biomarker or combination of biomarkers of the invention, as well as any known ovarian cancer biomarkers, may be used in the methods, compositions, and kits of the present invention. In general, it is preferable to use biomarkers for which the difference between the level of expression of the biomarker in a body sample from a patient afflicted with ovarian cancer and the level of expression of the same biomarker in a “normal” body sample (i.e., from an ovarian cancer free patient) is as great as possible. Although this difference

can be as small as the limit of detection of the method for assessing expression of the biomarker, it is preferred that the difference be at least greater than the standard error of the assessment method, and optimally a difference of at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25-fold or greater than the level of expression of the same biomarker in a normal body sample. The “normal” level of expression of a biomarker of the invention may be determined by assessing expression of the biomarker in a body sample obtained from a non-ovarian cancer afflicted patient. Alternatively, and particularly as further information becomes available as a result of the routine performance of the methods described herein, average values for biomarker expression levels may be used.

[0075] As described above, in some aspects of the invention, a threshold level of expression of a particular biomarker, above which the biomarker is considered to be overexpressed in a patient sample, may be established. Methods for selecting the threshold value include but are not limited to analysis of the ROC plot for the biomarker or analysis of the biomarker expression level for a normal patient population. Exemplary threshold or “cutoff” values include (1) the mean expression level plus two times the standard deviation, as determined from a population of normal patient samples and (2) expression levels selected from the ROC curve that represent the highest value of sensitivity plus specificity. The threshold level of expression for a particular biomarker may be determined relative to the expression level in a normal patient population. Persons of skill in the art will appreciate that other methods for selecting appropriate threshold expression values can be used to practice the invention.

[0076] Methods for detecting biomarkers of the invention comprise any methods that determine the quantity or the presence of the biomarkers either at the nucleic acid or protein level. Such methods are well known in the art and include but are not limited to western blots, northern blots, southern blots, ELISA, immunoprecipitation, immunofluorescence, flow cytometry, immunocytochemistry, multiplex bead-based immunoassays, nucleic acid hybridization techniques, nucleic acid reverse transcription methods, and nucleic acid amplification methods. In particular embodiments, overexpression of a biomarker is detected on a protein level using, for example, antibodies that are directed against specific biomarker proteins. These antibodies can be used in various methods such as Western blot, ELISA, multiplex bead-based immunoassay, immunoprecipitation, or immunocytochemistry techniques. The multiplex bead-based assays used to practice the present invention include but are not limited to the Luminex technology described in U.S. Pat. Nos. 6,599,331, 6,592,822, and 6,268,222, all of which are herein incorporated by reference in their entirety. In particular embodiments, the Luminex LabMAP® system is utilized, as described in International Publication No. WO 2005/016126, which is herein incorporated by reference in its entirety.

[0077] In some embodiments of the invention, antibodies specific for biomarker proteins are utilized to detect the expression of a plurality of biomarker proteins in a body sample in order to identify patients with an increased likelihood of having ovarian cancer. The method comprises obtaining a body sample from a patient, particularly a serum sample, contacting the body sample with antibodies directed to a plurality of biomarkers that are selectively overexpressed in ovarian cancer, and detecting antibody binding to determine if the biomarkers are overexpressed in the patient sample. In the screening methods of the invention, overexpression of the

biomarkers is indicative of an increased likelihood of having ovarian cancer. Patients classified by the present screening methods as having an increased likelihood of having ovarian cancer are subjected to further diagnostic testing to detect the presence of ovarian cancer. Female patients identified by the present screening methods for ovarian cancer that are determined to not be currently suffering from ovarian cancer are regularly monitored in order to potentially detect ovarian cancer at an earlier stage.

[0078] As described above, in particular aspects of the invention, the screening methods for identifying patients with an increased likelihood of having ovarian cancer may comprise a two-step analysis. That is, the method comprises performing a first assay step comprising detecting the expression of a first biomarker or a first panel of biomarkers in a body sample and determining if the first biomarker or panel of biomarkers is overexpressed. If a positive result is obtained in the first assay step (i.e., the first biomarker or panel of biomarkers is overexpressed in the body sample), the method further comprises performing a second assay step comprising detecting the expression of a second biomarker or a second panel of biomarkers and determining if the second biomarker or panel of biomarkers is overexpressed. Overexpression of both the first and second biomarkers or panels of biomarkers (i.e., a positive result in both assay steps) is indicative of an increased likelihood of having ovarian cancer. In particular embodiments, detection of expression of the biomarkers in the first and second assay steps is performed at the protein level and comprises contacting the body sample, more particularly a serum sample, with antibodies specific for the particular biomarkers of interest and detecting antibody binding. In certain methods, biomarker protein expression is detected using an ELISA or multiplex bead-based immunoassay format.

[0079] In the “two-step” screening methods of the invention, the biomarker or panel of biomarkers used in the first step may be employed to maximize sensitivity and NPV. That is, the first screening step may be designed to maximize the number of true negatives classified as negative by the methods of the invention, thereby eliminating a significant percentage of true negatives from further analysis. Therefore, the patient population classified as positive by the first assay step will be enriched in true positive patients. The second screening step in the two-step methods may be designed to maximize PPV and specificity, while maintaining a reasonable sensitivity, in order to identify women with the highest likelihood of having ovarian cancer. Specificity, sensitivity, PPV, and NPV values may be determined for each individual assay step in the method, as described above. When a two-step screening method is used, combined sensitivity, specificity, PPV, and NPV values may be determined for the method as a whole. In particular embodiments, the two-step method for identifying patients having an increased likelihood of having ovarian cancer will have a combined sensitivity of at least 90%, a combined specificity of at least 98%, a combined PPV of at least 10%, and a combined NPV of at least 99.9%. One of skill in the art will further appreciate that while two-step screening methods have been described in detail, similar screening methods comprising 3, 4, 5, or more assay steps are also encompassed by the present invention. Such follow-on assay steps may rule out other diseases, such as cardiovascular conditions, from the presence of ovarian cancer.

[0080] In some embodiments of the invention, algorithms or mathematical models may be applied to develop “test

rules” for determining when a patient sample is “positive” (i.e., indicative of an increased likelihood of having ovarian cancer). For example, when expression of HE4, CA125, PLAU-R, glycodein, Muc-1, and PAI-1 is detected, the screening test is considered positive if (1) any three of HE4, CA 125, glycodein, PAI-1, and PLAU-R are positive (i.e., overexpressed) or if (2) HE4 and CA125 are both overexpressed; otherwise, the test is considered negative. In a further example, the test is considered positive if (1) any three of HE4, CA125, glycodein, MMP-7, and PLAU-R are positive (i.e., overexpressed) or if (2) HE4 is overexpressed and also any one of CA125, glycodein, MMP-7, or PLAU-R is positive; otherwise, the test is deemed negative. One of skill in the art will appreciate that a variety of such test rules can be developed and applied in the present methods for identifying patients with an increased likelihood of having ovarian cancer such as logistical regression. Other mathematical models that can be applied are described in Zhou et al. (2002) *Statistical Methods in Diagnostic Medicine* (Wiley, New York), which is herein incorporated by reference in its entirety.

[0081] In other aspects of the invention, methods for diagnosing ovarian cancer in a patient comprise obtaining a body sample from a patient, contacting the body sample with antibodies directed to a plurality of biomarkers that are selectively overexpressed in ovarian cancer, and detecting antibody binding to determine if the biomarkers are overexpressed in the patient sample. In the diagnostic methods of the invention, overexpression of the biomarkers is indicative of the presence of ovarian cancer.

[0082] In still other embodiments of the invention, methods for assessing the efficacy of a therapy for treating ovarian cancer in a patient are provided. Such methods typically comprise comparing the level of expression of a plurality of biomarkers of the invention in a first patient body sample procured prior to the initiation of therapy with that from a second sample obtained following administration of at least a portion of the therapy. A significantly lower level of expression of the biomarkers in the second patient sample relative to that of the first sample obtained prior to the initiation of the therapy is a positive indication of the efficacy of the therapy for treating ovarian cancer in the patient, whereas a significantly higher level of expression of the biomarkers in the second sample is a negative indication of the efficacy of the therapy. As used herein, a “positive indication of the efficacy of the therapy” means that the therapy is producing beneficial results in the treatment of ovarian cancer (e.g., tumor regression, etc.). A “negative indication of the efficacy of the therapy” is intended to mean that the therapy is not having beneficial effects with respect to treatment of ovarian cancer. A negative indication of the efficacy of the particular treatment may be related to, for example, the dosage. At higher dosages, the therapy may be efficacious.

[0083] One of skill in the art will recognize that in these methods the term “therapy” includes any therapy for treating ovarian cancer, including but not limited to chemotherapy, radiation therapy, surgical removal of tumor tissue, gene therapy, and biologic therapy. The methods of the invention may be used to evaluate a patient before, during, and after therapy to evaluate, for example, a reduction in tumor burden.

[0084] The invention additionally provides a monitoring method for assessing the regression or progression of ovarian cancer in a patient comprising detecting in a first patient sample at a first time point the level of expression of a plurality of biomarkers of the invention, repeating this analysis

with a second patient sample obtained at a later time point, and comparing the level of expression of the biomarkers at the two time points. A significantly higher level of expression of the biomarkers in the patient body sample at the later time point indicates that the ovarian cancer has progressed, whereas a significantly lower level of expression is an indication that the ovarian cancer has regressed. As used herein, "regression of ovarian cancer" is intended to mean that the condition of the patient with respect to ovarian cancer has improved, as characterized by, for example, decreased tumor size. "Progression of ovarian cancer" means that the condition of the patient with respect to ovarian cancer has worsened, as characterized by, for example, increased tumor size, metastasis, etc. The meanings of the terms "regression" and "progression" with respect to disease states will be understood by those of skill in the art.

[0085] In certain aspects of the invention, biomarker expression is detected at the protein level using antibodies. The terms "antibody" and "antibodies" broadly encompass naturally occurring forms of antibodies and recombinant antibodies such as single-chain antibodies, chimeric and humanized antibodies and multi-specific antibodies as well as fragments and derivatives of all of the foregoing, which fragments and derivatives have at least an antigenic binding site. Antibody derivatives may comprise a protein or chemical moiety conjugated to the antibody.

[0086] "Antibodies" and "immunoglobulins" (Igs) are glycoproteins having the same structural characteristics. While antibodies exhibit binding specificity to an antigen, immunoglobulins include both antibodies and other antibody-like molecules that lack antigen specificity. Polypeptides of the latter kind are, for example, produced at low levels by the lymph system and at increased levels by myelomas.

[0087] The term "antibody" is used in the broadest sense and covers fully assembled antibodies, antibody fragments that can bind antigen (e.g., Fab', F(ab')₂, Fv, single chain antibodies, diabodies), and recombinant peptides comprising the foregoing.

[0088] The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially homogeneous antibodies, i.e., the individual antibodies comprising the population are identical except for possible naturally-occurring mutations that may be present in minor amounts.

[0089] "Antibody fragments" comprise a portion of an intact antibody, preferably the antigen-binding or variable region of the intact antibody. Examples of antibody fragments include Fab, Fab', F(ab')₂, and Fv fragments; diabodies; linear antibodies (Zapata et al. (1995) *Protein Eng.* 8(10):1057-1062); single-chain antibody molecules; and multispecific antibodies formed from antibody fragments. Papain digestion of antibodies produces two identical antigen-binding fragments, called "Fab" fragments, each with a single antigen-binding site, and a residual "Fc" fragment, whose name reflects its ability to crystallize readily. Pepsin treatment yields an F(ab')₂ fragment that has two antigen-combining sites and is still capable of cross-linking antigen.

[0090] "Fv" is the minimum antibody fragment that contains a complete antigen recognition and binding site. In a two-chain Fv species, this region consists of a dimer of one heavy- and one light-chain variable domain in tight, non-covalent association. In a single-chain Fv species, one heavy- and one light-chain variable domain can be covalently linked by flexible peptide linker such that the light and heavy chains

can associate in a "dimeric" structure analogous to that in a two-chain Fv species. It is in this configuration that the three CDRs of each variable domain interact to define an antigen-binding site on the surface of the V_H-V_L dimer. Collectively, the six CDRs confer antigen-binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three CDRs specific for an antigen) has the ability to recognize and bind antigen, although at a lower affinity than the entire binding site.

[0091] The Fab fragment also contains the constant domain of the light chain and the first constant domain (CH1) of the heavy chain. Fab fragments differ from Fab' fragments by the addition of a few residues at the carboxy terminus of the heavy-chain C_H1 domain including one or more cysteines from the antibody hinge region. Fab'-SH is the designation herein for Fab' in which the cysteine residue(s) of the constant domains bear a free thiol group. F(ab')₂ antibody fragments originally were produced as pairs of Fab' fragments that have hinge cysteines between them.

[0092] Polyclonal antibodies can be prepared by immunizing a suitable subject (e.g., rabbit, goat, mouse, or other mammal) with a biomarker protein immunogen. The antibody titer in the immunized subject can be monitored over time by standard techniques, such as with an enzyme linked immunosorbent assay (ELISA) using immobilized biomarker protein. At an appropriate time after immunization, e.g., when the antibody titers are highest, antibody-producing cells can be obtained from the subject and used to prepare monoclonal antibodies by standard techniques, such as the hybridoma technique originally described by Kohler and Milstein (1975) *Nature* 256:495-497, the human B cell hybridoma technique (Kozbor et al. (1983) *Immunol. Today* 4:72), the EBV-hybridoma technique (Cole et al. (1985) in *Monoclonal Antibodies and Cancer Therapy*, ed. Reisfeld and Sell (Alan R. Liss, Inc., New York, N.Y.), pp. 77-96) or trioma techniques. The technology for producing hybridomas is well known (see generally Coligan et al., eds. (1994) *Current Protocols in Immunology* (John Wiley & Sons, Inc., New York, N.Y.); Galfre et al. (1977) *Nature* 266:550-552; Kenneth (1980) in *Monoclonal Antibodies: A New Dimension In Biological Analyses* (Plenum Publishing Corp., NY); and Lerner (1981) *Yale J. Biol. Med.*, 54:387-402).

[0093] Alternative to preparing monoclonal antibody-secreting hybridomas, a monoclonal antibody can be identified and isolated by screening a recombinant combinatorial immunoglobulin library (e.g., an antibody phage display library) with a biomarker protein to thereby isolate immunoglobulin library members that bind the biomarker protein. Kits for generating and screening phage display libraries are commercially available (e.g., the Pharmacia *Recombinant Phage Antibody System*, Catalog No. 27-9400-01; and the *Stratagene SurfZAP 0 Phage Display Kit*, Catalog No. 240612). Additionally, examples of methods and reagents particularly amenable for use in generating and screening antibody display library can be found in, for example, U.S. Pat. No. 5,223,409; PCT Publication Nos. WO 92/18619; WO 91/17271; WO 92/20791; WO 92/15679; 93/01288; WO 92/01047; 92/09690; and 90/02809; Fuchs et al. (1991) *Bio/Technology* 9:1370-1372; Hay et al. (1992) *Hum. Antibod Hybridomas* 3:81-85; Huse et al. (1989) *Science* 246:1275-1281; Griffiths et al. (1993) *EMBO J.* 12:725-734.

[0094] The compositions of the invention further comprise monoclonal antibodies and variants and fragments thereof that specifically bind to biomarker proteins of interest. The

monoclonal antibodies may be labeled with a detectable substance as described below to facilitate biomarker protein detection in the sample. Such antibodies find use in practicing the methods of the invention. Monoclonal antibodies having the binding characteristics of the antibodies disclosed herein are also encompassed by the present invention. Compositions further comprise antigen-binding variants and fragments of the monoclonal antibodies, hybridoma cell lines producing these antibodies, and isolated nucleic acid molecules encoding the amino acid sequences of these monoclonal antibodies.

[0095] Antibodies having the binding characteristics of a monoclonal antibody of the invention are also provided. "Binding characteristics" or "binding specificity" when used in reference to an antibody means that the antibody recognizes the same or similar antigenic epitope as a comparison antibody. Examples of such antibodies include, for example, an antibody that competes with a monoclonal antibody of the invention in a competitive binding assay. One of skill in the art could determine whether an antibody competitively interferes with another antibody using standard methods.

[0096] By "epitope" is intended the part of an antigenic molecule to which an antibody is produced and to which the antibody will bind. Epitopes can comprise linear amino acid residues (i.e., residues within the epitope are arranged sequentially one after another in a linear fashion), nonlinear amino acid residues (referred to herein as "nonlinear epitopes"; these epitopes are not arranged sequentially), or both linear and nonlinear amino acid residues. Typically epitopes are short amino acid sequences, e.g. about five amino acids in length. Systematic techniques for identifying epitopes are known in the art and are described, for example, in U.S. Pat. No. 4,708,871. Briefly, a set of overlapping oligopeptides derived from the antigen may be synthesized and bound to a solid phase array of pins, with a unique oligopeptide on each pin. The array of pins may comprise a 96-well microtiter plate, permitting one to assay all 96 oligopeptides simultaneously, e.g., for binding to a biomarker-specific monoclonal antibody. Alternatively, phage display peptide library kits (New England BioLabs) are currently commercially available for epitope mapping. Using these methods, the binding affinity for every possible subset of consecutive amino acids may be determined in order to identify the epitope that a given antibody binds. Epitopes may also be identified by inference when epitope length peptide sequences are used to immunize animals from which antibodies are obtained. Epitopes may also be defined by carbohydrate side chains present as either N-linked or O-linked oligosaccharides present on glycoproteins.

[0097] Antigen-binding fragments and variants of the monoclonal antibodies disclosed herein are further provided. Such variants will retain the desired binding properties of the parent antibody. Methods for making antibody fragments and variants are generally available in the art. For example, amino acid sequence variants of a monoclonal antibody described herein, can be prepared by mutations in the cloned DNA sequence encoding the antibody of interest. Methods for mutagenesis and nucleotide sequence alterations are well known in the art. See, for example, Walker and Gaastra, eds. (1983) *Techniques in Molecular Biology* (MacMillan Publishing Company, New York); Kunkel (1985) *Proc. Natl. Acad. Sci. USA* 82:488-492; Kunkel et al. (1987) *Methods Enzymol.* 154:367-382; Sambrook et al. (1989) *Molecular Cloning: A Laboratory Manual* (Cold Spring Harbor, N.Y.); U.S. Pat. No. 4,873,192; and the references cited therein;

herein incorporated by reference. Guidance as to appropriate amino acid substitutions that do not affect biological activity of the polypeptide of interest may be found in the model of Dayhoff et al. (1978) in *Atlas of Protein Sequence and Structure* (Natl. Biomed. Res. Found., Washington, D.C.), herein incorporated by reference. Conservative substitutions, such as exchanging one amino acid with another having similar properties, may be preferred. Examples of conservative substitutions include, but are not limited to, Gly<Ala, Val/Ile/Leu, Asp>Glu, Lys/Arg, Asn<Gln, and Phe<Trp<=>Tyr.

[0098] In constructing variants of the antibody polypeptide of interest, modifications are made such that variants continue to possess the desired activity, i.e., similar binding affinity to the biomarker. Obviously, any mutations made in the DNA encoding the variant polypeptide must not place the sequence out of reading frame and preferably will not create complementary regions that could produce secondary mRNA structure. See EP Patent Application Publication No. 75,444.

[0099] Preferably, variants of a reference biomarker antibody have amino acid sequences that have at least 70% or 75% sequence identity, preferably at least 80% or 85% sequence identity, more preferably at least 90%, 91%, 92%, 93%, 94% or 95% sequence identity to the amino acid sequence for the reference antibody molecule, or to a shorter portion of the reference antibody molecule. More preferably, the molecules share at least 96%, 97%, 98% or 99% sequence identity. For purposes of the present invention, percent sequence identity is determined using the Smith-Waterman homology search algorithm using an affine gap search with a gap open penalty of 12 and a gap extension penalty of 2, BLOSUM matrix of 62. The Smith-Waterman homology search algorithm is taught in Smith and Waterman (1981) *Adv. Appl. Math.* 2:482-489. A variant may, for example, differ from the reference antibody by as few as 1 to 15 amino acid residues, as few as 1 to 10 amino acid residues, such as 6-10, as few as 5, as few as 4, 3, 2, or even 1 amino acid residue.

[0100] With respect to optimal alignment of two amino acid sequences, the contiguous segment of the variant amino acid sequence may have additional amino acid residues or deleted amino acid residues with respect to the reference amino acid sequence. The contiguous segment used for comparison to the reference amino acid sequence will include at least 20 contiguous amino acid residues, and may be 30, 40, 50, or more amino acid residues. Corrections for sequence identity associated with conservative residue substitutions or gaps can be made (see Smith-Waterman homology search algorithm).

[0101] One of skill in the art will recognize that optimization of reagents and conditions, for example, antibody titer and parameters for detection of antigen-antibody binding, is needed to maximize the signal to noise ratio for a particular antibody. Antibody concentrations that maximize specific binding to the biomarkers of the invention and minimize non-specific binding (or "background") will be determined. In particular embodiments, appropriate antibody titers are determined by initially testing various antibody dilutions on patient serum samples. The design of assays to optimize antibody titer and detection conditions is standard and well within the routine capabilities of those of ordinary skill in the art. Some antibodies require additional optimization to reduce background and/or to increase specificity and sensitivity.

[0102] Furthermore, one of skill in the art will recognize that the concentration of a particular antibody used to practice

the methods of the invention will vary depending on such factors as time for binding, level of specificity of the antibody for the biomarker protein, and method of body sample preparation. Moreover, when multiple antibodies are used in a single sample, the required concentration may be affected by the order in which the antibodies are applied to the sample, i.e., simultaneously as a cocktail or sequentially as individual antibody reagents. Furthermore, the detection chemistry used to visualize antibody binding to a biomarker of interest must also be optimized to produce the desired signal to noise ratio.

[0103] Detection of antibody binding can be facilitated by coupling the antibody to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, and radioactive materials. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, β -galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin; and examples of suitable radioactive material include ^{125}I , ^{131}I , ^{35}S , or ^3H .

[0104] The antibodies used to practice the invention are selected to have high specificity for the biomarker proteins of interest. Methods for making antibodies and for selecting appropriate antibodies are known in the art. See, for example, Celis, ed. (in press) *Cell Biology & Laboratory Handbook*, 3rd edition (Academic Press, New York), which is herein incorporated in its entirety by reference. In some embodiments, commercial antibodies directed to specific biomarker proteins may be used to practice the invention. The antibodies of the invention may be selected on the basis of desirable staining of cytological, rather than histological, samples. That is, in particular embodiments the antibodies are selected with the end sample type (i.e., serum samples) in mind and for binding specificity.

[0105] In other embodiments, the expression of a biomarker of interest is detected at the nucleic acid level. Nucleic acid-based techniques for assessing expression are well known in the art and include, for example, determining the level of biomarker mRNA in a body sample. Many expression detection methods use isolated RNA. Any RNA isolation technique that does not select against the isolation of mRNA can be utilized for the purification of RNA from serum samples (see, e.g., Ausubel et al., ed., (1987-1999) *Current Protocols in Molecular Biology* (John Wiley & Sons, New York). Additionally, large numbers of blood, serum, or tissue samples can readily be processed using techniques well known to those of skill in the art, such as, for example, the single-step RNA isolation process of Chomczynski (1989, U.S. Pat. No. 4,843,155).

[0106] The term "probe" refers to any molecule that is capable of selectively binding to a specifically intended target biomolecule, for example, a nucleotide transcript or a protein encoded by or corresponding to a biomarker. Probes can be synthesized by one of skill in the art, or derived from appropriate biological preparations. Probes may be specifically designed to be labeled. Examples of molecules that can be utilized as probes include, but are not limited to, RNA, DNA, proteins, antibodies, and organic molecules.

[0107] Isolated mRNA can be used in hybridization or amplification assays that include, but are not limited to, Southern or Northern analyses, polymerase chain reaction analyses and probe arrays. One method for the detection of mRNA levels involves contacting the isolated mRNA with a nucleic acid molecule (probe) that can hybridize to the mRNA encoded by the gene being detected. The nucleic acid probe can be, for example, a full-length cDNA, or a portion thereof, such as an oligonucleotide of at least 7, 15, 30, 50, 100, 250 or 500 nucleotides in length and sufficient to specifically hybridize under stringent conditions to an mRNA or genomic DNA encoding a biomarker of the present invention. Hybridization of an mRNA with the probe indicates that the biomarker in question is being expressed.

[0108] In one embodiment, the mRNA is immobilized on a solid surface and contacted with a probe, for example by running the isolated mRNA on an agarose gel and transferring the mRNA from the gel to a membrane, such as nitrocellulose. In an alternative embodiment, the probe(s) are immobilized on a solid surface and the mRNA is contacted with the probe(s), for example, in an Affymetrix gene chip array. A skilled artisan can readily adapt known mRNA detection methods for use in detecting the level of mRNA encoded by the biomarkers of the present invention.

[0109] An alternative method for determining the level of biomarker mRNA in a sample involves the process of nucleic acid amplification, e.g., by RT-PCR (the experimental embodiment set forth in Mullis, 1987, U.S. Pat. No. 4,683, 202), ligase chain reaction (Barany (1991) *Proc. Natl. Acad. Sci. USA* 88:189-193), self sustained sequence replication (Guatelli et al. (1990) *Proc. Natl. Acad. Sci. USA* 87:1874-1878), transcriptional amplification system (Kwoh et al. (1989) *Proc. Natl. Acad. Sci. USA* 86:1173-1177), Q-Beta Replicase (Lizardi et al. (1988) *Bio/Technology* 6:1197), rolling circle replication (Lizardi et al., U.S. Pat. No. 5,854,033) or any other nucleic acid amplification method, followed by the detection of the amplified molecules using techniques well known to those of skill in the art. These detection schemes are especially useful for the detection of nucleic acid molecules if such molecules are present in very low numbers. In particular aspects of the invention, biomarker expression is assessed by quantitative fluorogenic RT-PCR (i.e., the TaqMan® System). Such methods typically utilize pairs of oligonucleotide primers that are specific for the biomarker of interest. Methods for designing oligonucleotide primers specific for a known sequence are well known in the art.

[0110] Biomarker expression levels of RNA may be monitored using a membrane blot (such as used in hybridization analysis such as Northern, Southern, dot, and the like), or microwells, sample tubes, gels, beads or fibers (or any solid support comprising bound nucleic acids). See U.S. Pat. Nos. 5,770,722, 5,874,219, 5,744,305, 5,677,195 and 5,445,934, which are incorporated herein by reference. The detection of biomarker expression may also comprise using nucleic acid probes in solution.

[0111] In one embodiment of the invention, microarrays are used to detect biomarker expression. Microarrays are particularly well suited for this purpose because of the reproducibility between different experiments. DNA microarrays provide one method for the simultaneous measurement of the expression levels of large numbers of genes. Each array consists of a reproducible pattern of capture probes attached to a solid support. Labeled RNA or DNA is hybridized to complementary probes on the array and then detected by laser scan-

ning. Hybridization intensities for each probe on the array are determined and converted to a quantitative value representing relative gene expression levels. See, U.S. Pat. Nos. 6,040,138, 5,800,992 and 6,020,135, 6,033,860, and 6,344,316, which are incorporated herein by reference. High-density oligonucleotide arrays are particularly useful for determining the gene expression profile for a large number of RNA's in a sample.

[0112] Techniques for the synthesis of these arrays using mechanical synthesis methods are described in, e.g., U.S. Pat. No. 5,384,261, incorporated herein by reference in its entirety for all purposes. Although a planar array surface is preferred, the array may be fabricated on a surface of virtually any shape or even a multiplicity of surfaces. Arrays may be peptides or nucleic acids on beads, gels, polymeric surfaces, fibers such as fiber optics, glass or any other appropriate substrate, see U.S. Pat. Nos. 5,770,358, 5,789,162, 5,708,153, 6,040,193 and 5,800,992, each of which is hereby incorporated in its entirety for all purposes. Arrays may be packaged in such a manner as to allow for diagnostics or other manipulation of an all-inclusive device. See, for example, U.S. Pat. Nos. 5,856,174 and 5,922,591 herein incorporated by reference.

[0113] In one approach, total mRNA isolated from the sample is converted to labeled cRNA and then hybridized to an oligonucleotide array. Each sample is hybridized to a separate array. Relative transcript levels may be calculated by reference to appropriate controls present on the array and in the sample.

[0114] Kits for practicing the screening and diagnostic methods of the invention are further provided. By "kit" is intended any manufacture (e.g., a package or a container) comprising at least one reagent, e.g., an antibody, a nucleic acid probe, etc. for specifically detecting the expression of a biomarker of the invention. The kit may be promoted, distributed, or sold as a unit for performing the methods of the present invention. Additionally, the kits may contain a package insert describing the kit and methods for its use.

[0115] In particular embodiments, kits for use in screening methods for identifying patients with an increased likelihood of having ovarian cancer comprise a plurality of antibodies directed to biomarker proteins of interest, particularly wherein the biomarkers are selected from the group consisting of HE4, CA 125, glycodelin, MMP-7, Muc-1, PAI-1, CTHRC 1, inhibin A, PLAU-R, prolactin, KLK-10, KLK-6, SLPI, and alpha-1 anti-trypsin. Chemicals for the detection of antibody binding to the biomarker may also be included in the kit. Other reagents for detecting expression of biomarkers using antibodies in an ELISA or multiplex bead-based immunoassay format may be further included in a kit of the invention. In other embodiments, kits for use in the screening methods disclosed herein comprise nucleic acid probes for the detection of expression of a plurality of biomarkers of interest in a body sample, particularly wherein the biomarkers are selected from the group consisting of HE4, CA125, glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin A, PLAU-R, prolactin, KLK-10, KLK-6, SLPI, and alpha-1 anti-trypsin.

[0116] In certain aspects of the invention, kits for performing the two-step screening method for identifying patients having an increased likelihood of having ovarian cancer are provided. Kits may be designed to perform the two-step screening method as two separate tests. Such kits include reagents for performing a single assay step (i.e., the first or second assay step). In other embodiments, the kits comprise

reagents so that the two-step method may be performed as a single test (i.e., include reagents for both the first and second assay steps). Further kits encompassed by the invention find use in practicing the single-step screening method described herein above. The kits may further comprise descriptions of algorithms or mathematical models to be applied with the one-step or two-step screening methods, as well as automated platforms that implement the algorithms/mathematical models with little or no human intervention. The kits may be further provided such that each step in the two-step method is performed in an automated, semi-automated, or manual fashion.

[0117] Kits for diagnosing ovarian cancer are also provided. Such kits may include antibodies or nucleic acid probes that are specific for detection of a plurality of biomarkers that are selectively overexpressed in ovarian cancer, more particularly HE4, CA125, glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin A, PLAU-R, prolactin, KLK-10, KLK-6, SLPI, and alpha-1 anti-trypsin.

[0118] One of skill in the art will further appreciate that any or all steps in the screening and diagnostic methods of the invention could be implemented by personnel or, alternatively, performed in an automated fashion. That is, the methods can be performed in an automated, semi-automated, or manual fashion. Furthermore, the methods disclosed herein can also be combined with other methods known or later developed to permit a more accurate identification of patients having an increased likelihood of having ovarian cancer or a more reliable diagnosis of ovarian cancer.

[0119] The article "a" and "an" are used herein to refer to one or more than one (i.e., to at least one) of the grammatical object of the article. By way of example, "an element" means one or more element.

[0120] Throughout the specification the word "comprising," or variations such as "comprises" or "comprising," will be understood to imply the inclusion of a stated element, integer or step, or group of elements, integers or steps, but not the exclusion of any other element, integer or step, or group of elements, integers or steps.

[0121] The following examples are offered by way of illustration and not by way of limitation:

EXPERIMENTAL

Example 1

Exemplary Method for Collection of Blood, Processing of Blood Into Serum, Serum Storage Conditions, and Serum Shipping Conditions

Blood Collection

[0122] A sufficient quantity of blood was drawn by venipuncture into a Becton Dickinson Vacutainer red-topped collection tubes containing no additive (catalog number 366430). The lot number of the blood collection tube was recorded. Whole blood was not refrigerated or frozen. Processing of the whole blood to serum began immediately after collection of the blood.

Serum Preparation Procedure

[0123] Blood collection tubes were placed upright in a rack and stored at room temperature. The blood was allowed to clot for a minimum of 60 minutes and a maximum of 90 minutes from time of collection. Blood was thoroughly clot-

ted before centrifugation. The time required for complete clotting for each sample was recorded.

[0124] After blood was thoroughly clotted, the samples were centrifuged at 1300×g for 10 minutes using either a swing-head or fixed-angle centrifuge rotor. Tubes were carefully removed from the centrifuge to avoid disturbing the red blood cells on the bottom.

[0125] The stopper was removed from each tube without disturbing the cell pellet. The serum from each donor was combined into a labeled tube using a disposable transfer pipette without disturbing the cell layer or allowing any cells into the pipette. If cells were disturbed during transfer, the samples were re-centrifuged as described above.

[0126] Serum samples from each donor were mixed by gently inverting the tube five times. One mL aliquots were placed in labeled tubes and frozen at -20° C. to -80° C. Serum was not stored at room temperature for more than two hours or at 2-8° C. for more than eight hours prior to freezing.

Example 2

Ovarian Biomarker Selection Study

Individual Biomarker Analysis

[0127] The purpose of the biomarker selection study was to evaluate the initial clinical utility of a set of fourteen candidate ovarian cancer biomarkers. The premise of the study was to be able to identify and quantitate the amount of each biomarker in a patient's serum. Biomarker protein expression in serum samples was detected using commercial or novel

TABLE 1-continued

Candidate markers	
KLK10	PLAU-R
CTHRC1	Inhibin
PAI-1	Prolactin
MUC1	Alpha-1 anti-trypsin

Target Population and Demographics of the Study

[0128] In evaluations of this type, it is essential that the samples tested are representative of the target clinical population and that normal controls are demographically matched. A total of 900 patient serum samples were analyzed in this study. 200 of the samples were from ovarian cancer patients in various stages of the disease (i.e., the 200 samples were evenly split among Stage 1, 2, 3 ovarian cancer samples). A total of 500 normal sera were used in the study. 104 of the normal serum samples were from post-menopausal women (set as women over the age of 55 for the present study) to establish the baseline levels of each biomarker and to calculate the appropriate threshold cut-off values. The remaining 396 normal serum samples were evenly split between premenopausal women under the age of 55 and post-menopausal women over the age of 55. This distribution permitted the investigation of any age or hormone-related patient distributions. The remaining 200 samples in the study were collected from donors with various conditions/diseases, as described herein above (i.e., "interfering conditions" or "interfering pathologies"). The inclusion of these samples allowed for the analysis of any interfering pathologies that may affect individual biomarker performance. Summaries of the patient populations analyzed and study demographics are provided in Tables 2-4.

TABLE 2

Demographics of sample cases in the study				
Characteristics	Ovarian Cancer	Study Normals	Interfering Pathologies	Threshold Normals
Total number of samples	200	396	200	104
Age at diagnosis (years)				
Mean (std)	55.5 (11.5)	55.3 (9.7)	57.0 (18.3)	63.0 (6.9)
Range	19-81	40-84	20-97	41-80
Age group distribution				
<=55	100 (50%)	201 (50.8%)	92 (46%)	2 (1.9%)
>55	100 (50%)	195 (49.2%)	108 (54%)	102 (98.1%)
Race, n				
African-American	10 (5%)	3 (1%)	12 (6%)	0
Caucasian	183 (92%)	389 (99%)	185 (92.5%)	98 (100%)
Other	6 (3%)	1 (<1%)	3 (1.5%)	0
Missing	1	3	0	6

biomarker-specific antibodies in an ELISA format. Fourteen target biomarkers were analyzed, as described below in Table 1:

TABLE 1

Candidate markers	
HE4	CA125
SLP1	Glycodelin
KLK6	MMP7

TABLE 3

Clinical Characteristics of Ovarian Cancer Patients in Study			
	Frequency	Percent	
Ovarian Cancer Stage, n	200		
1	67	33.5%	
2	66	33%	
3	67	33.5%	

TABLE 3-continued

Clinical Characteristics of Ovarian Cancer Patients in Study		
	Frequency	Percent
Histological Classification, n	197	
Clear Cell	10	5%
Endometrioid	39	19%
Serous	23	12%
Mucinous	36	18%
Adenocarcinoma	49	25%
Papillary	25	13%
Unclassified	13	7%
Stromal Sarcoma	2	1%

TABLE 4

Distribution of Interfering Substances/Pathologies			
	Category	Number	Percent
Hormonal	1st trimester pregnancy	10	5.0
	Contraceptive Pills	5	2.5
	Hormone Replacement Therapy	9	4.5
	Menstruation	9	4.5
Cancer	Breast Cancer	27	13.5
	Colon Cancer	15	7.5
	Rectal Cancer	2	1.0
	Multiple Myeloma	1	0.5
Vascular	Coronary Artery Disease	9	4.5
	Deep Vein Thrombosis	1	0.5
	Warfarin Treatment	15	7.5
	Diabetes	10	5.0
Metabolic	Chronic Hepatitis	10	5.0
	Endometriosis	25	12.5
Gyn	Ovarian cysts/polycystic	10	5.0
	Polymyalgia	10	5.0
Inflammatory	Polymyositis	3	1.5
	Rheumatoid Arthritis	27	13.5
	SLE	2	1.0

General Description of Automation and Validation Analysis for the Study

[0129] All 900 sera samples were processed in duplicate for each of the 14 markers. An automated assay system with barcode tracking was utilized in generating the marker selection data. The assays run in this marker selection study were all completed using a Tecan Evo automated robotic liquid handler. The use of this platform allowed all 900 samples to be processed for each marker in a single experimental run (one run per day). The precision of the automated platform was verified before any study samples were processed.

[0130] All of the ELISA assays were processed for this study using a buffered solution as the diluent for the standard curve. This was done to standardize, as much as possible, the protocols for each of the assays.

[0131] The normal sera used in this study were obtained from community blood collection centers compliant with local IRB customs. While these sera can be considered 'normal' it must be noted that these donors were not screened by a medical professional to confirm their disease free or normal status

Detection of Expression of HE4 in Serum Samples (A Representative Example)

Materials and Methods

[0132] A. Coating of Assay Plates:

[0133] ELISA 96-well plates were coated with 100 μ l/well of the primary antibody, anti-HE4 monoclonal 90.1 #6, at 2 μ g/ml in PBS, then the plates were incubated at 4° C. overnight. The next day, the plates were washed once with PBS, then 250 μ l/well of PBS-3% BSA was added to all wells, and the plates were incubated for 2 hours at 30° C. The plates were then emptied and dried in a vacuum oven for 2 hours at room temperature. Then they were heat-sealed inside a mylar foil bag along with a desiccant pack and stored at 4° C. until used in an assay.

[0134] B. Assay Methods

[0135] The foil bags containing the assay plates were warmed to room temperature immediately prior to use in the assay. The serum samples were diluted 1:4 into PBS-1% bovine Serum-0.05% Tween 20-1 mg/ml mouse IgG. The HE4 antigen protein was diluted to 100 ng/ml, then serially diluted two-fold into PBS-1% Bovine Serum-0.05% Tween 20-1 mg/ml Mouse IgG, then all the individual standard curve samples were further diluted 1:4 into the buffer so that they would be diluted the same as the serum samples.

[0136] The diluted sera samples and standard curve samples were added to the anti-HE4 coated assay plates in 100 μ l/well volumes. Then the plates were incubated for 2 hours at 30° C. The plates were next washed 5 $\times$ with 250 μ l/well of PBS-0.05% Tween 20.

[0137] The secondary antibody, anti-HE4 monoclonal 71.1#1.13-HRP, was diluted 1:16,000 into PBS-1% bovine IgG-0.05% Tween 20-1 mg/ml mouse IgG. The secondary antibody solution was then added to the aspirated plates in 100 μ l/well volumes. The plates were incubated for 1 hour at 30° C.

[0138] The plates were washed 5 $\times$ with 250 μ l/well of PBS-0.05% Tween 20. The developing solution, TMB (3,3', 5,5'-Tetramethylbenzidine) was warmed to room temperature prior to use, and then the TMB was added to the aspirated plates in 100 μ l/well volumes.

[0139] The plates were incubated for 10 minutes at room temperature and then the Stop solution, 2N H₂SO₄, was added to the plates (containing the TMB) in 100 μ l/well volumes.

[0140] The plates were incubated for 10 minutes at room temperature, and then they were read on the Molecular Devices SpectraMax plate reader at 450 nm, with a reference wavelength of 650 nm, using SoftMax Pro software.

[0141] The data was saved as SoftMax Pro files, and also exported as Text files for use with MS Excel.

[0142] Controls: Serum used as the High Control: Uniglobe # 72372

[0143] Serum used as the Low Control: Uniglobe # 72404

[0144] Buffer Control used was PBS-1% Bovine Serum-0.05% Tween 20-1 mg/ml Mouse IgG

[0145] The CV's for the controls across all 25 plates are summarized in Table 5.

TABLE 5

The CV's for the Controls Across All 25 Plates Standards point-per-point CV % across all 25 plates			
ng/ml	Mean OD	SD	CV %
100	2.614	0.145	5.6
50	1.681	0.101	6.0
25	0.931	0.075	8.1
12.5	0.510	0.043	8.4
6.25	0.263	0.027	10.4
3.13	0.139	0.014	10.0
1.56	0.076	0.008	10.5
0.78	0.044	0.012	27.6

Results (Standard Curves)

[0146] A standard curve for HE4 was prepared by diluting the HE4 protein in PBS/1% bovine serum/0.05% Tween 20-1 mg/mL of mouse IgG. Preparation of such standard curves is well known in the art. Standard curves and the levels or concentrations of the biomarkers in all serum samples were produced for the remaining biomarkers, essentially as described above for HE4, with variations that could be appreciated and implemented by one of skill in the art. Standard curve ranges and curve fit equations for the biomarkers analyzed (i.e., HE4, glycodelin, SLPI, PLAU-R, MUC-1, PAI-1, MMP-7, inhibin, CA125, CTHRC1, KLK-6, KLK-10, alpha-1 anti-trypsin, and prolactin) are presented below:

HE4

[0147] Standard Curve experimental range=0.78 ng/ml to 100 ng/ml, in serial two-fold dilutions

[0148] Curve fit=third order polynomial, $y=-1E-07x^3-0.0001x^2+0.0402x+0.0157$; $R^2=0.9999$

[0149] The standard curve samples and the serum samples were then both diluted 1:4 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

Glycodelin

[0150] Standard Curve experimental range=3 ng/ml to 100 ng/ml, in serial two-fold dilutions

[0151] Curve fit=quadratic, $y=-0.0003x^2+0.0478x+0.0952$; $R^2=0.9851$

[0152] The serum samples were run in the assay undiluted, so no dilution factor was used in the data analysis.

SLPI

[0153] Standard Curve experimental range=2.38 ng/ml to 305 ng/ml, in serial two-fold dilutions

[0154] Curve fit=third order polynomial, $y=7E-08x^3-7E-05x^2+0.0237x-0.039$; $R^2=0.9997$

[0155] The serum samples were diluted 1:6.1 in an early step of the automated sample preparation technique. Then those diluted serum samples were further diluted 1:6.6 in another automated step in order to achieve a total dilution of 1:40. Those 1:40 diluted samples were then run in the assay.

[0156] The standard curve samples were prepared at the concentrations stated above (experimental range), then those standard curve samples were all further diluted 1:6.1, and those 1:6.1 diluted samples were then run in the assay.

[0157] Since there was a discrepancy between the dilution of the serum samples (1:40) as compared to the dilution of the standard curve samples (1:6.1), all the serum sample concentration values obtained from the standard curve were multiplied by a dilution factor of "6.6" to correct for the discrepancy (1:40=1:6.1×1:6.6).
uPar (PLAU-R)

[0158] Standard Curve experimental range=62.5 pg/ml to 4000 pg/ml, in serial two-fold dilutions

[0159] Curve fit=linear, $y=0.0006x+0.0522$; $R^2=0.9977$

[0160] The serum samples were diluted 1:6 in an early step of the automated sample preparation technique. Then those diluted serum samples were further diluted 1:3 in another automated step in order to achieve a total dilution of 1:18. Those 1:18 diluted samples were then run in the assay.

[0161] The standard curve samples were prepared at the concentrations stated above (experimental range), then those standard curve samples were all further diluted 1:3, and those 1:3 diluted samples were then run in the assay.

[0162] Since there was a discrepancy between the dilution of the serum samples (1:18) as compared to the dilution of the standard curve samples (1:3), all the serum sample concentration values obtained from the standard curve were multiplied by a dilution factor of "6" to correct for the discrepancy (1:18=1:3×1:6).

MUC-1

[0163] Standard Curve experimental range=0.3 U/ml to 600 U/ml, in serial three-fold dilutions

[0164] Curve fit=third order polynomial, $y=3E-07x^3-0.00001x^2+0.0236x+0.0371$; $R^2=1.0$

[0165] The standard curve samples and the serum samples were then both diluted 1:2 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

PAI-1

[0166] Standard Curve experimental range=0.78 ng/ml to 100 ng/ml, in serial two-fold dilutions

[0167] Curve fit=linear, $y=0.0139x+0.0151$; $R^2=0.9996$

[0168] The standard curve samples and the serum samples were then both diluted 1:4 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

MMP-7

[0169] Standard Curve experimental range=0.16 ng/ml to 20 ng/ml, in serial two-fold dilutions

[0170] Curve fit=third order polynomial, $y=0.0001x^3-0.0046x^2+0.1578x+0.0936$; $R^2=0.9999$

[0171] The standard curve samples and the serum samples were then both diluted 1:2 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

Inhibin

[0172] Standard Curve experimental range=10 pg/ml to 1000 pg/ml, in serial two-fold dilutions

[0173] Curve fit=linear, $y=0.0007x+0.0136$; $R^2=0.9997$

[0174] The standard curve samples and the serum samples were then both diluted 1:3 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

CA125

[0175] Standard Curve experimental range=15 U/ml to 400 U/ml, in serial two-fold dilutions

[0176] Curve fit=linear, $y=0.0021x+0.0892$; $R^2=0.9986$

[0177] The serum samples were run in the assay undiluted, so no dilution factor was used in the data analysis.

CTHRC1

[0178] Standard Curve experimental range=0.78 ng/ml to 100 ng/ml, in serial two-fold dilutions

[0179] Curve fit=linear, $y=0.0261x+0.042$; $R^2=0.9991$

[0180] The standard curve samples and the serum samples were then both diluted 1:2 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

KLK-6

[0181] Standard Curve experimental range=0.78 ng/ml to 100 ng/ml, in serial two-fold dilutions

[0182] Curve fit=third order polynomial, $y=-4E-07x^3+0.00001x^2+0.0133x+0.0662$; $R^2=1.0$

[0183] The standard curve samples and the serum samples were then both diluted 1:2 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

KLK-10

[0184] Standard Curve experimental range=1 ng/ml to 80 ng/ml, in serial two-fold dilutions

[0185] Curve fit=linear, $y=0.0758x-0.0312$; $R^2=0.9976$

[0186] The standard curve samples and the serum samples were then both diluted 1:4 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

Alpha 1 anti-trypsin

[0187] Standard Curve experimental range=3.3 ng/ml to 90 ng/ml, in serial two-fold dilutions

[0188] Curve fit=quadratic, $y=-0.0002x^2+0.0412x+0.0592$; $R^2=0.9997$

[0189] The serum samples were diluted 1:250,000, and then those diluted samples were run in the assay. The standard curve samples were serially diluted as stated above (experimental range), and then those samples were run in the assay.

[0190] Since there was a discrepancy between the dilution of the serum samples (1:250,000) as compared to the dilution of the standard curve samples (undiluted beyond the serial dilutions), all the serum sample concentration values obtained from the standard curve were multiplied by a dilution factor of "250,000" to correct for the discrepancy.

Prolactin

[0191] Standard Curve experimental range=2 ng/ml to 240 ng/ml, in serial two-fold dilutions

[0192] Curve fit=linear, $y=0.0049x+0.0363$; $R^2=0.9917$

[0193] The standard curve samples and the serum samples were then both diluted 1:5 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

Results—Individual Marker Performance

[0194] Among the 500 normal cases used in the present study, 104 normal cases were used as control group to select the threshold cutoff point. Table 6 provides the mean, standard deviation, range, mean+2*std, mean+3*std based on these 104 threshold normal cases for each marker. Table 7 and Table 8 provide the mean standard deviation, range, mean+2*std in all normal study cases (396 cases) and with normal study cases from patients over the age of 55 (195 or less). The mean and standard deviations were very similar between the normal threshold control cases and normal study cases for patients over the age of 55 for each biomarker except for markers HE4 and Inhibin. See Tables 6 and 8.

TABLE 6

Mean and STD of Each Biomarker in 104 Normal Control Cases								
Variable	N	Mean	Std Dev	Min	Max	Mean + 2 * std	Mean + 3 * std	Best Cutoff
HE4	104	1.7	0.91	0.5	6.6	3.5	4.4	2.2
CA125	104	6.9	6.42	0.6	42.6	19.7	26.1	20
GLY	104	1.8	2.75	0.0	18.6	7.4	10.1	5
MMP	104	3.4	1.05	1.9	7.0	5.5	6.5	4

TABLE 6-continued

Mean and STD of Each Biomarker in 104 Normal Control Cases								
Variable	N	Mean	Std Dev	Min	Max	Mean + 2 * std	Mean + 3 * std	Best Cutoff
Muc1	104	12.5	10.71	0.1	51.8	33.9	44.6	12
PAI	104	74.8	24.92	16.4	143.2	124.7		95
CTHRC1	104	3.2	1.16	1.2	6.2	5.5		4
INH	104	0.6	2.80	0.0	26.9	6.2	9.0	2
Plau-R	104	1945.4	534.03	1056.00	4248.0	3013.4	3547.5	2399.9
PROLAC	104	10.2	10.94	3.1	102.2	32.0	43.0	11
KLK10	104	0.8	0.51	0.3	2.3	1.8		0.9
KLK6	104	2.2	2.39	0.3	16.3	7.0	9.4	5
SLPI	104	65.7	14.38	40.2	134.5	94.5	108.9	65

TABLE 7

Mean and STD of Each Biomarker in 396 Normal Study Cases						
Variable	N	Mean	Std Dev	Min	Max	Mean + 2 * std
HE4	396	1.6	2.1	0.2	36.4	5.8*
CA125	396	10.4	14.2	1.7	212.4	38.7*
GLY	396	5.0	10.2	0.0	98.4	25.3*
MMP	396	3.0	1.1	0.8	10.4	5.1
Muc1	396	8.3	8.2	0.0	52.1	24.7
PAI	396	73.2	28.0	18.8	145.7	129.2
CTHRC1	396	2.9	1.2	0.4	8.7	5.2
INH	360	11.3	28.1	0.0	265.4	67.5*
PLAUR	396	2086.0	782.0	822.0	6384.00	3650
PROLAC	396	11.6	9.5	2.0	138.0	30.7
KLK10	396	0.9	0.4	0.2	2.5	1.7
KLK6	396	1.7	1.7	0.1	18.0	5.1
SLPI	396	59.6	18.0	31.3	305.0	95.6

*The values in normal cases were very different from the values in normal control cases, which means these markers might be sensitive due to age effect.

TABLE 8

Mean and STD of Each Biomarker in Normal Study Cases (Patients Over the Age of 55)						
Variable	N	Mean	Std Dev	Min	Max	Mean + 2 * std
HE4	195	2.0	2.8	0.2	36.4	7.6*
CA125	194	10.6	5.6	2.3	35.7	21.9
GLY	195	1.7	2.3	0.0	24.8	6.3
MMP	195	3.2	1.2	0.8	10.4	5.6
Muc1	195	8.9	8.4	0.0	36.6	25.7
PAI	195	75.6	27.9	19.1	145.7	131.3
CTHRC1	195	3.2	1.1	1.2	7.1	5.4

TABLE 8-continued

Mean and STD of Each Biomarker in Normal Study Cases (Patients Over the Age of 55)						
Variable	N	Mean	Std Dev	Min	Max	Mean + 2 * std
INH	177	5.2	26.6	0.0	265.4	58.5**
PLAUR	195	2209.5	752.1	1122.0	5100.0	3713.7
PROLAC	195	10.8	11.1	2.0	138.0	32.9
KLK10	195	0.9	0.4	0.2	2.4	1.7
KLK6	195	1.8	2.0	0.1	18.0	5.7
SLPI	195	60.3	14.2	31.3	126.9	88.6

*The standard deviation was larger in the normal study cases than in the normal control cases for patients over the age of 55

**The mean and standard deviation were larger in the normal study cases than in the normal control cases for patients over the age of 55

[0195] For each individual marker, the ROC curve was obtained. The ROC curve only consists of the 396 normal cases and the 200 ovarian cancer cases. The 104 normal cases as control and 200 interfering substance/pathology cases were not included in this analysis. The ROC curves for HE4, inhibin A, prolactin, PLAU-R, glycodeilin, SLPI, CTHRC1, PAI-1, KLK-10, CA125, KLK-6, MUC-1, and MMP-7 are presented in FIGS. 2-14, respectively.

[0196] Also, the percentage of positive and negative samples were determined for each marker by age group, by cancer stage, and by interfering substance/pathology category. These determinations were based on two kinds of cutoff points: (1) mean+2*std, and (2) the best cutoff from the ROC curve. The best cutoff points were selected from the ROC curve with the highest value of sensitivity plus specificity. The best cutoff point was listed in Table 6. Summaries of the positive results for each biomarker by age group, cancer stage, and interfering substance/pathology category are presented in tables 9 to 47.

Biomarker: HE4
[0197]

TABLE 9

Summary by Age Group for HE4									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	57	63.33	98	90.74	41	45.56	81	75.00
	Negative	33	36.67	10	9.26	49	54.44	27	25.00
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	15	7.46	39	20.00	3	1.49	13	6.67
	Negative	186	92.54	156	80.00	198	98.51	182	93.33
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	81	81.00	91	91.00	58	58.00	75	75.00
	Negative	19	19.00	9	9.00	42	42.00	25	25.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 10

Summary by Interfering Substance/Pathology Category for HE4					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	38	84.44	27	60.00
	Negative	7	15.56	18	40.00
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	20	100.00	20	100.00
	Negative	0	0.00	0	0.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	23	69.70	16	48.48
	Negative	10	30.30	17	51.52
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	17	48.57	12	34.29
	Negative	18	51.43	23	65.71
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	22	88.00	19	76.00
	Negative	3	12.00	6	24.00
Total		25	100.00	25	100.00

TABLE 10-continued

Summary by Interfering Substance/Pathology Category for HE4					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Chronic Immuno. Disorder	Positive	37	88.10	29	69.05
	Negative	5	11.90	13	30.95
Total		42	100.00	42	100.00

TABLE 11

Summary by Cancer Stage for HE4					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	57	85.07	42	62.69
	Negative	10	14.93	25	37.31
2	Total	67	100.00	67	100.00
	Positive	53	80.30	41	62.12
	Negative	13	19.70	25	37.88
3	Total	66	100.00	66	100.00
	Positive	62	92.54	50	74.63
	Negative	5	7.46	17	25.37

Biomarker Muc-1
[0198]

TABLE 12

Summary by Age Group for Muc-1									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	38	42.22	53	49.07	4	4.44	9	8.33
	Negative	52	57.78	55	50.93	86	95.56	99	91.67
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	49	24.38	58	29.74	2	1.00	4	2.05
	Negative	152	75.62	137	70.26	199	99.00	191	97.95
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	56	56.00	52	52.00	4	4.00	12	12.00
	Negative	44	44.00	48	48.00	96	96.00	88	88.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 13

Summary by Interfering Substance/Pathology Category for Muc-1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	20	44.44	3	6.67
	Negative	25	55.56	42	93.33
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	8	40.00	1	5.00
	Negative	12	60.00	19	95.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	14	42.42	1	3.03
	Negative	19	57.58	32	96.97
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	17	48.57	1	2.86
	Negative	18	51.43	34	97.14
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	11	44.00	2	8.00
	Negative	14	56.00	23	92.00
Total		25	100.00	25	100.00

TABLE 13-continued

Summary by Interfering Substance/Pathology Category for Muc-1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Chronic Immuno. Disorder	Positive	22	52.38	5	11.90
	Negative	20	47.62	37	88.10
Total		42	100.00	42	100.00

TABLE 14

Summary by Cancer Stage for Muc-1					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	44	65.67	6	8.96
	Negative	23	34.33	61	91.04
2	Total	67	100.00	67	100.00
	Positive	27	40.91	3	4.55
	Negative	39	59.09	63	95.45
3	Total	66	100.00	66	100.00
	Positive	37	55.22	7	10.45
	Negative	30	44.78	60	89.55
Total		67	100.00	67	100.00

Biomarker: KLK-6

TABLE 15

Summary by Age Group for KLK-6									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	5	5.56	8	7.41	4	4.44	4	3.70
	Negative	85	94.44	100	92.59	86	95.56	104	96.30
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	6	2.99	11	5.64	2	1.00	5	2.56
	Negative	195	97.01	184	94.36	199	99.00	190	97.44
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	10	10.00	13	13.00	4	4.00	6	6.00
	Negative	90	90.00	87	87.00	96	96.00	94	94.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 16

Summary by Interfering Substance/Pathology Category for KLK-6					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	5	11.11	4	8.89
	Negative	40	88.89	41	91.11
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	0	0.00	0	0.00
	Negative	20	100.00	20	100.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	0	0.00	0	0.00
	Negative	33	100.00	33	100.00
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	3	8.57	2	5.71
	Negative	32	91.43	33	94.29
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	3	12.00	1	4.00
	Negative	22	88.00	24	96.00
Total		25	100.00	25	100.00

TABLE 16-continued

Summary by Interfering Substance/Pathology Category for KLK-6					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Chronic Immuno. Disorder	Positive	2	4.76	1	2.38
	Negative	40	95.24	41	97.62
Total		42	100.00	42	100.00

TABLE 17

Summary by Cancer Stage Group for KLK-6					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	10	14.93	4	5.97
	Negative	57	85.07	63	94.03
2	Total	67	100.00	67	100.00
	Positive	7	10.61	3	4.55
3	Negative	59	89.39	63	95.45
	Total	66	100.00	66	100.00
	Positive	6	8.96	3	4.48
	Negative	61	91.04	64	95.52
Total		67	100.00	67	100.00

Biomarker: KLK-10
[0199]

TABLE 18

Summary by Age Group for KLK-10									
		Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
Group	Result	N	%	N	%	N	%	N	%
IP	Positive	56	62.22	51	47.22	7	7.78	6	5.56
	Negative	34	37.78	57	52.78	83	92.22	102	94.44
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	92	45.77	89	45.64	4	1.99	2	1.03
	Negative	109	54.23	106	54.36	197	98.01	193	98.97
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	63	63.00	53	53.00	9	9.00	7	7.00
	Negative	37	37.00	47	47.00	91	91.00	93	93.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 19

Summary by Interfering Substance/Pathology Group for KLK-10					
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Tumors	Positive	28	62.22	3	6.67
	Negative	17	37.78	42	93.33
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	10	50.00	0	0.00
	Negative	10	50.00	20	100.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	14	42.42	0	0.00
	Negative	19	57.58	33	100.00
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	23	65.71	3	8.57
	Negative	12	34.29	32	91.43
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	11	44.00	1	4.00
	Negative	14	56.00	24	96.00
Total		25	100.00	25	100.00

TABLE 19-continued

Summary by Interfering Substance/Pathology Group for KLK-10					
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Chronic Immuno. Disorder	Positive	23	54.76	6	14.29
	Negative	19	45.24	36	85.71
	Total	42	100.00	42	100.00

TABLE 20

Summary by Cancer Stage Group for KLK-10					
		Best Cutoff from ROC plot		Mean + 2 * std	
Stage	Result	N	%	N	%
1	Positive	37	55.22	8	11.94
	Negative	30	44.78	59	88.06
2	Total	67	100.00	67	100.00
	Positive	37	56.06	3	4.55
	Negative	29	43.94	63	95.45
3	Total	66	100.00	66	100.00
	Positive	42	62.69	5	7.46
	Negative	25	37.31	62	92.54
Total		67	100.00	67	100.00

Biomarker: PAI-1

TABLE 21

Summary by Age Group for PAI-1									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	52	57.78	67	62.04	12	13.33	10	9.26
	Negative	38	42.22	41	37.96	78	86.67	98	90.74
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	43	21.39	52	26.67	5	2.49	10	5.13
	Negative	158	78.61	143	73.33	196	97.51	185	94.87
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	71	71.00	62	62.00	19	19.00	11	11.00
	Negative	29	29.00	38	38.00	81	81.00	89	89.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 22

Summary by Interfering Substance/Pathology Group for PAI-1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
		N	%	N	%
Tumors	Positive	17	37.78	4	8.89
	Negative	28	62.22	41	91.11
	Total	45	100.00	45	100.00
Metabolic Disorder	Positive	16	80.00	4	20.00
	Negative	4	20.00	16	80.00
	Total	20	100.00	20	100.00
Hormonal Fluctuation	Positive	24	72.73	5	15.15
	Negative	9	27.27	28	84.85
	Total	33	100.00	33	100.00
Gynecologic Disorder	Positive	17	48.57	2	5.71
	Negative	18	51.43	33	94.29
	Total	35	100.00	35	100.00
Vascular Disorder	Positive	17	68.00	1	4.00
	Negative	8	32.00	24	96.00
	Total	25	100.00	25	100.00

TABLE 22-continued

Summary by Interfering Substance/Pathology Group for PAI-1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
		N	%	N	%
Chronic Immuno. Disorder	Positive	30	71.43	6	14.29
	Negative	12	28.57	36	85.71
	Total	42	100.00	42	100.00

TABLE 23

Summary by Cancer Stage Group for PAI-1					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
		N	%	N	%
1	Positive	54	80.60	15	22.39
	Negative	13	19.40	52	77.61
2	Total	67	100.00	67	100.00
	Positive	33	50.00	4	6.06
	Negative	33	50.00	62	93.94
3	Total	66	100.00	66	100.00
	Positive	46	68.66	11	16.42
	Negative	21	31.34	56	83.58
Total		67	100.00	67	100.00

Biomarker: CTHRC1
[0200]

TABLE 24

Summary by Age Group for CTHRC1									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	12	13.33	35	32.41	6	6.67	11	10.19
	Negative	78	86.67	73	67.59	84	93.33	97	89.81
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	20	9.95	40	20.51	4	1.99	4	2.05
	Negative	181	90.05	155	79.49	197	98.01	191	97.95
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	24	24.00	35	35.00	10	10.00	15	15.00
	Negative	76	76.00	65	65.00	90	90.00	85	85.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 25

Summary by Interfering Substance/Pathology Group for CTHRC1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	13	28.89	7	15.56
	Negative	32	71.11	38	84.44
	Total	45	100.00	45	100.00
Metabolic Disorder	Positive	2	10.00	0	0.00
	Negative	18	90.00	20	100.00
	Total	20	100.00	20	100.00
Hormonal Fluctuation	Positive	1	3.03	1	3.03
	Negative	32	96.97	32	96.97
	Total	33	100.00	33	100.00
Gynecologic Disorder	Positive	2	5.71	0	0.00
	Negative	33	94.29	35	100.00
	Total	35	100.00	35	100.00
Vascular Disorder	Positive	11	44.00	5	20.00
	Negative	14	56.00	20	80.00
	Total	25	100.00	25	100.00

TABLE 25-continued

Summary by Interfering Substance/Pathology Group for CTHRC1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Chronic Immuno. Disorder	Positive	18	42.86	4	9.52
	Negative	24	57.14	38	90.48
	Total	42	100.00	42	100.00

TABLE 26

Summary by Cancer Stage Group for CTHRC1					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	16	23.88	7	10.45
	Negative	51	76.12	60	89.55
	Total	67	100.00	67	100.00
2	Positive	19	28.79	8	12.12
	Negative	47	71.21	58	87.88
	Total	66	100.00	66	100.00
3	Positive	24	35.82	10	14.93
	Negative	43	64.18	57	85.07
	Total	67	100.00	67	100.00

Biomarker: SLPI
[0201]

TABLE 27

Summary by Age Group for SLPI									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	27	30.00	61	56.48	4	4.44	23	21.30
	Negative	63	70.00	47	43.52	86	95.56	85	78.70
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	49	24.38	63	32.31	4	1.99	3	1.54
	Negative	152	75.62	132	67.69	197	98.01	192	98.46
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	53	53.00	67	67.00	14	14.00	16	16.00
	Negative	47	47.00	33	33.00	86	86.00	84	84.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 28

Summary by Interfering Substance/Pathology Group for SLPI					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	20	44.44	7	15.56
	Negative	25	55.56	38	84.44
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	10	50.00	1	5.00
	Negative	10	50.00	19	95.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	6	18.18	0	0.00
	Negative	27	81.82	33	100.00
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	12	34.29	4	11.43
	Negative	23	65.71	31	88.57
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	16	64.00	9	36.00
	Negative	9	36.00	16	64.00
Total		25	100.00	25	100.00

TABLE 28-continued

Summary by Interfering Substance/Pathology Group for SLPI					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Chronic Immuno. Disorder	Positive	26	61.90	7	16.67
	Negative	16	38.10	35	83.33
	Total	42	100.00	42	100.00

TABLE 29

Summary by Cancer Stage Group for SLPI					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	34	50.75	9	13.43
	Negative	33	49.25	58	86.57
2	Total	67	100.00	67	100.00
	Positive	38	57.58	4	6.06
	Negative	28	42.42	62	93.94
3	Total	66	100.00	66	100.00
	Positive	48	71.64	17	25.37
	Negative	19	28.36	50	74.63
Total		67	100.00	67	100.00

Biomarker: Inhibin A
[0202]

TABLE 30

Summary by Age Group for Inhibin									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	53	58.89	11	10.19	48	53.33	7	6.48
	Negative	37	41.11	97	89.81	42	46.67	101	93.52
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	94	46.77	25	12.82	83	41.29	14	7.18
	Negative	107	53.23	170	87.18	118	58.71	181	92.82
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	42	42.00	41	41.00	32	32.00	36	36.00
	Negative	58	58.00	59	59.00	68	68.00	64	64.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 31

Summary by Interfering Substance/Pathology Group for Inhibin					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	4	8.89	2	4.44
	Negative	41	91.11	43	95.56
	Total	45	100.00	45	100.00
Metabolic Disorder	Positive	8	40.00	8	40.00
	Negative	12	60.00	12	60.00
	Total	20	100.00	20	100.00
Hormonal Fluctuation	Positive	16	48.48	16	48.48
	Negative	17	51.52	17	51.52
	Total	33	100.00	33	100.00
Gynecologic Disorder	Positive	27	77.14	25	71.43
	Negative	8	22.86	10	28.57
	Total	35	100.00	35	100.00
Vascular Disorder	Positive	3	12.00	2	8.00
	Negative	22	88.00	23	92.00
	Total	25	100.00	25	100.00

TABLE 31-continued

Summary by Interfering Substance/Pathology Group for Inhibin					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Chronic Immuno. Disorder	Positive	8	19.05	4	9.52
	Negative	34	80.95	38	90.48
	Total	42	100.00	42	100.00

TABLE 32

Summary by Cancer Stage Group for Inhibin					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	25	37.31	20	29.85
	Negative	42	62.69	47	70.15
	Total	67	100.00	67	100.00
2	Positive	35	53.03	32	48.48
	Negative	31	46.97	34	51.52
	Total	66	100.00	66	100.00
3	Positive	23	34.33	16	23.88
	Negative	44	65.67	51	76.12
	Total	67	100.00	67	100.00

Biomarker: Glycodelin
[0203]

TABLE 33

Summary by Age Group for Glycodelin									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	53	58.89	18	16.67	36	40.00	10	9.26
	Negative	37	41.11	90	83.33	54	60.00	98	90.74
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	73	36.32	10	5.13	56	27.86	3	1.54
	Negative	128	63.68	185	94.87	145	72.14	192	98.46
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	65	65.00	62	62.00	49	49.00	52	52.00
	Negative	35	35.00	38	38.00	51	51.00	48	48.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 34

Summary by Interfering Substance/Pathology Group for Glycodelin					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	13	28.89	6	13.33
	Negative	32	71.11	39	86.67
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	9	45.00	5	25.00
	Negative	11	55.00	15	75.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	18	54.55	15	45.45
	Negative	15	45.45	18	54.55
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	21	60.00	14	40.00
	Negative	14	40.00	21	60.00
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	1	4.00	1	4.00
	Negative	24	96.00	24	96.00
Total		25	100.00	25	100.00

TABLE 34-continued

Summary by Interfering Substance/Pathology Group for Glycodelin					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Chronic Immuno. Disorder	Positive	9	21.43	5	11.90
	Negative	33	78.57	37	88.10
Total		42	100.00	42	100.00

TABLE 35

Summary by Cancer Stage Group for Glycodelin					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	43	64.18	34	50.75
	Negative	24	35.82	33	49.25
2	Total	67	100.00	67	100.00
	Positive	41	62.12	37	56.06
	Negative	25	37.88	29	43.94
3	Total	66	100.00	66	100.00
	Positive	43	64.18	30	44.78
	Negative	24	35.82	37	55.22
Total		67	100.00	67	100.00

Biomarker: MMP-7
[0204]

TABLE 36

Summary by Age Group for MMP-7									
		Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
Group	Result	N	%	N	%	N	%	N	%
IP	Positive	19	21.11	78	72.22	9	10.00	44	40.74
	Negative	71	78.89	30	27.78	81	90.00	64	59.26
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	12	5.97	30	15.38	2	1.00	7	3.59
	Negative	189	94.03	165	84.62	199	99.00	188	96.41
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	50	50.00	53	53.00	28	28.00	33	33.00
	Negative	50	50.00	47	47.00	72	72.00	67	67.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 37

Summary by Interfering Substance/Pathology Group for MMP-7					
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Tumors	Positive	27	60.00	15	33.33
	Negative	18	40.00	30	66.67
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	8	40.00	5	25.00
	Negative	12	60.00	15	75.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	3	9.09	0	0.00
	Negative	30	90.91	33	100.00
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	8	22.86	3	8.57
	Negative	27	77.14	32	91.43
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	22	88.00	10	40.00
	Negative	3	12.00	15	60.00
Total		25	100.00	25	100.00

TABLE 37-continued

Summary by Interfering Substance/Pathology Group for MMP-7					
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Chronic Immuno. Disorder	Positive	29	69.05	20	47.62
	Negative	13	30.95	22	52.38
Total		42	100.00	42	100.00

TABLE 38

Summary by Cancer Stage Group for MMP-7					
		Best Cutoff from ROC plot		Mean + 2 * std	
Stage	Result	N	%	N	%
1	Positive	33	49.25	20	29.85
	Negative	34	50.75	47	70.15
2	Total	67	100.00	67	100.00
	Positive	28	42.42	11	16.67
	Negative	38	57.58	55	83.33
3	Total	66	100.00	66	100.00
	Positive	42	62.69	30	44.78
	Negative	25	37.31	37	55.22
Total		67	100.00	67	100.00

Biomarker: PLAUR
[0205]

TABLE 39

Summary by Age Group for PLAUR									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	50	55.56	71	65.74	24	26.67	56	51.85
	Negative	40	44.44	37	34.26	66	73.33	52	48.15
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	35	17.41	61	31.28	16	7.96	23	11.79
	Negative	166	82.59	134	68.72	185	92.04	172	88.21
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	71	71.00	72	72.00	44	44.00	50	50.00
	Negative	29	29.00	28	28.00	56	56.00	50	50.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 40

Summary by Interfering Substance/Pathology Group for PLAUR					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	30	66.67	20	44.44
	Negative	15	33.33	25	55.56
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	13	65.00	11	55.00
	Negative	7	35.00	9	45.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	13	39.39	1	3.03
	Negative	20	60.61	32	96.97
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	15	42.86	9	25.71
	Negative	0	57.14	26	74.29
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	18	72.00	11	44.00
	Negative	7	28.00	14	56.00
Total		25	100.00	25	100.00

TABLE 40-continued

Summary by Interfering Substance/Pathology Group for PLAUR					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Chronic Immuno. Disorder	Positive	32	76.19	28	66.67
	Negative	10	23.81	14	33.33
Total		42	100.00	42	100.00

TABLE 41

Summary by Cancer Stage Group for PLAUR					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	53	79.10	30	44.78
	Negative	14	20.90	37	55.22
2	Total	67	100.00	67	100.00
	Positive	40	60.61	29	43.94
	Negative	26	39.39	37	56.06
3	Total	66	100.00	66	100.00
	Positive	50	74.63	35	52.24
	Negative	17	25.37	32	47.76
Total		67	100.00	67	100.00

Biomarker: Prolactin
[0206]

TABLE 42

Summary by Age Group for Prolactin									
		Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
Group	Result	N	%	N	%	N	%	N	%
IP	Positive	50	55.56	49	45.37	9	10.00	6	5.56
	Negative	40	44.44	59	54.63	81	90.00	102	94.44
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	92	45.77	54	27.69	6	2.99	3	1.54
	Negative	109	54.23	141	72.31	195	97.01	192	98.46
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	64	64.00	48	48.00	5	5.00	2	2.00
	Negative	36	36.00	52	52.00	95	95.00	98	98.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 43

Summary by Interfering Substance/Pathology Group for Prolactin					
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Tumors	Positive	17	37.78	3	6.67
	Negative	28	62.22	42	93.33
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	4	20.00	2	10.00
	Negative	16	80.00	18	90.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	23	69.70	4	12.12
	Negative	10	30.30	29	87.88
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	18	51.43	3	8.57
	Negative	17	48.57	32	91.43
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	13	52.00	2	8.00
	Negative	12	48.00	23	92.00
Chronic Immuno. Disorder	Total	25	100.00	25	100.00
	Positive	26	61.90	2	4.76
	Negative	16	38.10	40	95.24
Total		42	100.00	42	100.00

TABLE 44

Summary by Cancer Stage Group for Prolactin					
		Best Cutoff from ROC plot		Mean + 2 * std	
Stage	Result	N	%	N	%
1	Positive	42	62.69	2	2.99
	Negative	25	37.31	65	97.01
2	Total	67	100.00	67	100.00
	Positive	30	45.45	2	3.03
	Negative	36	54.55	64	96.97
3	Total	66	100.00	66	100.00
	Positive	40	59.70	3	4.48
	Negative	27	40.30	64	95.52
Total		67	100.00	67	100.00

Biomarker: CA125 (Lab Corp Data)

[0207]

TABLE 45

Summary by Age Group for CA125 (LabCorp Data)					
		Cutoff at 35			
		Age <= 55		Age > 55	
Group	Result	N	%	N	%
IP	Positive	13	14.94	6	5.66
	Negative	74	85.06	100	94.34
Total		87	100.00	106	100.00

TABLE 45-continued

Summary by Age Group for CA125 (LabCorp Data)					
Group	Result	Cutoff at 35			
		Age <= 55		Age > 55	
		N	%	N	%
NORMAL	Positive	5	2.51	1	0.52
	Negative	194	97.49	193	99.48
OvCA	Total	199	100.00	194	100.00
	Positive	39	39.39	60	60.61
	Negative	60	60.61	39	39.39
	Total	99	100.00	99	100.00

TABLE 46

Summary by Interfering Substance/Pathology Group for CA125 (LabCorp data)			
Group	Result	Cutoff at 35	
		N	%
Tumors	Positive	5	11.11
	Negative	40	88.89
Metabolic Disorder	Total	45	100.00
	Positive	1	5.56
	Negative	17	94.44
Hormonal Fluctuation	Total	18	100.00
	Positive	7	21.21
	Negative	26	78.79
Gynecologic Disorder	Total	33	100.00
	Positive	4	12.50
	Negative	28	87.50
Vascular Disorder	Total	32	100.00
	Positive	0	0.00
	Negative	25	100.00
Chronic Immuno. Disorder	Total	25	100.00
	Positive	2	4.76
	Negative	40	95.24
	Total	42	100.00

TABLE 47

Summary by Cancer Stage Group for CA 125 (LabCorp data)			
Stage	Result	Cutoff at 35	
		N	%
1	Positive	24	35.82
	Negative	43	64.18
2	Total	67	100.00
	Positive	37	56.06
	Negative	29	43.94
	Total	66	100.00

TABLE 47-continued

Summary by Cancer Stage Group for CA 125 (LabCorp data)			
Stage	Result	Cutoff at 35	
		N	%
3	Positive	38	58.46
	Negative	27	41.54
Total		65	100.00

[0208] Summaries of the sensitivity of the thirteen biomarkers analyzed are presented in Tables 48-50, based on tumor stage, normal 2-standard deviation limits, or “best fit,” respectively.

TABLE 48

Individual marker sensitivity summary by tumor stage (Based on best cutoff)			
Marker	Stage 1 % pos	Stage 2 % pos	Stage 3 % pos
HE4	85.1	80.3	92.5
Glycodelin	64.2	62.1	64.2
MMP7	49.3	42.4	62.7
SLPI	50.8	57.6	71.6
PAI-1	80.6	50.0	68.7
MUC-1	65.7	40.9	55.2
CA125	35.8	56.1	58.5
Plau-R	79.1	60.6	74.6
Inhibin A	37.3	53.0	34.3
CTHRC1	23.9	28.8	35.8
KLK6	14.9	10.6	9.0
KLK10	55.2	56.1	62.7
Prolactin	62.7	45.5	59.7

TABLE 49

Individual Marker Sensitivity Summary (based on Normal 2SD limit)		
Marker	Sensitivity	Specificity
HE4	66.5	96
Glycodelin	50.5	85.3
MMP7	30.5	97.7
SLPI	15.0	98.3
Plau-R	47.0	90.1
MUC1	8.0	98.5
Inhibin A	34.0	75.8
PAI-1	15.0	96.2
CA125	50.0	98.5
(>=35 u/ml)		
CTHRC1	12.5	98.0
KLK6	5.0	98.2
KLK10	8.0	98.5
Prolactin	3.5	97.7

TABLE 50

Individual Marker Sensitivity Summary (based on best cutoff)		
Marker	Sensitivity	Specificity
HE4	86.0	86.3
Glycodelin	63.5	79.0
MMP7	51.5	89.4
SLPI	60.0	71.7

TABLE 50-continued

Individual Marker Sensitivity Summary (based on best cutoff)		
Marker	Sensitivity	Specificity
Plau-R	71.5	77.2
MUC1	54.0	73.0
Inhibin A	40.7	70.3
PAI-1	66.5	76.0
CA125	50.5	98.2
(≥ 35 u/ml)		
CTHRC1	29.5	84.8
KLK6	11.5	95.7
KLK10	58.0	54.3
Prolactin	56.0	63.1

Example 3

Ovarian Biomarker Selection Study

Multiple Biomarker Analysis

[0209] The logistic regression method was used for selection of optimal biomarkers for this study. Using logistic regression, stepwise selection starts off by finding the biomarker that produces the largest R-square value with the dependent variable. Then, given that the 'best' biomarker is in the model, logistic regression finds that next best biomarker in terms of adding to the R-square. This process of finding a set of biomarkers that adds to the R-square is stopped when biomarkers can no longer add to the R-square, in accordance

with certain statistical criteria. These sets of biomarkers are not unique because some of the biomarkers have the same predictive performance.

[0210] Based on one selected model, a ROC plot can be produced, which provides the relationship between the sensitivity and specificity rates. Therefore, an appropriate specificity and sensitivity can be chosen in order to obtain an expected PPV with accepted sensitivity.

[0211] Tables 51 and 52 provide several examples involving selection of a set of biomarkers with a higher specificity and an appropriate sensitivity with a PPV of approximately 10% and a combined sensitivity rate around 70%-80%, under the assumption that the population is 8,000,000 and the disease prevalence is 0.25%. Different target values for sensitivity, specificity, NPV and PPV can be obtained by selecting different assay cutoffs, different biomarker combinations, and different rules for combining the biomarkers. Biomarker performance was analyzed using the biomarker values as continuous variables (Table 51) and as categorical variables (Table 52).

[0212] By way of definition, when two assay steps are performed, the first assay step may be referred to as the "screen test," and the second step may be referred to as the "reflex test." "Best cutoff point" refers to the value obtained from the ROC plot for a particular biomarker that produces the best sensitivity and specificity. "Mean+2*std" refers to the average expression level plus twice the standard deviation, based on analysis of normal samples from patients not afflicted with ovarian cancer.

Biomarker Performance as Continuous Variables

[0213]

TABLE 51

Estimated Sensitivity, Specificity, PPV, and NPV Adjusted by Disease Prevalence for Different Models (Biomarker values as continuous variables)							
Example	Marker Selected and rule	Screen/Reflex Test	Screen/Reflex Test	Combined Performance*			
		Sensitivity	Specificity	Sensitivity	Specificity	PPV	NPV
Age > 55							
1	Screen Test: If HE4 <= 1.8 then test is negative	90.2%	62.2%				
	Reflex Test: If HE4 > 1.8 then the following marker selected: CA125, GLY, PAI, Plau-R (actual value used**)	87%	96%	78.474%	98.4880%	11.5105%	99.9453%
2†	Marker selected: HE4, CA125, GLY, MMP-7, PAI, Plau-R (actual value used)	81.7%	98%	81.7%	98%	9.2873%	99.9532%

*Assume the population = 8,000,000; prevalence = 0.25%, estimated cancer cases = 20,000 in the population.

**Actual value refers to the actual biomarker expression level obtained in the test

†Although all listed biomarkers were assayed in a single step, additional algorithms were applied to obtain the values for sensitivity, specificity, PPV, and NPV indicated in the table.

Biomarker Performance as Categorical Variables
[0214]

TABLE 52

Estimated Sensitivity, Specificity, PPV, and NPV Adjusted by Disease Prevalence for Different Models (Biomarker Values as Categorical Variables)							
	Marker Selected and	Screen/Reflex Test	Screen/Reflex Test	Combined Performance*			
Example	rule	Sensitivity	Specificity	Sensitivity	Specificity	PPV	NPV
<u>Overall Sample</u>							
1	Screen Test: If HE4 <= 1.8 then test is negative Reflex Test: If HE4 > 1.8 then the following marker selected: CA125, MUC1, GLY, PAI-1, Plau-R (Best cutoff points used)	91.9%	73%				
		80%	92.5%	73.52%	98.704%	12.4479%	99.9328%
<u>Age > 55</u>							
1	Screen Test: If HE4 <= 1.8 then test is negative Reflex Test: If HE4 > 1.8 then the following marker selected (best cutoff points used): CA125, MUC-1, MMP-7, Plau-R, GLY	90.2%	62.2%				
		78%	95.9%	70.356%	98.4502%	10.2154%	99.9246%
2	Screen Test: If HE4 <= 1.8 then test is negative Reflex Test: If HE4 > 1.8 then the following marker selected (Mean + 2 * std cutoff points used): CA125, MUC-1, MMP-7, Plau-R, Inhibin	90.2%	62.2%				
		82%	95.8%	73.964%	98.4124%	10.4555%	99.9337%
3†	Marker selected: PLAU-R, GLY, HE4, CA125, MMP-7, PAI-1 (Best cutoff points used)	80.8%	98.5%	80.8%	98.5%	11.8946%	99.9512%
4†	Marker selected: PLAU-R, GLY, HE4, CA125, MMP-7 (Mean + 2 * std cutoff points used)	75%	99%	75%	99%	15.8228%	99.9368%

*CA125 cutoff $\geq$ 35 in either best cutoff or mean + 2std cases

**Assume the population = 8,000,000; prevalence = 0.25%, the estimate cancer cases = 20,000 in the population.

†Although all listed biomarkers were assayed in a single step, additional algorithms were applied to obtain the values for sensitivity, specificity, PPV, and NPV indicated in the table.

Sensitivity, Specificity, PPV, and NPV Results Obtained with
Application of "Test Rules"

[0215] In the current study, the biomarkers HE4, CA125, PLAU-R, glycodelin, Muc-1, PAI-1, MMP-7, and inhibin were the most frequently selected markers based on marker performance either as continuous or categorical variables. In contrast to the statistical methods described above, Table 53 provides the estimated sensitivity, specificity, PPV, and NPV (adjusted by disease prevalence) based on two test rules: (1) if any two of the above biomarkers are positive (i.e., overex-

pressed), then the test is declared positive or (2) if any 3 of the above biomarkers are positive (i.e., overexpressed), the test is declared positive. Contrary to the results presented above in Tables 51 and 52, though, the application of either test rule did not produce a high specificity rate, which in turn lead to an unacceptably low PPV ($<1.5\%$) when adjusted for the low prevalence rate of ovarian cancer. The application of "test rules," such as those described herein, is representative of the current state of the art in the identification of patients having an increased risk of ovarian cancer.

TABLE 53

Estimated Sensitivity, Specificity, PPV, and NPV Adjusted by Disease Prevalence Based on Test Rules					
Example	Marker Selected and rule	Performance*			
		Sensitivity	Specificity	PPV	NPV
<u>Overall Sample</u>					
1	Any of two following markers are positive: HE4, CA125, Plau-R, GLY, MUC-1, PAI-1, MMP-7, Inhibin (best cutoff points used)	97.475%	51.654%	0.5028%	99.9878%
2	Any of 3 following markers are positive: HE4, CA125, Plau-R, GLY, MUC-1, PAI-1, MMP-7, Inhibin (best cutoff points used)	91.414%	78.372%	1.0482%	99.9726%
<u>Age > 55 Year Older</u>					
1	Any of two following markers are positive: HE4, CA125, Plau-R, GLY, MUC-1, PAI-1, MMP-7, Inhibin (best cutoff points used)	96.970%	56.186%	0.5516%	99.9865%
2	Any of 3 following markers are positive: HE4, CA125, Plau-R, GLY, MUC-1, PAI-1, MMP-7, Inhibin (best cutoff points used)	94.949%	78.866%	1.1135%	99.9840%

*CA125 cutoff ≥ 35 in either best cutoff or mean + 2std cases

**Assume the population = 8,000,000; prevalence = 0.25%, estimated cancer cases = 20,000 in the population.

Example 4

Ovarian Biomarker Selection Study

Multiple Biomarker Analysis Using One-Step Screening Method

[0216] Expression of the biomarkers HE4, CA125, and glycodein and combinations thereof for all patients and patient age over 55 was assessed using a one-step screening method, as described herein above. In particular, Table 54

Proportions (3rd Ed.), which is herein incorporated by reference in its entirety. The algorithm offered 76.8% sensitivity at 96.4% specificity. A test outcome defined as positive was based on the following linear logistic regression model: $\ln(P/(1-P)) = -4.2391 + 0.0888 * CA125 + 0.1790 * HE4 + 0.2349 * GLY$, where P is the conditional probability of ovarian cancer given CA 125, HE4, and glycodein being overexpressed in the patient body sample. A similar result was obtained with CA 125 determined using manufacture's recommended cutoff value of $>35u/mL$.

TABLE 54

Sensitivity and specificity of single-step screening assay to distinguish ovarian cancer (all stages) from controls in patients over age 55				
Marker	Variable	Algorithm	Sensitivity	Specificity
HE4, CA125, GLYCODELIN	Actual value	1 Step: based on linear logistic model	76.8%	96.4%
HE4, CA125, GLYCODELIN	Actual value, except CA125	1 Step: based on linear logistic model	71.4%	95.4%

provides the results for a one-step algorithm for patients over age 55. The test algorithm was based on a linear logistic regression model, and the actual value of each marker was used in the model. Linear logistic regression models (and other algorithms) are routine and well known in the art. See, for example, Fleiss (2003) Statistical Methods for Rates and

Example 5

Bootstrap Method of Analysis

Validation of Study Methods

[0217] A bootstrap method of analysis was also conducted to assure a robust estimate of sensitivity and specificity for the

above studies given that an independent and unique set of cancer sera was not available to validate the model. The bootstrap method consisted of artificially creating 1000 random datasets with replacement selection from the study sample set. A set of the most frequently selected markers in the study based on optimal performance was selected: HE4, CA125, PLAU-R, Glycodelin, MUC1 and PAI-1. A “test” was defined as follows: Test is positive if either (1) HE4 is positive and any one of CA125, Glycodelin, MMP-7, PLAU-R is positive or (2) HE4 is negative but CA125, Glycodelin, MMP-7, PLAU-R are all positive; otherwise, the “test” is negative. From the 1000 random samples, the mean/standard deviation and 95% confidence interval of the sensitivity/specificity of this defined test were obtained.

[0218] All publications and patent applications mentioned in the specification are indicative of the level of those skilled in the art to which this invention pertains. All publications and patent applications are herein incorporated by reference to the same extent as if each individual publication or patent application was specifically and individually indicated to be incorporated by reference.

[0219] Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it will be obvious that certain changes and modifications may be practiced within the scope of the appended embodiments.

TABLE 55

Biomarker Sequence Information				
Biomarker Name	Accession No.	Amino Acid Sequence	Accession No.	Nucleotide Sequence
		Sequence Identifier		Sequence Identifier
HE4 (Isoform 1)	NP_006094	SEQ ID NO: 1	NM_006103	SEQ ID NO: 2
HE4 (Isoform 3)	NP_542771	SEQ ID NO: 3	NM_080733	SEQ ID NO: 4
HE4 (Isoform 4)	NP_542772	SEQ ID NO: 5	NM_080734	SEQ ID NO: 6
HE4 (Isoform 2)	NP_542774	SEQ ID NO: 7	NM_080736	SEQ ID NO: 8
HE4 (Isoform 5)	NP_542773	SEQ ID NO: 9	NM_080735	SEQ ID NO: 10
KLK6 (Variant A)	NP_002765	SEQ ID NO: 11	NM_002774	SEQ ID NO: 12
KLK6 (Variant B)	NP_001012982	SEQ ID NO: 13	NM_001012964	SEQ ID NO: 14
KLK6 (Variant C)	NP_001012983	SEQ ID NO: 15	NM_001012965	SEQ ID NO: 16
KLK (Variant D)	NP_001012984	SEQ ID NO: 17	NM_001012966	SEQ ID NO: 18
KLK10 (Variant 1)	NP_002767	SEQ ID NO: 19	NM_002776	SEQ ID NO: 20
KLK10 (Variant 2)	NP_665895	SEQ ID NO: 21	NM_145888	SEQ ID NO: 22
Glycodelin (Variant 1)	NP_001018059	SEQ ID NO: 23	NM_001018409	SEQ ID NO: 24
Glycodelin (Variant 2)	NP_002562	SEQ ID NO: 25	NM_002571	SEQ ID NO: 26
PAI-1	NP_000593	SEQ ID NO: 27	NM_000602	SEQ ID NO: 28
Muc-1 (Variant 1)	NP_002447	SEQ ID NO: 29	NM_002456	SEQ ID NO: 30
Muc-1 (Variant 2)	NP_001018016	SEQ ID NO: 31	NM_001018016	SEQ ID NO: 32
Muc-1 (Variant 3)	NP_001018017	SEQ ID NO: 33	NM_001018017	SEQ ID NO: 34
Muc-1 (Variant 4)	NP_001018021	SEQ ID NO: 35	NM_001018021	SEQ ID NO: 36
Alpha-1 anti-trypsin	NP_000286	SEQ ID NO: 37	NM_000295	SEQ ID NO: 38
Alpha-1 anti-trypsin	NP_001002235	SEQ ID NO: 39	NM_001002235	SEQ ID NO: 40
Alpha-1 anti-trypsin	NP_001002236	SEQ ID NO: 41	NM_001002236	SEQ ID NO: 42
PLAUR (Variant 1)	NP_002650	SEQ ID NO: 43	NM_002659	SEQ ID NO: 44
PLAUR (Variant 2)	NP_001005376	SEQ ID NO: 45	NM_001005376	SEQ ID NO: 46
PLAUR (Variant 3)	NP_001005377	SEQ ID NO: 47	NM_001005377	SEQ ID NO: 48
CTHRC1	NP_612464	SEQ ID NO: 49	NM_138455	SEQ ID NO: 50
Inhibin (INHA)	NP_002182	SEQ ID NO: 51	NM_002191	SEQ ID NO: 52
Inhibin (INHBB)	NP_002184	SEQ ID NO: 53	NM_002193	SEQ ID NO: 54
Inhibin (INHBA)	NP_002183	SEQ ID NO: 55	NM_002192	SEQ ID NO: 56
CA125 (Muc-16)	NP_078966	SEQ ID NO: 57	NM_024690	SEQ ID NO: 58
MMP-7	NP_002414	SEQ ID NO: 59	NM_002423	SEQ ID NO: 60
Prolactin	NP_000939	SEQ ID NO: 61	NM_000948	SEQ ID NO: 62
SLPI	NP_003055	SEQ ID NO: 63	NM_003064	SEQ ID NO: 64

 SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 64

<210> SEQ ID NO 1

<211> LENGTH: 124

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 1

```

Met Pro Ala Cys Arg Leu Gly Pro Leu Ala Ala Ala Leu Leu Leu Ser
1           5           10           15
Leu Leu Leu Phe Gly Phe Thr Leu Val Ser Gly Thr Gly Ala Glu Lys
                20           25           30
Thr Gly Val Cys Pro Glu Leu Gln Ala Asp Gln Asn Cys Thr Gln Glu
        35           40           45
Cys Val Ser Asp Ser Glu Cys Ala Asp Asn Leu Lys Cys Cys Ser Ala
        50           55           60
Gly Cys Ala Thr Phe Cys Ser Leu Pro Asn Asp Lys Glu Gly Ser Cys
65           70           75           80
Pro Gln Val Asn Ile Asn Phe Pro Gln Leu Gly Leu Cys Arg Asp Gln
                85           90           95
Cys Gln Val Asp Ser Gln Cys Pro Gly Gln Met Lys Cys Cys Arg Asn
        100          105          110
Gly Cys Gly Lys Val Ser Cys Val Thr Pro Asn Phe
        115          120

```

<210> SEQ ID NO 2

<211> LENGTH: 570

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 2

```

cacctgcacc cgcgggggc atagcaccat gcctgcttgt cgcctaggcc cgctagccgc      60
cgccctctct ctcagcctgc tgctgttcgg cttcacccta gtctcaggca caggagcaga      120
gaagactggc gtgtgccccg agctccaggc tgaccagaac tgcacgcaag agtgcgctct      180
ggacagcgaa tgcgcgcaca acctcaagtg ctgcagcgcg ggctgtgccca cttctgtctc      240
tctgccaat gataaggagg gttcctgccc ccagggtgaac attaaatttc cccagctcgg      300
cctctgtcgg gaccagtgcc aggtggacag ccagtgtcct ggccagatga aatgctgccg      360
caatggctgt gggaagggtg cctgtgtcac tcccaatttc tgagctccag ccaccaccag      420
gctgagcagt gaggagagaa agtttctgcc tggccctgca tctggttcca gccacactgc      480
cctccccctt ttggggaact tgtattccct cttgggctga ccacagcttc tccctttccc      540
aaccaataaa gtaaccactt tcagcaaaaa

```

<210> SEQ ID NO 3

<211> LENGTH: 79

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 3

```

Met Pro Ala Cys Arg Leu Gly Pro Leu Ala Ala Ala Leu Leu Leu Ser
1           5           10           15
Leu Leu Leu Phe Gly Phe Thr Leu Val Ser Gly Thr Gly Ala Glu Lys

```

-continued

	20								25						30														
Thr Gly Val Cys Pro Glu Leu Gln Ala Asp Gln Asn Cys Thr Gln Glu																													
	35								40						45														
Cys Val Ser Asp Ser Glu Cys Ala Asp Asn Leu Lys Cys Cys Ser Ala																													
	50								55						60														
Gly Cys Ala Thr Phe Cys Ser Leu Pro Asn Gly Gln Leu Ala Glu																													
	65								70						75														
<210> SEQ ID NO 4																													
<211> LENGTH: 694																													
<212> TYPE: DNA																													
<213> ORGANISM: Homo sapiens																													
<400> SEQUENCE: 4																													
cacctgcacc ccgccccggc atagcaccat gcctgcttgt cgcctaggcc cgctagccgc																									60				
cgccctcttc ctacgctgc tgctgttcgg cttcacccta gtctcaggca caggagcaga																									120				
gaagactggc gtagtccccg agctccaggc tgaccagaac tgcacgcaag agtgcgcttc																									180				
ggacagcgaa tgcgccgaca acctcaagtg ctgcagcgcg ggctgtgcca cctttctgtc																									240				
tctgcccatt ggccaactgg ctgagtgatt cgaagaaagt gaggaatcct ccttgacac																									300				
tgtatcgccc ttctgtgtct ttcagtcaat ctcttccact ctaaggattg agtgagecgc																									360				
agctggggac tctctcaaag ataaggaggg ttctgcccc cagggtgaaca ttaactttcc																									420				
ccagctcggc ctctgtcggg accagtgccca ggtggacagc cagtgtcctg gccagatgaa																									480				
atgctgccgc aatggctgtg ggaagggtgc ctgtgtcact cccaatttct gaggtccagc																									540				
caccaccagg ctgagcagtg aggagagaaa gtttctgcct ggccctgcat ctggttccag																									600				
cccacvtgcc ctcccccttt tcgggactct gtattccctc ttgggctgac cacagettct																									660				
ccctttccca accaataaaa taaccacttt caqc																									690				

```
<210> SEQ ID NO 5
<211> LENGTH: 76
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
```

<400> SEQUENCE: 5

Met	Pro	Ala	Cys	Arg	Leu	Gly	Pro	Leu	Ala	Ala	Ala	Leu	Leu	Leu	Ser
1				5					10					15	
Leu	Leu	Leu	Phe	Gly	Phe	Thr	Leu	Val	Ser	Asp	Lys	Glu	Gly	Ser	Cys
			20					25					30		
Pro	Gln	Val	Asn	Ile	Asn	Phe	Pro	Gln	Leu	Gly	Leu	Cys	Arg	Asp	Gln
			35				40					45			
Cys	Gln	Val	Asp	Ser	Gln	Cys	Pro	Gly	Gln	Met	Lys	Cys	Cys	Arg	Asn
	50					55					60				
Gly	Cys	Gly	Lys	Val	Ser	Cys	Val	Thr	Pro	Asn	Phe				
65					70					75					

```
<210> SEQ ID NO 6
<211> LENGTH: 421
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
```

<400> SEQUENCE: 6

cacctgcacc cgcgccgggc atagcaccat gcctgcttgt cgctaggcc cgctagccgc 60

-continued

```

cgccctctc ctcagctgc tgctgttcgg cttcacccta gtctcagata aggagggttc 120
ctgccccag gtgaacatta actttcccca gctcggcctc tgctgggacc agtgccaggt 180
ggacagccag tgctctggcc agatgaaatg ctgccgcaat ggctgtggga aggtgtcctg 240
tgtcactccc aattttctgag gtccagccac caccaggtg agcagtgagg agagaaagtt 300
tctgctggc cctgcactctg gttccagccc acctgccctc cctttttctg ggactctgta 360
ttccctcttg ggctgaccac agcttctccc ttcccaacc aataaagtaa ccactttcag 420
c 421

```

```

<210> SEQ ID NO 7
<211> LENGTH: 102
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 7

```

```

Met Pro Ala Cys Arg Leu Gly Pro Leu Ala Ala Ala Leu Leu Leu Ser
1           5           10           15
Leu Leu Leu Phe Gly Phe Thr Leu Val Ser Gly Thr Gly Ala Glu Lys
           20           25           30
Thr Gly Val Cys Pro Glu Leu Gln Ala Asp Gln Asn Cys Thr Gln Glu
           35           40           45
Cys Val Ser Asp Ser Glu Cys Ala Asp Asn Leu Lys Cys Cys Ser Ala
           50           55           60
Gly Cys Ala Thr Phe Cys Ser Leu Pro Asn Ala Leu Phe His Trp His
65           70           75           80
Leu Lys Thr Arg Arg Leu Trp Glu Ile Ser Gly Pro Arg Pro Arg Arg
           85           90           95
Pro Thr Trp Asp Ser Ser
           100

```

```

<210> SEQ ID NO 8
<211> LENGTH: 358
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 8

```

```

cacctgcacc ccgcccgggc atagcaccat gcctgcttgt cgcctaggcc cgctagccgc 60
cgccctctc ctcagctgc tgctgttcgg cttcacccta gtctcaggca caggagcaga 120
gaagactggc gtgtgccccg agctccaggc tgaccagaac tgcacgcaag agtgctctc 180
ggacagcgaa tgcgccgaca acctcaagtg ctgcagcgcg ggctgtgcca ccttctgctc 240
tctgccaat gcactgttcc actggcacct aaagacacgg aggtctctggg agatttctgg 300
ccctaggcca cgaaggccca cttgggactc aagctgaggt cctgtgattc catttggg 358

```

```

<210> SEQ ID NO 9
<211> LENGTH: 73
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 9

```

```

Met Leu Gln Val Gln Val Asn Leu Pro Val Ser Pro Leu Pro Thr Tyr
1           5           10           15
Pro Tyr Ser Phe Phe Tyr Pro Asp Lys Glu Gly Ser Cys Pro Gln Val
           20           25           30

```

-continued

Asn Ile Asn Phe Pro Gln Leu Gly Leu Cys Arg Asp Gln Cys Gln Val
 35 40 45
 Asp Ser Gln Cys Pro Gly Gln Met Lys Cys Cys Arg Asn Gly Cys Gly
 50 55 60
 Lys Val Ser Cys Val Thr Pro Asn Phe
 65 70

<210> SEQ ID NO 10
 <211> LENGTH: 411
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 10

```
agccacagtga ggggcagtg gggggccatg ctgcaggtag aagttaatct cctgtatcg      60
cctctgcccc cttaccetta ctctttttt taccagata aggagggttc ctgccccag      120
gtgaacatta actttcccca gctcggcctc tgtcgggacc agtgccaggt ggacagccag      180
tgtctgggcc agatgaaatg ctgccgcaat ggctgtggga aggtgtcctg tgtcactccc      240
aatttctgag gtccagccac caccaggctg agcagtgagg agagaaagtt tctgctggc      300
cctgcacatg gttccagccc acctgccctc ccotttttcg ggactctgta ttcctcttg      360
ggctgaccac agcttctccc tttcccaacc aataaagtaa ccactttcag c          411
```

<210> SEQ ID NO 11
 <211> LENGTH: 244
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 11

```
Met Lys Lys Leu Met Val Val Leu Ser Leu Ile Ala Ala Ala Trp Ala  

1 5 10 15  

Glu Glu Gln Asn Lys Leu Val His Gly Gly Pro Cys Asp Lys Thr Ser  

20 25 30  

His Pro Tyr Gln Ala Ala Leu Tyr Thr Ser Gly His Leu Leu Cys Gly  

35 40 45  

Gly Val Leu Ile His Pro Leu Trp Val Leu Thr Ala Ala His Cys Lys  

50 55 60  

Lys Pro Asn Leu Gln Val Phe Leu Gly Lys His Asn Leu Arg Gln Arg  

65 70 75 80  

Glu Ser Ser Gln Glu Gln Ser Ser Val Val Arg Ala Val Ile His Pro  

85 90 95  

Asp Tyr Asp Ala Ala Ser His Asp Gln Asp Ile Met Leu Leu Arg Leu  

100 105 110  

Ala Arg Pro Ala Lys Leu Ser Glu Leu Ile Gln Pro Leu Pro Leu Glu  

115 120 125  

Arg Asp Cys Ser Ala Asn Thr Thr Ser Cys His Ile Leu Gly Trp Gly  

130 135 140  

Lys Thr Ala Asp Gly Asp Phe Pro Asp Thr Ile Gln Cys Ala Tyr Ile  

145 150 155 160  

His Leu Val Ser Arg Glu Glu Cys Glu His Ala Tyr Pro Gly Gln Ile  

165 170 175  

Thr Gln Asn Met Leu Cys Ala Gly Asp Glu Lys Tyr Gly Lys Asp Ser  

180 185 190
```

-continued

Cys	Gln	Gly	Asp	Ser	Gly	Gly	Pro	Leu	Val	Cys	Gly	Asp	His	Leu	Arg
	195						200					205			

Gly	Leu	Val	Ser	Trp	Gly	Asn	Ile	Pro	Cys	Gly	Ser	Lys	Glu	Lys	Pro
210						215				220					

Gly	Val	Tyr	Thr	Asn	Val	Cys	Arg	Tyr	Thr	Asn	Trp	Ile	Gln	Lys	Thr
225					230					235					240

Ile Gln Ala Lys

<210> SEQ ID NO 12

<211> LENGTH: 1527

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 12

```

ggcggacaaa gcccgattgt tcctggggccc ttcccccatc gcgcctgggc ctgctcccca      60
gcccggggca ggggcggggg ccagtgtggt gacacacgct gtactgtctc ccccggtctg      120
ctggtctgct ctctctctggg gacacagagg tcggcaggca gcacacagag ggacctacgg      180
gcagctgttc cttcccccca ctcaagaatc cccggaggcc cggaggcctg cagcaggagc      240
ggccatgaag aagctgatgg tgggtctgag tctgattgct gcagctggg cagaggagca      300
gaataagttg gtgcatggcg gacctgcga caagacatct caccctacc aagctgccct      360
ctacacctcg ggccacttgc tctgtggtgg ggtccttacc catccactgt gggctctcac      420
agctgccacc tgcaaaaaac cgaatcttca ggtcttctcg gggaagcata accttcggca      480
aaggagaggt tcccaggagc agagttctgt tgtccgggct gtgatccacc ctgactatga      540
tgccgccagc catgaccagg acatcatgct gttgcgctcg gcacgcccag ccaaactctc      600
tgaactcatc cagccccctc ccctggagag ggactgctca gccaacacca ccagctgcca      660
catcctgggc tggggcaaga cagcagatgg tgatttcctt gacaccatcc agtgtgcata      720
catccacctg gtgtccctg aggagtgtga gcatgcctac cctggccaga taccacagaa      780
catgttgtgt gctggggatg agaagtacgg gaaggattcc tgccaggggt attctggggg      840
tccgtggta tgtggagacc acctccgagg ccttgtgtca tggggtaaca tcccctgtgg      900
atcaaaggag aagccaggag tctacaccaa cgtctgcaga tacacgaact ggatccaaaa      960
aaccattcag gccaaagtgc cctgacatgt gacatctacc tcccgaccta ccccccaact     1020
ggctggttcc agaactgtct tcacctagac ctgtcctccc ctctctcct gccagctctc     1080
gacctgatg cttaataaac gcagcgacgt gagggtcctg attctccctg gttttacccc     1140
agctccatcc ttgcatcact ggggaggacg tgatgagtga ggacttgggt cctcggtctt     1200
acccccacca ctaagagaat acaggaaaat cccttctagg catctcctct ccccaaccct     1260
tccacacggt tgatttcttc ctgcagaggg ccagccacgt gtctggaatc ccagctccgc     1320
tgcttactgt cgggtgtccc ttgggatgta cctttcttca ctgcagatct ctcacctgta     1380
agatgaagat aaggatgata cagtctccat aaggcagtggt ctgttgaaaa gatttaaggt     1440
ttcacaccta tgacatacat ggaatagcac ctgggccacc atgcactcaa taaagaatga     1500
atattattat gaaaaaaaaa aaaaaaa                                     1527

```

<210> SEQ ID NO 13

<211> LENGTH: 244

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

-continued

<400> SEQUENCE: 13

Met Lys Lys Leu Met Val Val Leu Ser Leu Ile Ala Ala Ala Trp Ala
 1 5 10 15
 Glu Glu Gln Asn Lys Leu Val His Gly Gly Pro Cys Asp Lys Thr Ser
 20 25 30
 His Pro Tyr Gln Ala Ala Leu Tyr Thr Ser Gly His Leu Leu Cys Gly
 35 40 45
 Gly Val Leu Ile His Pro Leu Trp Val Leu Thr Ala Ala His Cys Lys
 50 55 60
 Lys Pro Asn Leu Gln Val Phe Leu Gly Lys His Asn Leu Arg Gln Arg
 65 70 75 80
 Glu Ser Ser Gln Glu Gln Ser Ser Val Val Arg Ala Val Ile His Pro
 85 90 95
 Asp Tyr Asp Ala Ala Ser His Asp Gln Asp Ile Met Leu Leu Arg Leu
 100 105 110
 Ala Arg Pro Ala Lys Leu Ser Glu Leu Ile Gln Pro Leu Pro Leu Glu
 115 120 125
 Arg Asp Cys Ser Ala Asn Thr Thr Ser Cys His Ile Leu Gly Trp Gly
 130 135 140
 Lys Thr Ala Asp Gly Asp Phe Pro Asp Thr Ile Gln Cys Ala Tyr Ile
 145 150 155 160
 His Leu Val Ser Arg Glu Glu Cys Glu His Ala Tyr Pro Gly Gln Ile
 165 170 175
 Thr Gln Asn Met Leu Cys Ala Gly Asp Glu Lys Tyr Gly Lys Asp Ser
 180 185 190
 Cys Gln Gly Asp Ser Gly Gly Pro Leu Val Cys Gly Asp His Leu Arg
 195 200 205
 Gly Leu Val Ser Trp Gly Asn Ile Pro Cys Gly Ser Lys Glu Lys Pro
 210 215 220
 Gly Val Tyr Thr Asn Val Cys Arg Tyr Thr Asn Trp Ile Gln Lys Thr
 225 230 235 240
 Ile Gln Ala Lys

<210> SEQ ID NO 14

<211> LENGTH: 1527

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 14

aggacgttcc agaagcatct ggggacagaa ccagcctctt ccagggaggc ctgggagctg 60
 ggggtgtgtg tctgacagtc cctgcagccc tgggtctctg ggccctcgcg tctcctgctt 120
 ggctctgcca ctgcatctga gtgtcttctc tctcagcggc tccccgcatt tctaactctt 180
 tctgcctcct cgtctcaaaag ctgttctctc ccccgactca agaatccccg gaggcccgga 240
 ggctctgcagc aggagcggcc atgaagaagc tgatggtggt gctgagctctg attgctgcag 300
 cctgggcaga ggagcagaat aagttggtgc atggcggacc ctgcgacaag acatctcacc 360
 cctaccaagc tgccctctac acctcggggc acttgctctg tgggtggggtc cttatccatc 420
 cactgtgggt cctcacagct gccactgca aaaaaccgaa tcttcaggtc ttctgggga 480
 agcataacct tcggcaaagg gagagttccc aggagcagag ttctgtgtgc cgggctgtga 540

-continued

```

tccacctga ctatgatgcc gccagccatg accaggacat catgetgttg cgccctggcac    600
gcccagccaa actctctgaa ctcatccagc ccttccctt ggagaggac tgctcagcca    660
acaccaccag ctgccacatc ctgggctggg gcaagacagc agatgggtgat ttccctgaca    720
ccatccagtg tgcatacatc cactcgtgtt cccgtgagga gtgtgagcat gcctaccctg    780
gccagatcac ccagaacatg ttgtgtgctg gggatgagaa gtacgggaag gattcctgcc    840
agggtgattc tgggggtccg ctggtatgtg gagaccacct ccgaggcctt gtgtcatggg    900
gtaacatccc ctgtggatca aaggagaagc caggagtcta caccaacgtc tgcagataca    960
cgaactggat ccaaaaaacc attcaggcca agtgaccctg acatgtgaca tctacctccc   1020
gacctaccac cccactggct ggtccagaa cgtctctcac ctacaccttg cctccctccc   1080
tctcctgccc agctctgacc ctgatgctta ataaacgcag cgacgtgagg gtctctgattc   1140
tccttggttt taccctcagc cctactctgc atcactgggg aggacgtgat gactgaggac   1200
ttgggtcctc ggtcttacct ccaccactaa gagaatacag gaaaatccct tctaggcatc   1260
tcctctcccc aacccttcca cactgttgat ttcttctgc agaggcccag ccactgtgtct   1320
ggaatcccag ctccgtgctt tactgtcggg gtcccttggg gatgtacctt tcttactgc   1380
agatttctca cctgtaagat gaagataagg atgatacagt ctccataagg cagtggctgt   1440
tggaagattt taaggtttca cactatgac atacatggaa tagcacctgg gccaccatgc   1500
actcaataaa gaatgaattt tattatg                                     1527

```

<210> SEQ ID NO 15
 <211> LENGTH: 137
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 15

```

Met Leu Leu Arg Leu Ala Arg Pro Ala Lys Leu Ser Glu Leu Ile Gln
1             5             10            15
Pro Leu Pro Leu Glu Arg Asp Cys Ser Ala Asn Thr Thr Ser Cys His
20            25            30
Ile Leu Gly Trp Gly Lys Thr Ala Asp Gly Asp Phe Pro Asp Thr Ile
35            40            45
Gln Cys Ala Tyr Ile His Leu Val Ser Arg Glu Glu Cys Glu His Ala
50            55            60
Tyr Pro Gly Gln Ile Thr Gln Asn Met Leu Cys Ala Gly Asp Glu Lys
65            70            75            80
Tyr Gly Lys Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro Leu Val Cys
85            90            95
Gly Asp His Leu Arg Gly Leu Val Ser Trp Gly Asn Ile Pro Cys Gly
100           105           110
Ser Lys Glu Lys Pro Gly Val Tyr Thr Asn Val Cys Arg Tyr Thr Asn
115           120           125
Trp Ile Gln Lys Thr Ile Gln Ala Lys
130           135

```

<210> SEQ ID NO 16
 <211> LENGTH: 1495
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 16

-continued

```

aggacgttcc agaagcatct ggggacagaa ccagcctctt ccaggagggc ctgggagctg    60
ggggtgtgtg tctggcagtc cctgcagccc tgggctctgc ggccctgcg tctccgctt    120
ggctctgcca ctgcatctga gtgtcttctc tcctcacggc tcccgcatt tctaactctt    180
tctgcctcct cgtctcaaag ctgttctctc ccccgactca agaatccccg gagggccgga    240
ggcctgcagc agcctgggca gaggagcaga ataagttggt gcattggcga cctgcgaca    300
agacatctca cccctaccaa gctgccctct acacctcggg ccacttgctc tgtggtgggg    360
tccttatcca tccactgtgg gtcttcacag ctgccactg caaaaaaccg aatcttcagg    420
tcttctggg gaagcataac cttcgcaaa gggagagttc ccaggagcag agttctgttg    480
tccgggtgtg gatccacct gactatgatg ccgccagcca tgaccaggac atcatgctgt    540
tgcgcctggc acgcccagcc aaactctctg aactcatcca gccccttccc ctggagaggg    600
actgctcagc caacaccacc agctgccaca tctggtgctg gggcaagaca gcagatggtg    660
atttccctga caccatccag tgtgcataca tccacctggt gtccctgag gagtgtgagc    720
atgcctaccc tggccagatc acccagaaca tgttgtgtgc tggggatgag aagtacggga    780
aggattcctg ccagggtgat tctgggggtc cgtgtgtatg tggagaccac ctccgaggcc    840
ttgtgtcatg gggtaacatc cctgtggat caaaggagaa gccaggagtc tacaccaacg    900
tctgcagata caggaactgg atccaaaaaa ccattcaggc caagtgaccc tgacatgtga    960
catctacctc ccgacctacc accccactgg ctggttcag aacgtctctc acctagacct   1020
tgcctcccct cctctcctgc ccagctctga ccctgatgct taataaacgc agcgacgtga   1080
gggtcctgat tctccctggt ttaaccccag ctccatcctt gcactactgg ggaggacgtg   1140
atgagtgagg acttgggtcc tcggtcttac cccaccact aagagaatac aggaaaatcc   1200
cttctaggca tctctctctc ccaacccttc cacacgtttg atttcttct gcagaggccc   1260
agccacgtgt ctggaatccc agctccgctg cttactgtcg gtgtccctt gggatgtacc   1320
tttcttctact gcagatttct cacctgtaag atgaagataa ggatgataca gtctccataa   1380
ggcagtggct gttgaaaga tttaaggttt cacacctatg acatacatgg aatagcacct   1440
gggccaccat gactcaata aagaatgaat ttattatga aaaaaaaaaa aaaaaa       1495

```

<210> SEQ ID NO 17

<211> LENGTH: 40

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 17

```

Met Lys Lys Leu Met Val Val Leu Ser Leu Ile Ala Ala Gly Ile Phe
1             5             10             15

```

```

Arg Ser Ser Trp Gly Ser Ile Thr Phe Gly Lys Gly Arg Val Pro Arg
20             25             30

```

```

Ser Arg Val Leu Leu Ser Gly Leu
35             40

```

<210> SEQ ID NO 18

<211> LENGTH: 1386

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 18

-continued

```

aggacgttcc agaagcatct ggggacagaa ccagcctctt ccaggaggc ctgggagctg    60
ggggtgtgtg tctggcagtc cctgcagccc tgggctctgc ggccctgcg tctccgctt    120
ggctctgcc a ctgcatctga gtgtctcttc tcttcacggc tccccgcatt tctaactctt    180
tctgcctcct cgtctcaaag ctgttctctc ccccgactca agaatccccg gaggcccgga    240
ggcctgcagc aggagcggcc atgaagaagc tgatggtggt gctgagtctg attgctgcag    300
gaatcttcag gtcttctctg ggaagcataa ccttcggcaa agggagagtt cccaggagca    360
gagttctggt gtccgggctg tgatccaccc tgactatgat gccgccagcc atgaccagga    420
catcatgctg ttgcgcctgg cagcccccagc caaactctct gaactcatcc agcccccttc    480
cctggagagg gactgctcag ccaacaccac cagctgccac atcctgggct ggggcaagac    540
agcagatggt gatttccctg acaccatcca gtgtgcatac atccacctgg tgtcccgatga    600
ggagtgtgag catgcctacc ctggccagat caccagaaac atgttgtgtg ctggggatga    660
gaagtacggg aaggattcct gccagggtga ttctgggggt ccgctggtat gtggagacca    720
cctccgaggc ctgtgtcat ggggtaacat ccctgtgga tcaaaggaga agccaggagt    780
ctaccaaac gtctgcagat acacgaactg gatccaaaaa accattcagg ccaagtgacc    840
ctgacatgtg acatctacct cccgacctac cccccactg gctggttcca gaacgtctct    900
cacctagacc ttgcctcccc tctctctctg cccagctctg accctgatgc ttaataaacg    960
cagcgacgtg agggctctga ttctccctgg ttttacccca gotccatcct tgcactactg   1020
gggaggacgt gatgagttag gacttgggtc ctcggtctta cccccaccac taagagaata   1080
caggaaaaat ccttctaggc atctctctc cccaaccctt ccacacgttt gatttcttcc   1140
tgcagaggcc cagccacgtg tctggaatcc cagctccgct gcttactgtc ggtgtcccct   1200
tgggatgtac ctttcttcac tgcagatttc tcacctgtaa gatgaagata aggatgatac   1260
agtctccata aggcagtggc tgttggaag atttaagggt tcacacctat gacatacatg   1320
gaatagcacc tgggccacca tgcactcaat aaagaatgaa ttttattatg aaaaaaaaaa   1380
aaaaaa                                           1386

```

<210> SEQ ID NO 19

<211> LENGTH: 276

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 19

```

Met Arg Ala Pro His Leu His Leu Ser Ala Ala Ser Gly Ala Arg Ala
1           5           10          15
Leu Ala Lys Leu Leu Pro Leu Leu Met Ala Gln Leu Trp Ala Ala Glu
20          25          30
Ala Ala Leu Leu Pro Gln Asn Asp Thr Arg Leu Asp Pro Glu Ala Tyr
35          40          45
Gly Ser Pro Cys Ala Arg Gly Ser Gln Pro Trp Gln Val Ser Leu Phe
50          55          60
Asn Gly Leu Ser Phe His Cys Ala Gly Val Leu Val Asp Gln Ser Trp
65          70          75          80
Val Leu Thr Ala Ala His Cys Gly Asn Lys Pro Leu Trp Ala Arg Val
85          90          95
Gly Asp Asp His Leu Leu Leu Leu Gln Gly Glu Gln Leu Arg Arg Thr
100         105         110

```

-continued

Thr Arg Ser Val Val His Pro Lys Tyr His Gln Gly Ser Gly Pro Ile
 115 120 125
 Leu Pro Arg Arg Thr Asp Glu His Asp Leu Met Leu Leu Lys Leu Ala
 130 135 140
 Arg Pro Val Val Leu Gly Pro Arg Val Arg Ala Leu Gln Leu Pro Tyr
 145 150 155 160
 Arg Cys Ala Gln Pro Gly Asp Gln Cys Gln Val Ala Gly Trp Gly Thr
 165 170 175
 Thr Ala Ala Arg Arg Val Lys Tyr Asn Lys Gly Leu Thr Cys Ser Ser
 180 185 190
 Ile Thr Ile Leu Ser Pro Lys Glu Cys Glu Val Phe Tyr Pro Gly Val
 195 200 205
 Val Thr Asn Asn Met Ile Cys Ala Gly Leu Asp Arg Gly Gln Asp Pro
 210 215 220
 Cys Gln Ser Asp Ser Gly Gly Pro Leu Val Cys Asp Glu Thr Leu Gln
 225 230 235 240
 Gly Ile Leu Ser Trp Gly Val Tyr Pro Cys Gly Ser Ala Gln His Pro
 245 250 255
 Ala Val Tyr Thr Gln Ile Cys Lys Tyr Met Ser Trp Ile Asn Lys Val
 260 265 270
 Ile Arg Ser Asn
 275

<210> SEQ ID NO 20

<211> LENGTH: 1580

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 20

```

catcctgcc a cccctagcct tgctggggac gtgaaccctc tccccgcgcc tgggaagcct    60
tcttggcacc gggacccgga gaatccccac ggaagccagt tccaaaaggg atgaaaaggg    120
ggcgtttcgg gcactgggag aagcctgtat tccaggggcc cccccagagc aggaatctgg    180
gaccacggag tgccagcctc acccagcgag atcctggcca tgagagctcc gcacctccac    240
ctctccgcgc cctctgggcg ccgggctctg gcgaagctgc tgccgctgct gatggcgcaa    300
ctctgggccc cagaggcggc gctgctcccc caaacgcaca cgcgcttga ccccgaaagg    360
tatggctccc cgtgcgcgcg cggctcgcag ccctggcagg tctcgctctt caacggcctc    420
tcgttccact gcgcgggtgt cctgggtggc cagagttggg tgctgacggc cgcgcactgc    480
ggaaacaagc cactgtgggc tcgagtaggg gatgaccacc tgctgcttct tcagggagag    540
cagctccgcc ggaccactcg ctctgttgtc catcccaagt accaccaggg ctcaggcccc    600
atcctgccaa ggcgaacgga tgagcacgat ctcatgttgc tgaagctggc caggcccgtg    660
gtgctggggc cccgcgtccg ggcctcgcag ctccctacc gotgtgctca gcccgagagc    720
cagtgccagg ttgctggctg gggcaccacg gccgcccgga gagtgaagta caacaagggc    780
ctgacctgct ccagcatcac tatcctgagc cctaaagagt gtgaggtctt ctacctggc    840
gtggtcacca acaacatgat atgtgctgga ctggaccggg gccaggaccc ttgccagagt    900
gactctggag gccccctggt ctgtgacgag accctccaag gcatectctc gtggggtgtt    960
tacctctgtg gctctgccca gcateccagc gtctacacc agatctgcaa atacatgtcc    1020

```

-continued

```

tggatcaata aagtcatacg ctccaactga tccagatgct acgctccagc tgatccagat 1080
gttatgtctc tgctgatcca gatgccacaga ggctccatcg tccatcctct tcctccccag 1140
tcgggtgaac tctccccttg tctgcaactgt tcaaacctct gccgcccctcc acacctctaa 1200
acatctcccc tctcaactca tccccccacc tatccccatt ctctgcctgt actgaagctg 1260
aaatgcagga agtgggtggca aaggtttatt ccagagaagc caggaagccg gtcacacccc 1320
agcctctgag agcagttact ggggtcaccc aacctgactt cctctgccac tcctctgtgt 1380
gtgactttgg gcaagccaag tgccctctct gaacctcagt ttcctcatct gcaaaatggg 1440
aacaatgacg tgccctacct ttagacatgt tgtgaggaga ctatgatata acatgtgtat 1500
gtaaatcttc atgggtgattg tcattgaagg cttaacacag tgggtggtga gttctgacta 1560
aaggttacct gttgtcgtga 1580

```

<210> SEQ ID NO 21

<211> LENGTH: 276

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 21

```

Met Arg Ala Pro His Leu His Leu Ser Ala Ala Ser Gly Ala Arg Ala
1           5           10          15
Leu Ala Lys Leu Leu Pro Leu Leu Met Ala Gln Leu Trp Ala Ala Glu
20          25          30
Ala Ala Leu Leu Pro Gln Asn Asp Thr Arg Leu Asp Pro Glu Ala Tyr
35          40          45
Gly Ser Pro Cys Ala Arg Gly Ser Gln Pro Trp Gln Val Ser Leu Phe
50          55          60
Asn Gly Leu Ser Phe His Cys Ala Gly Val Leu Val Asp Gln Ser Trp
65          70          75          80
Val Leu Thr Ala Ala His Cys Gly Asn Lys Pro Leu Trp Ala Arg Val
85          90          95
Gly Asp Asp His Leu Leu Leu Leu Gln Gly Glu Gln Leu Arg Arg Thr
100         105         110
Thr Arg Ser Val Val His Pro Lys Tyr His Gln Gly Ser Gly Pro Ile
115         120         125
Leu Pro Arg Arg Thr Asp Glu His Asp Leu Met Leu Leu Lys Leu Ala
130         135         140
Arg Pro Val Val Leu Gly Pro Arg Val Arg Ala Leu Gln Leu Pro Tyr
145         150         155         160
Arg Cys Ala Gln Pro Gly Asp Gln Cys Gln Val Ala Gly Trp Gly Thr
165         170         175
Thr Ala Ala Arg Arg Val Lys Tyr Asn Lys Gly Leu Thr Cys Ser Ser
180         185         190
Ile Thr Ile Leu Ser Pro Lys Glu Cys Glu Val Phe Tyr Pro Gly Val
195         200         205
Val Thr Asn Asn Met Ile Cys Ala Gly Leu Asp Arg Gly Gln Asp Pro
210         215         220
Cys Gln Ser Asp Ser Gly Gly Pro Leu Val Cys Asp Glu Thr Leu Gln
225         230         235         240
Gly Ile Leu Ser Trp Gly Val Tyr Pro Cys Gly Ser Ala Gln His Pro
245         250         255

```

-continued

Ala Val Tyr Thr Gln Ile Cys Lys Tyr Met Ser Trp Ile Asn Lys Val
 260 265 270

Ile Arg Ser Asn
 275

<210> SEQ ID NO 22
 <211> LENGTH: 1443
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 22

```
accagcggca gaccacaggc agggcagagg cacgtctggg tccctccct ccttctatc      60
ggcgactccc aggatcctgg ccatgagagc tccgcacctc cacctctccg ccgcctctgg    120
cgcccgggct ctggcgaagc tgctgccgct gctgatggcg caactctggg ccgcagaggc    180
ggcgctgctc ccccaaaacg acacgcgctt ggaccccgaa gcctatggct ccccgctgcgc    240
gcgcggctcg cagccctggc aggtctcgct cttcaacggc ctctcggttc actgcgcggg    300
tgtctgggtg gaccagagtt ggggtgtgac ggccgcgcac tgcggaaca agccactgtg    360
ggctcgagta ggggatgacc acctgctgct tcttcaggga gagcagctcc gccggaccac    420
tcgctctggt gtccatccca agtaccacca gggctcaggc cccatcctgc caaggcgaac    480
ggatgagcac gatctcatgt tgctgaagct ggccaggccc gtagtgtctg ggcgccgctg    540
ccgggccctg cagcttcctt accgctgtgc tcagcccgga gaccagtgcc aggttctctg    600
ctggggcacc acggccgccc ggagagtga gtaacaacg ggcctgacct gctccagcat    660
cactatcctg agccctaaag agtgtgaggt cttctaccct ggcggtgtca ccaacaacat    720
gatattgtgt ggactggacc ggggccagga ccttgccag agtgactctg gagggcccct    780
gggtctgtgac gagaccttc aaggcatcct ctcggtgggt gtttaccct gtggctctgc    840
ccagcatcca gctgtctaca ccagatctg caatacatg tcctggatca ataaagtcac    900
acgctccaac tgatccagat gctacgctcc agctgatcca gatgttatgc tcctgctgat    960
ccagatgccc agaggtcca tcgtccatcc tcttctctcc cagtcggtg aactctcccc   1020
ttgtctgcac tgttcaaacc tctgccgccc tccacacctc taaacatctc cctctcacc   1080
tcattcccc accatcccc attctctgcc tgtactgaag ctgaaatgca ggaagtgtg    1140
gcaaagggtt attccagaga agccaggaag ccggtcatca cccagcctct gagagcagtt   1200
actggggtca cccaacctga cttcctctgc cactccctgc tgtgtgactt tgggcaagcc   1260
aagtgcctc tctgaacctc agtttctca tctgcaaat gggaacaatg acgtgcctac   1320
ctcttagaca tggtgtgagg agactatgat ataacatgtg tatgtaaatc ttcattgtga   1380
ttgtcatgta aggttaaca cagtgggtg tgagttctga ctaaaggta cctgtgtctg    1440
tga                                                    1443
```

<210> SEQ ID NO 23
 <211> LENGTH: 180
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 23

Met Leu Cys Leu Leu Leu Thr Leu Gly Val Ala Leu Val Cys Gly Val
 1 5 10 15

Pro Ala Met Asp Ile Pro Gln Thr Lys Gln Asp Leu Glu Leu Pro Lys

-continued

20	25	30	
Leu Ala Gly Thr Trp His Ser Met	Ala Met Ala Thr Asn Asn Ile Ser		
35	40	45	
Leu Met Ala Thr Leu Lys Ala Pro	Leu Arg Val His Ile Thr Ser Leu		
50	55	60	
Leu Pro Thr Pro Glu Asp Asn Leu	Glu Ile Val Leu His Arg Trp Glu		
65	70	75	80
Asn Asn Ser Cys Val Glu Lys Lys	Val Leu Gly Glu Lys Thr Glu Asn		
85	90	95	
Pro Lys Lys Phe Lys Ile Asn Tyr	Thr Val Ala Asn Glu Ala Thr Leu		
100	105	110	
Leu Asp Thr Asp Tyr Asp Asn Phe	Leu Phe Leu Cys Leu Gln Asp Thr		
115	120	125	
Thr Thr Pro Ile Gln Ser Met Met	Cys Gln Tyr Leu Ala Arg Val Leu		
130	135	140	
Val Glu Asp Asp Glu Ile Met Gln	Gly Phe Ile Arg Ala Phe Arg Pro		
145	150	155	160
Leu Pro Arg His Leu Trp Tyr Leu	Leu Asp Leu Lys Gln Met Glu Glu		
165	170	175	
Pro Cys Arg Phe			
180			
<210> SEQ ID NO 24			
<211> LENGTH: 857			
<212> TYPE: DNA			
<213> ORGANISM: Homo sapiens			
<400> SEQUENCE: 24			
catccctctg gctccagagc tcagagccac ccacagccgc agccatgctg tgcctcctgc	60		
tcaccctggg cgtggccctg gtctgtggtg tcccggccat ggacatcccc cagaccaagc	120		
aggacctgga gctcccaaag ttggcaggga cctggcactc catggccatg gcgaccaaca	180		
acatctccct catggcgaca ctgaaggccc ctctgagggt ccacatcacc tctgtgttc	240		
ccacccccga ggacaacctg gagatcgttc tgcacagatg ggagaacaac agctgtgttg	300		
agaagaaggt ccttgagagag aagactgaga atccaaagaa gttcaagatc aactatacgg	360		
tggcgaacga ggccacgctg ctcgatactg actacgacaa tttcctgttt ctctgcctac	420		
aggacaccac cacccccatc cagagcatga tgtgccagta cctggccaga gtcttggtgg	480		
aggacgatga gatcatgcag ggattcatca gggctttcag gccctgccc aggcacctat	540		
ggtacttgct ggacttgaaa catatggaag agccgtgccg tttctagggt agctcctgcc	600		
tggctcctgcc tcctggctca cctccgcctc cagggaagacc agactccac ccttcacac	660		
ctccagagca gtgggacttc ctctgcccct ttcaaagaat aaccacagct cagaagacga	720		
tgacgtggtc atctgtgtcg ccatccctt cctgtgcac acctgcacca cggccatggg	780		
gaggctgctc cctgggggca gagtctctgg cagaggttat taataaacc ttggagcatg	840		
aaaaaaaaa aaaaaaa	857		

<210> SEQ ID NO 25
 <211> LENGTH: 180
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

-continued

<400> SEQUENCE: 25

Met Leu Cys Leu Leu Leu Thr Leu Gly Val Ala Leu Val Cys Gly Val
 1 5 10 15

Pro Ala Met Asp Ile Pro Gln Thr Lys Gln Asp Leu Glu Leu Pro Lys
 20 25 30

Leu Ala Gly Thr Trp His Ser Met Ala Met Ala Thr Asn Asn Ile Ser
 35 40 45

Leu Met Ala Thr Leu Lys Ala Pro Leu Arg Val His Ile Thr Ser Leu
 50 55 60

Leu Pro Thr Pro Glu Asp Asn Leu Glu Ile Val Leu His Arg Trp Glu
 65 70 75 80

Asn Asn Ser Cys Val Glu Lys Lys Val Leu Gly Glu Lys Thr Glu Asn
 85 90 95

Pro Lys Lys Phe Lys Ile Asn Tyr Thr Val Ala Asn Glu Ala Thr Leu
 100 105 110

Leu Asp Thr Asp Tyr Asp Asn Phe Leu Phe Leu Cys Leu Gln Asp Thr
 115 120 125

Thr Thr Pro Ile Gln Ser Met Met Cys Gln Tyr Leu Ala Arg Val Leu
 130 135 140

Val Glu Asp Asp Glu Ile Met Gln Gly Phe Ile Arg Ala Phe Arg Pro
 145 150 155 160

Leu Pro Arg His Leu Trp Tyr Leu Leu Asp Leu Lys Gln Met Glu Glu
 165 170 175

Pro Cys Arg Phe
 180

<210> SEQ ID NO 26

<211> LENGTH: 828

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 26

catccctctg gctccagagc tcagagccac ccacagccgc agccatgctg tgcctcctgc 60

tcaccctggg cgtggccctg gtctgtggtg tcccggccat ggacatcccc cagaccaagc 120

aggacctgga gctcccaaaag ttggcaggga cctggcactc catggccatg gcgaccaaca 180

acatctccct catggcgaca ctgaaggccc ctctgagggt ccacatcacc tcaactgttg 240

ccacccccga ggacaacctg gagatcggtc tgcacagatg ggagaacaac agctgtgttg 300

agaagaaggt ccttgagagag aagactgaga atccaaagaa gttcaagatc aactatacgg 360

tggcgaacga ggccacgctg ctcgatactg actacgacaa tttcctgttt ctctgcctac 420

aggacaccac caccoccac cagagcatga tgtgccagta cctggccaga gtectggtgg 480

aggacgatga gatcatgcag ggattcatca gggctttcag gccctgccc aggcacctat 540

ggtacttgct ggacttgaag cagatggaag agccgtgccg tttctagctc acctccgcct 600

ccaggaagac cagactccca cccttcaca cctccagagc agtgggactt cctcctgccc 660

tttcaaagaa taaccacagc tcagaagacg atgacgtggt catctgtgtc gccatccct 720

tcctgtgtga cacctgcacc acggccatgg ggaggtgct cctggggggc agagtctctg 780

gcagaggtta ttaataaacc cttggagcat gaaaaaaaa aaaaaaaaa 828

<210> SEQ ID NO 27

-continued

<211> LENGTH: 402

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 27

```

Met Gln Met Ser Pro Ala Leu Thr Cys Leu Val Leu Gly Leu Ala Leu
 1             5             10             15

Val Phe Gly Glu Gly Ser Ala Val His His Pro Pro Ser Tyr Val Ala
          20             25             30

His Leu Ala Ser Asp Phe Gly Val Arg Val Phe Gln Gln Val Ala Gln
 35             40             45

Ala Ser Lys Asp Arg Asn Val Val Phe Ser Pro Tyr Gly Val Ala Ser
 50             55             60

Val Leu Ala Met Leu Gln Leu Thr Thr Gly Gly Glu Thr Gln Gln Gln
 65             70             75             80

Ile Gln Ala Ala Met Gly Phe Lys Ile Asp Asp Lys Gly Met Ala Pro
          85             90             95

Ala Leu Arg His Leu Tyr Lys Glu Leu Met Gly Pro Trp Asn Lys Asp
 100            105            110

Glu Ile Ser Thr Thr Asp Ala Ile Phe Val Gln Arg Asp Leu Lys Leu
 115            120            125

Val Gln Gly Phe Met Pro His Phe Phe Arg Leu Phe Arg Ser Thr Val
 130            135            140

Lys Gln Val Asp Phe Ser Glu Val Glu Arg Ala Arg Phe Ile Ile Asn
 145            150            155            160

Asp Trp Val Lys Thr His Thr Lys Gly Met Ile Ser Asn Leu Leu Gly
 165            170            175

Lys Gly Ala Val Asp Gln Leu Thr Arg Leu Val Leu Val Asn Ala Leu
 180            185            190

Tyr Phe Asn Gly Gln Trp Lys Thr Pro Phe Pro Asp Ser Ser Thr His
 195            200            205

Arg Arg Leu Phe His Lys Ser Asp Gly Ser Thr Val Ser Val Pro Met
 210            215            220

Met Ala Gln Thr Asn Lys Phe Asn Tyr Thr Glu Phe Thr Thr Pro Asp
 225            230            235            240

Gly His Tyr Tyr Asp Ile Leu Glu Leu Pro Tyr His Gly Asp Thr Leu
 245            250            255

Ser Met Phe Ile Ala Ala Pro Tyr Glu Lys Glu Val Pro Leu Ser Ala
 260            265            270

Leu Thr Asn Ile Leu Ser Ala Gln Leu Ile Ser His Trp Lys Gly Asn
 275            280            285

Met Thr Arg Leu Pro Arg Leu Leu Val Leu Pro Lys Phe Ser Leu Glu
 290            295            300

Thr Glu Val Asp Leu Arg Lys Pro Leu Glu Asn Leu Gly Met Thr Asp
 305            310            315            320

Met Phe Arg Gln Phe Gln Ala Asp Phe Thr Ser Leu Ser Asp Gln Glu
 325            330            335

Pro Leu His Val Ala Gln Ala Leu Gln Lys Val Lys Ile Glu Val Asn
 340            345            350

Glu Ser Gly Thr Val Ala Ser Ser Ser Thr Ala Val Ile Val Ser Ala
 355            360            365

Arg Met Ala Pro Glu Glu Ile Ile Met Asp Arg Pro Phe Leu Phe Val

```

-continued

370	375	380	
Val Arg His Asn Pro Thr Gly Thr Val Leu Phe Met Gly Gln Val Met			
385	390	395	400
Glu Pro			
<210> SEQ ID NO 28			
<211> LENGTH: 2876			
<212> TYPE: DNA			
<213> ORGANISM: Homo sapiens			
<400> SEQUENCE: 28			
gaattcctgc agctcagcag ccgccgccag agcaggacga accgccaatc gcaaggcacc			60
tctgagaact tcaggatgca gatgtctcca gccctcacct gcctagtcct gggcctggcc			120
cttgtctttg gtgaagggtc tgctgtgcac catccccat cctacgtggc ccacctggcc			180
tcagacttcg gggtaggggt gtttcagcag gtggcgagg cctccaagga ccgcaacgtg			240
gtttttctcac cctatggggg ggctcgggtg ttggccatgc tccagctgac aacaggagga			300
gaaaccacgc agcagattca agcagctatg ggattcaaga ttgatgacaa gggcatggcc			360
cccgccctcc ggcattctga caaggagctc atggggccat ggaacaagga tgagatcagc			420
accacagacg cgatcttcgt ccagcgggat ctgaagctgg tccagggtt catgcccac			480
ttcttcaggc tgttcgggag caccgtcaag caagtggact tttcagaggt ggagagagcc			540
agattcatca tcaatgactg ggtgaagaca cacacaaaag gtatgatcag caacttgctt			600
gggaaaggag ccgtggacca gctgacacgg ctggtgctgg tgaatgccct ctacttcaac			660
ggccagtgga agactccctt ccccgactcc agcaccaccc gccgctctt ccacaaatca			720
gacggcagca ctgtctctgt gccatgatg gctcagacca acaagttcaa ctatactgag			780
ttcaccacgc ccgatggcca ttactacgac atcctggaac tgcctacca cggggacacc			840
ctcagcatgt tcattgtctg cccttatgaa aaagagggtc ctctctctgc cctcaccaac			900
attctgagtg ccagctcat cagccactgg aaaggcaaca tgaccaggct gccccgctc			960
ctggtttctg ccaagttctc cctggagact gaagtcgacc tcaggaagcc cctagagaac			1020
ctgggaatga ccgacatgtt cagacagttt caggctgact tcacgagtct ttcagaccaa			1080
gagcctctcc acgtcgcgca ggcgtgcag aaagtgaaga tcgagggtgaa cgagagtggc			1140
acggtggcct cctcatccac agctgtcata gtctcagccc gcattggccc cgaggagatc			1200
atcatggaca gacccttctt ctttgtgggt cggcacaacc ccacaggaac agtccttttc			1260
atgggccaag tgatggaacc ctgaccctgg ggaaagacgc cttcatctgg gacaaaactg			1320
gagatgcacg gggaaagaag aaactccgaa gaaaagaatt ttagtgtaa tgactctttc			1380
tgaaggaaga gaagacattt gccttttggt aaaagatggt aaaccagatc tgtctccaag			1440
accttgccct ctccctggag gacctttagg tcaaactccc tagtctccac ctgagaccct			1500
gggagagaag tttgaagcac aactccctta aggtctccaa accagacggg gacgcctgcg			1560
ggaccatctg gggcacctgc ttccaccgt ctctctgccc actcgggtct gcagacctgg			1620
ttccactga gccctttgc aggatggaac tacggggctt acaggagctt ttgtgtgcct			1680
ggtagaaact atttctgttc cagtacatt gccatcactc ttgtactgcc tgccaccgcg			1740
gaggaggctg gtgacaggcc aaaggccagt ggaagaaaca cctttctac tcagagtcca			1800
ctgtggcact ggccaccctt cccagtcaca ggggtgctgc aggtggcaga gtgaatgtcc			1860

-continued

```

cccatcatgt ggccaactc tctggcctg gccatctccc tccccagaaa cagtgtgcat 1920
gggttatattt ggagtgtagg tgacttggtt actcattgaa gcagatttct gcttcctttt 1980
atttttatag gaatagagga agaaatgtca gatgctgccc cagctcttca ccccccaatc 2040
tcttggtggg gaggggtgta cctaaatatt tatcatatcc ttgcccttga gtgcttggtta 2100
gagagaaaaga gaactactaa ggaaaaataat attattttaa ctgcctccta gtgtttcttt 2160
gtggtctgtg tcaccgtatc tcaggaagtc cagccacttg actggcacac acccctccgg 2220
acatccagcg tgacggagcc cacactgcca ccttggtggc gctgagacc ctgcgcccc 2280
ccgcgcccc cgcgccctc ttttccct tgatggaaat tgaccataca atttcacct 2340
ccttcagggg atcaaaagga cggagtggg ggacagagac tcagatgagg acagagtgg 2400
ttccaatgtg ttcaatagat ttaggagcag aaatgcaagg ggctgcatga cctaccagga 2460
cagaactttc cccaattaca gggtgactca cagccgcatt ggtgactcac ttcaatgtgt 2520
catttcggc tgctgtgtg gagcagtga cactgaggg ggggggggt gagagagaca 2580
ggcagctcgg attcaactac cttagataat atttctgaaa acctaccagc cagagggtag 2640
ggcacaaga tggatgtaat gcactttggg aggccaaagg gggaggattg cttgagccca 2700
ggagttcaag accagcctgg gcaacatacc aagacccccg tctctttaa aatatata 2760
ttttaaata acttaaatat atatttctaa tatctttaa tatatatata tattttaaag 2820
accaatttat gggagaattg cacacagatg tgaatgaat gtaatctaata agaagc 2876

```

<210> SEQ ID NO 29

<211> LENGTH: 273

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 29

```

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1           5           10           15

Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
20           25           30

Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
35           40           45

Thr Glu Lys Asn Ala Leu Ser Thr Gly Val Ser Phe Phe Phe Leu Ser
50           55           60

Phe His Ile Ser Asn Leu Gln Phe Asn Ser Ser Leu Glu Asp Pro Ser
65           70           75           80

Thr Asp Tyr Tyr Gln Glu Leu Gln Arg Asp Ile Ser Glu Met Phe Leu
85           90           95

Gln Ile Tyr Lys Gln Gly Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe
100          105          110

Arg Pro Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly
115          120          125

Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr
130          135          140

Glu Ala Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser
145          150          155          160

Asp Val Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly Val Pro Gly
165          170          175

```

-continued

Trp	Gly	Ile	Ala	Leu	Leu	Val	Leu	Val	Cys	Val	Leu	Val	Ala	Leu	Ala
			180						185				190		
Ile	Val	Tyr	Leu	Ile	Ala	Leu	Ala	Val	Cys	Gln	Cys	Arg	Arg	Lys	Asn
		195						200				205			
Tyr	Gly	Gln	Leu	Asp	Ile	Phe	Pro	Ala	Arg	Asp	Thr	Tyr	His	Pro	Met
	210					215					220				
Ser	Glu	Tyr	Pro	Thr	Tyr	His	Thr	His	Gly	Arg	Tyr	Val	Pro	Pro	Ser
225					230					235					240
Ser	Thr	Asp	Arg	Ser	Pro	Tyr	Glu	Lys	Val	Ser	Ala	Gly	Asn	Gly	Gly
				245					250					255	
Ser	Ser	Leu	Ser	Tyr	Thr	Asn	Pro	Ala	Val	Ala	Ala	Thr	Ser	Ala	Asn
			260					265					270		

Leu

<210> SEQ ID NO 30

<211> LENGTH: 1209

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 30

```

acctctcaag cagccagcgc ctgcctgaat ctgtttctgcc cctcccccac ccatttcacc      60
accaccatga caccgggcac ccagtctctc ttcttctctgc tgctgctcct cacagtgcct      120
acagttgtta cgggttcttg tcatgcaagc tctaccccag gtggagaaaa ggagacttcg      180
gctaccacaga gaagttcagt gccagctctc actgagaaga atgctttgtc tactggggtc      240
tctttctttt tctgtctttt tcacatttca aaactccagt ttaattcttc tctggaagat      300
cccagcaccg actactacca agagctgcag agagacattt ctgaaatggt tttgcagatt      360
tataaacaag ggggtttttc gggcctctcc aatattaagt tcaggccagg atctgtggtg      420
gtacaattga ctctggcctt ccgagaaggt accatcaatg tccacgacgt ggagacacag      480
ttcaatcagt ataaaaacga agcagcctct cgatataacc tgacgatctc agacgtcagc      540
gtgagtgatg tgccatttcc tttctctgcc cagtctgggg ctggggtgcc aggctggggc      600
atcgcgctgc tgggtctggt ctgtgttctg gttgcgctgg ccattgtcta tctcattgcc      660
ttggctgtct gtcagtgcgc ccgaaagaac tacgggcagc tggacatctt tccagcccgg      720
gatacctacc atcctatgag cgagtacccc acctaccaca cccatgggag ctatgtgccc      780
cctagcagta ccgatcgtag cccctatgag aaggtttctg caggtaatgg tggcagcagc      840
ctctcttaca caaaccacgc agtggcagcc acttctgcc aactgtaggg gcacgtcgcc      900
cgctgagctg agtggccagc cagtgccatt ccactccact caggttcttc agggccagag      960
ccctgcacc ctgtttgggc tggtgagctg ggagttcagg tgggtctctc acagctcct      1020
tcagaggccc caccaatttc tcggacactt ctcaagtgtg ggaagctcat gtgggcccct      1080
gagggtctcat gcctgggaag tggtgtggtg ggggctccca ggaggactgg cccagagagc      1140
cctgagatag cggggatcct gaactggact gaataaaacg tgggtctccca ctgcgccaaa      1200
aaaaaaaaa                                     1209

```

<210> SEQ ID NO 31

<211> LENGTH: 264

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

-continued

<400> SEQUENCE: 31

```

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1           5           10           15

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
          20           25           30

Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
          35           40           45

Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Phe Asn
          50           55           60

Ser Ser Leu Glu Asp Pro Ser Thr Asp Tyr Tyr Gln Glu Leu Gln Arg
65           70           75           80

Asp Ile Ser Glu Met Phe Leu Gln Ile Tyr Lys Gln Gly Gly Phe Leu
          85           90           95

Gly Leu Ser Asn Ile Lys Phe Arg Pro Gly Ser Val Val Val Gln Leu
          100          105          110

Thr Leu Ala Phe Arg Glu Gly Thr Ile Asn Val His Asp Val Glu Thr
          115          120          125

Gln Phe Asn Gln Tyr Lys Thr Glu Ala Ala Ser Arg Tyr Asn Leu Thr
          130          135          140

Ile Ser Asp Val Ser Val Ser Asp Val Pro Phe Pro Phe Ser Ala Gln
145          150          155          160

Ser Gly Ala Gly Val Pro Gly Trp Gly Ile Ala Leu Leu Val Leu Val
          165          170          175

Cys Val Leu Val Ala Leu Ala Ile Val Tyr Leu Ile Ala Leu Ala Val
          180          185          190

Cys Gln Cys Arg Arg Lys Asn Tyr Gly Gln Leu Asp Ile Phe Pro Ala
          195          200          205

Arg Asp Thr Tyr His Pro Met Ser Glu Tyr Pro Thr Tyr His Thr His
          210          215          220

Gly Arg Tyr Val Pro Pro Ser Ser Thr Asp Arg Ser Pro Tyr Glu Lys
225          230          235          240

Val Ser Ala Gly Asn Gly Gly Ser Ser Leu Ser Tyr Thr Asn Pro Ala
          245          250          255

Val Ala Ala Thr Ser Ala Asn Leu
          260

```

<210> SEQ ID NO 32

<211> LENGTH: 1182

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 32

```

acctctcaag cagccagcgc ctgcctgaat ctgttctgcc cctcctccac ccatttcacc    60
accaccatga caccgggcac ccagtctcct ttcttctcgc tgctgctcct cacagtgcct    120
acagctacca cagcccttaa acccgcaaca gttgttacgg gttctggtca tgcaagctct    180
accccgagtg gagaaaagga gacttcggct acccagagaa gttcagtgcc cagctctact    240
gagaagaatg cttttaattc ctctctggaa gatcccagca ccgactacta ccaagagctg    300
cagagagaca tttctgaaat gtttttcgag atttataaac aaggggggttt tctgggcctc    360
tccaatatta agttcaggcc aggatctgtg gtggtacaat tgactctggc cttccgagaa    420
ggtaccatca atgtccagca cgtggagaca cagttcaatc agtataaaac ggaagcagcc    480

```

-continued

```

tctcgatata acotgacgat ctcagacgtc agcgtgagtg atgtgccatt tcctttctct 540
gcccagctctg gggctggggg gccaggctgg ggcacgcgc tgctggtgct ggtctgtgtt 600
ctggttgccgc tggccattgt ctatctcatt gccttggtctg tctgtcagtg ccgccgaaag 660
aactacgggc agctggacat ctttcagcc cgggatacct accatcctat gagcgagtag 720
cccacctacc acacccatgg gcgctatgtg ccccttagca gtaccgatcg tagccctat 780
gagaaggttt ctgcaggtaa tgggtggcagc agcctctctt acacaaaccc agcagtggca 840
gccacttctg ccaacttgta ggggcacgtc gcccgctgag ctgagtggcc agccagtgcc 900
attccactcc actcaggttc ttcagggcc gagccctgc accctgtttg ggtggtgag 960
ctgggagttc aggtgggctg ctcacagcct ccttcagagg cccaccaat ttctcggaca 1020
cttctcagtg tgtggaagct catgtgggcc cctgagggt catgcctggg aagtgttg 1080
gtgggggctc ccaggaggac tggccagag agcctgaga tagcggggat cctgaactgg 1140
actgaataaa acgtggtctc ccactgcgcc aaaaaaaaa aa 1182

```

<210> SEQ ID NO 33

<211> LENGTH: 255

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 33

```

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1          5          10          15

Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
          20          25          30

Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
          35          40          45

Thr Glu Lys Asn Ala Phe Asn Ser Ser Leu Glu Asp Pro Ser Thr Asp
          50          55          60

Tyr Tyr Gln Glu Leu Gln Arg Asp Ile Ser Glu Met Phe Leu Gln Ile
          65          70          75          80

Tyr Lys Gln Gly Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe Arg Pro
          85          90          95

Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly Thr Ile
          100          105          110

Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr Glu Ala
          115          120          125

Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser Asp Val
          130          135          140

Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly Val Pro Gly Trp Gly
          145          150          155          160

Ile Ala Leu Leu Val Leu Val Cys Val Leu Val Ala Leu Ala Ile Val
          165          170          175

Tyr Leu Ile Ala Leu Ala Val Cys Gln Cys Arg Arg Lys Asn Tyr Gly
          180          185          190

Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met Ser Glu
          195          200          205

Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser Ser Thr
          210          215          220

Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly Ser Ser

```

-continued

225	230	235	240
Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn Leu			
	245	250	255

<210> SEQ ID NO 34
 <211> LENGTH: 1155
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <400> SEQUENCE: 34

```

acctctcaag cagccagcgc ctgctgaat ctgtttctgcc cctccccac ccatttcacc      60
accaccatga caccgggcac ccagtctcct ttcttctctgc tgetgtcct cactgtgctt      120
acagttgtta cgggttcttg tcatgcaagc tctacccag gtggagaaaa ggagacttcg      180
gctaccacga gaagttcagt gccagctct actgagaaga atgcttttaa ttcctctctg      240
gaagatccca gcaccgacta ctaccaagag ctgcagagag acatttctga aatgtttttg      300
cagatttata aacaaggggg tttctgggc ctctccaata ttaagttcag gccaggatct      360
gtggtgtgtac aattgactct ggccttccga gaaggtacca tcaatgtcca cgactgtgag      420
acacagttca atcagtataa aacggaagca gcctctcgat ataactgac gatctcagac      480
gtcagcgtga gtgatgtgcc atttctttc tctgccagc ctggggctgg ggtgccaggc      540
tggggcatcg cgctgtcgtt gctggtctgt gttctggttg cgctggccat tgtctatctc      600
attgccttgg ctgtctgtca gtgcgcga aagaactacg ggcagctgga catctttcca      660
gcccgggata cctaccatcc tatgagcgag taccacaccc accacaccca tgggcgctat      720
gtgcccceta gcagtaccga tctagcccc tatgagaagg tttctgcagg taatggtggc      780
agcagcctct cttacacaaa cccagcagtg gcagccaatt ctgccaactt gtagggggcac      840
gtcgcgcgct gagctgagtg gccagccagt gccattccac tccactcagg ttcttcaggg      900
ccagagcccc tgcacctgtt ttgggtggtt gagctgggag ttcagggtggg ctgctcacag      960
cctccttcag agggccccc aatttctcgg acacttctca gtgtgtggaa gctcatgtgg      1020
gccccctgagg gctcatgcct ggggaagtgt gtggtggggg ctcccaggag gactggccca      1080
gagagccctg agatagcggg gatcctgaac tggactgaat aaaacgtggt ctcccactgc      1140
gccaaaaaaa aaaaaa
  
```

<210> SEQ ID NO 35
 <211> LENGTH: 96
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 35

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr			
1	5	10	15
Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly			
	20	25	30
Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser			
	35	40	45
Thr Glu Lys Asn Ala Ile Pro Ala Pro Thr Thr Thr Lys Ser Cys Arg			
	50	55	60
Glu Thr Phe Leu Lys Cys Phe Cys Arg Phe Ile Asn Lys Gly Val Phe			
65	70	75	80

-continued

Trp Ala Ser Pro Ile Leu Ser Ser Gly Gln Asp Leu Trp Trp Tyr Asn
85 90 95

<210> SEQ ID NO 36

<211> LENGTH: 1136

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 36

```
acctctcaag cagccagcgc ctgcctgaat ctgtttctgcc cctccccac ccatttcacc 60
accaccatga caccgggcac ccagtctcct ttcttctctgc tgetgtcctt cacagtgett 120
acagttgtta cgggttcttg tcatgcaagc tctacccag gtggagaaaa ggagacttcg 180
gctaccaga gaagttcagt gccagctct actgagaaga atgetatccc agcaccgact 240
actaccaaga gctgcagaga gacatttctg aaatgtttt gcagatttat aaacaagggg 300
gttttctggg cctctccaat attaatgtca ggccaggatc tgtgggtgta caattgactc 360
tggtcttcgc agaaggtacc atcaatgtcc acgacgtgga gacacagttc aatcagtata 420
aaacggaagc agcctctcga tataacctga cgatctcaga cgtcagcgtg agtcatgtgc 480
catttccttt ctctgccagc tctggggctg ggggtgccag ctggggcatc gcgctgctgg 540
tgetggtctg tgttctggtt gcgctggcca ttgtctatct cattgccttg gctgtctgtc 600
agtgcgcgcg aaagaactac gggcagctgg acatctttcc agcccgggat acctaccatc 660
ctatgagcga gtaccccacc taccacacc atgggcgcta tgtgcccct agcagtaccg 720
atcgtagccc ctatgagaag gtttctgcag gtaatggtgg cagcagcctc tcttacacaa 780
accagcagt ggcagccact tctgccaaat ttaggggca cgtcgccgc tgagctgagt 840
ggccagccag tgccattcca ctccactcag gttcttcagg gccagagccc ctgcaccctg 900
tttgggctgg tgagctggga gttcaggtgg gctgtcaca gcctcctca gagggccac 960
caatttctcg gacacttctc agtgtgtgga agtcatgtg ggccctgag ggctcatgcc 1020
tggaagtgt tgtggtggg gctcccagga ggactggccc agagagccct gagatagcgg 1080
ggatcctgaa ctggactgaa taaaacgtgg tctcccactg cgcaaaaaa aaaaaa 1136
```

<210> SEQ ID NO 37

<211> LENGTH: 418

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 37

```
Met Pro Ser Ser Val Ser Trp Gly Ile Leu Leu Leu Ala Gly Leu Cys
1 5 10 15
Cys Leu Val Pro Val Ser Leu Ala Glu Asp Pro Gln Gly Asp Ala Ala
20 25 30
Gln Lys Thr Asp Thr Ser His His Asp Gln Asp His Pro Thr Phe Asn
35 40 45
Lys Ile Thr Pro Asn Leu Ala Glu Phe Ala Phe Ser Leu Tyr Arg Gln
50 55 60
Leu Ala His Gln Ser Asn Ser Thr Asn Ile Phe Phe Ser Pro Val Ser
65 70 75 80
Ile Ala Thr Ala Phe Ala Met Leu Ser Leu Gly Thr Lys Ala Asp Thr
85 90 95
His Asp Glu Ile Leu Glu Gly Leu Asn Phe Asn Leu Thr Glu Ile Pro
```

-continued

100	105	110
Glu Ala Gln Ile His Glu Gly Phe Gln Glu Leu Leu Arg Thr Leu Asn 115 120 125		
Gln Pro Asp Ser Gln Leu Gln Leu Thr Thr Gly Asn Gly Leu Phe Leu 130 135 140		
Ser Glu Gly Leu Lys Leu Val Asp Lys Phe Leu Glu Asp Val Lys Lys 145 150 155 160		
Leu Tyr His Ser Glu Ala Phe Thr Val Asn Phe Gly Asp Thr Glu Glu 165 170 175		
Ala Lys Lys Gln Ile Asn Asp Tyr Val Glu Lys Gly Thr Gln Gly Lys 180 185 190		
Ile Val Asp Leu Val Lys Glu Leu Asp Arg Asp Thr Val Phe Ala Leu 195 200 205		
Val Asn Tyr Ile Phe Phe Lys Gly Lys Trp Glu Arg Pro Phe Glu Val 210 215 220		
Lys Asp Thr Glu Glu Glu Asp Phe His Val Asp Gln Val Thr Thr Val 225 230 235 240		
Lys Val Pro Met Met Lys Arg Leu Gly Met Phe Asn Ile Gln His Cys 245 250 255		
Lys Lys Leu Ser Ser Trp Val Leu Leu Met Lys Tyr Leu Gly Asn Ala 260 265 270		
Thr Ala Ile Phe Phe Leu Pro Asp Glu Gly Lys Leu Gln His Leu Glu 275 280 285		
Asn Glu Leu Thr His Asp Ile Ile Thr Lys Phe Leu Glu Asn Glu Asp 290 295 300		
Arg Arg Ser Ala Ser Leu His Leu Pro Lys Leu Ser Ile Thr Gly Thr 305 310 315 320		
Tyr Asp Leu Lys Ser Val Leu Gly Gln Leu Gly Ile Thr Lys Val Phe 325 330 335		
Ser Asn Gly Ala Asp Leu Ser Gly Val Thr Glu Glu Ala Pro Leu Lys 340 345 350		
Leu Ser Lys Ala Val His Lys Ala Val Leu Thr Ile Asp Glu Lys Gly 355 360 365		
Thr Glu Ala Ala Gly Ala Met Phe Leu Glu Ala Ile Pro Met Ser Ile 370 375 380		
Pro Pro Glu Val Lys Phe Asn Lys Pro Phe Val Phe Leu Met Ile Glu 385 390 395 400		
Gln Asn Thr Lys Ser Pro Leu Phe Met Gly Lys Val Val Asn Pro Thr 405 410 415		

Gln Lys

<210> SEQ ID NO 38

<211> LENGTH: 1607

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 38

```

aatgactcct ttcggttaagt gcagtgaag ctgtacactg cccaggcaaa gcgtccgggc      60
agcgtaggcg ggcgactcag atcccagcca gtggacttag cccctgtttg ctctccgat      120
aactgggggtg accttggtta atattcacca gcagcctccc cgttgcccc tctggatcca      180
ctgcttaaat acggacgagg acagggccct gtctcctcag cttcaggcac caccactgac      240

```

-continued

```

ctgggacagt gaatcgacaa tgccgtcttc tgtctcgtgg ggcatacctcc tgcctggcagg 300
cctgtgctgc ctggctccctg tctccctggc tgaggatccc cagggagatg ctgccagaa 360
gacagataca tcccaccatg atcaggatca cccaaccttc aacaagatca cccccaacct 420
ggctgagttc gccttcagcc tataccgccca gctggcacac cagtccaaca gcaccaatat 480
cttcttctcc ccagtgaagc tcgtacagc ctttgcaatg ctctccctgg ggaccaaggc 540
tgacactcac gatgaatcc tggagggcct gaatttcaac ctacaggaga ttccggaggc 600
tcagatccat gaaggcttcc aggaactcct ccgtaccctc aaccagccag acagccagct 660
ccagctgacc accggcaatg gcctgttctc cagcgagggc ctgaagctag tggataagtt 720
tttgagggat gttaaaagt tgtaccactc agaagccttc actgtcaact tcggggacac 780
cgaagaggcc aagaaacaga tcaacgatta cgtggagaag ggtactcaag ggaaaattgt 840
ggatttggtc aaggagcttg acagagacac agtttttgct ctggtgaatt acatcttctt 900
taaaggcaaa tgggagagac cctttgaagt caaggacacc gaggaagagg acttcacgt 960
ggaccagggtg accaccgtga aggtgcctat gatgaagcgt ttaggcatgt ttaacatcca 1020
gcactgtaag aagctgtcca gctgggtgct gctgatgaaa tacctgggca atgccaccgc 1080
catcttcttc ctgcctgatg aggggaaact acagcacctg gaaaatgaac tccccacga 1140
tatcatcacc aagttcctgg aaaatgaaga cagaaggctc gccagcttac atttacccaa 1200
actgtccatt actggaacct atgatctgaa gagcgtcctg ggtcaactgg gcatcactaa 1260
ggctcttcagc aatggggctg acctctccgg ggtcacagag gaggcacccc tgaagctctc 1320
caaggccgtg cataaggctg tgctgacctc cgacgagaaa gggactgaag ctgctggggc 1380
catgttttta gaggccatac ccatgtctat ccccccgag gtcaagtca acaaacctt 1440
tgtcttctta atgattgaac aaaataccaa gtctcccctc ttcatgggaa aagtgtgtaa 1500
tccccaccaa aaataactgc ctctcgtcc tcaaccctc ccctccatcc ctggccccct 1560
ccctggatga cattaagaa gggttgagct ggtccctgcc tgcaaaa 1607

```

<210> SEQ ID NO 39

<211> LENGTH: 418

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 39

```

Met Pro Ser Ser Val Ser Trp Gly Ile Leu Leu Leu Ala Gly Leu Cys
1           5           10          15
Cys Leu Val Pro Val Ser Leu Ala Glu Asp Pro Gln Gly Asp Ala Ala
20          25          30
Gln Lys Thr Asp Thr Ser His His Asp Gln Asp His Pro Thr Phe Asn
35          40          45
Lys Ile Thr Pro Asn Leu Ala Glu Phe Ala Phe Ser Leu Tyr Arg Gln
50          55          60
Leu Ala His Gln Ser Asn Ser Thr Asn Ile Phe Phe Ser Pro Val Ser
65          70          75          80
Ile Ala Thr Ala Phe Ala Met Leu Ser Leu Gly Thr Lys Ala Asp Thr
85          90          95
His Asp Glu Ile Leu Glu Gly Leu Asn Phe Asn Leu Thr Glu Ile Pro
100         105         110

```

-continued

Glu	Ala	Gln	Ile	His	Glu	Gly	Phe	Gln	Glu	Leu	Leu	Arg	Thr	Leu	Asn
	115						120					125			
Gln	Pro	Asp	Ser	Gln	Leu	Gln	Leu	Thr	Thr	Gly	Asn	Gly	Leu	Phe	Leu
	130					135					140				
Ser	Glu	Gly	Leu	Lys	Leu	Val	Asp	Lys	Phe	Leu	Glu	Asp	Val	Lys	Lys
	145				150					155					160
Leu	Tyr	His	Ser	Glu	Ala	Phe	Thr	Val	Asn	Phe	Gly	Asp	Thr	Glu	Glu
				165					170					175	
Ala	Lys	Lys	Gln	Ile	Asn	Asp	Tyr	Val	Glu	Lys	Gly	Thr	Gln	Gly	Lys
			180					185					190		
Ile	Val	Asp	Leu	Val	Lys	Glu	Leu	Asp	Arg	Asp	Thr	Val	Phe	Ala	Leu
	195						200					205			
Val	Asn	Tyr	Ile	Phe	Phe	Lys	Gly	Lys	Trp	Glu	Arg	Pro	Phe	Glu	Val
	210					215					220				
Lys	Asp	Thr	Glu	Glu	Glu	Asp	Phe	His	Val	Asp	Gln	Val	Thr	Thr	Val
	225				230					235					240
Lys	Val	Pro	Met	Met	Lys	Arg	Leu	Gly	Met	Phe	Asn	Ile	Gln	His	Cys
			245					250					255		
Lys	Lys	Leu	Ser	Ser	Trp	Val	Leu	Leu	Met	Lys	Tyr	Leu	Gly	Asn	Ala
		260					265					270			
Thr	Ala	Ile	Phe	Phe	Leu	Pro	Asp	Glu	Gly	Lys	Leu	Gln	His	Leu	Glu
		275					280					285			
Asn	Glu	Leu	Thr	His	Asp	Ile	Ile	Thr	Lys	Phe	Leu	Glu	Asn	Glu	Asp
	290					295					300				
Arg	Arg	Ser	Ala	Ser	Leu	His	Leu	Pro	Lys	Leu	Ser	Ile	Thr	Gly	Thr
	305				310					315					320
Tyr	Asp	Leu	Lys	Ser	Val	Leu	Gly	Gln	Leu	Gly	Ile	Thr	Lys	Val	Phe
			325					330						335	
Ser	Asn	Gly	Ala	Asp	Leu	Ser	Gly	Val	Thr	Glu	Glu	Ala	Pro	Leu	Lys
		340					345						350		
Leu	Ser	Lys	Ala	Val	His	Lys	Ala	Val	Leu	Thr	Ile	Asp	Glu	Lys	Gly
		355				360					365				
Thr	Glu	Ala	Ala	Gly	Ala	Met	Phe	Leu	Glu	Ala	Ile	Pro	Met	Ser	Ile
	370					375					380				
Pro	Pro	Glu	Val	Lys	Phe	Asn	Lys	Pro	Phe	Val	Phe	Leu	Met	Ile	Glu
	385				390					395				400	
Gln	Asn	Thr	Lys	Ser	Pro	Leu	Phe	Met	Gly	Lys	Val	Val	Asn	Pro	Thr
			405						410				415		

Gln Lys

<210> SEQ ID NO 40

<211> LENGTH: 1588

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 40

tgggcaggaa	ctgggcactg	tgcccagggc	atgcactgcc	tccacgcagc	aaccctcaga	60
gtcctgagct	gaaccaagaa	ggaggagggg	gtcgggcctc	cgaggaaggc	ctagccgctg	120
ctgctgccag	gaattccagg	ttggaggggg	ggcaacctcc	tgccagcctt	caggccactc	180
tcctgtgcct	gccagaagag	acagagcttg	aggagagctt	gaggagagca	ggaaaggaca	240
atgccgtctt	ctgtctcgtg	gggcatactc	ctgctggcag	gcctgtgctg	cctggtccct	300

-continued

```

gtctccctgg ctgaggatcc ccaggagat gctgccaga agacagatac atcccaccat 360
gatcaggatc acccaacctt caacaagatc accccaacc tggtgagtt cgccttcagc 420
ctataccgcc agctggcaca ccagtccaac agcaccaata tcttcttctc cccagtgage 480
atcgctacag cctttgcaat gctctccctg gggaccaagg ctgacactca cgatgaaatc 540
ctggaggggc tgaatttcaa cctcacggag attccggagg ctcatatcca tgaaggcttc 600
caggaactcc tccgtaccct caaccagcca gacagccagc tccagctgac caccggcaat 660
ggcctgttcc tcagcgaggg cctgaagcta gtggataagt ttttgagga tgttaaaaag 720
ttgtaccact cagaagcctt cactgtcaac ttcggggaca ccgaagaggc caagaaacag 780
atcaacgatt acgtggagaa gggactcaa gggaaaattg tggatttggc caaggagctt 840
gacagagaca cagtttttgc tctggtgaat tacatcttct ttaaaggcaa atgggagaga 900
ccctttgaag tcaaggacac cgaggaagag gacttccacg tggaccaggt gaccaccgtg 960
aaggtgccta tgatgaagcg tttaggcatg ttaacatcc agcactgtaa gaagctgtcc 1020
agctgggtgc tgctgatgaa atacctgggc aatgccaccg ccatcttctt cctgctgat 1080
gaggggaaac tacagcacct ggaaaatgaa ctcaccacg atatcatcac caagttcctg 1140
gaaaatgaag acagaaggtc tgccagctta catttacc aactgtccat tactggaacc 1200
tatgatctga agagcgtcct gggcgaactg ggcatcacta aggtcttcag caatggggct 1260
gacctctccg gggtcacaga ggaggcacc ctaagctct ccaaggccgt gcataaggct 1320
gtgctgacca tcgacgagaa agggactgaa gctgctggg ccatgttttt agaggccata 1380
cccatgtcta tccccccgga ggtcaagttc aacaaacct ttgtcttctt aatgattgaa 1440
caaaatacca agtctccct cttcatggga aaagtgggta atcccccca aaaataactg 1500
cctctcgctc ctcaacccct cccctccatc cctggcccc tccctggatg acattaaaga 1560
agggttgagc tggtcctgc ctgcaaaa 1588

```

<210> SEQ ID NO 41
<211> LENGTH: 418
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 41

```

Met Pro Ser Ser Val Ser Trp Gly Ile Leu Leu Leu Ala Gly Leu Cys
1             5             10             15
Cys Leu Val Pro Val Ser Leu Ala Glu Asp Pro Gln Gly Asp Ala Ala
20             25             30
Gln Lys Thr Asp Thr Ser His His Asp Gln Asp His Pro Thr Phe Asn
35             40             45
Lys Ile Thr Pro Asn Leu Ala Glu Phe Ala Phe Ser Leu Tyr Arg Gln
50             55             60
Leu Ala His Gln Ser Asn Ser Thr Asn Ile Phe Phe Ser Pro Val Ser
65             70             75             80
Ile Ala Thr Ala Phe Ala Met Leu Ser Leu Gly Thr Lys Ala Asp Thr
85             90             95
His Asp Glu Ile Leu Glu Gly Leu Asn Phe Asn Leu Thr Glu Ile Pro
100            105            110
Glu Ala Gln Ile His Glu Gly Phe Gln Glu Leu Leu Arg Thr Leu Asn
115            120            125

```

-continued

Gln	Pro	Asp	Ser	Gln	Leu	Gln	Leu	Thr	Thr	Gly	Asn	Gly	Leu	Phe	Leu
130						135					140				
Ser	Glu	Gly	Leu	Lys	Leu	Val	Asp	Lys	Phe	Leu	Glu	Asp	Val	Lys	Lys
145				150						155					160
Leu	Tyr	His	Ser	Glu	Ala	Phe	Thr	Val	Asn	Phe	Gly	Asp	Thr	Glu	Glu
			165						170					175	
Ala	Lys	Lys	Gln	Ile	Asn	Asp	Tyr	Val	Glu	Lys	Gly	Thr	Gln	Gly	Lys
			180					185					190		
Ile	Val	Asp	Leu	Val	Lys	Glu	Leu	Asp	Arg	Asp	Thr	Val	Phe	Ala	Leu
		195					200					205			
Val	Asn	Tyr	Ile	Phe	Phe	Lys	Gly	Lys	Trp	Glu	Arg	Pro	Phe	Glu	Val
	210					215					220				
Lys	Asp	Thr	Glu	Glu	Glu	Asp	Phe	His	Val	Asp	Gln	Val	Thr	Thr	Val
225					230					235					240
Lys	Val	Pro	Met	Met	Lys	Arg	Leu	Gly	Met	Phe	Asn	Ile	Gln	His	Cys
			245						250					255	
Lys	Lys	Leu	Ser	Ser	Trp	Val	Leu	Leu	Met	Lys	Tyr	Leu	Gly	Asn	Ala
			260					265					270		
Thr	Ala	Ile	Phe	Phe	Leu	Pro	Asp	Glu	Gly	Lys	Leu	Gln	His	Leu	Glu
		275					280					285			
Asn	Glu	Leu	Thr	His	Asp	Ile	Ile	Thr	Lys	Phe	Leu	Glu	Asn	Glu	Asp
	290					295					300				
Arg	Arg	Ser	Ala	Ser	Leu	His	Leu	Pro	Lys	Leu	Ser	Ile	Thr	Gly	Thr
305				310						315					320
Tyr	Asp	Leu	Lys	Ser	Val	Leu	Gly	Gln	Leu	Gly	Ile	Thr	Lys	Val	Phe
			325						330					335	
Ser	Asn	Gly	Ala	Asp	Leu	Ser	Gly	Val	Thr	Glu	Glu	Ala	Pro	Leu	Lys
			340					345					350		
Leu	Ser	Lys	Ala	Val	His	Lys	Ala	Val	Leu	Thr	Ile	Asp	Glu	Lys	Gly
		355					360					365			
Thr	Glu	Ala	Ala	Gly	Ala	Met	Phe	Leu	Glu	Ala	Ile	Pro	Met	Ser	Ile
	370					375						380			
Pro	Pro	Glu	Val	Lys	Phe	Asn	Lys	Pro	Phe	Val	Phe	Leu	Met	Ile	Glu
385					390					395					400
Gln	Asn	Thr	Lys	Ser	Pro	Leu	Phe	Met	Gly	Lys	Val	Val	Asn	Pro	Thr
			405						410					415	

Gln Lys

<210> SEQ ID NO 42

<211> LENGTH: 1902

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 42

tgggcaggaa	ctgggcactg	tgcccagggc	atgcactgcc	tccacgcagc	aaccctcaga	60
gtcctgagct	gaaccaagaa	ggaggagggg	gtcgggcctc	cgaggaaggc	ctagccgctg	120
ctgctgccag	gaattccagg	ttggaggggc	ggcaacctcc	tgccagcctt	caggccactc	180
tcctgtgcct	gccagaagag	acagagcttg	aggagagctt	gaggagagca	ggaaagggcg	240
gcagtaagtc	ttcagcatca	ggcattttgg	ggtgactcag	taaagtgtag	atcttgctac	300
cagtgaaca	gccactaagg	attctgcagt	gagagcagag	ggccagctaa	gtggtactct	360

-continued

```

cccagagact gtctgactca cggcaccccc tccaccttgg acacaggacg ctgtggtttc 420
tgagccaggt acaatgactc ctttcgcagc ctcccccggt gccctcttgg atccactgct 480
taaatacggg caggacaggg gccctgtctc ctacagttca ggcaccacca ctgacctggg 540
acagtgaatc gacaatgccg tctctgtctc cgtggggcat cctcctgtcg gcaggcctgt 600
gctgcctggt cctgtgtctc ctggctgagg atccccagg agatgctgcc cagaagacag 660
atacatccca ccatgatcag gatcacccaa ccttcaacaa gatcaccccc aacctggctg 720
agttcgctt cagcctatac cggcagctgg cacaccagtc caacagcacc aatatcttct 780
tctccccagt gagcatcgct acagcctttg caatgtcttc cctggggacc aaggctgaca 840
ctcacgatga aatcctggag ggctgaatt tcaacctcac ggagattccg gaggtcaga 900
tccatgaagg cttccaggaa ctctccgta ccctcaacca gccagacagc cagctccagc 960
tgaccaccgg caatggcctg ttctcagcg agggcctgaa gctagtggat aagtttttgg 1020
aggatgttaa aaagtgttac cactcagaag ccttactgt caacttcggg gacaccgaag 1080
aggccaagaa acagatcaac gattacgtgg agaagggtac tcaagggaaa attgtggatt 1140
tggtcaagga gcttgacaga gacacagttt ttgctctggt gaattacatc ttctttaaag 1200
gcaaatggga gagacccttt gaagtcaagg acaccgagga agaggacttc cagtgaggacc 1260
aggtgaccac cgtgaagggt cctatgatga agcgtttagg catgtttaac atccagcact 1320
gtaagaagct gtccagctgg gtgctgctga tgaataacct gggcaatgcc accgccatct 1380
tcttctgccc tgatgagggg aaactacagc acctggaaaa tgaactcacc cacgatatca 1440
tcaccaagtt cctggaaaaa gaagacagaa ggtctgccag cttacattta cccaaactgt 1500
ccattactgg aacctatgat ctgaagagcg tctctgggtca actgggcac actaagggtct 1560
tcagcaatgg ggctgacctc tccgggtca cagaggaggc acccctgaag ctctccaagg 1620
ccgtgcataa ggctgtgctg accatcgacg agaaagggac tgaagctgct ggggccatgt 1680
ttttagaggc cataccatg tctatcccc cggaggtcaa gttcaacaaa cctttgtct 1740
tcttaatgat tgaacaaaat accaagtctc cctcttcat gggaaaagtg gtgaatccca 1800
cccaaaaata actgcctctc gctcctcaac cctccccctc catcctggc cccctccctg 1860
gatgacatta aagaagggtt gagctggctc ctgcctgcaa aa 1902

```

<210> SEQ ID NO 43

<211> LENGTH: 335

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 43

```

Met Gly His Pro Pro Leu Leu Pro Leu Leu Leu Leu His Thr Cys
1           5           10          15

Val Pro Ala Ser Trp Gly Leu Arg Cys Met Gln Cys Lys Thr Asn Gly
          20          25          30

Asp Cys Arg Val Glu Glu Cys Ala Leu Gly Gln Asp Leu Cys Arg Thr
          35          40          45

Thr Ile Val Arg Leu Trp Glu Glu Gly Glu Glu Leu Glu Leu Val Glu
          50          55          60

Lys Ser Cys Thr His Ser Glu Lys Thr Asn Arg Thr Leu Ser Tyr Arg
65          70          75          80

```

-continued

Thr	Gly	Leu	Lys	Ile	Thr	Ser	Leu	Thr	Glu	Val	Val	Cys	Gly	Leu	Asp
			85						90					95	
Leu	Cys	Asn	Gln	Gly	Asn	Ser	Gly	Arg	Ala	Val	Thr	Tyr	Ser	Arg	Ser
		100						105					110		
Arg	Tyr	Leu	Glu	Cys	Ile	Ser	Cys	Gly	Ser	Ser	Asp	Met	Ser	Cys	Glu
	115						120					125			
Arg	Gly	Arg	His	Gln	Ser	Leu	Gln	Cys	Arg	Ser	Pro	Glu	Glu	Gln	Cys
	130					135					140				
Leu	Asp	Val	Val	Thr	His	Trp	Ile	Gln	Glu	Gly	Glu	Glu	Gly	Arg	Pro
145				150					155						160
Lys	Asp	Asp	Arg	His	Leu	Arg	Gly	Cys	Gly	Tyr	Leu	Pro	Gly	Cys	Pro
			165					170						175	
Gly	Ser	Asn	Gly	Phe	His	Asn	Asn	Asp	Thr	Phe	His	Phe	Leu	Lys	Cys
		180						185					190		
Cys	Asn	Thr	Thr	Lys	Cys	Asn	Glu	Gly	Pro	Ile	Leu	Glu	Leu	Glu	Asn
	195						200					205			
Leu	Pro	Gln	Asn	Gly	Arg	Gln	Cys	Tyr	Ser	Cys	Lys	Gly	Asn	Ser	Thr
	210					215					220				
His	Gly	Cys	Ser	Ser	Glu	Glu	Thr	Phe	Leu	Ile	Asp	Cys	Arg	Gly	Pro
225					230				235						240
Met	Asn	Gln	Cys	Leu	Val	Ala	Thr	Gly	Thr	His	Glu	Pro	Lys	Asn	Gln
			245					250						255	
Ser	Tyr	Met	Val	Arg	Gly	Cys	Ala	Thr	Ala	Ser	Met	Cys	Gln	His	Ala
			260					265					270		
His	Leu	Gly	Asp	Ala	Phe	Ser	Met	Asn	His	Ile	Asp	Val	Ser	Cys	Cys
	275						280					285			
Thr	Lys	Ser	Gly	Cys	Asn	His	Pro	Asp	Leu	Asp	Val	Gln	Tyr	Arg	Ser
	290					295					300				
Gly	Ala	Ala	Pro	Gln	Pro	Gly	Pro	Ala	His	Leu	Ser	Leu	Thr	Ile	Thr
305				310					315						320
Leu	Leu	Met	Thr	Ala	Arg	Leu	Trp	Gly	Gly	Thr	Leu	Leu	Trp	Thr	
			325					330						335	

<210> SEQ ID NO 44

<211> LENGTH: 1548

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 44

cagggccgag ccagcccctt caccaccagc cggccgcgcc cggggaaggg aagtttgtgg	60
cggaggaggt tcgtacggga ggagggggag gcgcccacgc atctggggct gactcgctct	120
ttcgaaaac gtctgggagg agtccctggg gccacaaaac tgctccttc ctgaggccag	180
aaggagagaa gacgtgcagg gaccccgccg acaggagctg cctcgcgcac atgggtcacc	240
cgccgtgctt gccgtgctg ctgtgctcc acacctgcgt ccagcctct tggggcctgc	300
ggtgcatgca gtgtaagacc aacggggatt gccgtgtgga agagtgcgcc ctgggacagg	360
acctctgcag gaccacgatc gtgcgcttgt gggaagaagg agaagagctg gagctggtgg	420
agaaaagctg taccactca gagaagacca acaggacct gagctatcg actggttga	480
agatcaccag cttaccgag gttgtgtgtg ggtagactt gtgcaaccag ggcaactctg	540
gccgggtgtt cacctattcc cgaagccgtt acctcgaatg catttctgt ggctcatcag	600

-continued

```

acatgagctg tgagaggggc cggcaccaga gcctgcagtg cgcagccct gaagaacagt    660
gcctggatgt ggtgaccac  tggatccagg aaggtgaaga agggcgcca aaggatgacc    720
gccacctcgc tggctgtggc taccttcccg gctgcccggg ctccaatggt ttccacaaca    780
acgacacctt ccacttctcg aaatgctgca acaccacaa atgcaacgag ggcccaatcc    840
tggagcttga aaatctgccg cagaatggcc gccagtgtta cagctgcaag gggaacagca    900
cccatggatg ctctctgaa gagactttcc tcattgactg cagagggccc atgaatcaat    960
gtctggtagc caccggcact cacgaaccga aaaaccaaag ctatatggta agaggctgtg   1020
caaccgcctc aatgtgccaa catgccacc tgggtgacgc cttcagcatg aaccacattg   1080
atgtctctcg ctgtactaaa agtggctgta accaccaga cctggatgtc cagtaccgca   1140
gtggggctgc tcctcagcct ggccctgccc atctcagcct caccatcacc ctgctaataa   1200
ctgccagact gtggggagcg actctctctt ggacctaaac ctgaaatccc cctctctgcc   1260
ctggctggat cggggggacc cctttgccct tcctcggct cccagcccta cagacttgct   1320
gtgtgacctc aggccagtgt gccgacctct ctgggcctca gttttcccag ctatgaaaac   1380
agctatctca caaagttgtg tgaagcagaa gagaaaagct ggaggaaggc cgtgggcca   1440
tgggagagct cttgttatta ttaatatgtg tgcgctgtt gtgtgtgtt tattaattaa   1500
tattcatatt atttatttta tacttacata aagattttgt accagtgg           1548

```

<210> SEQ ID NO 45

<211> LENGTH: 281

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 45

```

Met Gly His Pro Pro Leu Leu Pro Leu Leu Leu Leu His Thr Cys
 1             5             10             15

Val Pro Ala Ser Trp Gly Leu Arg Cys Met Gln Cys Lys Thr Asn Gly
          20             25             30

Asp Cys Arg Val Glu Glu Cys Ala Leu Gly Gln Asp Leu Cys Arg Thr
          35             40             45

Thr Ile Val Arg Leu Trp Glu Glu Gly Glu Glu Leu Glu Leu Val Glu
          50             55             60

Lys Ser Cys Thr His Ser Glu Lys Thr Asn Arg Thr Leu Ser Tyr Arg
          65             70             75             80

Thr Gly Leu Lys Ile Thr Ser Leu Thr Glu Val Val Cys Gly Leu Asp
          85             90             95

Leu Cys Asn Gln Gly Asn Ser Gly Arg Ala Val Thr Tyr Ser Arg Ser
          100            105            110

Arg Tyr Leu Glu Cys Ile Ser Cys Gly Ser Ser Asp Met Ser Cys Glu
          115            120            125

Arg Gly Arg His Gln Ser Leu Gln Cys Arg Ser Pro Glu Glu Gln Cys
          130            135            140

Leu Asp Val Val Thr His Trp Ile Gln Glu Gly Glu Glu Gly Arg Pro
          145            150            155            160

Lys Asp Asp Arg His Leu Arg Gly Cys Gly Tyr Leu Pro Gly Cys Pro
          165            170            175

Gly Ser Asn Gly Phe His Asn Asn Asp Thr Phe His Phe Leu Lys Cys
          180            185            190

```

-continued

Cys	Asn	Thr	Thr	Lys	Cys	Asn	Glu	Gly	Pro	Ile	Leu	Glu	Leu	Glu	Asn
	195						200					205			
Leu	Pro	Gln	Asn	Gly	Arg	Gln	Cys	Tyr	Ser	Cys	Lys	Gly	Asn	Ser	Thr
	210					215					220				
His	Gly	Cys	Ser	Ser	Glu	Glu	Thr	Phe	Leu	Ile	Asp	Cys	Arg	Gly	Pro
	225				230				235					240	
Met	Asn	Gln	Cys	Leu	Val	Ala	Thr	Gly	Thr	His	Glu	Arg	Ser	Leu	Trp
			245					250						255	
Gly	Ser	Trp	Leu	Pro	Cys	Lys	Ser	Thr	Thr	Ala	Leu	Arg	Pro	Pro	Cys
			260					265					270		
Cys	Glu	Glu	Ala	Gln	Ala	Thr	His	Val							
	275					280									

<210> SEQ ID NO 46

<211> LENGTH: 1437

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 46

```

cagggccgag ccagccctt caccaccagc cggccgcgcc cgggaaggg aagtttgtgg      60
cggaggaggt tcgtacggga ggagggggag gcgcccacgc atctggggct gactcgctct      120
ttcgaaaaac gtctgggagg agtccctggg gccacaaaac tgctccttc ctgaggccag      180
aaggagagaa gacgtgcagg gaccccggc acaggagctg cctcgcgac atgggtcacc      240
cgccgctgct gccgctgctg ctgctgctcc acacctgctg ccagcctct tggggcctgc      300
ggtgcatgca gtgtaagacc aacggggatt gccgtgtgga agagtgcgcc ctgggacagg      360
acctctgcag gaccacgatc gtgcgcttgt gggaagaagg agaagagctg gagctggtgg      420
agaaaagctg taccactca gagaagacca acaggacct gagctatcgg actggttga      480
agatcaccag cttaccgag gttgtgtgtg ggtagactt gtgaaccag ggcaactctg      540
gccgggctgt cactatttc cgaagccgtt acctcgaatg catttcctgt ggctcatcag      600
acatgagctg tgagaggggc cggcaccaga gcctgcagtg ccgcagccct gaagaacagt      660
gcctggatgt ggtgacccac tggatccagg aaggtgaaga agggcgtcca aaggatgacc      720
gccacctcgg tggtgtggtc taccttcccg gctgcccggg ctccaatggt ttccacaaca      780
acgacacctt ccacttctg aaatgtgca acaccaccaa atgcaacgag ggcccaatcc      840
tggagcttga aaatctgcc cagaatggc gccagtgtta cagctgcaag gggaacagca      900
cccatggatg ctectctgaa gagactttcc tcattgactg ccgaggcccc atgaatcaat      960
gtctggtagc caccggcact cagcaacgct cactctgggg aagctggttg ccatgtaaaa     1020
gtactactgc cctgagacca ccatgctgtg aggaagccca agctactcat gtataaatgc     1080
catgtggaga tagagcccca gatgtttcag ccatctcagc ccaggcacca gacaagtggg     1140
tgaagaagcc accttgaca ttagagccca gcagatgtga tatagagaag aaacaggaaa     1200
cttggtata ttagtttct agggctgct gtgataaatt attacaaact ttataaacta     1260
acacattgtg tgccatatac aaaacatcat ggaaggacag gcacagtggc tcatgcctgt     1320
agtctagca ctttgggagg gtgagaaagg aagatctctt gagctcagga gttcaagatc     1380
agcctgggca acacagtgag acctcatctc cactaaaaat aaaaaaaaaat tggctgg      1437

```

<210> SEQ ID NO 47

-continued

<211> LENGTH: 290

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 47

```

Met Gly His Pro Pro Leu Leu Pro Leu Leu Leu Leu Leu His Thr Cys
 1             5             10             15

Val Pro Ala Ser Trp Gly Leu Arg Cys Met Gln Cys Lys Thr Asn Gly
      20             25             30

Asp Cys Arg Val Glu Glu Cys Ala Leu Gly Gln Asp Leu Cys Arg Thr
      35             40             45

Thr Ile Val Arg Leu Trp Glu Glu Gly Glu Glu Leu Glu Leu Val Glu
      50             55             60

Lys Ser Cys Thr His Ser Glu Lys Thr Asn Arg Thr Leu Ser Tyr Arg
      65             70             75             80

Thr Gly Leu Lys Ile Thr Ser Leu Thr Glu Val Val Cys Gly Leu Asp
      85             90             95

Leu Cys Asn Gln Gly Asn Ser Gly Arg Ala Val Thr Tyr Ser Arg Ser
      100            105            110

Arg Tyr Leu Glu Cys Ile Ser Cys Gly Ser Ser Asp Met Ser Cys Glu
      115            120            125

Arg Gly Arg His Gln Ser Leu Gln Cys Arg Ser Pro Glu Glu Gln Cys
      130            135            140

Leu Asp Val Val Thr His Trp Ile Gln Glu Gly Glu Glu Val Leu Glu
      145            150            155            160

Leu Glu Asn Leu Pro Gln Asn Gly Arg Gln Cys Tyr Ser Cys Lys Gly
      165            170            175

Asn Ser Thr His Gly Cys Ser Ser Glu Glu Thr Phe Leu Ile Asp Cys
      180            185            190

Arg Gly Pro Met Asn Gln Cys Leu Val Ala Thr Gly Thr His Glu Pro
      195            200            205

Lys Asn Gln Ser Tyr Met Val Arg Gly Cys Ala Thr Ala Ser Met Cys
      210            215            220

Gln His Ala His Leu Gly Asp Ala Phe Ser Met Asn His Ile Asp Val
      225            230            235            240

Ser Cys Cys Thr Lys Ser Gly Cys Asn His Pro Asp Leu Asp Val Gln
      245            250            255

Tyr Arg Ser Gly Ala Ala Pro Gln Pro Gly Pro Ala His Leu Ser Leu
      260            265            270

Thr Ile Thr Leu Leu Met Thr Ala Arg Leu Trp Gly Gly Thr Leu Leu
      275            280            285

Trp Thr
      290

```

<210> SEQ ID NO 48

<211> LENGTH: 1360

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 48

```

cagggccgag ccagccctt caccaccagc cggccgcgcc ccggaaggg aagtttgtgg      60

cggaggaggt tcgtacggga ggagggggag gcgccacgc atctggggct gactcgctct      120

ttcgaaaac gtctgggagg agtccctggg gccacaaaac tgcctccttc ctgaggccag      180

```

-continued

```

aaggagagaa gacgtgcagg gaccccgccg acaggagctg cctcgcgcac atgggtcacc 240
cgccgctgct gccgctgctg ctgtgtctcc acacctgcgt cccagcctct tggggcctgc 300
ggtgcatgca gtgtaagacc aacggggatt gccgtgtgga agagtgcgcc ctgggacagg 360
acctctgcag gaccacgacg gtgcgcttgt gggaagaagg agaagagctg gagctggtgg 420
agaaaagctg taccactca gagaagacca acaggaccct gagctatcgg actggcttga 480
agatcaccag ccttaccgag gttgtgtgtg ggtagactt gtgcaaccag ggcaactctg 540
gccgggctgt cacctattcc cgaagccgtt acctcgaatg catttctgt ggtcatcag 600
acatgagctg tgagaggggc cggcaccaga gcctgcagtg ccgcagccct gaagaacagt 660
gcctggatgt ggtgacccac tggatccagg aaggtgaaga agtcctggag cttgaaaatc 720
tgccgcagaa tggccgcag tgttacagct gcaaggggaa cagcacccat ggatgctcct 780
ctgaagagac ttctctcatt gactgccgag gcccacatgaa tcaatgtctg gtagccaccg 840
gcactcacga accgaaaaac caaagctata tggtaaagg ctgtgcaacc gctcaatgt 900
gccaacatgc ccacctgggt gacgccttca gcatgaacca cattgatgtc tctgtctgta 960
ctaaaagtgg ctgtaaccac ccagacctgg atgtccagta ccgcagtggg gctgctctc 1020
agcctggccc tgccatctc agcctacca tcacctgct aatgactgcc agactgtggg 1080
gaggcactct cctctggacc taaacctgaa atccccctct ctgccctggc tggatccggg 1140
ggaccccttt gcccttccct cggctcccag cctacagac ttgtgtgtg acctcaggcc 1200
agtgtgccga cctctctggg cctcagtttt ccagctatg aaaacagcta tctcaciaag 1260
ttgtgtgaag cagaagagaa aagctggagg aaggccgtgg gccaatggga gagctcttgt 1320
tattattaat attgtgccc ctgtgtgtgt gttgttatta 1360

```

<210> SEQ ID NO 49

<211> LENGTH: 243

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 49

```

Met Arg Pro Gln Gly Pro Ala Ala Ser Pro Gln Arg Leu Arg Gly Leu
1           5           10           15
Leu Leu Leu Leu Leu Leu Gln Leu Pro Ala Pro Ser Ser Ala Ser Glu
20          25          30
Ile Pro Lys Gly Lys Gln Lys Ala Gln Leu Arg Gln Arg Glu Val Val
35          40          45
Asp Leu Tyr Asn Gly Met Cys Leu Gln Gly Pro Ala Gly Val Pro Gly
50          55          60
Arg Asp Gly Ser Pro Gly Ala Asn Gly Ile Pro Gly Thr Pro Gly Ile
65          70          75          80
Pro Gly Arg Asp Gly Phe Lys Gly Glu Lys Gly Glu Cys Leu Arg Glu
85          90          95
Ser Phe Glu Glu Ser Trp Thr Pro Asn Tyr Lys Gln Cys Ser Trp Ser
100         105         110
Ser Leu Asn Tyr Gly Ile Asp Leu Gly Lys Ile Ala Glu Cys Thr Phe
115         120         125
Thr Lys Met Arg Ser Asn Ser Ala Leu Arg Val Leu Phe Ser Gly Ser
130         135         140

```

-continued

Leu Arg Leu Lys Cys Arg Asn Ala Cys Cys Gln Arg Trp Tyr Phe Thr
 145 150 155 160
 Phe Asn Gly Ala Glu Cys Ser Gly Pro Leu Pro Ile Glu Ala Ile Ile
 165 170 175
 Tyr Leu Asp Gln Gly Ser Pro Glu Met Asn Ser Thr Ile Asn Ile His
 180 185 190
 Arg Thr Ser Ser Val Glu Gly Leu Cys Glu Gly Ile Gly Ala Gly Leu
 195 200 205
 Val Asp Val Ala Ile Trp Val Gly Thr Cys Ser Asp Tyr Pro Lys Gly
 210 215 220
 Asp Ala Ser Thr Gly Trp Asn Ser Val Ser Arg Ile Ile Ile Glu Glu
 225 230 235 240
 Leu Pro Lys

<210> SEQ ID NO 50
 <211> LENGTH: 1236
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 50

```

ctgcggcggc ctcggagcgc ggccggagcca gacgctgacc acgttcctct cctcgggtctc    60
ctccgcctcc agctccgcgc tgcccggcag ccgggagcca tgcgacccca gggccccgcc    120
gcctccccgc agcggtcccg cggcctcctg ctgctcctgc tgetgcagct gcccgcgccg    180
tcgagcgccct ctgagatccc caaggggaag caaaaggcgc agtcocggca gagggaggtg    240
gtggacctgt ataatggaat gtgcttaca gggccagcag gagtgcctgg tcgagacggg    300
agccctgggg ccaatggcat tccgggtaca cctgggatcc caggtcggga tggattcaaa    360
ggagaaaagg gggaatgtct gagggaaagc ttgaggagt cctggacacc caactacaag    420
cagtgttcat ggagttcatt gaattatggc atagatcttg ggaaaattgc ggagtgtaca    480
tttacaaga tgcgttcaaa tagtgctcta agagttttgt tcagtggctc acttcggcta    540
aatgcagaa atgcatgctg tcagcgttgg tatttcacat tcaatggagc tgaatgttca    600
ggacctcttc ccatggaagc tataatttat ttggaccaag gaagccctga aatgaattca    660
acaattaata ttcctgcac ttctctgtg gaaggacttt gtgaaggaat tgggtctgga    720
ttagtgatg ttgtatctg ggttgccact tgttcagatt acccaaaagg agatgcttct    780
actggatgga attcagtttc tcgcatcatt attgaagaac taccaaaata aatgctttaa    840
ttttcatttg ctacctcttt ttttattatg ccttggaatg gttcacttaa atgacatttt    900
aaataagttt atgtatacat ctgaatgaaa agcaaagcta aatatgttta cagaccaaag    960
tgtgatttca cactgttttt aaatctagca ttattcattt tgcttcaatc aaaagtgggt   1020
tcaatatttt ttttagttgg ttagaatact ttcttcatag tcacattctc tcaacctata   1080
atttggaaata ttgtgtgggt cttttgtttt ttctcttagt atagcatttt taaaaaaata   1140
taaaagctac caatctttgt acaatttgta aatgttaaga atttttttta tatctgttaa   1200
ataaaaatta tttccaacaa aaaaaaaaaa aaaaaa                                1236
  
```

<210> SEQ ID NO 51
 <211> LENGTH: 366
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

-continued

<400> SEQUENCE: 51

```

Met Val Leu His Leu Leu Leu Phe Leu Leu Leu Thr Pro Gln Gly Gly
1           5           10           15

His Ser Cys Gln Gly Leu Glu Leu Ala Arg Glu Leu Val Leu Ala Lys
          20           25           30

Val Arg Ala Leu Phe Leu Asp Ala Leu Gly Pro Pro Ala Val Thr Arg
          35           40           45

Glu Gly Gly Asp Pro Gly Val Arg Arg Leu Pro Arg Arg His Ala Leu
          50           55           60

Gly Gly Phe Thr His Arg Gly Ser Glu Pro Glu Glu Glu Glu Asp Val
65           70           75           80

Ser Gln Ala Ile Leu Phe Pro Ala Thr Asp Ala Ser Cys Glu Asp Lys
          85           90           95

Ser Ala Ala Arg Gly Leu Ala Gln Glu Ala Glu Glu Gly Leu Phe Arg
          100          105          110

Tyr Met Phe Arg Pro Ser Gln His Thr Arg Ser Arg Gln Val Thr Ser
          115          120          125

Ala Gln Leu Trp Phe His Thr Gly Leu Asp Arg Gln Gly Thr Ala Ala
          130          135          140

Ser Asn Ser Ser Glu Pro Leu Leu Gly Leu Leu Ala Leu Ser Pro Gly
145          150          155          160

Gly Pro Val Ala Val Pro Met Ser Leu Gly His Ala Pro Pro His Trp
          165          170          175

Ala Val Leu His Leu Ala Thr Ser Ala Leu Ser Leu Leu Thr His Pro
          180          185          190

Val Leu Val Leu Leu Leu Arg Cys Pro Leu Cys Thr Cys Ser Ala Arg
          195          200          205

Pro Glu Ala Thr Pro Phe Leu Val Ala His Thr Arg Thr Arg Pro Pro
          210          215          220

Ser Gly Gly Glu Arg Ala Arg Arg Ser Thr Pro Leu Met Ser Trp Pro
225          230          235          240

Trp Ser Pro Ser Ala Leu Arg Leu Leu Gln Arg Pro Pro Glu Glu Pro
          245          250          255

Ala Ala His Ala Asn Cys His Arg Val Ala Leu Asn Ile Ser Phe Gln
          260          265          270

Glu Leu Gly Trp Glu Arg Trp Ile Val Tyr Pro Pro Ser Phe Ile Phe
          275          280          285

His Tyr Cys His Gly Gly Cys Gly Leu His Ile Pro Pro Asn Leu Ser
          290          295          300

Leu Pro Val Pro Gly Ala Pro Pro Thr Pro Ala Gln Pro Tyr Ser Leu
305          310          315          320

Leu Pro Gly Ala Gln Pro Cys Cys Ala Ala Leu Pro Gly Thr Met Arg
          325          330          335

Pro Leu His Val Arg Thr Thr Ser Asp Gly Gly Tyr Ser Phe Lys Tyr
          340          345          350

Glu Thr Val Pro Asn Leu Leu Thr Gln His Cys Ala Cys Ile
          355          360          365

```

<210> SEQ ID NO 52

<211> LENGTH: 1424

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

-continued

<400> SEQUENCE: 52

```

gaaggactgg ggaagactgg atgagaaggg tagaagaggg tgggtgtggg atggggaggg    60
gagagtggaa aggccctggg cagaccctgg cagaaggggc acggggcagg gtgtgagttc    120
cccactagca gggccagggt agctatgggt ctgcacctac tgctcttctt gctgctgacc    180
ccacaggggtg ggcacagctg ccaggggctg gagctggccc gggaacttgt tctggccaag    240
gtgagggccc tgttcttgga tgcttgggg cccccgcggg tgaccaggga agtgggggac    300
cctggagtca ggcggctgcc ccgaagacat gccctggggg gcttcacaca caggggctct    360
gagcccaggg aagaggagga tgtctccaa gccatccttt tcccagccac agatgccagc    420
tgtgaggaca agtcagctgc cagagggtg gcccaggagg ctgaggaggg cctcttcaga    480
tacatgttcc ggccatccca gcatacacgc agccgccagg tgacttcagc ccagctgtgg    540
ttccacaccg ggctggacag gcagggcaca gcagcctcca atagctctga gcccctgcta    600
ggcctgtgtg cactgtcacc gggaggaccc gtggtgtgtg ccatgtcttt gggccatgct    660
ccccctcact gggcgtgct gcacctgggc acctctgtct tctctctgct gaccaccccc    720
gtcctgtgtg tgetgtgctg ctgtccctc tgtacctgct cagcccgccc tgaggccacg    780
cccttctctg tgcccacac tcggaccaga ccaccagtg gaggggagag agcccgcacg    840
tcaactcccc tgatgtctct gccttggctt cctctgtctc tgcgcctgct gcagaggcct    900
ccggaggaa cggctgcccc tgccaactgc cacagagtag cactgaacat ctcttccag    960
gagctgggct gggaaacggt gatcgtgtac cctcccagtt tcatcttcca ctactgtcat   1020
ggtggttggt ggctgcacat cccacaaaac ctgtcccttc cagtccctgg ggctccccct   1080
accccagccc agccctaact cttgttgcca ggggccccag cctgtgtgtc tgctctccca   1140
gggacatga ggccctaca tgtccgcacc acctcggatg gaggttactc tttcaagtat   1200
gagacagtgc ccaaccttct cagcgagcac tgtgttgta tctaagggtg gggggtcttc   1260
cttcttaatc ccatggctgg tggccacgcc cccaccatca tcagctggga ggaaaggcag   1320
agttgggaaa tagatggctc ccaactctcc ctctttcac ttctctgctt atgggctacc   1380
ctccccaccc cacttctatc tcaataaaga acacagtga tatg                       1424

```

<210> SEQ ID NO 53

<211> LENGTH: 407

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 53

```

Met Asp Gly Leu Pro Gly Arg Ala Leu Gly Ala Ala Cys Leu Leu Leu
1           5           10          15
Leu Ala Ala Gly Trp Leu Gly Pro Glu Ala Trp Gly Ser Pro Thr Pro
20          25          30
Pro Pro Thr Pro Ala Ala Pro Pro Pro Pro Pro Gly Ala Pro
35          40          45
Gly Gly Ser Gln Asp Thr Cys Thr Ser Cys Gly Gly Phe Arg Arg Pro
50          55          60
Glu Glu Leu Gly Arg Val Asp Gly Asp Phe Leu Glu Ala Val Lys Arg
65          70          75          80
His Ile Leu Ser Arg Leu Gln Met Arg Gly Arg Pro Asn Ile Thr His
85          90          95

```

-continued

Ala Val Pro Lys Ala Ala Met Val Thr Ala Leu Arg Lys Leu His Ala
100 105 110

Gly Lys Val Arg Glu Asp Gly Arg Val Glu Ile Pro His Leu Asp Gly
115 120 125

His Ala Ser Pro Gly Ala Asp Gly Gln Glu Arg Val Ser Glu Ile Ile
130 135 140

Ser Phe Ala Glu Thr Asp Gly Leu Ala Ser Ser Arg Val Arg Leu Tyr
145 150 155 160

Phe Phe Ile Ser Asn Glu Gly Asn Gln Asn Leu Phe Val Val Gln Ala
165 170 175

Ser Leu Trp Leu Tyr Leu Lys Leu Leu Pro Tyr Val Leu Glu Lys Gly
180 185 190

Ser Arg Arg Lys Val Arg Val Lys Val Tyr Phe Gln Glu Gln Gly His
195 200 205

Gly Asp Arg Trp Asn Met Val Glu Lys Arg Val Asp Leu Lys Arg Ser
210 215 220

Gly Trp His Thr Phe Pro Leu Thr Glu Ala Ile Gln Ala Leu Phe Glu
225 230 235 240

Arg Gly Glu Arg Arg Leu Asn Leu Asp Val Gln Cys Asp Ser Cys Gln
245 250 255

Glu Leu Ala Val Val Pro Val Phe Val Asp Pro Gly Glu Glu Ser His
260 265 270

Arg Pro Phe Val Val Val Gln Ala Arg Leu Gly Asp Ser Arg His Arg
275 280 285

Ile Arg Lys Arg Gly Leu Glu Cys Asp Gly Arg Thr Asn Leu Cys Cys
290 295 300

Arg Gln Gln Phe Phe Ile Asp Phe Arg Leu Ile Gly Trp Asn Asp Trp
305 310 315 320

Ile Ile Ala Pro Thr Gly Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser Cys
325 330 335

Pro Ala Tyr Leu Ala Gly Val Pro Gly Ser Ala Ser Ser Phe His Thr
340 345 350

Ala Val Val Asn Gln Tyr Arg Met Arg Gly Leu Asn Pro Gly Thr Val
355 360 365

Asn Ser Cys Cys Ile Pro Thr Lys Leu Ser Thr Met Ser Met Leu Tyr
370 375 380

Phe Asp Asp Glu Tyr Asn Ile Val Lys Arg Asp Val Pro Asn Met Ile
385 390 395 400

Val Glu Glu Cys Gly Cys Ala
405

<210> SEQ ID NO 54

<211> LENGTH: 3516

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 54

ggatcctgga gacaactttg ccgtgtgacg cgccgggagg actgcagggc ccgcggccga 60

gggctcggcg ccgcctgtga gcgggccgcg gcggccggct ctcccgggca ccaagcttgc 120

tccgcgccac tgcgcgccgg cccgcggcga ggacgacctg cccgtctccg ccgcccggcg 180

cccttctctg gcgcaggcag tgagggcgag gcgctcaggt gcgagcgcgg ggcgccgcg 240

-continued

cagcgcccg	cgcagcgcg	cgccaagcgc	cgcccggtc	cgctccggg	ggtccagcg	300
ccttcgcttc	cgtctcagcc	aagttgcgtg	gacccgctct	ttcgccacct	tcccagcgc	360
ccggccgaac	cgccgctccc	actgacgctg	ctttcgcttc	acccgaaccg	gggctgcggg	420
gcccccgacg	cggaaggat	ggggagaagg	ctgcagatgc	cgaggcgccc	cgagacgccc	480
gtgcggcagt	gacccgcgac	ctccgccccg	cccgcgcgcg	ccctcgggcc	cccggggccc	540
tcggcgcccc	ttccctgccc	cgcggaacc	cccgaggccc	ggcgggcccc	ctccccctgc	600
gagcgggcgg	cagccctccc	ggcgggcggg	cgggcgagg	cccgggcggg	cgcgggcgcg	660
ggcgggggcg	ggcgggggcg	gcgcgcccgc	agcccgagc	ccggccctgc	gctcggtcgc	720
actcggtcgc	cctcgcgcg	ggcgccctgc	tcgccagcgc	cgacccatgc	acgggctgcc	780
cggtcgggcg	ctgggggccc	cctgccttct	gctgctggcg	gccggctggc	tggggcctga	840
ggcctggggc	tcacccacgc	ccccgcgcg	gctgcccgc	ccgcgcgcac	ccccgccacc	900
cggagccccg	ggtggtcgc	aggacacctg	tacgtcgtgc	ggcggttcc	ggcgccaga	960
ggagctcggc	cgagtggacg	gcgacttctc	ggaggcggtg	aagcggcaca	tcttgagcgc	1020
cctgcagatg	cggggcccgc	ccaacatcac	gcacgcccgc	cctaaggccc	ccatggtcac	1080
ggccctgcgc	aagctgcacg	cgggcaaggt	gcgcgaggac	ggcgcgctgg	agatcccgc	1140
cctcgacggc	cacgccagcc	cgggcgccga	cgcccgagg	cgcgtttccg	aaatcatcag	1200
cttcgcgcg	acagatggcc	tcgcctcctc	ccgggtccgc	ctatacttct	tcattctcaa	1260
cgaaggcaac	cagaacctgt	ttgtggtcca	ggccagcctg	tggctttacc	tgaacctcct	1320
gccctacgtc	ctggagaagg	gcagccggcg	gaaggtgcgc	gtcaaagtgt	acttcagga	1380
gcaggggcac	ggtgacaggt	ggaacatggt	ggagaagagg	gtggacctca	agcgcagcgc	1440
ctggcatacc	ttcccactca	cggaggccat	ccaggccttg	tttgagcggg	gcgagcgggc	1500
actcaacctc	gacgtgcagt	gtgacagctg	ccaggagctg	gccgtggtgc	cgggtttcgt	1560
ggacccaggc	gaagagtcgc	accgacctt	tgtggtggtg	caggctcggc	tgggcgacag	1620
caggcaccgc	attcgcaagc	gaggcctgga	gtgcgatggc	cggaccaacc	tctgttgacg	1680
gcaacagttc	ttcattgact	tcgcctcat	cggtcggaac	gactggatca	tagcaccac	1740
cggctactac	ggcaactact	gtgaggcgag	ctgcccagcc	tacctggcag	gggtccccgc	1800
ctctgcctcc	tccttcacac	cggtgtggtg	gaaccagtac	cgcagcgggg	gtctgaaccc	1860
cggcacgggtg	aactcctgct	gcattcccac	caagctgagc	accatgtcca	tgtgtactt	1920
cgatgatgag	tacaacatgc	tcaagcggga	cgtgcccac	atgattgtgg	aggagtgcgc	1980
ctgcgcctga	cagtgcgaag	caggggcacg	gtggtggggc	acggagggca	gtcccgggtg	2040
ggcttcttcc	agccccccgc	gggaacgggg	tacacggtgg	gctgagtaca	gtcattctgt	2100
tgggctgtgg	agatagtgc	aggggtcggc	ctgagatatt	tttctacagc	ttcatagagc	2160
aaccagtcaa	aaccagagcg	agaacctca	actgacatga	aatacttta	aatgcacacg	2220
tagccacgca	cagccagacg	cactctgcca	cccacacagc	agcctccagg	ataccagcaa	2280
atggatgcgg	tgacaaatgg	cagcttagct	acaaatgcct	gtcagtcgga	gagaatgggg	2340
tgagcagcca	ccattccacc	agctggcccc	gccacgtctc	gaagttgcgc	cttcccagac	2400
acacataaaa	gcacaaagac	agagacgcag	agagagagag	agagccacgc	agaggaag	2460
cagatgcagg	ggtggggagc	gcagctcggc	ggaggctgcg	tgtgccccgt	ggcttttacc	2520

-continued

```

aggcctgctc tgccctgctc gatgtctgct tcttcccagc ctgggatacct tegtgettca 2580
aggcctgggg agcctgtcct tccatgccct tgtcgaggga aagagaccca gaaaggacac 2640
aaccctgcag agacctggga gcaggggcaa tgaccgtttg actgtttgtg gcttgggcct 2700
ctgacatgac ttatgtgtgt gtgtgttttt ggggtgggga gggagggaga gaagaggggg 2760
ctaaatttga tgctttaact gatctccaac agttgacagg tcatacctgc cagttgtata 2820
actgaaaaag gacttttcta ccaggtatga ccttttaagt gaaaatctga attgttctaa 2880
atgaaaagaa aaaaagttgc aatctgtgcc cttcattggg gacattcctc taggactggg 2940
ttggggacgg gtgggaatga cccctaggca aggggatgag accgcaggag gaaatggcgg 3000
ggaggtggca ttctgaaact gctgaggatg gggggtgtcc cctcagcgga ggccaaggga 3060
ggggagcagc ctagtgtgtc ttggagagat ggggaaggct ttcagctgat ttgcagaagt 3120
tgcccatgtg ggccaacca tcagggctgg ccgtggacgt ggccctgcc cactcacctg 3180
ccgcctgcc cgcccgcccg catagcactt gcagacctgc ctgaacgcac atgacatagc 3240
acttgccgat ctgcgtgtgc ccagaagtgg cccttggccg agcgccgaac tcgctcgccc 3300
tctagatgtc caagtccac gtgaactatg caatttaaag ggttgacca cactagacga 3360
aactggactc gtacgactct tttatatatt ttataacttg aaatgaaatc ctttgcttct 3420
tttttaagcg aatgattgct tttaatgttt gcactgattt agttgcatga ttagtcagaa 3480
actgccattt gaaaaaaaag ttatttttat agcagc 3516

```

<210> SEQ ID NO 55

<211> LENGTH: 426

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 55

```

Met Pro Leu Leu Trp Leu Arg Gly Phe Leu Leu Ala Ser Cys Trp Ile
1           5           10           15
Ile Val Arg Ser Ser Pro Thr Pro Gly Ser Glu Gly His Ser Ala Ala
20           25           30
Pro Asp Cys Pro Ser Cys Ala Leu Ala Ala Leu Pro Lys Asp Val Pro
35           40           45
Asn Ser Gln Pro Glu Met Val Glu Ala Val Lys Lys His Ile Leu Asn
50           55           60
Met Leu His Leu Lys Lys Arg Pro Asp Val Thr Gln Pro Val Pro Lys
65           70           75           80
Ala Ala Leu Leu Asn Ala Ile Arg Lys Leu His Val Gly Lys Val Gly
85           90           95
Glu Asn Gly Tyr Val Glu Ile Glu Asp Asp Ile Gly Arg Arg Ala Glu
100          105          110
Met Asn Glu Leu Met Glu Gln Thr Ser Glu Ile Ile Thr Phe Ala Glu
115          120          125
Ser Gly Thr Ala Arg Lys Thr Leu His Phe Glu Ile Ser Lys Glu Gly
130          135          140
Ser Asp Leu Ser Val Val Glu Arg Ala Glu Val Trp Leu Phe Leu Lys
145          150          155          160
Val Pro Lys Ala Asn Arg Thr Arg Thr Lys Val Thr Ile Arg Leu Phe
165          170          175

```

-continued

Gln	Gln	Gln	Lys	His	Pro	Gln	Gly	Ser	Leu	Asp	Thr	Gly	Glu	Glu	Ala
			180					185					190		
Glu	Glu	Val	Gly	Leu	Lys	Gly	Glu	Arg	Ser	Glu	Leu	Leu	Leu	Ser	Glu
		195					200					205			
Lys	Val	Val	Asp	Ala	Arg	Lys	Ser	Thr	Trp	His	Val	Phe	Pro	Val	Ser
	210					215					220				
Ser	Ser	Ile	Gln	Arg	Leu	Leu	Asp	Gln	Gly	Lys	Ser	Ser	Leu	Asp	Val
225					230					235				240	
Arg	Ile	Ala	Cys	Glu	Gln	Cys	Gln	Glu	Ser	Gly	Ala	Ser	Leu	Val	Leu
			245						250					255	
Leu	Gly	Lys	Lys	Lys	Lys	Lys	Glu	Glu	Glu	Gly	Glu	Gly	Lys	Lys	Lys
		260					265						270		
Gly	Gly	Gly	Glu	Gly	Gly	Ala	Gly	Ala	Asp	Glu	Glu	Lys	Glu	Gln	Ser
		275					280					285			
His	Arg	Pro	Phe	Leu	Met	Leu	Gln	Ala	Arg	Gln	Ser	Glu	Asp	His	Pro
	290					295					300				
His	Arg	Arg	Arg	Arg	Arg	Gly	Leu	Glu	Cys	Asp	Gly	Lys	Val	Asn	Ile
305					310					315				320	
Cys	Cys	Lys	Lys	Gln	Phe	Phe	Val	Ser	Phe	Lys	Asp	Ile	Gly	Trp	Asn
		325							330					335	
Asp	Trp	Ile	Ile	Ala	Pro	Ser	Gly	Tyr	His	Ala	Asn	Tyr	Cys	Glu	Gly
		340						345					350		
Glu	Cys	Pro	Ser	His	Ile	Ala	Gly	Thr	Ser	Gly	Ser	Ser	Leu	Ser	Phe
	355						360					365			
His	Ser	Thr	Val	Ile	Asn	His	Tyr	Arg	Met	Arg	Gly	His	Ser	Pro	Phe
	370					375					380				
Ala	Asn	Leu	Lys	Ser	Cys	Cys	Val	Pro	Thr	Lys	Leu	Arg	Pro	Met	Ser
385					390					395				400	
Met	Leu	Tyr	Tyr	Asp	Asp	Gly	Gln	Asn	Ile	Ile	Lys	Lys	Asp	Ile	Gln
		405						410						415	
Asn	Met	Ile	Val	Glu	Glu	Cys	Gly	Cys	Ser						
		420						425							

<210> SEQ ID NO 56

<211> LENGTH: 2175

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 56

agtacagtat aaaacttcac agtgccaata ccatgaagag gagctcagac agctcttacc	60
acatgatata agagccggct ggtggaagag tggggaccag aaagagaatt tgctgaagag	120
gagaaggaaa aaaaaaacac caaaaaaaaa aataaaaaaa tccacacaca caaaaaaac	180
tgcgcgtag gggggaggaa aagcagggcc ttttaaaaag gcaatcaca caacttttgc	240
tgccaggatg cccttgcttt ggctgagagg atttctgttg gcaagttgct ggattatagt	300
gaggagtcc cccaccccag gatccgagg gacagcgcg gccccgact gtccgtcctg	360
tgcgctggcc gccctcccaa aggatgtacc caactctcag ccagagatgg tggaggccgt	420
caagaagcac attttaaaca tgctgcactt gaagaagaga cccgatgtca ccagccgggt	480
acccaaggcg gcgcttctga acgcgatcag aaagcttcat gtgggcaaag tcggggagaa	540
cgggtatgtg gagatagagg atgacattgg aaggagggca gaaatgaatg aacttatgga	600

-continued

```

gcagacctcg gagatcatca cgtttgccga gtcaggaaca gccaggaaga cgctgcactt   660
cgagatttcc aaggaaggca gtgacctgtc agtggaggag cgtgcagaag tctggctctt   720
cctaaaagtc cccaaggcca acaggaccag gaccaaagtc accatccgcc tcttccagca   780
gcagaagcac ccgcagggca gcttgacac aggggaagag gccaggaag tgggcttaaa   840
gggggagagg agtgaactgt tgctctctga aaaagtagta gacgctcgga agagcacctg   900
gcatgtcttc cctgtctcca gcagcatcca gcggttgctg gaccagggca agagctccct   960
ggacgttcgg attgcctgtg agcagtgcca ggagagtggc gccagcttgg ttctcctggg  1020
caagaagaag aagaagaag aggggggga agggaaaaag aaggcgag gtgaagggtg  1080
ggcaggagca gatgaggaaa aggagcagtc gcacagacct ttcctcatgc tgcaggcccg  1140
gcagtctgaa gaccaccctc atcgccggcg tcggcggggc ttggagtgtg atggcaaggt  1200
caacatctgc tgtaagaaa agttctttgt cagtttcaag gacatcggt ggaatgactg  1260
gatcattgct cctctggct atcatgccaa ctactgcgag ggtgagtgcc cgagccatat  1320
agcaggcacg tccgggtcct cactgtcctt ccactcaaca gtcacacacc actaccgcat  1380
gcggggccat agcccccttg ccaacctcaa atcgctgctg tgcccacca agctgagacc  1440
catgtccatg ttgtactatg atgatggta aaacatcatc aaaaaggaca ttcagaacat  1500
gatcgaggag gagtgtgggt gctcatagag ttgccagcc cagggggaaa gggagcaaga  1560
gttgtccaga gaagacagtg gcaaaatgaa gaaattttta aggtttctga gttaaccaga  1620
aaaatagaaa ttaaaaacaa aacaaaaaaa aaaacaaaaa aaaacaaaag taaattaaaa  1680
acaaaacctg atgaaacaga tgaaggaaga tgtggaaaaa atccttagcc agggctcaga  1740
gatgaagcag tgaaagagac aggaattggg agggaaaggg agaatggtgt accctttatt  1800
tctctgaaa tcacactgat gacatcagtt gtttaaacgg ggtattgtcc tttccccct  1860
tgagggtccc ttgtgagcct tgaatcaacc aatctagtct gcagtagtgt ggactagaac  1920
aaccceaata gcactagaa agccatgagt ttgaaagggc ccatcacagg cactttccta  1980
cccaattacc caggtcataa ggtatgtctg tgtgacactt atctctgtgt atatcagcat  2040
acacacacac acacacacac acacacacac acacaggcat ttccacacat tacatatata  2100
cacatactgg taaaagaaca atcgtgtgca ggtggtcaca cttccttttt ctgtaccact  2160
tttgaacaa aacaa                                     2175

```

<210> SEQ ID NO 57

<211> LENGTH: 14507

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 57

```

Met Leu Lys Pro Ser Gly Leu Pro Gly Ser Ser Ser Pro Thr Arg Ser
1           5           10          15

Leu Met Thr Gly Ser Arg Ser Thr Lys Ala Thr Pro Glu Met Asp Ser
          20          25          30

Gly Leu Thr Gly Ala Thr Leu Ser Pro Lys Thr Ser Thr Gly Ala Ile
          35          40          45

Val Val Thr Glu His Thr Leu Pro Phe Thr Ser Pro Asp Lys Thr Leu
          50          55          60

Ala Ser Pro Thr Ser Ser Val Val Gly Arg Thr Thr Gln Ser Leu Gly
65          70          75          80

```

-continued

Val	Met	Ser	Ser	Ala	Leu	Pro	Glu	Ser	Thr	Ser	Arg	Gly	Met	Thr	His	85	90	95
Ser	Glu	Gln	Arg	Thr	Ser	Pro	Ser	Leu	Ser	Pro	Gln	Val	Asn	Gly	Thr	100	105	110
Pro	Ser	Arg	Asn	Tyr	Pro	Ala	Thr	Ser	Met	Val	Ser	Gly	Leu	Ser	Ser	115	120	125
Pro	Arg	Thr	Arg	Thr	Ser	Ser	Thr	Glu	Gly	Asn	Phe	Thr	Lys	Glu	Ala	130	135	140
Ser	Thr	Tyr	Thr	Leu	Thr	Val	Glu	Thr	Thr	Ser	Gly	Pro	Val	Thr	Glu	145	150	155
Lys	Tyr	Thr	Val	Pro	Thr	Glu	Thr	Ser	Thr	Thr	Glu	Gly	Asp	Ser	Thr	165	170	175
Glu	Thr	Pro	Trp	Asp	Thr	Arg	Tyr	Ile	Pro	Val	Lys	Ile	Thr	Ser	Pro	180	185	190
Met	Lys	Thr	Phe	Ala	Asp	Ser	Thr	Ala	Ser	Lys	Glu	Asn	Ala	Pro	Val	195	200	205
Ser	Met	Thr	Pro	Ala	Glu	Thr	Thr	Val	Thr	Asp	Ser	His	Thr	Pro	Gly	210	215	220
Arg	Thr	Asn	Pro	Ser	Phe	Gly	Thr	Leu	Tyr	Ser	Ser	Phe	Leu	Asp	Leu	225	230	235
Ser	Pro	Lys	Gly	Thr	Pro	Asn	Ser	Arg	Gly	Glu	Thr	Ser	Leu	Glu	Leu	245	250	255
Ile	Leu	Ser	Thr	Thr	Gly	Tyr	Pro	Phe	Ser	Ser	Pro	Glu	Pro	Gly	Ser	260	265	270
Ala	Gly	His	Ser	Arg	Ile	Ser	Thr	Ser	Ala	Pro	Leu	Ser	Ser	Ser	Ala	275	280	285
Ser	Val	Leu	Asp	Asn	Lys	Ile	Ser	Glu	Thr	Ser	Ile	Phe	Ser	Gly	Gln	290	295	300
Ser	Leu	Thr	Ser	Pro	Leu	Ser	Pro	Gly	Val	Pro	Glu	Ala	Arg	Ala	Ser	305	310	315
Thr	Met	Pro	Asn	Ser	Ala	Ile	Pro	Phe	Ser	Met	Thr	Leu	Ser	Asn	Ala	325	330	335
Glu	Thr	Ser	Ala	Glu	Arg	Val	Arg	Ser	Thr	Ile	Ser	Ser	Leu	Gly	Thr	340	345	350
Pro	Ser	Ile	Ser	Thr	Lys	Gln	Thr	Ala	Glu	Thr	Ile	Leu	Thr	Phe	His	355	360	365
Ala	Phe	Ala	Glu	Thr	Met	Asp	Ile	Pro	Ser	Thr	His	Ile	Ala	Lys	Thr	370	375	380
Leu	Ala	Ser	Glu	Trp	Leu	Gly	Ser	Pro	Gly	Thr	Leu	Gly	Gly	Thr	Ser	385	390	395
Thr	Ser	Ala	Leu	Thr	Thr	Thr	Ser	Pro	Ser	Thr	Thr	Leu	Val	Ser	Glu	405	410	415
Glu	Thr	Asn	Thr	His	His	Ser	Thr	Ser	Gly	Lys	Glu	Thr	Glu	Gly	Thr	420	425	430
Leu	Asn	Thr	Ser	Met	Thr	Pro	Leu	Glu	Thr	Ser	Ala	Pro	Gly	Glu	Glu	435	440	445
Ser	Glu	Met	Thr	Ala	Thr	Leu	Val	Pro	Thr	Leu	Gly	Phe	Thr	Thr	Leu	450	455	460
Asp	Ser	Lys	Ile	Arg	Ser	Pro	Ser	Gln	Val	Ser	Ser	Ser	His	Pro	Thr	465	470	475

-continued

Arg	Glu	Leu	Arg	Thr	Thr	Gly	Ser	Thr	Ser	Gly	Arg	Gln	Ser	Ser	Ser	485	490	495
Thr	Ala	Ala	His	Gly	Ser	Ser	Asp	Ile	Leu	Arg	Ala	Thr	Thr	Ser	Ser	500	505	510
Thr	Ser	Lys	Ala	Ser	Ser	Trp	Thr	Ser	Glu	Ser	Thr	Ala	Gln	Gln	Phe	515	520	525
Ser	Glu	Pro	Gln	His	Thr	Gln	Trp	Val	Glu	Thr	Ser	Pro	Ser	Met	Lys	530	535	540
Thr	Glu	Arg	Pro	Pro	Ala	Ser	Thr	Ser	Val	Ala	Ala	Pro	Ile	Thr	Thr	545	550	555
Ser	Val	Pro	Ser	Val	Val	Ser	Gly	Phe	Thr	Thr	Leu	Lys	Thr	Ser	Ser	565	570	575
Thr	Lys	Gly	Ile	Trp	Leu	Glu	Glu	Thr	Ser	Ala	Asp	Thr	Leu	Ile	Gly	580	585	590
Glu	Ser	Thr	Ala	Gly	Pro	Thr	Thr	His	Gln	Phe	Ala	Val	Pro	Thr	Gly	595	600	605
Ile	Ser	Met	Thr	Gly	Gly	Ser	Ser	Thr	Arg	Gly	Ser	Gln	Gly	Thr	Thr	610	615	620
His	Leu	Leu	Thr	Arg	Ala	Thr	Ala	Ser	Ser	Glu	Thr	Ser	Ala	Asp	Leu	625	630	635
Thr	Leu	Ala	Thr	Asn	Gly	Val	Pro	Val	Ser	Val	Ser	Pro	Ala	Val	Ser	645	650	655
Lys	Thr	Ala	Ala	Gly	Ser	Ser	Pro	Pro	Gly	Gly	Thr	Lys	Pro	Ser	Tyr	660	665	670
Thr	Met	Val	Ser	Ser	Val	Ile	Pro	Glu	Thr	Ser	Ser	Leu	Gln	Ser	Ser	675	680	685
Ala	Phe	Arg	Glu	Gly	Thr	Ser	Leu	Gly	Leu	Thr	Pro	Leu	Asn	Thr	Arg	690	695	700
His	Pro	Phe	Ser	Ser	Pro	Glu	Pro	Asp	Ser	Ala	Gly	His	Thr	Lys	Ile	705	710	715
Ser	Thr	Ser	Ile	Pro	Leu	Leu	Ser	Ser	Ala	Ser	Val	Leu	Glu	Asp	Lys	725	730	735
Val	Ser	Ala	Thr	Ser	Thr	Phe	Ser	His	His	Lys	Ala	Thr	Ser	Ser	Ile	740	745	750
Thr	Thr	Gly	Thr	Pro	Glu	Ile	Ser	Thr	Lys	Thr	Lys	Pro	Ser	Ser	Ala	755	760	765
Val	Leu	Ser	Ser	Met	Thr	Leu	Ser	Asn	Ala	Ala	Thr	Ser	Pro	Glu	Arg	770	775	780
Val	Arg	Asn	Ala	Thr	Ser	Pro	Leu	Thr	His	Pro	Ser	Pro	Ser	Gly	Glu	785	790	795
Glu	Thr	Ala	Gly	Ser	Val	Leu	Thr	Leu	Ser	Thr	Ser	Ala	Glu	Thr	Thr	805	810	815
Asp	Ser	Pro	Asn	Ile	His	Pro	Thr	Gly	Thr	Leu	Thr	Ser	Glu	Ser	Ser	820	825	830
Glu	Ser	Pro	Ser	Thr	Leu	Ser	Leu	Pro	Ser	Val	Ser	Gly	Val	Lys	Thr	835	840	845
Thr	Phe	Ser	Ser	Ser	Thr	Pro	Ser	Thr	His	Leu	Phe	Thr	Ser	Gly	Glu	850	855	860
Glu	Thr	Glu	Glu	Thr	Ser	Asn	Pro	Ser	Val	Ser	Gln	Pro	Glu	Thr	Ser	865	870	875
Val	Ser	Arg	Val	Arg	Thr	Thr	Leu	Ala	Ser	Thr	Ser	Val	Pro	Thr	Pro			

-continued

885							890							895						
Val	Phe	Pro	Thr	Met	Asp	Thr	Trp	Pro	Thr	Arg	Ser	Ala	Gln	Phe	Ser					
			900					905					910							
Ser	Ser	His	Leu	Val	Ser	Glu	Leu	Arg	Ala	Thr	Ser	Ser	Thr	Ser	Val					
		915					920					925								
Thr	Asn	Ser	Thr	Gly	Ser	Ala	Leu	Pro	Lys	Ile	Ser	His	Leu	Thr	Gly					
	930					935					940									
Thr	Ala	Thr	Met	Ser	Gln	Thr	Asn	Arg	Asp	Thr	Phe	Asn	Asp	Ser	Ala					
945					950					955					960					
Ala	Pro	Gln	Ser	Thr	Thr	Trp	Pro	Glu	Thr	Ser	Pro	Arg	Phe	Lys	Thr					
			965					970						975						
Gly	Leu	Pro	Ser	Ala	Thr	Thr	Thr	Val	Ser	Thr	Ser	Ala	Thr	Ser	Leu					
		980						985					990							
Ser	Ala	Thr	Val	Met	Val	Ser	Lys	Phe	Thr	Ser	Pro	Ala	Thr	Ser	Ser					
		995					1000					1005								
Met	Glu	Ala	Thr	Ser	Ile	Arg	Glu	Pro	Ser	Thr	Thr	Ile	Leu	Thr	Thr					
	1010					1015						1020								
Glu	Thr	Thr	Asn	Gly	Pro	Gly	Ser	Met	Ala	Val	Ala	Ser	Thr	Asn	Ile					
1025				1030						1035					1040					
Pro	Ile	Gly	Lys	Gly	Tyr	Ile	Thr	Glu	Gly	Arg	Leu	Asp	Thr	Ser	His					
			1045						1050					1055						
Leu	Pro	Ile	Gly	Thr	Thr	Ala	Ser	Ser	Glu	Thr	Ser	Met	Asp	Phe	Thr					
		1060						1065					1070							
Met	Ala	Lys	Glu	Ser	Val	Ser	Met	Ser	Val	Ser	Pro	Ser	Gln	Ser	Met					
		1075					1080					1085								
Asp	Ala	Ala	Gly	Ser	Ser	Thr	Pro	Gly	Arg	Thr	Ser	Gln	Phe	Val	Asp					
	1090					1095						1100								
Thr	Phe	Ser	Asp	Asp	Val	Tyr	His	Leu	Thr	Ser	Arg	Glu	Ile	Thr	Ile					
1105				1110						1115					1120					
Pro	Arg	Asp	Gly	Thr	Ser	Ser	Ala	Leu	Thr	Pro	Gln	Met	Thr	Ala	Thr					
			1125						1130					1135						
His	Pro	Pro	Ser	Pro	Asp	Pro	Gly	Ser	Ala	Arg	Ser	Thr	Trp	Leu	Gly					
		1140					1145						1150							
Ile	Leu	Ser	Ser	Ser	Pro	Ser	Ser	Pro	Thr	Pro	Lys	Val	Thr	Met	Ser					
	1155						1160					1165								
Ser	Thr	Phe	Ser	Thr	Gln	Arg	Val	Thr	Thr	Ser	Met	Ile	Met	Asp	Thr					
	1170					1175					1180									
Val	Glu	Thr	Ser	Arg	Trp	Asn	Met	Pro	Asn	Leu	Pro	Ser	Thr	Thr	Ser					
1185				1190						1195					1200					
Leu	Thr	Pro	Ser	Asn	Ile	Pro	Thr	Ser	Gly	Ala	Ile	Gly	Lys	Ser	Thr					
			1205						1210				1215							
Leu	Val	Pro	Leu	Asp	Thr	Pro	Ser	Pro	Ala	Thr	Ser	Leu	Glu	Ala	Ser					
		1220						1225					1230							
Glu	Gly	Gly	Leu	Pro	Thr	Leu	Ser	Thr	Tyr	Pro	Glu	Ser	Thr	Asn	Thr					
	1235					1240					1245									
Pro	Ser	Ile	His	Leu	Gly	Ala	His	Ala	Ser	Ser	Glu	Ser	Pro	Ser	Thr					
	1250				1255						1260									
Ile	Lys	Leu	Thr	Met	Ala	Ser	Val	Val	Lys	Pro	Gly	Ser	Tyr	Thr	Pro					
1265				1270						1275					1280					
Leu	Thr	Phe	Pro	Ser	Ile	Glu	Thr	His	Ile	His	Val	Ser	Thr	Ala	Arg					
			1285					1290					1295							

Met	Ala	Tyr	Ser	Ser	Gly	Ser	Ser	Pro	Glu	Met	Thr	Ala	Pro	Gly	Glu
1300						1305						1310			
Thr	Asn	Thr	Gly	Ser	Thr	Trp	Asp	Pro	Thr	Thr	Tyr	Ile	Thr	Thr	Thr
1315						1320						1325			
Asp	Pro	Lys	Asp	Thr	Ser	Ser	Ala	Gln	Val	Ser	Thr	Pro	His	Ser	Val
1330						1335						1340			
Arg	Thr	Leu	Arg	Thr	Thr	Glu	Asn	His	Pro	Lys	Thr	Glu	Ser	Ala	Thr
1345						1350						1355			
Pro	Ala	Ala	Tyr	Ser	Gly	Ser	Pro	Lys	Ile	Ser	Ser	Ser	Pro	Asn	Leu
1365						1370						1375			
Thr	Ser	Pro	Ala	Thr	Lys	Ala	Trp	Thr	Ile	Thr	Asp	Thr	Thr	Glu	His
1380						1385						1390			
Ser	Thr	Gln	Leu	His	Tyr	Thr	Lys	Leu	Ala	Glu	Lys	Ser	Ser	Gly	Phe
1395						1400						1405			
Glu	Thr	Gln	Ser	Ala	Pro	Gly	Pro	Val	Ser	Val	Val	Ile	Pro	Thr	Ser
1410						1415						1420			
Pro	Thr	Ile	Gly	Ser	Ser	Thr	Leu	Glu	Leu	Thr	Ser	Asp	Val	Pro	Gly
1425						1430						1435			
Glu	Pro	Leu	Val	Leu	Ala	Pro	Ser	Glu	Gln	Thr	Thr	Ile	Thr	Leu	Pro
1445						1450						1455			
Met	Ala	Thr	Trp	Leu	Ser	Thr	Ser	Leu	Thr	Glu	Glu	Met	Ala	Ser	Thr
1460						1465						1470			
Asp	Leu	Asp	Ile	Ser	Ser	Pro	Ser	Ser	Pro	Met	Ser	Thr	Phe	Ala	Ile
1475						1480						1485			
Phe	Pro	Pro	Met	Ser	Thr	Pro	Ser	His	Glu	Leu	Ser	Lys	Ser	Glu	Ala
1490						1495						1500			
Asp	Thr	Ser	Ala	Ile	Arg	Asn	Thr	Asp	Ser	Thr	Thr	Leu	Asp	Gln	His
1505						1510						1515			
Leu	Gly	Ile	Arg	Ser	Leu	Gly	Arg	Thr	Gly	Asp	Leu	Thr	Thr	Val	Pro
1525						1530						1535			
Ile	Thr	Pro	Leu	Thr	Thr	Thr	Trp	Thr	Ser	Val	Ile	Glu	His	Ser	Thr
1540						1545						1550			
Gln	Ala	Gln	Asp	Thr	Leu	Ser	Ala	Thr	Met	Ser	Pro	Thr	His	Val	Thr
1555						1560						1565			
Gln	Ser	Leu	Lys	Asp	Gln	Thr	Ser	Ile	Pro	Ala	Ser	Ala	Ser	Pro	Ser
1570						1575						1580			
His	Leu	Thr	Glu	Val	Tyr	Pro	Glu	Leu	Gly	Thr	Gln	Gly	Arg	Ser	Ser
1585						1590						1595			
Ser	Glu	Ala	Thr	Thr	Phe	Trp	Lys	Pro	Ser	Thr	Asp	Thr	Leu	Ser	Arg
1605						1610						1615			
Glu	Ile	Glu	Thr	Gly	Pro	Thr	Asn	Ile	Gln	Ser	Thr	Pro	Pro	Met	Asp
1620						1625						1630			
Asn	Thr	Thr	Thr	Gly	Ser	Ser	Ser	Ser	Gly	Val	Thr	Leu	Gly	Ile	Ala
1635						1640						1645			
His	Leu	Pro	Ile	Gly	Thr	Ser	Ser	Pro	Ala	Glu	Thr	Ser	Thr	Asn	Met
1650						1655						1660			
Ala	Leu	Glu	Arg	Arg	Ser	Ser	Thr	Ala	Thr	Val	Ser	Met	Ala	Gly	Thr
1665						1670						1675			
Met	Gly	Leu	Leu	Val	Thr	Ser	Ala	Pro	Gly	Arg	Ser	Ile	Ser	Gln	Ser
1685						1690						1695			

-continued

Leu	Gly	Arg	Val	Ser	Ser	Val	Leu	Ser	Glu	Ser	Thr	Thr	Glu	Gly	Val
			1700						1705					1710	
Thr	Asp	Ser	Ser	Lys	Gly	Ser	Ser	Pro	Arg	Leu	Asn	Thr	Gln	Gly	Asn
			1715						1720					1725	
Thr	Ala	Leu	Ser	Ser	Ser	Leu	Glu	Pro	Ser	Tyr	Ala	Glu	Gly	Ser	Gln
			1730						1735					1740	
Met	Ser	Thr	Ser	Ile	Pro	Leu	Thr	Ser	Ser	Pro	Thr	Thr	Pro	Asp	Val
			1745						1750					1755	1760
Glu	Phe	Ile	Gly	Gly	Ser	Thr	Phe	Trp	Thr	Lys	Glu	Val	Thr	Thr	Val
					1765					1770					1775
Met	Thr	Ser	Asp	Ile	Ser	Lys	Ser	Ser	Ala	Arg	Thr	Glu	Ser	Ser	Ser
					1780					1785					1790
Ala	Thr	Leu	Met	Ser	Thr	Ala	Leu	Gly	Ser	Thr	Glu	Asn	Thr	Gly	Lys
					1795					1800					1805
Glu	Lys	Leu	Arg	Thr	Ala	Ser	Met	Asp	Leu	Pro	Ser	Pro	Thr	Pro	Ser
					1810					1815					1820
Met	Glu	Val	Thr	Pro	Trp	Ile	Ser	Leu	Thr	Leu	Ser	Asn	Ala	Pro	Asn
					1825					1830					1835
Thr	Thr	Asp	Ser	Leu	Asp	Leu	Ser	His	Gly	Val	His	Thr	Ser	Ser	Ala
					1845					1850					1855
Gly	Thr	Leu	Ala	Thr	Asp	Arg	Ser	Leu	Asn	Thr	Gly	Val	Thr	Arg	Ala
					1860					1865					1870
Ser	Arg	Leu	Glu	Asn	Gly	Ser	Asp	Thr	Ser	Ser	Lys	Ser	Leu	Ser	Met
					1875					1880					1885
Gly	Asn	Ser	Thr	His	Thr	Ser	Met	Thr	Tyr	Thr	Glu	Lys	Ser	Glu	Val
					1890					1895					1900
Ser	Ser	Ser	Ile	His	Pro	Arg	Pro	Glu	Thr	Ser	Ala	Pro	Gly	Ala	Glu
					1905						1910				1915
Thr	Thr	Leu	Thr	Ser	Thr	Pro	Gly	Asn	Arg	Ala	Ile	Ser	Leu	Thr	Leu
					1925					1930					1935
Pro	Phe	Ser	Ser	Ile	Pro	Val	Glu	Glu	Val	Ile	Ser	Thr	Gly	Ile	Thr
					1940					1945					1950
Ser	Gly	Pro	Asp	Ile	Asn	Ser	Ala	Pro	Met	Thr	His	Ser	Pro	Ile	Thr
					1955					1960					1965
Pro	Pro	Thr	Ile	Val	Trp	Thr	Ser	Thr	Gly	Thr	Ile	Glu	Gln	Ser	Thr
					1970					1975					1980
Gln	Pro	Leu	His	Ala	Val	Ser	Ser	Glu	Lys	Val	Ser	Val	Gln	Thr	Gln
					1985					1990					2000
Ser	Thr	Pro	Tyr	Val	Asn	Ser	Val	Ala	Val	Ser	Ala	Ser	Pro	Thr	His
					2005					2010					2015
Glu	Asn	Ser	Val	Ser	Ser	Gly	Ser	Ser	Thr	Ser	Ser	Pro	Tyr	Ser	Ser
					2020					2025					2030
Ala	Ser	Leu	Glu	Ser	Leu	Asp	Ser	Thr	Ile	Ser	Arg	Arg	Asn	Ala	Ile
					2035					2040					2045
Thr	Ser	Trp	Leu	Trp	Asp	Leu	Thr	Thr	Ser	Leu	Pro	Thr	Thr	Thr	Trp
					2050					2055					2060
Pro	Ser	Thr	Ser	Leu	Ser	Glu	Ala	Leu	Ser	Ser	Gly	His	Ser	Gly	Val
					2065					2070					2075
Ser	Asn	Pro	Ser	Ser	Thr	Thr	Thr	Glu	Phe	Pro	Leu	Phe	Ser	Ala	Ala
					2085					2090					2095
Ser	Thr	Ser	Ala	Ala	Lys	Gln	Arg	Asn	Pro	Glu	Thr	Glu	Thr	His	Gly

-continued

2100	2105	2110
Pro Gln Asn Thr Ala Ala Ser Thr Leu Asn Thr Asp Ala Ser Ser Val 2115	2120	2125
Thr Gly Leu Ser Glu Thr Pro Val Gly Ala Ser Ile Ser Ser Glu Val 2130	2135	2140
Pro Leu Pro Met Ala Ile Thr Ser Arg Ser Asp Val Ser Gly Leu Thr 2145	2150	2155
Ser Glu Ser Thr Ala Asn Pro Ser Leu Gly Thr Ala Ser Ser Ala Gly 2165	2170	2175
Thr Lys Leu Thr Arg Thr Ile Ser Leu Pro Thr Ser Glu Ser Leu Val 2180	2185	2190
Ser Phe Arg Met Asn Lys Asp Pro Trp Thr Val Ser Ile Pro Leu Gly 2195	2200	2205
Ser His Pro Thr Thr Asn Thr Glu Thr Ser Ile Pro Val Asn Ser Ala 2210	2215	2220
Gly Pro Pro Gly Leu Ser Thr Val Ala Ser Asp Val Ile Asp Thr Pro 2225	2230	2235
Ser Asp Gly Ala Glu Ser Ile Pro Thr Val Ser Phe Ser Pro Ser Pro 2245	2250	2255
Asp Thr Glu Val Thr Thr Ile Ser His Phe Pro Glu Lys Thr Thr His 2260	2265	2270
Ser Phe Arg Thr Ile Ser Ser Leu Thr His Glu Leu Thr Ser Arg Val 2275	2280	2285
Thr Pro Ile Pro Gly Asp Trp Met Ser Ser Ala Met Ser Thr Lys Pro 2290	2295	2300
Thr Gly Ala Ser Pro Ser Ile Thr Leu Gly Glu Arg Arg Thr Ile Thr 2305	2310	2315
Ser Ala Ala Pro Thr Thr Ser Pro Ile Val Leu Thr Ala Ser Phe Thr 2325	2330	2335
Glu Thr Ser Thr Val Ser Leu Asp Asn Glu Thr Thr Val Lys Thr Ser 2340	2345	2350
Asp Ile Leu Asp Ala Arg Lys Thr Asn Glu Leu Pro Ser Asp Ser Ser 2355	2360	2365
Ser Ser Ser Asp Leu Ile Asn Thr Ser Ile Ala Ser Ser Thr Met Asp 2370	2375	2380
Val Thr Lys Thr Ala Ser Ile Ser Pro Thr Ser Ile Ser Gly Met Thr 2385	2390	2395
Ala Ser Ser Ser Pro Ser Leu Phe Ser Ser Asp Arg Pro Gln Val Pro 2405	2410	2415
Thr Ser Thr Thr Glu Thr Asn Thr Ala Thr Ser Pro Ser Val Ser Ser 2420	2425	2430
Asn Thr Tyr Ser Leu Asp Gly Gly Ser Asn Val Gly Gly Thr Pro Ser 2435	2440	2445
Thr Leu Pro Pro Phe Thr Ile Thr His Pro Val Glu Thr Ser Ser Ala 2450	2455	2460
Leu Leu Ala Trp Ser Arg Pro Val Arg Thr Phe Ser Thr Met Val Ser 2465	2470	2475
Thr Asp Thr Ala Ser Gly Glu Asn Pro Thr Ser Ser Asn Ser Val Val 2485	2490	2495
Thr Ser Val Pro Ala Pro Gly Thr Trp Thr Ser Val Gly Ser Thr Thr 2500	2505	2510

-continued

Asp	Leu	Pro	Ala	Met	Gly	Phe	Leu	Lys	Thr	Ser	Pro	Ala	Gly	Glu	Ala
	2515						2520					2525			
His	Ser	Leu	Leu	Ala	Ser	Thr	Ile	Glu	Pro	Ala	Thr	Ala	Phe	Thr	Pro
	2530					2535					2540				
His	Leu	Ser	Ala	Ala	Val	Val	Thr	Gly	Ser	Ser	Ala	Thr	Ser	Glu	Ala
2545					2550					2555				2560	
Ser	Leu	Leu	Thr	Thr	Ser	Glu	Ser	Lys	Ala	Ile	His	Ser	Ser	Pro	Gln
					2565				2570					2575	
Thr	Pro	Thr	Thr	Pro	Thr	Ser	Gly	Ala	Asn	Trp	Glu	Thr	Ser	Ala	Thr
				2580				2585					2590		
Pro	Glu	Ser	Leu	Leu	Val	Val	Thr	Glu	Thr	Ser	Asp	Thr	Thr	Leu	Thr
	2595						2600					2605			
Ser	Lys	Ile	Leu	Val	Thr	Asp	Thr	Ile	Leu	Phe	Ser	Thr	Val	Ser	Thr
	2610					2615					2620				
Pro	Pro	Ser	Lys	Phe	Pro	Ser	Thr	Gly	Thr	Leu	Ser	Gly	Ala	Ser	Phe
2625					2630					2635					2640
Pro	Thr	Leu	Leu	Pro	Asp	Thr	Pro	Ala	Ile	Pro	Leu	Thr	Ala	Thr	Glu
				2645				2650						2655	
Pro	Thr	Ser	Ser	Leu	Ala	Thr	Ser	Phe	Asp	Ser	Thr	Pro	Leu	Val	Thr
				2660				2665					2670		
Ile	Ala	Ser	Asp	Ser	Leu	Gly	Thr	Val	Pro	Glu	Thr	Thr	Leu	Thr	Met
	2675					2680						2685			
Ser	Glu	Thr	Ser	Asn	Gly	Asp	Ala	Leu	Val	Leu	Lys	Thr	Val	Ser	Asn
	2690				2695						2700				
Pro	Asp	Arg	Ser	Ile	Pro	Gly	Ile	Thr	Ile	Gln	Gly	Val	Thr	Glu	Ser
2705					2710					2715				2720	
Pro	Leu	His	Pro	Ser	Ser	Thr	Ser	Pro	Ser	Lys	Ile	Val	Ala	Pro	Arg
				2725				2730						2735	
Asn	Thr	Thr	Tyr	Glu	Gly	Ser	Ile	Thr	Val	Ala	Leu	Ser	Thr	Leu	Pro
			2740					2745					2750		
Ala	Gly	Thr	Thr	Gly	Ser	Leu	Val	Phe	Ser	Gln	Ser	Ser	Glu	Asn	Ser
	2755					2760					2765				
Glu	Thr	Thr	Ala	Leu	Val	Asp	Ser	Ser	Ala	Gly	Leu	Glu	Arg	Ala	Ser
	2770				2775						2780				
Val	Met	Pro	Leu	Thr	Thr	Gly	Ser	Gln	Gly	Met	Ala	Ser	Ser	Gly	Gly
2785					2790				2795					2800	
Ile	Arg	Ser	Gly	Ser	Thr	His	Ser	Thr	Gly	Thr	Lys	Thr	Phe	Ser	Ser
			2805					2810					2815		
Leu	Pro	Leu	Thr	Met	Asn	Pro	Gly	Glu	Val	Thr	Ala	Met	Ser	Glu	Ile
			2820					2825					2830		
Thr	Thr	Asn	Arg	Leu	Thr	Ala	Thr	Gln	Ser	Thr	Ala	Pro	Lys	Gly	Ile
		2835				2840						2845			
Pro	Val	Lys	Pro	Thr	Ser	Ala	Glu	Ser	Gly	Leu	Leu	Thr	Pro	Val	Ser
	2850				2855						2860				
Ala	Ser	Ser	Ser	Pro	Ser	Lys	Ala	Phe	Ala	Ser	Leu	Thr	Thr	Ala	Pro
2865					2870				2875					2880	
Pro	Thr	Trp	Gly	Ile	Pro	Gln	Ser	Thr	Leu	Thr	Phe	Glu	Phe	Ser	Glu
			2885					2890					2895		
Val	Pro	Ser	Leu	Asp	Thr	Lys	Ser	Ala	Ser	Leu	Pro	Thr	Pro	Gly	Gln
			2900					2905					2910		

-continued

Ser	Leu	Asn	Thr	Ile	Pro	Asp	Ser	Asp	Ala	Ser	Thr	Ala	Ser	Ser	Ser	2915	2920	2925	
Leu	Ser	Lys	Ser	Pro	Glu	Lys	Asn	Pro	Arg	Ala	Arg	Met	Met	Thr	Ser	2930	2935	2940	
Thr	Lys	Ala	Ile	Ser	Ala	Ser	Ser	Phe	Gln	Ser	Thr	Gly	Phe	Thr	Glu	2945	2950	2955	2960
Thr	Pro	Glu	Gly	Ser	Ala	Ser	Pro	Ser	Met	Ala	Gly	His	Glu	Pro	Arg	2965	2970	2975	
Val	Pro	Thr	Ser	Gly	Thr	Gly	Asp	Pro	Arg	Tyr	Ala	Ser	Glu	Ser	Met	2980	2985	2990	
Ser	Tyr	Pro	Asp	Pro	Ser	Lys	Ala	Ser	Ser	Ala	Met	Thr	Ser	Thr	Ser	2995	3000	3005	
Leu	Ala	Ser	Lys	Leu	Thr	Thr	Leu	Phe	Ser	Thr	Gly	Gln	Ala	Ala	Arg	3010	3015	3020	
Ser	Gly	Ser	Ser	Ser	Ser	Pro	Ile	Ser	Leu	Ser	Thr	Glu	Lys	Glu	Thr	3025	3030	3035	3040
Ser	Phe	Leu	Ser	Pro	Thr	Ala	Ser	Thr	Ser	Arg	Lys	Thr	Ser	Leu	Phe	3045	3050	3055	
Leu	Gly	Pro	Ser	Met	Ala	Arg	Gln	Pro	Asn	Ile	Leu	Val	His	Leu	Gln	3060	3065	3070	
Thr	Ser	Ala	Leu	Thr	Leu	Ser	Pro	Thr	Ser	Thr	Leu	Asn	Met	Ser	Gln	3075	3080	3085	
Glu	Glu	Pro	Pro	Glu	Leu	Thr	Ser	Ser	Gln	Thr	Ile	Ala	Glu	Glu	Glu	3090	3095	3100	
Gly	Thr	Thr	Ala	Glu	Thr	Gln	Thr	Leu	Thr	Phe	Thr	Pro	Ser	Glu	Thr	3105	3110	3115	3120
Pro	Thr	Ser	Leu	Leu	Pro	Val	Ser	Ser	Pro	Thr	Glu	Pro	Thr	Ala	Arg	3125	3130	3135	
Arg	Lys	Ser	Ser	Pro	Glu	Thr	Trp	Ala	Ser	Ser	Ile	Ser	Val	Pro	Ala	3140	3145	3150	
Lys	Thr	Ser	Leu	Val	Glu	Thr	Thr	Asp	Gly	Thr	Leu	Val	Thr	Thr	Ile	3155	3160	3165	
Lys	Met	Ser	Ser	Gln	Ala	Ala	Gln	Gly	Asn	Ser	Thr	Trp	Pro	Ala	Pro	3170	3175	3180	
Ala	Glu	Glu	Thr	Gly	Ser	Ser	Pro	Ala	Gly	Thr	Ser	Pro	Gly	Ser	Pro	3185	3190	3195	3200
Glu	Met	Ser	Thr	Thr	Leu	Lys	Ile	Met	Ser	Ser	Lys	Glu	Pro	Ser	Ile	3205	3210	3215	
Ser	Pro	Glu	Ile	Arg	Ser	Thr	Val	Arg	Asn	Ser	Pro	Trp	Lys	Thr	Pro	3220	3225	3230	
Glu	Thr	Thr	Val	Pro	Met	Glu	Thr	Thr	Val	Glu	Pro	Val	Thr	Leu	Gln	3235	3240	3245	
Ser	Thr	Ala	Leu	Gly	Ser	Gly	Ser	Thr	Ser	Ile	Ser	His	Leu	Pro	Thr	3250	3255	3260	
Gly	Thr	Thr	Ser	Pro	Thr	Lys	Ser	Pro	Thr	Glu	Asn	Met	Leu	Ala	Thr	3265	3270	3275	3280
Glu	Arg	Val	Ser	Leu	Ser	Pro	Ser	Pro	Pro	Glu	Ala	Trp	Thr	Asn	Leu	3285	3290	3295	
Tyr	Ser	Gly	Thr	Pro	Gly	Gly	Thr	Arg	Gln	Ser	Leu	Ala	Thr	Met	Ser	3300	3305	3310	
Ser	Val	Ser	Leu	Glu	Ser	Pro	Thr	Ala	Arg	Ser	Ile	Thr	Gly	Thr	Gly				

-continued

3315	3320	3325
Gln Gln Ser Ser Pro Glu Leu Val Ser Lys Thr Thr Gly Met Glu Phe 3330 3335 3340		
Ser Met Trp His Gly Ser Thr Gly Gly Thr Thr Gly Asp Thr His Val 3345 3350 3355 3360		
Ser Leu Ser Thr Ser Ser Asn Ile Leu Glu Asp Pro Val Thr Ser Pro 3365 3370 3375		
Asn Ser Val Ser Ser Leu Thr Asp Lys Ser Lys His Lys Thr Glu Thr 3380 3385 3390		
Trp Val Ser Thr Thr Ala Ile Pro Ser Thr Val Leu Asn Asn Lys Ile 3395 3400 3405		
Met Ala Ala Glu Gln Gln Thr Ser Arg Ser Val Asp Glu Ala Tyr Ser 3410 3415 3420		
Ser Thr Ser Ser Trp Ser Asp Gln Thr Ser Gly Ser Asp Ile Thr Leu 3425 3430 3435 3440		
Gly Ala Ser Pro Asp Val Thr Asn Thr Leu Tyr Ile Thr Ser Thr Ala 3445 3450 3455		
Gln Thr Thr Ser Leu Val Ser Leu Pro Ser Gly Asp Gln Gly Ile Thr 3460 3465 3470		
Ser Leu Thr Asn Pro Ser Gly Gly Lys Thr Ser Ser Ala Ser Ser Val 3475 3480 3485		
Thr Ser Pro Ser Ile Gly Leu Glu Thr Leu Arg Ala Asn Val Ser Ala 3490 3495 3500		
Val Lys Ser Asp Ile Ala Pro Thr Ala Gly His Leu Ser Gln Thr Ser 3505 3510 3515 3520		
Ser Pro Ala Glu Val Ser Ile Leu Asp Val Thr Thr Ala Pro Thr Pro 3525 3530 3535		
Gly Ile Ser Thr Thr Ile Thr Thr Met Gly Thr Asn Ser Ile Ser Thr 3540 3545 3550		
Thr Thr Pro Asn Pro Glu Val Gly Met Ser Thr Met Asp Ser Thr Pro 3555 3560 3565		
Ala Thr Glu Arg Arg Thr Thr Ser Thr Glu His Pro Ser Thr Trp Ser 3570 3575 3580		
Ser Thr Ala Ala Ser Asp Ser Trp Thr Val Thr Asp Met Thr Ser Asn 3585 3590 3595 3600		
Leu Lys Val Ala Arg Ser Pro Gly Thr Ile Ser Thr Met His Thr Thr 3605 3610 3615		
Ser Phe Leu Ala Ser Ser Thr Glu Leu Asp Ser Met Ser Thr Pro His 3620 3625 3630		
Gly Arg Ile Thr Val Ile Gly Thr Ser Leu Val Thr Pro Ser Ser Asp 3635 3640 3645		
Ala Ser Ala Val Lys Thr Glu Thr Ser Thr Ser Glu Arg Thr Leu Ser 3650 3655 3660		
Pro Ser Asp Thr Thr Ala Ser Thr Pro Ile Ser Thr Phe Ser Arg Val 3665 3670 3675 3680		
Gln Arg Met Ser Ile Ser Val Pro Asp Ile Leu Ser Thr Ser Trp Thr 3685 3690 3695		
Pro Ser Ser Thr Glu Ala Glu Asp Val Pro Val Ser Met Val Ser Thr 3700 3705 3710		
Asp His Ala Ser Thr Lys Thr Asp Pro Asn Thr Pro Leu Ser Thr Phe 3715 3720 3725		

-continued

Leu Phe Asp Ser Leu Ser Thr Leu Asp Trp Asp Thr Gly Arg Ser Leu
 3730 3735 3740
 Ser Ser Ala Thr Ala Thr Thr Ser Ala Pro Gln Gly Ala Thr Thr Pro
 3745 3750 3755 3760
 Gln Glu Leu Thr Leu Glu Thr Met Ile Ser Pro Ala Thr Ser Gln Leu
 3765 3770 3775
 Pro Phe Ser Ile Gly His Ile Thr Ser Ala Val Thr Pro Ala Ala Met
 3780 3785 3790
 Ala Arg Ser Ser Gly Val Thr Phe Ser Arg Pro Asp Pro Thr Ser Lys
 3795 3800 3805
 Lys Ala Glu Gln Thr Ser Thr Gln Leu Pro Thr Thr Thr Ser Ala His
 3810 3815 3820
 Pro Gly Gln Val Pro Arg Ser Ala Ala Thr Thr Leu Asp Val Ile Pro
 3825 3830 3835 3840
 His Thr Ala Lys Thr Pro Asp Ala Thr Phe Gln Arg Gln Gly Gln Thr
 3845 3850 3855
 Ala Leu Thr Thr Glu Ala Arg Ala Thr Ser Asp Ser Trp Asn Glu Lys
 3860 3865 3870
 Glu Lys Ser Thr Pro Ser Ala Pro Trp Ile Thr Glu Met Met Asn Ser
 3875 3880 3885
 Val Ser Glu Asp Thr Ile Lys Glu Val Thr Ser Ser Ser Val Leu
 3890 3895 3900
 Arg Thr Leu Asn Thr Leu Asp Ile Asn Leu Glu Ser Gly Thr Thr Ser
 3905 3910 3915 3920
 Ser Pro Ser Trp Lys Ser Ser Pro Tyr Glu Arg Ile Ala Pro Ser Glu
 3925 3930 3935
 Ser Thr Thr Asp Lys Glu Ala Ile His Pro Ser Thr Asn Thr Val Glu
 3940 3945 3950
 Thr Thr Gly Trp Val Thr Ser Ser Glu His Ala Ser His Ser Thr Ile
 3955 3960 3965
 Pro Ala His Ser Ala Ser Ser Lys Leu Thr Ser Pro Val Val Thr Thr
 3970 3975 3980
 Ser Thr Arg Glu Gln Ala Ile Val Ser Met Ser Thr Thr Thr Trp Pro
 3985 3990 3995 4000
 Glu Ser Thr Arg Ala Arg Thr Glu Pro Asn Ser Phe Leu Thr Ile Glu
 4005 4010 4015
 Leu Arg Asp Val Ser Pro Tyr Met Asp Thr Ser Ser Thr Thr Gln Thr
 4020 4025 4030
 Ser Ile Ile Ser Ser Pro Gly Ser Thr Ala Ile Thr Lys Gly Pro Arg
 4035 4040 4045
 Thr Glu Ile Thr Ser Ser Lys Arg Ile Ser Ser Ser Phe Leu Ala Gln
 4050 4055 4060
 Ser Met Arg Ser Ser Asp Ser Pro Ser Glu Ala Ile Thr Arg Leu Ser
 4065 4070 4075 4080
 Asn Phe Pro Ala Met Thr Glu Ser Gly Gly Met Ile Leu Ala Met Gln
 4085 4090 4095
 Thr Ser Pro Pro Gly Ala Thr Ser Leu Ser Ala Pro Thr Leu Asp Thr
 4100 4105 4110
 Ser Ala Thr Ala Ser Trp Thr Gly Thr Pro Leu Ala Thr Thr Gln Arg
 4115 4120 4125

-continued

Phe	Thr	Tyr	Ser	Glu	Lys	Thr	Thr	Leu	Phe	Ser	Lys	Gly	Pro	Glu	Asp
4130						4135					4140				
Thr	Ser	Gln	Pro	Ser	Pro	Pro	Ser	Val	Glu	Glu	Thr	Ser	Ser	Ser	Ser
4145				4150					4155					4160	
Ser	Leu	Val	Pro	Ile	His	Ala	Thr	Thr	Ser	Pro	Ser	Asn	Ile	Leu	Leu
				4165					4170					4175	
Thr	Ser	Gln	Gly	His	Ser	Pro	Ser	Ser	Thr	Pro	Pro	Val	Thr	Ser	Val
			4180					4185					4190		
Phe	Leu	Ser	Glu	Thr	Ser	Gly	Leu	Gly	Lys	Thr	Thr	Asp	Met	Ser	Arg
	4195						4200					4205			
Ile	Ser	Leu	Glu	Pro	Gly	Thr	Ser	Leu	Pro	Pro	Asn	Leu	Ser	Ser	Thr
4210						4215					4220				
Ala	Gly	Glu	Ala	Leu	Ser	Thr	Tyr	Glu	Ala	Ser	Arg	Asp	Thr	Lys	Ala
4225				4230						4235					4240
Ile	His	His	Ser	Ala	Asp	Thr	Ala	Val	Thr	Asn	Met	Glu	Ala	Thr	Ser
			4245						4250					4255	
Ser	Glu	Tyr	Ser	Pro	Ile	Pro	Gly	His	Thr	Lys	Pro	Ser	Lys	Ala	Thr
		4260						4265					4270		
Ser	Pro	Leu	Val	Thr	Ser	His	Ile	Met	Gly	Asp	Ile	Thr	Ser	Ser	Thr
		4275					4280					4285			
Ser	Val	Phe	Gly	Ser	Ser	Glu	Thr	Thr	Glu	Ile	Glu	Thr	Val	Ser	Ser
	4290					4295					4300				
Val	Asn	Gln	Gly	Leu	Gln	Glu	Arg	Ser	Thr	Ser	Gln	Val	Ala	Ser	Ser
4305				4310						4315					4320
Ala	Thr	Glu	Thr	Ser	Thr	Val	Ile	Thr	His	Val	Ser	Ser	Gly	Asp	Ala
			4325						4330					4335	
Thr	Thr	His	Val	Thr	Lys	Thr	Gln	Ala	Thr	Phe	Ser	Ser	Gly	Thr	Ser
		4340						4345					4350		
Ile	Ser	Ser	Pro	His	Gln	Phe	Ile	Thr	Ser	Thr	Asn	Thr	Phe	Thr	Asp
	4355						4360					4365			
Val	Ser	Thr	Asn	Pro	Ser	Thr	Ser	Leu	Ile	Met	Thr	Glu	Ser	Ser	Gly
	4370					4375					4380				
Val	Thr	Ile	Thr	Thr	Gln	Thr	Gly	Pro	Thr	Gly	Ala	Ala	Thr	Gln	Gly
4385				4390						4395					4400
Pro	Tyr	Leu	Leu	Asp	Thr	Ser	Thr	Met	Pro	Tyr	Leu	Thr	Glu	Thr	Pro
			4405						4410				4415		
Leu	Ala	Val	Thr	Pro	Asp	Phe	Met	Gln	Ser	Glu	Lys	Thr	Thr	Leu	Ile
		4420						4425					4430		
Ser	Lys	Gly	Pro	Lys	Asp	Val	Ser	Trp	Thr	Ser	Pro	Pro	Ser	Val	Ala
	4435						4440					4445			
Glu	Thr	Ser	Tyr	Pro	Ser	Ser	Leu	Thr	Pro	Phe	Leu	Val	Thr	Thr	Ile
	4450					4455					4460				
Pro	Pro	Ala	Thr	Ser	Thr	Leu	Gln	Gly	Gln	His	Thr	Ser	Ser	Pro	Val
4465					4470					4475					4480
Ser	Ala	Thr	Ser	Val	Leu	Thr	Ser	Gly	Leu	Val	Lys	Thr	Thr	Asp	Met
			4485					4490						4495	
Leu	Asn	Thr	Ser	Met	Glu	Pro	Val	Thr	Asn	Ser	Pro	Gln	Asn	Leu	Asn
	4500							4505					4510		
Asn	Pro	Ser	Asn	Glu	Ile	Leu	Ala	Thr	Leu	Ala	Ala	Thr	Thr	Asp	Ile
	4515					4520						4525			
Glu	Thr	Ile	His	Pro	Ser	Ile	Asn	Lys	Ala	Val	Thr	Asn	Met	Gly	Thr

-continued

4530	4535	4540
Ala Ser Ser Ala His Val Leu His Ser Thr Leu Pro Val Ser Ser Glu 4545 4550 4555 4560		
Pro Ser Thr Ala Thr Ser Pro Met Val Pro Ala Ser Ser Met Gly Asp 4565 4570 4575		
Ala Leu Ala Ser Ile Ser Ile Pro Gly Ser Glu Thr Thr Asp Ile Glu 4580 4585 4590		
Gly Glu Pro Thr Ser Ser Leu Thr Ala Gly Arg Lys Glu Asn Ser Thr 4595 4600 4605		
Leu Gln Glu Met Asn Ser Thr Thr Glu Ser Asn Ile Ile Leu Ser Asn 4610 4615 4620		
Val Ser Val Gly Ala Ile Thr Glu Ala Thr Lys Met Glu Val Pro Ser 4625 4630 4635 4640		
Phe Asp Ala Thr Phe Ile Pro Thr Pro Ala Gln Ser Thr Lys Phe Pro 4645 4650 4655		
Asp Ile Phe Ser Val Ala Ser Ser Arg Leu Ser Asn Ser Pro Pro Met 4660 4665 4670		
Thr Ile Ser Thr His Met Thr Thr Thr Gln Thr Gly Ser Ser Gly Ala 4675 4680 4685		
Thr Ser Lys Ile Pro Leu Ala Leu Asp Thr Ser Thr Leu Glu Thr Ser 4690 4695 4700		
Ala Gly Thr Pro Ser Val Val Thr Glu Gly Phe Ala His Ser Lys Ile 4705 4710 4715 4720		
Thr Thr Ala Met Asn Asn Asp Val Lys Asp Val Ser Gln Thr Asn Pro 4725 4730 4735		
Pro Phe Gln Asp Glu Ala Ser Ser Pro Ser Ser Gln Ala Pro Val Leu 4740 4745 4750		
Val Thr Thr Leu Pro Ser Ser Val Ala Phe Thr Pro Gln Trp His Ser 4755 4760 4765		
Thr Ser Ser Pro Val Ser Met Ser Ser Val Leu Thr Ser Ser Leu Val 4770 4775 4780		
Lys Thr Ala Gly Lys Val Asp Thr Ser Leu Glu Thr Val Thr Ser Ser 4785 4790 4795 4800		
Pro Gln Ser Met Ser Asn Thr Leu Asp Asp Ile Ser Val Thr Ser Ala 4805 4810 4815		
Ala Thr Thr Asp Ile Glu Thr Thr His Pro Ser Ile Asn Thr Val Val 4820 4825 4830		
Thr Asn Val Gly Thr Thr Gly Ser Ala Phe Glu Ser His Ser Thr Val 4835 4840 4845		
Ser Ala Tyr Pro Glu Pro Ser Lys Val Thr Ser Pro Asn Val Thr Thr 4850 4855 4860		
Ser Thr Met Glu Asp Thr Thr Ile Ser Arg Ser Ile Pro Lys Ser Ser 4865 4870 4875 4880		
Lys Thr Thr Arg Thr Glu Thr Glu Thr Ser Ser Leu Thr Pro Lys 4885 4890 4895		
Leu Arg Glu Thr Ser Ile Ser Gln Glu Ile Thr Ser Ser Thr Glu Thr 4900 4905 4910		
Ser Thr Val Pro Tyr Lys Glu Leu Thr Gly Ala Thr Thr Glu Val Ser 4915 4920 4925		
Arg Thr Asp Val Thr Ser Ser Ser Ser Thr Ser Phe Pro Gly Pro Asp 4930 4935 4940		

-continued

Gln Ser Thr Val Ser Leu Asp Ile Ser Thr Glu Thr Asn Thr Arg Leu			
4945	4950	4955	4960
Ser Thr Ser Pro Ile Met Thr Glu Ser Ala Glu Ile Thr Ile Thr Thr			
	4965	4970	4975
Gln Thr Gly Pro His Gly Ala Thr Ser Gln Asp Thr Phe Thr Met Asp			
	4980	4985	4990
Pro Ser Asn Thr Thr Pro Gln Ala Gly Ile His Ser Ala Met Thr His			
	4995	5000	5005
Gly Phe Ser Gln Leu Asp Val Thr Thr Leu Met Ser Arg Ile Pro Gln			
	5010	5015	5020
Asp Val Ser Trp Thr Ser Pro Pro Ser Val Asp Lys Thr Ser Ser Pro			
	5025	5030	5035
Ser Ser Phe Leu Ser Ser Pro Ala Met Thr Thr Pro Ser Leu Ile Ser			
	5045	5050	5055
Ser Thr Leu Pro Glu Asp Lys Leu Ser Ser Pro Met Thr Ser Leu Leu			
	5060	5065	5070
Thr Ser Gly Leu Val Lys Ile Thr Asp Ile Leu Arg Thr Arg Leu Glu			
	5075	5080	5085
Pro Val Thr Ser Ser Leu Pro Asn Phe Ser Ser Thr Ser Asp Lys Ile			
	5090	5095	5100
Leu Ala Thr Ser Lys Asp Ser Lys Asp Thr Lys Glu Ile Phe Pro Ser			
	5105	5110	5115
Ile Asn Thr Glu Glu Thr Asn Val Lys Ala Asn Asn Ser Gly His Glu			
	5125	5130	5135
Ser His Ser Pro Ala Leu Ala Asp Ser Glu Thr Pro Lys Ala Thr Thr			
	5140	5145	5150
Gln Met Val Ile Thr Thr Thr Val Gly Asp Pro Ala Pro Ser Thr Ser			
	5155	5160	5165
Met Pro Val His Gly Ser Ser Glu Thr Thr Asn Ile Lys Arg Glu Pro			
	5170	5175	5180
Thr Tyr Phe Leu Thr Pro Arg Leu Arg Glu Thr Ser Thr Ser Gln Glu			
	5185	5190	5195
Ser Ser Phe Pro Thr Asp Thr Ser Phe Leu Leu Ser Lys Val Pro Thr			
	5205	5210	5215
Gly Thr Ile Thr Glu Val Ser Ser Thr Gly Val Asn Ser Ser Ser Lys			
	5220	5225	5230
Ile Ser Thr Pro Asp His Asp Lys Ser Thr Val Pro Pro Asp Thr Phe			
	5235	5240	5245
Thr Gly Glu Ile Pro Arg Val Phe Thr Ser Ser Ile Lys Thr Lys Ser			
	5250	5255	5260
Ala Glu Met Thr Ile Thr Thr Gln Ala Ser Pro Pro Glu Ser Ala Ser			
	5265	5270	5275
His Ser Thr Leu Pro Leu Asp Thr Ser Thr Thr Leu Ser Gln Gly Gly			
	5285	5290	5295
Thr His Ser Thr Val Thr Gln Gly Phe Pro Tyr Ser Glu Val Thr Thr			
	5300	5305	5310
Leu Met Gly Met Gly Pro Gly Asn Val Ser Trp Met Thr Thr Pro Pro			
	5315	5320	5325
Val Glu Glu Thr Ser Ser Val Ser Ser Leu Met Ser Ser Pro Ala Met			
	5330	5335	5340

-continued

Thr	Ser	Pro	Ser	Pro	Val	Ser	Ser	Thr	Ser	Pro	Gln	Ser	Ile	Pro	Ser	
5345					5350					5355					5360	
Ser	Pro	Leu	Pro	Val	Thr	Ala	Leu	Pro	Thr	Ser	Val	Leu	Val	Thr	Thr	
				5365					5370					5375		
Thr	Asp	Val	Leu	Gly	Thr	Thr	Ser	Pro	Glu	Ser	Val	Thr	Ser	Ser	Pro	
			5380						5385					5390		
Pro	Asn	Leu	Ser	Ser	Ile	Thr	His	Glu	Arg	Pro	Ala	Thr	Tyr	Lys	Asp	
		5395						5400						5405		
Thr	Ala	His	Thr	Glu	Ala	Ala	Met	His	His	Ser	Thr	Asn	Thr	Ala	Val	
	5410						5415					5420				
Thr	Asn	Val	Gly	Thr	Ser	Gly	Ser	Gly	His	Lys	Ser	Gln	Ser	Ser	Val	
5425					5430					5435					5440	
Leu	Ala	Asp	Ser	Glu	Thr	Ser	Lys	Ala	Thr	Pro	Leu	Met	Ser	Thr	Thr	
				5445						5450					5455	
Ser	Thr	Leu	Gly	Asp	Thr	Ser	Val	Ser	Thr	Ser	Thr	Pro	Asn	Ile	Ser	
			5460						5465					5470		
Gln	Thr	Asn	Gln	Ile	Gln	Thr	Glu	Pro	Thr	Ala	Ser	Leu	Ser	Pro	Arg	
			5475					5480						5485		
Leu	Arg	Glu	Ser	Ser	Thr	Ser	Glu	Lys	Thr	Ser	Ser	Thr	Thr	Glu	Thr	
	5490						5495					5500				
Asn	Thr	Ala	Phe	Ser	Tyr	Val	Pro	Thr	Gly	Ala	Ile	Thr	Gln	Ala	Ser	
5505					5510					5515					5520	
Arg	Thr	Glu	Ile	Ser	Ser	Ser	Arg	Thr	Ser	Ile	Ser	Asp	Leu	Asp	Arg	
				5525						5530				5535		
Pro	Thr	Ile	Ala	Pro	Asp	Ile	Ser	Thr	Gly	Met	Ile	Thr	Arg	Leu	Phe	
			5540						5545					5550		
Thr	Ser	Pro	Ile	Met	Thr	Lys	Ser	Ala	Glu	Met	Thr	Val	Thr	Thr	Gln	
		5555						5560					5565			
Thr	Thr	Thr	Pro	Gly	Ala	Thr	Ser	Gln	Gly	Ile	Leu	Pro	Trp	Asp	Thr	
	5570						5575					5580				
Ser	Thr	Thr	Leu	Phe	Gln	Gly	Gly	Thr	His	Ser	Thr	Val	Ser	Gln	Gly	
5585					5590					5595					5600	
Phe	Pro	His	Ser	Glu	Ile	Thr	Thr	Leu	Arg	Ser	Arg	Thr	Pro	Gly	Asp	
				5605					5610					5615		
Val	Ser	Trp	Met	Thr	Thr	Pro	Pro	Val	Glu	Glu	Thr	Ser	Ser	Gly	Phe	
			5620						5625					5630		
Ser	Leu	Met	Ser	Pro	Ser	Met	Thr	Ser	Pro	Ser	Pro	Val	Ser	Ser	Thr	
		5635						5640					5645			
Ser	Pro	Glu	Ser	Ile	Pro	Ser	Ser	Pro	Leu	Pro	Val	Thr	Ala	Leu	Leu	
	5650						5655					5660				
Thr	Ser	Val	Leu	Val	Thr	Thr	Thr	Asn	Val	Leu	Gly	Thr	Thr	Ser	Pro	
5665					5670						5675				5680	
Glu	Pro	Val	Thr	Ser	Ser	Pro	Pro	Asn	Leu	Ser	Ser	Pro	Thr	Gln	Glu	
				5685					5690					5695		
Arg	Leu	Thr	Thr	Tyr	Lys	Asp	Thr	Ala	His	Thr	Glu	Ala	Met	His	Ala	
			5700						5705					5710		
Ser	Met	His	Thr	Asn	Thr	Ala	Val	Ala	Asn	Val	Gly	Thr	Ser	Ile	Ser	
		5715						5720					5725			
Gly	His	Glu	Ser	Gln	Ser	Ser	Val	Pro	Ala	Asp	Ser	His	Thr	Ser	Lys	
	5730						5735					5740				
Ala	Thr	Ser	Pro	Met	Gly	Ile	Thr	Phe	Ala	Met	Gly	Asp	Thr	Ser	Val	

-continued

5745	5750	5755	5760
Ser Thr Ser Thr	Pro Ala Phe Phe	Glu Thr Arg Ile	Gln Thr Glu Ser
	5765	5770	5775
Thr Ser Ser	Leu Ile Pro Gly	Leu Arg Asp Thr	Arg Thr Ser Glu Glu
	5780	5785	5790
Ile Asn Thr Val	Thr Glu Thr Ser	Thr Val Leu Ser	Glu Val Pro Thr
	5795	5800	5805
Thr Thr Thr Thr	Glu Val Ser Arg	Thr Glu Val Ile	Thr Ser Ser Arg
	5810	5815	5820
Thr Thr Ile Ser	Gly Pro Asp His	Ser Lys Met Ser	Pro Tyr Ile Ser
5825	5830	5835	5840
Thr Glu Thr Ile	Thr Arg Leu Ser	Thr Phe Pro Phe	Val Thr Gly Ser
	5845	5850	5855
Thr Glu Met Ala	Ile Thr Asn Gln	Thr Gly Pro Ile	Gly Thr Ile Ser
	5860	5865	5870
Gln Ala Thr Leu	Thr Leu Asp Thr	Ser Ser Thr Ala	Ser Trp Glu Gly
	5875	5880	5885
Thr His Ser Pro	Val Thr Gln Arg	Phe Pro His Ser	Glu Glu Thr Thr
	5890	5895	5900
Thr Met Ser Arg	Ser Thr Lys Gly	Val Ser Trp Gln	Ser Pro Pro Ser
5905	5910	5915	5920
Val Glu Glu Thr	Ser Ser Pro Ser	Ser Pro Val Pro	Leu Pro Ala Ile
	5925	5930	5935
Thr Ser His Ser	Ser Ser Leu Tyr	Ser Ala Val Ser	Gly Ser Ser Pro
	5940	5945	5950
Ser Ala Leu Pro	Val Thr Ser Leu	Leu Thr Ser Gly	Arg Arg Lys Thr
	5955	5960	5965
Ile Asp Met Leu	Asp Thr His Ser	Glu Leu Val Thr	Ser Ser Leu Pro
	5970	5975	5980
Ser Ala Ser Ser	Phe Ser Gly Glu	Ile Leu Thr Ser	Glu Ala Ser Thr
5985	5990	5995	6000
Asn Thr Glu Thr	Ile His Phe Ser	Glu Asn Thr Ala	Glu Thr Asn Met
	6005	6010	6015
Gly Thr Thr Asn	Ser Met His Lys	Leu His Ser Ser	Val Ser Ile His
	6020	6025	6030
Ser Gln Pro Ser	Gly His Thr Pro	Pro Lys Val Thr	Gly Ser Met Met
	6035	6040	6045
Glu Asp Ala Ile	Val Ser Thr Ser	Thr Pro Gly Ser	Pro Glu Thr Lys
	6050	6055	6060
Asn Val Asp Arg	Asp Ser Thr Ser	Pro Leu Thr Pro	Glu Leu Lys Glu
6065	6070	6075	6080
Asp Ser Thr Ala	Leu Val Met Asn	Ser Thr Thr Glu	Ser Asn Thr Val
	6085	6090	6095
Phe Ser Ser Val	Ser Leu Asp Ala	Ala Thr Glu Val	Ser Arg Ala Glu
	6100	6105	6110
Val Thr Tyr Tyr	Asp Pro Thr Phe	Met Pro Ala Ser	Ala Gln Ser Thr
	6115	6120	6125
Lys Ser Pro Asp	Ile Ser Pro Glu	Ala Ser Ser Ser	His Ser Asn Ser
	6130	6135	6140
Pro Pro Leu Thr	Ile Ser Thr His	Lys Thr Ile Ala	Thr Gln Thr Gly
6145	6150	6155	6160

-continued

Pro	Ser	Gly	Val	Thr	Ser	Leu	Gly	Gln	Leu	Thr	Leu	Asp	Thr	Ser	Thr	6165	6170	6175	
Ile	Ala	Thr	Ser	Ala	Gly	Thr	Pro	Ser	Ala	Arg	Thr	Gln	Asp	Phe	Val	6180	6185	6190	
Asp	Ser	Glu	Thr	Thr	Ser	Val	Met	Asn	Asn	Asp	Leu	Asn	Asp	Val	Leu	6195	6200	6205	
Lys	Thr	Ser	Pro	Phe	Ser	Ala	Glu	Glu	Ala	Asn	Ser	Leu	Ser	Ser	Gln	6210	6215	6220	
Ala	Pro	Leu	Leu	Val	Thr	Thr	Ser	Pro	Ser	Pro	Val	Thr	Ser	Thr	Leu	6225	6230	6235	6240
Gln	Glu	His	Ser	Thr	Ser	Ser	Leu	Val	Ser	Val	Thr	Ser	Val	Pro	Thr	6245	6250	6255	
Pro	Thr	Leu	Ala	Lys	Ile	Thr	Asp	Met	Asp	Thr	Asn	Leu	Glu	Pro	Val	6260	6265	6270	
Thr	Arg	Ser	Pro	Gln	Asn	Leu	Arg	Asn	Thr	Leu	Ala	Thr	Ser	Glu	Ala	6275	6280	6285	
Thr	Thr	Asp	Thr	His	Thr	Met	His	Pro	Ser	Ile	Asn	Thr	Ala	Val	Ala	6290	6295	6300	
Asn	Val	Gly	Thr	Thr	Ser	Ser	Pro	Asn	Glu	Phe	Tyr	Phe	Thr	Val	Ser	6305	6310	6315	6320
Pro	Asp	Ser	Asp	Pro	Tyr	Lys	Ala	Thr	Ser	Ala	Val	Val	Ile	Thr	Ser	6325	6330	6335	
Thr	Ser	Gly	Asp	Ser	Ile	Val	Ser	Thr	Ser	Met	Pro	Arg	Ser	Ser	Ala	6340	6345	6350	
Met	Lys	Lys	Ile	Glu	Ser	Glu	Thr	Thr	Phe	Ser	Leu	Ile	Phe	Arg	Leu	6355	6360	6365	
Arg	Glu	Thr	Ser	Thr	Ser	Gln	Lys	Ile	Gly	Ser	Ser	Ser	Asp	Thr	Ser	6370	6375	6380	
Thr	Val	Phe	Asp	Lys	Ala	Phe	Thr	Ala	Ala	Thr	Thr	Glu	Val	Ser	Arg	6385	6390	6395	6400
Thr	Glu	Leu	Thr	Ser	Ser	Ser	Arg	Thr	Ser	Ile	Gln	Gly	Thr	Glu	Lys	6405	6410	6415	
Pro	Thr	Met	Ser	Pro	Asp	Thr	Ser	Thr	Arg	Ser	Val	Thr	Met	Leu	Ser	6420	6425	6430	
Thr	Phe	Ala	Gly	Leu	Thr	Lys	Ser	Glu	Glu	Arg	Thr	Ile	Ala	Thr	Gln	6435	6440	6445	
Thr	Gly	Pro	His	Arg	Ala	Thr	Ser	Gln	Gly	Thr	Leu	Thr	Trp	Asp	Thr	6450	6455	6460	
Ser	Ile	Thr	Thr	Ser	Gln	Ala	Gly	Thr	His	Ser	Ala	Met	Thr	His	Gly	6465	6470	6475	6480
Phe	Ser	Gln	Leu	Asp	Leu	Ser	Thr	Leu	Thr	Ser	Arg	Val	Pro	Glu	Tyr	6485	6490	6495	
Ile	Ser	Gly	Thr	Ser	Pro	Pro	Ser	Val	Glu	Lys	Thr	Ser	Ser	Ser	Ser	6500	6505	6510	
Ser	Leu	Leu	Ser	Leu	Pro	Ala	Ile	Thr	Ser	Pro	Ser	Pro	Val	Pro	Thr	6515	6520	6525	
Thr	Leu	Pro	Glu	Ser	Arg	Pro	Ser	Ser	Pro	Val	His	Leu	Thr	Ser	Leu	6530	6535	6540	
Pro	Thr	Ser	Gly	Leu	Val	Lys	Thr	Thr	Asp	Met	Leu	Ala	Ser	Val	Ala	6545	6550	6555	6560

-continued

Ser Leu Pro Pro	Asn Leu Gly	Ser Thr	Ser His Lys Ile	Pro Thr Thr	6565	6570	6575
Ser Glu Asp Ile	Lys Asp Thr	Glu Lys Met Tyr	Pro Ser Thr	Asn Ile	6580	6585	6590
Ala Val Thr Asn Val	Gly Thr Thr	Thr Ser Glu Lys	Glu Ser Tyr Ser		6595	6600	6605
Ser Val Pro Ala Tyr	Ser Glu Pro Pro	Lys Val Thr Ser	Pro Met Val		6610	6615	6620
Thr Ser Phe Asn Ile	Arg Asp Thr	Ile Val Ser Thr	Ser Met Pro Gly		6625	6630	6640
Ser Ser Glu Ile Thr	Arg Ile Glu Met	Glu Ser Thr Phe	Ser Leu Ala		6645	6650	6655
His Gly Leu Lys Gly	Thr Ser Thr	Ser Gln Asp Pro	Ile Val Ser Thr		6660	6665	6670
Glu Lys Ser Ala Val	Leu His Lys Leu	Thr Thr Gly Ala	Thr Glu Thr		6675	6680	6685
Ser Arg Thr Glu Val	Ala Ser Ser Arg	Arg Thr Ser Ile	Pro Gly Pro		6690	6695	6700
Asp His Ser Thr Glu	Ser Pro Asp Ile	Ser Thr Glu Val	Ile Pro Ser		6705	6710	6715
Leu Pro Ile Ser Leu	Gly Ile Thr Glu	Ser Ser Asn Met	Thr Ile Ile		6725	6730	6735
Thr Arg Thr Gly Pro	Pro Leu Gly Ser	Thr Ser Gln Gly	Thr Phe Thr		6740	6745	6750
Leu Asp Thr Pro Thr	Thr Ser Ser Arg	Ala Gly Thr His	Ser Met Ala		6755	6760	6765
Thr Gln Glu Phe Pro	His Ser Glu Met	Thr Thr Val Met	Asn Lys Asp		6770	6775	6780
Pro Glu Ile Leu Ser	Trp Thr Ile Pro	Pro Ser Ile Glu	Lys Thr Ser		6785	6790	6795
Phe Ser Ser Ser Leu	Met Pro Ser Pro	Ala Met Thr Ser	Pro Pro Val		6805	6810	6815
Ser Ser Thr Leu Pro	Lys Thr Ile His	Thr Thr Pro Ser	Pro Met Thr		6820	6825	6830
Ser Leu Leu Thr Pro	Ser Leu Val Met	Thr Thr Asp Thr	Leu Gly Thr		6835	6840	6845
Ser Pro Glu Pro Thr	Thr Ser Ser Pro	Pro Asn Leu Ser	Ser Thr Ser		6850	6855	6860
His Glu Ile Leu Thr	Thr Asp Glu Asp	Thr Thr Ala Ile	Glu Ala Met		6865	6870	6875
His Pro Ser Thr Ser	Thr Ala Ala Thr	Asn Val Glu Thr	Thr Ser Ser		6885	6890	6895
Gly His Gly Ser Gln	Ser Ser Val Leu	Ala Asp Ser Glu	Lys Thr Lys		6900	6905	6910
Ala Thr Ala Pro Met	Asp Thr Thr Ser	Thr Met Gly His	Thr Thr Val		6915	6920	6925
Ser Thr Ser Met Ser	Val Ser Ser Glu	Thr Thr Lys Ile	Lys Arg Glu		6930	6935	6940
Ser Thr Tyr Ser Leu	Thr Pro Gly Leu	Arg Glu Thr Ser	Ile Ser Gln		6945	6950	6955
Asn Ala Ser Phe Ser	Thr Asp Thr Ser	Ile Val Leu Ser	Glu Val Pro				

-continued

6965							6970					6975				
Thr	Gly	Thr	Thr	Ala	Glu	Val	Ser	Arg	Thr	Glu	Val	Thr	Ser	Ser	Gly	
6980							6985					6990				
Arg	Thr	Ser	Ile	Pro	Gly	Pro	Ser	Gln	Ser	Thr	Val	Leu	Pro	Glu	Ile	
6995							7000					7005				
Ser	Thr	Arg	Thr	Met	Thr	Arg	Leu	Phe	Ala	Ser	Pro	Thr	Met	Thr	Glu	
7010							7015					7020				
Ser	Ala	Glu	Met	Thr	Ile	Pro	Thr	Gln	Thr	Gly	Pro	Ser	Gly	Ser	Thr	
7025							7030					7035				
Ser	Gln	Asp	Thr	Leu	Thr	Leu	Asp	Thr	Ser	Thr	Thr	Lys	Ser	Gln	Ala	
7045							7050					7055				
Lys	Thr	His	Ser	Thr	Leu	Thr	Gln	Arg	Phe	Pro	His	Ser	Glu	Met	Thr	
7060							7065					7070				
Thr	Leu	Met	Ser	Arg	Gly	Pro	Gly	Asp	Met	Ser	Trp	Gln	Ser	Ser	Pro	
7075							7080					7085				
Ser	Leu	Glu	Asn	Pro	Ser	Ser	Leu	Pro	Ser	Leu	Leu	Ser	Leu	Pro	Ala	
7090							7095					7100				
Thr	Thr	Ser	Pro	Pro	Pro	Ile	Ser	Ser	Thr	Leu	Pro	Val	Thr	Ile	Ser	
7105							7110					7115				
Ser	Ser	Pro	Leu	Pro	Val	Thr	Ser	Leu	Leu	Thr	Ser	Ser	Pro	Val	Thr	
7125							7130					7135				
Thr	Thr	Asp	Met	Leu	His	Thr	Ser	Pro	Glu	Leu	Val	Thr	Ser	Ser	Pro	
7140							7145					7150				
Pro	Lys	Leu	Ser	His	Thr	Ser	Asp	Glu	Arg	Leu	Thr	Thr	Gly	Lys	Asp	
7155							7160					7165				
Thr	Thr	Asn	Thr	Glu	Ala	Val	His	Pro	Ser	Thr	Asn	Thr	Ala	Ala	Ser	
7170							7175					7180				
Asn	Val	Glu	Ile	Pro	Ser	Ser	Gly	His	Glu	Ser	Pro	Ser	Ser	Ala	Leu	
7185							7190					7195				
Ala	Asp	Ser	Glu	Thr	Ser	Lys	Ala	Thr	Ser	Pro	Met	Phe	Ile	Thr	Ser	
7205							7210					7215				
Thr	Gln	Glu	Asp	Thr	Thr	Val	Ala	Ile	Ser	Thr	Pro	His	Phe	Leu	Glu	
7220							7225					7230				
Thr	Ser	Arg	Ile	Gln	Lys	Glu	Ser	Ile	Ser	Ser	Leu	Ser	Pro	Lys	Leu	
7235							7240					7245				
Arg	Glu	Thr	Gly	Ser	Ser	Val	Glu	Thr	Ser	Ser	Ala	Ile	Glu	Thr	Ser	
7250							7255					7260				
Ala	Val	Leu	Ser	Glu	Val	Ser	Ile	Gly	Ala	Thr	Thr	Glu	Ile	Ser	Arg	
7265							7270					7275				
Thr	Glu	Val	Thr	Ser	Ser	Ser	Arg	Thr	Ser	Ile	Ser	Gly	Ser	Ala	Glu	
7285							7290					7295				
Ser	Thr	Met	Leu	Pro	Glu	Ile	Ser	Thr	Thr	Arg	Lys	Ile	Ile	Lys	Phe	
7300							7305					7310				
Pro	Thr	Ser	Pro	Ile	Leu	Ala	Glu	Ser	Ser	Glu	Met	Thr	Ile	Lys	Thr	
7315							7320					7325				
Gln	Thr	Ser	Pro	Pro	Gly	Ser	Thr	Ser	Glu	Ser	Thr	Phe	Thr	Leu	Asp	
7330							7335					7340				
Thr	Ser	Thr	Thr	Pro	Ser	Leu	Val	Ile	Thr	His	Ser	Thr	Met	Thr	Gln	
7345							7350					7355				
Arg	Leu	Pro	His	Ser	Glu	Ile	Thr	Thr	Leu	Val	Ser	Arg	Gly	Ala	Gly	
7365							7370					7375				

-continued

Asp Val Pro Arg Pro Ser Ser Leu Pro Val Glu Glu Thr Ser Pro Pro	7380	7385	7390
Ser Ser Gln Leu Ser Leu Ser Ala Met Ile Ser Pro Ser Pro Val Ser	7395	7400	7405
Ser Thr Leu Pro Ala Ser Ser His Ser Ser Ser Ala Ser Val Thr Ser	7410	7415	7420
Leu Leu Thr Pro Gly Gln Val Lys Thr Thr Glu Val Leu Asp Ala Ser	7425	7430	7435
Ala Glu Pro Glu Thr Ser Ser Pro Pro Ser Leu Ser Ser Thr Ser Val	7445	7450	7455
Glu Ile Leu Ala Thr Ser Glu Val Thr Thr Asp Thr Glu Lys Ile His	7460	7465	7470
Pro Phe Ser Asn Thr Ala Val Thr Lys Val Gly Thr Ser Ser Ser Gly	7475	7480	7485
His Glu Ser Pro Ser Ser Val Leu Pro Asp Ser Glu Thr Thr Lys Ala	7490	7495	7500
Thr Ser Ala Met Gly Thr Ile Ser Ile Met Gly Asp Thr Ser Val Ser	7505	7510	7515
Thr Leu Thr Pro Ala Leu Ser Asn Thr Arg Lys Ile Gln Ser Glu Pro	7525	7530	7535
Ala Ser Ser Leu Thr Thr Arg Leu Arg Glu Thr Ser Thr Ser Glu Glu	7540	7545	7550
Thr Ser Leu Ala Thr Glu Ala Asn Thr Val Leu Ser Lys Val Ser Thr	7555	7560	7565
Gly Ala Thr Thr Glu Val Ser Arg Thr Glu Ala Ile Ser Phe Ser Arg	7570	7575	7580
Thr Ser Met Ser Gly Pro Glu Gln Ser Thr Met Ser Gln Asp Ile Ser	7585	7590	7595
Ile Gly Thr Ile Pro Arg Ile Ser Ala Ser Ser Val Leu Thr Glu Ser	7605	7610	7615
Ala Lys Met Thr Ile Thr Thr Gln Thr Gly Pro Ser Glu Ser Thr Leu	7620	7625	7630
Glu Ser Thr Leu Asn Leu Asn Thr Ala Thr Thr Pro Ser Trp Val Glu	7635	7640	7645
Thr His Ser Ile Val Ile Gln Gly Phe Pro His Pro Glu Met Thr Thr	7650	7655	7660
Ser Met Gly Arg Gly Pro Gly Gly Val Ser Trp Pro Ser Pro Pro Phe	7665	7670	7675
Val Lys Glu Thr Ser Pro Pro Ser Ser Pro Leu Ser Leu Pro Ala Val	7685	7690	7695
Thr Ser Pro His Pro Val Ser Thr Thr Phe Leu Ala His Ile Pro Pro	7700	7705	7710
Ser Pro Leu Pro Val Thr Ser Leu Leu Thr Ser Gly Pro Ala Thr Thr	7715	7720	7725
Thr Asp Ile Leu Gly Thr Ser Thr Glu Pro Gly Thr Ser Ser Ser Ser	7730	7735	7740
Ser Leu Ser Thr Thr Ser His Glu Arg Leu Thr Thr Tyr Lys Asp Thr	7745	7750	7755
Ala His Thr Glu Ala Val His Pro Ser Thr Asn Thr Gly Gly Thr Asn	7765	7770	7775

-continued

Val	Ala	Thr	Thr	Ser	Ser	Gly	Tyr	Lys	Ser	Gln	Ser	Ser	Val	Leu	Ala	
				7780				7785					7790			
Asp	Ser	Ser	Pro	Met	Cys	Thr	Thr	Ser	Thr	Met	Gly	Asp	Thr	Ser	Val	
				7795				7800				7805				
Leu	Thr	Ser	Thr	Pro	Ala	Phe	Leu	Glu	Thr	Arg	Arg	Ile	Gln	Thr	Glu	
				7810				7815				7820				
Leu	Ala	Ser	Ser	Leu	Thr	Pro	Gly	Leu	Arg	Glu	Ser	Ser	Gly	Ser	Glu	
				7825				7830				7835			7840	
Gly	Thr	Ser	Ser	Gly	Thr	Lys	Met	Ser	Thr	Val	Leu	Ser	Lys	Val	Pro	
				7845						7850					7855	
Thr	Gly	Ala	Thr	Thr	Glu	Ile	Ser	Lys	Glu	Asp	Val	Thr	Ser	Ile	Pro	
				7860				7865						7870		
Gly	Pro	Ala	Gln	Ser	Thr	Ile	Ser	Pro	Asp	Ile	Ser	Thr	Arg	Thr	Val	
				7875				7880					7885			
Ser	Trp	Phe	Ser	Thr	Ser	Pro	Val	Met	Thr	Glu	Ser	Ala	Glu	Ile	Thr	
				7890				7895					7900			
Met	Asn	Thr	His	Thr	Ser	Pro	Leu	Gly	Ala	Thr	Thr	Gln	Gly	Thr	Ser	
				7905				7910				7915			7920	
Thr	Leu	Asp	Thr	Ser	Ser	Thr	Thr	Ser	Leu	Thr	Met	Thr	His	Ser	Thr	
				7925						7930					7935	
Ile	Ser	Gln	Gly	Phe	Ser	His	Ser	Gln	Met	Ser	Thr	Leu	Met	Arg	Arg	
				7940					7945					7950		
Gly	Pro	Glu	Asp	Val	Ser	Trp	Met	Ser	Pro	Pro	Leu	Leu	Glu	Lys	Thr	
				7955				7960					7965			
Arg	Pro	Ser	Phe	Ser	Leu	Met	Ser	Ser	Pro	Ala	Thr	Thr	Ser	Pro	Ser	
				7970				7975					7980			
Pro	Val	Ser	Ser	Thr	Leu	Pro	Glu	Ser	Ile	Ser	Ser	Ser	Pro	Leu	Pro	
				7985				7990				7995			8000	
Val	Thr	Ser	Leu	Leu	Thr	Ser	Gly	Leu	Ala	Lys	Thr	Thr	Asp	Met	Leu	
				8005					8010					8015		
His	Lys	Ser	Ser	Glu	Pro	Val	Thr	Asn	Ser	Pro	Ala	Asn	Leu	Ser	Ser	
				8020				8025					8030			
Thr	Ser	Val	Glu	Ile	Leu	Ala	Thr	Ser	Glu	Val	Thr	Thr	Asp	Thr	Glu	
				8035				8040					8045			
Lys	Thr	His	Pro	Ser	Ser	Asn	Arg	Thr	Val	Thr	Asp	Val	Gly	Thr	Ser	
				8050				8055				8060				
Ser	Ser	Gly	His	Glu	Ser	Thr	Ser	Phe	Val	Leu	Ala	Asp	Ser	Gln	Thr	
				8065				8070				8075			8080	
Ser	Lys	Val	Thr	Ser	Pro	Met	Val	Ile	Thr	Ser	Thr	Met	Glu	Asp	Thr	
				8085					8090					8095		
Ser	Val	Ser	Thr	Ser	Thr	Pro	Gly	Phe	Phe	Glu	Thr	Ser	Arg	Ile	Gln	
				8100				8105					8110			
Thr	Glu	Pro	Thr	Ser	Ser	Leu	Thr	Leu	Gly	Leu	Arg	Lys	Thr	Ser	Ser	
				8115				8120					8125			
Ser	Glu	Gly	Thr	Ser	Leu	Ala	Thr	Glu	Met	Ser	Thr	Val	Leu	Ser	Gly	
				8130				8135				8140				
Val	Pro	Thr	Gly	Ala	Thr	Ala	Glu	Val	Ser	Arg	Thr	Glu	Val	Thr	Ser	
				8145				8150				8155			8160	
Ser	Ser	Arg	Thr	Ser	Ile	Ser	Gly	Phe	Ala	Gln	Leu	Thr	Val	Ser	Pro	
				8165				8170						8175		
Glu	Thr	Ser	Thr	Glu	Thr	Ile	Thr	Arg	Leu	Pro	Thr	Ser	Ser	Ile	Met	

-continued

8180						8185						8190					
Thr	Glu	Ser	Ala	Glu	Met	Met	Ile	Lys	Thr	Gln	Thr	Asp	Pro	Pro	Gly		
8195						8200						8205					
Ser	Thr	Pro	Glu	Ser	Thr	His	Thr	Val	Asp	Ile	Ser	Thr	Thr	Pro	Asn		
8210						8215						8220					
Trp	Val	Glu	Thr	His	Ser	Thr	Val	Thr	Gln	Arg	Phe	Ser	His	Ser	Glu		
8225						8230						8235					
8240						8245						8250					
Met	Thr	Thr	Leu	Val	Ser	Arg	Ser	Pro	Gly	Asp	Met	Leu	Trp	Pro	Ser		
8255						8260						8265					
Gln	Ser	Ser	Val	Glu	Glu	Thr	Ser	Ser	Ala	Ser	Ser	Leu	Leu	Ser	Leu		
8270						8275						8280					
Pro	Ala	Thr	Thr	Ser	Pro	Ser	Pro	Val	Ser	Ser	Thr	Leu	Val	Glu	Asp		
8285						8290						8295					
Phe	Pro	Ser	Ala	Ser	Leu	Pro	Val	Thr	Ser	Leu	Leu	Asn	Pro	Gly	Leu		
8300						8305						8310					
Val	Ile	Thr	Thr	Asp	Arg	Met	Gly	Ile	Ser	Arg	Glu	Pro	Gly	Thr	Ser		
8315						8320						8325					
Ser	Thr	Ser	Asn	Leu	Ser	Ser	Thr	Ser	His	Glu	Arg	Leu	Thr	Thr	Leu		
8330						8335						8340					
Glu	Asp	Thr	Val	Asp	Thr	Glu	Asp	Met	Gln	Pro	Ser	Thr	His	Thr	Ala		
8345						8350						8355					
Val	Thr	Asn	Val	Arg	Thr	Ser	Ile	Ser	Gly	His	Glu	Ser	Gln	Ser	Ser		
8360						8365						8370					
Val	Leu	Ser	Asp	Ser	Glu	Thr	Pro	Lys	Ala	Thr	Ser	Pro	Met	Gly	Thr		
8375						8380						8385					
Thr	Tyr	Thr	Met	Gly	Glu	Thr	Ser	Val	Ser	Ile	Ser	Thr	Ser	Asp	Phe		
8390						8395						8400					
Phe	Glu	Thr	Ser	Arg	Ile	Gln	Ile	Glu	Pro	Thr	Ser	Ser	Leu	Thr	Ser		
8405						8410						8415					
Gly	Leu	Arg	Glu	Thr	Ser	Ser	Ser	Glu	Arg	Ile	Ser	Ser	Ala	Thr	Glu		
8420						8425						8430					
Gly	Ser	Thr	Val	Leu	Ser	Glu	Val	Pro	Ser	Gly	Ala	Thr	Thr	Glu	Val		
8435						8440						8445					
Ser	Arg	Thr	Glu	Val	Ile	Ser	Ser	Arg	Gly	Thr	Ser	Met	Ser	Gly	Pro		
8450						8455						8460					
Asp	Gln	Phe	Thr	Ile	Ser	Pro	Asp	Ile	Ser	Thr	Glu	Ala	Ile	Thr	Arg		
8465						8470						8475					
8480						8485						8490					
Leu	Ser	Thr	Ser	Pro	Ile	Met	Thr	Glu	Ser	Ala	Glu	Ser	Ala	Ile	Thr		
8495						8500						8505					
Ile	Glu	Thr	Gly	Ser	Pro	Gly	Ala	Thr	Ser	Glu	Gly	Thr	Leu	Thr	Leu		
8510						8515						8520					
Asp	Thr	Ser	Thr	Thr	Thr	Phe	Trp	Ser	Gly	Thr	His	Ser	Thr	Ala	Ser		
8525						8530						8535					
Pro	Gly	Phe	Ser	His	Ser	Glu	Met	Thr	Thr	Leu	Met	Ser	Arg	Thr	Pro		
8540						8545						8550					
Gly	Asp	Val	Pro	Trp	Pro	Ser	Leu	Pro	Ser	Val	Glu	Glu	Ala	Ser	Ser		
8555						8560						8565					
Val	Ser	Ser	Ser	Leu	Ser	Ser	Pro	Ala	Met	Thr	Ser	Thr	Ser	Phe	Phe		
8570						8575						8580					
Ser	Thr	Leu	Pro	Glu	Ser	Ile	Ser	Ser	Ser	Pro	His	Pro	Val	Thr	Ala		
8585						8590						8595					

-continued

Leu	Leu	Thr	Leu	Gly	Pro	Val	Lys	Thr	Thr	Asp	Met	Leu	Arg	Thr	Ser
8595							8600					8605			
Ser	Glu	Pro	Glu	Thr	Ser	Ser	Pro	Pro	Asn	Leu	Ser	Ser	Thr	Ser	Ala
8610					8615					8620					
Glu	Ile	Leu	Ala	Thr	Ser	Glu	Val	Thr	Lys	Asp	Arg	Glu	Lys	Ile	His
8625					8630					8635					8640
Pro	Ser	Ser	Asn	Thr	Pro	Val	Val	Asn	Val	Gly	Thr	Val	Ile	Tyr	Lys
			8645						8650					8655	
His	Leu	Ser	Pro	Ser	Ser	Val	Leu	Ala	Asp	Leu	Val	Thr	Thr	Lys	Pro
			8660					8665					8670		
Thr	Ser	Pro	Met	Ala	Thr	Thr	Ser	Thr	Leu	Gly	Asn	Thr	Ser	Val	Ser
			8675					8680				8685			
Thr	Ser	Thr	Pro	Ala	Phe	Pro	Glu	Thr	Met	Met	Thr	Gln	Pro	Thr	Ser
			8690				8695					8700			
Ser	Leu	Thr	Ser	Gly	Leu	Arg	Glu	Ile	Ser	Thr	Ser	Gln	Glu	Thr	Ser
8705					8710					8715					8720
Ser	Ala	Thr	Glu	Arg	Ser	Ala	Ser	Leu	Ser	Gly	Met	Pro	Thr	Gly	Ala
			8725							8730				8735	
Thr	Thr	Lys	Val	Ser	Arg	Thr	Glu	Ala	Leu	Ser	Leu	Gly	Arg	Thr	Ser
			8740					8745					8750		
Thr	Pro	Gly	Pro	Ala	Gln	Ser	Thr	Ile	Ser	Pro	Glu	Ile	Ser	Thr	Glu
			8755				8760					8765			
Thr	Ile	Thr	Arg	Ile	Ser	Thr	Pro	Leu	Thr	Thr	Thr	Gly	Ser	Ala	Glu
			8770			8775						8780			
Met	Thr	Ile	Thr	Pro	Lys	Thr	Gly	His	Ser	Gly	Ala	Ser	Ser	Gln	Gly
8785					8790					8795					8800
Thr	Phe	Thr	Leu	Asp	Thr	Ser	Ser	Arg	Ala	Ser	Trp	Pro	Gly	Thr	His
			8805						8810					8815	
Ser	Ala	Ala	Thr	His	Arg	Ser	Pro	His	Ser	Gly	Met	Thr	Thr	Pro	Met
			8820					8825					8830		
Ser	Arg	Gly	Pro	Glu	Asp	Val	Ser	Trp	Pro	Ser	Arg	Pro	Ser	Val	Glu
			8835					8840				8845			
Lys	Thr	Ser	Pro	Pro	Ser	Ser	Leu	Val	Ser	Leu	Ser	Ala	Val	Thr	Ser
			8850			8855						8860			
Pro	Ser	Pro	Leu	Tyr	Ser	Thr	Pro	Ser	Glu	Ser	Ser	His	Ser	Ser	Pro
8865				8870						8875					8880
Leu	Arg	Val	Thr	Ser	Leu	Phe	Thr	Pro	Val	Met	Met	Lys	Thr	Thr	Asp
			8885						8890					8895	
Met	Leu	Asp	Thr	Ser	Leu	Glu	Pro	Val	Thr	Thr	Ser	Pro	Pro	Ser	Met
			8900					8905					8910		
Asn	Ile	Thr	Ser	Asp	Glu	Ser	Leu	Ala	Thr	Ser	Lys	Ala	Thr	Met	Glu
			8915				8920					8925			
Thr	Glu	Ala	Ile	Gln	Leu	Ser	Glu	Asn	Thr	Ala	Val	Thr	Gln	Met	Gly
			8930			8935					8940				
Thr	Ile	Ser	Ala	Arg	Gln	Glu	Phe	Tyr	Ser	Ser	Tyr	Pro	Gly	Leu	Pro
8945				8950						8955					8960
Glu	Pro	Ser	Lys	Val	Thr	Ser	Pro	Val	Val	Thr	Ser	Ser	Thr	Ile	Lys
			8965						8970					8975	
Asp	Ile	Val	Ser	Thr	Thr	Ile	Pro	Ala	Ser	Ser	Glu	Ile	Thr	Arg	Ile
			8980					8985					8990		

-continued

Glu	Met	Glu	Ser	Thr	Ser	Thr	Leu	Thr	Pro	Thr	Pro	Arg	Glu	Thr	Ser
8995						9000						9005			
Thr	Ser	Gln	Glu	Ile	His	Ser	Ala	Thr	Lys	Pro	Ser	Thr	Val	Pro	Tyr
9010						9015						9020			
Lys	Ala	Leu	Thr	Ser	Ala	Thr	Ile	Glu	Asp	Ser	Met	Thr	Gln	Val	Met
9025						9030						9040			
Ser	Ser	Ser	Arg	Gly	Pro	Ser	Pro	Asp	Gln	Ser	Thr	Met	Ser	Gln	Asp
			9045						9050			9055			
Ile	Ser	Thr	Glu	Val	Ile	Thr	Arg	Leu	Ser	Thr	Ser	Pro	Ile	Lys	Thr
			9060						9065			9070			
Glu	Ser	Thr	Glu	Met	Thr	Ile	Thr	Thr	Gln	Thr	Gly	Ser	Pro	Gly	Ala
9075						9080						9085			
Thr	Ser	Arg	Gly	Thr	Leu	Thr	Leu	Asp	Thr	Ser	Thr	Thr	Phe	Met	Ser
9090						9095						9100			
Gly	Thr	His	Ser	Thr	Ala	Ser	Gln	Gly	Phe	Ser	His	Ser	Gln	Met	Thr
9105						9110						9120			
Ala	Leu	Met	Ser	Arg	Thr	Pro	Gly	Asp	Val	Pro	Trp	Leu	Ser	His	Pro
			9125						9130			9135			
Ser	Val	Glu	Glu	Ala	Ser	Ser	Ala	Ser	Phe	Ser	Leu	Ser	Ser	Pro	Val
			9140						9145			9150			
Met	Thr	Ser	Ser	Ser	Pro	Val	Ser	Ser	Thr	Leu	Pro	Asp	Ser	Ile	His
9155						9160						9165			
Ser	Ser	Ser	Leu	Pro	Val	Thr	Ser	Leu	Leu	Thr	Ser	Gly	Leu	Val	Lys
9170						9175						9180			
Thr	Thr	Glu	Leu	Leu	Gly	Thr	Ser	Ser	Glu	Pro	Glu	Thr	Ser	Ser	Pro
9185						9190						9195			
Pro	Asn	Leu	Ser	Ser	Thr	Ser	Ala	Glu	Ile	Leu	Ala	Ile	Thr	Glu	Val
			9205						9210			9215			
Thr	Thr	Asp	Thr	Glu	Lys	Leu	Glu	Met	Thr	Asn	Val	Val	Thr	Ser	Gly
			9220						9225			9230			
Tyr	Thr	His	Glu	Ser	Pro	Ser	Ser	Val	Leu	Ala	Asp	Ser	Val	Thr	Thr
9235						9240						9245			
Lys	Ala	Thr	Ser	Ser	Met	Gly	Ile	Thr	Tyr	Pro	Thr	Gly	Asp	Thr	Asn
9250						9255						9260			
Val	Leu	Thr	Ser	Thr	Pro	Ala	Phe	Ser	Asp	Thr	Ser	Arg	Ile	Gln	Thr
9265						9270						9275			
Lys	Ser	Lys	Leu	Ser	Leu	Thr	Pro	Gly	Leu	Met	Glu	Thr	Ser	Ile	Ser
			9285						9290			9295			
Glu	Glu	Thr	Ser	Ser	Ala	Thr	Glu	Lys	Ser	Thr	Val	Leu	Ser	Ser	Val
			9300						9305			9310			
Pro	Thr	Gly	Ala	Thr	Thr	Glu	Val	Ser	Arg	Thr	Glu	Ala	Ile	Ser	Ser
9315						9320						9325			
Ser	Arg	Thr	Ser	Ile	Pro	Gly	Pro	Ala	Gln	Ser	Thr	Met	Ser	Ser	Asp
9330						9335						9340			
Thr	Ser	Met	Glu	Thr	Ile	Thr	Arg	Ile	Ser	Thr	Pro	Leu	Thr	Arg	Lys
9345						9350						9355			
Glu	Ser	Thr	Asp	Met	Ala	Ile	Thr	Pro	Lys	Thr	Gly	Pro	Ser	Gly	Ala
			9365						9370			9375			
Thr	Ser	Gln	Gly	Thr	Phe	Thr	Leu	Asp	Ser	Ser	Ser	Thr	Ala	Ser	Trp
			9380						9385			9390			
Pro	Gly	Thr	His	Ser	Ala	Thr	Thr	Gln	Arg	Phe	Pro	Gln	Ser	Val	Val

-continued

9395					9400					9405					
Thr	Thr	Pro	Met	Ser	Arg	Gly	Pro	Glu	Asp	Val	Ser	Trp	Pro	Ser	Pro
9410						9415					9420				
Leu	Ser	Val	Glu	Lys	Asn	Ser	Pro	Pro	Ser	Ser	Leu	Val	Ser	Ser	Ser
9425					9430					9435					9440
Ser	Val	Thr	Ser	Pro	Ser	Pro	Leu	Tyr	Ser	Thr	Pro	Ser	Gly	Ser	Ser
				9445					9450					9455	
His	Ser	Ser	Pro	Val	Pro	Val	Thr	Ser	Leu	Phe	Thr	Ser	Ile	Met	Met
			9460						9465					9470	
Lys	Ala	Thr	Asp	Met	Leu	Asp	Ala	Ser	Leu	Glu	Pro	Glu	Thr	Thr	Ser
			9475				9480						9485		
Ala	Pro	Asn	Met	Asn	Ile	Thr	Ser	Asp	Glu	Ser	Leu	Ala	Ala	Ser	Lys
9490						9495					9500				
Ala	Thr	Thr	Glu	Thr	Glu	Ala	Ile	His	Val	Phe	Glu	Asn	Thr	Ala	Ala
9505					9510					9515					9520
Ser	His	Val	Glu	Thr	Thr	Ser	Ala	Thr	Glu	Glu	Leu	Tyr	Ser	Ser	Ser
				9525					9530					9535	
Pro	Gly	Phe	Ser	Glu	Pro	Thr	Lys	Val	Ile	Ser	Pro	Val	Val	Thr	Ser
			9540						9545					9550	
Ser	Ser	Ile	Arg	Asp	Asn	Met	Val	Ser	Thr	Thr	Met	Pro	Gly	Ser	Ser
			9555				9560					9565			
Gly	Ile	Thr	Arg	Ile	Glu	Ile	Glu	Ser	Met	Ser	Ser	Leu	Thr	Pro	Gly
9570					9575							9580			
Leu	Arg	Glu	Thr	Arg	Thr	Ser	Gln	Asp	Ile	Thr	Ser	Ser	Thr	Glu	Thr
9585					9590					9595					9600
Ser	Thr	Val	Leu	Tyr	Lys	Met	Pro	Ser	Gly	Ala	Thr	Pro	Glu	Val	Ser
				9605					9610					9615	
Arg	Thr	Glu	Val	Met	Pro	Ser	Ser	Arg	Thr	Ser	Ile	Pro	Gly	Pro	Ala
			9620						9625					9630	
Gln	Ser	Thr	Met	Ser	Leu	Asp	Ile	Ser	Asp	Glu	Val	Val	Thr	Arg	Leu
			9635				9640						9645		
Ser	Thr	Ser	Pro	Ile	Met	Thr	Glu	Ser	Ala	Glu	Ile	Thr	Ile	Thr	Thr
			9650			9655						9660			
Gln	Thr	Gly	Tyr	Ser	Leu	Ala	Thr	Ser	Gln	Val	Thr	Leu	Pro	Leu	Gly
9665					9670					9675					9680
Thr	Ser	Met	Thr	Phe	Leu	Ser	Gly	Thr	His	Ser	Thr	Met	Ser	Gln	Gly
				9685					9690					9695	
Leu	Ser	His	Ser	Glu	Met	Thr	Asn	Leu	Met	Ser	Arg	Gly	Pro	Glu	Ser
			9700						9705					9710	
Leu	Ser	Trp	Thr	Ser	Pro	Arg	Phe	Val	Glu	Thr	Thr	Arg	Ser	Ser	Ser
			9715				9720						9725		
Ser	Leu	Thr	Ser	Leu	Pro	Leu	Thr	Thr	Ser	Leu	Ser	Pro	Val	Ser	Ser
			9730			9735						9740			
Thr	Leu	Leu	Asp	Ser	Ser	Pro	Ser	Ser	Pro	Leu	Pro	Val	Thr	Ser	Leu
9745					9750					9755					9760
Ile	Leu	Pro	Gly	Leu	Val	Lys	Thr	Thr	Glu	Val	Leu	Asp	Thr	Ser	Ser
			9765						9770					9775	
Glu	Pro	Lys	Thr	Ser	Ser	Ser	Pro	Asn	Leu	Ser	Ser	Thr	Ser	Val	Glu
			9780						9785					9790	
Ile	Pro	Ala	Thr	Ser	Glu	Ile	Met	Thr	Asp	Thr	Glu	Lys	Ile	His	Pro
			9795				9800						9805		

-continued

Ser	Ser	Asn	Thr	Ala	Val	Ala	Lys	Val	Arg	Thr	Ser	Ser	Ser	Val	His	
9810								9815						9820		
Glu	Ser	His	Ser	Ser	Val	Leu	Ala	Asp	Ser	Glu	Thr	Thr	Ile	Thr	Ile	
9825					9830					9835					9840	
Pro	Ser	Met	Gly	Ile	Thr	Ser	Ala	Val	Asp	Asp	Thr	Thr	Val	Phe	Thr	
				9845					9850					9855		
Ser	Asn	Pro	Ala	Phe	Ser	Glu	Thr	Arg	Arg	Ile	Pro	Thr	Glu	Pro	Thr	
			9860					9865					9870			
Phe	Ser	Leu	Thr	Pro	Gly	Phe	Arg	Glu	Thr	Ser	Thr	Ser	Glu	Glu	Thr	
		9875					9880					9885				
Thr	Ser	Ile	Thr	Glu	Thr	Ser	Ala	Val	Leu	Tyr	Gly	Val	Pro	Thr	Ser	
9890						9895					9900					
Ala	Thr	Thr	Glu	Val	Ser	Met	Thr	Glu	Ile	Met	Ser	Ser	Asn	Arg	Ile	
9905					9910					9915					9920	
His	Ile	Pro	Asp	Ser	Asp	Gln	Ser	Thr	Met	Ser	Pro	Asp	Ile	Ile	Thr	
				9925					9930					9935		
Glu	Val	Ile	Thr	Arg	Leu	Ser	Ser	Ser	Ser	Met	Met	Ser	Glu	Ser	Thr	
			9940					9945					9950			
Gln	Met	Thr	Ile	Thr	Thr	Gln	Lys	Ser	Ser	Pro	Gly	Ala	Thr	Ala	Gln	
		9955					9960					9965				
Ser	Thr	Leu	Thr	Leu	Ala	Thr	Thr	Thr	Ala	Pro	Leu	Ala	Arg	Thr	His	
	9970					9975					9980					
Ser	Thr	Val	Pro	Pro	Arg	Phe	Leu	His	Ser	Glu	Met	Thr	Thr	Leu	Met	
9985					9990					9995					10000	
Ser	Arg	Ser	Pro	Glu	Asn	Pro	Ser	Trp	Lys	Ser	Ser	Leu	Phe	Val	Glu	
				10005					10010					10015		
Lys	Thr	Ser	Ser	Ser	Ser	Ser	Leu	Leu	Ser	Leu	Pro	Val	Thr	Thr	Ser	
		10020						10025					10030			
Pro	Ser	Val	Ser	Ser	Thr	Leu	Pro	Gln	Ser	Ile	Pro	Ser	Ser	Ser	Phe	
		10035					10040					10045				
Ser	Val	Thr	Ser	Leu	Leu	Thr	Pro	Gly	Met	Val	Lys	Thr	Thr	Asp	Thr	
	10050					10055					10060					
Ser	Thr	Glu	Pro	Gly	Thr	Ser	Leu	Ser	Pro	Asn	Leu	Ser	Gly	Thr	Ser	
10065					10070					10075					10080	
Val	Glu	Ile	Leu	Ala	Ala	Ser	Glu	Val	Thr	Thr	Asp	Thr	Glu	Lys	Ile	
			10085						10090					10095		
His	Pro	Ser	Ser	Ser	Met	Ala	Val	Thr	Asn	Val	Gly	Thr	Thr	Ser	Ser	
			10100					10105					10110			
Gly	His	Glu	Leu	Tyr	Ser	Ser	Val	Ser	Ile	His	Ser	Glu	Pro	Ser	Lys	
		10115					10120					10125				
Ala	Thr	Tyr	Pro	Val	Gly	Thr	Pro	Ser	Ser	Met	Ala	Glu	Thr	Ser	Ile	
	10130					10135					10140					

-continued

Thr Ser Ser Pro Asp Trp Pro Pro Ala Ser Gln Tyr Thr Glu Ile Pro		
10210	10215	10220
Val Asp Ile Ile Thr Pro Phe Asn Ala Ser Pro Ser Ile Thr Glu Ser		
10225	10230	10235 10240
Thr Gly Ile Thr Ser Phe Pro Glu Ser Arg Phe Thr Met Ser Val Thr		
	10245 10250	10255
Glu Ser Thr His His Leu Ser Thr Asp Leu Leu Pro Ser Ala Glu Thr		
	10260 10265	10270
Ile Ser Thr Gly Thr Val Met Pro Ser Leu Ser Glu Ala Met Thr Ser		
	10275 10280	10285
Phe Ala Thr Thr Gly Val Pro Arg Ala Ile Ser Gly Ser Gly Ser Pro		
	10290 10295	10300
Phe Ser Arg Thr Glu Ser Gly Pro Gly Asp Ala Thr Leu Ser Thr Ile		
10305	10310	10315 10320
Ala Glu Ser Leu Pro Ser Ser Thr Pro Val Pro Phe Ser Ser Ser Thr		
	10325 10330	10335
Phe Thr Thr Thr Asp Ser Ser Thr Ile Pro Ala Leu His Glu Ile Thr		
	10340 10345	10350
Ser Ser Ser Ala Thr Pro Tyr Arg Val Asp Thr Ser Leu Gly Thr Glu		
	10355 10360	10365
Ser Ser Thr Thr Glu Gly Arg Leu Val Met Val Ser Thr Leu Asp Thr		
	10370 10375	10380
Ser Ser Gln Pro Gly Arg Thr Ser Ser Ser Pro Ile Leu Asp Thr Arg		
10385	10390	10395 10400
Met Thr Glu Ser Val Glu Leu Gly Thr Val Thr Ser Ala Tyr Gln Val		
	10405 10410	10415
Pro Ser Leu Ser Thr Arg Leu Thr Arg Thr Asp Gly Ile Met Glu His		
	10420 10425	10430
Ile Thr Lys Ile Pro Asn Glu Ala Ala His Arg Gly Thr Ile Arg Pro		
	10435 10440	10445
Val Lys Gly Pro Gln Thr Ser Thr Ser Pro Ala Ser Pro Lys Gly Leu		
	10450 10455	10460
His Thr Gly Gly Thr Lys Arg Met Glu Thr Thr Thr Ala Leu Lys		
10465	10470	10475 10480
Thr Thr Thr Thr Ala Leu Lys Thr Thr Ser Arg Ala Thr Leu Thr Thr		
	10485 10490	10495
Ser Val Tyr Thr Pro Thr Leu Gly Thr Leu Thr Pro Leu Asn Ala Ser		
	10500 10505	10510
Met Gln Met Ala Ser Thr Ile Pro Thr Glu Met Met Ile Thr Thr Pro		
	10515 10520	10525
Tyr Val Phe Pro Asp Val Pro Glu Thr Thr Ser Ser Leu Ala Thr Ser		
	10530 10535	10540
Leu Gly Ala Glu Thr Ser Thr Ala Leu Pro Arg Thr Thr Pro Ser Val		
10545	10550	10555 10560
Phe Asn Arg Glu Ser Glu Thr Thr Ala Ser Leu Val Ser Arg Ser Gly		
	10565 10570	10575
Ala Glu Arg Ser Pro Val Ile Gln Thr Leu Asp Val Ser Ser Ser Glu		
	10580 10585	10590
Pro Asp Thr Thr Ala Ser Trp Val Ile His Pro Ala Glu Thr Ile Pro		
	10595 10600	10605
Thr Val Ser Lys Thr Thr Pro Asn Phe Phe His Ser Glu Leu Asp Thr		

-continued

10610	10615	10620
Val Ser Ser Thr Ala Thr	Ser His Gly Ala Asp	Val Ser Ser Ala Ile
10625	10630	10635 10640
Pro Thr Asn Ile Ser	Pro Ser Glu Leu Asp	Ala Leu Thr Pro Leu Val
10645	10650	10655
Thr Ile Ser Gly Thr Asp Thr	Ser Thr Thr Phe Pro Thr Leu Thr Lys	
10660	10665	10670
Ser Pro His Glu Thr Glu Thr Arg	Thr Thr Trp Leu Thr His Pro Ala	
10675	10680	10685
Glu Thr Ser Ser Thr Ile Pro	Arg Thr Ile Pro Asn Phe Ser His His	
10690	10695	10700
Glu Ser Asp Ala Thr Pro	Ser Ile Ala Thr Ser Pro Gly Ala Glu Thr	
10705	10710	10715 10720
Ser Ser Ala Ile Pro	Ile Met Thr Val Ser Pro Gly Ala Glu Asp Leu	
10725	10730	10735
Val Thr Ser Gln Val Thr Ser Ser Gly	Thr Asp Arg Asn Met Thr Ile	
10740	10745	10750
Pro Thr Leu Thr Leu Ser Pro Gly	Glu Pro Lys Thr Ile Ala Ser Leu	
10755	10760	10765
Val Thr His Pro Glu Ala Gln	Thr Ser Ser Ala Ile Pro Thr Ser Thr	
10770	10775	10780
Ile Ser Pro Ala Val Ser	Arg Leu Val Thr Ser Met Val Thr Ser Leu	
10785	10790	10795 10800
Ala Ala Lys Thr Ser Thr Thr Asn Arg Ala	Leu Thr Asn Ser Pro Gly	
10805	10810	10815
Glu Pro Ala Thr Thr Val Ser Leu Val	Thr His Pro Ala Gln Thr Ser	
10820	10825	10830
Pro Thr Val Pro Trp Thr Thr Ser	Ile Phe Phe His Ser Lys Ser Asp	
10835	10840	10845
Thr Thr Pro Ser Met Thr Thr	Ser His Gly Ala Glu Ser Ser Ser Ala	
10850	10855	10860
Val Pro Thr Pro Thr Val	Ser Thr Glu Val Pro Gly Val Val Thr Pro	
10865	10870	10875 10880
Leu Val Thr Ser Ser Arg Ala Val Ile Ser	Thr Thr Ile Pro Ile Leu	
10885	10890	10895
Thr Leu Ser Pro Gly Glu Pro Glu Thr	Thr Pro Ser Met Ala Thr Ser	
10900	10905	10910
His Gly Glu Glu Ala Ser Ser Ala	Ile Pro Thr Pro Thr Val Ser Pro	
10915	10920	10925
Gly Val Pro Gly Val Val Thr	Ser Leu Val Thr Ser Ser Arg Ala Val	
10930	10935	10940
Thr Ser Thr Thr Ile Pro	Ile Leu Thr Phe Ser Leu Gly Glu Pro Glu	
10945	10950	10955 10960
Thr Thr Pro Ser Met Ala Thr Ser His Gly	Thr Glu Ala Gly Ser Ala	
10965	10970	10975
Val Pro Thr Val Leu Pro Glu Val Pro	Gly Met Val Thr Ser Leu Val	
10980	10985	10990
Ala Ser Ser Arg Ala Val Thr Ser	Thr Thr Leu Pro Thr Leu Thr Leu	
10995	11000	11005
Ser Pro Gly Glu Pro Glu Thr	Thr Pro Ser Met Ala Thr Ser His Gly	
11010	11015	11020

-continued

Ala	Glu	Ala	Ser	Ser	Thr	Val	Pro	Thr	Val	Ser	Pro	Glu	Val	Pro	Gly	11025	11030	11035	11040
Val	Val	Thr	Ser	Leu	Val	Thr	Ser	Ser	Ser	Gly	Val	Asn	Ser	Thr	Ser	11045	11050	11055	
Ile	Pro	Thr	Leu	Ile	Leu	Ser	Pro	Gly	Glu	Leu	Glu	Thr	Thr	Pro	Ser	11060	11065	11070	
Met	Ala	Thr	Ser	His	Gly	Ala	Glu	Ala	Ser	Ser	Ala	Val	Pro	Thr	Pro	11075	11080	11085	
Thr	Val	Ser	Pro	Gly	Val	Ser	Gly	Val	Val	Thr	Pro	Leu	Val	Thr	Ser	11090	11095	11100	
Ser	Arg	Ala	Val	Thr	Ser	Thr	Thr	Ile	Pro	Ile	Leu	Thr	Leu	Ser	Ser	11105	11110	11115	11120
Ser	Glu	Pro	Glu	Thr	Thr	Pro	Ser	Met	Ala	Thr	Ser	His	Gly	Val	Glu	11125	11130	11135	
Ala	Ser	Ser	Ala	Val	Leu	Thr	Val	Ser	Pro	Glu	Val	Pro	Gly	Met	Val	11140	11145	11150	
Thr	Ser	Leu	Val	Thr	Ser	Ser	Arg	Ala	Val	Thr	Ser	Thr	Thr	Ile	Pro	11155	11160	11165	
Thr	Leu	Thr	Ile	Ser	Ser	Asp	Glu	Pro	Glu	Thr	Thr	Thr	Ser	Leu	Val	11170	11175	11180	
Thr	His	Ser	Glu	Ala	Lys	Met	Ile	Ser	Ala	Ile	Pro	Thr	Leu	Ala	Val	11185	11190	11195	11200
Ser	Pro	Thr	Val	Gln	Gly	Leu	Val	Thr	Ser	Leu	Val	Thr	Ser	Ser	Gly	11205	11210	11215	
Ser	Glu	Thr	Ser	Ala	Phe	Ser	Asn	Leu	Thr	Val	Ala	Ser	Ser	Gln	Pro	11220	11225	11230	
Glu	Thr	Ile	Asp	Ser	Trp	Val	Ala	His	Pro	Gly	Thr	Glu	Ala	Ser	Ser	11235	11240	11245	
Val	Val	Pro	Thr	Leu	Thr	Val	Ser	Thr	Gly	Glu	Pro	Phe	Thr	Asn	Ile	11250	11255	11260	
Ser	Leu	Val	Thr	His	Pro	Ala	Glu	Ser	Ser	Ser	Thr	Leu	Pro	Arg	Thr	11265	11270	11275	11280
Thr	Ser	Arg	Phe	Ser	His	Ser	Glu	Leu	Asp	Thr	Met	Pro	Ser	Thr	Val	11285	11290	11295	
Thr	Ser	Pro	Glu	Ala	Glu	Ser	Ser	Ser	Ala	Ile	Ser	Thr	Thr	Ile	Ser	11300	11305	11310	
Pro	Gly	Ile	Pro	Gly	Val	Leu	Thr	Ser	Leu	Val	Thr	Ser	Ser	Gly	Arg	11315	11320	11325	
Asp	Ile	Ser	Ala	Thr	Phe	Pro	Thr	Val	Pro	Glu	Ser	Pro	His	Glu	Ser	11330	11335	11340	
Glu	Ala	Thr	Ala	Ser	Trp	Val	Thr	His	Pro	Ala	Val	Thr	Ser	Thr	Thr	11345	11350	11355	11360
Val	Pro	Arg	Thr	Thr	Pro	Asn	Tyr	Ser	His	Ser	Glu	Pro	Asp	Thr	Thr	11365	11370	11375	
Pro	Ser	Ile	Ala	Thr	Ser	Pro	Gly	Ala	Glu	Ala	Thr	Ser	Asp	Phe	Pro	11380	11385	11390	
Thr	Ile	Thr	Val	Ser	Pro	Asp	Val	Pro	Asp	Met	Val	Thr	Ser	Gln	Val	11395	11400	11405	
Thr	Ser	Ser	Gly	Thr	Asp	Thr	Ser	Ile	Thr	Ile	Pro	Thr	Leu	Thr	Leu	11410	11415	11420	

-continued

Ser	Ser	Gly	Glu	Pro	Glu	Thr	Thr	Thr	Ser	Phe	Ile	Thr	Tyr	Ser	Glu	11425	11430	11435	11440
Thr	His	Thr	Ser	Ser	Ala	Ile	Pro	Thr	Leu	Pro	Val	Ser	Pro	Gly	Ala	11445	11450	11455	
Ser	Lys	Met	Leu	Thr	Ser	Leu	Val	Ile	Ser	Ser	Gly	Thr	Asp	Ser	Thr	11460	11465	11470	
Thr	Thr	Phe	Pro	Thr	Leu	Thr	Glu	Thr	Pro	Tyr	Glu	Pro	Glu	Thr	Thr	11475	11480	11485	
Ala	Ile	Gln	Leu	Ile	His	Pro	Ala	Glu	Thr	Asn	Thr	Met	Val	Pro	Arg	11490	11495	11500	
Thr	Thr	Pro	Lys	Phe	Ser	His	Ser	Lys	Ser	Asp	Thr	Thr	Leu	Pro	Val	11505	11510	11515	11520
Ala	Ile	Thr	Ser	Pro	Gly	Pro	Glu	Ala	Ser	Ser	Ala	Val	Ser	Thr	Thr	11525	11530	11535	
Thr	Ile	Ser	Pro	Asp	Met	Ser	Asp	Leu	Val	Thr	Ser	Leu	Val	Pro	Ser	11540	11545	11550	
Ser	Gly	Thr	Asp	Thr	Ser	Thr	Thr	Phe	Pro	Thr	Leu	Ser	Glu	Thr	Pro	11555	11560	11565	
Tyr	Glu	Pro	Glu	Thr	Thr	Ala	Thr	Trp	Leu	Thr	His	Pro	Ala	Glu	Thr	11570	11575	11580	
Ser	Thr	Thr	Val	Ser	Gly	Thr	Ile	Pro	Asn	Phe	Ser	His	Arg	Gly	Ser	11585	11590	11595	11600
Asp	Thr	Ala	Pro	Ser	Met	Val	Thr	Ser	Pro	Gly	Val	Asp	Thr	Arg	Ser	11605	11610	11615	
Gly	Val	Pro	Thr	Thr	Thr	Ile	Pro	Pro	Ser	Ile	Pro	Gly	Val	Val	Thr	11620	11625	11630	
Ser	Gln	Val	Thr	Ser	Ser	Ala	Thr	Asp	Thr	Ser	Thr	Ala	Ile	Pro	Thr	11635	11640	11645	
Leu	Thr	Pro	Ser	Pro	Gly	Glu	Pro	Glu	Thr	Thr	Ala	Ser	Ser	Ala	Thr	11650	11655	11660	
His	Pro	Gly	Thr	Gln	Thr	Gly	Phe	Thr	Val	Pro	Ile	Arg	Thr	Val	Pro	11665	11670	11675	11680
Ser	Ser	Glu	Pro	Asp	Thr	Met	Ala	Ser	Trp	Val	Thr	His	Pro	Pro	Gln	11685	11690	11695	
Thr	Ser	Thr	Pro	Val	Ser	Arg	Thr	Thr	Ser	Ser	Phe	Ser	His	Ser	Ser	11700	11705	11710	
Pro	Asp	Ala	Thr	Pro	Val	Met	Ala	Thr	Ser	Pro	Arg	Thr	Glu	Ala	Ser	11715	11720	11725	
Ser	Ala	Val	Leu	Thr	Thr	Ile	Ser	Pro	Gly	Ala	Pro	Glu	Met	Val	Thr	11730	11735	11740	
Ser	Gln	Ile	Thr	Ser	Ser	Gly	Ala	Ala	Thr	Ser	Thr	Thr	Val	Pro	Thr	11745	11750	11755	11760
Leu	Thr	His	Ser	Pro	Gly	Met	Pro	Glu	Thr	Thr	Ala	Leu	Leu	Ser	Thr	11765	11770	11775	
His	Pro	Arg	Thr	Glu	Thr	Ser	Lys	Thr	Phe	Pro	Ala	Ser	Thr	Val	Phe	11780	11785	11790	
Pro	Gln	Val	Ser	Glu	Thr	Thr	Ala	Ser	Leu	Thr	Ile	Arg	Pro	Gly	Ala	11795	11800	11805	
Glu	Thr	Ser	Thr	Ala	Leu	Pro	Thr	Gln	Thr	Thr	Ser	Ser	Leu	Phe	Thr	11810	11815	11820	
Leu	Leu	Val	Thr	Gly	Thr	Ser	Arg	Val	Asp	Leu	Ser	Pro	Thr	Ala	Ser				

-continued

11825	11830	11835	11840
Pro Gly Val Ser Ala	Lys Thr Ala Pro Leu	Ser Thr His Pro Gly	Thr
11845	11850	11855	
Glu Thr Ser Thr	Met Ile Pro Thr Ser	Thr Leu Ser Leu Gly	Leu Leu
11860	11865	11870	
Glu Thr Thr Gly	Leu Leu Ala Thr	Ser Ser Ser Ala Glu	Thr Ser Thr
11875	11880	11885	
Ser Thr Leu Thr	Leu Thr Val	Ser Pro Ala Val Ser	Gly Leu Ser Ser
11890	11895	11900	
Ala Ser Ile Thr	Thr Asp Lys Pro Gln Thr	Val Thr Ser Trp Asn	Thr
11905	11910	11915	11920
Glu Thr Ser Pro	Ser Val Thr Ser Val Gly	Pro Pro Glu Phe Ser	Arg
11925	11930	11935	
Thr Val Thr Gly	Thr Thr Met Thr Leu	Ile Pro Ser Glu Met	Pro Thr
11940	11945	11950	
Pro Pro Lys Thr	Ser His Gly Glu	Gly Val Ser Pro Thr	Thr Ile Leu
11955	11960	11965	
Arg Thr Thr Met	Val Glu Ala Thr Asn	Leu Ala Thr Thr	Gly Ser Ser
11970	11975	11980	
Pro Thr Val Ala	Lys Thr Thr Thr Thr	Phe Asn Thr Leu Ala	Gly Ser
11985	11990	11995	12000
Leu Phe Thr Pro	Leu Thr Thr Pro Gly Met	Ser Thr Leu Ala Ser	Glu
12005	12010	12015	
Ser Val Thr Ser	Arg Thr Ser Tyr Asn	His Arg Ser Trp Ile	Ser Thr
12020	12025	12030	
Thr Ser Ser Tyr	Asn Arg Arg Tyr Trp Thr	Pro Ala Thr Ser Thr	Pro
12035	12040	12045	
Val Thr Ser Thr	Phe Ser Pro Gly Ile Ser Thr	Ser Ser Ile Pro Ser	
12050	12055	12060	
Ser Thr Ala Ala	Thr Val Pro Phe Met Val	Pro Phe Thr Leu Asn	Phe
12065	12070	12075	12080
Thr Ile Thr Asn	Leu Gln Tyr Glu Glu Asp	Met Arg His Pro Gly	Ser
12085	12090	12095	
Arg Lys Phe Asn	Ala Thr Glu Arg Glu	Leu Gln Gly Leu Leu	Lys Pro
12100	12105	12110	
Leu Phe Arg Asn	Ser Ser Leu Glu Tyr Leu Tyr	Ser Gly Cys Arg Leu	
12115	12120	12125	
Ala Ser Leu Arg	Pro Glu Lys Asp Ser Ser	Ala Thr Ala Val Asp	Ala
12130	12135	12140	
Ile Cys Thr His	Arg Pro Asp Pro Glu Asp	Leu Gly Leu Asp Arg	Glu
12145	12150	12155	12160
Arg Leu Tyr Trp	Glu Leu Ser Asn Leu Thr	Asn Gly Ile Gln Glu	Leu
12165	12170	12175	
Gly Pro Tyr Thr	Leu Asp Arg Asn Ser	Leu Tyr Val Asn Gly	Phe Thr
12180	12185	12190	
His Arg Ser Ser	Met Pro Thr Thr Ser Thr	Pro Gly Thr Ser Thr	Val
12195	12200	12205	
Asp Val Gly Thr	Ser Gly Thr Pro Ser Ser	Ser Pro Ser Pro Thr	Thr
12210	12215	12220	
Ala Gly Pro Leu	Leu Met Pro Phe Thr Leu	Asn Phe Thr Ile Thr	Asn
12225	12230	12235	12240

-continued

Leu	Gln	Tyr	Glu	Glu	Asp	Met	Arg	Arg	Thr	Gly	Ser	Arg	Lys	Phe	Asn	12245	12250	12255	
Thr	Met	Glu	Ser	Val	Leu	Gln	Gly	Leu	Leu	Lys	Pro	Leu	Phe	Lys	Asn	12260	12265	12270	
Thr	Ser	Val	Gly	Pro	Leu	Tyr	Ser	Gly	Cys	Arg	Leu	Thr	Leu	Leu	Arg	12275	12280	12285	
Pro	Glu	Lys	Asp	Gly	Ala	Ala	Thr	Gly	Val	Asp	Ala	Ile	Cys	Thr	His	12290	12295	12300	
Arg	Leu	Asp	Pro	Lys	Ser	Pro	Gly	Leu	Asn	Arg	Glu	Gln	Leu	Tyr	Trp	12305	12310	12315	12320
Glu	Leu	Ser	Lys	Leu	Thr	Asn	Asp	Ile	Glu	Glu	Leu	Gly	Pro	Tyr	Thr	12325	12330	12335	
Leu	Asp	Arg	Asn	Ser	Leu	Tyr	Val	Asn	Gly	Phe	Thr	His	Gln	Ser	Ser	12340	12345	12350	
Val	Ser	Thr	Thr	Ser	Thr	Pro	Gly	Thr	Ser	Thr	Val	Asp	Leu	Arg	Thr	12355	12360	12365	
Ser	Gly	Thr	Pro	Ser	Ser	Leu	Ser	Ser	Pro	Thr	Ile	Met	Ala	Ala	Gly	12370	12375	12380	
Pro	Leu	Leu	Val	Pro	Phe	Thr	Leu	Asn	Phe	Thr	Ile	Thr	Asn	Leu	Gln	12385	12390	12395	12400
Tyr	Gly	Glu	Asp	Met	Gly	His	Pro	Gly	Ser	Arg	Lys	Phe	Asn	Thr	Thr	12405	12410	12415	
Glu	Arg	Val	Leu	Gln	Gly	Leu	Leu	Gly	Pro	Ile	Phe	Lys	Asn	Thr	Ser	12420	12425	12430	
Val	Gly	Pro	Leu	Tyr	Ser	Gly	Cys	Arg	Leu	Thr	Ser	Leu	Arg	Ser	Glu	12435	12440	12445	
Lys	Asp	Gly	Ala	Ala	Thr	Gly	Val	Asp	Ala	Ile	Cys	Ile	His	His	Leu	12450	12455	12460	
Asp	Pro	Lys	Ser	Pro	Gly	Leu	Asn	Arg	Glu	Arg	Leu	Tyr	Trp	Glu	Leu	12465	12470	12475	12480
Ser	Gln	Leu	Thr	Asn	Gly	Ile	Lys	Glu	Leu	Gly	Pro	Tyr	Thr	Leu	Asp	12485	12490	12495	
Arg	Asn	Ser	Leu	Tyr	Val	Asn	Gly	Phe	Thr	His	Arg	Thr	Ser	Val	Pro	12500	12505	12510	
Thr	Ser	Ser	Thr	Pro	Gly	Thr	Ser	Thr	Val	Asp	Leu	Gly	Thr	Ser	Gly	12515	12520	12525	
Thr	Pro	Phe	Ser	Leu	Pro	Ser	Pro	Ala	Thr	Ala	Gly	Pro	Leu	Leu	Val	12530	12535	12540	
Leu	Phe	Thr	Leu	Asn	Phe	Thr	Ile	Thr	Asn	Leu	Lys	Tyr	Glu	Glu	Asp	12545	12550	12555	12560
Met	His	Arg	Pro	Gly	Ser	Arg	Lys	Phe	Asn	Thr	Thr	Glu	Arg	Val	Leu	12565	12570	12575	
Gln	Thr	Leu	Leu	Gly	Pro	Met	Phe	Lys	Asn	Thr	Ser	Val	Gly	Leu	Leu	12580	12585	12590	
Tyr	Ser	Gly	Cys	Arg	Leu	Thr	Leu	Leu	Arg	Ser	Glu	Lys	Asp	Gly	Ala	12595	12600	12605	
Ala	Thr	Gly	Val	Asp	Ala	Ile	Cys	Thr	His	Arg	Leu	Asp	Pro	Lys	Ser	12610	12615	12620	
Pro	Gly	Val	Asp	Arg	Glu	Gln	Leu	Tyr	Trp	Glu	Leu	Ser	Gln	Leu	Thr	12625	12630	12635	12640

-continued

Asn Gly Ile Lys Glu	Leu Gly Pro Tyr Thr	Leu Asp Arg Asn Ser	Leu
12645	12650	12655	
Tyr Val Asn Gly Phe Thr His Trp Ile	Pro Val Pro Thr Ser Ser Thr		
12660	12665	12670	
Pro Gly Thr Ser Thr Val Asp Leu Gly Ser Gly Thr Pro Ser Ser Leu			
12675	12680	12685	
Pro Ser Pro Thr Thr Ala Gly Pro Leu Leu Val Pro Phe Thr Leu Asn			
12690	12695	12700	
Phe Thr Ile Thr Asn Leu Lys Tyr Glu Glu Asp Met His Cys Pro Gly			
12705	12710	12715	12720
Ser Arg Lys Phe Asn Thr Thr Glu Arg Val Leu Gln Ser Leu Leu Gly			
12725	12730	12735	
Pro Met Phe Lys Asn Thr Ser Val Gly Pro Leu Tyr Ser Gly Cys Arg			
12740	12745	12750	
Leu Thr Leu Leu Arg Ser Glu Lys Asp Gly Ala Ala Thr Gly Val Asp			
12755	12760	12765	
Ala Ile Cys Thr His Arg Leu Asp Pro Lys Ser Pro Gly Val Asp Arg			
12770	12775	12780	
Glu Gln Leu Tyr Trp Glu Leu Ser Gln Leu Thr Asn Gly Ile Lys Glu			
12785	12790	12795	12800
Leu Gly Pro Tyr Thr Leu Asp Arg Asn Ser Leu Tyr Val Asn Gly Phe			
12805	12810	12815	
Thr His Gln Thr Ser Ala Pro Asn Thr Ser Thr Pro Gly Thr Ser Thr			
12820	12825	12830	
Val Asp Leu Gly Thr Ser Gly Thr Pro Ser Ser Leu Pro Ser Pro Thr			
12835	12840	12845	
Ser Ala Gly Pro Leu Leu Val Pro Phe Thr Leu Asn Phe Thr Ile Thr			
12850	12855	12860	
Asn Leu Gln Tyr Glu Glu Asp Met His His Pro Gly Ser Arg Lys Phe			
12865	12870	12875	12880
Asn Thr Thr Glu Arg Val Leu Gln Gly Leu Leu Gly Pro Met Phe Lys			
12885	12890	12895	
Asn Thr Ser Val Gly Leu Leu Tyr Ser Gly Cys Arg Leu Thr Leu Leu			
12900	12905	12910	
Arg Pro Glu Lys Asn Gly Ala Ala Thr Gly Met Asp Ala Ile Cys Ser			
12915	12920	12925	
His Arg Leu Asp Pro Lys Ser Pro Gly Leu Asn Arg Glu Gln Leu Tyr			
12930	12935	12940	
Trp Glu Leu Ser Gln Leu Thr His Gly Ile Lys Glu Leu Gly Pro Tyr			
12945	12950	12955	12960
Thr Leu Asp Arg Asn Ser Leu Tyr Val Asn Gly Phe Thr His Arg Ser			
12965	12970	12975	
Ser Val Ala Pro Thr Ser Thr Pro Gly Thr Ser Thr Val Asp Leu Gly			
12980	12985	12990	
Thr Ser Gly Thr Pro Ser Ser Leu Pro Ser Pro Thr Thr Ala Val Pro			
12995	13000	13005	
Leu Leu Val Pro Phe Thr Leu Asn Phe Thr Ile Thr Asn Leu Gln Tyr			
13010	13015	13020	
Gly Glu Asp Met Arg His Pro Gly Ser Arg Lys Phe Asn Thr Thr Glu			
13025	13030	13035	13040
Arg Val Leu Gln Gly Leu Leu Gly Pro Leu Phe Lys Asn Ser Ser Val			

-continued

13045					13050					13055						
Gly	Pro	Leu	Tyr	Ser	Gly	Cys	Arg	Leu	Ile	Ser	Leu	Arg	Ser	Glu	Lys	
13060					13065					13070						
Asp	Gly	Ala	Ala	Thr	Gly	Val	Asp	Ala	Ile	Cys	Thr	His	His	Leu	Asn	
13075					13080					13085						
Pro	Gln	Ser	Pro	Gly	Leu	Asp	Arg	Glu	Gln	Leu	Tyr	Trp	Gln	Leu	Ser	
13090					13095					13100						
Gln	Met	Thr	Asn	Gly	Ile	Lys	Glu	Leu	Gly	Pro	Tyr	Thr	Leu	Asp	Arg	
13105					13110					13115					13120	
Asn	Ser	Leu	Tyr	Val	Asn	Gly	Phe	Thr	His	Arg	Ser	Ser	Gly	Leu	Thr	
13125					13130					13135						
Thr	Ser	Thr	Pro	Trp	Thr	Ser	Thr	Val	Asp	Leu	Gly	Thr	Ser	Gly	Thr	
13140					13145					13150						
Pro	Ser	Pro	Val	Pro	Ser	Pro	Thr	Thr	Thr	Gly	Pro	Leu	Leu	Val	Pro	
13155					13160					13165						
Phe	Thr	Leu	Asn	Phe	Thr	Ile	Thr	Asn	Leu	Gln	Tyr	Glu	Glu	Asn	Met	
13170					13175					13180						
Gly	His	Pro	Gly	Ser	Arg	Lys	Phe	Asn	Ile	Thr	Glu	Ser	Val	Leu	Gln	
13185					13190					13195					13200	
Gly	Leu	Leu	Lys	Pro	Leu	Phe	Lys	Ser	Thr	Ser	Val	Gly	Pro	Leu	Tyr	
13205					13210					13215						
Ser	Gly	Cys	Arg	Leu	Thr	Leu	Leu	Arg	Pro	Glu	Lys	Asp	Gly	Val	Ala	
13220					13225					13230						
Thr	Arg	Val	Asp	Ala	Ile	Cys	Thr	His	Arg	Pro	Asp	Pro	Lys	Ile	Pro	
13235					13240					13245						
Gly	Leu	Asp	Arg	Gln	Gln	Leu	Tyr	Trp	Glu	Leu	Ser	Gln	Leu	Thr	His	
13250					13255					13260						
Ser	Ile	Thr	Glu	Leu	Gly	Pro	Tyr	Thr	Leu	Asp	Arg	Asp	Ser	Leu	Tyr	
13265					13270					13275					13280	
Val	Asn	Gly	Phe	Thr	Gln	Arg	Ser	Ser	Val	Pro	Thr	Thr	Ser	Thr	Pro	
13285					13290					13295						
Gly	Thr	Phe	Thr	Val	Gln	Pro	Glu	Thr	Ser	Glu	Thr	Pro	Ser	Ser	Leu	
13300					13305					13310						
Pro	Gly	Pro	Thr	Ala	Thr	Gly	Pro	Val	Leu	Leu	Pro	Phe	Thr	Leu	Asn	
13315					13320					13325						
Phe	Thr	Ile	Thr	Asn	Leu	Gln	Tyr	Glu	Glu	Asp	Met	Arg	Arg	Pro	Gly	
13330					13335					13340						
Ser	Arg	Lys	Phe	Asn	Thr	Thr	Glu	Arg	Val	Leu	Gln	Gly	Leu	Leu	Met	
13345					13350					13355					13360	
Pro	Leu	Phe	Lys	Asn	Thr	Ser	Val	Ser	Ser	Leu	Tyr	Ser	Gly	Cys	Arg	
13365					13370					13375						
Leu	Thr	Leu	Leu	Arg	Pro	Glu	Lys	Asp	Gly	Ala	Ala	Thr	Arg	Val	Asp	
13380					13385					13390						
Ala	Val	Cys	Thr	His	Arg	Pro	Asp	Pro	Lys	Ser	Pro	Gly	Leu	Asp	Arg	
13395					13400					13405						
Glu	Arg	Leu	Tyr	Trp	Lys	Leu	Ser	Gln	Leu	Thr	His	Gly	Ile	Thr	Glu	
13410					13415					13420						
Leu	Gly	Pro	Tyr	Thr	Leu	Asp	Arg	His	Ser	Leu	Tyr	Val	Asn	Gly	Phe	
13425					13430					13435					13440	
Thr	His	Gln	Ser	Ser	Met	Thr	Thr	Thr	Arg	Thr	Pro	Asp	Thr	Ser	Thr	
13445					13450					13455						

-continued

Met His Leu Ala Thr Ser Arg Thr Pro Ala Ser Leu Ser Gly Pro Met		
13460	13465	13470
Thr Ala Ser Pro Leu Leu Val Leu Phe Thr Ile Asn Phe Thr Ile Thr		
13475	13480	13485
Asn Leu Arg Tyr Glu Glu Asn Met His His Pro Gly Ser Arg Lys Phe		
13490	13495	13500
Asn Thr Thr Glu Arg Val Leu Gln Gly Leu Leu Arg Pro Val Phe Lys		
13505	13510	13515 13520
Asn Thr Ser Val Gly Pro Leu Tyr Ser Gly Cys Arg Leu Thr Leu Leu		
13525	13530	13535
Arg Pro Lys Lys Asp Gly Ala Ala Thr Lys Val Asp Ala Ile Cys Thr		
13540	13545	13550
Tyr Arg Pro Asp Pro Lys Ser Pro Gly Leu Asp Arg Glu Gln Leu Tyr		
13555	13560	13565
Trp Glu Leu Ser Gln Leu Thr His Ser Ile Thr Glu Leu Gly Pro Tyr		
13570	13575	13580
Thr Leu Asp Arg Asp Ser Leu Tyr Val Asn Gly Phe Thr Gln Arg Ser		
13585	13590	13595 13600
Ser Val Pro Thr Thr Ser Ile Pro Gly Thr Pro Thr Val Asp Leu Gly		
13605	13610	13615
Thr Ser Gly Thr Pro Val Ser Lys Pro Gly Pro Ser Ala Ala Ser Pro		
13620	13625	13630
Leu Leu Val Leu Phe Thr Leu Asn Phe Thr Ile Thr Asn Leu Arg Tyr		
13635	13640	13645
Glu Glu Asn Met Gln His Pro Gly Ser Arg Lys Phe Asn Thr Thr Glu		
13650	13655	13660
Arg Val Leu Gln Gly Leu Leu Arg Ser Leu Phe Lys Ser Thr Ser Val		
13665	13670	13675 13680
Gly Pro Leu Tyr Ser Gly Cys Arg Leu Thr Leu Leu Arg Pro Glu Lys		
13685	13690	13695
Asp Gly Thr Ala Thr Gly Val Asp Ala Ile Cys Thr His His Pro Asp		
13700	13705	13710
Pro Lys Ser Pro Arg Leu Asp Arg Glu Gln Leu Tyr Trp Glu Leu Ser		
13715	13720	13725
Gln Leu Thr His Asn Ile Thr Glu Leu Gly Pro Tyr Ala Leu Asp Asn		
13730	13735	13740
Asp Ser Leu Phe Val Asn Gly Phe Thr His Arg Ser Ser Val Ser Thr		
13745	13750	13755 13760
Thr Ser Thr Pro Gly Thr Pro Thr Val Tyr Leu Gly Ala Ser Lys Thr		
13765	13770	13775
Pro Ala Ser Ile Phe Gly Pro Ser Ala Ala Ser His Leu Leu Ile Leu		
13780	13785	13790
Phe Thr Leu Asn Phe Thr Ile Thr Asn Leu Arg Tyr Glu Glu Asn Met		
13795	13800	13805
Trp Pro Gly Ser Arg Lys Phe Asn Thr Thr Glu Arg Val Leu Gln Gly		
13810	13815	13820
Leu Leu Arg Pro Leu Phe Lys Asn Thr Ser Val Gly Pro Leu Tyr Ser		
13825	13830	13835 13840
Gly Cys Arg Leu Thr Leu Leu Arg Pro Glu Lys Asp Gly Glu Ala Thr		
13845	13850	13855

-continued

Gly Val Asp Ala	Ile Cys Thr His Arg	Pro Asp Pro Thr Gly	Pro Gly
13860	13865	13870	
Leu Asp Arg Glu Gln Leu Tyr Leu	Glu Leu Ser Gln Leu Thr His Ser		
13875	13880	13885	
Ile Thr Glu Leu Gly Pro Tyr	Thr Leu Asp Arg Asp	Ser Leu Tyr Val	
13890	13895	13900	
Asn Gly Phe Thr His Arg	Ser Ser Val Pro Thr	Thr Ser Thr Gly Val	
13905	13910	13915	13920
Val Ser Glu Glu Pro Phe Thr Leu Asn Phe	Thr Ile Asn Asn Leu Arg		
13925	13930	13935	
Tyr Met Ala Asp Met Gly Gln Pro Gly	Ser Leu Lys Phe Asn Ile Thr		
13940	13945	13950	
Asp Asn Val Met Gln His Leu Leu	Ser Pro Leu Phe Gln Arg Ser Ser		
13955	13960	13965	
Leu Gly Ala Arg Tyr Thr Gly	Cys Arg Val Ile Ala Leu Arg Ser Val		
13970	13975	13980	
Lys Asn Gly Ala Glu Thr Arg Val Asp Leu Leu	Cys Thr Tyr Leu Gln		
13985	13990	13995	14000
Pro Leu Ser Gly Pro Gly Leu Pro Ile Lys	Gln Val Phe His Glu Leu		
14005	14010	14015	
Ser Gln Gln Thr His Gly Ile Thr Arg	Leu Gly Pro Tyr Ser Leu Asp		
14020	14025	14030	
Lys Asp Ser Leu Tyr Leu Asn Gly Tyr Asn Glu Pro Gly	Pro Asp Glu		
14035	14040	14045	
Pro Pro Thr Thr Pro Lys Pro Ala Thr Thr Phe Leu	Pro Pro Leu Ser		
14050	14055	14060	
Glu Ala Thr Thr Ala Met Gly Tyr His Leu Lys	Thr Leu Thr Leu Asn		
14065	14070	14075	14080
Phe Thr Ile Ser Asn Leu Gln Tyr Ser Pro Asp Met Gly Lys Gly	Ser		
14085	14090	14095	
Ala Thr Phe Asn Ser Thr Glu Gly Val Leu Gln His Leu Leu Arg Pro			
14100	14105	14110	
Leu Phe Gln Lys Ser Ser Met Gly Pro Phe Tyr Leu Gly	Cys Gln Leu		
14115	14120	14125	
Ile Ser Leu Arg Pro Glu Lys Asp Gly Ala Ala Thr	Gly Val Asp Thr		
14130	14135	14140	
Thr Cys Thr Tyr His Pro Asp Pro Val Gly Pro Gly Leu Asp Ile Gln			
14145	14150	14155	14160
Gln Leu Tyr Trp Glu Leu Ser Gln Leu Thr His Gly Val Thr Gln Leu			
14165	14170	14175	
Gly Phe Tyr Val Leu Asp Arg Asp Ser Leu Phe Ile Asn Gly Tyr Ala			
14180	14185	14190	
Pro Gln Asn Leu Ser Ile Arg Gly Glu Tyr Gln Ile Asn Phe His Ile			
14195	14200	14205	
Val Asn Trp Asn Leu Ser Asn Pro Asp Pro Thr Ser Ser Glu Tyr Ile			
14210	14215	14220	
Thr Leu Leu Arg Asp Ile Gln Asp Lys Val Thr Thr Leu Tyr Lys Gly			
14225	14230	14235	14240
Ser Gln Leu His Asp Thr Phe Arg Phe Cys Leu Val Thr Asn Leu Thr			
14245	14250	14255	
Met Asp Ser Val Leu Val Thr Val Lys Ala Leu Phe Ser Ser Asn Leu			

-continued

14260	14265	14270
Asp Pro Ser Leu Val Glu Gln Val Phe Leu Asp Lys Thr Leu Asn Ala		
14275	14280	14285
Ser Phe His Trp Leu Gly Ser Thr Tyr Gln Leu Val Asp Ile His Val		
14290	14295	14300
Thr Glu Met Glu Ser Ser Val Tyr Gln Pro Thr Ser Ser Ser Ser Thr		
14305	14310	14315
Gln His Phe Tyr Leu Asn Phe Thr Ile Thr Asn Leu Pro Tyr Ser Gln		
14325	14330	14335
Asp Lys Ala Gln Pro Gly Thr Thr Asn Tyr Gln Arg Asn Lys Arg Asn		
14340	14345	14350
Ile Glu Asp Ala Leu Asn Gln Leu Phe Arg Asn Ser Ser Ile Lys Ser		
14355	14360	14365
Tyr Phe Ser Asp Cys Gln Val Ser Thr Phe Arg Ser Val Pro Asn Arg		
14370	14375	14380
His His Thr Gly Val Asp Ser Leu Cys Asn Phe Ser Pro Leu Ala Arg		
14385	14390	14395
Arg Val Asp Arg Val Ala Ile Tyr Glu Glu Phe Leu Arg Met Thr Arg		
14405	14410	14415
Asn Gly Thr Gln Leu Gln Asn Phe Thr Leu Asp Arg Ser Ser Val Leu		
14420	14425	14430
Val Asp Gly Tyr Ser Pro Asn Arg Asn Glu Pro Leu Thr Gly Asn Ser		
14435	14440	14445
Asp Leu Pro Phe Trp Ala Val Ile Leu Ile Gly Leu Ala Gly Leu Leu		
14450	14455	14460
Gly Val Ile Thr Cys Leu Ile Cys Gly Val Leu Val Thr Thr Arg Arg		
14465	14470	14475
Arg Lys Lys Glu Gly Glu Tyr Asn Val Gln Gln Gln Cys Pro Gly Tyr		
14485	14490	14495
Tyr Gln Ser His Leu Asp Leu Glu Asp Leu Gln		
14500	14505	

<210> SEQ ID NO 58

<211> LENGTH: 43816

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 58

```

aagcgttgca caattccccc aacctccata catacggcag ctcttctaga cacaggtttt    60
cccaggtcaa atgcgggggac ccagaccata tctccacccc tgagaaattt tggagtttca    120
gggagctcag aagctctgca gaggcacccc tctctgaggg gattcttctt agacctccat    180
ccagaggcaa atgttgacct gtccatgctg aaacctcag gccttcctgg gtcattctct    240
cccacccgct ccttgatgac agggagcagg agcactaaag ccacaccaga aatggattca    300
ggactgacag gagccacctt gtcacctaa acatctacag gtgcaatcgt ggtgacagaa    360
catactctgc cctttacttc ccagataag accttggccca gtccatcatc ttcggttggtg    420
ggaagaacca cccagtcttt gggggtgatg tcctctgctc tccctgagtc aacctctaga    480
ggaatgacac actccgagca aagaaccagc ccacgctga gtcaccaggt caatggaact    540
ccctctagga actaccctgc tacaagcatg gtttcaggat tgagttcccc aaggaccagg    600
accagttcca cagaaggaaa ttttaccaaa gaagcatcta catacacact cactgtagag    660

```

-continued

accacaagtg gccagtcac tgagaagtac acagteccca ctgagacctc aacaactgaa	720
ggtgacagca cagagacccc ctgggacaca agatatattc ctgtaaaaat cacatctcca	780
atgaaaacat ttgcagattc aactgcatcc aaggaaaatg cccagtggtc tatgactcca	840
gctgagacca cagttactga ctcacatact ccaggaagga caaacccatc atttgggaca	900
ctttattctt ccttccttga cctatcacct aaagggaccc caaattccag aggtgaaaca	960
agcctggaac tgattctatc aaccactgga tatcccttct cctctcctga acctggctct	1020
gcaggacaca gcagaataag taccagtgcg cctttgtcat catctgcttc agttctcgat	1080
aataaaatat cagagaccag catattctca ggccagagtc tcacctcccc tctgtctcct	1140
ggggtgcccg aggcagagc cagcacaatg cccaactcag ctatcccttt ttccatgaca	1200
ctaagcaatg cagaaacaag tgccgaaagg gtcagaagca caatttcctc tctggggact	1260
ccatcaatat ccacaaagca gacagcagag actatcctta ccttccatgc cttcgctgag	1320
accatggata taccagcac ccacatagcc aagactttgg cttcagaatg gttgggaagt	1380
ccaggtaccc ttggtggcac cagcacttca gcgtgacaa ccacatctcc atctaccact	1440
ttagtctcag aggagaccaa caccocatcc tccacgagtg gaaaggaaac agaaggaact	1500
ttgaatacat ctatgactcc acttgagacc tctgctcctg gagaagagtc cgaatgact	1560
gccaccttgg tccccactct aggttttaca actcttgaca gcaagatcag aagtccatct	1620
caggtctctt catcccaccc aacaagagag ctcagaacca caggcagcac ctctgggagg	1680
cagagttcca gcacagctgc ccacgggagc tctgacatcc tgagggaac cacttccagc	1740
acctcaaaag catcatcatg gaccagtga agcacagctc agcaatttag tgaacccag	1800
cacacacagt ggggtggagc aagtccatgc atgaaaacag agagaccccc agcatcaacc	1860
agtgtggcag cccctatcac cacttctgtt ccctcagtg tctctggctt caccacctg	1920
aagaccagct ccacaaaagg gatttggctt gaagaaacat ctgcagacac actcatcgga	1980
gaatccacag ctggcccaac caccocatcag tttgctgttc ccactgggat ttcaatgaca	2040
ggaggcagca gcaccagggg aagccagggc acaaccaccc tactcaccag agccacagca	2100
tcacttgaga catccgcaga tttgactctg gccacgaacg gtgtccagct ctccgtgtct	2160
ccagcagtg gcaagacggc tgctggctca agtcctccag gagggacaaa gccatcatat	2220
acaatgggtt cttctgtcat ccctgagaca tcactctcac agtcctcagc ttccagggaa	2280
ggaaccagcc tgggactgac tccattaaac actagacatc ccttctcttc cctgaaacca	2340
gactctgcag gacacaccaa gataagcacc agcatctctc tgtgtgcatc tgcttcagtt	2400
cttgaggata aagtgtcagc gaccagcaca ttctcacacc acaaagccac ctcatctatt	2460
accacaggga ctctgaaat ctcaacaaag acaaagccca gctcagccgt tctttctctc	2520
atgacctaa gcaatgcagc aacaagtct gaaagagtca gaaatgcaac ttccctctg	2580
actcatccat ctccatcagg ggaagagaca gcaggagtg tctcactct cagcacctct	2640
gctgagacta cagactcacc taacatccac ccaactggga cactgacttc agaatcgtca	2700
gagagtccta gcactctcag cctcccaagt gtctctggag tcaaaaccac attttcttca	2760
tctactcctt ccactcatct atttactagt ggagaagaaa cagaggaaac ttcgaatcca	2820
tctgtgtctc aacctgagac ttctgtttcc agagtaagga ccaccttggc cagcacctct	2880
gtccctaccc cagtattccc caccatggac acctggccta caggttcagc tcagttctct	2940

-continued

tcatcccacc tagtgagtga gctcagagct acgagcagta cctcagttac aaactcaact	3000
ggttcagctc ttctctaaaat atctcacctc actgggacgg caacaatgtc acagaccaat	3060
agagacacgt ttaatgactc tgctgcaccc caaagcaciaa cttggccaga gactagtccc	3120
agattcaaga caggggttacc ttacgaaca accactgttt caacctctgc cacttctctc	3180
tctgctactg taatgggtctc taaattcact tctccagcaa ctagtccat ggaagcaact	3240
tctatcaggg aaccatcaac aaccatcctc acaacagaga ccacgaatgg cccaggtctt	3300
atggctgtgg cttctaccaaa catcccaatt ggaaagggtt acattactga aggaagattg	3360
gacacaagcc atctgcccac tggaaccaca gtttctcttg agacatctat ggattttacc	3420
atggccaaag aaagtgtctc aatgtcagta tctccatctc agtccatgga tgctgtggtc	3480
tcaagcactc caggaaggac aagccaattc gttgacacat tttctgatga tgtctatcat	3540
ttaacatcca gagaaattac aatacctaga gatggaacaa gctcagctct gactccacaa	3600
atgactgcaa ctcacctctc atctctgat cctggtcttg ctagaagcac ctggcttggtc	3660
atcttgctct catctccttc ttctctact cccaaagtca caatgagctc cacattttca	3720
actcagagag tcaccacaag catgataatg gacacagttg aaactagtct gtggaacatg	3780
cccaacttac cttccacgac ttcttgaca ccaagtaata ttccaacaag tggtgccata	3840
ggaaaaagca cctcggttcc cttggacact ccatctccag ccacatcatt ggaggcatca	3900
gaagggggac ttccaacctc cagcacctac cctgaatcaa caaacacacc cagcatccac	3960
ctcgagcac acgctagtct agaaagtcca agcaccatca aacttaccat ggcttcagta	4020
gtaaaacctg gctcttacac acctctcacc ttccctcaa tagagacca cattcatgta	4080
tcaacagcca gaatggctta ctctctggg tcttcacctg agatgacagc tcttgagag	4140
actaacctg ttagtacctg ggacccacc acctacatca ccaactacga tcttaaggat	4200
acaagttcag ctcaggcttc tacacccacc tcagttagga cactcagaac cacagaaaac	4260
catccaaaga cagagtccgc caccacagct gcttactctg gaagtctaa aatctcaagt	4320
tcaccaatc tcaccagtc gccacaaaa gcatggacca tcacagacac aactgaacac	4380
tccactcaat tacattacac aaaattggca gaaaaatcat ctggattga gacacagtca	4440
gctccaggac ctgtctctgt agtaatccct acctcccta ccattggaag cagcacattg	4500
gaactaactt ctgagtctcc aggggaaccc ctggctcttg ctcccagtga gcagaccaca	4560
atcactctcc ccatggcaac atggctgagt accagtttga cagaggaaat ggcttcaaca	4620
gaccttgata tttcaagtcc aagttcacc atgagtacat ttgctatctt tccacctatg	4680
tccacacctt ctcataaact ttcaaagtca gaggcagata ccagtgccat tagaaataca	4740
gattcaacaa cggtggatca gcacctagga atcaggagtt tgggcagaac tggggactta	4800
acaactgttc ctatcacccc actgacaacc acgtggacca gtgtgattga acactcaaca	4860
caagcacagg acaccttttc tgcaacgatg agtcctactc acgtgacaca gtcactcaaa	4920
gatcaaacat ctataccagc ctcagcatcc ccttcccatc ttactgaagt ctacctgag	4980
ctcgggacac aagggagaag ctctcttgag gcaaccactt tttggaaacc atctacagac	5040
acactgtcca gagagattga gactggccca acaaacatcc aatccactcc acccatggac	5100
aacacaacaa cagggagcag tagtagtgga gtcacctgg gcatagccca ccttccata	5160
ggaacatcct cccagctga gacatccaca aacatggcac tggaaagaag aagttctaca	5220

-continued

gccactgtct ctatggctgg gacaatggga ctccctgtta ctagtgtcc aggaagaagc	5280
atcagccagt cattaggaag agtttctct gtcctttctg agtcaactac tgaaggagtc	5340
acagattcta gtaagggaag cagcccaagg ctgaacacac agggaaatac agctctctcc	5400
tcctctcttg aaccagcta tgetgaagga agccagatga gcacaagcat cctcttaacc	5460
tcctctccta caactcctga tgtggaattc atagggggca gcacattttg gaccaaggag	5520
gtcaccacag ttatgacctc agacatctcc aagtcttcag caaggacaga gtccagctca	5580
gtcaccctta tgtccacagc tttgggaagc actgaaaata caggaaaaga aaaactcaga	5640
actgccteta tggatcttcc atctccaaact ccatcaatgg aggtgacacc atggatttct	5700
ctcactctca gtaatgcccc caataccaca gattcacttg acctcagcca tggggtgcac	5760
accagctctg cagggacttt ggccactgac aggtcattga atactggtgt cactagagcc	5820
tccagattgg aaaacggctc tgatacctct tctaagtccc tgtctatggg aaacagcact	5880
cacacttcca tgacttacac agagaagagt gaagtgtctt cttcaatcca tccccgacct	5940
gagacctcag ctctggagc agagaccact ttgacttcca ctctggaaa cagggccata	6000
agcttaacat tgccttttcc atccattcca gtggaagaag tcatttctac aggcataacc	6060
tcaggaccag acatcaactc agcaccatg acacattctc ccacacccc accaacaatt	6120
gtatggacca gtacaggcac aattgaacag tccactcaac cactacatgc agtttcttca	6180
gaaaaagttt ctgtgcagac acagtcaact ccataatgta actctgtggc agtgtctgct	6240
tcccctaccc atgagaattc agtctcttct ggaagcagca catcctctcc atattcctca	6300
gcctcacttg aatccttgga ttccacaatc agtaggagga atgcaatcac ttctggcta	6360
tgggacctca ctacatctct cccactaca acttggccaa gtactagttt atctgaggca	6420
ctgtcctcag gccattctgg ggtttcaaac ccaagttcaa ctacgactga atttccactc	6480
ttttcagctg catccacatc tgetgctaag caaagaaatc cagaaacaga gacctatggt	6540
ccccagaata cagcccgag tactttgaac actgatgcat cctcggtcac aggtctttct	6600
gagactcctg tgggggcaag tatcagctct gaagtccctc ttccaatggc cataacttct	6660
agatcagatg tttctggcct tacatctgag agtactgcta acccgagttt aggcacagcc	6720
tcttcagcag ggacaaatt aactaggaca atatccctgc ccacttcaga gtctttggtt	6780
tccttttaga tgaacaagga tccatggaca gtgtcaatcc ctttggggtc ccattcaact	6840
actaatacag aaacaagcat ccagtaaac agcgcaggtc cacctggett gtccacagta	6900
gcacagatg taattgacac accttcagat ggggctgaga gtattccac tgtctccttt	6960
tccccctccc ctgatactga agtgacaact atctcacatt tcccagaaaa gacaactcat	7020
tcatttagaa ccatttcato tctcactcat gagttgactt caagagtgc acctattcct	7080
ggggattgga tgagttcagc tatgtctaca aagccacag gagccagtcc ctccattaca	7140
ctgggagaga gaaggacaat cacctctgct gctccacca cttcccccat agttctcact	7200
gctagtttca cagagaccag cacagtttca ctggataatg aaactacagt aaaaacctca	7260
gatatccttg acgcacggaa aacaaatgag ctccccctag atagcagttc ttcttctgat	7320
ctgatcaaca cctccatagc ttcttcaact atggatgtca ctaaacagc ctccatcagt	7380
cccactagca tctcaggaat gacagcaagt tcctccccat ctctcttctc ttccagataga	7440
ccccaggttc ccacatctac aacagagaca aatacagcca cctctccatc tgtttccagt	7500

-continued

aacacctatt	ctcttgatgg	gggctccaat	gtgggtggca	ctccatccac	tttaccaccc	7560
tttacaatca	cccaccctgt	cgagacaagc	tcggccctat	tagcctggtc	tagaccagta	7620
agaactttca	gcaccatggg	cagcactgac	actgcctccg	gagaaaatcc	tacctctagc	7680
aattctgtgg	tgacttctgt	tccagcacca	ggtacatgga	ccagtgtagg	cagtactact	7740
gacttacctg	ccatgggctt	tctcaagaca	agtccctgcg	gagaggcaca	ctcactttca	7800
gcacaaacta	ttgaaccagc	cactgccttc	actccccatc	tctcagcagc	agtggtcact	7860
ggatccagtg	ctacatcaga	agccagtctt	ctcactacga	gtgaaagcaa	agccattcat	7920
tcttcaccac	agacccaac	tacaccaccc	tctggagcaa	actgggaaac	ttcagctact	7980
cctgagagcc	ttttgtagt	cactgagact	tcagacacaa	cacttaacctc	aaagattttg	8040
gtcacagata	ccatcttggt	ttcaactgtg	tccacgccac	cttctaaatt	tccaagtagc	8100
gggactctgt	ctggagcttc	cttccctact	ttactcccg	acactccagc	catccctctc	8160
actgccactg	agccaacaag	ttcattagct	acatcctttg	attccacccc	actggtgact	8220
atagcttcgg	atagtcttgg	cacagtccca	gagactaccc	tgaccatgtc	agagacctca	8280
aatggtgatg	cactggttct	taagacagta	agtaaccacg	ataggagcat	ccctggaatc	8340
actatccaag	gagtaacaga	aagtccactc	catccttctt	ccacttcccc	ctctaagatt	8400
gttgctccac	ggaatacaac	ctatgaaggt	tcgatcacag	tggcactttc	tactttgcct	8460
gcgggaacta	ctggttccct	tgtattcagt	cagagtctcg	aaaactcaga	gacaacggct	8520
ttggtagact	catcagctgg	gcttgagagg	gcactctgtg	tgccactaac	cacaggaagc	8580
cagggtatgg	ctagctctgg	aggaatcaga	agtgggtcca	ctcactcaac	tggaaccaa	8640
acattttctt	ctctccctct	gaccatgaac	ccaggtgagg	ttacagccat	gtctgaaatc	8700
accacgaaca	gactgacagc	tactcaatca	acagcaccca	aagggatacc	tgtgaagccc	8760
accagtctg	agtcaggcct	cctaacacct	gtctctgctt	cctcaagccc	atcaaaggcc	8820
tttgctctac	tgactacagc	tcccccaact	tgggggatcc	cacagtctac	cttgacattt	8880
gagttttctg	agggtcccaag	tttggtact	aagtccgctt	ctttaccaac	tcttgacag	8940
tcctgaaca	ccattccaga	ctcagatgca	agcacagcat	cttcctcact	gtccaagtct	9000
ccagaaaaaa	acccaagggc	aaggatgatg	acttccacaa	aggccataag	tgcaagctca	9060
tttcaatcaa	cagggttttc	tgaaacccct	gagggatctg	cctccccctc	tatggcaggg	9120
catgaaccca	gagtcoccac	ttcaggaaca	ggggacccta	gatatgcctc	agagagcatg	9180
tcttatccag	acccaagcaa	ggcatcatca	gctatgacat	cgacctctct	tgcatcaaaa	9240
ctcacaactc	tcttcagcac	aggtaagca	gcaaggtctg	gttctagttc	ctctcccata	9300
agcctatcca	ctgagaaaga	aacaagcttc	ctttccccca	ctgcatccac	ctccagaaaag	9360
acttcactat	ttcttggggc	ttccatggca	aggcagccca	acatattggg	gcatcttcag	9420
acttcagctc	tgacactttc	tccaacatcc	actctaaata	tgtcccagga	ggagcctcct	9480
gagttaacct	caagccagac	cattgcagaa	gaagagggaa	caacagctga	aacacagacg	9540
ttaaccttca	caccatctga	gacccaaca	tccttggtac	ctgtctcttc	tcccacagaa	9600
cccacagcca	gaagaaagag	ttctccagaa	acatgggcaa	gctctatttc	agttcctgcc	9660
aagacctcct	tggttgaaac	aactgatgga	acgctagtga	ccaccataaa	gatgtcaagc	9720
caggcagcac	aaggaaattc	cacgtggcct	gccccagcag	aggagacggg	gagcagtcca	9780

-continued

gcaggcacat ccccaggaag ccagaaaatg tctaccactc tcaaatcat gagctccaag	9840
gaaccacagca tcagcccaga gatcagggtcc actgtgagaa attctccttg gaagactcca	9900
gaaacaactg ttoccatgga gaccacagtg gaaccagtca ccttcagtc cacagcccta	9960
ggaagtggca gcaccagcat ctctcacctg cccacaggaa ccacatcacc aaccaagtca	10020
ccaacagaaa atatgttggc tacagaaagg gtctccctct ccccatcccc acctgaggct	10080
tggaccaacc tttattcttg aactccagga gggaccaggc agtcactggc cacaatgtcc	10140
tctgtctccc tagagtcacc aactgctaga agcatcacag ggactggtca gcaaagcagt	10200
ccagaactgg tttcaaagac aactggaatg gaattctcta tgtggcatgg ctctactgga	10260
gggaccacag gggacacaca tgtctctctg agcacatctt ccaatatcct tgaagaccct	10320
gtaaccagcc caaactctgt gagctcattg acagataaat ccaaacataa aaccgagaca	10380
tgggtaagca ccacagccat tccctccact gtcctgaata ataagataat ggcagctgaa	10440
caacagacaa gtgcattctg ggatgaggct tattcatcaa ctagtctctg gtcagatcag	10500
acatctggga gtgacatcac ccttggtgca tctctgatg tcacaaacac attatacatc	10560
acctccacag cacaaaccac ctactagtg tctctgccct ctggagacca aggcattaca	10620
agcctacca atccctcagg aggaaaaaca agctctgctg catctgtcac atctccttca	10680
atagggtctg agactctgag ggccaatgta agtgacgtga aaagtgcacat tgccccact	10740
gctgggcatc tatctcagac ttcactctct gcggaagtga gcactctgga cgtaaccaca	10800
gtctctactc caggatatct caccaccatc accaccatgg gaaccaactc aatctcaact	10860
accacacca acccagaagt gggatatgag accatggaca gcaccccgcc cacagagagg	10920
cgcacaactt ctacagaaca cccttcacc tgggtctcca cagctgcac agattcctgg	10980
actgtcacag acatgacttc aaacttgaaa gttgcaagat ctcttggaac aatttccaca	11040
atgcatacaa ctctattctt agcctcaagc actgaattag actccatgct tactccccat	11100
ggcgcgtataa ctgtcattgg aaccagcctg gtcactccat cctctgatgc ttcagctgta	11160
aagacagaga ccagtagaag tgaagaaca ttgagtcctt cagacacaac tgcactact	11220
cccatctcaa ctttttctcg tgtccagagg atgagcatct cagttcctga cattttaagt	11280
acaagttgga ctcccagtag tacagaagca gaagatgtgc ctgtttcaat ggtttctaca	11340
gatcatgcta gtacaaagac tgacccaaat acgccccctg ccacttttct gtttgattct	11400
ctgtccactc ttgactggga cactgggaga tctctgtcat cagccacagc cactacctca	11460
gtctctcagg gggccacaac tcccaggaa ctacttttg aaaccatgat cagcccagct	11520
acctcacagt tgccttctc tatagggcac attacaagtg cagtcacacc agctgcaatg	11580
gcaaggagct ctggagttac tttttcaaga ccagatccca caagcaaaaa ggcagagcag	11640
acttccactc agcttccac caccacttct gcacatccag ggcagggtgcc cagatcagca	11700
gcaacaactc tggatgtgat cccacacaca gcaaaaactc cagatgcaac ttttcagaga	11760
caagggcaga cagctcttac aacagaggca agagctacat ctgactcctg gaatgagaaa	11820
gaaaaatcaa cccaagtgc accttggatc actgagatga tgaattctgt ctcagaagat	11880
accatcaagg aggttaccag ctctccagt gtattaagga cctgaatac gctggacata	11940
aacttggat ctgggacgac ttcacccca agttggaaaa gcagcccata tgagagaatt	12000
gccccctctg agtccaccac agacaaagag gcaattcacc cttctacaaa cacagtagag	12060

-continued

accacaggct	gggtcacaag	ttccgaacat	gcttctcatt	ccactatccc	agcccactca	12120
gcgtcatcca	aactcacatc	tccagtgggt	acaacctcca	ccagggaaca	agcaatagtt	12180
tctatgtcaa	caaccacatg	gccagagtct	acaagggcta	gaacagagcc	taattccttc	12240
ttgactattg	aactgagggg	cgtcagccct	tacatggaca	ccagctcaac	cacacaaaca	12300
agtattatct	cttccccagg	ttccactgcg	atcaccaagg	ggcctagaac	agaaattacc	12360
tcctctaaga	gaatatccag	ctcattcctt	gcccagtcta	tgaggtcgtc	agacagcccc	12420
tcagaagcca	tcaccaggct	gtctaaactt	cctgccatga	cagaatctgg	aggaatgatc	12480
cttgctatgc	aaacaagtcc	acctggcgct	acatcactaa	gtgcacctac	tttgataca	12540
tcagccacag	cctcctggag	agggactcca	ctggctacga	ctcagagatt	tacatactca	12600
gagaagacca	ctctctttag	caaaggctct	gaggatacat	cacagccaag	ccctccctct	12660
gtggaagaaa	ccagctcttc	ctcttccttg	gtacctatcc	atgctacaac	ctcgcttcc	12720
aatattttgt	tgacatcaca	agggcacagt	ccctcctcta	ctccacctgt	gacctcagtt	12780
ttcttgtctg	agacctctgg	cctggggaag	accacagaca	tgtcgaggat	aagcttgga	12840
cctggcacia	gtttacctcc	caatttgagc	agtacagcag	gtgaggcggt	atccacttat	12900
gaagcctcca	gagatacaaa	ggcaattcat	cattctgcag	acacagcagt	gacgaatatg	12960
gaggcaacca	gttctgaata	ttctcctatc	ccaggccata	caaagccatc	caaagccaca	13020
tctccattgg	ttacctccca	catcatgggg	gacatcaett	cttccacatc	agtatttggc	13080
tcctccgaga	ccacagagat	tgagacagtg	tcctctgtga	accagggact	tcaggagaga	13140
agcacatccc	aggtggccag	ctctgtctaca	gagacaagca	ctgtcattac	ccatgtgtct	13200
agtggtgatg	ctactactca	tgtcaccaag	acacaagcca	ctttctctag	cggaacatcc	13260
atctcaagcc	ctcctcagtt	tataacttct	accaacacat	ttacagatgt	gagcaccaac	13320
ccctccacct	ctctgataat	gacagaatct	tcaggagtga	ccatcaccac	ccaaacaggt	13380
cctactggag	ctgcaacaca	gggtccatct	ctcttgga	catcaaccat	gccttacttg	13440
acagagactc	cattagctgt	gactccagat	tttatgcaat	cagagaagac	cactctcata	13500
agcaaaggtc	ccaaggatgt	gtcctggaca	agccctccct	ctgtggcaga	aaccagctat	13560
ccctcttccc	tgacaccttt	cttgggtcaca	accataccto	ctgccacttc	cacgttacia	13620
gggcaacata	catcctctcc	tgtttctgcg	acttcagttc	ttacctctgg	actggtgaag	13680
accacagata	tgttgaacac	aagcatggaa	cctgtgacca	attcacctca	aaatttgaac	13740
aatccatcaa	atgagatact	ggccactttg	gcagccacca	cagatataga	gactattcat	13800
ccttcataaa	acaaagcagt	gaccaatatg	gggactgcca	gttcagcaca	tgtactgcat	13860
tccactctcc	cagtcagctc	agaacctatc	acagccacat	ctccaatggg	tcctgcctcc	13920
agcatggggg	acgctcttgc	ttctatatca	atacctgggt	ctgagaccac	agacattgag	13980
ggagagccaa	catcctccct	gactgctgga	cgaaaagaga	acagcaccct	ccaggagatg	14040
aactcaacta	cagagtcaaa	catcatcctc	tccaatgtgt	ctgtgggggc	tattactgaa	14100
gccacaaaaa	tggaggtccc	ctcttttgat	gcaacattca	taccaactcc	tgctcagtca	14160
acaaagtccc	cagatatctt	ctcagtagcc	agcagtagac	tttcaaacct	tcctcccatg	14220
acaatatcta	cccacatgac	caccacccag	acagggtctt	ctggagctac	atcaaagatt	14280
ccacttgctc	tagacacatc	aaccttgga	acctcagcag	ggactccatc	agtggtgact	14340

-continued

gaggggtttg cccactcaaa aataaccact gcaatgaaca atgatgtcaa ggacgtgtca	14400
cagacaaaacc ctccctttca ggatgaagcc agctctccct cttctcaagc acctgtcctt	14460
gtcacaaact taccttcttc tgttgctttc acaccgcaat ggcacagtac ctctctcct	14520
gtttctatgt cctcagttct tacttcttca ctggtaaaga ccgcaggcaa ggtggataca	14580
agcttagaaa cagtgaccag ttcacctcaa agtatgagca acactttgga tgacatatcg	14640
gtcacttcag cagccaccac agatatagag acaacgcac cttccataaa cacagtagtt	14700
accaatgtgg ggaccaccgg ttcagcattt gaatcacatt ctactgtctc agettacca	14760
gagccatcta aagtcacatc tccaaatgtt accacctcca ccatggaaga caccacaatt	14820
tccagatcaa tacctaaatc ctctaagact acaagaactg agactgagac aacttcctcc	14880
ctgactccta aactgaggga gaccagcatc tcccaggaga tcacctcgtc cacagagaca	14940
agcactgttc cttacaaga gctcactggt gccactaccg aggtatccag gacagatgtc	15000
acttcctcta gcagtcacatc cttccctggc cctgatcagt ccacagtgtc actagacatc	15060
tccacagaaa ccaacaccag gctgtctacc tcccataaa tgacagaatc tgcagaaata	15120
accatcacca cccaaacagg tctctatggg gctacatcac aggatacttt taccatggac	15180
ccatcaaata caacccccca ggcagggatc cactcagcta tgactcatgg attttcaca	15240
ttggatgtga ccactcttat gagcagaatt ccacaggatg tatcatggac aagtctctcc	15300
tctgtggata aaaccagctc cccctcttcc tttctgtcct cacctgcaat gaccacacct	15360
tccctgattt cttctacctt accagaggat aagctctcct ctctatgac ttcacttctc	15420
acctctggcc tagtgaagat tacagacata ttacgtacac gcttggaaac tgtgaccagc	15480
tcacttccaa atttcagcag cacctcagat aagatactgg ccacttctaa agacagtaaa	15540
gacacaaagg aaatttttcc ttctataaac acagaagaga ccaatgtgaa agccaacaac	15600
tctggacatg aatcccatc cctgcactg gctgactcag agacacccaa agccacaact	15660
caaagtgtta tcaccaccac tgtgggagat ccagctcctt ccacatcaat gccagtgcac	15720
ggttctctg agactacaaa cattaagaga gagccaacat atttcttgac tcttagactg	15780
agagagacca gtacctctca ggagtccagc tttccacagg acacaagttt tctactttcc	15840
aaagtcccca ctggactat tactgaggc tccagtacag gggccaactc ttctagcaaa	15900
atttccaccc cagaccatga taagtccaca gtgccacctg acaccttcac aggagagatc	15960
cccagggtct tcacctctc tattaagaca aaatctgcag aaatgacgat caccacccaa	16020
gcaagtctc ctgagtctgc atcgacagt acccttccct tggacacatc aaccacactt	16080
tcccaggagg ggactcatc aactgtgact cagggttcc catactcaga ggtgaccact	16140
ctcatgggca tgggtcctgg gaatgtgtca tggatgacaa ctccccctgt ggaagaaacc	16200
agctctgtgt ctctctgat gtcttcacct gccatgacat ccccttctcc tgttctctcc	16260
acatcaccac agagcatccc ctctctctc cttcctgtga ctgcacttcc tacttctgtt	16320
ctggtgacaa ccacagatgt gttgggcaca acaagcccag agtctgtaac cagttcacct	16380
ccaaatttga gcagcatcac tcatgagaga ccggccactt acaaagacac tgcacacaca	16440
gaagccgcca tgcacatc cacaacacc gcagtacca atgtagggac ttccgggtct	16500
ggacataaat cacaatctc tgtcctagct gactcagaga catcgaaagc cacacctctg	16560
atgagtacca cctccacctt gggggacaca agtgtttcca catcaactcc taatatctct	16620

-continued

cagactaacc aaattcaaac agagccaaca gcatccctga gccctagact gagggagagc	16680
agcacgtctg agaagaccag ctcaacaaca gagacaaata ctgccttttc ttatgtgccc	16740
acaggtgcta ttactcaggc ctccagaaca gaaatctcct ctagcagaac atccatctca	16800
gaccttgatc ggcccacaat agcaccgcag atctccacag gaatgatcac caggctcttc	16860
acctcccca tcatgacaaa atctgcagaa atgaccgtca ccactcaaac aactactcct	16920
ggggctacat cacagggtat ccttccctgg gacacatcaa ccacactttt ccagggaggg	16980
actcattcaa ccgtgtctca gggattccca cactcagaga taaccactct tcggagcaga	17040
acctctggag atgtgtcatg gatgacaact cccctgtgag aagaaccag ctctgggttt	17100
tccttgatgt caecttccat gacatccct tctcctgttt cctccacatc accagagagc	17160
atccctcct ctectctccc tgtgactgca cttcttactt ctgttctggt gacaaccaca	17220
aatgtattgg gcacaacaag cccagagccc gtaacgagtt cacctccaaa tttaagcagc	17280
cccacacagg agagactgac caettacaaa gacactgcgc acacagaagc catgcatgct	17340
tccatgcata caaactctgc agtggccaac gtggggacct ccatttctgg acatgaatca	17400
caatctctg tccagctga ttcacacaca tccaaagcca catctccaat gggtatcacc	17460
ttcgccatgg gggatacaag tgtttctaca tcaactcctg ccttctttga gactagaatt	17520
cagactgaat caacatcctc ttgtattcct ggattaaggg acaccaggac gtctgaggag	17580
atcaacactg tgacagagac cagcactgtc ctttcagaag tgcccactac tactactact	17640
gaggtctcca ggacagaagt tatcacttcc agcagaacaa ccatctcagg gcctgatcat	17700
tccaaaatgt caccctacat ctccacagaa accatcacca ggctctccac ttttctttt	17760
gtaacaggat ccacagaaat ggccatcacc aaccaaacag gtcctatagg gactatctca	17820
caggctaccc ttacctgga cacatcaagc acagcttctc gggaaggagc tactcacct	17880
gtgactcaga gatttccaca ctcagaggag accactacta tgagcagaag tactaagggc	17940
gtgtcatggc aaagccctcc ctctgtggaa gaaaccagtt ctcttcttc cccagtgcct	18000
ttacttgcaa taacctcaca ttcatctctt tattccgag tatcaggaag tagccctact	18060
tctgctctcc ctgtgacttc cttctcacc tctggcagga ggaagaccat agacatgttg	18120
gacacacact cagaacttgt gaccagctcc ttaccaagtg caagtagctt ctcaggtgag	18180
atactcactt ctgaagcctc cacaatatca gagacaatc acttttcaga gaacacagca	18240
gaaaccaata tggggaccac caattctatg cataaactac attcctctgt ctcaatccac	18300
tccagccat ccggacacac acctccaaag gttactggat ctatgatgga ggacgtatt	18360
gtttccacat caacactgg ttctctgag actaaaaatg ttgacagaga ctcaacatcc	18420
cctctgactc ctgaactgaa agaggacagc accgcctcgg tgatgaactc aactacagag	18480
tcaaaactg ttttctccag tgtgtccctg gatgctgcta ctgaggctc cagggcagaa	18540
gtcacctact atgatctac attcatgcca gcttctgctc agtcaacaaa gtcccagac	18600
atttcactg aagccagcag cagtcattct aactctctc ccttgacaat atctacacac	18660
aagaccatcg ccacacaaac aggtccttct ggggtgacat ctcttgcca actgacctg	18720
gacacatcaa ccatagccc ctcagcagga actccatcag ccagaactca ggattttgta	18780
gattcagaaa caaccagtgt catgaacaat gatctcaatg atgtgttgaa gacaagccct	18840
ttctctgcag aagaagccaa ctctctctct tctcaggcac ctctccttgt gacaacctca	18900

-continued

ccttctcctg taacttcac attgcaagag cacagtacct cctctcttgt ttctgtgacc	18960
tcagtacca cccctacact gggaagatc acagacatgg acacaaactt agaacctgtg	19020
actcgttcac ctcaaaattt aaggaacacc ttggccactt cagaagccac cacagataca	19080
cacacaatgc atccttctat aaacacagca gtggccaatg tggggaccac cagttcacca	19140
aatgaattct attttactgt ctcacctgac tcagacccat ataaagccac atccgcagta	19200
gttatcactt ccacctcggg ggactcaata gtttcacat caatgcctag atcctctgcg	19260
atgaaaaaga ttgagtctga gacaactttc tccctgatat ttagactgag ggagactagc	19320
acctccaga aaattggctc atcctcagac acaagcacgg tctttgacaa agcattcact	19380
gctgctacta ctgaggtctc cagaacagaa ctcacctcct ctacgagaac atccatccaa	19440
ggcactgaaa agcccacaat gtcaccggac acctccacaa gatctgtcac catgctttct	19500
acttttctg gctgacaaa atccgaagaa aggaccattg ccacccaaac aggtcctcat	19560
aggggacat cacagggtac ccttacctgg gacacatcaa tcacaacctc acaggcaggg	19620
acctactcag ctatgactca tggattttca caattagatt tgtccactct tacgagtaga	19680
gttctgagat acatatcagg gacaagccca cctctgttgg aaaaaaccag ctcttcctct	19740
tcccttctgt ctttaccagc aataacctca cgtcccctg tacctactac attaccagaa	19800
agtagggcgt cttctcctgt tcatctgact tcaactccca cctctggcct agtgaagacc	19860
acagatatgc tggcatctgt ggccagttta cctccaaact tgggcagcac ctcacataag	19920
ataccgacta cttcagaaga cattaaagat acagagaaaa tgtatccttc caaaacata	19980
gcagtaacca atgtggggac caccacttct gaaaaggaat cttattcgtc tgtcccagcc	20040
tactcagaac cacccaaagt cacctctcca atggttacct ctttcaacat aagggaacc	20100
attgtttcca catccatgcc tggctcctct gagattacaa ggattgagat ggagtcaaca	20160
ttctcctgg ctcatgggtt gaagggaacc agcacctccc aggaccccat cgtatccaca	20220
gagaaaagtg ctgtccttca caagttgacc actggtgcta ctgagacctc taggacagaa	20280
gttgctctt ctagaagaac atccattcca ggccctgac attccacaga gtcaccagac	20340
atctccactg aagtgatccc cagcctgcct atctcccttg gcattacaga atcttcaa	20400
atgaccatca tcactcgaac aggtcctcct cttggctcta catcacaggg cacatttacc	20460
ttggacacac caactacatc ctccagggca ggaacacact cgatggcgac tcaggaattt	20520
ccacactcag aaatgaccac tgtcatgaac aaggaccctg agattctatc atggacaatc	20580
cctccttcta tagagaaaa cagcttctcc tcttccctga tgcttcacc agccatgact	20640
tcacctcctg tttcctcaac attaccaaag accattcaca ccaactcttc tcctatgacc	20700
tcaactgctc cccctagcct agtgatgacc acagacacat tgggcacaag ccagaaacct	20760
acaaccagtt cacctccaaa tttgagcagt acctcacatg agatactgac aacagatgaa	20820
gacaccacag ctatagaagc catgcatcct tcacaagca cagcagcgac taatgtggaa	20880
accaccagtt ctggacatgg gtcacaatcc tctgtcctag ctgactcaga aaaaaccaag	20940
gccacagctc caatggatac cacctccacc atggggcata caactgtttc cacatcaatg	21000
tctgtttcct ctgagactac aaaaattaag agagagtcaa catattcctt gactcctgga	21060
ctgagagaga ccagcatctt ccaaaatgcc agcttttcca ctgacacaag tattgttctt	21120
tcagaagtcc ccactgggtac tactgctgag gtctccagga cagaagtcac ctctctggt	21180

-continued

agaacatcca	tccttgcccc	ttctcagtc	acagttttgc	cagaaatata	cacaagaaca	21240
atgacaaggc	tctttgcctc	gccaccatg	acagaatcag	cagaaatgac	catccccact	21300
caaacaggtc	cttctgggtc	tacctcacag	gataccctta	ccttggaac	atccaccaca	21360
aagtcaccag	caaagactca	ttcaactttg	actcagagat	ttccacactc	agagatgacc	21420
actctcatga	gcagaggtcc	tggagatatg	tcattggcaaa	gctctccctc	tctggaaaat	21480
cccagctctc	tcctttccct	gctgtcttta	cctgcacaaa	cctcacctcc	tcctatttcc	21540
tcacatttac	cagtgaactat	ctctctctct	cctcttctctg	tgacttcact	tctcacctct	21600
agcccggtaa	cgaccacaga	catgttacac	acaagcccag	aacttgtaac	cagttcacct	21660
ccaaagtga	gccacacttc	agatgagaga	ctgaccactg	gcaaggacac	cacaaataca	21720
gaagctgtgc	atccttccac	aaacacagca	gcgtccaatg	tggagattcc	cagctctgga	21780
catgaatccc	cttctctctg	cttagctgac	tcagagacat	ccaaagccac	atcaccaatg	21840
tttattacct	cccccagga	ggatacaact	gttgccatat	caaccctca	cttcttgga	21900
actagcagaa	ttcagaaaga	gtcaatttcc	tcctgagcc	ctaaattgag	ggagacaggc	21960
agtctgtg	agacaagctc	agccatagag	acaagtgtg	tccttctga	agtgtccatt	22020
gggtctacta	ctgagatctc	caggacagaa	gtcacctcct	ctagcagaac	atccatctct	22080
ggttctgctg	agtccacaat	gttgccagaa	atatccacca	caagaaaaat	cattaagttc	22140
cctacttccc	ccatcctggc	agaatcatca	gaaatgacca	tcaagacca	aacaagtcct	22200
cctgggtcta	catcagagag	tacctttaca	ttagacacat	caaccactcc	ctccttggtg	22260
ataaccatt	cgactatgac	tcagagattg	ccacactcag	agataaccac	tcttgtagt	22320
agaggtgctg	gggatgtgcc	acggcccagc	tctctccctg	tggagaagaa	aagccctcca	22380
tcttcccagc	tgtctttatc	tgccatgac	tcaccttctc	ctgtttcttc	cacattacca	22440
gcaagtagcc	actcctcttc	tgttctgtg	acttcacttc	tcacaccagg	ccaagtgaag	22500
actactgagg	tgttgagcgc	aagtgcagaa	cctgaaacca	gttcacctcc	aagtttgagc	22560
agcacctcag	ttgaaatact	ggccacctct	gaagtcacca	cagatacggg	gaaaattcat	22620
cctttctcaa	acacggcagt	aaccaaagtt	ggaacttcca	gttctggaca	tgaatcccct	22680
tcctctgtcc	tacctgactc	agagacaacc	aaagccacat	cggcaatggg	taccatctcc	22740
attatggggg	atacaagtgt	ttctacatta	actcctgctc	tatctaacc	taggaaaatt	22800
cagtcagagc	cagcttcttc	actgaccacc	agattgaggg	agaccagcac	ctctgaagag	22860
accagcttag	ccacagaagc	aaacactggt	ctttctaaag	tgtccactgg	tgctactact	22920
gaggtctcca	ggacagaagc	catctccttt	agcagaacat	ccatgtcagg	ccctgagcag	22980
tcacaatgt	cacaagacat	ctccatagga	accatcccca	ggatttctgc	ctcctctgtc	23040
ctgacagaat	ctgcaaaaat	gaccatcaca	acccaaacag	gtccttcgga	gtctacacta	23100
gaaagtaccc	taaatttgaa	cacagcaacc	acacctctt	gggtggaaac	ccactctata	23160
gtaattcagg	gatttccaca	cccagagatg	accacttcca	tgggcagagg	tcctggaggt	23220
gtgtcatggc	ctagccctcc	ctttgtgaaa	gaaaccagcc	ctccatcttc	cccgtgtct	23280
ttacctgccg	tgacctcacc	tcactctgtt	tcaccacat	tcctagcaca	tatccccccc	23340
tctcccttc	ctgtgacttc	actctcacc	tctggcccg	cgacaaccac	agatatcttg	23400
ggtacaagca	cagaacctgg	aaccagttca	tcttcaagtt	tgagcaccac	ctcccatgag	23460

-continued

agactgacca	cttacaaaga	cactgcacat	acagaagccg	tgcacccctc	cacaaacaca	23520
ggaggggacca	atgtggcaac	caccagctct	ggatataaat	cacagtcctc	tgccctagct	23580
gactcatctc	caatgtgtac	cacctccacc	atgggggata	caagtgttct	cacatcaact	23640
cctgccttcc	ttgagactag	gaggattcag	acagagctag	cttcctccct	gacctctgga	23700
ttgaggaggag	ccagcggctc	tgaaggggacc	agctcaggca	ccaagatgag	cactgtcctc	23760
tctaaagtgc	ccactgggtc	tactactgag	atctccaagg	aagacgtcac	ctccatccca	23820
ggccccgctc	aatccacaat	atcaccagac	atctccacaa	gaaccgtcag	ctgggttctct	23880
acatccccctg	tcatgacaga	atcagcagaa	ataaccatga	acaccatac	aagtccttta	23940
ggggccacaa	cacaaggcac	cagtactttg	gacacgtcaa	gcacaacctc	tttgacaatg	24000
acacactcaa	ctatatctca	aggattttca	cactcacaga	tgagcactct	tatgaggagg	24060
ggctctgagg	atgtatcatg	gatgagccct	ccccctctgg	aaaaaactag	accttccttt	24120
tctctgatgt	cttcaccagc	cacaacttca	ccttctcctg	tttcctccac	attaccagag	24180
agcatctctt	cctctcctct	tcctgtgact	tcactcctca	cgtctggctt	ggcaaaaact	24240
acagatatgt	tgcacaaaag	ctcagaacct	gtaaccaact	cacctgcaaa	tttgagcagc	24300
acctcagttg	aaatactggc	cacctctgaa	gtcaccacag	atacagagaa	aactcatcct	24360
tcttcaaaaca	gaacagtgc	cgatgtgggg	acctccagtt	ctggacatga	atccacttcc	24420
tttgtcttag	ctgactcaca	gacatccaaa	gtcacatctc	caatggttat	tacctccacc	24480
atggaggata	cgagtgtctc	cacatcaact	cctggctttt	ttgagactag	cagaattcag	24540
acagaaccaa	catcctccct	gaccttgga	ctgagaaaga	ccagcagctc	tgagggggacc	24600
agcttagcca	cagagatgag	cactgtcctt	tctggagtgc	ccactgggtc	cactgctgaa	24660
gtctccagga	cagaagtcac	ctctcttagc	agaacatcca	tctcaggctt	tgctcagctc	24720
acagtgtcac	cagagacttc	cacagaaacc	atcaccagac	tcctacctc	cagcataatg	24780
acagaatcag	cagaaatgat	gatcaagaca	caaacagatc	ctcctgggtc	tacaccagag	24840
agtactcata	ctgtggacat	atcaacaaca	cccaactggg	tagaaacca	ctcgactgtg	24900
actcagagat	tttcacactc	agagatgacc	actcttgtga	gcagaagccc	tggtgatatg	24960
ttatggccta	gtcaatccto	tgtggaagaa	accagctctg	cctcttcctt	gctgtctctg	25020
cctgccacga	cctcaccttc	tcctgtttcc	tctacattag	tagaggattt	cccttccgct	25080
tctcttctctg	tgacttctct	tctcaacct	ggcctgggtga	taaccacaga	caggatgggc	25140
ataagcagag	aacctggaac	cagttccact	tcaaatttga	gcagcacctc	ccatgagaga	25200
ctgaccactt	tggaagacac	tgtagatata	gaagacatgc	agccttcac	acacacagca	25260
gtgaccaacg	tgaggacctc	catttctgga	catgaatcac	aatcttctgt	cctatctgac	25320
tcagagacac	ccaaagccac	atctccaatg	ggtaccacct	acaccatggg	ggaaacgagt	25380
gtttccatat	ccacttctga	cttctttgag	accagcagaa	ttcagataga	accaacatcc	25440
tccttgactt	ctggattgag	ggagaccagc	agctctgaga	ggatcagctc	agccacagag	25500
ggaagcactg	tcctttctga	agtgccactg	ggtgctacca	ctgaggcttc	caggacagaa	25560
gtgatatcct	ctaggggaac	atccatgtca	gggcctgata	agttcaccat	atcaccagac	25620
atctctactg	aagcgatcac	caggctttct	acttcccca	ttatgacaga	atcagcagaa	25680
agtgccatca	ctattgagac	aggttctcct	ggggctacat	cagagggtac	cctcaccttg	25740

-continued

gacacctcaa caacaacctt ttggtcaggg acccaactcaa ctgcattctcc aggattttca	25800
cactcagaga tgaccactct tatgagtaga actcctggag atgtgccatg gccgagcctt	25860
ccctctgttg aagaagccag ctctgtctct tcctcactgt cttcacctgc catgacctca	25920
acttcttttt tctccacatt accagagagc atctcctcct ctcctcatcc tgtgactgca	25980
cttctcacc cttggcccagt gaagaccaca gacatgttgc gcacaagctc agaacctgaa	26040
accagttcac ctccaaattt gagcagcacc tcagctgaaa tattagccac gtctgaagtc	26100
accaaagata gagagaaaaa tcatccctcc tcaaacacac ctgtagtcaa tgtagggaact	26160
gtgatttata aacatctatc ccttctctct gttttggctg acttagtgac aaaaaaccc	26220
acatctccaa tggctaccac ctccactctg gggaatacaa gtgtttccac atcaactcct	26280
gccttcccag aaactatgat gacacagcca acttctctcc tgacttctgg attaagggag	26340
atcagtacct ctcaagagac cagctcagca acagagagaa gtgcttctct tcttggaatg	26400
cccactgggt ctactactaa ggtctccaga acagaagccc tctccttagg cagaacatcc	26460
accccaggtc ctgctcaatc cacaatatca ccagaaatct ccacggaac catcactaga	26520
atttctactc cctcaccac gacaggatca gcagaaatga ccatcacc caaaacaggt	26580
cattctgggg catcctcaca aggtacctt accttggaac catcaagcag agcctcctgg	26640
ccaggaactc actcagctgc aactcacaga tctccacact cagggatgac cactcctatg	26700
agcagaggtc ctgaggatgt gtcatggcca agccgcccac cagtggaaaa aactagccct	26760
ccatcttccc tgggtgtctt atctgcagta acctcacctt cgccacttta ttccacacca	26820
tctgagagta gccactcatc tcctctccgg gtgacttctc ttttcacccc tgtcatgatg	26880
aagaccacag acatgttga cacaagcttg gaacctgtga ccacttcacc tcccagtatg	26940
aatatcacct cagatgagag tctggccact tctaaagcca ccatggagac agaggcaatt	27000
cagctttcag aaaacacagc tgtgactcag atgggaccca tcagcgctag acaagaattc	27060
tattctctct atccaggcct cccagagcca tccaaagtga catctccagt ggtcacctct	27120
tccaccataa aagacattgt ttctacaacc atacctgctt cctctgagat aacaagaatt	27180
gagatggagt caacatccac cctgaccccc acaccaaggg agaccagcac ctcccaggag	27240
atccactcag ccacaaagcc aagcactggt ccttacaagg cactcactag tgccacgatt	27300
gaggactcca tgacacaagt catgtctctc agcagaggac ctagccctga tcagtccaca	27360
atgtcacaag acatatccac tgaagtgatc accaggctct ctacotcccc catcaagaca	27420
gaatctacag aaatgacct taccacccaa acaggttctc ctggggctac atcaaggggt	27480
acccttacct tggacacttc aacaactttt atgtcaggga cccactcaac tgcatctcaa	27540
ggattttcac actcacagat gaccgctctt atgagtagaa ctctggaga tgtgccatgg	27600
ctaagccatc cctctgtgga agaagccagc tctgcctctt tctcactgtc ttcacctgtc	27660
atgacctcat cttctccgtt ttcttcacaa ttaccagaca gcacccactc ttcttcgctt	27720
cctgtgacat cacttctcac ctacgggctg gtgaagacca cagagctgtt gggcacaagc	27780
tcagaacctg aaaccagttc ccccccaat ttgagcagca cctcagctga aatactggcc	27840
atcactgaag tcactacaga tacagagaaa ctggagatga ccaatgtggt aacctcaggt	27900
tatacacatg aatctccttc ctctgtccta gctgactcag tgacaacaaa ggccacatct	27960
tcaatgggta tcacctacc caccaggagat acaaatgttc tcacatcaac cctgccttc	28020

-continued

tctgacacca gtaggattca aacaaagtca aagctctcac tgactcctgg gttgatggag	28080
accagcatct ctgaagagac cagctctgcc acagaaaaaa gcaactgtcct ttctagtgtg	28140
cccactgggtg ctactactga ggtctccagg acagaagcca tctcttctag cagaacatcc	28200
atcccaggcc ctgctcaatc cacaatgtca tcagacacct ccatggaaac catcactaga	28260
atttctaccc ccttcacaag gaaagaatca acagacatgg ccatcacccc caaaacaggt	28320
ccttctgggg ctacctcgca gggtaacctt accttggact catcaagcac agcctcctgg	28380
ccaggaactc actcagctac aactcagaga ttccacagt cagtgggtgac aactcctatg	28440
agcagaggtc ctgaggatgt gtcattggcca agcccgtgt ctgtggaaaa aaacagccct	28500
ccatcttccc tgggtatctc atcttcagta acctcacctt cgccacttta ttccacacca	28560
tctgggagta gccactcctc tctgtccct gtcacttctc ttttcacctc tatcatgatg	28620
aaggccacag acatgttga tgcaagtttg gaacctgaga ccacttcagc tcccaatatg	28680
aatatcacct cagatgagag tctggccgt tctaaagcca ccacggagac agaggcaatt	28740
cacgtttttg aaaatacagc agcgtcccat gtggaaacca ccagtgtac agaggaaactc	28800
tattcctctt ccccaggctt ctcagagcca acaaaagtga tatctccagt ggtcacctct	28860
tcctctataa gagacaacat gggttccaca acaatgcctg gctcctctgg cattacaagg	28920
attgagatag agtcaatgtc atctctgacc cctggactga gggagaccag aaacctccag	28980
gacatcacct catccacaga gacaagcact gtcccttaca agatgccctc tggtgccact	29040
cctgagggtc ccaggacaga agttatgccc tctagcagaa catccattcc tggccctgct	29100
cagtcacaaa tgtcactaga catctccgat gaagttgtca ccaggctgtc tacctctccc	29160
atcatgacag aatctgcaga aataaccatc accacccaaa cagggtattc tctggctaca	29220
tcccaggtta ccttccctt gggcacctca atgacctttt tgtcagggac ccactcaact	29280
atgtctcaag gactttcaca ctcagagatg accaatctta tgagcagggg tctgaaagt	29340
ctgtcatgga cgagccctcg ctttgtggaa acaactagat cttcctcttc tctgacatca	29400
ttacctctca cgacctcact ttctcctgtg tctccacat tactagacag tagccctcc	29460
tctcctcttc ctgtgacttc acttatcctc ccaggcctgg tgaagactac agaagtgttg	29520
gatacaagct cagagcctaa aaccagttca tctccaaatt tgagcagcac ctcagttgaa	29580
ataccggcca cctctgaaat catgacagat acagagaaaa ttcatccttc ctcaaacaca	29640
gcggtggcca aagtgaggac ctccagttct gttcatgaat ctcattcctc tgtcctagct	29700
gactcagaaa caaccataac cataccttca atgggtatca cctccgctgt ggacgatacc	29760
actgttttca catcaaatcc tgccttctct gagactagga ggattccgac agagccaaca	29820
ttctcattga ctctcggatt caggggagact agcacctctg aagagaccac ctcaatcaca	29880
gaaacaagtg cagtccttta tggagtgcct actagtgcta ctactgaagt ctccatgaca	29940
gaaatcatgt cctctaatag aatacacatc cctgactctg atcagtcac gatgtctcca	30000
gacatcatca ctgaagtgat caccaggctc tcttctcat ccatgatgtc agaatacaaca	30060
caaatgacca tcaccacca aaaaagttct cctggggcta cagcacagag tactcttacc	30120
ttggccacaa caacagcccc cttggcaagg acccactcaa ctgttctctc tagattttta	30180
cactcagaga tgacaactct tatgagtagg agtcctgaaa atccatcatg gaagagctct	30240
ctctttgtgg aaaaaactag ctcttcatct tctctgttgt ccttacctgt caggaacctca	30300

-continued

ccttctgttt	cttccacatt	accgcagagt	atcccttctt	cctctttttc	tgtgacttca	30360
ctcctcacc	caggcatggt	gaagactaca	gacacaagca	cagaacctgg	aaccagttta	30420
tctccaaatc	tgagtggcac	ctcagttgaa	atactggctg	cctctgaagt	caccacagat	30480
acagagaaaa	ttcatccttc	ttcaagcatg	gcagtgaacca	atgtgggaac	caccagttct	30540
ggacatgaac	tatattcctc	tgtttcaatc	cactcggagc	catccaaggc	tacataccca	30600
gtgggtactc	cctcttccat	ggctgaaacc	tctatttcca	catcaatgcc	tgctaatttt	30660
gagaccacag	gatttgaggc	tgagccatth	tctcatttga	cttctggatt	taggaagaca	30720
aacatgtccc	tggaaccag	ctcagtcaca	ccaacaaata	cacctttctc	tcttgggtcc	30780
actcaccttt	tacagagttc	caagactgat	ttcacctctt	ctgcaaaaac	atcatcccca	30840
gactggcctc	cagcctcaca	gtatactgaa	attccagtgg	acataatcac	cccccttaat	30900
gcttctccat	ctattacgga	gtccactggg	ataacctctt	tcccagaatc	cagggtttact	30960
atgtctgtaa	cagaaagtac	tcatcatctg	agtacagatt	tgtgccttc	agctgagact	31020
atttccactg	gcacagtgat	gccttctcta	tcagaggcca	tgacttcatt	tgccaccact	31080
ggagttccac	gagccatctc	aggttcagggt	agtcattctt	ctaggacaga	gtcaggccct	31140
ggggatgcta	ctctgtccac	cattgcagag	agcctgcctt	catccactcc	tgtgccatcc	31200
tctcttccaa	ccttcaactc	cactgattct	tcaacctccc	cagccctcca	tgagataact	31260
tctcttccag	ctaccccata	tagagtggac	accagtcttg	ggacagagag	cagcactact	31320
gaaggacgct	tggttatggt	cagtactttg	gacacttcaa	gccaaccagg	caggacatct	31380
tcatcacca	ttttggatac	cagaatgaca	gagagcgttg	agctgggaac	agtgacaagt	31440
gcttatcaag	ttccttcaat	ctcaacacgg	ttgacaagaa	ctgatggcat	tatggaacac	31500
atcacaaaaa	tacccaatga	agcagcacac	agaggtacca	taagaccagt	caaaggccct	31560
cagacatcca	cttcgcctgc	cagtcctaaa	ggactacaca	caggagggac	aaaaagaatg	31620
gagaccacca	ccacagctct	gaagaccacc	accacagctc	tgaagaccac	ttccagagcc	31680
accttgacca	ccagtgtcta	tactcccact	ttgggaacac	tgactccctc	caatgcatca	31740
atgcaaatgg	ccagcacaat	ccccacagaa	atgatgatca	caaccccata	tgttttcctt	31800
gatgttcag	aaacgacatc	ctcattgggt	accagcctgg	gagcagaaac	cagcacagct	31860
cttcccagga	caaccccatc	tgttttcaat	agagaatcag	agaccacagc	ctcactggtc	31920
tctcgttctg	gggcagagag	aagtccggtt	attcaaaact	tagatgtttc	ttctagttag	31980
ccagatataa	cagcttcatg	gggtatccat	cctgcagaga	ccatcccaac	tgtttccaag	32040
acaaccccc	attttttcca	cagtgaatta	gacactgtat	cttccacagc	caccagtcat	32100
ggggcagacg	tcagctcagc	cattccaaca	aatatctcac	ctagtgaact	agatgcactg	32160
acccactgg	tcactatttc	ggggacagat	actagtacaa	cattccaac	actgactaag	32220
tccccacatg	aaacagagac	aagaaccaca	tggctcactc	atcctgcaga	gaccagctca	32280
actattccca	gaacaatccc	caatttttct	catcatgaat	cagatgccac	accttcaata	32340
gccaccagtc	ctggggcaga	aaccagttca	gctattccaa	ttatgactgt	ctcacctgg	32400
gcagaagatc	tggtgacctc	acaggtcact	agttctggga	cagacagaaa	tatgactatt	32460
ccaactttga	ctctttctcc	tggtgaacca	aagacgatag	cctcattagt	cacccatcct	32520
gaagcacaga	caagttcggc	cattccaact	tcaactatct	cgctgctgt	atcacggttg	32580

-continued

gtgacctcaa	tggtcaccag	tttggcggca	aagacaagta	caactaatcg	agctctgaca	32640
aactccccctg	gtgaaccagc	tacaacagtt	tcattgggtca	cgcattcctgc	acagaccagc	32700
ccaacagttc	cctggacaac	ttccattttt	ttccatagta	aatcagacac	cacaccttca	32760
atgaccacca	gtcatggggc	agaatccagt	tcagctgttc	caactccaac	tgtttcaact	32820
gaggtaccag	gagtagtgac	ccctttgggtc	accagttcta	gggcagtgat	cagtacaact	32880
attccaattc	tgactctttc	tcttggtgaa	ccagagacca	caccttcaat	ggccaccagt	32940
catggggaag	aagccagttc	tgtctattcca	actccaactg	tttcacctgg	ggtagcagga	33000
gtggtgacct	ctctgggtcac	tagttctagg	gcagtgacta	gtacaactat	tccaattctg	33060
actttttctc	ttggtaaac	agagaccaca	ccttcaatgg	ccaccagtca	tgggacagaa	33120
gctggctcag	ctgttccaac	tgttttacct	gaggtaccag	gaatgggtgac	ctctctgggt	33180
gctagtctta	gggcagtaac	cagtacaact	cttccaactc	tgactctttc	tcttggtgaa	33240
ccagagacca	caccttcaat	ggccaccagt	catggggcag	aagccagctc	aactgttcca	33300
actgtttcac	ctgaggtacc	aggagtggtg	acctctctgg	tactagtctc	tagtgagta	33360
aacagtacaa	gtattccaac	tctgattctt	tctcctgggtg	aactagaaac	cacaccttca	33420
atggccacca	gtcatggggc	agaagccagc	tcagctgttc	caactccaac	tgtttcacct	33480
ggggtatcag	gagtggtgac	ccctctgggtc	actagttcca	gggcagtgac	cagtacaact	33540
attccaattc	taactctttc	ttctagttag	ccagagacca	caccttcaat	ggccaccagt	33600
catggggtag	aagccagctc	agctgttcta	actgtttcac	ctgaggtacc	aggaatgggtg	33660
acctctctgg	tactagtctc	tagagcagta	accagtacaa	ctattccaac	tctgactatt	33720
tcttctgatg	aaccagagac	cacaacttca	ttggtcaccc	attctgaggc	aaagatgatt	33780
tcagccattc	caacttttag	tgtctccct	actgtacaag	ggctgggtgac	ttcactgggtc	33840
actagtctctg	ggtcagagac	cagtgcgttt	tcaaactctaa	ctgttgcttc	aagtcaacca	33900
gagaccatag	actcatgggt	cgtctcctct	gggacagaag	caagttctgt	tgttccaact	33960
ttgactgtct	ccactgggtg	gccgtttaca	aatatctcat	tggtcaccca	tctgcagag	34020
agtagctcaa	ctcttcccag	gacaacctca	aggttttccc	acagtgaatt	agacactatg	34080
ccttctacag	tcaccagttc	tgaggcagaa	tccagctcag	ccatttcaac	aactatttca	34140
cctgggtatac	caggtgtgct	gacatcactg	gtcactagct	ctgggagaga	catcagtgca	34200
actttttcaa	cagtgcctga	gtccccacat	gaatcagagg	caacagcttc	atgggttact	34260
catcctgcag	tcaccagcac	aacagttccc	aggacaaccc	ctaattattc	tcatagttaa	34320
ccagacacca	caccatcaat	agccaccagt	cctggggcag	aagccacttc	agattttcca	34380
acaataactg	tctcacctga	tgtaccagat	atggtaacct	cacaggtcac	tagttctggg	34440
acagacacca	gtataactat	tccaactctg	actctttctt	ctggtgagcc	agagaccaca	34500
acctcattta	tcacctattc	tgagacacac	acaagttcag	ccattccaac	tctccctgtc	34560
tccctgggtg	catcaaagat	gctgacctca	ctggtcatca	gttctgggac	agacagcact	34620
acaactttcc	caactactgac	ggagacccca	tatgaaccag	agacaacagc	catcacgctc	34680
attcatcctg	cagagaccaa	cacaatgggt	cccaggacaa	ctcccaagtt	ttcccatagt	34740
aagtcagaca	ccactctccc	agtagccatc	accagtcctg	ggccagaagc	cagttcagct	34800
gtttcaacga	caactatctc	acctgatatg	tcagatctgg	tgacctcact	ggctccctagt	34860

-continued

tctgggacag acaccagtac aaccttccca acattgagtg agaccccata tgaaccagag	34920
actacagcca cgtggctcac tcctcctgca gaaaccagca caacggtttc tgggacaatt	34980
cccaactttt cccatagggg atcagacact gcaccctcaa tggtcaccag tcctggagta	35040
gacacgaggt cagggtgttc aactacaacc atcccacca gtataccagg ggtagtgacc	35100
tcacaggtca ctagtctctg aacagacact agtacagcta ttccaacttt gactccttct	35160
cctggtgaac cagagaccac agcctcatca gctaccatc ctgggacaca gactggcttc	35220
actgttccaa ttgggactgt tcctctctgt gagccagata caatggcttc ctgggtcact	35280
catcctccac agaccagcac acctgtttcc agaacaacct ccagtttttc ccatagtagt	35340
ccagatgcca cactgttaac ggccaccagt cctaggacag aagccagttc agctgtactg	35400
acaacaatct cacctgggtc accagagatg gtgacttcac agatcactag ttctggggca	35460
gcaaccagta caactgttcc aactttgact cattctcctg gtatgccaga gaccacagcc	35520
ttattgagca cccatcccag aacagagaca agtaaaacat ttctgcttc aactgtgttt	35580
cctcaagtat cagagaccac agcctcactc accattagac ctggtgcaga gactagcaca	35640
gctctcccaa ctcagacaa atcctctctc ttaccctac ttgtaactgg aaccagcaga	35700
gttgatctaa gtccaactgc ttacacctgt gtttctgcaa aaacagcccc actttccacc	35760
catccaggga cagaaaccag cacaatgatt ccaacttcaa ctctttccct tggtttacta	35820
gagactacag gcttactggc caccagctct tcagcagaga ccagcagag tactctaact	35880
ctgactgttt cccctgctgt ctctgggctt tccagtgcct ctataacaac tgataagccc	35940
caaactgtga cctcctggaa cacagaaaac tcaccatctg taacttcagt tggaccccca	36000
gaattttcca ggactgtcac aggcaccact atgacctga taccatcaga gatgccaaca	36060
ccacctaaaa ccagtcattg agaaggagtg agtccaacca ctatcttgag aactacaatg	36120
gttgaagcca ctaatttagc taccacaggt tccagtccca ctgtggccaa gacaacaacc	36180
accttcaata cactggctgg aagcctcttt actcctctga ccacacctgg gatgtccacc	36240
ttggcctctg agagtgtgac ctcaagaaca agttataacc atcggtcctg gatctccacc	36300
accagcagtt ataaccgtcg gtactggacc cctgccacca gcaactcagt gacttctaca	36360
ttctccccag ggatttccac atcctccatc cccagctcca cagcagccac agtcccatc	36420
atggtgccat tcacctcaa cttcaccatc accaactgc agtacagga ggacatgcgg	36480
cacctgggtt ccaggaagtt caacgcaca gagagagaac tgcagggtct gctcaaaccc	36540
ttgttcagga atagcagctt ggaatacctc tattcaggct gcagactagc ctactcagg	36600
ccagagaagg atagctcagc cacggcagtg gatgccatct gcacacatcg cctgaccct	36660
gaagacctcg gactggacag agagcgactg tactgggagc tgagcaatct gacaaatggc	36720
atccaggagc tgggccccta caccctggac cggaacagtc tctatgtcaa tggtttcacc	36780
catgaagct ctatgcccac caccagcact cctgggacct ccacagtgga tgtgggaacc	36840
tcagggactc catcctccag cccagcccc acgactgtcg gccctctcct gatgcggttc	36900
acctcaact tcaccatcac caacctgcag tacgaggagg acatgcgtcg cactggettc	36960
aggaagtca acaccatgga gagtgtcctg cagggtctgc tcaagccctt gttcaagaac	37020
accagtgttg gccctctgta ctctggctgc agattgacct tgctcaggcc cgagaaagat	37080
ggggcagcca ctggagtgga tgccatctgc acccaccgcc ttgaccccaa aagccctgga	37140

-continued

ctcaacaggg	agcagctgta	ctgggagcta	agcaaactga	ccaatgacat	tgaagagctg	37200
ggcccttaca	ccttgagacag	gaacagtctc	tatgtcaatg	gtttcaccca	tcagagctct	37260
gtgtccacca	ccagcactcc	tgggacctcc	acagtggatc	tcagaacctc	agggactcca	37320
tcctccctct	ccagccccc	aattatggct	gctggccctc	tcctgggtacc	attcaccctc	37380
aacttcacca	tcaccaacct	gcagtatggg	gaggacatgg	gtcaccctgg	ctccaggaag	37440
ttcaacacca	cagagagggg	cctgcagggt	ctgcttggtc	ccatattcaa	gaacaccagt	37500
gttgccctc	tgtactctgg	ctgcagactg	acctctctca	ggtctgagaa	ggatggagca	37560
gccactggag	tggatgccat	ctgcacccat	catcttgacc	ccaaaagccc	tggactcaac	37620
agagagcggc	tgtactggga	gctgagccaa	ctgaccaatg	gcatacaaga	gctgggcccc	37680
tacacctg	acaggaacag	tctctatgtc	aatggtttca	cccatcggac	ctctgtgccc	37740
accagcagca	ctcctgggg	ctccacagt	gaccttgga	cctcaggga	tcattctctc	37800
ctcccaagcc	ccgcaactgc	tggccctctc	ctgggtctgt	tcacctcaa	cttcaccatc	37860
accaacctga	agtatgagga	ggacatgcac	cgcctgggt	ccaggaagtt	caacaccact	37920
gagagggctc	tgcagactct	ccttggtctc	atgttcaaga	acaccagtgt	tggccttctg	37980
tactctggct	gcagactgac	cttgctcagg	tccgagaagg	atggagcagc	cactggagt	38040
gatgccatct	gcacccaccg	tcttgacccc	aaaagccctg	gagtggacag	ggagcagcta	38100
tactgggagc	tgagccagct	gaccaatggc	atcaaagagc	tgggccccta	cacctgggac	38160
aggaacagtc	tctatgtcaa	tggtttcacc	cattggatcc	ctgtgcccac	cagcagcact	38220
cctgggacct	ccacagtggg	ccttggttca	gggactccat	cctccctccc	cagccccaca	38280
actgctggcc	ctctcctggg	gcggttcacc	ctcaacttca	ccatcaccaa	cctgaagtac	38340
gaggaggaca	tgcattgccc	tggctccagg	aagttcaaca	ccacagagag	agtccctgcag	38400
agtctgcttg	gtcccatgtt	caagaacacc	agtgttgccc	ctctgtactc	tggctgcaga	38460
ctgaccttgc	tcaggtccga	gaaggatgga	gcagccactg	gagtggatgc	catctgcacc	38520
caccgtcttg	acccccaaa	ccctggagtg	gacagggagc	agctatactg	ggagctgagc	38580
cagctgacca	atggcatcaa	agagctgggt	ccctacaccc	tggacagaaa	cagtctctat	38640
gtcaatggtt	tcacccatca	gacctctgcg	cccaacacca	gcactcctgg	gacctccaca	38700
gtggaccttg	ggacctcagg	gactccatcc	tcctcccca	gcctacatc	tgtggccct	38760
ctcctggtgc	cattcacctc	caacttcacc	atcaccaacc	tgcagtacga	ggaggacatg	38820
catcacccag	gtccaggaa	gttcaacacc	acggagcggg	tcctgcaggg	tctgcttggg	38880
cccatgttca	agaacaccag	tgtcggcctt	ctgtactctg	gotgcagact	gaccttgctc	38940
aggcctgaga	agaatggggc	agccactgga	atggatgcca	tctgcagcca	ccgtcttgac	39000
cccaaaagcc	ctggactcaa	cagagagcag	ctgtactggg	agctgagcca	gctgacctat	39060
ggcatcaaag	agctggggcc	ctacaccctg	gacaggaaca	gtctctatgt	caatgggttc	39120
acctcaggga	ctccatcctc	cctccccagc	cccacaacag	ctgttctctc	cctggtgccc	39180
ttcacctca	actttaccat	caccaatctg	cagtatgggg	aggacatgcg	tcacctggc	39240
tccaggaagt	tcaacaccac	agagaggggc	ctgcagggtc	tgttggttcc	cttggttcaag	39300
aactccagt	tcggccctct	gtactctggc	tgcagactga	tctctctcag	gtctgagaag	39360
						39420

-continued

gatggggcag ccaactggagt ggatgccatc tgcacccacc accttaaccc tcaaagccct	39480
ggactggaca gggagcagct gtactggcag ctgagccaga tgaccaatgg catcaaagag	39540
ctggggccct acaccctgga ccggaacagt ctctacgtca atggtttcac ccatcggagc	39600
tctgggtca ccaccagcac tccttggaact tccacagttg accttggaac ctcagggaact	39660
ccatcccccg tccccagccc cacaaccacc ggccctctcc tggtgccatt cacactcaac	39720
ttcaccatca ctaacctaca gtatgaggag aacatgggtc accctggctc cagggaagttc	39780
aacatcacgg agagtgttct gcagggtctg ctcaagccct tgttcaagag caccagtgtt	39840
ggccctctgt attctggctg cagactgacc ttgctcaggc ctgagaagga tggagtagcc	39900
accagagtgg acgccatctg caccacccgc cctgacccca aaatccctgg gctagacaga	39960
cagcagctat actgggagct gagccagctg acccacagca tcaactgagct gggaccctac	40020
acctggata gggacagtct ctatgtcaat ggtttcaccc agcggagctc tgtgccacc	40080
accagcactc ctgggacttt cacagtacag ccggaacact ctgagactcc atcatccctc	40140
cctggcccca cagccactgg ccctgtcctg ctgccattca ccctcaattt taccatcact	40200
aacctgcagt atgaggagga catgcgtgc cctggctcca ggaagttaa caccacggag	40260
agggtccttc agggctctgt tatgcccttg ttcaagaaca ccagtgtcag ctctctgtac	40320
tctggttgca gactgacctt gctcaggcct gagaaggatg gggcagccac cagagtggat	40380
gctgtctgca cccatcgtcc tgaccccaaa agccctggac tggacagaga gcggtgtac	40440
tggaagtga gccagctgac ccacggcatc actgagctgg gccctacac cctggacagg	40500
cacagtctct atgtcaatgg ttccacccat cagagctcta tgacgaccac cagaactcct	40560
gatacctcca caatgcacct ggcaacctcg agaactccag cctccctgtc tggacccatg	40620
accgccagcc ctctcctggt gctattcaca attaacttca ccatcactaa cctgcggtat	40680
gaggagaaca tgcacacccc tggctctaga aagttaaaca ccacggagag agtccttcag	40740
ggctctgtca ggctctgttt caagaacacc agtgttggtc ctctgtactc tggctgcaga	40800
ctgacctgac tcaggcccaa gaaggatggg gcagccacca aagtggatgc catctgcacc	40860
taccgccctg atcccaaaag ccctggactg gacagagagc agctatactg ggagctgagc	40920
cagctgaccc acagcatcac tgagctgggc ccctacaccc tggacaggga cagtctctat	40980
gtcaatgggt tcacacagcg gagctctgtg cccaccacta gcattcctgg gacccccaca	41040
gtggacctgg gaacatctgg gactccagtt tctaaacctg gtcctcggc tggcagccct	41100
ctcctggtgc tattcactct caacttcacc atcaccaacc tgcggtatga ggagaacatg	41160
cagcaccctg gctccaggaa gttcaacacc acggagaggg tccttcaggg cctgctcagg	41220
tcctgttca agagcaccag tgttgccct ctgtactctg gctgcagact gactttgctc	41280
aggcctgaaa aggatgggac agccactgga gtggatgcca tctgcaccca ccacctgac	41340
cccaaaagcc ctaggctgga cagagagcag ctgtattggg agctgagcca gctgacccac	41400
aatatcactg agctgggccc ctatgccctg gacaacgaca gcctctttgt caatggtttc	41460
actcatcgga gctctgtgtc caccaccagc actcctggga ccccccacagt gtatctggga	41520
gcactcaaga ctccagcctc gatatttggc ccttcagctg ccagccatct cctgatacta	41580
ttcaccctca acttcacat cactaacctg cggtatgagg agaacatgtg gcctggctcc	41640
aggaagtca acatacaga gaggtcctt cagggcctgc taaggccctt gttcaagaac	41700

-continued

accagtgttg gccctctgta ctctggctgc aggtgacct tgctcaggcc agagaaagat 41760
ggggaagcca ccggagtgga tgccatctgc acccaccgcc ctgacccac aggccctggg 41820
ctggacagag agcagctgta tttggagctg agccagctga cccacagcat cactgagctg 41880
ggccctaca cactggacag ggacagtctc tatgtcaatg gtttcacca tcggagctct 41940
gtaccacca ccagcaccgg ggtgggcagc gaggagccat tcacactgaa cttcaccatc 42000
aacaacctgc gctacatggc ggacatgggc caaccggct cctcaagtt caacatcaca 42060
gacaacgtca tgcagcacct gctcagtcct ttgttcaga ggagcagcct ggtgacagcg 42120
tacacaggct gcagggtcat cgcactaagg tctgtgaaga acggtgctga gacacgggtg 42180
gacctcctct gcacctacct gcagccctc agcggcccag gtctgcctat caagcagggtg 42240
ttccatgagc tgagccagca gacctatggc atcaccggc tgggccccta ctctctggac 42300
aaagacagcc tctaccttaa cggttacaat gaacctggtc cagatgagcc tctacaact 42360
cccaagccag ccaccacatt cctgcctcct ctgtcagaag ccacaacagc catgggggtac 42420
cacctgaaga cctcacact caacttcacc atctccaatc tccagtattc accagatatg 42480
ggcaagggtc cagctacatt caactccacc gagggggtcc ttcagcacct gctcagaccc 42540
ttgttcaga agagcagcat gggcccttc tacttgggtt gccaaactgat ctccctcagg 42600
cctgagaagg atggggcagc cactggtgtg gacaccacct gcacctacca cctgaccct 42660
gtgggccccg ggtgggacat acagcagctt tactgggagc tgagtcagct gacctatggt 42720
gtcaccacac tgggcttcta tgtcctggac agggatagcc tcttcacaa tggctatgca 42780
ccccagaatt tatcaatccg gggcgagtac cagataaatt tccacattgt caactggaac 42840
ctcagtaatc cagacccac atctcagag tacatcacc tgctgaggga catccaggac 42900
aaggtacca cactctaca aggagtcac ctacatgaca cattccgctt ctgcctggtc 42960
acaaactga cgatggactc cgtgttggtc actgtcaagg cattgttctc ctccaatttg 43020
gacccagcc tggtgagca agtctttcta gataagacc tgaatgcctc attccattgg 43080
ctgggtcca cctaccagt ggtggacatc catgtgacag aaatggagtc atcagtttat 43140
caaccaacaa gcagctccag caccagcac ttctacctga atttcacat caccaacct 43200
ccatattccc aggacaaagc ccagccaggc accaccaatt accagaggaa caaaaggaa 43260
attgaggatg cgctcaacca actcttccga aacagcagca tcaagagtta tttttctgac 43320
tgtcaagttt caacattcag gtctgtcccc aacaggcacc acacgggggt ggactccctg 43380
tgtaacttct cgccactggc tcggagagta gacagagttg ccactatga ggaatttctg 43440
cggatgaccc ggaatggtac ccagctgcag aacttcacc tggacaggag cagtgtcctt 43500
gtggatgggt atttcccaa cagaaatgag cccttaactg ggaattctga ccttccttc 43560
tgggtgtca tctcatcgg cttggcagga ctctgggag tcatcacatg cctgatctgc 43620
ggtgtcctgg tgaccaccg ccggcggaag aaggaggag aatacaacgt ccagcaacag 43680
tgcccaggct actaccagtc acacctagac ctggaggatc tgcaatgact ggaacttgcc 43740
ggtgcctggg gtgcctttcc ccagccagg gtccaaagaa gcttggtgg ggcagaaata 43800
aaccatattg gtcgga 43816

<210> SEQ ID NO 59

<211> LENGTH: 267

-continued

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 59

Met Arg Leu Thr Val Leu Cys Ala Val Cys Leu Leu Pro Gly Ser Leu
1 5 10 15

Ala Leu Pro Leu Pro Gln Glu Ala Gly Gly Met Ser Glu Leu Gln Trp
20 25 30

Glu Gln Ala Gln Asp Tyr Leu Lys Arg Phe Tyr Leu Tyr Asp Ser Glu
35 40 45

Thr Lys Asn Ala Asn Ser Leu Glu Ala Lys Leu Lys Glu Met Gln Lys
50 55 60

Phe Phe Gly Leu Pro Ile Thr Gly Met Leu Asn Ser Arg Val Ile Glu
65 70 75 80

Ile Met Gln Lys Pro Arg Cys Gly Val Pro Asp Val Ala Glu Tyr Ser
85 90 95

Leu Phe Pro Asn Ser Pro Lys Trp Thr Ser Lys Val Val Thr Tyr Arg
100 105 110

Ile Val Ser Tyr Thr Arg Asp Leu Pro His Ile Thr Val Asp Arg Leu
115 120 125

Val Ser Lys Ala Leu Asn Met Trp Gly Lys Glu Ile Pro Leu His Phe
130 135 140

Arg Lys Val Val Trp Gly Thr Ala Asp Ile Met Ile Gly Phe Ala Arg
145 150 155 160

Gly Ala His Gly Asp Ser Tyr Pro Phe Asp Gly Pro Gly Asn Thr Leu
165 170 175

Ala His Ala Phe Ala Pro Gly Thr Gly Leu Gly Gly Asp Ala His Phe
180 185 190

Asp Glu Asp Glu Arg Trp Thr Asp Gly Ser Ser Leu Gly Ile Asn Phe
195 200 205

Leu Tyr Ala Ala Thr His Glu Leu Gly His Ser Leu Gly Met Gly His
210 215 220

Ser Ser Asp Pro Asn Ala Val Met Tyr Pro Thr Tyr Gly Asn Gly Asp
225 230 235 240

Pro Gln Asn Phe Lys Leu Ser Gln Asp Asp Ile Lys Gly Ile Gln Lys
245 250 255

Leu Tyr Gly Lys Arg Ser Asn Ser Arg Lys Lys
260 265

<210> SEQ ID NO 60

<211> LENGTH: 1147

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 60

accaaatacaa ccataggtcc aagaacaatt gtctctggac ggcagctatg cgactcaccg 60

tgctgtgtgc tgtgtgcctg ctgcctggca gcctggccct gccgctgcct caggaggcgg 120

gaggcatgag tgagctacag tgggaacagg ctcaggacta totcaagaga ttttatctct 180

atgactcaga aacaaaaaat gccaacagtt tagaagccaa actcaaggag atgcaaaaaat 240

tctttggcct acctataact ggaatgttaa actccgcgt catagaaata atgcagaagc 300

ccagatgtgg agtgccagat gttgcagaat actcactatt tccaaatagc ccaaaatgga 360

-continued

```

cttccaaagt ggtcacctac aggatcgtat catatactcg agacttaccg catattacag    420
tggatcgatt agtgctaaag gctttaaaca tgtggggcaa agagatcccc ctgcatttca    480
ggaaagtgtg atggggaact gctgacatca tgattggctt tgcgcgagga gctcatgggg    540
actcctaccc atttgatggg ccaggaaaca cgctggctca tgcctttgcg cctgggacag    600
gtctcggagg agatgctcac ttcgatgagg atgaacgctg gacggatggt agcagtctag    660
ggattaactt cctgtatgct gcaactcatg aacttggcca ttctttgggt atgggacatt    720
cctctgatcc taatgcagtg atgtatccaa cctatggaaa tggagatccc caaaatttta    780
aactttccca ggatgatatt aaaggcattc agaaactata tggaaagaga agtaattcaa    840
gaaagaaata gaaacttcac gcagaacatc cattcattca ttcattggat tgtatatcat    900
tgttgcacaa tcagaattga taagcactgt tcctccactc catttagcaa ttatgtcacc    960
cttttttatt gcagttgggt tttgaatgct tttcactcct ttaaggata aactccttta   1020
tggtgtgact gtgtcttatt catctatact tgcagtgggt agatgtcaat aaatgttaca   1080
tacacaaata aataaaatgt ttattccatg gtaaatttaa aaaaaaaaaa aaaaaaaaaa   1140
aaaaaaaaa                                     1147

```

<210> SEQ ID NO 61

<211> LENGTH: 227

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 61

```

Met Asn Ile Lys Gly Ser Pro Trp Lys Gly Ser Leu Leu Leu Leu
1           5           10          15

Val Ser Asn Leu Leu Leu Cys Gln Ser Val Ala Pro Leu Pro Ile Cys
          20          25          30

Pro Gly Gly Ala Ala Arg Cys Gln Val Thr Leu Arg Asp Leu Phe Asp
          35          40          45

Arg Ala Val Val Leu Ser His Tyr Ile His Asn Leu Ser Ser Glu Met
          50          55          60

Phe Ser Glu Phe Asp Lys Arg Tyr Thr His Gly Arg Gly Phe Ile Thr
          65          70          75          80

Lys Ala Ile Asn Ser Cys His Thr Ser Ser Leu Ala Thr Pro Glu Asp
          85          90          95

Lys Glu Gln Ala Gln Gln Met Asn Gln Lys Asp Phe Leu Ser Leu Ile
          100         105         110

Val Ser Ile Leu Arg Ser Trp Asn Glu Pro Leu Tyr His Leu Val Thr
          115         120         125

Glu Val Arg Gly Met Gln Glu Ala Pro Glu Ala Ile Leu Ser Lys Ala
          130         135         140

Val Glu Ile Glu Glu Gln Thr Lys Arg Leu Leu Glu Gly Met Glu Leu
          145         150         155         160

Ile Val Ser Gln Val His Pro Glu Thr Lys Glu Asn Glu Ile Tyr Pro
          165         170         175

Val Trp Ser Gly Leu Pro Ser Leu Gln Met Ala Asp Glu Glu Ser Arg
          180         185         190

Leu Ser Ala Tyr Tyr Asn Leu Leu His Cys Leu Arg Arg Asp Ser His
          195         200         205

Lys Ile Asp Asn Tyr Leu Lys Leu Leu Lys Cys Arg Ile Ile His Asn

```

-continued

210	215	220
Asn Asn Cys		
225		
 <210> SEQ ID NO 62		
<211> LENGTH: 1388		
<212> TYPE: DNA		
<213> ORGANISM: Homo sapiens		
 <400> SEQUENCE: 62		
gggatacctta ttctatatct cttgggtatgt agtgtaaaaa ttttaaaatc tttacctagc	60	
aatcttgagg aagaaacttg ataactgata atacatgaga ttgttaccta agtgaaatat	120	
aatcctatat attcaacaaa ctttagagaa ataagataaa ttttaaagta aatgacttct	180	
gtagttttat agatcctcca aaccaatcta gtctcagatc tcaccttcat cattttcttc	240	
atttcctttt ggccctaatta atcaaaatcc ttccctagaat gttcatttct ggccagtatg	300	
tcttctgtaa tatgaataag aaataaaata ccatttgatg tttgaaatta tgggggtaat	360	
ctcaatgacg gaaatagatg accaggaaaa gggaaacgaa tgctgattc attatattca	420	
tgaagatata aaaggtttat aaagccaata tctgggaaag agaaaaccgt gagacttcca	480	
gatcttctct ggtgaagtgt gtttctgca acgatcacga acatgaacat caaaggatcg	540	
ccatggaaag ggctccctct gctgctgctg gtgtcaaacc tgctcctgtg ccagagcgtg	600	
gcccccttgc ccatctgtcc cgccggggct gcccgatgcc aggtgacctc tcgagacctg	660	
tttgaccgcg ccgtcgtcct gtcccactac atccataacc tctcctcaga aatgttcagc	720	
gaattcgata aacggtatac ccatggccgg ggggttcatta ccaaggccat caacagctgc	780	
cacacttctt cccttgccac ccccgaagac aaggagcaag cccaacagat gaatcaaaaa	840	
gactttctga gcctgatagt cagcatattg cgatcctgga atgagcctct gtatcatctg	900	
gtcacggaag tacgtggtat gcaagaagcc ccggaggcta tcctatccaa agctgtagag	960	
attgaggagc aaacaaaacg gcttctagag ggcatggagc tgatagtcag ccaggttcat	1020	
cctgaaacca aagaaaatga gatctacctt gtctggtcgg gacttccatc cctgcagatg	1080	
gctgatgaag agtctcgctt ttctgcttat tataacctgc tccactgcct acgcagggat	1140	
tcacataaaa tcgacaatta tctcaagctc ctgaagtgcc gaatcatcca caacaacaac	1200	
tgctaagccc acatccattt catctatttc tgagaaggtc cttaatgata cgttccattg	1260	
caagcttctt ttagtgtgat ctcttttgaa tccatgcttg ggtgtaacag gtctcctctt	1320	
aaaaaataaa aactgactcc ttagagacat caaaatccaa aaaaaaaaaa aaaaaaaaaa	1380	
aaaaaaaa	1388	

<210> SEQ ID NO 63

<211> LENGTH: 132

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 63

Met Lys Ser Ser Gly Leu Phe Pro Phe Leu Val Leu Leu Ala Leu Gly	1	5	10	15
Thr Leu Ala Pro Trp Ala Val Glu Gly Ser Gly Lys Ser Phe Lys Ala	20	25	30	
Gly Val Cys Pro Pro Lys Lys Ser Ala Gln Cys Leu Arg Tyr Lys Lys				

-continued

35	40	45
Pro Glu Cys Gln Ser Asp Trp Gln Cys Pro Gly Lys Lys Arg Cys Cys		
50	55	60
Pro Asp Thr Cys Gly Ile Lys Cys Leu Asp Pro Val Asp Thr Pro Asn		
65	70	75
Pro Thr Arg Arg Lys Pro Gly Lys Cys Pro Val Thr Tyr Gly Gln Cys		
85	90	95
Leu Met Leu Asn Pro Pro Asn Phe Cys Glu Met Asp Gly Gln Cys Lys		
100	105	110
Arg Asp Leu Lys Cys Cys Met Gly Met Cys Gly Lys Ser Cys Val Ser		
115	120	125
Pro Val Lys Ala		
130		
<210> SEQ ID NO 64		
<211> LENGTH: 598		
<212> TYPE: DNA		
<213> ORGANISM: Homo sapiens		
<400> SEQUENCE: 64		
cagagtcaact cctgcottca ccatgaagtc cagcggcctc tcccccttcc tgggtgtgct	60	
tgccccggga actctggcac cttgggtctgt ggaaggtctc ggaaagtccct tcaaagctgg	120	
agtcctgtcct cctaagaaat ctgcccagtg ccttagatac aagaaacctg agtgccagag	180	
tgactggcag tgtccaggga agaagagatg ttgtcctgac acttgtggca tcaaatgcct	240	
ggatcctggt gacaccccaa acccaacaag gaggaagcct ggggaagtgcc cagtgactta	300	
tggccaatgt ttgatgctta cccccccaa tttctgtgag atggatggcc agtgcaagcg	360	
tgacttgaag tgtgtcatgg gcatgtgtgg gaaatcctgc gtttccccctg tgaagcttg	420	
attcctgcca tatggaggag gctctggagt cctgctctgt gtggtccagg tcctttccac	480	
cctgagactt ggcctccacca ctgatatcct cctttgggga aaggettggc acacagcagg	540	
ctttcaagaa gtgccagttg atcaatgaat aaataaacga gcctatttct ctttgcac	598	

That which is claimed:

1. A single-step screening method for identifying patients with an increased likelihood of having ovarian cancer, the method comprising detecting the expression level of three biomarker proteins in a body sample, wherein the biomarker proteins are HE4, CA125, and glycodeilin, and wherein over-expression of at least one of the biomarker proteins is indicative of the patient having an increased likelihood of having ovarian cancer.

2. The method of claim 1, wherein the body sample is a blood or serum sample.

3. The method of claim 1, wherein the expression level of each of the three biomarker proteins is compared to the expression level of each of the three biomarker proteins in a normal patient population.

4. The method of claim 1, wherein expression of the three biomarker proteins is detected using at least one antibody that specifically binds to HE4, at least one antibody that specifically binds to CA 125, and at least one antibody that specifically binds to glycodeilin.

5. The method of claim 4, wherein expression of the three biomarker proteins is detected using an ELISA format or a multiplex bead-based immunoassay.

6. The method of claim 1, wherein the screening method is performed in an automated, semi-automated, or manual fashion.

7. The method of claim 1, wherein the method is used to detect early-stage ovarian cancer.

8. The method of claim 1, wherein the patients screened in accordance with the method of claim 1 are asymptomatic and have a family history of ovarian cancer or clinical risk factors indicating a high-risk for developing ovarian cancer.

9. The method of claim 1, wherein the screening method is performed in a population of post-menopausal female patients.

10. The method of claim 1, wherein patients identified as having an increased likelihood of having ovarian cancer are further subjected to additional diagnostic testing to determine if the patient has ovarian cancer, wherein the additional diagnostic testing is selected from the group consisting of pelvic examination, transvaginal ultrasound, CT scan, MRI, laparotomy, laparoscopy, and tissue sample biopsy.

11. The method of claim 10, wherein patients identified as having an increased likelihood of having ovarian cancer that

are determined not to currently have ovarian cancer are further monitored on a regular basis for the development of ovarian cancer.

12. The method of claim **1**, wherein the sensitivity of the screening method for identifying patients with an increased likelihood of having ovarian cancer is at least 80%.

13. The method of claim **1**, wherein the specificity of the screening method for identifying patients with an increased likelihood of having ovarian cancer is at least 75%.

* * * * *

专利名称(译)	用于鉴定患有卵巢癌的可能性增加的患者的方法及其组合物		
公开(公告)号	US20090068690A1	公开(公告)日	2009-03-12
申请号	US12/261205	申请日	2008-10-30
申请(专利权)人(译)	TRIPATH IMAGING , INC.		
当前申请(专利权)人(译)	TRIPATH IMAGING , INC.		
[标]发明人	FISCHER TIMOTHY J MALINOWSKI DOUGLAS P HE QIN WHITEHEAD CLARK M CHEEK ROBERT L GROELKE JOHN W		
发明人	FISCHER, TIMOTHY J. MALINOWSKI, DOUGLAS P. HE, QIN WHITEHEAD, CLARK M. CHEEK, ROBERT L. GROELKE, JOHN W.		
IPC分类号	C12Q1/02 C12Q1/00 A61B5/00 A61B5/055 A61B10/00 G01N33/53		
CPC分类号	G01N33/57449		
优先权	60/762760 2006-01-27 US		
外部链接	Espacenet USPTO		

摘要(译)

提供了用于鉴定患有卵巢癌的可能性增加患者的筛选方法。筛选方法涉及检测样品中多种生物标志物的表达，其中生物标志物的过表达指示患卵巢癌的可能性增加。筛选方法可以进一步包括两步分析。感兴趣的生物标志物包括基因和蛋白质，其例如涉及DNA复制/细胞周期控制，细胞生长和增殖的缺陷，逃避细胞凋亡，血管生成或淋巴发生，或癌细胞运动和侵袭的机制。在本发明的一些方面，使用生物标志物特异性抗体在蛋白质水平检测生物标志物的表达，或使用核酸杂交技术在核酸水平检测生物标志物的表达。本文进一步公开了用于检测患者的卵巢癌的方法。进一步提供了用于实施本发明方法的试剂盒。

