



US010490105B2

(12) **United States Patent**
Saleh

(10) **Patent No.:** **US 10,490,105 B2**
(45) **Date of Patent:** **Nov. 26, 2019**

(54) **APPENDECTOMY MODEL**

(56) **References Cited**

(71) Applicant: **Applied Medical Resources Corporation**, Rancho Santa Margarita, CA (US)

(72) Inventor: **Khodr Saleh**, Rancho Santa Margarita, CA (US)

(73) Assignee: **Applied Medical Resources Corporation**, Rancho Santa Margarita, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 470 days.

(21) Appl. No.: **15/215,853**

(22) Filed: **Jul. 21, 2016**

(65) **Prior Publication Data**
US 2017/0025044 A1 Jan. 26, 2017

Related U.S. Application Data

(60) Provisional application No. 62/195,439, filed on Jul. 22, 2015.

(51) **Int. Cl.**
G09B 23/30 (2006.01)
G09B 23/28 (2006.01)
A61B 17/00 (2006.01)

(52) **U.S. Cl.**
CPC **G09B 23/30** (2013.01); **G09B 23/28** (2013.01); **A61B 2017/00716** (2013.01); **A61B 2017/00823** (2013.01)

(58) **Field of Classification Search**
CPC G09B 23/28; G09B 23/285; G09B 23/30
USPC 434/262, 267, 268, 272
See application file for complete search history.

U.S. PATENT DOCUMENTS

184,573 A	11/1876	Becker
2,127,774 A	8/1938	Jacobs
2,284,888 A	6/1942	Arneil, Jr.
2,324,702 A	7/1943	Hoffman et al.
2,345,489 A	3/1944	Lord
2,495,568 A	1/1950	Coel
3,766,666 A	10/1973	Stroop
3,775,865 A	12/1973	Rowan
3,789,518 A	2/1974	Chase

(Continued)

FOREIGN PATENT DOCUMENTS

CN	2421706 Y	2/2001
CN	2751372 Y	1/2006

(Continued)

OTHER PUBLICATIONS

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2017/039113, entitled "Simulated Abdominal Wall," dated Aug. 7, 2017, 13 pgs.

(Continued)


Primary Examiner — Kurt Fernstrom

(74) *Attorney, Agent, or Firm* — Shirin Bozorgui

(57) **ABSTRACT**

An appendectomy model for surgical training is provided. The model includes a simulated large intestine with a central lumen interconnected with a lumen of an artificial appendix. The model also includes a simulated appendiceal artery, simulated mesoappendix and a simulated ileum. The simulated ileum made of white silicone is embedded between a first layer of pink silicone and a second layer of pink silicone to create a realistic anatomical landmark particularly suitable for laparoscopic appendectomy training.

14 Claims, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

3,921,311	A	11/1975	Beasley et al.	6,511,325	B1	1/2003	Lalka et al.
3,991,490	A	11/1976	Markman	6,517,354	B1	2/2003	Levy
4,001,951	A	1/1977	Fasse	6,568,941	B1	5/2003	Goldstein
4,001,952	A	1/1977	Kleppinger	6,589,057	B1	7/2003	Keenan et al.
4,321,047	A	3/1982	Landis	6,620,174	B2	9/2003	Jensen et al.
4,323,350	A	4/1982	Bowden, Jr.	6,654,000	B2	11/2003	Rosenberg
4,332,569	A	6/1982	Burbank	6,659,776	B1	12/2003	Aumann et al.
4,371,345	A	2/1983	Palmer et al.	6,773,263	B2	8/2004	Nicholls et al.
4,386,917	A	6/1983	Forrest	6,780,016	B1	8/2004	Toly
4,459,113	A	7/1984	Boscaro Gatti et al.	6,817,973	B2	11/2004	Merril et al.
4,481,001	A	11/1984	Graham et al.	6,820,025	B2	11/2004	Bachmann et al.
4,596,528	A	6/1986	Lewis et al.	6,854,976	B1	2/2005	Suhr
4,726,772	A	2/1988	Amplatz	6,857,878	B1	2/2005	Chosack et al.
4,737,109	A	4/1988	Abramson	6,863,536	B1	3/2005	Fisher et al.
4,789,340	A	12/1988	Zikria	6,866,514	B2	3/2005	Von Roeschlaub et al.
4,832,978	A	5/1989	Lesser	6,887,082	B2	5/2005	Shun
4,867,686	A	9/1989	Goldstein	6,929,481	B1	8/2005	Alexander et al.
4,907,973	A	3/1990	Hon	6,939,138	B2	9/2005	Chosack et al.
4,938,696	A	7/1990	Foster et al.	6,950,025	B1	9/2005	Nguyen
4,940,412	A	7/1990	Blumenthal	6,960,617	B2	11/2005	Omidian et al.
5,061,187	A	10/1991	Jerath	6,997,719	B2	2/2006	Wellman et al.
5,083,962	A	1/1992	Pracas	7,008,232	B2	3/2006	Brassel
5,104,328	A	4/1992	Lounsbury	7,018,327	B1	3/2006	Conti
5,149,270	A	9/1992	McKeown	7,025,064	B2	4/2006	Wang et al.
5,180,308	A	1/1993	Garito et al.	7,056,123	B2	6/2006	Gregorio et al.
5,230,630	A	7/1993	Burgett	7,080,984	B1	7/2006	Cohen
5,273,435	A	12/1993	Jacobson	7,118,582	B1	10/2006	Wang et al.
5,295,694	A	3/1994	Levin	7,255,565	B2	8/2007	Keegan
5,310,348	A	5/1994	Miller	7,269,532	B2	9/2007	David et al.
5,318,448	A	6/1994	Garito et al.	7,272,766	B2	9/2007	Sakezles
5,320,537	A	6/1994	Watson	7,300,450	B2	11/2007	Vleugels et al.
5,358,408	A	10/1994	Medina	7,364,582	B2	4/2008	Lee
5,368,487	A	11/1994	Medina	7,404,716	B2	7/2008	Gregorio et al.
5,380,207	A	1/1995	Siepsner	7,419,376	B2	9/2008	Sarvazy et al.
5,403,191	A	4/1995	Tuason	7,427,199	B2	9/2008	Sakezles
5,425,644	A	6/1995	Szinicz	7,431,189	B2	10/2008	Shelton, IV et al.
5,425,731	A	6/1995	Daniel et al.	7,441,684	B2	10/2008	Shelton, IV et al.
5,472,345	A	12/1995	Eggert	7,465,168	B2	12/2008	Allen et al.
5,518,406	A	5/1996	Waters	7,467,075	B2	12/2008	Humphries et al.
5,518,407	A	5/1996	Greenfield et al.	7,544,062	B1	6/2009	Hauschild et al.
5,520,633	A	5/1996	Costin	7,549,866	B2	6/2009	Cohen et al.
5,541,304	A	7/1996	Thompson	7,553,159	B1	6/2009	Arnal et al.
5,620,326	A	4/1997	Younker	7,575,434	B2	8/2009	Palakodeti
5,720,742	A	2/1998	Zacharias	7,594,815	B2	9/2009	Toly
5,722,836	A	3/1998	Younker	7,621,749	B2	11/2009	Munday
5,727,948	A	3/1998	Jordan	7,646,901	B2	1/2010	Murphy et al.
5,743,730	A	4/1998	Clester et al.	7,648,367	B1	1/2010	Makower et al.
5,762,458	A	6/1998	Wang et al.	7,648,513	B2	1/2010	Green et al.
5,769,640	A	6/1998	Jacobus et al.	7,651,332	B2	1/2010	Dupuis et al.
5,775,916	A	7/1998	Cooper et al.	7,677,897	B2	3/2010	Sakezles
5,785,531	A	7/1998	Leung	7,775,916	B1	8/2010	Mahoney
5,800,178	A	9/1998	Gillio	7,780,451	B2	8/2010	Willobee et al.
5,803,746	A	9/1998	Barrie et al.	7,802,990	B2	9/2010	Korndorffer et al.
5,807,378	A	9/1998	Jensen et al.	7,803,151	B2	9/2010	Whitman
5,810,880	A	9/1998	Jensen et al.	7,806,696	B2	10/2010	Alexander et al.
5,814,038	A	9/1998	Jensen et al.	7,819,799	B2	10/2010	Merril et al.
5,850,033	A	12/1998	Mirzeabasov et al.	7,833,018	B2	11/2010	Alexander et al.
5,855,583	A	1/1999	Wang et al.	7,837,473	B2	11/2010	Koh
5,873,732	A	2/1999	Hasson	7,850,454	B2	12/2010	Toly
5,873,863	A	2/1999	Komlosi	7,850,456	B2	12/2010	Chosack et al.
5,908,302	A	6/1999	Goldfarb	7,854,612	B2	12/2010	Frassica et al.
5,947,743	A	9/1999	Hasson	7,857,626	B2	12/2010	Toly
5,951,301	A	9/1999	Younker	7,866,983	B2	1/2011	Hemphill et al.
6,080,181	A	6/2000	Jensen et al.	7,931,470	B2	4/2011	Alexander et al.
6,083,008	A	7/2000	Yamada et al.	7,931,471	B2	4/2011	Senagore et al.
6,113,395	A	9/2000	Hon	7,988,992	B2	8/2011	Omidian et al.
6,234,804	B1	5/2001	Yong	7,993,140	B2	8/2011	Sakezles
6,271,278	B1	8/2001	Park et al.	7,997,903	B2	8/2011	Hasson et al.
6,336,812	B1	1/2002	Cooper et al.	8,007,281	B2	8/2011	Toly
6,398,557	B1	6/2002	Hoballah	8,007,282	B2	8/2011	Gregorio et al.
6,413,264	B1	7/2002	Jensen et al.	8,016,818	B2	9/2011	Ellis et al.
6,474,993	B1	11/2002	Grund et al.	8,017,107	B2	9/2011	Thomas et al.
6,485,308	B1	11/2002	Goldstein	8,021,162	B2	9/2011	Sui
6,488,507	B1	12/2002	Stoloff et al.	8,048,088	B2	11/2011	Green et al.
6,497,902	B1	12/2002	Ma	8,083,691	B2	12/2011	Goldenberg et al.
				8,116,847	B2	2/2012	Gattani et al.
				8,137,110	B2	3/2012	Sakezles
				8,157,145	B2	4/2012	Shelton, IV et al.
				8,197,464	B2	6/2012	Kreuer et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

8,205,779 B2	6/2012	Ma et al.	9,196,176 B2	11/2015	Hager et al.
8,221,129 B2	7/2012	Parry et al.	9,226,799 B2	1/2016	Lightcap et al.
8,297,982 B2	10/2012	Park et al.	9,257,055 B2	2/2016	Endo et al.
8,308,817 B2	11/2012	Egilsson et al.	9,265,587 B2	2/2016	Vancamberg et al.
8,323,028 B2	12/2012	Matanhelia	9,295,468 B2	3/2016	Heinrich et al.
8,323,029 B2	12/2012	Toly	9,351,714 B2	5/2016	Ross et al.
8,328,560 B2	12/2012	Niblock et al.	9,336,694 B2	6/2016	Shim et al.
8,342,851 B1	1/2013	Speeg et al.	9,358,682 B2	6/2016	Ruiz Morales
8,403,674 B2	3/2013	Feygin et al.	9,364,224 B2	6/2016	Nicholas et al.
8,403,675 B2	3/2013	Stoianovici et al.	9,364,279 B2	6/2016	Houser et al.
8,403,676 B2	3/2013	Frassica et al.	9,370,361 B2	6/2016	Viola et al.
8,408,920 B2	4/2013	Speller	9,373,270 B2	6/2016	Miyazaki
8,425,234 B2	4/2013	Sakezles	9,387,276 B2	7/2016	Sun et al.
8,439,687 B1	5/2013	Morriss et al.	9,427,496 B2	8/2016	Sun et al.
8,442,621 B2	5/2013	Gorek et al.	9,439,649 B2	9/2016	Shelton, IV et al.
8,454,368 B2	6/2013	Ault et al.	9,439,733 B2	9/2016	Ha et al.
8,459,094 B2	6/2013	Yanni	9,449,532 B2	9/2016	Black et al.
8,459,520 B2	6/2013	Giordano et al.	9,468,438 B2	10/2016	Baber et al.
8,460,002 B2	6/2013	Wang et al.	2001/0019818 A1	9/2001	Yong
8,465,771 B2	6/2013	Wan et al.	2002/0168619 A1	11/2002	Provenza
8,469,715 B2	6/2013	Ambrozio	2003/0031993 A1	2/2003	Pugh
8,469,716 B2	6/2013	Fedotov et al.	2003/0091967 A1	5/2003	Chosack et al.
8,480,407 B2	7/2013	Campbell et al.	2003/0176770 A1	9/2003	Merril et al.
8,480,408 B2	7/2013	Ishii et al.	2004/0005423 A1	1/2004	Dalton et al.
8,491,309 B2	7/2013	Parry et al.	2004/0126746 A1	7/2004	Toly
8,500,753 B2	8/2013	Green et al.	2004/0248072 A1	12/2004	Gray et al.
8,512,044 B2	8/2013	Sakezles	2005/0008997 A1	1/2005	Herman
8,517,243 B2	8/2013	Giordano et al.	2005/0026125 A1	2/2005	Toly
8,521,252 B2	8/2013	Diez	2005/0084833 A1	4/2005	Lacey et al.
8,535,062 B2	9/2013	Nguyen	2005/0131390 A1	6/2005	Heinrich et al.
8,544,711 B2	10/2013	Ma et al.	2005/0142525 A1	6/2005	Cotin et al.
8,556,635 B2	10/2013	Toly	2005/0192595 A1	9/2005	Green et al.
8,608,483 B2	12/2013	Trotta et al.	2005/0196739 A1	9/2005	Moriyama
8,613,621 B2	12/2013	Henderickson et al.	2005/0196740 A1	9/2005	Moriyama
8,636,520 B2	1/2014	Iwasaki et al.	2005/0214727 A1	9/2005	Stoianovici et al.
D699,297 S	2/2014	Bahsoun et al.	2006/0046235 A1	3/2006	Alexander et al.
8,641,423 B2	2/2014	Gumkowski	2006/0252019 A1	11/2006	Burkitt et al.
8,647,125 B2	2/2014	Johns et al.	2006/0275741 A1	12/2006	Chewning et al.
8,678,831 B2	3/2014	Trotta et al.	2007/0074584 A1	4/2007	Talarico et al.
8,679,279 B2	3/2014	Thompson et al.	2007/0077544 A1	4/2007	Lemperle et al.
8,696,363 B2	4/2014	Gray et al.	2007/0078484 A1	4/2007	Talarico et al.
8,708,213 B2	4/2014	Shelton, IV et al.	2007/0148626 A1	6/2007	Ikeda
8,708,707 B2	4/2014	Hendrickson et al.	2007/0166682 A1	7/2007	Yarin et al.
8,764,449 B2	7/2014	Rios et al.	2007/0197895 A1	8/2007	Nycz et al.
8,764,452 B2	7/2014	Pravong et al.	2007/0225734 A1	9/2007	Bell et al.
8,800,839 B2	8/2014	Beetel	2007/0275359 A1	11/2007	Rotnes et al.
8,801,437 B2	8/2014	Mousques	2008/0032272 A1	2/2008	Palakodeti
8,801,438 B2	8/2014	Sakezles	2008/0032273 A1	2/2008	Macnamara et al.
8,807,414 B2	8/2014	Ross et al.	2008/0052034 A1	2/2008	David et al.
8,808,004 B2	8/2014	Misawa et al.	2008/0064017 A1	3/2008	Grundmeyer, III
8,808,311 B2	8/2014	Heinrich et al.	2008/0076101 A1	3/2008	Hyde et al.
8,814,573 B2	8/2014	Nguyen	2008/0097501 A1	4/2008	Blier
8,827,988 B2	9/2014	Belson et al.	2008/0108869 A1	5/2008	Sanders et al.
8,840,628 B2	9/2014	Green et al.	2008/0187895 A1	8/2008	Sakezles
8,870,576 B2	10/2014	Millon et al.	2008/0188948 A1	8/2008	Flatt
8,888,498 B2	11/2014	Bisaillon et al.	2008/0299529 A1	12/2008	Schaller
8,893,946 B2	11/2014	Boudreaux et al.	2008/0317818 A1	12/2008	Griffith et al.
8,911,238 B2	12/2014	Forsythe	2009/0068627 A1	3/2009	Toly
8,915,742 B2	12/2014	Hendrickson et al.	2009/0142739 A1	6/2009	Wang et al.
8,945,095 B2	2/2015	Blumenkranz et al.	2009/0142741 A1	6/2009	Ault et al.
8,961,190 B2	2/2015	Hart et al.	2009/0143642 A1	6/2009	Takahashi et al.
8,966,954 B2	3/2015	Ni et al.	2009/0176196 A1	7/2009	Niblock et al.
8,968,003 B2	3/2015	Hendrickson et al.	2009/0187079 A1	7/2009	Albrecht et al.
9,008,989 B2	4/2015	Wilson et al.	2009/0246747 A1	10/2009	Buckman, Jr.
9,017,080 B1	4/2015	Placik	2009/0298034 A1	12/2009	Parry et al.
9,026,247 B2	5/2015	White	2009/0314550 A1	12/2009	Layton
9,050,201 B2	6/2015	Egilsson et al.	2010/0047752 A1	2/2010	Chan et al.
9,056,126 B2	6/2015	Hersel et al.	2010/0094312 A1	4/2010	Ruiz Morales et al.
9,070,306 B2	6/2015	Rappel et al.	2010/0099067 A1	4/2010	Agro
9,087,458 B2	7/2015	Shim et al.	2010/0167248 A1	7/2010	Ryan
9,096,744 B2	8/2015	Wan et al.	2010/0167249 A1	7/2010	Ryan
9,117,377 B2	8/2015	Shim et al.	2010/0167250 A1	7/2010	Ryan et al.
9,119,572 B2	9/2015	Gorek et al.	2010/0167253 A1	7/2010	Ryan et al.
9,123,261 B2	9/2015	Lowe	2010/0167254 A1	7/2010	Nguyen
9,129,054 B2	9/2015	Nawana et al.	2010/0094730 A1	8/2010	Di Betta et al.
			2010/0196867 A1	8/2010	Geerligs et al.
			2010/0204713 A1	8/2010	Ruiz Morales
			2010/0209899 A1	8/2010	Park
			2010/0248200 A1	9/2010	Ladak

(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0258611 A1	10/2010	Smith et al.	2014/0107471 A1	4/2014	Haider et al.
2010/0273136 A1	10/2010	Kandasami et al.	2014/0156002 A1	6/2014	Thompson et al.
2010/0279263 A1	11/2010	Duryea	2014/0162016 A1	6/2014	Matsui et al.
2010/0285094 A1	11/2010	Gupta	2014/0170623 A1	6/2014	Jarstad et al.
2010/0324541 A1	12/2010	Whitman	2014/0186809 A1	7/2014	Hendrickson et al.
2011/0020779 A1	1/2011	Hannafor et al.	2014/0187855 A1	7/2014	Nagale et al.
2011/0046637 A1	2/2011	Patel et al.	2014/0200561 A1	7/2014	Ingmanson et al.
2011/0046659 A1	2/2011	Ramstein et al.	2014/0212861 A1	7/2014	Romano
2011/0087238 A1	4/2011	Wang et al.	2014/0220527 A1	8/2014	Li et al.
2011/0091855 A1	4/2011	Miyazaki	2014/0220530 A1	8/2014	Merkle et al.
2011/0137337 A1	6/2011	van den Dool et al.	2014/0220532 A1	8/2014	Ghez et al.
2011/0200976 A1	8/2011	Hou et al.	2014/0242564 A1	8/2014	Pravong et al.
2011/0207104 A1	8/2011	Trotta	2014/0246479 A1	9/2014	Baber et al.
2011/0218550 A1	9/2011	Ma	2014/0248596 A1	9/2014	Hart et al.
2011/0244436 A1	10/2011	Campo	2014/0263538 A1	9/2014	Leimbach et al.
2011/0269109 A2	11/2011	Miyazaki	2014/0272878 A1	9/2014	Shim et al.
2011/0281251 A1	11/2011	Mousques	2014/0272879 A1	9/2014	Shim et al.
2011/0301620 A1	12/2011	Di Betta et al.	2014/0275795 A1	9/2014	Little et al.
2012/0015337 A1	1/2012	Hendrickson et al.	2014/0275981 A1	9/2014	Selover et al.
2012/0015339 A1	1/2012	Hendrickson et al.	2014/0277017 A1	9/2014	Leimbach et al.
2012/0016362 A1	1/2012	Heinrich et al.	2014/0303643 A1	10/2014	Ha et al.
2012/0028231 A1	2/2012	Misawa et al.	2014/0303646 A1	10/2014	Morgan et al.
2012/0045743 A1	2/2012	Okano et al.	2014/0303660 A1	10/2014	Boyd et al.
2012/0065632 A1	3/2012	Shaddock	2014/0308643 A1	10/2014	Trotta et al.
2012/0082970 A1	4/2012	Pravong et al.	2014/0342334 A1	11/2014	Black et al.
2012/0100217 A1	4/2012	Green et al.	2014/0349266 A1	11/2014	Choi
2012/0115117 A1	5/2012	Marshall	2014/0350530 A1	11/2014	Ross et al.
2012/0115118 A1	5/2012	Marshall	2014/0357977 A1	12/2014	Zhou
2012/0116391 A1	5/2012	Houser et al.	2014/0370477 A1	12/2014	Black et al.
2012/0148994 A1	6/2012	Hori et al.	2014/0371761 A1	12/2014	Juanpera
2012/0164616 A1	6/2012	Endo et al.	2014/0378995 A1	12/2014	Kumar et al.
2012/0165866 A1	6/2012	Kaiser et al.	2015/0031008 A1	1/2015	Black et al.
2012/0172873 A1	7/2012	Artale et al.	2015/0037773 A1	2/2015	Quirarte Catano
2012/0179072 A1	7/2012	Kegreiss	2015/0038613 A1	2/2015	Sun et al.
2012/0202180 A1	8/2012	Stock et al.	2015/0076207 A1	3/2015	Boudreaux et al.
2012/0264096 A1	10/2012	Taylor et al.	2015/0086955 A1	3/2015	Poniatowski et al.
2012/0264097 A1	10/2012	Newcott et al.	2015/0132732 A1	5/2015	Hart et al.
2012/0282583 A1	11/2012	Thaler et al.	2015/0132733 A1	5/2015	Garvik et al.
2012/0282584 A1	11/2012	Millon et al.	2015/0135832 A1	5/2015	Blumenkranz et al.
2012/0283707 A1	11/2012	Giordano et al.	2015/0148660 A1	5/2015	Weiss et al.
2012/0288839 A1	11/2012	Crabtree	2015/0164598 A1	6/2015	Blumenkranz et al.
2012/0308977 A1	12/2012	Tortola	2015/0187229 A1	7/2015	Wachli et al.
2013/0087597 A1	4/2013	Shelton, IV et al.	2015/0194075 A1	7/2015	Rappel et al.
2013/0101973 A1	4/2013	Hoke et al.	2015/0202299 A1	7/2015	Burdick et al.
2013/0105552 A1	5/2013	Weir et al.	2015/0209035 A1	7/2015	Zemlock
2013/0116668 A1	5/2013	Shelton, IV et al.	2015/0209059 A1	7/2015	Trees et al.
2013/0157240 A1	6/2013	Hart et al.	2015/0209573 A1	7/2015	Hibner et al.
2013/0171288 A1	7/2013	Harders	2015/0228206 A1	8/2015	Shim et al.
2013/0177890 A1	7/2013	Sakezles	2015/0262511 A1	9/2015	Lin et al.
2013/0192741 A1	8/2013	Trotta et al.	2015/0265431 A1	9/2015	Egilsson et al.
2013/0218166 A1	8/2013	Elmore	2015/0272571 A1	10/2015	Leimbach et al.
2013/0224709 A1	8/2013	Riojas et al.	2015/0272574 A1	10/2015	Leimbach et al.
2013/0245681 A1	9/2013	Straehnz et al.	2015/0272580 A1	10/2015	Leimbach et al.
2013/0253480 A1	9/2013	Kimball et al.	2015/0272581 A1	10/2015	Leimbach et al.
2013/0267876 A1	10/2013	Leckenby et al.	2015/0272583 A1	10/2015	Leimbach et al.
2013/0282038 A1	10/2013	Dannaher et al.	2015/0272604 A1	10/2015	Chowanec et al.
2013/0288216 A1	10/2013	Parry, Jr. et al.	2015/0332609 A1	11/2015	Alexander
2013/0302771 A1	11/2013	Alderete	2015/0358426 A1	12/2015	Kimball et al.
2013/0324991 A1	12/2013	Clem et al.	2015/0371560 A1	12/2015	Lowe
2013/0324999 A1	12/2013	Price et al.	2015/0374378 A1	12/2015	Giordano et al.
2014/0011172 A1	1/2014	Lowe	2015/0374449 A1	12/2015	Chowanec et al.
2014/0017651 A1	1/2014	Sugimoto et al.	2016/0000437 A1	1/2016	Giordano et al.
2014/0030682 A1	1/2014	Thilenius	2016/0022374 A1	1/2016	Haider et al.
2014/0038151 A1	2/2014	Hart	2016/0030240 A1	2/2016	Gonenc et al.
2014/0051049 A1	2/2014	Jarc et al.	2016/0031091 A1	2/2016	Popovic et al.
2014/0072941 A1	3/2014	Hendrickson et al.	2016/0058534 A1	3/2016	Derwin et al.
2014/0087345 A1	3/2014	Breslin et al.	2016/0066909 A1	3/2016	Baber et al.
2014/0087346 A1	3/2014	Breslin et al.	2016/0070436 A1	3/2016	Thomas et al.
2014/0087347 A1	3/2014	Tracy et al.	2016/0073928 A1	3/2016	Soper et al.
2014/0087348 A1	3/2014	Tracy et al.	2016/0074103 A1	3/2016	Sartor
2014/0088413 A1	3/2014	Von Buesh et al.	2016/0098933 A1	4/2016	Reiley et al.
2014/0093852 A1	4/2014	Poulsen et al.	2016/0104394 A1	4/2016	Miyazaki
2014/0093854 A1	4/2014	Poulsen et al.	2016/0117956 A1	4/2016	Larsson et al.
2014/0099858 A1	4/2014	Hernandez	2016/0125762 A1	5/2016	Becker et al.
2014/0106328 A1	4/2014	Loor	2016/0133158 A1	5/2016	Sui et al.
			2016/0140876 A1	5/2016	Jabbour et al.
			2016/0194378 A1	7/2016	Cass et al.
			2016/0199059 A1	7/2016	Shelton, IV et al.
			2016/0220150 A1	8/2016	Sharonov

(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0220314 A1 8/2016 Huelman et al.
 2016/0225288 A1 8/2016 East et al.
 2016/0232819 A1 8/2016 Hofstetter et al.
 2016/0235494 A1 8/2016 Shelton, IV et al.
 2016/0256187 A1 9/2016 Shelton, IV et al.
 2016/0256229 A1 9/2016 Morgan et al.
 2016/0262736 A1 9/2016 Ross et al.
 2016/0262745 A1 9/2016 Morgan et al.
 2016/0293055 A1 10/2016 Hofstetter
 2016/0296144 A1 10/2016 Gaddam et al.

FOREIGN PATENT DOCUMENTS

CN 2909427 Y 6/2007
 CN 101313842 A 12/2008
 CN 101528780 A 9/2009
 CN 201364679 Y 12/2009
 CN 201955979 U 8/2011
 CN 102458496 A 5/2012
 CN 202443680 U 9/2012
 CN 202563792 U 11/2012
 CN 202601055 U 12/2012
 CN 202694651 U 1/2013
 CN 103050040 A 4/2013
 CN 203013103 U 6/2013
 CN 203038549 U 7/2013
 CN 203338651 U 12/2013
 CN 203397593 U 1/2014
 CN 203562128 U 4/2014
 CN 102596275 B 6/2014
 CN 103845757 A 6/2014
 CN 103886797 A 6/2014
 CN 103396562 B 7/2015
 CN 105194740 A 12/2015
 CN 105504166 A 4/2016
 DE 9102218 U1 5/1991
 DE 41 05 892 A1 8/1992
 DE 44 14 832 A1 11/1995
 DE 19716341 A1 9/2000
 EP 1 024 173 A1 8/2000
 EP 2 218 570 A1 8/2010
 FR 2 691 826 A1 12/1993
 FR 2 917 876 A1 12/2008
 GB 2488994 A 9/2012
 JP 10 211160 A 8/1998
 JP 2001005378 A 1/2001
 JP 2009236963 A 10/2009
 JP 3162161 U 8/2010
 JP 2013127496 A 6/2013
 KR 101231565 B1 2/2013
 MX PA 02004422 A 11/2003
 MX PA02004422 A 11/2003
 PT 106230 9/2013
 WO WO 1994/06109 A1 3/1994
 WO WO 1996/042076 A1 12/1996
 WO WO 1998/58358 A1 12/1998
 WO WO 1999/01074 A1 1/1999
 WO WO 2000/36577 A1 6/2000
 WO WO 2002/38039 A2 5/2002
 WO WO 2002/038039 A3 5/2002
 WO WO 2004/032095 A1 4/2004
 WO WO 2004/082486 A1 9/2004
 WO WO 2005/071639 A1 8/2005
 WO WO 2006/083963 A2 8/2006
 WO WO 2007/068360 A1 6/2007
 WO WO 2008/021720 A2 2/2008
 WO WO 2008/103383 A1 8/2008
 WO WO 2009/000939 A1 12/2008
 WO WO 2009/089614 A1 7/2009
 WO WO 2010/094730 A1 8/2010
 WO WO 2011/035410 A1 3/2011
 WO WO 2011/046606 A1 4/2011
 WO WO 2011/127379 A2 10/2011
 WO WO 2011/151304 A1 12/2011
 WO WO 2012/149606 A1 11/2012

WO WO 2012/168287 A1 12/2012
 WO WO 2012/175993 A1 12/2012
 WO WO 2013/048978 A1 4/2013
 WO WO 2013/103956 A1 7/2013
 WO WO 2014/022815 A1 2/2014
 WO WO 2014/093669 A1 6/2014
 WO WO 2014/197793 A1 12/2014
 WO WO 2015/14881 A1 10/2015
 WO WO 2016/138528 A1 9/2016
 WO WO 2016/18341 A1 11/2016
 WO WO 2016/198238 A1 12/2016
 WO WO 2016/201085 A1 12/2016
 WO WO 2017/031214 A1 2/2017
 WO WO 2017/042301 A1 3/2017

OTHER PUBLICATIONS

European Patent Office, Extended European Search Report for European Patent Application No. EP 18177751.7, titled "Portable Laparoscopic Trainer," dated Jul. 13, 2018, 8 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2018/034705, entitled "Laparoscopic Training System," dated Aug. 20, 2018, 14 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2017/020389, entitled "Simulated Tissue Cartridge," dated Sep. 13, 2018, 8 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2015/020574, entitled "Advanced First Entry Model for Surgical Simulation," dated Sep. 22, 2016, 9 pgs.

European Patent Office, The International Search Report and Written Opinion of the International Searching Authority for International Application No. PCT/US2016/0043277 titled "Appendectomy Model", dated Oct. 4, 2016, 12 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2015/022774, titled "Simulated Dissectible Tissue," dated Oct. 6, 2016, 9 pgs.

European Patent Office, The International Search Report and Written Opinion of the International Searching Authority for International Application No. PCT/US2016/041852 titled "Simulated Dissectible Tissue", dated Oct. 13, 2016, 12 pgs.

Society of Laparoendoscopic Surgeons, "Future Technology Session: The Edge of Innovation in Surgery, Space, and Business," <http://www.laparoscopytoday.com/endourology/page/2/>, Figure 1B: http://laparoscopy.blogs.com/laparoscopy_today/images/6-1/6-1VlaovicPicB.jpg, Sep. 5-8, 2007, 10 pgs.

European Patent Office, International Search Report for International Application No. PCT/US2011/053859 A3, dated Apr. 5, 2012, entitled "Portable Laparoscopic Trainer," 8 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2012/60997, entitled "Simulated Tissue Structure for Surgical Training," dated Mar. 7, 2013, 8 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2012/070971, entitled "Advanced Surgical Simulation," dated Mar. 18, 2013, 10 pgs.

Human Patient Simulator, Medical Education Technologies, Inc., <http://www.meti.com> (1999) all, printed Apr. 12, 2013, 24 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability and Written Opinion for International Application No. PCT/US2011/053859, entitled "Portable Laparoscopic Trainer," dated Apr. 2, 2013, 9 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2013/062363, entitled "Surgical Training Model for Laparoscopic Procedures," dated Jan. 22, 2014, 11 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2013/

(56)

References Cited

OTHER PUBLICATIONS

061949, entitled "Surgical Training Model for Laparoscopic Procedures," dated Feb. 17, 2014, 7 pgs.

Anonymous: Realsim Systems—LTS2000, Sep. 4, 2005, pp. 1-2, XP055096193, Retrieved from the Internet: URL: <https://web.archive.org/web/20050904033030/http://www.realsimsystems.com/exersizes.htm> (retrieved on Jan. 14, 2014).

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2013/062269, entitled "Surgical Training Model for Transluminal Procedures," dated Feb. 17, 2014, 8 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2013/061557, entitled "Surgical Training Model for Laparoscopic Procedures," dated Feb. 10, 2014, 9 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2013/061728, entitled "Surgical Training Model for Laparoscopic Procedures," dated Oct. 18, 2013, 9 pgs.

Limbs and Things, EP Guildford Mattu Hernia Trainer, <http://limbsandthings.com/us/products/tep-guildford-mattu-hernia-trainer/>, printed May 29, 2014, 11 pgs.

Simulab, Hernia Model, http://www.simulab.com/product/surgery/open/hernia_model, printed May 29, 2014, 4 pgs.

McGill Laparoscopic Inguinal Hernia Simulator, Novel Low-Cost Simulator for Laparoscopic Inguinal Hernia Repair, Feb. 8, 2011, 1 pg.

University of Wisconsin-Madison Biomedical Engineering, Inguinal Hernia Model, http://bmedesign.engr.wisc.edu/projects/s10/hernia_model/, printed May 29, 2014, 62 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2012/070971, entitled "Advanced Surgical Simulation," dated Jun. 24, 2014, 7 pgs.

European Patent Office, The International Search Report and Written Opinion of the International Searching Authority for International Application No. PCT/US2014/038195, entitled "Hernia Model," dated Oct. 15, 2014, 20 pgs.

European Patent Office, The International Search Report and Written Opinion of the International Searching Authority for International Application No. PCT/US2014/048027, entitled "First Entry Model," dated Oct. 17, 2014, 10 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2012/060997, entitled "Simulated Tissue Structure for Surgical Training" dated Apr. 22, 2014, 6 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2014/019840, entitled "Advanced Surgical Simulation Constructions and Methods," dated Jul. 4, 2014, 8 pgs.

Kurashima, et al., "A tool for training and evaluation of Laparoscopic inguinal hernia repair; the Global Operative Assessment of Laparoscopic Skills-Groin Hernia" American Journal of Surgery, Paul Hoeber, New York, NY, US vol. 201, No. 1, Jan. 1, 2011, pp. 54-61 XP027558745.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2014/042998, entitled "Gallbladder Model," dated Jan. 7, 2015, 20 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability, for PCT application No. PCT/US2013/053497, entitled Simulated Stapling and Energy Based Ligation for Surgical Training, dated Feb. 12, 2015, 6 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2013/062363, entitled "Surgical Training Model for Laparoscopic Procedures," dated Apr. 9, 2015, 9 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2013/062269, entitled "Surgical Training Model for Laparoscopic Procedures," dated Apr. 9, 2015, 6 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2013/061557, entitled "Surgical Training Model for Laparoscopic Procedures," dated Apr. 9, 2015, 6 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2013/061728, entitled "Surgical Training Model for Laparoscopic Procedures," dated Apr. 9, 2015, 7 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2013/061949, entitled "Surgical Training Model for Laparoscopic Procedures," dated Apr. 9, 2015, 6 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2014/019840, entitled "Simulated Tissue Structure for Surgical Training," dated Sep. 11, 2015, 8 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2015/020574, entitled "Advanced First Entry Model for Surgical Simulation," dated Jun. 1, 2015, 12 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2015/022774, entitled "Simulated Dissectible Tissue," dated Jun. 11, 2015, 13 pgs.

Anonymous: Silicone rubber—from Wikipedia, the free encyclopedia, pp. 1-6, XP055192375, Retrieved from the Internet: URL: http://en.wikipedia.org/w/index.php?title=Silicone_rubber&oldid=596456058 (retrieved on May 29, 2015).

LaMouche, et al., "Review of tissue simulating phantoms with controllable optical, mechanical and structural properties for use in optical coherence tomography," Biomedical Optics Express, Jun. 1, 2012, 18 pgs., vol. 3, No. 6.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2014/038195, entitled "Hernia Model," dated Nov. 26, 2015, 16 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2014/042998, entitled "Gallbladder Model," dated Dec. 30, 2015, 15 pgs.

European Patent Office, International Search Report and Written Opinion for International Application No. PCT/US2013/053497, titled "Simulated Stapling and Energy Based Ligation for Surgical Training," dated Nov. 5, 2013, 8 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2014/048027, entitled "First Entry Model," dated Feb. 4, 2016, 8 pgs.

European Patent Office, International Search Report and Written Opinion for International Application No. PCT/US2015/059668, entitled "Simulated Tissue Models and Methods," dated Apr. 26, 2016, 20 pgs.

Australian Patent Office, Patent Examination Report No. 1 for Australian Application No. 2012358851, titled "Advanced Surgical Simulation," dated May 26, 2016, 3 pgs.

Miyazaki Enterprises, "Miya Model Pelvic Surgery Training Model and Video," www.miyazakienterprises.com, printed Jul. 1, 2016, 1 pg.

European Patent Office, International Search Report and Written Opinion for International Application No. PCT/US2016/032292, entitled "Synthetic Tissue Structures for Electrosurgical Training and Simulation," dated Jul. 14, 2016, 11 pgs.

European Patent Office, International Search Report and Written Opinion for International Application No. PCT/US2016/018697, entitled "Simulated Tissue Structures and Methods," dated Jul. 14, 2016, 21 pgs.

European Patent Office, International Search Report and Written Opinion for International Application No. PCT/US2016/034591, entitled "Surgical Training Model for Laparoscopic Procedures," dated Aug. 8, 2016, 18 pgs.

European Patent Office, The International Search Report and Written Opinion of the International Searching Authority for International Application No. PCT/US2016/036664, entitled "Hysterec-tomy Model", dated Aug. 19, 2016, 15 pgs.

3D-MED Corporation, "Validated Training Course for Laparoscopic Skills," <https://www.3dmed.com/sites/default/files/product-additional/>

(56)

References Cited

OTHER PUBLICATIONS

product-spec/Validated%20Training%20Course%20for%20Laparoscopy%20Skills.docx_3.pdf, printed Aug. 23, 2016, pp. 1-6.

3D-MED Corporation, "Loops and Wire #1," 1, <https://www.3dmed.com/product/loops-and-wire-1>, printed Aug. 23, 2016, 4 pgs.

Barrier, et al., "A Novel and Inexpensive Vaginal Hysterectomy Simulator," *Simulation in Healthcare: The Journal of the Society for Simulation in Healthcare*, vol. 7, No. 6, Dec. 1, 2012, pp. 374-379.

European Patent Office, Invitation to Pay Additional Fees for International Application No. PCT/US2016/062669, titled "Simulated Dissectible Tissue", dated Feb. 10, 2017, 8 pgs.

European Patent Office, The International Search Report and Written Opinion of the International Searching Authority for International Application No. PCT/US2016/055148 titled "Hysterectomy Model", dated Feb. 28, 2017, 12 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2016/0032292, entitled "Synthetic Tissue Structures for Electrosurgical Training and Simulation," dated Nov. 23, 2017, 8 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2016/034591, entitled "Surgical Training Model for Laparoscopic Procedures," dated Dec. 7, 2017, 14 pgs.

European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2018/018895, entitled "Synthetic Tissue Structures for Electrosurgical Training and Simulation," dated May 17, 2018, 12 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2016/062669, entitled "Simulated Dissectible Tissue," dated May 31, 2018, 11 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2016/018697, entitled "Simulated Tissue Structures and Methods," dated Aug. 31, 2017, 14 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2016/

055148, entitled "Hysterectomy Model," dated Apr. 12, 2018, 12 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2016/041852, entitled "Simulated Dissectible Tissue," dated Jan. 25, 2018, 12 pgs.

European Patent Office, Extended European Search Report for European Patent Application No. EP 17202365.7, titled "Gallbladder Model", dated Jan. 31, 2018, 8 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2016/043277, entitled "Appendectomy Model," dated Feb. 1, 2018, 9 pgs.

European Patent Office, Examination Report for European Application No. 14733949.3 titled "Gallbladder Model," dated Dec. 21, 2016, 6 pgs.

European Patent Office, The International Search Report and Written Opinion of the International Searching Authority for International Application No. PCT/US2016/062669 titled "Simulated Dissectible Tissue," dated Apr. 5, 2017, 19 pgs.

European Patent Office, The International Search Report and Written Opinion of the International Searching Authority for International Application No. PCT/US2017/020389 titled "Simulated Tissue Cartridge", dated May 24, 2017, 13 pgs.


The International Bureau of WIPO, International Preliminary Report on Patentability and Written Opinion for International Application No. PCT/US2015/059668, entitled "Simulated Tissue Models and Methods," dated May 26, 2017, 16 pgs.


European Patent Office, The International Search Report and Written Opinion for International Application No. PCT/US2018/018036, entitled "Laparoscopic Training System," dated Jun. 8, 2018, 13 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2016/036664, entitled "Hysterectomy Model," dated Dec. 21, 2017, 10 pgs.

European Patent Office, Extended European Search Report for European Patent Application No. EP 18184147.9, titled "First Entry Model," dated Nov. 7, 2018, 7 pgs.

The International Bureau of WIPO, International Preliminary Report on Patentability for International Application No. PCT/US2017/039113, entitled "Simulated Abdominal Wall," dated Jan. 10, 2019, 8 pgs.

**FIG. 1**

**FIG. 2**

APPENDECTOMY MODEL

CROSS-REFERENCE TO RELATED APPLICATION

This patent application claims benefit and priority to U.S. Provisional Patent Application Ser. No. 62/195,439 entitled "Appendectomy model" filed on Jul. 22, 2015 incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

This application is generally related to surgical training tools, and in particular, to simulated tissue structures and models for teaching and practicing various surgical techniques and procedures related but not limited to laparoscopic, endoscopic and minimally invasive surgery.

BACKGROUND OF THE INVENTION

Medical students as well as experienced doctors learning new surgical techniques must undergo extensive training before they are qualified to perform surgery on human patients. The training must teach proper techniques employing various medical devices for cutting, penetrating, clamping, grasping, stapling, cauterizing and suturing a variety of tissue types. The range of possibilities that a trainee may encounter is great. For example, different organs and patient anatomies and diseases are presented. The thickness and consistency of the various tissue layers will also vary from one part of the body to the next and from one patient to another. Different procedures demand different skills. Furthermore, the trainee must practice techniques in various anatomical environs that are influenced by factors such as the size and condition of the patient, the adjacent anatomical landscape and the types of targeted tissues and whether they are readily accessible or relatively inaccessible.

Numerous teaching aids, trainers, simulators and model organs are available for one or more aspects of surgical training. However, there is a need for models or simulated tissue elements that are likely to be encountered in and that can be used for practicing endoscopic and laparoscopic, minimally invasive, transluminal surgical procedures. In laparoscopic surgery, a trocar or cannula is inserted to access a body cavity and to create a channel for the insertion of a camera such as a laparoscope. The camera provides a live video feed capturing images that are then displayed to the surgeon on one or more monitors. At least one additional small incision is made through which another trocar/cannula is inserted to create a pathway through which surgical instruments can be passed for performing procedures observed on the video monitor. The targeted tissue location such as the abdomen is typically enlarged by delivering carbon dioxide gas to insufflate the body cavity and create a working space large enough to accommodate the scope and instruments used by the surgeon. The insufflation pressure in the tissue cavity is maintained by using specialized trocars. Laparoscopic surgery offers a number of advantages when compared with an open procedure. These advantages include reduced pain, reduced blood and shorter recovery times due to smaller incisions.

Laparoscopic or endoscopic minimally invasive surgery requires an increased level of skill compared to open surgery because the target tissue is not directly observed by the clinician. The target tissue is observed on monitors displaying a portion of the surgical site that is accessed through a small opening. Therefore, clinicians need to practice visu-

ally determining tissue planes, three-dimensional depth perception on a two-dimensional viewing screen, hand-to-hand transfer of instruments, suturing, precision cutting and tissue and instrument manipulation. Typically, models simulating a particular anatomy or procedure are placed in a simulated pelvic trainer where the anatomical model is obscured from direct visualization by the practitioner. Ports in the trainer are employed for passing instruments to practice techniques on the anatomical model hidden from direct visualization. Simulated pelvic trainers provide a functional, inexpensive and practical means to train surgeons and residents the basic skills and typical techniques used in laparoscopic surgery such as grasping, manipulating, cutting, tying knots, suturing, stapling, cauterizing as well as how to perform specific surgical procedures that utilized these basic skills.

Organ models for use with simulated pelvic trainers on which surgeons can train surgical techniques are needed. These organ models need to be realistic so that the surgeon can properly learn the techniques and improve their skills.

SUMMARY OF THE INVENTION

According to one aspect of the invention, a simulated tissue structure for surgical training is provided. The simulated tissue structure includes a simulated large intestine having a tubular structure defining a central lumen extending along a longitudinal axis between a proximal end and a distal end. The simulated tissue structure includes a simulated appendix connected to the distal end of the simulated large intestine. A simulated teniae coli is connected to and extends longitudinally along the simulated large intestine. The simulated tissue structure includes at least one simulated artery having a middle portion between a proximal end and a distal end. The at least one simulated artery is connected to the simulated appendix. A silicone pocket substantially defines a cavity that encloses the simulated appendix and at least part of the simulated artery.

According to another aspect of the invention, a simulated tissue structure for surgical training is provided. The simulated tissue structure includes an appendectomy model. The appendectomy model includes a first layer of silicone having an inner surface defining a central lumen having a diameter. A second layer of silicone is provided. A strip of silicone is embedded between the first layer and the second layer. The strip of silicone has an inner surface, an outer surface, a length defined between a top edge and a bottom edge, and a width defined between a first side edge and a second side edge.

According to another aspect of the invention, a method of manufacturing a simulated tissue structure is provided. The method includes the steps of providing a mandrel and applying a first layer of wet silicone onto the mandrel. The first layer is cured to create a first tubular structure that defines a central lumen occupied by the mandrel. A narrow strip of silicone that is approximately less than half of the diameter of the central lumen is provided and applied longitudinally along the first tubular structure. A second layer of wet silicone is applied over the first tubular structure and narrow strip. After the second layer is allowed to cure, the combination of the first layer, second layer and narrow strip is removed from the mandrel.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a top view of an appendectomy model with the second layer of yellow silicone removed to show the simulated appendix and arteries according to the present invention.

FIG. 2 is top view of an appendectomy model with a second layer of yellow silicone forming a pocket with the first yellow silicone layer beneath to contain the simulated appendix arteries according to the present invention.

DETAILED DESCRIPTION OF THE INVENTION

An appendectomy model for laparoscopic procedures is provided. The appendectomy model has been designed to teach surgeons and residents the anatomy and steps involved in an appendectomy procedure. The model is made of silicone, thermoplastic elastomer (TPE) and foam and contains all the important anatomical landmarks. The appendectomy model is placed inside a laparoscopic trainer concealed from direct observation with the naked eye so that laparoscopic surgical skills may be practiced while viewing the operation on a video monitor.

FIG. 1 illustrates an appendectomy model 10 according to the present invention. The model 10 includes a portion of a simulated large intestine 12 that includes a plurality of transverse folds 14. The distal end of the simulated large intestine 12 is integrally molded together with an appendix 16 by applying a first layer of wet silicone to a rotating mandrel. The mandrel has the shape of the simulated large intestine with the shape of the simulated appendix 16 connected to the end of the mandrel. The diameter of the simulated appendix 16 is smaller than the diameter of the simulated large intestine 12. The first layer of silicone is allowed to cure around the mandrel. The mandrel is rotated to allow an even layer to cure taking the shape of the mandrel. Then a white narrow strip 18 of pre-formed silicone is laid over along the longitudinal axis of the tubular simulated large intestine 12 as shown in FIGS. 1 and 2 to define a simulated teniae coli. Silicone adhesive may be used to attach the white narrow strip to the first layer of silicone. Then a second layer of wet silicone is applied to sandwich the white narrow strip 18 between the first layer and the second layer of silicone. The narrow long white narrow strip 18 of silicone is substantially rectangular in shape. In another variation, the narrow strip 18 may have wider lateral portions interspersed with narrower lateral portions along the longitudinal length of the simulated large intestine 12. The wider portions of the narrow strip 18 are substantially spaced apart and aligned with the transverse folds 14 of the large intestine 12 before being attached and embedded between two layers of silicone. The cured silicone structure is removed from the mandrel.

Still referencing FIG. 1, a small thin first layer 20 of yellow silicone is attached to the bottom of the simulated large intestine 12 and may or may not be attached to the bottom of the appendix 16. One or more red silicone tubes 22 representing arteries are attached to the first layer 20 of yellow silicone along the middle of the simulated arteries such as a simulated appendiceal artery. The tubes 22 may be solid or hollow. The distal ends of the red artery tubes 22 are attached to the top of the appendix 16 with adhesive as shown. A hole 24 is formed near the distal end of the simulated large intestine 12 and a pre-formed tube 26 of silicone is inserted into the hole 24 to simulate the ileum. The proximal ends of the red tubes 22 are placed under the ileum as shown in FIG. 1. A thin second layer 28 of yellow silicone is then applied above the first layer 20 of silicone and attached to the lower edge of the yellow first layer 20 and to the artificial large intestine 12 to create a cave or pocket-like structure that covers and contains the appendix 16, part of the large intestine 12, red tubes 22 and part of the

artificial ileum 26 as shown in FIG. 2. The whole model is attached to a red background sheet 30 of textured silicone. Hook-and-loop type fastening means may be used under the model 10 and, in one variation, under the background sheet 30 to attach and secure the model 10 to the inside of a laparoscopic trainer. In one variation, the background sheet 30 is made of high density ethylene vinyl acetate foam.

The practitioner will practice a laparoscopic appendectomy by placing the appendectomy model 10 inside a laparoscopic trainer. The model 10 is secured to the base of a trainer with the fastening means. A scalpel or other instrument is used to cut through the top yellow second layer 28 of silicone to open the pocket and visualize the arteries 22 beneath. The practitioner will then practice cutting through the red arteries 22 and retracting them. The appendix 16 will then be cut and removed.

In another variation, the model 10 is formed as part of another larger model or tissue structure such as an abdominal organ model or pelvic model and is sized and configured to be placed inside a simulated laparoscopic environment such as a surgical training device which will now be described.

A surgical training device that is configured to mimic the torso of a patient such as the abdominal region. The surgical training device provides a body cavity substantially obscured from the user for receiving simulated or live tissue or model organs or training models of the like described in this invention. The body cavity is accessed via a tissue simulation region that is penetrated by the user employing devices to practice surgical techniques on the tissue or practice model found located in the body cavity. Although the body cavity is shown to be accessible through a tissue simulation region, a hand-assisted access device or single-site port device may be alternatively employed to access the body cavity. An exemplary surgical training device is described in U.S. Pat. No. 8,764,452 entitled "Portable Laparoscopic Trainer" filed on Sep. 29, 2011 and incorporated herein by reference in its entirety. The surgical training device is particularly well suited for practicing laparoscopic or other minimally invasive surgical procedures.

The surgical training device includes a top cover connected to and spaced apart from a base by at least one leg. A plurality of legs may be employed to space apart the top cover. The surgical training device is configured to mimic the torso of a patient such as the abdominal region. The top cover is representative of the anterior surface of the patient and the space between the top cover and the base is representative of an interior of the patient or body cavity where organs reside. The surgical trainer is a useful tool for teaching, practicing and demonstrating various surgical procedures and their related instruments in simulation of a patient undergoing a surgical procedure. Surgical instruments are inserted into the cavity through the tissue simulation region as well as through pre-established apertures in the top cover. Various tools and techniques may be used to penetrate the top cover to perform mock procedures on simulated organs or practice models placed between the top cover and the base. The base includes a model-receiving area or tray for staging or holding a simulated tissue model or live tissue. The model-receiving area of the base includes frame-like elements for holding the model in place. To help retain a simulated tissue model or live organs on the base, a clip attached to a retractable wire is provided at locations. The retractable wire is extended and then clipped to hold the tissue model in position substantially beneath the tissue simulation region. Other means for retaining the tissue model include a patch of hook-and-loop type fastening

material affixed to the base in the model receiving area such that it is removably connectable to a complementary piece of hook-and-loop type fastening material affixed to the model 10.

A video display monitor is hinged to the top. The video monitor is connectable to a variety of visual systems for delivering an image to the monitor. For example, a laparoscope inserted through one of the pre-established apertures or a webcam located in the cavity and used to observe the simulated procedure can be connected to the video monitor and/or a mobile computing device to provide an image to the user. Also, audio recording or delivery means may also be provided and integrated with the trainer to provide audio and visual capabilities. Means for connecting a portable memory storage device such as a flash drive, smart phone, digital audio or video player, or other digital mobile device is also provided, to record training procedures and/or play back pre-recorded videos on the monitor for demonstration purposes. Of course, connection means for providing an audio visual output to a screen larger than the monitor is provided. In another variation, the top cover 10 does not include a video display but includes means for connecting with a laptop computer, a mobile digital device or tablet and connecting it by wire or wirelessly to the trainer.

When assembled, the top cover is positioned directly above the base with the legs located substantially around the periphery and interconnected between the top cover and base. The top cover and base are substantially the same shape and size and have substantially the same peripheral outline. The internal cavity is partially or entirely obscured from view. The legs include openings to allow ambient light to illuminate the internal cavity as much as possible and also to advantageously provide as much weight reduction as possible for convenient portability. The top cover is removable from the legs which in turn are removable or collapsible via hinges or the like with respect to the base. Therefore, the unassembled trainer has a reduced height that makes for easier portability. In essence, the surgical trainer provides a simulated body cavity that is obscured from the user. The body cavity is configured to receive at least one surgical model accessible via at least one tissue simulation region and/or apertures in the top cover through which the user may access the models to practice laparoscopic or endoscopic minimally invasive surgical techniques.

Any portion of the model can be made of one or more organic base polymer including but not limited to hydrogel, single-polymer hydrogel, multi-polymer hydrogel, rubber, latex, nitrile, protein, gelatin, collagen, soy, non-organic base polymer such as thermo plastic elastomer, kraton, silicone, foam, silicone-based foam, urethane-based foam and ethylene vinyl acetate foam and the like. Into any base polymer one or more filler may be employed such as a fabric, woven or non-woven fiber, polyester, nylon, cotton and silk, conductive filler material such as graphite, platinum, silver, gold, copper, miscellaneous additives, gels, oil, cornstarch, glass, dolomite, carbonate mineral, alcohol, deadener, silicone oil, pigment, foam, poloxamer, collagen, gelatin and the like. The adhesives employed may include but are not limited to cyanoacrylate, silicone, epoxy, spray adhesive, rubber adhesive and the like.

It is understood that various modifications may be made to the embodiments and variations disclosed herein. Therefore, the above description should not be construed as limiting, but merely as exemplifications of preferred embodiments. Those skilled in the art will envision other modifications within the scope and spirit of the present disclosure.

I claim:

1. A simulated tissue structure for surgical training comprising:

- a simulated large intestine having a tubular structure defining a central lumen extending along a longitudinal axis between a proximal end and a distal end;
- a simulated appendix connected to the distal end of the simulated large intestine;
- a simulated teniae coli connected to and extending longitudinally along the simulated large intestine;
- at least one simulated artery having a middle portion between a proximal end and a distal end; the at least one simulated artery being connected to the simulated appendix;
- a pocket substantially enclosing the simulated appendix.

2. The simulated tissue structure of claim 1 wherein the simulated large intestine includes at least one transverse fold having a reduced diameter.

3. The simulated tissue structure of claim 2 wherein the simulated teniae coli includes at least one wider lateral portion along the longitudinal length of the simulated teniae coli; the at least one wider lateral portion is aligned with the at least one transverse fold.

4. The simulated tissue structure of claim 1 wherein the simulated teniae coli is a narrow strip of silicone.

5. The simulated tissue structure of claim 1 further including a simulated ileum wherein the simulated large intestine includes a hole near the distal end; the simulated ileum being inserted into the hole and connected to the simulated large intestine.

6. The simulated tissue structure of claim 1 wherein the simulated large intestine includes a first layer of silicone and a second layer of silicone wherein the simulated teniae coli is located between the first layer and the second layer.

7. The simulated tissue structure of claim 6 wherein the simulated teniae coli is a narrow strip of white silicone.

8. The simulated tissue structure of claim 1 wherein the pocket includes a lower layer of silicone and an upper layer of silicone; the simulated appendix and the at least one simulated artery being located between the lower layer and the upper layer.

9. The simulated tissue structure of claim 8 wherein the middle portion of the at least one simulated artery being adhered to the lower layer and the distal end of the at least one simulated artery being adhered to the simulated appendix.

10. A simulated tissue structure for surgical training comprising:

- an appendectomy model including:
 - a first layer of silicone having an inner surface defining a central lumen having a diameter;
 - a second layer of silicone;
 - a strip of silicone having an inner surface, an outer surface, a length defined between a top edge and a bottom edge, and a width defined between a first side edge and a second side edge; the strip being embedded between the first layer and the second layer.

11. The simulated tissue structure of claim 10 wherein the inner surface of the strip is adhered to the outer surface of the first layer.

12. The simulated tissue structure of claim 11 wherein the second layer is molded over the first layer and the strip.

13. The simulated tissue structure of claim 11 wherein the width of the strip includes wider portions defined between the first side edge and the second side edge interspersed with relatively narrower portions and the central lumen includes

corresponding areas of smaller and relatively larger diameter; wherein the wider portions are aligned with the areas of smaller diameter.

14. The simulated tissue structure of claim **11** further including a second lumen angled and interconnected with the central lumen.

* * * * *

专利名称(译)	阑尾切除模型		
公开(公告)号	US10490105	公开(公告)日	2019-11-26
申请号	US15/215853	申请日	2016-07-21
[标]申请(专利权)人(译)	应用医疗资源		
申请(专利权)人(译)	应用医疗资源CORPORATION		
当前申请(专利权)人(译)	应用医疗资源CORPORATION		
[标]发明人	SALEH KHODR		
发明人	SALEH, KHODR		
IPC分类号	G09B23/30 G09B23/28 A61B17/00		
CPC分类号	G09B23/28 G09B23/30 A61B2017/00716 A61B2017/00823		
优先权	62/195439 2015-07-22 US		
其他公开文献	US20170025044A1		
外部链接	Espacenet		

摘要(译)

提供了用于手术训练的阑尾切除术模型。该模型包括一个模拟的大肠，其大肠腔与人工阑尾腔相互连接。该模型还包括模拟的阑尾动脉，模拟的中上肢和模拟的回肠。由白色硅酮制成的模拟回肠被嵌入在第一层粉红色硅酮和第二层粉红色硅酮之间，以创建特别适合于腹腔镜阑尾切除术训练的逼真的解剖学标志。

