


(43) **Pub. Date:** **Mar. 28, 2002**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23A




FIG. 23B




FIG. 23C




FIG. 23D




FIG. 24




FIG. 25

FIG. 26

LAPAROSCOPIC ACCESS PORT FOR SURGICAL INSTRUMENTS OR THE HAND

BACKGROUND OF THE INVENTION

[0001] (1) Field of the Invention

[0002] The present invention pertains to an apparatus employed as an access port in minimally invasive surgery that enables the insertion of instruments or the hand through a small incision in body tissue while maintaining the insufflation pressure within a body cavity.

[0003] (2) Description of the Related Art

[0004] Minimally, invasive surgery, such as laparoscopy, despite its beneficial aspects, has some disadvantages. Surgery of this type involving the use of surgical instruments manipulated through trocars or cannula inserted through body tissue to a surgery site within a body cavity requires a great deal of manual dexterity and hand-eye coordination of the surgeon. Many years of practice are required before the surgeon develops a comfortable level of agility in manipulating surgical instruments inserted through trocars to the surgical site while observing the movements of the instruments through a laparoscope. Until this level of familiarity with surgery techniques is developed by the surgeon, minimally invasive surgery requires significantly more of the surgeon's time than would the same operation being performed in an open incision of the body.

[0005] Additionally, the need to maintain a pneumoperitoneum or insufflation pressure within the body cavity at the surgery site while instruments are removed from and inserted through trocars during surgery increases the time required for performing an operation by minimally invasive surgery over that required for performing the same operation through an open incision in the body.

[0006] It is an object of the present invention to provide a surgical apparatus and its method of use that assist the surgeon in performing minimally invasive surgery by providing an access port through body tissue to a body cavity at the surgery site which enables insertion of surgical instruments or the surgeon's hand through the access port while maintaining the insufflation pressure or pneumoperitoneum within the body cavity.

SUMMARY OF THE INVENTION

[0007] The surgical apparatus of the present invention is basically comprised of a flexible, fluid-tight envelope having a hollow interior and first and second openings at opposite proximal and distal ends of the envelope. In the preferred embodiment, the envelope is transparent. A pair of tubular collars are secured to the opening at the proximal end of the envelope. The collars have coaxial interior bores and are connected to each other for relative rotation. The collars are provided with means for securing the collars to body tissue with the interior bores of the collars adjoining an incision through the tissue.

[0008] The distal end of the envelope is provided with means for selectively closing and sealing the second opening, or for opening the second opening to enable insertion of an instrument or the surgeon's hand into the envelope interior. With an instrument or the surgeon's hand inserted through the second opening, the means for sealing the

opening is then secured around the envelope distal end and the instrument or hand to prevent the escape of insufflation pressure from the body cavity through the incision and the envelope. Several means of sealing closed the second opening of the envelope are provided including a slit second opening in the resilient material of the envelope that closes the opening in its at rest condition and is opened by stretching the material of the envelope. Various types of bands including elastic cords, strips containing malleable wire, and strips of hook and loop fastener material such as Velcro® are also secured around the distal end of the envelope to close and seal the envelope second opening.

[0009] Various embodiments of the concentric collars at the envelope proximal end are also employed in sealingly securing the envelope to the body tissue adjoining the tissue incision. These embodiments include a tapered portion of one of the collars which is wedged into the tissue incision to provide the sealed connection of the envelope to the tissue. A further embodiment employs an annular rim on one of the collars which is inserted through the incision to underlie the body tissue surrounding the incision. A panel having a circular center opening is then positioned over the collar and against the exterior of the body tissue to sandwich the tissue between the collar rim and the panel and thereby provide the sealed connection of the collars to the body tissue with the collars' interior bores adjoining the tissue incision. The embodiments of the collars are constructed of flexible plastic material that enables the collars to be clamped closed by a conventional grasper or forcep, thereby sealing closed the interior bores of the collars and enabling substitution of various embodiments of the envelope on the collars. A further embodiment of the collars is provided with a removable cap that closes over the collar interior bore sealing it closed.

[0010] One embodiment of the envelope has a general Y-shaped configuration with three projecting arms including one proximal arm and two distal arms. The proximal arm is provided with the first opening secured to the pair of collars and the two distal arms are provided with second and third openings and means on the distal arms for closing their openings as in the previously described embodiment of the envelope.

[0011] In use of each of the embodiments of the invention, an incision is made in the body tissue and the pair of collars are secured to the body tissue with the center bores of the collars adjoining the tissue incision. The second opening of the envelope is sealed closed. The body cavity at the site of the surgery to be performed is then insufflated. The sealed connection of the collars to the body adjoining the incision and the sealed closure of the envelope second opening maintains the insufflation pressure within the body cavity while providing an access port for insertion of instruments or the surgeon's hand into the body cavity.

[0012] Insertion of an instrument or the surgeon's hand into the body cavity is accomplished by releasing the sealed closure of the envelope second opening and inserting the instrument or hand into the envelope interior through the second opening. The second opening is then again sealed closed around the instrument or forearm of the hand inserted into the envelope. The instrument or hand may then be inserted through the interior bores of the collars secured to the body with the sealed closure of the second opening

around the instrument or hand maintaining the insufflation pressure within the body cavity.

BRIEF DESCRIPTION OF THE DRAWINGS

[0013] Further objects and features of the present invention are revealed in the following detailed description of the preferred embodiment of the invention and in the drawing figures wherein:

[0014] **FIG. 1** shows a first embodiment of the invention in its operative position sealed to an incision made in body tissue and projecting into a body cavity;

[0015] **FIG. 2** is a partial, in-section view of the embodiment of **FIG. 1**;

[0016] **FIG. 3** is an in-section view of a collar of the **FIG. 1** embodiment clamped closed;

[0017] **FIG. 4** is a perspective view of a second embodiment of one of the collars of the invention;

[0018] **FIG. 5** is a cross section of the collar of **FIG. 4**;

[0019] **FIG. 6** is a cross section of the collar of **FIG. 4** showing the collar clamped closed;

[0020] **FIGS. 7 and 8** show a variant embodiment of the collar of **FIG. 4**;

[0021] **FIGS. 9 and 10** show a further embodiment of the envelope of the invention;

[0022] **FIGS. 11 and 12** show a further embodiment of the envelope of the invention;

[0023] **FIGS. 13 and 14** show a further embodiment of the envelope of the invention;

[0024] **FIGS. 15-17** show a further embodiment of the envelope of the invention;

[0025] **FIGS. 18-20** show a further embodiment of the envelope of the invention;

[0026] **FIGS. 21-23** show a further embodiment of the envelope of the invention;

[0027] **FIGS. 24 and 25** show a further embodiment of the invention; and

[0028] **FIG. 26** shows a further embodiment of the invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0029] A first embodiment of the apparatus of the invention is shown in **FIG. 1** of the drawing figures. This embodiment is generally comprised of a first collar **2**, a second collar **4**, and a flexible, fluid-tight envelope **6**. In the preferred embodiment of the invention, the three primary component parts set forth above are all constructed of flexible, resilient plastic materials. However, it should be understood that the apparatus of the invention may be constructed of various different types of materials acceptable for use in surgical instruments. Furthermore, the relative dimensions of the component parts of the invention shown in the drawing figures are illustrative only and should not be interpreted as limiting. The apparatus of the invention can be constructed in various different sizes without departing from the intended scope of the invention.

[0030] Preferably, the material of the envelope **6** is also transparent to enable the surgeon to observe the manipulation of an instrument or the surgeon's hand in the envelope. For example, the envelope could be formed from two overlapping layers of urethane film that are heat sealed together at their edges. Other equivalent materials and methods of construction may be employed. The envelope **6** has a general Y-shaped configuration with a first arm **8** at a proximal end of the envelope and second **10** and third **12** arms at the opposite distal end of the envelope. A first opening **14** is provided at the end of the envelope first arm **8** and the second collar **4** is received in the first opening. The second collar **4** and the envelope first arm are permanently secured together providing a sealed connection between the collar and envelope. Alternatively, the envelope first arm could overlap the top of the collar and be secured thereto by an elastic band or a length of suture tied around the arm and collar. The ends of the second and third arms **10, 12** are also provided with respective second **16** and third **18** openings therethrough. Means are provided at the ends of the second and third arms **10, 12** for selectively closing and sealing the respective second and third openings **16, 18**. The manner of closing the second and third openings will be described in more detail with reference to later embodiments. The closures at the second and third openings **16, 18** enable these openings to be closed and sealed around surgical instruments such as the forceps **20** shown in **FIG. 1**. Alternatively, in a larger version of the apparatus shown in **FIG. 1**, the surgeon's hand and forearm can be inserted through the second opening **16** and the surgical instrument inserted into the envelope interior **22** through the third opening **18** to be grasped by the surgeon within the envelope. The second opening **16** may then be secured around the forearm of the surgeon and the third opening **18** closed and sealed to prevent the escape of insufflation pressure through the second and third openings in use of the apparatus.

[0031] The second collar **4** has a cylindrical configuration with a hollow, cylindrical interior bore extending therethrough. The interior bore **24** of the collar communicates with the interior volume **22** of the envelope. Opposite its connection to the envelope **6**, the second collar has an annular flange **26** that extends around its exterior surface.

[0032] The first collar **2** is formed of two sections, a first section **28** having a cylindrical configuration and a second section **30** having a tapering configuration. The first section **28** has a cylindrical interior bore **32** with an annular groove **34** formed therein. The annular groove **34** is dimensioned to receive the annular flange **26** of the second collar, thereby providing a sealed rotatable connection between the first and second collars. As seen in **FIG. 1**, the second section **30** has a tapering interior bore **36** and a tapering exterior surface over which extends a helical thread **38**. The first collar second section **30** tapers to an access opening **40** that provides access to the envelope interior volume **22** through the interior bores of the first and second collars **2, 4**.

[0033] Referring to **FIG. 1**, in use of this first embodiment of the apparatus of the invention, an incision **42** is first made through body tissue **44**. The first collar **2** is then secured in the incision by first inserting the tapered section **30** of the collar into the incision **42** and rotating the collar, causing the helical thread **38** to pull the collar **2** further into the incision. The incision **42** in the body tissue **44** is stretched around the exterior of the first collar **2** as the collar is turned and

effectively screwed into the incision. The snug fit of the first collar tapered section 30 in the incision 42 secures the apparatus to the body tissue and seals the connection of the apparatus to the tissue. Alternatively, the first collar may be secured to the body tissue by adhesive tape, or may be sutured to the tissue. The first collar 2 may be provided with a cannula extension (not shown) from its access opening 40 to reach through all skin layers. The first collar 2 may be secured to the tissue 44 by its being wedged in the incision 42 with the second collar 4 and envelope 6 attached, or with the second collar and envelope removed. In the later case, the flexibility and resiliency of the first and second collars enables the second collar 4 to be later attached to the first collar 2 inserting the annular flange 26 of the second collar into the annular groove 34 of the first collar. The second and third openings 16, 18 of the envelope 6 are closed to seal the envelope interior volume 22. If so desired, an instrument such as the forcep 20 may first be inserted into the envelope interior through one of the first or second openings 16, 18 and then positioned in the envelope with each of its handles 46, 48 projecting through the first and second openings. The first and second openings are then sealed closed around the handles of the forcep.

[0034] Following the setup of the apparatus of the invention described above, Insufflation pressure is then supplied to the body cavity 50. The insufflation pressure passes through the incision and also inflates the envelope. If it is later necessary to remove the forceps 20 or the envelope 6 for its replacement with another embodiment of envelope to be described later, the resilient material of the first and second collars 2, 4 enable the collars to be clamped closed with the jaws 52 of a surgical clamp as illustrated in FIG. 3. This seals closed the access port provided by the apparatus of the invention maintaining the insufflation pressure while the envelope is replaced on the first collar 2. Alternatively, the first collar could be provided with a valve assembly.

[0035] Because insufflation pressure is low, typically 10 mm of mercury (Hg), various different types of valve assemblies may be employed in the first collar bore to maintain insufflation pressure in the body cavity. For example, an inflatable toroid-shaped balloon which closes at its inside diameter when inflated may be employed as the valve. Also, a foam disk having a center aperture which closes due to the resiliency of the foam may also be employed as the valve. In both examples, the flexibility of the balloon or foam allow insertion of the hand and/or instruments through the center opening. The resiliency of the balloon or foam causes the center opening to seal around the hand or instrument inserted through the opening, and causes the opening to seal closed once the hand or instrument is removed. Various other types of valve structures may also be employed.

[0036] FIG. 4 shows an alternative to the first collar 2 of the apparatus of FIGS. 1-3. In FIG. 4, the first collar 56 again has a cylindrical configuration with a cylindrical interior bore 58 having an annular groove 60 dimensioned to receive the annular flange 26 of the second collar 4 of the apparatus of FIGS. 1-3. However, instead of a tapered section of a collar, this embodiment of the first collar has an annular rim 62 adjacent its access opening 64. A circular panel 66 having a circular center opening 68 is positioned over the collar 56 with the collar extending in a tight, friction fit through the panel opening 68. Together, the annular rim

62 and panel 66 secure this embodiment of the first collar 56 to the body tissue with the collar extending through the incision in the tissue.

[0037] In use of the embodiment of FIGS. 4-6, the flexible resiliency of the material of a collar enables the collar rim 62 to be deformed and inserted through a small incision 70 made in the body tissue 72. The resiliency of the collar enables it to expand once inserted through the incision 70 so that the incision is stretched around the periphery of the collar 56 and the annular rim 62 extends beneath the body tissue surrounding the incision. The panel 66 is then positioned over the collar 56 with the collar inserted through the panel opening 68. With the panel pushed down over the collar, the tight-friction fit of the panel 66 around the collar secures the collar to the body tissue 72 and seals the incision between the collar rim 62 and the panel 66. With the collar in place, the second collar 4 and envelope 6 may then be attached to the first collar in preparation for use as described earlier with reference to the first embodiment.

[0038] Like the first collar of the first embodiment, the first collar embodiment of FIGS. 4-6 may also be sealed closed by crimping the collar between the jaws 52 of a surgical grasper as illustrated in FIG. 6, thereby sealing closed the collar interior bore 58 and maintaining the insufflation pressure in the body cavity when the envelope is removed from the collar.

[0039] Alternatively, the first collar may be provided with a sealing cap 76 as shown in FIGS. 7 and 8. The cap 76 is connected by a flexible tether 78 to the collar 56. The cap 76 has an annular flange 80 around its periphery that is dimensioned to fit the annular groove 60 of the first collar with the cap inserted into the collar interior bore, thereby sealing closed the interior bore of the collar.

[0040] FIGS. 9-23 show various embodiments of the envelope, all of which may be employed with the first described embodiment of the first collar 2 shown in FIGS. 1-3 or the second described embodiment of the first collar 56 shown in FIGS. 4-8.

[0041] The embodiment of the envelope 84 shown in FIGS. 9 and 10 does not have the Y-shaped configuration of the first described embodiment of the envelope. The envelope 84 has opposite proximal 86 and distal 88 ends. The envelope proximal end 86 has a first opening 90 that is secured to a second collar 4 identical to the second collar of the first described embodiment. The connection between the envelope 84 and the second collar 4 is also identical to that of the first described embodiment. The material of the envelope 84 is transparent, flexible and fluid-tight as the first described envelope. However, this embodiment of the envelope employs a material that has resiliency enabling the material to be stretched from its at-rest configuration shown in FIG. 9.

[0042] The second opening 92 at the envelope distal end 88 is formed as a slit opening. In the at-rest condition of the envelope, the second opening 92 is closed. The resiliency of the envelope material is sufficient to maintain the second opening closed in its at-rest condition and prevent leakage of insufflation pressure, typically 10 mm of mercury (Hg), through the slit opening. A pair of ears 94 project from the envelope on opposite sides of the second opening 92. Each of the ears 94 has a hole 96 therethrough that can be engaged

by a spreading tool to move the ears away from each other. Movement of the ears **94** away from each other stretches the slit opening **92** of the envelope open, enabling the insertion of instruments, such as the intermediate length of the surgical grasper **98** shown in **FIG. 10**, through the opening. The resiliency of the envelope material causes the slit opening **92** to close and seal around the grasper **98** when the ears **94** are released, thereby maintaining the insufflation pressure.

[0043] As in the first embodiment of the invention, the second collar **4** at the proximal end of the envelope **84** is provided with an annular flange **26** that engages in the annular groove of the first collar forming the sealed, rotating connection between the first collar and the envelope **84**.

[0044] **FIGS. 11 and 12** show an embodiment of the envelope **102** similar to the previously described embodiment of the envelope **84** of **FIGS. 9 and 10**. The difference between the embodiment of **FIGS. 9 and 10** and that of **FIGS. 11 and 12** is that the slit opening and ears of the previous embodiment are replaced by an elastic band **104** that surrounds the second opening **106** at the distal end of the **FIG. 11 and 12** envelope embodiment. The remaining construction of the envelope **102** and second collar **4** remains the same as previously described embodiments. In the embodiment of **FIGS. 11 and 12**, the elastic band **104** is stretched open to enable insertion of an instrument, such as the forceps **108**, into the envelope second opening **102**. The band **104** is then allowed to contract around the forceps **108** near the hinge point or box lock to essentially seal the second opening **106** around the forceps and maintain insufflation pressure. As shown in **FIG. 12**, the flexibility of the envelope material enables the envelope to be folded back in through its interior when reaching into the incision with the forceps.

[0045] In the embodiment of the envelope shown in **FIGS. 13 and 14**, the second collar **112** varies only slightly from the second collar of the previously described embodiments in that it has an annular groove **114** formed **15** around its exterior surface. The remaining construction of the second collar and the manner in which it connects to the first collar for relative rotation therewith remains the same.

[0046] Various embodiments of the envelope may be removably attached to the embodiment of the second collar **112** shown in **FIG. 13**. The envelope **116** shown in **FIGS. 13 and 14** again has the general Y-shaped configuration of the first described embodiment including the proximal arm **118** and two distal arms **120, 122**. The proximal arm **118** has a first opening **124** to the interior volume of the envelope and the distal arms **120, 122** have second and third openings **126, 128** to the envelope interior. Connected to the proximal and distal arms adjacent their openings are flexible bands, in this embodiment lengths of elastic cord **130** secured adjacent the openings by sections of adhesive tape **132**.

[0047] In securing the proximal arm **118** to the second collar **112**, the collar is inserted through the first opening **124** of the arm and the length of cord **130** is positioned adjacent the collar external groove **114**. The length of cord is then tightly bound around the envelope proximal arm **118** overlying the collar exterior groove **114** securely connecting the proximal arm of the envelope to the collar. The connection of the envelope arm to the collar in this manner provides a sufficient seal between the arm and collar to maintain insufflation pressure. The second and third openings **126,**

128 of the distal arms **120, 122** are sealed closed in the same manner. The second and third openings may be sealed closed upon themselves, or may be sealed closed around the forearm of the surgeon or around a surgical instrument by binding the cords **130** around the distal arms in the same manner as described with reference to the proximal arm of the envelope **116**.

[0048] The embodiments of the envelope shown in **FIGS. 15-20** are substantially identical to that shown in **FIGS. 13 and 14** except that other closure means are employed in lieu of the cord **130** employed in the **FIG. 13 and 14** embodiment.

[0049] In **FIG. 15**, two strips of adhesive tape **134** are secured to each of the envelope arms **136**. A length of malleably metal **138**, for example a length of wire, is sandwiched between the two pieces of tape. To close the openings at the ends of the two envelope distal arms **136**, the tape containing the wire is wrapped around the arm and the instrument **140** inserted through the arm openings to securely seal the openings around the instrument as shown in **FIGS. 17**. If an instrument is not inserted through the arm opening, the tape containing the wire is merely wrapped around the arm to seal closed the opening. The wire within the tape maintains the tape in its wrapped configuration around the envelope arm.

[0050] **FIGS. 18-20** show a further embodiment in which the cords and tape of the previously described embodiments are replaced by hook and loop fasteners, for example Velcro® type fasteners. As shown in the drawing figures, each of the envelope distal arms **146** has the backside of a hook fastener strip **148** and a loop fastener strip **150** secured thereto. Portions of the backsides of the hook and loop fastener strips are also secured together. To seal closed the arm opening around an instrument **152** inserted through the opening, the hook and loop fasteners are wrapped around the envelope distal arm and the instrument inserted through the opening of the arm. This causes the hook strip **148** to overlap the loop strip **150** and thereby seal closed the arm opening around the instrument **152**.

[0051] Although only the envelope distal arms are shown in **FIGS. 15-20**, it should be understood that the tape and wire closure shown in **FIGS. 15-17** and the hook and loop closure shown in **FIGS. 18-20** may be employed to removably secure the proximal arm to the second collar in lieu of the elastic cord **130** disclosed in the embodiment of **FIGS. 13-14**. Still further, the envelope openings at the proximal and distal ends of the envelope may be sealed closed in other equivalent manners than those disclosed above.

[0052] The envelope **156** of the **FIG. 21** embodiment is similar to the previously described Y-shaped embodiments except that its first arm **158** is formed as a bellows with a plurality of pleats. The pleats formed in the first envelope arm **158** give it even more flexibility than the previously described embodiments and enable reaching deep into an incision with an instrument **160** by compressing the pleats of the bellows. Expanding the pleats of the bellows enables the instrument **160** to be withdrawn and spaced far from the incision with the expanding bellows pleats significantly increasing the interior volume of the envelope **156**. The distal arms **162** of the envelope are secured and sealed to the handles of the instrument **160** in the same manner as any of the previously described embodiments. The proximal end of

the envelope **164** is secured to a collar **166** that can be releasably attached to any of the previously described embodiments of the first collar. Additionally, the collar **166** can be secured directly to the body tissue surrounding the incision as shown in **FIG. 21**. The lower end of the collar is first inserted through the incision until the annular flange **168** of the collar abuts against the exterior surface of the tissue surrounding the incision. The collar may then be secured in place to the tissue incision by passing suture through the collar and the tissue surrounding the incision. Alternatively, the collar could be secured in place through the use of adhesive tape. In use of the collar in this manner, the lower end of the collar is extended to ensure that it reaches completely through the layer of skin tissue.

[0053] **FIGS. 22 and 23** show a variation of the envelope of **FIG. 21**. In this embodiment, the envelope distal end has a circular cap **172** removably secured thereto. The cap is preferably constructed of a flexible plastic material and is provided with an interior annular groove (shown in dashed lines in **FIG. 22**) much the same as the annular groove provided in the first and second embodiments of the first collar **2, 56** described earlier. The distal end **174** of the envelope **170** has an annular flange **176** formed thereon dimensioned to mate in the annular groove on the interior of the cap **172**. The insertion of the annular flange **176** into the cap annular groove provides a releasable, sealed connection between the envelope proximal end **174** and the cap **172**.

[0054] The cap **172** is also provided with a pair of distal arms **178**. The arms **178** are also constructed of the flexible, resilient plastic material enabling the handles of an instrument to be inserted through the interiors of the arms as illustrated in **FIG. 23C**. Elastic cords **180** are secured to each of the arms **178** for securing the arms closed around the instrument handles as in the previous embodiments. Other equivalents of the cords **180** may also be employed in closing the arms **178** around the instrument handles.

[0055] By providing a detachable cap on the envelope, the pleated section of the envelope does not need to be very wide. The envelope can be much narrower if the instrument can be loaded into the envelope from the top. In this way, the handle rings of the instrument do not have to fit through the envelope. (See **FIG. 23**). Use of this embodiment of the invention is illustrated in **FIGS. 23A-23D**. The removable cap **172** is first removed from the proximal end of the envelope **170** exposing the envelope interior volume. The instrument **182** may then be inserted into the envelope. As shown in **FIG. 23B**, the interior volume of the envelope provides ample room for manipulation of the instrument. The cap **172** is then positioned over the instrument's handles inserting each of the handles through the arms **178** of the cap so that they project from the arms as illustrated in **FIG. 23C**. The cap **172** is then secured to the envelope distal end **174** by inserting the annular flange **176** into the interior annular groove of the cap as explained earlier. The cords **180** are next secured tight (e.g. by a simple half-hitch) around the arms **178** sealing the arms to the instrument handles. This embodiment of the invention is now ready for use in the same manner as the previously described embodiments.

[0056] **FIGS. 24 and 25** show a further embodiment of the apparatus where the envelope of the apparatus is secured to the body tissue on the exterior surface of the tissue surrounding the incision. Referring to **FIG. 24**, this embodi-

ment is comprised of an envelope **184** having a wide circular base with a projecting annular rim **186**. The rim **186** is secured to the exterior surface of the body tissue **188** by adhesive strips **190**. Alternatively, the rim **186** may be secured to the tissue **188** by suturing or other equivalent means. The envelope **184** extends upwardly from its base and tapers toward a bellows section having a plurality of circular pleats **192**. The tapering of the envelope gives it a general conical configuration with a larger interior volume of the envelope positioned adjacent its annular rim **186** than the volume of the envelope adjacent the pleats **192**. The pleats **192** enhance the flexibility of the envelope allowing it to expand away from the tissue incision **194** and compress toward the incision.

[0057] A port opening **196** passes through the side of the envelope just below the pleats **192**. The port **196** is provided for gas insufflation of the body cavity accessible through the incision **194** and the interior volume of the envelope. A similar port may be provided on the envelopes of the previously described embodiments.

[0058] Just above the plurality of circular pleats **192** the distal end of the envelope is formed as a cylindrical sleeve **198**. Positioned against the interior surface of the sleeve **198**, is a valve **200** that seals closed around an instrument or a surgeon's hand inserted through the valve, or closes the center opening **202** of the valve when the instrument or hand is removed. The valve **200** may be a toroid of foam secured to the interior surface of the sleeve **198**. The resilience of the foam enables its center opening **202** to expand when an instrument or the surgeon's hand is inserted through the opening, maintaining a sealed closure around the instrument or hand sufficient to maintain insufflation pressure in the body cavity and the envelope interior. The seal **200** may also be an inflatable bladder having a toroid shape which functions in the same manner as the foam toroid seal. Additionally, the toroid foam valve and the inflatable bladder toroid valve may be friction fit in and removable from the interior of the envelope sleeve **198**. In this variation of the valve, it remains sealed around the hinge box of the surgical instrument or the surgeon's wrist as the instrument or wrist are removed from the interior of the envelope sleeve **198**. In use of a valve of this type, the resilient material of the envelope **184** must be clamped closed by a surgical clamp as in previously described embodiments in order to maintain insufflation pressure in the body cavity as the instrument or wrist with attached seal are removed from the interior of the instrument sleeve **198**. On reinsertion of the instrument or wrist with the attached seal back into the envelope interior with the toroid seal positioned in the envelope sleeve **198** interior, the clamp sealing closed the envelope may then be removed to permit access for the instrument through the tissue incision **194**. The repositioned seal in the envelope sleeve **198** maintains insufflation pressure in the body cavity and the envelope interior.

[0059] **FIG. 26** shows a still further embodiment of the apparatus of the invention. The embodiment of **FIG. 26** is basically comprised of the flexible envelope **208** similar to previously described embodiments of the envelope, secured to a collar **210** which is also similar to previously described embodiments of the collar in **FIGS. 1-23**. The envelope **208** is shown permanently secured to the collar **210**. However, the proximal end of the envelope **212** may be secured to the collar **210** in a variety of different manners such as the

previously described embodiments. The upper end of the collar **210** may be inserted into the opening at the envelope proximal end **212** and the envelope secured around the collar by a cord such as a length of elastic tubing or a length of suture. The proximal end of the envelope may also be secured to the collar in other equivalent manners.

[0060] The collar **210** is similar to previously described embodiments of the second collar. It may also be releasably connected to a first collar such as that shown in FIGS. **1-4** and **5-8**. Alternatively, the lower end **216** of the collar may be inserted directly into the tissue incision **218** as shown in FIG. **26**. The incision **218** made through the body tissue **220** would be smaller than the periphery of the collar lower end **216** so that the tissue surrounding the incision is stretched to fit around the collar. The collar **210** would then be secured in place on the body tissue **220** and extending into the incision **218** by a plurality of sutures **222** passing through the tissue and the collar around the periphery of the collar. Alternatively, the collar could be secured in place extending into the incision by adhesive tape or other equivalent means.

[0061] The envelope **208** of the FIG. **26** embodiment differs from previously described embodiments in that a second opening **224** and a third opening **226** are provided in the envelope and are sealed closed by opposed tongue and groove flexible strips **228**, **230**, of the type employed on Ziploc® brand plastic bags. The opposed tongue **228** and groove **230** flexible strips, shown opened at the second opening **224** and closed at the third opening **226**, provide two closures in the envelope **208** that are easily opened and closed as needed. Furthermore, in their closed positions they provide a sufficient seal to maintain insufflation pressure in the body cavity and the envelope interior. Providing the two tongue and groove closures at the second **224** and third **226** openings enables the surgeon's hand to be inserted through one opening and the opening sealed closed around the surgeon's wrist either by closing the tongue and groove strips or securing the envelope adjacent the second opening closed around the surgeon's wrist with a flexible cord as employed in the previous embodiments. With the envelope secured closed around the surgeon's wrist, as different instruments are needed by the surgeon these instruments can be removed from the envelope interior and inserted into the interior where they can be grasped by the surgeon's hand through the third opening **226**.

[0062] Each of the later described embodiments of the invention is used in the same manner as the first described embodiment in providing access for a hand or instrument through a body tissue incision while maintaining insufflation pressure or a pneumoperitoneum within the body. Additionally, the apparatus of the invention may be employed by containing each of the instruments intended to be used in a minimally invasive surgical operation within their own envelope of the apparatus. The second collar **4** of each envelope would then enable the instruments, contained in their own envelope, to be quickly connected with the first collar **2** as needed during the course of the operation. The first collar **2** would be provided with a valve structure in its interior, for example, a stricture or some other equivalent type of valve within the interior bore of the first elastomeric collar to close and seal the bore as instruments in their own envelopes are removed from and attached to the first collar. The quick connect releasable connection of the first and second collars described above may also be replaced by

other known types of connections, for example, a bayonet-type connection that enable the first and second collars to be quickly connected and disconnected as desired. Furthermore, the size of the envelope can be substantially increased from that shown in the drawing figures so that several instruments needed to perform a particular operation may be contained in the one envelope. This would enable the surgeon to pick up and use the instruments contained in the envelope as needed without breaking the seal in the wall of the envelope or around the surgeon's wrist to remove instruments from the envelope or insert additional instruments into the envelope.

[0063] Although the invention has been described by reference to specific embodiments, it should be understood that other variations and adaptations of the invention can be made without departing from the intended scope of the invention defined by the following claims.

What is claimed is:

1. A surgical apparatus providing access for a hand and/or surgical instruments through a body tissue incision while maintaining insufflation pressure within the body, the apparatus comprising:

a flexible, fluid-tight envelope having an interior volume and having opposite proximal and distal ends, a first opening in the envelope at the proximal end and a second opening in the envelope at the distal end, means for securing the envelope proximal end to the body tissue sealing the proximal end to the body tissue with the first opening adjoining the body tissue incision, and means for closing the second opening or securing the envelope distal end around an object inserted through the second opening into the envelope interior volume sealing the distal end around the object.

2. The apparatus of claim 1, wherein:

the envelope has a third opening at the distal end and means for closing the third opening or securing the envelope distal end around an object inserted through the third opening into the envelope interior sealing the distal end around the object.

3. The apparatus of claim 1, wherein:

the means for securing the envelope proximal end to the body tissue includes first and second annular collars, the first annular collar has an interior bore that adjoins the body tissue incision and the second annular collar has an interior bore that communicates with the interior volume of the envelope, and the first and second collars are releasably connected together.

4. The apparatus of claim 3, wherein:

one of the first and second collars has an annular groove in its interior bore and the other of the first and second collars has an annular flange engaged in the groove, the groove and flange providing a sealed releasable connection between the first and second collars that enables the collars to rotate relative to each other.

5. The apparatus of claim 3, wherein:

one of the first and second collars has means thereon for selectively sealing closed its interior bore.

6. The apparatus of claim 3, wherein:

one of the first and second collars has a cap that can be secured to the one of the first and second collars to seal closed its interior bore.

7. The apparatus of claim 4, wherein both the first and second collars are flexible and can be clamped closed to seal closed their interior bores.

8. The apparatus of claim 3, wherein:

the first collar has axially opposite proximal and distal ends, the distal end is connected to the second collar, and the proximal end has a tapered configuration that is wedged into the tissue incision to secure and seal the first collar to the body tissue and thereby secure and seal the envelope to the body tissue.

9. The apparatus of claim 3, wherein:

the first collar has axially opposite proximal and distal ends, the distal end is connected to the second collar, and the proximal end has an annular rim thereon that is insertable through the tissue incision to underly the tissue with the first collar projecting through the incision to secure and seal the first collar to the body tissue and thereby secure and seal the envelope to the body tissue.

10. The apparatus of claim 9, wherein:

a panel having a hole therethrough is positionable over the body tissue with the first collar projecting through the panel hole to thereby further secure and seal the first collar to the body tissue and thereby secure and seal the envelope to the body tissue.

11. The apparatus of claim 1, wherein:

the envelope is constructed of an elastic, resilient material and the second opening in the envelope distal end is a slit opening that, in an at-rest condition of the second opening, is closed and is opened by stretching the envelope distal end on opposite sides of the slit opening.

12. The apparatus of claim 11, wherein:

at least a pair of ears are provided on the distal end of the envelope with each ear of the pair being positioned on an opposite side of the slit opening where the ears can be grasped and spread from each other to open the slit opening.

13. The apparatus of claim 1, wherein:

a band is secured to the envelope adjacent its distal end and the band has a length sufficiently long for binding the band around the distal end of the envelope and closing the envelope second opening.

14. The apparatus of claim 13, wherein:

the band is a length of elastic cord secured to the envelope distal end.

15. The apparatus of claim 13, wherein:

the band is a length of hook and loop fastener material secured to the envelope distal end.

16. The apparatus of claim 12, wherein:

the band is a strip containing a length of malleable metal.

17. The apparatus of claim 2, wherein:

the envelope has a general Y-shaped configuration with three projecting arms, the first opening in the envelope is positioned at an end of a first arm, the second opening

in the envelope is positioned at an end of a second arm, and the third opening in the envelope is positioned at an end of a third arm.

18. The apparatus of claim 1, wherein:

the envelope has a plurality of peripheral pleats formed thereon, the plurality of pleats are expandable to increase the interior volume of the envelope, and the plurality of pleats are compressible to decrease the interior volume of the envelope.

19. The apparatus of claim 1, wherein:

the envelope has a cap removably secured and sealed to the distal end of the envelope, and removing the cap from the envelope provides access to the envelope interior volume.

20. The apparatus of claim 19, wherein:

the second opening in the envelope is on the cap.

21. The apparatus of claim 20, wherein:

a third opening in the envelope is on the cap, the third opening being substantially the same as the second opening.

22. The apparatus of claim 1, wherein:

the means for closing the second opening or securing the envelope distal end around an object inserted through the second opening includes a valve in the form of a flexible, resilient toroid positioned in the second opening of the envelope, the toroid having a center opening that is expandable causing the center opening to open when an instrument or hand is inserted through the opening, and is retractable causing the center opening to close when the instrument or hand is withdrawn from the center opening.

23. The apparatus of claim 22, wherein:

the toroid is constructed of a flexible and resilient foam material.

24. The apparatus of claim 22, wherein:

the toroid is an inflatable bladder.

25. The apparatus of claim 22, wherein:

an interior surface of the envelope engages around the toroid and holds the toroid in the second opening of the envelope by friction engagement, and the toroid is removable from the envelope second opening.

26. The apparatus of claim 1, wherein:

the means for securing the envelope proximal end to the body tissue includes a resilient, cylindrical collar secured to the envelope proximal end, the collar has an interior bore that adjoins the first opening of the envelope, and the collar has an annular flange surrounding the collar, the collar is secured to body tissue by securing the flange to the body tissue.

27. The apparatus of claim 26, wherein:

the flange is secured to the body tissue by adhesive tape.

28. The apparatus of claim 26, wherein:

the flange is secured to the body tissue by sutures.

29. The apparatus of claim 1, wherein:

the means for closing the second opening or securing the envelope distal end around an object inserted through the second opening includes opposed, flexible tongue and groove strips on the envelope on opposite sides of

the second opening, the tongue and groove strips being connectable to each other to close the second opening and being separable from each other to open the second opening.

30. A method of providing access for a hand and surgical instruments through a body tissue incision while maintaining insufflation pressure within a body cavity accessible through the tissue incision, the method comprising the steps of:

making an incision through the body tissue;

securing a flexible, fluid-tight envelope having a proximal end with a first opening and an opposite distal end with a second opening to the body tissue with the envelope proximal end sealed to the body tissue and the first opening adjoining the incision;

sealing closed the second envelope opening; and

insufflating a body cavity within the tissue that is accessible through the tissue incision and the envelope.

31. The method of claim 30, further comprising:

securing the envelope to the body tissue by wedging a tapered end of a tubular collar connected to the first opening at the proximal end of the envelope into the

incision causing the incision to stretch around the tapered end of the collar and thereby securing and sealing the collar to the incision.

32. The method of claim 30, further comprising:

securing the envelope to the body tissue by inserting an annular flange of a tubular collar connected to the first opening at the proximal end of the envelope into the incision causing the incision to stretch around the collar and thereby securing and sealing the collar to the incision.

33. The method of claim 30, further comprising:

accessing the body cavity with an object while maintaining insufflation pressure within the cavity by clamping the envelope first opening closed, opening the envelope second opening, inserting the object into the envelope interior through the second opening, sealing closed the second opening around the object, reopening the first opening and inserting the object from the envelope interior through the first opening and the tissue incision into the body cavity.

* * * * *

专利名称(译)	腹腔镜进出口用于手术器械或手部		
公开(公告)号	US20020038077A1	公开(公告)日	2002-03-28
申请号	US10/004468	申请日	2001-10-23
[标]申请(专利权)人(译)	普外科INNOVATIONS CALIFORNIA CORP		
申请(专利权)人(译)	普外科的创新, INC., 加州公司		
当前申请(专利权)人(译)	ETHEICON ENDO-外科INC.		
[标]发明人	DE LA TORRE ROGER A SCOTT JAMES STEPHEN HERMANN GEORGE D HOWELL THOMAS A JERVIS JAMES E MOLLENAUER KENNETH H YOUNG RODERICK A		
发明人	DE LA TORRE, ROGER A. SCOTT, JAMES STEPHEN HERMANN, GEORGE D. HOWELL, THOMAS A. JERVIS, JAMES E. MOLLENAUER, KENNETH H. YOUNG, RODERICK A.		
IPC分类号	A61B17/34 A61B19/08 A61B17/00		
CPC分类号	A61B17/3423 A61B17/3462 A61B17/3498 A61B19/081 A61B2017/3419 A61B2017/3449 A61B2017/349 A61B2017/3492 A61B46/10		
其他公开文献	US6840951		
外部链接	Espacenet USPTO		

摘要(译)

灵活, 不透流体的封套通过身体组织切口提供手和手术器械的通道, 同时保持体内的充气压力或气腹。外壳是透明的并且具有内部容积, 其具有相对的近端和远端。在近端的封套中的第一开口邻接身体组织中的切口并固定并密封到身体组织。在封套远端处的第二开口设置有封闭构件, 该封闭构件密封第二开口本身或围绕外科医生的前臂或插入封套的内部容积中的外科器械。

