

US010357303B2

(12) United States Patent

Conlon et al.

(54) TRANSLATABLE OUTER TUBE FOR SEALING USING SHIELDED LAP CHOLE DISSECTOR

(71) Applicant: Ethicon Endo-Surgery, LLC,

Guaynabo, PR (US)

(72) Inventors: Sean P. Conlon, Loveland, OH (US);

John B. Schulte, West Chester, OH (US); Thomas C. Gallmeyer, Ann Arbor, MI (US); Kristen G. Denzinger, Cincinnati, OH (US); Jeffery T. Kirk, Liberty Township, OH (US)

(73) Assignee: Ethicon LLC, Los Fariles Industrial

Park, Guaynabo, PR (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 427 days.

(21) Appl. No.: 14/788,599

(22) Filed: Jun. 30, 2015

(65) **Prior Publication Data**

US 2017/0000512 A1 Jan. 5, 2017

(51) Int. Cl.

A61B 18/04 (2006.01) **A61B 17/32** (2006.01)

(Continued)

(52) U.S. Cl.

CPC *A61B 18/04* (2013.01); *A61B 17/320068* (2013.01); *A61B 2017/00367* (2013.01);

(Continued)

(58) Field of Classification Search

(Continued)

(10) Patent No.: US 10,357,303 B2

(45) **Date of Patent:** Jul. 23, 2019

(56) References Cited

U.S. PATENT DOCUMENTS

969,528 A 9/1910 Disbrow 1,570,025 A 1/1926 Young (Continued)

FOREIGN PATENT DOCUMENTS

AU 2003241752 A1 9/2003 CA 2535467 A1 4/1993 (Continued)

OTHER PUBLICATIONS

International Search Report for PCT/US2016/039212, dated Aug 18, 2016 (4 pages).


(Continued)

Primary Examiner — Jaymi E Della Assistant Examiner — Sean W Collins

(57) ABSTRACT

Aspects of the present disclosure are presented for a surgical instrument for cutting and sealing tissue. In some embodiments, the surgical instrument includes a handle assembly, a shaft, and an end effector. The end effector may include: a blade that vibrates at an ultrasonic frequency, a shielded portion enclosing a back edge of the blade, a high-friction surface coupled to the shielded portion and positioned between the shielded portion and the back edge of the blade. A space is defined between the high-friction surface and the back edge of the blade when the end effector is in a cutting configuration. In a sealing configuration, the high-friction surface contacts the back edge of the blade, which generates heat based on ultrasonic vibrations of the blade rubbing against the high-friction surface. The shielded portion can coagulate bleeding tissue based on heat transfer from the high-friction surface to the shielded portion.

8 Claims, 21 Drawing Sheets



(51)	Int. Cl.			3,955,859	A	5/1976	Stella et al.
(31)	A61B 18/00		(2006.01)	3,956,826			Perdreaux, Jr.
			(2006.01)	4,005,714			Hiltebrandt
	A61B 17/00		\ /	4,012,647			Balamuth et al.
	A61B 17/28		(2006.01)	4,034,762			Cosens et al.
(52)	U.S. Cl.			4,058,126 4,074,719		11/1977	
	CPC	A61E	<i>3 2017/00845</i> (2013.01); <i>A61B</i>	4,074,719		2/1978 4/1978	Durley, III
	20	017/0085	58 (2013.01); A61B 2017/2825	4,156,187			Murry et al.
			A61B 2017/320078 (2017.08);	4,167,944		9/1979	
			3 2018/00589 (2013.01); A61B	4,188,927		2/1980	
			2018/00607 (2013.01)	4,193,009			Durley, III
(58)	Field of Class	sification	*	4,200,106 4,203,430			Douvas et al. Takahashi
(50)			7/2926; A61B 2090/036; A61B	4,203,430			Bonnell et al.
	C1 C 710.		6/04; A61B 2018/00607; A61B	4,220,154		9/1980	
	20		89; A61B 2017/320078; A61B	4,237,441		12/1980	van Konynenburg et al.
			367; A61B 2017/00845; A61B	4,281,785			Brooks
	•		2017/00858; A61B 2017/2825	4,300,083		11/1981	Heiges
	Can application		r complete search history.	4,302,728 4,304,987			Nakamura van Konynenburg
	see applicatio	n me 10	r complete search instory.	4,306,570			Matthews
(56)		Doforon	ces Cited	4,314,559		2/1982	
(30)		Keleleli	ices Citeu	4,445,063	A	4/1984	
	U.S. P	ATENT	DOCUMENTS	4,463,759			Garito et al.
				4,491,132		1/1985 1/1985	
	1,813,902 A	7/1931	Bovie	4,492,231 4,494,759		1/1985	
	2,188,497 A	1/1940		4,504,264			Kelman
	2,366,274 A		Luth et al.	4,512,344		4/1985	
	2,425,245 A 2,442,966 A		Johnson Wallace	4,526,571			Wuchinich
	2,458,152 A	1/1949		4,535,773		8/1985	
	2,510,693 A	6/1950		4,541,638 4,545,374			Ogawa et al. Jacobson
	2,597,564 A	5/1952		4,545,926			Fouts, Jr. et al.
	2,704,333 A		Calosi et al.	4,550,870			Krumme et al.
	2,736,960 A		Armstrong	4,553,544	A		Nomoto et al.
	2,748,967 A 2,845,072 A	6/1956 7/1958		4,562,838		1/1986	
	2,849,788 A	9/1958		4,574,615			Bower et al.
	2,867,039 A	1/1959		4,582,236 4,617,927		4/1986 10/1986	
	2,874,470 A	2/1959	Richards	4,633,119			Thompson
	2,990,616 A		Balamuth et al.	4,634,420			Spinosa et al.
	RE25,033 E 3,015,961 A	1/1962	Balamuth et al.	4,640,279		2/1987	
	3,033,407 A	5/1962		4,641,053			Takeda
	3,053,124 A		Balamuth et al.	4,646,738 4,646,756		3/1987 3/1987	Watmough et al.
	3,082,805 A	3/1963		4,649,919			Thimsen et al.
	3,166,971 A		Stoecker	4,662,068			Polonsky
	3,322,403 A 3,432,691 A	3/1967	Murphy Shoh	4,674,502		6/1987	
	3,433,226 A	3/1969	T. 1	4,708,127	A		Abdelghani
	3,489,930 A	1/1970		4,712,722 4,735,603			Hood et al. Goodson et al.
	3,513,848 A		Winston et al.	4,761,871			O'Connor et al.
	3,514,856 A		Camp et al.	4,808,154			Freeman
	3,525,912 A 3,526,219 A	8/1970	Wallin Balamuth	4,819,635			Shapiro
	3,554,198 A		Tatoian et al.	4,827,911			Broadwin et al.
	3,580,841 A		Cadotte et al.	4,830,462 4,832,683			Karny et al. Idemoto et al.
	3,606,682 A	9/1971	Camp et al.	4,836,186		6/1989	
		10/1971		4,838,853		6/1989	
	, ,	10/1971		4,844,064	A		Thimsen et al.
	3,629,726 A 3,636,943 A		Popescu Balamuth	4,849,133		7/1989	Yoshida et al.
	3,668,486 A	6/1972		4,850,354 4,852,578		8/1989	McGurk-Burleson et al.
	3,702,948 A		Balamuth	4,860,745		8/1989	Companion et al. Farin et al.
			Blowers	4,862,890		9/1989	Stasz et al.
			Peyman et al.	4,865,159	A	9/1989	Jamison
	3,777,760 A 3,805,787 A	12/1973 4/1974		4,867,157			McGurk-Burleson et al.
	3,809,977 A		Balamuth et al.	4,878,493			Pasternak et al.
	3,830,098 A		Antonevich	4,880,015			Nierman
	3,854,737 A	12/1974	Gilliam, Sr.	4,881,550 4,896,009		1/1989	Rothe Pawlowski
	3,862,630 A		Balamuth	4,896,009			Stasz et al.
	3,875,945 A		Friedman	4,910,389			Sherman et al.
	3,885,438 A 3,900,823 A		Harris, Sr. et al. Sokal et al.	4,915,643			Samejima et al.
			Nikolaev et al.	4,920,978		5/1990	
	3,924,335 A	12/1975	Balamuth et al.	4,922,902		5/1990	Wuchinich et al.
	3,946,738 A	3/1976	Newton et al.	4,936,842	A	6/1990	D'Amelio et al.

(56)		Referen	ces Cited	5,307,976 A	5/1994	Olson et al.
				5,309,927 A	5/1994	
	U.S. I	PATENT	DOCUMENTS	5,312,023 A		Green et al.
				5,312,425 A		Evans et al.
4,954,960			Lo et al.	5,318,563 A		Malis et al.
4,965,532		10/1990		5,318,564 A		Eggers Hood et al.
4,979,952			Kubota et al.	5,318,570 A 5,318,589 A		Lichtman
4,981,756			Rhandhawa	5,312,055 A		Davison A61B 17/320068
4,983,160			Steppe et al.	3,322,033 11	0/1//7	601/2
5,013,956			Kurozumi et al. Broadwin et al.	5,324,299 A	6/1994	Davison et al.
5,015,227 5,020,514			Heckele	5,326,013 A		Green et al.
5,026,370			Lottick	5,326,342 A		Pflueger et al.
5,026,387			Thomas	5,330,471 A		Eggers
5,035,695			Weber, Jr. et al.	5,330,502 A		Hassler et al.
5,042,707		8/1991		5,339,723 A		Huitema
5,061,269	A	10/1991	Muller	5,342,359 A		Rydell
5,084,052		1/1992		5,344,420 A		Hilal et al.
5,099,840			Goble et al.	5,345,937 A		Middleman et al.
5,104,025			Main et al.	5,346,502 A		Estabrook et al.
5,105,117			Yamaguchi	5,353,474 A 5,357,164 A		Good et al. Imabayashi et al.
5,106,538			Barma et al.	5,357,104 A 5,357,423 A	10/1994	Weaver et al.
5,108,383 5,109,819		4/1992	Custer et al.	5,359,994 A		Krauter et al.
5,112,300			Ureche	5,361,583 A		Huitema
5,123,903			Quaid et al.	5,366,466 A		Christian et al.
5,126,618			Takahashi et al.	5,368,557 A	11/1994	Nita et al.
D327,872			McMills et al.	5,370,645 A	12/1994	Klicek et al.
5,152,762			McElhenney	5,371,429 A	12/1994	
5,156,633	A	10/1992	Smith	5,374,813 A	12/1994	
5,160,334			Billings et al.	D354,564 S		Medema
5,162,044			Gahn et al.	5,381,067 A		Greenstein et al.
5,163,421			Bernstein et al.	5,383,874 A		Jackson et al.
5,163,537		11/1992		5,387,207 A		Dyer et al. Fisher
5,167,619			Wuchinich	5,387,215 A 5,389,098 A		Tsuruta et al.
5,167,725			Clark et al.	5,394,187 A	2/1995	
5,172,344 5,174,276		12/1992	Crockard	5,395,312 A	3/1995	
D332,660			Rawson et al.	5,395,363 A		Billings et al.
5,176,677			Wuchinich	5,395,364 A		Anderhub et al.
5,176,695			Dulebohn	5,396,266 A		Brimhall
5,184,605			Grzeszykowski	5,396,900 A	3/1995	Slater et al.
5,188,102			Idemoto et al.	5,403,312 A		Yates et al.
D334,173			Liu et al.	5,403,334 A		Evans et al.
5,190,541			Abele et al.	5,408,268 A	4/1995	
5,196,007			Ellman et al.	5,409,453 A D358,887 S		Lundquist et al.
5,205,459			Brinkerhoff et al.	5,411,481 A		Feinberg Allen et al.
5,209,719 5,213,569		5/1993	Baruch et al.	5,417,709 A	5/1995	
5,213,309		5/1993		5,419,761 A		Narayanan et al.
5,217,460			Knoepfler	5,421,829 A	6/1995	Olichney et al.
5,218,529			Meyer et al.	5,423,844 A	6/1995	
5,221,282	A		Wuchinich	5,428,504 A	6/1995	Bhatla
5,222,937		6/1993	Kagawa	5,429,131 A		Scheinman et al.
5,226,909	A		Evans et al.	5,438,997 A		Sieben et al.
5,226,910			Kajiyama et al.	5,443,463 A		Stern et al.
5,234,428			Kaufman	5,445,638 A		Rydell et al.
5,234,436	A *	8/1993	Eaton A61B 17/320016	5,445,639 A 5,449,370 A		Kuslich et al. Vaitekunas
5 2 44 226		0/1002	30/151	5,451,220 A		Ciervo
5,241,236			Sasaki et al.	5,451,227 A		Michaelson
5,241,968		9/1993	Klein et al.	5,456,684 A		Schmidt et al.
5,242,460 5,254,129			Alexander	5,458,598 A		Feinberg et al.
5,257,988			L'Esperance, Jr.	5,465,895 A		Knodel et al.
5,258,006			Rydell et al.	5,471,988 A	12/1995	Fujio et al.
5,261,922		11/1993		5,472,443 A		Cordis et al.
5,263,957		11/1993		5,476,479 A		Green et al.
5,264,925	A		Shipp et al.	5,478,003 A		Green et al.
5,275,166			Vaitekunas et al.	5,480,409 A	1/1996	
5,275,607			Lo et al.	5,483,501 A		Park et al.
5,275,609			Pingleton et al.	5,484,436 A		Eggers et al.
5,282,800			Foshee et al.	5,486,162 A		Brumbach Mudry et al
5,282,817			Hoogeboom et al.	5,486,189 A		Mudry et al.
5,285,795 5,285,945			Ryan et al. Brinkerhoff et al.	5,490,860 A		Middle et al.
5,285,945 5,290,286		3/1994		5,496,317 A 5,500,216 A		Goble et al. Julian et al.
5,300,068			Rosar et al.	5,500,216 A 5,501,654 A		Failla et al.
5,300,008			Pflueger et al.	5,501,634 A 5,504,650 A		Katsui et al.
D347,474		5/1994		5,505,693 A		Mackool
D3 11,717	~	J, 1777		5,505,055 A	7/1770	

(56)		Referen	ices Cited	5,730,752			Alden et al.
	II	S PATENT	DOCUMENTS	5,733,074 5,735,848			Stock et al. Yates et al.
	O.	.b. 1711L111	DOCOMENTS	5,741,226			Strukel et al.
5.5	507,738 A	4/1996	Ciervo	5,743,906			Parins et al.
	509,922 A		Aranyi et al.	5,752,973			Kieturakis
	511,556 A		DeSantis	5,755,717			Yates et al.
	520,704 A		Castro et al.	5,762,255 5,766,164			Chrisman et al. Mueller et al.
	522,839 A			5,772,659			Becker et al.
	527,331 A 531,744 A		Kresch et al. Nardella et al.	5,776,155			Beaupre et al.
	540,681 A		Strul et al.	5,779,701			McBrayer et al.
	540,693 A			5,782,834			Lucey et al.
5,5	542,916 A		Hirsch et al.	5,792,135		8/1998	Madhani et al.
,	553,675 A		Pitzen et al.	5,792,138 5,792,165		8/1998	Shipp Klieman et al.
	558,671 A			5,796,188		8/1998	
	562,609 A 562,610 A		Brumbach Brumbach	5,797,941			Schulze et al.
	562,659 A			5,797,959			Castro et al.
	563,179 A		Stone et al.	5,800,432			Swanson
	569,164 A		Lurz	5,800,449		9/1998	
	571,121 A			5,805,140			Rosenberg et al. Williamson, IV et al.
	573,424 A			5,807,393 5,808,396			Boukhny
	573,534 A 577,654 A			5,810,811			Yates et al.
	582,618 A		Chin et al.	5,810,859			DiMatteo et al.
	584,830 A		Ladd et al.	5,817,033			DeSantis et al.
	591,187 A			5,817,084		10/1998	
	593,414 A		Shipp et al.	5,817,093			Williamson, IV et al. Klieman et al.
	599,350 A		Schulze et al.	5,817,119 5,823,197			Edwards
	501,601 A 503,773 A		Tal et al. Campbell	5,827,323			Klieman et al.
/	503,773 A 507,436 A		Pratt et al.	5,828,160			Sugishita
	507,450 A		Zvenyatsky et al.	5,833,696			Whitfield et al.
	509,573 A		Sandock	5,836,897			Sakurai et al.
,	511,813 A		Lichtman	5,836,909			Cosmescu Millor III
	518,304 A		Hart et al.	5,836,943 5,836,957			Miller, III Schulz et al.
	518,307 A 518,492 A		Donlon et al. Auten et al.	5,836,990		11/1998	
	510,492 A 520,447 A		Smith et al.	5,843,109			Mehta et al.
	524,452 A			5,851,212	A		Zirps et al.
	526,587 A		Bishop et al.	5,853,412			Mayenberger
	526,595 A		Sklar et al.	5,858,018 5,865,361			Shipp et al. Milliman et al.
	528,760 A		Knoepfler	5,803,301			Smith et al.
	530,420 A 532,432 A		Vaitekunas Schulze et al.	5,873,882			Straub et al.
	532,717 A			5,876,401			Schulze et al.
	540,741 A			5,878,193			Wang et al.
	381,077 S			5,879,364			Bromfield et al.
	547,871 A		Levine et al.	5,880,668 5,883,615		3/1999	Fago et al.
	549,937 A 551,780 A		Bito et al.	5,891,142			Eggers et al.
	553,713 A		Jackson et al. Michelson	5,893,835			Witt et al.
	558,281 A			5,897,523			Wright et al.
	562,662 A	9/1997	Bishop et al.	5,897,569			Kellogg et al.
	562,667 A		Knodel	5,903,607 5,904,681			Tailliet West, Jr.
	565,085 A		Nardella Vaar	5,906,625			Bito et al.
	565,100 A 569,922 A			5,906,627		5/1999	
	574,219 A		Monson et al.	5,906,628			Miyawaki et al.
	574,220 A	10/1997	Fox et al.	5,910,129			Koblish et al.
	574,235 A			5,911,699		6/1999	
	578,568 A		Uchikubo et al.	5,916,229 5,921,956		6/1999 7/1999	Grinberg et al.
	588,270 A 590,269 A		Yates et al. Bolanos et al.	5,929,846		7/1999	
	593,051 A		Schulze et al.	5,935,143		8/1999	
	594,936 A		Fujimoto et al.	5,935,144			Estabrook
5,6	595,510 A	12/1997	Hood	5,938,633			Beaupre
	700,261 A		Brinkerhoff	5,944,718			Austin et al.
	704,534 A		Huitema et al.	5,944,737 5,947,984			Tsonton et al. Whipple
	709,680 A 711,472 A		Yates et al.	5,954,736			Bishop et al.
	713,896 A		Nardella	5,954,746			Holthaus et al.
	715,817 A		Stevens-Wright et al.	5,957,882			Nita et al.
	716,366 A			5,957,943	A	9/1999	Vaitekunas
5,7	717,306 A	2/1998	Shipp	5,968,007			Simon et al.
	720,742 A		Zacharias	5,968,060			Kellogg
	720,744 A		Eggleston et al.	5,974,342			Petrofsky
5,7	728,130 A	3/1998	Ishikawa et al.	D416,089	5	11/1999	Barton et al.

(56)	Referen	aces Cited	6,204,592		/2001	
U.S	S. PATENT	DOCUMENTS	6,205,855 6,206,844	B1 3	/2001	Pfeiffer Reichel et al.
		_	6,206,876			Levine et al.
5,980,510 A		Tsonton et al.	6,210,337 6,210,402			Dunham et al. Olsen et al.
5,980,546 A 5,984,938 A	11/1999 11/1999		6,210,403			Klicek
5,989,274 A		Davison et al.	6,214,023			Whipple et al.
5,989,275 A		Estabrook et al.	6,228,080			Gines
5,993,465 A		Shipp et al.	6,231,565 6,233,476			Tovey et al. Strommer et al.
5,993,972 A 5,994,855 A		Reich et al. Lundell et al.	6,238,366			Savage et al.
6,003,517 A		Sheffield et al.	6,245,065	B1 6		Panescu et al.
6,013,052 A		Durman et al.	6,251,110			Wampler
6,024,741 A		Williamson, IV et al.	6,252,110 D444,365			Uemura et al. Bass et al.
6,024,744 A 6,024,750 A		Kese et al. Mastri et al.	D445,092		/2001	
6,027,515 A		Cimino	D445,764		/2001	
6,031,526 A	2/2000		6,254,623			Haibel, Jr. et al.
6,033,375 A		Brumbach	6,257,241 6,258,034			Wampler Hanafy
6,033,399 A 6,036,667 A	3/2000 3/2000	Manna et al.	6,259,230	B1 7	/2001	
6,036,707 A		Spaulding	6,267,761		/2001	
6,039,734 A		Goble	6,270,831			Kumar et al. Lehe et al.
6,048,224 A	4/2000		6,273,852 6,274,963			Estabrook et al.
6,050,943 A 6,050,996 A		Slayton et al. Schmaltz et al.	6,277,115			Saadat
6,051,010 A		DiMatteo et al.	6,277,117			Tetzlaff et al.
6,056,735 A		Okada et al.	6,278,218			Madan et al. Manna et al.
6,063,098 A		Houser et al.	6,280,407 6,283,981			Beaupre
6,066,132 A 6,066,151 A		Chen et al. Miyawaki et al.	6,287,344			Wampler et al.
6,068,627 A		Orszulak et al.	6,290,575			Shipp
6,068,629 A		Haissaguerre et al.	6,292,700			Morrison et al. Banko
6,068,647 A 6,074,389 A		Witt et al. Levine et al.	6,299,591 6,306,131			Hareyama et al.
6,077,285 A		Boukhny	6,306,157	B1 10	/2001	Shchervinsky
6,083,191 A	7/2000		6,309,400			Beaupre
6,086,584 A		Miller	6,311,783 6,319,221			Harpell Savage et al.
6,090,120 A		Wright et al. Ingle et al.	6,325,795			Lindemann et al.
6,091,995 A 6,096,033 A		Tu et al.	6,325,799			Goble
6,099,483 A		Palmer et al.	6,325,811			Messerly
6,099,542 A		Cohn et al.	6,328,751 6,332,891			Beaupre Himes
6,099,550 A 6,109,500 A	8/2000	Yoon Alli et al.	6,338,657			Harper et al.
6,110,127 A		Suzuki	6,340,352	B1 1	/2002	Okada et al.
6,113,594 A		Savage	6,340,878			Oglesbee
6,117,152 A		Huitema	6,350,269 6,352,532		/2002 /2002	Shipp et al. Kramer et al.
H001904 H 6,126,629 A	10/2000	Yates et al. Perkins	6,358,264			Banko
6,129,735 A		Okada et al.	6,364,888			Niemeyer et al.
6,129,740 A		Michelson	6,379,320 D457,958			Lafon et al. Dycus et al.
6,132,368 A 6,132,427 A		Cooper Jones et al.	6,383,194			Pothula
6,132,448 A		Perez et al.	6,384,690	B1 5	/2002	Wilhelmsson et al.
6,139,320 A	10/2000	Hahn	6,387,109			Davison et al.
6,139,561 A	10/2000	Shibata et al.	6,388,657 6,391,026			Natoli Hung et al.
6,142,615 A 6,142,994 A		Qiu et al. Swanson et al.	6,391,042			Cimino
6,144,402 A		Norsworthy et al.	6,398,779	B1 6	/2002	Buysse et al.
6,147,560 A		Erhage et al.	6,402,743			Orszulak et al.
6,152,902 A		Christian et al.	6,402,748 6,405,733			Schoenman et al. Fogarty et al.
6,152,923 A 6,154,198 A	11/2000	Ryan Rosenberg	6,409,722			Hoey et al.
6,156,029 A		Mueller A61B 18/00	H002037			Yates et al.
		606/15	6,416,486 6,419,675			Wampler Gallo, Sr.
6,159,160 A		Hsei et al.	6,423,073			Bowman
6,159,175 A 6,162,194 A	12/2000	Strukel et al. Shipp	6,423,082			Houser et al.
6,162,208 A	12/2000		6,425,906			Young et al.
6,165,150 A	12/2000	Banko	6,428,538			Blewett et al.
6,174,309 B1 6,174,310 B1		Wrublewski et al. Kirwan, Jr.	6,428,539 6,430,446			Baxter et al. Knowlton
6,174,310 B1 6,176,857 B1		Ashley	6,432,118			Messerly
6,179,853 B1		Sachse et al.	6,436,114			Novak et al.
6,183,426 B1		Akisada et al.	6,436,115			Beaupre
6,190,386 B1		Rydell Minoryalri et al	6,440,062			Ouchi
6,193,709 B1	2/2001	Miyawaki et al.	6,443,968	вı 8	/2002	Holthaus et al.

(56)	Referen	ices Cited	6,652,513 B2		Panescu et al.
U.S	. PATENT	DOCUMENTS	6,652,539 B2 6,652,545 B2	11/2003 11/2003	Shipp et al. Shipp et al.
C 442 0C0 D1	0/2002	NI14 -1	6,656,132 B1 6,656,177 B2	12/2003 12/2003	Ouchi Truckai et al.
6,443,969 B1 6,449,006 B1	9/2002	Novak et al. Shipp	6,656,198 B2	12/2003	Tsonton et al.
6,454,781 B1	9/2002	Witt et al.	6,660,017 B2		Beaupre
6,454,782 B1 6,458,128 B1		Schwemberger Schulze	6,662,127 B2 6,663,941 B2		Wiener et al. Brown et al.
6,458,142 B1		Faller et al.	6,666,860 B1	12/2003	Takahashi
6,464,689 B1		Qin et al.	6,666,875 B1 6,669,690 B1	12/2003 12/2003	Sakurai et al. Okada et al.
6,464,702 B2 6,475,215 B1		Schulze et al. Tanrisever	6,669,710 B2	12/2003	
6,480,796 B2	11/2002	Wiener	6,673,248 B2		Chowdhury
6,485,490 B2 6,491,690 B1		Wampler et al. Goble et al.	6,676,660 B2 6,678,621 B2		Wampler et al. Wiener et al.
6,491,701 B2		Tierney et al.	6,679,875 B2	1/2004	Honda et al.
6,491,708 B2	12/2002	Madan et al.	6,679,882 B1 6,679,899 B2		Kornerup Wiener et al.
6,497,715 B2 6,500,112 B1	12/2002 12/2002		6,682,501 B1		Nelson et al.
6,500,176 B1	12/2002	Truckai et al.	6,682,544 B2		Mastri et al.
6,500,188 B2 6,500,312 B2		Harper et al. Wedekamp	6,685,701 B2 6,685,703 B2		Orszulak et al. Pearson et al.
6,503,248 B1		Levine	6,689,145 B2	2/2004	Lee et al.
6,506,208 B2	1/2003	Hunt et al.	6,689,146 B1 6,690,960 B2	2/2004	Himes Chen et al.
6,511,478 B1 6,511,480 B1		Burnside et al. Tetzlaff et al.	6,695,840 B2	2/2004	
6,511,493 B1		Moutafis et al.	6,702,821 B2		Bonutti
6,514,252 B2		Nezhat et al.	6,716,215 B1 6,719,692 B2		David et al. Kleffner et al.
6,514,267 B2 6,517,565 B1		Jewett Whitman et al.	6,719,765 B2		Bonutti
6,524,251 B2	2/2003	Rabiner et al.	6,719,776 B2 6,722,552 B2		Baxter et al.
6,524,316 B1 6,527,736 B1		Nicholson et al. Attinger et al.	6,723,091 B2		Fenton, Jr. Goble et al.
6,531,846 B1	3/2003		D490,059 S	5/2004	Conway et al.
6,533,784 B2		Truckai et al.	6,731,047 B2 6,733,498 B2		Kauf et al. Paton et al.
6,537,272 B2 6,537,291 B2	3/2003	Christopherson et al. Friedman et al.	6,733,506 B1		McDevitt et al.
6,543,452 B1	4/2003	Lavigne	6,736,813 B2		Yamauchi et al.
6,543,456 B1 6,544,260 B1		Freeman Markel et al.	6,739,872 B1 6,740,079 B1	5/2004 5/2004	Eggers et al.
6,551,309 B1		LePivert	D491,666 S	6/2004	Kimmell et al.
6,554,829 B2		Schulze et al.	6,743,245 B2 6,746,284 B1	6/2004 6/2004	Lobdell Spink, Jr.
6,558,376 B2 6,561,983 B2		Bishop Cronin et al.	6,746,443 B1		Morley et al.
6,562,035 B1	5/2003	Levin	6,752,815 B2		Beaupre
6,562,037 B2 6,565,558 B1		Paton et al. Lindenmeier et al.	6,755,825 B2 6,761,698 B2	6/2004 7/2004	Shoenman et al. Shibata et al.
6,572,563 B2	6/2003		6,762,535 B2	7/2004	Take et al.
6,572,632 B2		Zisterer et al.	6,766,202 B2 6,770,072 B1	7/2004 8/2004	Underwood et al. Truckai et al.
6,572,639 B1 6,575,969 B1		Ingle et al. Rittman, III et al.	6,773,409 B2		Truckai et al.
6,582,427 B1	6/2003	Goble et al.	6,773,435 B2	8/2004	
6,582,451 B1 6,584,360 B2		Marucci et al. Francischelli et al.	6,773,443 B2 6,773,444 B2		Truwit et al. Messerly
D477,408 S		Bromley	6,775,575 B2		Bommannan et al.
6,585,735 B1		Frazier et al. Giordano et al.	6,778,023 B2 6,783,524 B2	8/2004 8/2004	
6,588,277 B2 6,589,200 B1		Schwemberger et al.	6,786,382 B1	9/2004	Hoffman
6,589,239 B2	7/2003	Khandkar et al.	6,786,383 B2	9/2004 9/2004	Stegelmann
6,599,288 B2 6,602,252 B2		Maguire et al. Mollenauer	6,789,939 B2 6,790,173 B2	9/2004	Schrodinger et al. Saadat et al.
6,607,540 B1	8/2003		6,790,216 B1		Ishikawa
6,610,059 B1		West, Jr.	6,794,027 B1 6,796,981 B2		Araki et al. Wham et al.
6,610,060 B2 6,616,450 B2		Mulier et al. Mossle et al.	D496,997 S		Dycus et al.
6,619,529 B2	9/2003	Green et al.	6,800,085 B2	10/2004 10/2004	Selmon et al. Truckai et al.
6,620,161 B2 6,622,731 B2		Schulze et al. Daniel et al.	6,802,843 B2 6,808,525 B2		Latterell et al.
6,623,482 B2		Pendekanti et al.	6,809,508 B2	10/2004	Donofrio
6,623,500 B1		Cook et al.	6,810,281 B2 6,811,842 B1		Brock et al. Ehrnsperger et al.
6,623,501 B2 6,626,848 B2		Heller et al. Neuenfeldt	6,811,842 B1 6,814,731 B2		Swanson
6,626,926 B2	9/2003	Friedman et al.	6,821,273 B2	11/2004	Mollenauer
6,629,974 B2		Penny et al.	6,827,712 B2	12/2004	
6,633,234 B2 6,635,057 B2		Wiener et al. Harano et al.	6,828,712 B2 6,835,082 B2		Battaglin et al. Gonnering
6,644,532 B2	11/2003	Green et al.	6,835,199 B2	12/2004	McGuckin, Jr. et al.
6,651,669 B1	11/2003	Burnside	6,840,938 B1	1/2005	Morley et al.

(56)		Referen	ces Cited	7,101,378 E		Salameh et al.
	U.S.	PATENT	DOCUMENTS	7,104,834 E 7,108,695 E	9/2006	Robinson et al. Witt et al.
				7,111,769 B		Wales et al.
	19,073 B2		Hoey et al.	7,112,201 B D531,311 S		Truckai et al. Guerra et al.
	50,878 B2 50,880 B2	3/2005	Treat et al.	7,117,034 B		Kronberg
	63,676 B2		Lee et al.	7,118,564 B	2 10/2006	Ritchie et al.
	59,439 B2		White et al.	7,118,570 B		Tetzlaff et al.
	75,220 B2		Du et al.	7,124,932 B 7,125,409 B		Isaacson et al. Truckai et al.
	7,647 B2 32,439 B2		Green et al. Ishijima	7,128,720 B		
6,88	37,209 B2		Kadziauskas et al.	7,131,860 B		
	37,252 B1		Okada et al.	7,131,970 B 7,135,018 B		Moses et al. Ryan et al.
	93,435 B2 99,685 B2	5/2005 5/2005	Kermode et al.	7,135,030 E		
	5,497 B2		Truckai et al.	7,137,980 B	2 11/2006	Buysse et al.
	08,463 B2		Treat et al.	7,143,925 E 7,144,403 E		,
	98,472 B2 3,579 B2		Wiener et al. Truckai et al.	7,144,403 E		
	.5,623 B2		Dey et al.	7,153,315 B	2 12/2006	Miller
	23,804 B2	8/2005	Eggers et al.	D536,093 S		Nakajima et al.
	26,712 B2	8/2005		7,156,189 B 7,156,846 B		Bar-Cohen et al. Dycus et al.
	26,716 B2 26,717 B1		Baker et al. Garito et al.	7,156,853 B	2 1/2007	Muratsu
,	9,602 B2		Hirakui et al.	7,157,058 B		Marhasin et al.
/	9,622 B2	8/2005		7,159,750 B 7,160,296 B		Racenet et al. Pearson et al.
	19,632 B2 19,644 B2		Nita et al. Truckai et al.	7,160,298 E		Lawes et al.
	3,656 B2		Matsushita et al.	7,160,299 B		
	9,589 S	9/2005		7,163,548 B		
	12,660 B2		Pantera et al.	7,169,144 B 7,169,146 B		Hoey et al. Truckai et al.
	12,677 B2 15,981 B2		Nita et al. Donofrio et al.	7,169,156 B		
	6,779 B2	9/2005		7,179,254 B		Pendekanti et al.
	18,503 B2		Refior et al.	7,179,271 B 7,186,253 B		Friedman et al. Truckai et al.
	3,461 B2 1,145 S		McClurken et al. Donofrio et al.	7,180,233 E		
	4,450 B2		Weber et al.	7,195,631 B		Dumbauld
6,97	6,844 B2	12/2005	Hickok et al.	D541,418 S		
	6,969 B2		Messerly	7,198,635 E 7,204,820 E		Danek et al. Akahoshi
	7,495 B2 9,332 B2	12/2005	Donofrio Adams	7,207,471 B		Heinrich et al.
	31,628 B2	1/2006		7,207,997 B	2 4/2007	Shipp et al.
	34,220 B2		Wuchinich	7,210,881 E 7,211,079 E		Greenberg Treat
	88,295 B2 94,708 B2	1/2006 2/2006		7,217,128 B		Atkin et al.
	4,709 B2	2/2006		7,217,269 B	5/2007	El-Galley et al.
	0,818 B2		Shelton, IV et al.	7,220,951 B 7,223,229 B		Truckai et al. Inman et al.
	01,335 B2 01,382 B2		Adachi et al. Gallo, Sr.	7,225,964 B		Mastri et al.
	1,657 B2		Truckai et al.	7,226,448 B	6/2007	Bertolero et al.
7,01	4,638 B2	3/2006	Michelson	7,229,455 B		Sakurai et al.
	3,357 B2		Baxter et al.	7,232,440 B 7,235,071 B		Dumbauld et al. Gonnering
	7,306 B2 11,083 B2		Podany et al. Chu et al.	7,235,073 B	6/2007	Levine et al.
7,04	1,088 B2	5/2006	Nawrocki et al.	7,241,294 B		Reschke
	H,102 B2		Truckai et al.	7,244,262 B 7,251,531 B		Wiener et al. Mosher et al.
,	14,949 B2 52,496 B2		Orszulak et al. Yamauchi	7,252,667 B		
	55,731 B2		Shelton, IV et al.	7,258,688 B		
	53,699 B2		Hess et al.	7,267,677 B 7,267,685 B		Johnson et al. Butaric et al.
	66,893 B2 66,895 B2		Hibner et al. Podany	7,269,873 E		Brewer et al.
	6,936 B2	6/2006		7,273,483 B	9/2007	Wiener et al.
	0,597 B2	7/2006	Truckai et al.	D552,241 S		Bromley et al.
	4,218 B2		Washington et al.	7,282,048 B 7,285,895 B		Goble et al. Beaupre
	74,219 B2 77,039 B2		Levine et al. Gass et al.	7,287,682 B	1 10/2007	Ezzat et al.
7,07	7,845 B2	7/2006	Hacker et al.	7,300,431 B		Dubrovsky
	7,853 B2		Kramer et al.	7,300,435 B		Wham et al.
	3,618 B2 3,619 B2		Couture et al. Truckai et al.	7,300,446 B 7,300,450 B		Beaupre Vleugels et al.
	37,054 B2		Truckai et al.	7,300,430 E		Lee et al.
7,09	0,672 B2	8/2006	Underwood et al.	7,303,557 B	2 12/2007	Wham et al.
	94,235 B2		Francischelli	7,306,597 B		
	01,371 B2		Dycus et al.	7,307,313 E		Ohyanagi et al.
)1,372 B2)1,373 B2		Dycus et al. Dycus et al.	7,309,849 B 7,311,706 B		Truckai et al. Schoenman et al.
/,10	1,313 D4	J1 2000	Dyeus et al.	7,511,700 E	-2 12/200/	Senociman et al.

(56)	Referen	ces Cited	7,559,450			Wales et al.
1	U.S. PATENT	DOCUMENTS	7,559,452 7,566,318	B2 7/2	2009	Wales et al. Haefner
			7,567,012			Namikawa
7,311,709		Truckai et al.	7,568,603			Shelton, IV et al.
7,317,955		McGreevy	7,569,057 7,572,266			Liu et al. Young et al.
7,318,831		Alvarez et al.	7,572,268			Babaev
7,326,236		Andreas et al.	7,572,208			Moore et al.
7,329,257		Kanehira et al.	7,582,084		2009	Swanson et al.
7,331,410 7,335,165		Yong et al. Truwit et al.	7,582,086			Privitera et al.
7,335,103		Wiener	7,582,095			Shipp et al.
7,337,010		Howard et al.	7,585,181			
7,353,068		Tanaka et al.	7,586,289		2009	Andruk et al.
7,354,440		Truckal et al.	7,587,536			
7,357,287		Shelton, IV et al.	7,588,176		2009	Timm et al.
7,361,172		Cimino	7,594,925			Danek et al.
7,364,577		Wham et al.	7,597,693			Garrison
7,367,976		Lawes et al.	7,601,119 7,604,150		2009	Shahinian Boudreaux
7,371,227		Zeiner	7,607,557		2009	Shelton, IV et al.
RE40,388			7,608,054		2009	Soring et al.
7,380,695		Doll et al. Shelton, IV et al.	7,621,930			Houser
7,380,696 7,381,209		Truckai et al.	7,628,791		2009	Garrison et al.
7,384,420		Dycus et al.	7,628,792		2009	Guerra
7,390,317		Taylor et al.	7,632,267	B2 12/2	:009	Dahla
7,396,356		Mollenauer	7,632,269			Truckai et al.
7,403,224		Fuller et al.	7,641,653			Dalla Betta et al.
7,404,508	B2 7/2008	Smith et al.	7,641,671			Crainich
7,407,077	B2 8/2008	Ortiz et al.	7,644,848			Swayze et al.
7,408,288	B2 8/2008		7,645,245			Sekino et al.
7,416,101		Shelton, IV et al.	7,645,277 7,645,278			McClurken et al. Ichihashi et al.
7,416,437		Sartor et al.	7,648,499			Orszulak et al.
D576,725		Shumer et al.	7,654,431			Hueil et al.
7,419,490		Falkenstein et al. Shelton, IV et al.	7,658,311			Boudreaux
7,422,139 7,422,463			7,659,833			Warner et al.
D578,643		Shumer et al.	7,662,151	B2 2/2		Crompton, Jr. et al.
D578,644		Shumer et al.	7,665,647			
D578,645		Shumer et al.	7,666,206			Taniguchi et al.
7,431,704			7,670,334			Hueil et al.
7,435,582		Zimmermann et al.	7,670,338			Albrecht et al.
7,441,684		Shelton, IV et al.	7,674,263			Ryan
7,442,193		Shields et al.	7,678,069 7,678,125			Baker et al. Shipp
7,445,621		Dumbauld et al.	7,678,123			Sakurai et al.
7,455,208 7,462,181		Wales et al. Kraft et al.	7,686,770			Cohen
7,462,181		Shelton, IV et al.	7,686,826			Lee et al.
7,472,815		Shelton, IV et al.	7,688,028			Phillips et al.
7,473,253		Dycus et al.	7,691,095	B2 4/2	:010	Bednarek et al.
7,473,263		Johnston et al.	7,691,098		:010	Wallace et al.
7,479,148	B2 1/2009	Beaupre	7,699,846			Ryan
7,479,160		Branch et al.	7,703,459			Saadat et al.
7,481,775		Weikel, Jr. et al.	7,703,653		2010	
7,488,285		Honda et al.	7,708,735 7,708,751			Chapman et al. Hughes et al.
7,488,319			7,713,202			Boukhny et al.
7,491,201		Shields et al.	7,713,202			Sakai
7,494,468 7,494,501		Rabiner et al. Ahlberg et al.	7,717,312			Beetel
7,498,080		Tung et al.	7,717,915			Miyazawa
7,502,234		Goliszek et al.	7,721,935	B2 5/2	:010	Racenet et al.
7,503,893		Kucklick	7,722,527			Bouchier et al.
7,503,895		Rabiner et al.	7,722,607			Dumbauld et al.
7,506,790	B2 3/2009	Shelton, IV	D618,797			Price et al.
7,506,791		Omaits et al.	7,726,537			Olson et al.
7,510,107		Timm et al.	7,727,177			Bayat
7,513,025		Fischer	7,738,969 7,740,594	D2 6/2		Bleich
7,517,349		Truckai et al.	7,740,394 7,751,115			Hibner Song
7,524,320		Tierney et al.	7,751,113			Shelton, IV et al.
7,530,986 7,534,243		Beaupre et al. Chin et al.	7,753,904			Swanson
7,534,243 D594,983		Price et al.	7,762,445			Heinrich et al.
7,540,871		Gonnering	7,762,979			Wuchinich
7,540,871		Schechter et al.	D621,503			Otten et al.
7,543,730		Marczyk	7,766,210		2010	
7,544,200		Houser	7,766,693		2010	Sartor et al.
7,549,564		Boudreaux	7,766,910			Hixson et al.
7,550,216		Ofer et al.	7,770,774			Mastri et al.
7,553,309		Buysse et al.	7,770,775			Shelton, IV et al.
,,		•	, ,			*

(56)		Referen	ces Cited	7,963,963			Francischelli et al.
	U.S.	PATENT	DOCUMENTS	7,967,602 7,972,329	B2	7/2011	Lindquist Refior et al.
				7,976,544			McClurken et al.
7,771,42			Dycus et al.	7,980,443			Scheib et al. Ritchart et al.
7,771,44			Patel et al.	7,981,050 7,981,113			Truckai et al.
7,775,97 7,776,03			Brock et al. Schechter et al.	7,997,278			Utley et al.
7,776,03		8/2010		7,998,157			Culp et al.
7,778,73			Nowlin et al.	8,020,743			Shelton, IV
7,780,05		8/2010		8,025,630			Murakami et al.
7,780,59			Ueno et al.	8,028,885			Smith et al.
7,780,65			Madhani et al.	8,033,173 8,038,693		10/2011	Ehlert et al.
7,780,66 7,780,66			Okada et al. Yates et al.	8,048,070			O'Brien et al.
7,780,00			Wales et al.	8,052,672			Laufer et al.
7,784,66			Shelton, IV	8,056,720		11/2011	
7,789,88			Takashino et al.	8,057,468			Konesky
7,793,81			Racenet et al.	8,058,771 8,061,014			Giordano et al. Smith et al.
7,796,96			Kelly et al.	8,066,167			Measamer et al.
7,798,38 7,799,02			Schall et al. Shores et al.	8,070,036		12/2011	
7,799,04			Masuda	8,070,711			Bassinger et al.
7,803,15			Honda et al.	8,070,762			Escudero et al.
7,803,15			Eder et al.	8,075,555 8,075,558			Truckai et al. Truckai et al.
7,806,89			Nowlin et al.	8,089,197			Rinner et al.
7,810,69 7,811,28			Broehl et al. Moses et al.	8,092,475			Cotter et al.
7,811,26			Dodde et al.	8,097,012	B2	1/2012	Kagarise
7,819,29	98 B2		Hall et al.	8,100,894			Mucko et al.
7,819,29			Shelton, IV et al.	8,105,323			Buysse et al.
7,819,81			Quick et al.	8,114,104 8,128,624		2/2012 3/2012	Young et al. Couture et al.
7,819,87 7,821,14		10/2010	Johnson et al.	8,133,218			Daw et al.
D627,06		11/2010		8,136,712			Zingman
7,824,40			Manzo et al.	8,141,762			Bedi et al.
7,832,40		11/2010	Shelton, IV et al.	8,142,421			Cooper et al.
7,832,6			Boyden et al.	8,142,461 8,147,508			Houser et al. Madan et al.
7,832,61		11/2010	Baxter, III et al.	8,152,801		4/2012	Goldberg et al.
7,834,48 7,837,69			Yamada et al.	8,152,825			Madan et al.
7,845,53	37 B2		Shelton, IV et al.	8,157,145		4/2012	Shelton, IV et al.
7,846,15	55 B2		Houser et al.	8,161,977			Shelton, IV et al.
7,846,15			Morrison et al.	8,162,966 8,172,846			Connor et al. Brunnett et al.
7,846,16 7,846,16			Payne et al. Dumbauld et al.	8,172,870		5/2012	
7,854,73			Houser et al.	8,177,800			Spitz et al.
D631,15			Peine et al.	8,182,501			Houser et al.
7,861,90			Doll et al.	8,182,502 8,186,560			Stulen et al. Hess et al.
7,862,56		1/2011	Marion	8,186,877			Klimovitch et al.
7,871,39 7,876,03			Taki et al.	8,187,267		5/2012	Pappone et al.
D631,96			Price et al.	D661,801			Price et al.
7,878,99			Babaev	D661,802			Price et al.
7,879,03			Sartor et al.	D661,803 D661,804			Price et al. Price et al.
7,879,03 7,879,03			Garrison et al. Ortiz et al.	8,197,472			Lau et al.
7,879,60			Thies et al.	8,197,479	B2	6/2012	Olson et al.
7,896,87			Heim et al.	8,197,502			Smith et al.
7,897,79			Iikura et al.	8,207,651		6/2012	
7,901,40			Wham et al.	8,210,411 8,221,415			Yates et al. Francischelli
7,901,42 7,905,88			Stulen et al. Masuda et al.	8,226,675			Houser et al.
7,909,80		3/2011		8,231,607			Takuma
7,909,82			Masuda et al.	8,235,917			Joseph et al.
7,918,84	48 B2		Lau et al.	8,236,018			Yoshimine et al.
7,919,18			Mohapatra et al.	8,236,019 8,236,020	B2	8/2012	Smith et al.
7,922,06			Shelton, IV et al.	8,241,235			Kahler et al.
7,922,65 7,931,64			Yamada et al. Couture et al.	8,241,271			Millman et al.
D637,28			Houghton	8,241,282			Unger et al.
D638,54		5/2011	Ijiri et al.	8,241,283		8/2012	Guerra et al.
7,935,11			Takashino et al.	8,241,284			Dycus et al.
7,936,20			Zimlich	8,241,312			Messerly
7,951,09 7,951,16			Makin et al. Golden et al.	8,246,575 8,246,615		8/2012	Viola Behnke
7,951,10			Truckai et al.	8,246,618			Bucciaglia et al.
7,959,05			Smith et al.	8,251,994			McKenna et al.
7,959,62			Hong et al.	8,252,012		8/2012	

(56)		Referen	ces Cited	8,430,897 B2		Novak et al.
	HC	DATENIT	DOCI IMENITO	8,430,898 B2 8,435,257 B2		Wiener et al. Smith et al.
	0.5.	PALENT	DOCUMENTS	8,439,912 B2		Cunningham et al.
8.2	253,303 B2	8/2012	Giordano et al.	8,439,939 B2		Deville et al.
	257,377 B2		Wiener et al.	8,444,637 B2		Podmore et al.
	257,387 B2		Cunningham	8,444,662 B2		Palmer et al.
	262,563 B2		Bakos et al.	8,444,664 B2 8,453,906 B2		Balanev et al. Huang et al.
,	267,300 B2 273,087 B2		Boudreaux Kimura et al.	8,454,639 B2		Du et al.
	669,992 S		Schafer et al.	8,460,288 B2		Tamai et al.
	69,993 S	10/2012	Merchant et al.	8,460,292 B2		Truckai et al.
	277,446 B2	10/2012		8,460,326 B2 8,461,744 B2		Houser et al. Wiener et al.
	277,447 B2 277,471 B2		Garrison et al. Wiener et al.	8,469,981 B2		Robertson et al.
,	282,669 B2		Gerber et al.	8,479,969 B2	7/2013	Shelton, IV
	286,846 B2		Smith et al.	8,480,703 B2	7/2013	Nicholas et al.
	287,485 B2		Kimura et al.	8,484,833 B2		Cunningham et al.
	287,528 B2		Wham et al.	8,485,413 B2 8,485,970 B2		Scheib et al. Widenhouse et al.
	287,532 B2 292,886 B2		Carroll et al. Kerr et al.	8,486,057 B2		Behnke, II
	92,888 B2		Whitman	8,486,096 B2	7/2013	Robertson et al.
8,2	298,223 B2	10/2012	Wham et al.	8,491,578 B2		Manwaring et al.
,	298,225 B2	10/2012		8,491,625 B2 8,496,682 B2		Horner Guerra et al.
	298,232 B2	10/2012		D687,549 S		Johnson et al.
	298,233 B2 303,576 B2	11/2012	Mueller Brock	8,506,555 B2		Ruiz Morales
	303,580 B2		Wham et al.	8,509,318 B2		Tailliet
8,3	303,583 B2		Hosier et al.	8,512,336 B2		Couture
8,3	303,613 B2		Crandall et al.	8,512,359 B2 8,512,364 B2		Whitman et al. Kowalski et al.
	806,629 B2 808,040 B2		Mioduski et al. Huang et al.	8,512,365 B2		Wiener et al.
	319,400 B2		Houser et al.	8,518,067 B2		Masuda et al.
	323,302 B2	12/2012	Robertson et al.	8,523,889 B2		Stulen et al.
	23,310 B2		Kingsley	8,528,563 B2		Gruber Taylor et al.
	328,761 B2		Widenhouse et al.	8,529,437 B2 8,529,565 B2	9/2013	Masuda et al.
	328,802 B2 328,833 B2	12/2012	Deville et al.	8,531,064 B2		Robertson et al.
	328,834 B2		Isaacs et al.	8,535,311 B2	9/2013	
	333,778 B2		Smith et al.	8,535,340 B2	9/2013	
8,3	33,779 B2		Smith et al.	8,535,341 B2 8,540,128 B2	9/2013 9/2013	Shelton, IV et al.
	34,468 B2 34,635 B2		Palmer et al. Voegele et al.	8,546,996 B2		Messerly et al.
	37,407 B2		Quistgaard et al.	8,546,999 B2	10/2013	Houser et al.
	38,726 B2	12/2012	Palmer et al.	8,551,077 B2		Main et al.
	344,596 B2		Nield et al.	8,551,086 B2 8,562,592 B2		Kimura et al. Conlon et al.
	348,880 B2 348,967 B2	1/2013	Messerly et al.	8,562,598 B2		Falkenstein et al.
	357,103 B2		Mark et al.	8,562,604 B2	10/2013	Nishimura
	357,158 B2	1/2013	McKenna et al.	8,568,390 B2	10/2013	
	66,727 B2		Witt et al.	8,568,400 B2 8,568,412 B2	10/2013	Brandt et al.
	372,064 B2 372,099 B2		Douglass et al. Deville et al.	8,569,997 B2	10/2013	
	72,099 B2 372.101 B2		Smith et al.	8,573,461 B2		Shelton, IV et al.
,	372,102 B2		Stulen et al.	8,573,465 B2		Shelton, IV
	74,670 B2	2/2013		8,574,231 B2 8,574,253 B2		Boudreaux et al. Gruber et al.
	377,044 B2 377,059 B2		Coe et al. Deville et al.	8,579,176 B2		Smith et al.
	377,039 B2		Smith et al.	8,579,897 B2		Vakharia et al.
8,3	82,748 B2	2/2013		8,579,928 B2		Robertson et al.
	82,775 B1		Bender et al.	8,591,459 B2 8,591,506 B2		Clymer et al.
	882,782 B2		Robertson et al. Chojin	8,591,536 B2 8,591,536 B2		Wham et al. Robertson
	882,792 B2 897,971 B2		Yates et al.	D695,407 S		Price et al.
	103,948 B2		Deville et al.	D696,631 S	12/2013	Price et al.
,	103,949 B2		Palmer et al.	8,597,193 B2		Grunwald et al.
	103,950 B2		Palmer et al.	8,602,031 B2 8,602,288 B2		Reis et al. Shelton, IV et al.
	109,234 B2 114,577 B2		Stahler et al. Boudreaux et al.	8,608,745 B2		Guzman et al.
	118,073 B2		Mohr et al.	8,613,383 B2	12/2013	Beckman et al.
8,4	118,349 B2	4/2013	Smith et al.	8,616,431 B2		Timm et al.
	119,757 B2		Smith et al.	8,622,274 B2		Yates et al.
	119,758 B2 119,759 B2		Smith et al.	8,623,011 B2 8,623,016 B2		Spivey Fischer
	119,759 B2 123,182 B2	4/2013 4/2013	Robinson et al.	8,623,016 B2 8,623,027 B2		Price et al.
	125,182 B2 125,410 B2		Murray et al.	8,623,044 B2		Timm et al.
	125,545 B2		Smith et al.	8,628,529 B2		Aldridge et al.
	130,811 B2		Hess et al.	8,632,461 B2		Glossop
8,4	130,876 B2	4/2013	Kappus et al.	8,638,428 B2	1/2014	Brown

(56)	Referen	ices Cited	8,882,766 B2		Couture et al.
U.S.	PATENT	DOCUMENTS	8,882,791 B2 8,882,792 B2		Dietz et al.
9 C40 799 D2	2/2014	D1- II -4 -1	8,888,776 B2 8,888,783 B2	11/2014 11/2014	Dietz et al.
8,640,788 B2 8,647,350 B2		Dachs, II et al. Mohan et al.	8,888,809 B2	11/2014	Davison et al.
8,650,728 B2		Wan et al.	8,899,462 B2		Kostrzewski et al.
8,652,120 B2		Giordano et al.	8,900,259 B2 8,906,016 B2		Houser et al. Boudreaux et al.
8,652,155 B2 8,659,208 B1		Houser et al. Rose et al.	8,906,017 B2	12/2014	Rioux et al.
8,663,220 B2	3/2014	Wiener et al.	8,911,438 B2		Swoyer et al.
8,663,222 B2		Anderson et al.	8,911,460 B2 8,920,412 B2		Neurohr et al. Fritz et al.
8,663,262 B2 8,668,691 B2	3/2014	Smith et al. Heard	8,920,421 B2	12/2014	
8,684,253 B2	4/2014	Giordano et al.	8,926,607 B2		Norvell et al.
8,685,016 B2		Wham et al.	8,926,608 B2 8,931,682 B2		Bacher et al. Timm et al.
8,685,020 B2 8,690,582 B2		Weizman et al. Rohrbach et al.	8,936,614 B2		Allen, IV
8,696,366 B2		Chen et al.	8,939,974 B2		Boudreaux et al.
8,696,665 B2		Hunt et al.	8,951,248 B2 8,951,272 B2		Messerly et al. Robertson et al.
8,702,609 B2 8,702,704 B2		Hadjicostis Shelton, IV et al.	8,956,349 B2	2/2015	
8,704,425 B2	4/2014	Giordano et al.	8,961,515 B2	2/2015	Twomey et al.
8,708,213 B2		Shelton, IV et al.	8,961,547 B2 8,968,283 B2	2/2015 3/2015	Dietz et al.
8,709,031 B2 8,709,035 B2	4/2014	Stulen Johnson et al.	8,968,294 B2		Maass et al.
8,715,270 B2		Weitzner et al.	8,968,355 B2		Malkowski et al.
8,715,277 B2		Weizman	8,974,447 B2		Kimball et al. Yamada
8,721,640 B2 8,721,657 B2		Taylor et al. Kondoh et al.	8,974,477 B2 8,974,479 B2		Ross et al.
8,734,443 B2		Hixson et al.	8,979,843 B2	3/2015	Timm et al.
8,747,238 B2	6/2014	Shelton, IV et al.	8,979,844 B2		White et al.
8,747,351 B2		Schultz Boudreaux et al.	8,979,890 B2 8,986,287 B2		Boudreaux Park et al.
8,747,404 B2 8,749,116 B2	6/2014	Messerly et al.	8,986,302 B2	3/2015	Aldridge et al.
8,752,264 B2	6/2014	Ackley et al.	8,989,903 B2		Weir et al.
8,752,749 B2		Moore et al.	8,991,678 B2 8,992,422 B2		Wellman et al. Spivey et al.
8,753,338 B2 8,754,570 B2		Widenhouse et al. Voegele et al.	9,005,199 B2		Beckman et al.
8,758,342 B2		Bales et al.	9,011,437 B2		Woodruff et al.
8,758,352 B2		Cooper et al.	9,011,471 B2 9,017,326 B2		Timm et al. DiNardo et al.
8,764,735 B2 8,764,747 B2		Coe et al. Cummings et al.	9,023,071 B2		Miller et al.
8,767,970 B2	7/2014	Eppolito	9,028,397 B2	5/2015	
8,770,459 B2		Racenet et al.	9,028,476 B2 9,028,494 B2	5/2015 5/2015	Shelton, IV et al.
8,771,269 B2 8,771,270 B2		Sherman et al. Burbank	9,028,519 B2		Yates et al.
8,773,001 B2		Wiener et al.	9,031,667 B2		Williams
8,777,944 B2		Frankhouser et al.	9,033,973 B2 9,035,741 B2		Krapohl et al. Hamel et al.
8,779,648 B2 8,783,541 B2		Giordano et al. Shelton, IV et al.	9,039,690 B2		Kersten et al.
8,784,415 B2		Malackowski et al.	9,039,695 B2		Giordano et al.
8,784,418 B2		Romero	9,043,018 B2 9,044,227 B2	5/2015 6/2015	Mohr Shelton, IV et al.
8,790,342 B2 8,795,276 B2		Stulen et al. Dietz et al.	9,044,243 B2	6/2015	Johnson et al.
8,795,327 B2		Dietz et al.	9,044,245 B2		Condie et al.
8,800,838 B2		Shelton, IV	9,044,256 B2 9,044,261 B2		Cadeddu et al. Houser
8,801,710 B2 8,808,319 B2		Ullrich et al. Houser et al.	9,050,093 B2		Aldridge et al.
8,814,856 B2		Elmouelhi et al.	9,050,098 B2	6/2015	Deville et al.
8,814,870 B2		Paraschiv et al.	9,050,124 B2 9,055,961 B2		Houser Manzo et al.
8,820,605 B2 8,821,388 B2		Shelton, IV Naito et al.	9,059,547 B2		McLawhorn
8,827,992 B2		Koss et al.	9,060,770 B2		Shelton, IV et al.
8,834,466 B2		Cummings et al.	9,060,775 B2 9,060,776 B2		Wiener et al. Yates et al.
8,834,518 B2 8,844,789 B2		Faller et al. Shelton, IV et al.	9,063,049 B2		Beach et al.
8,845,537 B2		Tanaka et al.	9,066,723 B2		Beller et al.
8,845,630 B2	9/2014	Mehta et al.	9,066,747 B2 9,072,535 B2		Robertson Shelton, IV et al.
8,848,808 B2 8,851,354 B2	9/2014	Dress Swensgard et al.	9,072,535 B2 9,072,536 B2	7/2015	
8,852,184 B2	10/2014	Kucklick	9,072,539 B2	7/2015	Messerly et al.
8,858,547 B2	10/2014	Brogna	9,084,624 B2		Larkin et al.
8,862,955 B2	10/2014		9,089,327 B2		Worrell et al.
8,864,709 B2 8,864,749 B2	10/2014	Akagane et al. Okada	9,089,360 B2 9,095,362 B2		Messerly et al. Dachs, II et al.
8,864,757 B2		Klimovitch et al.	9,095,367 B2	8/2015	Olson et al.
8,864,761 B2		Johnson et al.	9,101,385 B2		Shelton, IV et al.
8,870,865 B2	10/2014	Frankhouser et al.	9,107,689 B2	8/2015	Robertson et al.

(56)	Referen	ices Cited	9,358,065 B		Ladtkow et al.
211	PATENT	DOCUMENTS	9,358,407 B2 9,364,230 B2		Akagane Shelton, IV et al.
0.5	. LAILINI	DOCUMENTS	9,370,400 B		Parihar
9,107,690 B2		Bales, Jr. et al.	9,370,611 B		Ross et al.
9,113,900 B2		Buysse et al.	9,375,232 Bi 9,375,267 Bi		Hunt et al. Kerr et al.
9,113,940 B2 9,114,245 B2		Twomey Dietz et al.	9,373,207 B	2 7/2016	Swensgard et al.
9,114,243 B2 9,119,657 B2		Shelton, IV et al.	9,393,037 B	7/2016	Olson et al.
9,119,957 B2		Gantz et al.	D763,442 S		Price et al.
9,125,662 B2		Shelton, IV	9,402,680 B: 9,402,682 B:		Ginnebaugh et al. Worrell et al.
9,125,667 B2 9,147,965 B2	9/2015	Stone et al.	9,402,682 B		Shelton, IV
9,149,324 B2		Huang et al.	9,408,622 B	2 8/2016	Stulen et al.
9,149,325 B2		Worrell et al.	9,408,660 B		Strobl et al.
9,161,803 B2		Yates et al.	9,414,880 B: 9,421,060 B:		Monson et al. Monson et al.
9,168,054 B2 9,168,055 B2		Turner et al. Houser et al.	9,427,249 B		Robertson et al.
9,168,085 B2		Juzkiw et al.	9,439,668 B	2 9/2016	Timm et al.
9,168,089 B2		Buysse et al.	9,439,669 B		Wiener et al.
9,168,090 B2		Strobl et al.	9,439,671 B: 9,445,832 B:		Akagane Wiener et al.
9,179,912 B2 9,186,204 B2		Yates et al. Nishimura et al.	9,451,967 B		Jordan et al.
9,192,380 B2		Racenet et al.	9,456,863 B		
9,192,431 B2		Woodruff et al.	9,456,864 B		Witt et al.
9,198,714 B2		Worrell et al. Shelton, IV	9,468,498 B: 9,486,236 B:		Sigmon, Jr. Price et al.
9,204,879 B2 9,204,891 B2		Weitzman	9,492,224 B		Boudreaux et al.
9,204,918 B2		Germain et al.	9,498,245 B		Voegele et al.
9,204,923 B2		Manzo et al.	9,504,483 B: 9,504,524 B:		Houser et al. Behnke, II
9,216,050 B2 9,216,062 B2		Condie et al. Duque et al.	9,504,855 B	2 11/2016	Messerly et al.
9,220,483 B2		Frankhouser et al.	9,510,850 B	2 12/2016	Robertson et al.
9,220,527 B2	12/2015	Houser et al.	9,510,906 B		Boudreaux et al.
9,220,559 B2		Worrell et al.	9,522,029 Bi 9,526,564 Bi		Yates et al.
9,226,750 B2 9,226,751 B2		Weir et al. Shelton, IV et al.	9,526,565 B		
9,226,766 B2		Aldridge et al.	9,545,253 B		Worrell et al.
9,226,767 B2		Stulen et al.	9,554,846 B		Boudreaux Yates et al.
9,232,979 B2 9,237,891 B2		Parihar et al.	9,554,854 Bi 9,561,038 Bi		Shelton, IV et al.
9,237,891 B2 9,237,921 B2		Shelton, IV Messerly et al.	9,574,644 B		Parihar
9,241,060 B1	1/2016	Fujisaki	9,597,143 B		Madan et al.
9,241,692 B2		Gunday et al.	9,610,091 B: 9,610,114 B:		Johnson et al. Baxter, III et al.
9,241,728 B2 9,241,730 B2		Price et al. Babaev	9,615,877 B		Tyrrell et al.
9,241,731 B2		Boudreaux et al.	9,622,729 B	2 4/2017	Dewaele et al.
9,241,768 B2		Sandhu et al.	9,623,237 B		Turner et al.
9,247,953 B2 9,254,165 B2		Palmer et al. Aronow et al.	9,636,135 B2 9,638,770 B2		Dietz et al.
9,259,234 B2		Robertson et al.	9,642,644 B	2 5/2017	Houser et al.
9,259,265 B2	2/2016	Harris et al.	9,642,669 B		Takashino et al.
9,265,567 B2		Orban, III et al.	9,643,052 B2 9,649,111 B2		
9,265,926 B2 9,277,962 B2		Strobl et al. Koss et al.	9,649,126 B		Robertson et al.
9,282,974 B2		Shelton, IV	9,662,131 B		Omori et al.
9,283,027 B2		Monson et al.	9,668,806 B		Unger et al.
9,283,045 B2 9,289,256 B2		Rhee et al. Shelton, IV et al.	9,675,374 B2 9,675,375 B2		Stulen et al. Houser et al.
9,289,230 B2 9,295,514 B2		Shelton, IV et al.	9,687,290 B	2 6/2017	Keller
9,301,759 B2	4/2016	Spivey et al.	9,700,339 B		
9,307,388 B2		Liang et al.	9,700,343 B2 9,707,004 B2		Messerly et al. Houser et al.
9,307,986 B2 9,308,009 B2		Hall et al. Madan et al.	9,707,004 B		Ruddenklau et al.
9,308,014 B2		Fischer	9,707,030 B	2 7/2017	Davison et al.
9,314,292 B2	4/2016	Trees et al.	9,713,507 B		Stulen et al.
9,314,301 B2		Ben-Haim et al.	9,724,118 B2 9,724,152 B2		Schulte et al. Horlle et al.
9,326,754 B2 9,326,787 B2		Polster Sanai et al.	9,737,326 B	2 8/2017	Worrell et al.
9,326,788 B2		Batross et al.	9,737,355 B	2 8/2017	Yates et al.
9,333,025 B2		Monson et al.	9,737,358 B		Beckman et al.
9,339,289 B2 9,339,323 B2		Robertson Eder et al.	9,737,735 Bi 9,743,947 Bi		Dietz et al. Price et al.
9,339,325 B2 9,339,326 B2		McCullagh et al.	9,743,947 B. 9,757,142 B.		Shimizu
9,345,534 B2		Artale et al.	9,757,186 B		Boudreaux et al.
9,345,900 B2	5/2016	Wu et al.	9,764,164 B		Wiener et al.
9,351,642 B2		Nadkarni et al.	9,782,214 B		Houser et al.
9,351,754 B2 9,352,173 B2		Vakharia et al. Yamada et al.	9,788,851 B: 9,795,405 B:		Dannaher et al. Price et al.
9,332,1/3 B2	3/2010	ташана ег аг.	9,173,403 B.	2 10/201/	Trice et al.

(56)	Refere	aces Cited	2004/0092992	A1	5/2004	Adams et al.
			2004/0097911	A1	5/2004	Murakami et al.
U.	S. PATENT	DOCUMENTS	2004/0097912		5/2004	Gonnering
0.000.400.70	10/2017		2004/0097919 2004/0097996		5/2004	Wellman et al. Rabiner et al.
9,795,436 B2		Yates et al.	2004/0097990		6/2004	Sakurai et al.
9,795,808 B2 9,801,648 B2		Messerly et al. Houser et al.	2004/0121159			Cloud et al.
9,801,675 B2		Sanai et al.	2004/0122423			Dycus et al.
9,808,308 B2		Faller et al.	2004/0132383	A1		Langford et al.
9,814,514 B2		Shelton, IV et al.	2004/0138621		7/2004	Jahns et al.
9,820,768 B2	2 11/2017	Gee et al.	2004/0147934			Kiester
9,820,771 B2		Norton et al.	2004/0147945			Fritzsch
9,820,806 B2		Lee et al.	2004/0167508 2004/0176686		9/2004	Wham et al. Hare et al.
9,839,443 B2 9,848,901 B2		Brockman et al. Robertson et al.	2004/0176751		9/2004	Weitzner et al.
9,848,901 B2		Price et al.	2004/0193150		9/2004	Sharkey et al.
9,848,937 B2		Trees et al.	2004/0199193	A1	10/2004	Hayashi et al.
9,861,428 B2		Trees et al.	2004/0215132		10/2004	
9,872,725 B2	2 1/2018	Worrell et al.	2004/0243147		12/2004	
9,877,720 B2		Worrell et al.	2004/0249374 2004/0260273		12/2004 12/2004	Tetzlaff et al. Wan
9,877,776 B2		Boudreaux	2004/0260300		12/2004	Gorensek et al.
9,883,884 B2 9,888,958 B2		Neurohr et al. Evans et al.	2004/0267298		12/2004	Cimino
9,907,563 B2		Germain et al.	2005/0015125	A1	1/2005	Mioduski et al.
9,913,656 B2		Stulen	2005/0020967	A1	1/2005	Ono
9,913,680 B2		Voegele et al.	2005/0021018		1/2005	Anderson et al.
9,918,736 B2	2 3/2018	Van Tol et al.	2005/0021065			Yamada et al.
9,925,003 B2		Parihar et al.	2005/0021078			Vleugels et al.
9,949,785 B2		Price et al.	2005/0033278 2005/0033337			McClurken et al. Muir et al.
9,949,788 B2		Boudreaux Dietz et al.	2005/0070800			Takahashi
9,962,182 B2 9,987,033 B2		Neurohr et al.	2005/0090817		4/2005	
10,010,339 B2		Witt et al.	2005/0096683	A1	5/2005	Ellins et al.
10,010,341 B2		Houser et al.	2005/0099824			Dowling et al.
10,022,567 B2		Messerly et al.	2005/0131390			Heinrich et al.
10,022,568 B2		Messerly et al.	2005/0143769 2005/0149108		6/2005 7/2005	White et al.
10,028,786 B2		Mucilli et al.	2005/0149108			Douglas et al.
2001/0011176 A		Boukhny Bitchic et al	2005/0171522			Christopherson
2001/0025173 A 2001/0025183 A		Ritchie et al. Shahidi	2005/0177184		8/2005	
2001/0025189 A		Messerly	2005/0182339	A1	8/2005	Lee et al.
2001/0031950 A			2005/0188743		9/2005	
2001/0039419 A	11/2001	Francischelli et al.	2005/0192610			Houser et al.
2002/0002377 A		Cimino	2005/0192611 2005/0222598			Houser Ho et al.
2002/0019649 A		Sikora et al. Goble et al.	2005/0234484			Houser et al.
2002/0022836 A 2002/0029055 A		Bonutti	2005/0249667			Tuszynski et al.
2002/0029055 A 2002/0049551 A		Friedman et al.	2005/0256405	A1		Makin et al.
2002/0052617 A		Anis et al.	2005/0261588			Makin et al.
2002/0077550 A	6/2002	Rabiner et al.	2005/0267464			Truckai et al.
2002/0107517 A		Witt et al.	2005/0273090 2005/0288659			Nieman et al. Kimura et al.
2002/0156466 A		Sakurai et al.	2006/0030797			Zhou et al.
2002/0156493 A 2003/0014053 A		Houser et al. Nguyen et al.	2006/0058825			Ogura et al.
2003/0014033 A 2003/0014087 A		Fang et al.	2006/0063130	A1		Hayman et al.
2003/0036705 A		Hare et al.	2006/0064086		3/2006	Odom
2003/0050572 A		Brautigam et al.	2006/0066181			Bromfield et al.
2003/0055443 A		Spotnitz	2006/0074442			Noriega et al. Faller et al.
2003/0109875 A		Tetzlaff et al.	2006/0079874 2006/0079879			Faller et al.
2003/0114851 A 2003/0130693 A		Truckai et al. Levin et al.	2006/0095046		5/2006	Trieu et al.
2003/0130093 A 2003/0139741 A		Goble et al.	2006/0159731		7/2006	Shoshan
2003/0144680 A		Kellogg et al.	2006/0190034			Nishizawa et al.
2003/0158548 A		Phan et al.	2006/0206100			Eskridge et al.
2003/0171747 A		Kanehira et al.	2006/0206115			Schomer et al.
2003/0199794 A		Sakurai et al.	2006/0211943 2006/0217729		9/2006	Beaupre Eskridge et al.
2003/0204199 A 2003/0212332 A		Novak et al. Fenton et al.	2006/0224160		10/2006	Trieu et al.
2003/0212352 A 2003/0212363 A			2006/0247558			Yamada
2003/0212303 A 2003/0212392 A		Fenton et al.	2006/0253050	A1		Yoshimine et al.
2003/0212422 A		Fenton et al.	2006/0264809		11/2006	Hansmann et al.
2003/0225332 A	12/2003	Okada et al.	2006/0270916			Skwarek et al.
2003/0229344 A		Dycus et al.	2006/0271030			Francis et al.
2004/0030254 A		Babaev	2006/0293656		12/2006	Shadduck et al.
2004/0030330 A		Brassell et al.	2007/0016235		1/2007	Tanaka et al.
2004/0047485 A 2004/0054364 A		Sherrit et al. Aranyi et al.	2007/0016236 2007/0055228			Beaupre Berg et al.
2004/0034364 A 2004/0064151 A		Mollenauer	2007/0055228			Fanney et al.
2004/0004131 A 2004/0092921 A		Kadziauskas et al.	2007/0060935			Schwardt et al.
1	5,2001	vi ul.				

(56)	Referen	ces Cited	2009/0143795	A1*	6/2009	Robertson A61B 17/32009
Т	I S PATENT	DOCUMENTS	2009/0143799	A 1	6/2009	606/169 Smith et al.
C	J.S. TATENT	DOCOMENTS	2009/0143800			Deville et al.
2007/0063618	A1 3/2007	Bromfield	2009/0163807		0. = 0.05	Sliwa
2007/0073185			2009/0182322			D'Amelio et al.
2007/0073341 A 2007/0074584 A		Smith et al. Talarico et al.	2009/0182331 2009/0182332			D'Amelio et al. Long et al.
2007/00/4384 2		Shelton et al.	2009/0216157			Yamada
2007/0118115		Artale et al.	2009/0223033			Houser
2007/0130771		Ehlert et al.	2009/0248021		10/2009 10/2009	McKenna Crois
2007/0149881 A 2007/0156163 A		Davison et al.	2009/0254077 2009/0254080		10/2009	
2007/0166663		Telles et al.	2009/0264909			Beaupre
2007/0173803	A1 7/2007	Wham et al.	2009/0270771			Takahashi
2007/0173813			2009/0270812 2009/0270853			Litscher et al. Yachi et al.
2007/0173872 A 2007/0185474 A		Neuenfeldt Nahen	2009/0270891			Beaupre
2007/0191712		Messerly et al.	2009/0270899			Carusillo et al.
2007/0191713		Eichmann et al.	2009/0287205		11/2009	
2007/0203483 A 2007/0208340 A		Kim et al. Ganz et al.	2009/0299141 2009/0327715			Downey et al. Smith et al.
2007/0219481			2010/0004508			Naito et al.
2007/0232926	A1 10/2007	Stulen et al.	2010/0022825		1/2010	
2007/0232928		Wiener et al.	2010/0030233 2010/0036370			Whitman et al. Mirel et al.
2007/0236213 A 2007/0239101 A		Paden et al.	2010/0030370			Wells et al.
2007/0249941		Salehi et al.	2010/0057118			Dietz et al.
2007/0260242		Dycus et al.	2010/0063525			Beaupre et al.
2007/0265560 A 2007/0265613 A		Soltani et al. Edelstein et al.	2010/0063528 2010/0081863			Beaupre Hess et al.
2007/0265616		Couture et al.	2010/0081864			Hess et al.
2007/0275348			2010/0081883			Murray et al.
2007/0287933		Phan et al.	2010/0094323 2010/0106173			Isaacs et al. Yoshimine
2007/0288055 A 2008/0013809 A		Zhu et al.	2010/0158307			Kubota et al.
2008/0015575		Odom et al.	2010/0168741			Sanai et al.
2008/0039746		Hissong et al.	2010/0187283 2010/0204721			Crainich et al. Young et al.
2008/0051812 A 2008/0058775 A		Schmitz et al. Darian et al.	2010/0204721			Muir et al.
2008/0058845		Shimizu et al.	2010/0222752	A1		Collins, Jr. et al.
2008/0071269		Hilario et al.	2010/0234906		9/2010	
2008/0077145 A 2008/0082039 A		Boyden et al.	2010/0262134 2010/0274160			Jensen et al. Yachi et al.
2008/0082039		Tanaka et al.	2010/0274278			Fleenor et al.
2008/0097501	A1 4/2008		2010/0298743			Nield et al.
2008/0114355 A 2008/0114364 A		Whayne et al. Goldin et al.	2010/0331742 2011/0004233		1/2010	Muir et al.
2008/0114304 2		Tahara et al.	2011/0087220			Felder et al.
2008/0147058		Horrell et al.	2011/0125151			Strauss et al.
2008/0147062		Truckai et al.	2011/0276049 2011/0278343			Gerhardt Knodel et al.
2008/0147092 A 2008/0171938 A		Rogge et al. Masuda et al.	2011/02/03/13			Cadeddu et al.
2008/0177268	A1 7/2008	Daum et al.	2011/0290856			Shelton, IV et al.
2008/0188755			2011/0295295 2011/0306967			Shelton, IV et al. Payne et al.
2008/0200940 A 2008/0208108 A		Eichmann et al. Kimura	2011/0303907			Fernandez et al.
2008/0208231		Ota et al.	2012/0004655			Kim et al.
2008/0214967		Aranyi et al.	2012/0016413 2012/0022519			Timm et al. Huang et al.
2008/0234709			2012/0022519			Aldridge et al.
2008/0243162 A 2008/0281200 A		Shibata et al. Voic et al.	2012/0022583	A1	1/2012	Sugalski et al.
2008/0281200 1			2012/0059289 2012/0071863			Nield et al. Lee et al.
2008/0287948	A1 11/2008	Newton et al.	2012/0071803			Aldridge et al.
2008/0300588		Groth et al.	2012/0078244		3/2012	Worrell et al.
2009/0012516 A 2009/0023985 A		Curtis et al.	2012/0101495			Young et al.
2009/0023983		Lydon et al.	2012/0109186 2012/0116265			Parrott et al. Houser et al.
2009/0048589	A1 2/2009	Takashino et al.	2012/0143211		6/2012	Kishi
2009/0054886		Yachi et al.	2012/0143233			Sinelnikov
2009/0054889 A 2009/0054894 A		Newton et al.	2012/0172904 2012/0265241			Muir et al. Hart et al.
2009/0034894 /		Mulvihill et al.	2012/0203241			Kappus et al.
2009/0076506	A1 3/2009	Baker	2013/0023925			Mueller
2009/0082716		Akahoshi	2013/0035685			Fischer et al.
2009/0082766 A 2009/0088785 A		Unger et al. Masuda	2013/0090576			Stulen et al.
2009/0088785 2		Wiener et al.	2013/0103065 2013/0116717			Timm et al. Balek et al.
2000,0110/01 1	5,2007		2015/0110/1/		5,2013	

(56)	Referen	ices Cited	2016/0278848		9/2016	Boudreaux et al.
•	I G DATENIE	DOGLIN GENERA	2016/0296249			Robertson
L	J.S. PATENT	DOCUMENTS	2016/0296250 2016/0296251			Olson et al. Olson et al.
2012/0122776	A.1	Managar at a1	2016/0296251			Olson et al.
2013/0123776 . 2013/0158659 .		Monson et al. Bergs et al.	2016/0296268			Gee et al.
2013/0158660		Bergs et al.	2016/0296270		10/2016	Strobl et al.
2013/0165929		Muir et al.	2016/0296271			Danziger et al.
2013/0217967	A1 8/2013	Mohr et al.	2016/0302844			Strobl et al.
2013/0226207		Stulen et al.	2016/0317217			Batross et al.
2013/0253256		Griffith et al.	2016/0338726 2016/0346001			Stulen et al. Vakharia et al.
2013/0296843		Boudreaux et al.	2016/0361084			Weisenburgh, II et al.
2014/0001231 . 2014/0001234 .		Shelton, IV et al. Shelton, IV et al.	2016/0367273			Robertson et al.
2014/0005640		Shelton, IV et al.	2016/0367281			Gee et al.
2014/0005678		Shelton, IV et al.	2016/0374708			Wiener et al.
2014/0005702		Timm et al.	2016/0374709			Timm et al.
2014/0005705		Weir et al.	2016/0374712 2017/0000513			Stulen et al. Conlon et al.
2014/0005718		Shelton, IV et al.	2017/0000541			Yates et al.
2014/0012299 . 2014/0014544 .		Stoddard et al. Bugnard et al.	2017/0000552			Asher et al.
2014/0081299		Dietz et al.	2017/0056056	A1	3/2017	Wiener et al.
2014/0114327		Boudreaux et al.	2017/0056058			Voegele et al.
2014/0121569		Schafer et al.	2017/0086876			Wiener et al.
2014/0135804		Weisenburgh, II et al.	2017/0086908 2017/0086909			Wiener et al. Yates et al.
2014/0194874		Dietz et al.	2017/0086909			Wiener et al.
2014/0194875 . 2014/0257284 .		Reschke et al.	2017/0086911			Wiener et al.
2014/0276970		Messerly et al.	2017/0086912			Wiener et al.
2014/0330271		Dietz et al.	2017/0086913	A1	3/2017	Yates et al.
2014/0371735			2017/0086914			Wiener et al.
2015/0080876		Worrell et al.	2017/0090507			Wiener et al.
2015/0088178		Stulen et al.	2017/0095267 2017/0105757			Messerly et al. Weir et al.
2015/0112335		Boudreaux et al. Stulen et al.	2017/0105757			Scheib et al.
2015/0148830 . 2015/0148832 .		Boudreaux et al.	2017/0105791			Yates et al.
2015/0157356			2017/0143371	A1		Witt et al.
2015/0164533		Felder et al.	2017/0143877			Witt et al.
2015/0164534	A1 6/2015	Felder et al.	2017/0164972			Johnson et al.
2015/0164535		Felder et al.	2017/0172700 2017/0189095			Denzinger et al. Danziger et al.
2015/0164536		Czarnecki et al.	2017/0189093			Danziger et al.
2015/0164537 . 2015/0164538 .		Cagle et al. Aldridge et al.	2017/0189101			Yates et al.
2015/0182276		Wiener et al.	2017/0196586	A1		Witt et al.
2015/0182277		Wiener et al.	2017/0196587			Witt et al.
2015/0230853		Johnson et al.	2017/0202570		7/2017	Shelton, IV et al.
2015/0230861		Woloszko et al.	2017/0202571 2017/0202572		7/2017	Shelton, IV et al. Shelton, IV et al.
2015/0250495 2015/0257780		Robertson et al. Houser	2017/0202572			Witt et al.
2015/0272602		Boudreaux et al.	2017/0202591			Shelton, IV et al.
2015/0272659		Boudreaux et al.	2017/0202592		7/2017	Shelton, IV et al.
2015/0272660		Boudreaux et al.	2017/0202593			Shelton, IV et al.
2015/0340586		Wiener et al.	2017/0202594			Shelton, IV et al.
2016/0030076		Faller et al.	2017/0202595 2017/0202596			Shelton, IV Shelton, IV et al.
2016/0045248 . 2016/0051316 .		Unger et al. Boudreaux	2017/0202597		7/2017	
2016/0051317		Boudreaux	2017/0202598	A1		Shelton, IV et al.
2016/0058492		Yates et al.	2017/0202599			Shelton, IV et al.
2016/0074108	A1 3/2016	Woodruff et al.	2017/0202605			Shelton, IV et al.
2016/0114355		Sakai et al.	2017/0202607 2017/0202608			Shelton, IV et al. Shelton, IV et al.
2016/0121143		Mumaw et al.	2017/0202609			Shelton, IV et al.
2016/0128762 . 2016/0144204 .		Harris et al. Akagane	2017/0207467			Shelton, IV et al.
2016/0157927		Corbett et al.	2017/0209167		7/2017	Nield
2016/0175024		Yates et al.	2017/0238991			Worrell et al.
2016/0175029	A1 6/2016	Witt et al.	2017/0245875			Timm et al.
2016/0175030		Boudreaux	2018/0014845 2018/0014846			Dannaher Rhee et al.
2016/0175031		Boudreaux	2018/0014848			Messerly et al.
2016/0175032 . 2016/0199123 .		Yang Thomas et al.	2018/0042634			Conlon et al.
2016/0199125			2018/0049767			Gee et al.
2016/0206342		Robertson et al.	2018/0055529			Messerly et al.
2016/0213395			2018/0055530	A1	3/2018	Messerly et al.
2016/0228171	A1 8/2016	Boudreaux	2018/0055531			Messerly et al.
2016/0262786		Madan et al.	2018/0055532			Messerly et al.
2016/0270840		Yates et al.	2018/0056095			Messerly et al.
2016/0270841		Strobl et al.	2018/0078268 2018/0092660			Messerly et al. Houser et al.
2016/0270842 . 2016/0270843 .		Strobl et al. Boudreaux et al.	2018/0092660		5/2018	
2010/02/0843	A1 9/2010	DOUGLEAUX Et al.	2010/01 4 09/3	ΔI	3/2010	znang

(56) Re	eferences Cited	EP	1433425 B1	6/2006
IIS DA	TENT DOCUMENTS	EP EP	1256323 B1 1698289 A2	8/2006 9/2006
0.5. TA.	TENT DOCUMENTS	EP	1704824 A1	9/2006
	/2018 Houser et al.	EP EP	1749479 A1 1767157 A1	2/2007 3/2007
	/2018 Robertson et al. /2018 Price et al.	EP	1254637 B1	8/2007
	/2018 Faller et al.	EP	1815950 A1	8/2007
	/2018 Witt et al.	EP EP	1839599 A1 1844720 A1	10/2007 10/2007
2018/0289389 A1 10	/2018 Witt et al.	EP	1862133 A1	12/2007
FOREIGN :	PATENT DOCUMENTS	EP	1875875 A1	1/2008
		EP EP	1878399 A1 1915953 A1	1/2008 4/2008
CN 123394 CN 125348:		EP	1532933 B1	5/2008
CN 123348. CN 246004		EP EP	1199045 B1 1707143 B1	6/2008 6/2008
CN 163460		EP	1943957 A2	7/2008
CN 1640365 CN 1694649		EP	1964530 A1	9/2008
CN 177532	3 A 5/2006	EP EP	1972264 A1 1974771 A1	9/2008 10/2008
CN 1922563 CN 286822		EP	1435852 B1	12/2008
CN 280822 CN 1951333		EP EP	1498082 B1 1707131 B1	12/2008 12/2008
CN 10103548		EP	1477104 B1	1/2009
CN 101040799 CN 101396300		EP	2014218 A2	1/2009
CN 101390300		EP EP	1849424 B1 2042112 A2	4/2009 4/2009
CN 10167478		EP	2042117 A1	4/2009
CN 10188353 CN 10216004		EP	2060238 A1	5/2009
CN 20202762	4 U 11/2011	EP EP	1832259 B1 2074959 A1	6/2009 7/2009
CN 102834069 CN 101313869		EP	1810625 B1	8/2009
DE 390455		EP EP	2090256 A2 2092905 A1	8/2009 8/2009
DE 921032		EP	2105104 A2	9/2009
DE 430030° DE 432358		EP	1747761 B1	10/2009
DE 1960871	6 C1 4/1997	EP EP	2106758 A1 2111813 A1	10/2009 10/2009
DE 29623113 DE 20004813		EP	2131760 A1	12/2009
DE 20021619		EP EP	1769766 B1 2151204 A1	2/2010 2/2010
DE 10042600		EP	2153791 A1	2/2010
DE 10201569 EP 017196		EP EP	2200145 A1 1214913 B1	6/2010 7/2010
EP 033674	2 A2 10/1989	EP EP	2238938 A1	10/2010
EP 013685 EP 034244		EP	2243439 A1	10/2010
EP 0443256	6 A1 8/1991	EP EP	2298154 A2 2305144 A1	3/2011 4/2011
EP 0456470		EP	1510178 B1	6/2011
EP 023866' EP 034080'		EP EP	1946708 B1 2335630 A1	6/2011 6/2011
EP 0598976		EP	1502551 B1	7/2011
EP 0630613 EP 042468		EP EP	1728475 B1	8/2011 8/2011
EP 067727	5 A2 10/1995	EP EP	2353518 A1 2361562 A1	8/2011
EP 048219: EP 069553:		EP	2365608 A2	9/2011
EP 070557	1 A1 4/1996	EP EP	2420197 A2 2422721 A2	2/2012 2/2012
EP 0741996 EP 0612576		EP	1927321 B1	4/2012
EP 055780		EP EP	2529681 A1 1767164 B1	12/2012 1/2013
EP 064031		EP	2316359 B1	3/2013
EP 1108394 EP 1138264		EP	2090238 B1	4/2013
EP 0908148	8 B1 1/2002	EP EP	2578172 A2 1586275 B1	4/2013 5/2013
EP 122951: EP 0722696		EP	1616529 B1	9/2013
EP 128563		EP EP	1997438 B1 2508143 B1	11/2013 2/2014
EP 090815:		EP	2583633 B1	10/2014
EP 0705576 EP 076563		EP	2113210 B1	3/2016
EP 087047	3 B1 9/2005	EP EP	2510891 B1 2227155 B1	6/2016 7/2016
EP 0624346 EP 1594209		EP	2859858 B1	12/2016
EP 119904	4 B1 12/2005	ES	2115068 T3	6/1998
EP 160942		FR GB	2964554 A1 1482943 A	3/2012 8/1977
EP 119904 EP 129317		GB	2032221 A	4/1980
EP 087520		GB	2317566 A	4/1998

(56)	References	Cited	JP	2003310627 A	11/2003
	FOREIGNI DATENT	DOCLIMENTS	JP JP	2003339730 A 2004129871 A	12/2003 4/2004
	FOREIGN PATENT	DOCUMEN 15	JP	2004129871 A 2004147701 A	5/2004
GB	2379878 B 1	1/2004	JP	2005027026 A	1/2005
GB		1/2006	JP	2005040222 A	2/2005
GB	2472216 A	2/2011	JP	2005066316 A	3/2005
GB		8/2011	JP JP	2005074088 A 2005507679 A	3/2005 3/2005
JP JP		8/1975 5/1984	JP	2005534451 A	11/2005
JР		3/198 4 8/1984	JP	2006006410 A	1/2006
ĴР	S62221343 A	9/1987	JP	2006512149 A	4/2006
JР		0/1987	JP JP	2006116194 A 2006158525 A	5/2006 6/2006
JP JP		2/1987 2/1987	JР	2006217716 A	8/2006
JP		5/1988	JP	2006218296 A	8/2006
JР		2/1988	$\overline{\mathrm{JP}}$	2006288431 A	10/2006
JР		6/1989	JP JP	2007050181 A 2007-524459 A	3/2007 8/2007
JP JP		8/1989 5/1990	JP	2007-324439 A 2007229454 A	9/2007
JР		1/1990 1/1990	JP	2007527747 A	10/2007
JР		2/1990	JP	2007296369 A	11/2007
JР		2/1991	JP JP	2008018226 A 2008036390 A	1/2008 2/2008
JР		2/1992	JP	2008508065 A	3/2008
JP JP		2/1992 3/1992	JP	2008119250 A	5/2008
JР		5/1992	JP	2008515562 A	5/2008
JP		5/1992	JP	2008521503 A	6/2008
JР		4/1993	JP JP	D1339835 S 2008212679 A	8/2008 9/2008
JP JP		5/1993 2/1994	JР	2008536562 A	9/2008
JР		3/1994	JP	2008284374 A	11/2008
JР	H06104503 A	4/1994	JP	2009511206 A	3/2009
JР		8/1994	JP JP	2009082711 A 2009517181 A	4/2009 4/2009
JP JP		8/1994 1/1995	JP	4262923 B2	5/2009
JP		0/1995	JP	2009523567 A	6/2009
JР		1/1995	JР	2009148557 A	7/2009
JР		1/1996	JP JP	2009236177 A 2009254819 A	10/2009 11/2009
JP JP		9/1996 0/1996	JР	2010000336 A	1/2010
JP		1/1996	JP	2010009686 A	1/2010
JР		2/1996	JP	2010514923 A	5/2010
JР		2/1996	JP JP	2010121865 A 2010534522 A	6/2010 11/2010
JP JP		3/1997 5/1997	JP	2010534322 A 2010540186 A	12/2010
JР		6/1997	JP	2011505198 A	2/2011
JР	H105237 A	1/1998	JP	2011160586 A	8/2011
JР		1/1998	JP JP	2012/075899 A 2012235658 A	4/2012 11/2012
JP JP		2/1999 5/1999	JP	5208761 B2	6/2013
JР		7/1999	JP	5714508 B2	5/2015
JР		9/1999	JР	2015515339 A	5/2015
JР		1/1999	JP KR	5836543 B1 100789356 B1	12/2015 12/2007
JP JP		2/2000 3/2000	RU	2154437 C1	8/2000
JР		8/2000	RU	22035 U1	3/2002
JP		0/2000	RU	2201169 C2	3/2003
JР		0/2000	RU RU	2304934 C2 2405603 C1	8/2007 12/2010
JP JP		2/2001 2/2001	SU	850068 A1	7/1981
JР		1/2001	WO	WO-8103272 A1	11/1981
JP		6/2002	WO	WO-9222259 A2	12/1992
JР		7/2002 7/2002	WO WO	WO-9307817 A1 WO-9308757 A1	4/1993 5/1993
JP JP		7/2002 8/2002	wo	WO-9314708 A1	8/1993
JР		9/2002	WO	WO-9316646 A1	9/1993
JP	2002301086 A 1	0/2002	WO	WO-9320877 A1	10/1993
JP		0/2002	WO WO	WO-9322973 A1 WO-9400059 A1	11/1993 1/1994
JP JP		1/2002 2/2002	WO	WO-9421183 A1	1/1994 9/1994
JP JP		1/2003	wo	WO-9424949 A1	11/1994
JР		1/2003	WO	WO-9509572 A1	4/1995
JP		3/2003	WO	WO-9510978 A1	4/1995
JР		4/2003	WO	WO-9534259 A1	12/1995
JP JP		5/2003 5/2003	WO WO	WO-9630885 A1 WO-9635382 A1	10/1996 11/1996
JP JP		5/2003 5/2003	WO	WO-9639086 A1	11/1996
JР		0/2003	wo	WO-9710764 A1	3/1997

(56)	Refe	rences (Cited	WO	WO-2008051764 A2	5/2008
	EODEICNI DA	TENT I		WO WO	WO-2008089174 A2 WO-2008099529 A1	7/2008 8/2008
	FOREIGN PA	MENII	OOCUMENTS	WO	WO-2008099329 A1 WO-2008101356 A1	8/2008 8/2008
WO	WO-9800069	Δ1 1/	1998	WO	WO-2008118709 A1	10/2008
wo	WO-9816156		1998	WO	WO-2008130793 A1	10/2008
WO	WO-9826739	A1 6/	1998	WO	WO-2009010565 A1	1/2009
WO	WO-9835621		1998	WO WO	WO-2009018067 A1 WO-2009018406 A2	2/2009 2/2009
WO	WO-9837815		1998	WO	WO-2009018400 A2 WO-2009022614 A1	2/2009
WO WO	WO-9840020 WO-9847436		1998 1998	WO	WO-2009027065 A1	3/2009
WO	WO-9857588		1998	WO	WO-2009036818 A1	3/2009
WO	WO-9920213		1999	WO	WO-2009039179 A1	3/2009
WO	WO-9923960 .		1999	WO	WO-2009046234 A2	4/2009
WO	WO-9940857		1999	WO WO	WO-2009059741 A1 WO-2009073402 A2	5/2009 6/2009
WO WO	WO-9940861 . WO-9952489 .		1999 1999	wo	WO-2009082477 A2	7/2009
WO	WO-9932489 WO-0024330		2000	WO	WO-2009088550 A2	7/2009
WO	WO-0024331		2000	WO	WO-2009120992 A2	10/2009
WO	WO-0025691		2000	WO	WO-2009141616 A1	11/2009
WO	WO-0064358		2000	WO WO	WO-2009149234 A1 WO-2010017149 A1	12/2009 2/2010
WO WO	WO-0074585 . WO-0124713 .		2000 2001	WO	WO-2010017145 A1 WO-2010017266 A1	2/2010
WO	WO-0128444		2001	WO	WO-2010068783 A1	6/2010
wo	WO-0154590		2001	WO	WO-2010104755 A1	9/2010
WO	WO-0167970 .		2001	WO	WO-2011008672 A2	1/2011
WO	WO-0195810		2001	WO WO	WO-2011/044338 A2 WO-2011052939 A2	4/2011 5/2011
WO	WO-0224080		2002	WO	WO-2011032939 A2 WO-2011060031 A1	5/2011
WO WO	WO-0238057 . WO-02062241 .		2002 2002	WO	WO-2011084768 A1	7/2011
WO	WO-02002241 . WO-02080797 .		2002	WO	WO-2011089717 A1	7/2011
WO	WO-03001986		2003	WO	WO-2011100321 A2	8/2011
WO	WO-03013374		2003	WO	WO-2011144911 A1	11/2011
WO	WO-03020339		2003	WO WO	WO-2012044597 A1 WO-2012044606 A2	4/2012 4/2012
WO WO	WO-03028541 . WO-03030708 .		2003 2003	WO	WO-2012044000 A2 WO-2012061722 A2	5/2012
WO	WO-03068046		2003	WO	WO-2012128362 A1	9/2012
wo	WO-03082133		2003	WO	WO-2012135705 A1	10/2012
WO	WO-2004011037		2004	WO	WO-2012135721 A1	10/2012
WO	WO-2004012615		2004	WO WO	WO-2012166510 A1 WO-2013018934 A1	12/2012 2/2013
WO	WO-2004026104 .		2004	WO	WO-2013018934 A1 WO-2013034629 A1	3/2013
WO WO	WO-2004032754 . WO-2004032762 .		2004 2004	WO	WO-2013062978 A2	5/2013
wo	WO-2004032763		2004	WO	WO-2013102602 A2	7/2013
WO	WO-2004037095	A2 5/	2004	WO	WO-2013154157 A1	10/2013
WO	WO-2004060141		2004	WO WO	WO-2014092108 A1 WO-2015197395 A8	6/2014 12/2015
WO	WO-2004078051		2004	WO	WO-2015197393 A8 WO-2016009921 A1	1/2016
WO WO	WO-2004098426 . WO-2004112618 .		2004 2004	,,, ,		1,2010
WO	WO-2005052959		2005		OTHER BIH	DI ICATIONS
WO	WO-2005117735				OTHER PUR	BLICATIONS
WO	WO-2005122917		2005	Arnocz	kv et al. "Thermal Modifi	cation of Conective Tissues: Basic
WO	WO-2006012797		2006		•	nical Implications," J. Am Acad
WO WO	WO-2006021269 WO-2006036706		2006 2006			305-313 (Sep./Oct. 2000).
WO	WO-2006042210		2006			of Video Contact Angle Analysis,"
WO	WO-2006055166		2006		es, (2006).	of video Contact Angle Analysis,
WO	WO-2006058223		2006			g in Surgery," p. 19-3, in Medical
WO	WO-2006063199		2006			s and J. D. Bronzino, Eds. (2008).
WO WO	WO-2006083988 . WO-2006101661 .		2006 2006			ges in the Mechanics of a Collag-
WO	WO-2006119139		2006			Shrinkage," Transactions of the
WO	WO-2006119376		2006		vol. 119, pp. 372-378 (N	-
WO	WO-2006129465		2006			ges in the Mechanics of a Collag-
WO	WO-2007008703		2007			c Shrinkage," Transactions of the
WO WO	WO-2007008710 . WO-2007038538 .		2007 2007		vol. 120, pp. 382-388 (Ji	
WO	WO-2007040818		2007			ges in the mechanics of a collag-
WO	WO-2007047380		2007			vior at 37° C.," Journal of Biome-
WO	WO-2007047531	A2 4/	2007		, 31, pp. 211-216 (1998).	
WO	WO-2007056590		2007			l Evolution Equations for Heat-
WO WO	WO-2007087272 .		2007	Induced	l Shrinkage of a Collageno	ous Tissue," IEEE Transactions on
WO	WO-2007089724 . WO-2007143665 .		2007 2007			5, No. 10, pp. 1234-1240 (Oct.
WO	WO-2007143003 . WO-2008016886 .		2007	1998).		
WO	WO-2008020964		2008	Covidie	en 501(k) Summary Son	icision, dated Feb. 24, 2011 (7
WO	WO-2008042021		2008	pages).		
WO	WO-2008045348	A2 4/	2008		-	ysis Brief], LigaSure Advance™
WO	WO-2008049084	A2 4/	2008	Pistol C	Grip, dated Rev. Apr. 2010	0 (7 pages).

(56) References Cited

OTHER PUBLICATIONS

Covidien Brochure, LigaSure Atlas™ Hand Switching Instruments, dated Dec. 2008 (2 pages).

Covidien Brochure, LigaSure Impact™ Instrument LF4318, dated Feb. 2013 (3 pages).

Covidien Brochure, The LigaSure Precise™ Instrument, dated Mar. 2011 (2 pages).

Covidien Brochure, The LigaSureTM 5 mm Blunt Tip Sealer/Divider Family, dated Apr. 2013 (2 pages).

Douglas, S.C. "Introduction to Adaptive Filter". Digital Signal Processing Handbook. Ed. Vijay K. Madisetti and Douglas B. Williams. Boca Raton: CRC Press LLC, 1999.

Erbe Electrosurgery VIO® 200 S, (2012), p. 7, 12 pages, accessed Mar. 31, 2014 at http://www.erbe-med.com/erbe/media/Marketing materialien/85140170 ERBE EN VIO 200 S D027541.

F. A. Duck, "Optical Properties of Tissue Including Ultraviolet and Infrared Radiation," pp. 43-71 in Physical Properties of Tissue (1990)

Fowler, K.R., "A Programmable, Arbitrary Waveform Electrosurgical Device," IEEE Engineering in Medicine and Biology Society 10th Annual International Conference, pp. 1324, 1325 (1988).

Gerhard, Glen C., "Surgical Electrotechnology: Quo Vadis?," IEEE Transactions on Biomedical Engineering, vol. BME-31, No. 12, pp. 787-792, Dec. 1984.

Gibson, "Magnetic Refrigerator Successfully Tested," U.S. Department of Energy Research News, accessed online on Aug. 6, 2010 at http://www.eurekalert.org/features/doe/2001-11/dl-mrs062802.php(Nov. 1, 2001)

Glaser and Subak-Sharpe, Integrated Circuit Engineering, Addison-Wesley Publishing, Reading, MA (1979). (book—not attached).

Gooch et al., "Recommended Infection-Control Practices for Dentistry, 1993," Published: May 28, 1993; [retrieved on Aug. 23, 2008]. Retrieved from the internet: URL: http://wonder.cdc.gov/wonder/prevguid/p0000191/p0000191.asp (15 pages).

Graff, K.F., "Elastic Wave Propagation in a Curved Sonic Transmission Line," IEEE Transactions on Sonics and Ultrasonics, SU-17(1), 1-6 (1970).

Harris et al., "Altered Mechanical Behavior of Epicardium Due to Isothermal Heating Under Biaxial Isotonic Loads," Journal of Biomechanical Engineering, vol. 125, pp. 381-388 (Jun. 2003).

Harris et al., "Kinetics of Thermal Damage to a Collagenous Membrane Under Biaxial Isotonic Loading," IEEE Transactions on Biomedical Engineering, vol. 51, No. 2, pp. 371-379 (Feb. 2004). Hayashi et al., "The Effect of Thermal Heating on the Length and Histologic Properties of the Glenohumeral Joint Capsule," American Journal of Sports Medicine, vol. 25, Issue 1, 11 pages (Jan. 1997), URL: http://www.mdconsult.com/das/article/body/156183648-2/jorg=journal&source=Ml&sp=1 . . . , accessed Aug. 25, 2009.

Henriques. F.C., "Studies in thermal injury V. The predictability and the significance of thermally induced rate processes leading to irreversible epidermal injury." Archives of Pathology, 434, pp. 489-502 (1947).

 $\label{lem:http://www.4-traders.com/Johnson-Johnson-4832/news/Johnson-Johnson-Ethicon-E \dots.$

http://www.apicalinstr.com/generators.htm.

http://www.dotmed.com/listing/electrosurical-unit/ethicon/ultracision-g110-/1466724.

 $\label{lem:http://www.medicalexpo.com/medical-manufacturer/electrosurgical-generator-6951.html.$

http://www.megadyne.com/es_generator.php.

http://www.valleylab.com/product/es/generators/index.html.

 $http:/www.ethicon.com/gb-en/healthcare-professionals/products/energy-devices/capital//ge \dots .$

https://www.kjmagnetics.com/fieldcalculator.asp, retrieved Jul. 11, 2016, backdated to Nov. 11, 2011 via https://web.archive.org/web/20111116164447/http://www.kjmagnetics.com/fieldcalculator.asp.

Humphrey, J.D., "Continuum Thermomechanics and the Clinical Treatment of Disease and Injury," Appl. Mech. Rev., vol. 56, No. 2 pp. 231-260 (Mar. 2003).

Huston et al., "Magnetic and Magnetostrictive Properties of Cube Textured Nickel for Magnetostrictive Transducer Applications," IEEE Transactions on Magnetics, vol. 9(4), pp. 636-640 (Dec. 1973).

Incropera et al., Fundamentals of Heat and Mass Transfer, Wiley, New York (1990). (Book—not attached).

Jang, J. et al. "Neuro-fuzzy and Soft Computing." Prentice Hall, 1997, pp. 13-89, 199-293, 335-393, 453-496, 535-549.

Kurt Gieck & Reiner Gieck, Engineering Formulas § Z.7 (7th ed. 1997).

LaCourse, J.R.; Vogt, M.C.; Miller, W.T., III; Selikowitz, S.M., "Spectral Analysis Interpretation of Electrosurgical Generator Nerve and Muscle Stimulation," IEEE Transactions on Biomedical Engineering, vol. 35, No. 7, pp. 505-509, Jul. 1988.

Lee et al., "A multi-sample denaturation temperature tester for collagenous biomaterials," Med. Eng. Phy., vol. 17, No. 2, pp. 115-121 (Mar. 1995).

Leonard I. Malis, M.D., "The Value of Irrigation During Bipolar Coagulation," 1989.

Lim et al., "A Review of Mechanism Used in Laparoscopic Surgical Instruments," Mechanism and Machine Theory, vol. 38, pp. 1133-1147, (2003).

Makarov, S. N., Ochmann, M., Desinger, K., "The longitudinal vibration response of a curved fiber used for laser ultrasound surgical therapy," Journal of the Acoustical Society of America 102, 1191-1199 (1997).

Moran et al., "Thermally Induced Shrinkage of Joint Capsule," Clinical Orthopaedics and Related Research, No. 281, pp. 248-255 (Dec. 2000)

Morley, L. S. D., "Elastic Waves in a Naturally Curved Rod," Quarterly Journal of Mechanics and Applied Mathematics, 14: 155-172 (1961).

National Semiconductors Temperature Sensor Handbook—http://www.national.com/appinfo/tempsensors/files/temphb.pdf; accessed online: Apr. 1, 2011.

Orr et al., "Overview of Bioheat Transfer," pp. 367-384 in Optical-Thermal Response of Laser-Irradiated Tissue, A. J. Welch and M. J. C. van Gemert, eds., Plenum, New York (1995).

Sherrit et al., "Novel Horn Designs for Ultrasonic/Sonic Cleaning Welding, Soldering, Cutting and Drilling," Proc. SPIE Smart Structures Conference, vol. 4701, Paper No. 34, San Diego, CA, pp. 353-360, Mar. 2002.

Sullivan, "Cost-Constrained Selection of Strand Diameter and Number in a Litz-Wire Transformer Winding," IEEE Transactions on Power Electronics, vol. 16, No. 2, Mar. 2001, pp. 281-288.

Sullivan, "Optimal Choice for Number of Strands in a Litz-Wire Transformer Winding," IEEE Transactions on Power Electronics, vol. 14, No. 2, Mar. 1999, pp. 283-291.

Technology Overview, printed from www.harmonicscalpel.com, Internet site, website accessed on Jun. 13, 2007, (3 pages).

Wall et al., "Thermal modification of collagen," J Shoulder Elbow Surg, No. 8, pp. 339-344 (Jul./Aug. 1999).

Walsh, S. J., White, R. G., "Vibrational Power Transmission in Curved Beams," Journal of Sound and Vibration, 233(3), 455-488

Weir, C.E., "Rate of shrinkage of tendon collagen—heat, entropy and free energy of activation of the shrinkage of untreated tendon. Effect of acid salt, pickle, and tannage on the activation of tendon collagen." Journal of the American Leather Chemists Association, 44, pp. 108-140 (1949).

Wells et al., "Altered Mechanical Behavior of Epicardium Under Isothermal Biaxial Loading," Transactions of the ASME, Journal of Biomedical Engineering, vol. 126, pp. 492-497 (Aug. 2004).

Wright, et al., "Time-Temperature Equivalence of Heat-Induced Changes in Cells and Proteins," Feb. 1998. ASME Journal of Biomechanical Engineering, vol. 120, pp. 22-26.

* cited by examiner









FIG. 1






































FIG. 10D











FIG. 11B






FIG. 12B





FIG. 12C








FIG. 12E








FIG. 12H

TRANSLATABLE OUTER TUBE FOR SEALING USING SHIELDED LAP CHOLE DISSECTOR

TECHNICAL FIELD

The present disclosure is related generally to medical devices with various mechanisms for cutting and sealing tissue. In particular, the present disclosure is related to medical devices with a translatable outer tube for sealing using a shielded dissector, suitably for performing a laparoscopic cholecystectomy.

BACKGROUND

When performing a cholecystectomy, it is preferable, where practicable, to conduct the operation laparoscopically, rather than performing the open procedure. While being less invasive and less potentially damaging to the patient, performing a laparoscopic cholecystectomy offers additional challenges for the surgeon. In general, it is desirable to provide a surgeon with instruments for optimally performing laparoscopic procedures that involve dissection and/or removal of various tissue, while also guarding against any 25 potential unwanted bleeding.

While several devices have been made and used, it is believed that no one prior to the inventors has made or used the device described in the appended claims.

BRIEF SUMMARY

In some embodiments, an end effector of a surgical instrument is provided.

- 1. In one example, the end effector may include: a blade 35 having a cutting edge configured to dissect and coagulate tissue and a back edge, the blade is configured to couple to an ultrasonic waveguide and configured to vibrate at ultrasonic frequency to dissect and coagulate the tissue, a shielded portion enclosing the back edge of the blade; a 40 high-friction surface coupled to the shielded portion and positioned between the shielded portion and the back edge of the blade, wherein a space is defined between the highfriction surface and the back edge of the blade when the end effector is configured into a dissecting configuration; 45 wherein, when the end effector is configured into a sealing configuration, the high-friction surface contacts the back edge of the blade and is configured to generate heat by frictionally coupling the ultrasonic vibrations of the blade to the high-friction surface, and wherein the shielded portion is 50 configured to coagulate tissue by coupling heat from the high-friction surface to the tissue.
- 2. In another example, the end effector further comprises at least one low-friction surface coupled to the shielded portion and positioned alongside a lateral edge of the blade, 55 the low-friction surface configured to permit ultrasonic vibration of the blade upon contacting the low-friction surface based on a lateral movement of the blade.
- 3. In another example of the end effector, the shaft further comprises a fulcrum component configured to couple to an 60 ultrasonic waveguide positioned within a shaft.
- 4. In another example of the end effector, the fulcrum is positioned at a node based on a frequency of the ultrasonic vibrations.
- 5. In another example, the end effector further comprises 65 a protective hood coupled to the shielded portion and covering at least a portion of the distal end of the blade.

2

- 6. In another example, the end effector further comprises an indentation grooved into a proximal end of the shielded portion and configured to flexibly enable the shielded portion to bend upon applying a force against the side of the shielded portion opposite the position of the blade.
- 7. In another example, the end effector further comprises a sliding mechanism configured to slide the shielded portion and the blade in and out of the end effector.
- 8. In another example of the end effector, the shielded portion is further configured to rotate around the blade such that the high-friction surface is configured to touch the back edge of the blade in a first rotational configuration and the high-friction surface is configured to touch the cutting edge of the blade in a second rotational configuration.
- 9. In some embodiments, a surgical instrument is presented. The surgical instrument includes: a handle assembly; an ultrasonic transducer configured to produce ultrasonic vibrations; a shaft coupled to the handle assembly, and an end effector. The shaft comprises: an ultrasonic waveguide coupled to the ultrasonic transducer and configured to vibrate at an ultrasonic frequency; and a slidable lever configured to slide back and forth within the shaft. The end effector comprises: a blade having a cutting edge configured to cut tissue and a back edge, the blade coupled to the ultrasonic waveguide and configured to vibrate at the ultrasonic frequency to cut the tissue; and a heating pad comprising a high-friction surface enclosing a portion of the blade or the ultrasonic waveguide and coupled to the slidable lever. A space is defined between the high-friction 30 surface and the blade or the ultrasonic waveguide when the end effector is configured into a cutting configuration. When the end effector is configured into a sealing configuration, the slidable lever is configured to slide proximally toward the handle assembly, causing the high-friction surface to contact the blade or the ultrasonic waveguide. The highfriction surface is configured to generate heat by frictionally coupling ultrasonic vibrations from the blade or the ultrasonic waveguide contacting the high-friction surface, and wherein the back edge of the blade is configured to coagulate tissue based on heat transfer from the high-friction surface to the back edge.
 - 10. In another example of the surgical instrument, the handle assembly further comprises a power button configured to control a time duration of the sealing configuration that limits an amount of time that the high-friction surface generates heat via the ultrasonic vibrations of the blade or the ultrasonic waveguide.
 - 11. In another example of the surgical instrument, the power button is communicably coupled to the slidable lever and is further configured to slide the slidable lever proximally toward the handle assembly when the power button is pressed.
 - 12. In another example of the surgical instrument, the handle assembly further comprises: an activation sled coupled to the power button and configured to slide proximally, perpendicular to the direction of the power button as the power button is pressed down; an activation magnet coupled to the activation end; a processor; and a sensor communicably coupled to the processor and positioned near the activation magnet. When the activation sled is slid proximally based on the power button being pressed, the activation magnet is configured to move sufficiently close to the sensor to activate the sensor and cause the sensor to trigger a timing procedure in the processor that limits the amount of time that the high-friction surface generates heat.
 - 13. In another example of the surgical instrument, the handle assembly comprises a second button communicably

coupled to the slidable lever and configured to slide the slidable lever when the second button is pressed down.

- 14. In another example of the surgical instrument, the shaft further comprises a fulcrum component coupled to the ultrasonic waveguide and positioned within the shaft, 5 wherein the ultrasonic waveguide is fastened within the shaft by the fulcrum at a distal end from the handle assembly and is otherwise suspended within the shaft.
- 15. In another example of the surgical instrument, the fulcrum is positioned at a distance away from the handle 10 assembly equal to a harmonic node based on a frequency of the ultrasonic vibrations of the ultrasonic waveguide.
- 16. In another example of the surgical instrument, the handle assembly further comprises a sliding mechanism. The slidable lever is coupled to the sliding mechanism on a 15 proximal end of the slidable lever and coupled to the shielded portion on a distal end of the slidable lever. A proximal end of the shielded portion is fastened to a base at a proximal end of the blade via a rotatable hinge. The shielded portion is configured to be controlled based on 20 manipulation of the sliding mechanism via the slideable lever and a pivot caused by the fastening of the rotatable hinge.
- 17. In some embodiments, a second surgical instrument is presented. The second surgical instrument comprises: a 25 handle assembly; an ultrasonic transducer; a shaft coupled to the handle assembly, the shaft comprising: an ultrasonic waveguide configured to vibrate at an ultrasonic frequency; and a rotatable inner tube configured to rotate within the shaft; and an end effector. The end effector comprises: a 30 blade having a cutting edge configured to cut tissue and a back edge, the blade coupled to the ultrasonic waveguide and configured to vibrate at the ultrasonic frequency to cut the tissue; a rotatable member coupled to the rotatable inner tube; a shielded portion coupled to the rotatable member and 35 to some embodiments. enclosing the back edge of the blade; a high-friction surface coupled to the shielded portion and positioned between the shielded portion and the back edge of the blade. There is a space between the high-friction surface and the back edge of the blade when the end effector is configured into a cutting 40 configuration. When the end effector is configured into a sealing configuration, the shielded portion is rotated onto the blade based on rotation of the rotatable inner tube, such that the high-friction surface touches the back edge of the blade and is configured to generate heat based on ultrasonic 45 vibrations of the blade rubbing against the high-friction surface, and wherein the shielded portion is configured to coagulate tissue based on heat transfer from the high-friction surface to the shielded portion.

18. In another example of the second surgical instrument, 50 the end effector is configured to slide into and out of a trocar when the end effector is configured into the sealing configuration, and the end effector is configured to not slide into or out of the trocar when the end effector is configured into the cutting configuration, based on the rotatable member 55 being rotated beyond the shape of the end effector.

19. In another example of the second surgical instrument, the rotatable inner tube comprises a cam positioned at a distal end of the rotatable inner tube; and the rotatable member comprises a knob positioned at a proximal end of 60 the rotatable member such that the knob fastens into the cam of the rotatable inner tube.

20. In another example of the second surgical instrument, the rotatable member comprises an axle positioned at an outer edge of the rotatable member, wherein the axle is 65 coupled to an anchor affixed to an outer edge of the end effector, such that the rotatable member is configured to

4

rotate based on rotational movement of the cam, using the position of the axle as a center axis of rotation for the rotatable member.

The foregoing summary is illustrative only and is not intended to be in any way limiting. In addition to the illustrative aspects, embodiments, and features described above, further aspects, embodiments, and features will become apparent by reference to the drawings and the following detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

The novel features of the embodiments described herein are set forth with particularity in the appended claims. The embodiments, however, both as to organization and methods of operation may be better understood by reference to the following description, taken in conjunction with the accompanying drawings as follows.

- FIG. 1 shows an example system including a medical instrument used to cut and seal tissue, suitably in a lap chole operation, according to some embodiments.
- FIG. 2 shows a more detailed view of the end effector of the medical instrument, including an example assembly having the blade instrument and other components to comprise the sealing mechanism, according to some embodiments
- FIG. 3 shows another angle of the example end effector, including the blade and sealing assembly, from a different angle.
- FIG. 4 shows an application of the end effector when the blade is configured to heat the shielded portion for sealing tissue, according to some embodiments.
- FIG. 5 shows additional details for how the ultrasonic vibration operation of the blade is implemented, according to some embodiments.
- FIG. 6 shows a variation of the end effector having a protective hood, according to some embodiments.
- FIG. 7 shows another variation of the end effector having an indentation to the shielded portion, according to some embodiments.
- FIG. **8**A shows another variation of the end effector having a sleeve mechanism for sliding the blade and sealing assembly into the end effector, according to some embodiments
- FIG. 8B shows an example of how the blade and sealing assembly may be slid into the end effector, according to some embodiments.
- FIG. 9 shows yet another variation of the sealing assembly, this time having multiple operational mechanical parts, according to some embodiments.
- FIG. 10A shows yet another variation for a cutting and sealing assembly at the distal end of the end effector, this time including a asymmetrical shaped blade and a multi-part sealing assembly, according to some embodiments.
- FIG. 10B shows additional features of the handle assembly operating the electromechanical sealing mechanism described in FIG. 10A, according to some embodiments.
- FIG. 10C provides one example of how the sealing assembly described in FIG. 10A may be utilized, according to some embodiments.
- FIG. 10D shows some of the inner workings of the power button and associated mechanical buttons for manipulating the sealing assembly described in FIG. 10A, according to some embodiments.
- FIG. 10E shows how the button assembly is ultimately connected to the sealing assembly at the distal end of the shaft, according to some embodiments.

FIG. 10F shows a portion of the mechanical and electrical components of the button assembly used to control the sealing assembly, according to some embodiments.

FIG. 11A shows yet another variation of the blade and sealing assembly, this time including a rotatable sealing 5 assembly, according to some embodiments.

FIG. 11B shows the rotatable sealing assembly rotated in a second configuration having the high friction surface positioned above the blade, according to some embodiments

FIG. 12A shows yet another variation of the blade and sealing assembly, this time including a rotating cam mechanism that applies the high friction surface to the blade in a rotational manner that does not require bending or pressing of the blade, according to some embodiments.

FIG. 12B shows a transparent review of the stationary body and some of the mechanical parts used to connect with the rotating member, according to some embodiments.

FIG. 12C shows a transparent view of the rotating body, according to some embodiments.

FIG. 12D shows the original open position of the rotating body.

FIG. 12E shows a contrast of what happens when the rotating innertube is rotated to form a closed position of the rotating body.

FIGS. 12F, 12G, and 12H show additional views of the blade and sealing assembly having the rotating member variation, according to some embodiments.

DETAILED DESCRIPTION

In the following detailed description, reference is made to the accompanying drawings, which form a part hereof. In the drawings, similar symbols and reference characters typically identify similar components throughout the several 35 views, unless context dictates otherwise. The illustrative embodiments described in the detailed description, drawings, and claims are not meant to be limiting. Other embodiments may be utilized, and other changes may be made, without departing from the scope of the subject matter 40 presented here.

The following description of certain examples of the technology should not be used to limit its scope. Other examples, features, aspects, embodiments, and advantages of the technology will become apparent to those skilled in 45 the art from the following description, which is by way of illustration, one of the best modes contemplated for carrying out the technology. As will be realized, the technology described herein is capable of other different and obvious aspects, all without departing from the technology. Accordingly, the drawings and descriptions should be regarded as illustrative in nature and not restrictive.

It is further understood that any one or more of the teachings, expressions, embodiments, examples, etc. described herein may be combined with any one or more of 55 the other teachings, expressions, embodiments, examples, etc. that are described herein. The following-described teachings, expressions, embodiments, examples, etc. should therefore not be viewed in isolation relative to each other. Various suitable ways in which the teachings herein may be 60 combined will be readily apparent to those of ordinary skill in the art in view of the teachings herein. Such modifications and variations are intended to be included within the scope of the claims.

Also, in the following description, it is to be understood 65 that terms such as front, back, inside, outside, top, bottom and the like are words of convenience and are not to be

6

construed as limiting terms. Terminology used herein is not meant to be limiting insofar as devices described herein, or portions thereof, may be attached or utilized in other orientations. The various embodiments will be described in more detail with reference to the drawings. Throughout this disclosure, the term "proximal" is used to describe the side of a component, e.g., a shaft, a handle assembly, etc., closer to a user operating the surgical instrument, e.g., a surgeon, and the term "distal" is used to describe the side of the component further from the user operating the surgical instrument.

Aspects of the present disclosure are presented for a surgical instrument configured for cutting and sealing tissue using an ultrasonic dissecting blade. A common use of the surgical instrument presented herein includes performing a laparoscopic cholecystectomy, often referred to as a lap chole. A laparoscopic cholecystectomy is the surgical removal of the gallbladder from the liver bed, whereby the patient is operated on through a series of several small incisions in the abdomen to allow insertion of small cylindrical tubes, through which surgical instruments and video camera are placed into the abdominal cavity. It is a common treatment of symptomatic gallstones and other gallbladder conditions. A lap chole typically is the preferred procedure over an open cholecystectomy for treatment of gallstones and inflammation of the gallbladder, unless there are contraindications to the laparoscopic approach. This is because the open procedure tends to leave the patient more prone to infection, and recovery time for the patient tends to be longer.

To perform a lap chole, typically, the surgeon inflates the abdominal cavity with carbon dioxide to create a working space. A camera is placed into the cavity through an incision (a "port") typically made at the umbilicus. Additional ports may be opened at various other places around the patient's abdomen. One or more instruments may grasp the gallbladder through one of the additional ports, while another instrument is used to dissect the gallbladder away from the liver bed. The gallbladder may then be removed through one of the ports. Ideally, the liver is not cut or damaged during this procedure, but a surgeon has to be prepared for the possibility that some bleeding may occur at the liver or other nearby organs. Therefore, it is desirable for a medical instrument to have cutting means as well as sealing means, whereby both functionalities can be immediately available to the surgeon during the procedure. For example, it would be desirable for a single medical instrument to have both cutting and sealing means, in order to eliminate the need for multiple medical instruments or to have a single medical instrument be removed in order for another to take its place.

Overall, the laparoscopic approach is less invasive and preferred over the open procedure when it is practicable to do so, but certainly comes with more challenges for the surgeon to complete the procedure. For example, the surgeon has limited space to maneuver any surgical device, being confined to utilize the device through merely a small incision into the patient. In addition, this limits the number of medical instruments that can be applied to the surgical site at any one time. Furthermore, it is desirable for a medical instrument to be specially designed to perform a lap chole, based on the particular anatomy of this procedure. That is, the surgical site of a lap chole always involves the dissection of the gallbladder away from the liver bed, such that it is permissible for one side of the surgical site to be damaged (i.e., the gallbladder), while the opposite side (i.e., the liver bed) should not be cut or damaged, and in fact extra care

should be taken to immediately seal or coagulate any wounds or unexpected bleeding that may occur to the liver or surrounding organs.

For at least these reasons, aspects of the present disclosure are presented for a medical instrument and system configured to cut and seal tissue, and suitably designed for dissecting the gallbladder in a laparoscopic cholecystectomy. For example, in some embodiments, the medical instrument may include a long, narrow shaft suitable for being inserted into a small incision of the patient via a trocar. 10 On the distal end of the shaft is an end effector that includes a blade suitable for dissecting tissue, as well as sealing means for coagulating or sealing tissue. This medical instrument may perform both functions through ultrasonic vibrations of the blade instrument. In some embodiments, the 15 blade may be pressed against a high friction surface that causes heat due to the ultrasonic vibrations of the blade. A shielded portion of the blade may heat up due to the heat transfer from the high friction surface, which may be used to coagulate tissue by pressing the shielded portion against 20 the bleeding tissue. Various example designs of the medical instrument configured to perform these functionalities are presented herein and are described in further detail according to the following figures.

Referring to FIG. 1, illustration 100 shows an example 25 system including a medical instrument used to cut and seal tissue, suitably in a lap chole operation, according to some embodiments. As shown, the example medical system includes an example medical instrument 105 coupled via a cable to a control center 110. The example control center 110 30 may be configured to supply power to the medical instrument 105, as well as provide various diagnostic information available for reading by the surgeon and/or his team. The control center 100 may include a power cable to be plugged into a power outlet, as well as a foot switch 112 configured 35 to modulate the amount of power to be supplied to the medical instrument 105. For example, the medical instrument 105 may be configured to operate a blade at the end effector 130 via ultrasonic vibrations, and the foot switch 112 can be pressed to modify the frequency of the ultrasonic 40 vibrations, in some embodiments. This configuration may give the surgeon an optimal degree of freedom by allowing the surgeon to use his hands for other tasks during the operation, such as operating the medical instrument 105.

In addition, the example control center 110 may include 45 an ultrasonic generator, e.g., a power supply and control logic, connected via cable to an ultrasonic transducer within the casing of the handle assembly 120, not shown, for enabling the medical instrument 105 to operate using ultrasonic vibrations. In some applications, the ultrasonic trans- 50 ducer is referred to as a "hand piece assembly" because the medical instrument 105 is configured such that a surgeon may grasp and manipulate the ultrasonic transducer during various procedures and operations. Example generators GEN11 sold by Ethicon Endo-Surgery, Inc. of Cincinnati, Ohio. An example transducer is disclosed in U.S. patent application Ser. No. 11/545,784, filed on Oct. 10, 2006, titled MEDICAL ULTRASOUND SYSTEM AND HAND-PIECE AND METHODS FOR MAKING AND TUNING, 60 the contents which are incorporated by reference herein.

In some embodiments, the medical instrument 105 includes a other features. For example, the medical instrument 105 may include a handle assembly 120 at the proximal end. The handle assembly 120 may be ergonomically 65 designed to suitably fit a surgeon's hand. As shown, the handle assembly 120 is shaped cylindrically, while in other

cases the handle assembly 120 may be designed in a pistol grip manner or other suitable shape conventionally used for medical procedures, and embodiments not so limited. In some embodiments, the handle assembly 120 may include a power switch 122 that may be pressed to perform the sealing mechanism. In addition, the handle assembly 120 may also include a sliding button 124 to slide back and forth the blade at the distal end of the surgical instrument 105. In some embodiments, a rotating knob 126 may also be included to allow for a portion of the surgical instrument 105 to be rotated. The handle assembly 120 may be coupled to a long and narrow shaft 128, which may be designed to fit into a trocar, which can be inserted into a port of the patient to perform the lap chole procedure. On the distal end of the shaft 128 is the end effector 130, which includes the blade and sealing instruments in an integrated assembly 132. Within the shaft may be included an ultrasonic waveguide (see FIG. 5), coupled to the ultrasonic transducer on the proximal end and the blade on the distal end, configured to vibrate at an ultrasonic frequency.

The ultrasonic transducer and the ultrasonic waveguide together provide an acoustic assembly of the present surgical system in illustration 100, with the acoustic assembly providing ultrasonic energy for surgical procedures when powered by a generator, which may be controlled by the foot switch 112. The acoustic assembly of the medical instrument 105 generally includes a first acoustic portion and a second acoustic portion. In some embodiments, the first acoustic portion comprises the ultrasonically active portions of the ultrasonic transducer, and the second acoustic portion comprises the ultrasonically active portions of a transmission assembly. Further, in some embodiments, the distal end of the first acoustic portion is operatively coupled to the proximal end of the second acoustic portion by, for example, a threaded connection.

The handle assembly 120 may also be adapted to isolate the operator from the vibrations of the acoustic assembly contained within transducer. The handle assembly 120 can be shaped to be held by a user in a conventional manner. In some embodiments, the present ultrasonic medical instrument 105 is designed to be grasped and manipulated in a scissor-like arrangement provided by the handle assembly 120 of the instrument, as will be described. While the multi-piece handle assembly 120 is illustrated, the handle assembly 120 may comprise a single or unitary component. The proximal end of the ultrasonic medical instrument 105 receives and is fitted to the distal end of the ultrasonic transducer by insertion of the transducer into the handle assembly 120. The ultrasonic medical instrument 105 may be attached to and removed from the ultrasonic transducer as

The handle assembly 120 may be constructed from a include the GEN04 (also referred to as Generator 300) or 55 durable plastic, such as polycarbonate or a liquid crystal polymer. It is also contemplated that the handle assembly 120 may alternatively be made from a variety of materials including other plastics, ceramics or metals. Traditional unfilled thermoplastics, however, have a thermal conductivity of only about 0.20 W/m° K. (Watt/meter-° Kelvin). In order to improve heat dissipation from the instrument, the handle assembly may be constructed from heat conducting thermoplastics, such as high heat resistant resins liquid crystal polymer (LCP), Polyphenylene Sulfide (PPS), Polyetheretherketone (PEEK) and Polysulfone having thermal conductivity in the range of 20-100 W/m° K. PEEK resin is a thermoplastics filled with aluminum nitride or

boron nitride, which are not electrically conductive. The thermally conductive resin helps to manage the heat within smaller instruments.

The transmission assembly within the handle assembly 120, not shown, includes an ultrasonic waveguide and a 5 blade (see, e.g., FIGS. 2 and 5). In some applications, the transmission assembly is sometimes referred to as a "blade assembly." The ultrasonic waveguide, which is adapted to transmit ultrasonic energy from transducer to the tip of blade, may be flexible, semi-flexible or rigid. The waveguide 10 may also be configured to amplify the mechanical vibrations transmitted through the waveguide to the blade as is well known in the art. The waveguide may further have features to control the gain of the longitudinal vibration along the waveguide and features to tune the waveguide to the reso- 15 nance frequency of the system. In particular, the waveguide may have any suitable cross-sectional dimension. For example, the waveguide may have a substantially uniform cross-section or the waveguide may be tapered at various sections or may be tapered along its entire length.

The ultrasonic waveguide may, for example, have a length substantially equal to an integral number of one-half system wavelengths $(n\lambda/2)$. The ultrasonic waveguide and blade may be preferably fabricated from a solid core shaft constructed out of material, which propagates ultrasonic energy 25 efficiently, such as titanium alloy (i.e., Ti-6Al-4V), aluminum alloys, sapphire, stainless steel or any other acoustically compatible material.

The ultrasonic waveguide may further include at least one radial hole or aperture extending therethrough, substantially perpendicular to the longitudinal axis of the waveguide. The aperture, which may be positioned at a node, is configured to receive a connector pin, which connects the waveguide to the handle assembly 120.

Referring to FIG. 2, illustration 200 shows a more 35 detailed view of the end effector 130, including an example assembly having the blade instrument 205 and other components to comprise the sealing mechanism, according to some embodiments. Here, a blade 205 is shown coupled to the distal end of the end effector 130. The blade 205 may be 40 configured to dissect tissue from a patient, such as tissue of a gallbladder so that it may be removed from the liver bed. As shown, the blade 205 is designed having a straight edge on only one side of the blade. The other side is shown to be flat and is enclosed by a flat, horse collar-shaped shielded 45 portion 210, that is configured to shield the blade 205 and shield the other tissues from the blade 205, as well as double as a surface for coagulating or sealing tissue, which will be described more below. In other cases, the blade 205 may be curved or angled, and embodiments are not so limited. The 50 blade 205 may be coupled to an ultrasonic waveguide within the end effector 130 and following through within the shaft 128, so that the blade 205 may be manipulated via ultrasonic vibrations, which will be described in more detail below. Of note, because the blade 205 is operated via ultrasonic 55 vibrations, the horse collar shielded portion 210 is configured to be physically separated from the blade 205, to allow the blade 205 to operate without touching the shielded portion 210. As such, illustration 200 shows a space between coupled to the shielded portion 210.

The blade 205 may be integral with the waveguide and formed as a single unit, in some embodiments (see, e.g., FIG. 5). In some alternative embodiments, the blade 205 may be connected by a threaded connection, a welded joint, 65 or other coupling mechanisms. The distal end of the blade 205 is disposed near an anti-node in order to tune the

10

acoustic assembly to a preferred resonance frequency for when the acoustic assembly is not loaded by tissue. When the ultrasonic transducer is energized, the distal end of blade 205 or blade tip is configured to move substantially longitudinally (along the x axis) in the range of, for example, approximately 10 to 500 microns peak-to-peak, and preferably in the range of about 20 to about 200 microns at a predetermined vibrational frequency fo of, for example, 55,500 Hz. The blade tip may also vibrate in the y axis at about 1 to about 10 percent of the motion in the x axis.

In some embodiments, the blade tip provides a functional asymmetry or curved portion for improved visibility at the blade tip so that a surgeon can verify that the blade 205 extends across the structure being cut or coagulated (see, e.g., FIG. 10A). This is especially important in verifying margins for large blood vessels. In some cases, the blade 205 may have portions that are curved. Certain shapes of the blade may provide for improved tissue access by more 20 closely replicating the curvature of biological structures.

As shown, underneath the shielded portion 210 is a high friction surface 215, located in between the outer shielded portion 210 and the flat side of the blade 205. In some cases, the high friction surface 215 may extend all along the inner side of the shielded portion 210, spaced on the side above the blade 205 and along down to the base of the blade 205. An example material of the high friction surface may include polyimide. The end effector 130 may be designed such that blade 205 may be biased to touch the high friction surface 215 by pressing the shielded portion 210 against a tissue wall of the patient during the lap chole procedure. Due to the ultrasonic vibrations of the blade 205, the high friction surface 215 will heat up quickly. Due to the heat conduction properties of the surface 215 and the shielded portion 210, heat transfer to the shielded portion 210 will cause the shielded portion 210 to also heat up. The heat of the shielded portion 210 may be used to coagulate any bleeding tissue, such as any bleeding of the liver bed that may occur during the lap chole procedure.

For example, the surgeon may first begin dissection of the gallbladder using the blade 205. After experiencing some unwanted bleeding of the liver bed on the opposite side, the surgeon may press the shielded portion 210 against the bleeding wall of the liver bed. This will bias the blade 205 to be pressed against the high friction pad 215, causing the pad 215 and the shielded person portion 210 to heat up. The heat may be used to coagulate the bleeding portion of the liver bed. After a sufficient time, or after it is determined that the bleeding has stopped, the surgeon can stop pressing the shielded portion 210 against the liver bed and may continue with the dissection process.

In some embodiments, low friction surfaces 220 may also be installed within the horse collar sides of the shielded portion 210. These low friction surfaces 220 may serve as buffers to enable continued vibration of the blade 205, in the event that the blade 205 is shifted from side to side. An example material of the low friction surface may include polytetrafluoroethylene (e.g., Teflon®).

Referring to FIG. 3, illustration 300 shows another angle the top of the blade 205 and the materials 215 and 220, 60 of the example end effector 130, including the blade and sealing assembly 132, from a different angle. As shown, the blade 205 is physically away from the high friction surface 215 and the low friction surfaces 220. The physical separation between the blade 205 and the sealing assembly, comprised of the horse collar shielded surface 210 and the high friction surface 215, may represent a default or natural state of the surgical instrument 105.

Referring to FIG. 4, illustration 400 shows an application of the end effector 130 when the blade 205 is configured to heat the shielded portion 210 for sealing tissue, according to some embodiments. Here, there is no space at location 410, in between the blade 205 and the high friction surface 215. 5 This may be caused by the surgeon manipulating the surgical instrument 105 to cause the shielded portion 210 to be pressed against a bleeding tissue wall at the surgical site. As previously discussed, while the blade 205 is pressed against the high friction surface 215, the ultrasonic vibrations of the 10 blade 205 may generate heat in the high friction surface 215, which may be transferred into the shielded portion 210. The heat generated in the shielded portion 210 may be used to coagulate bleeding tissue at the surgical site.

Referring to FIG. 5, illustration 500 shows additional 15 details for how the ultrasonic vibration operation of the blade 205 is implemented, according to some embodiments. Here, the end effector 130 is made transparent to show the materials inside the tubing. In this example, the blade 205 is connected to a ultrasonic waveguide 505 that extends to the 20 handle assembly 120, not shown (see FIG. 1). Connecting the ultrasonic waveguide 505 to the blade 205 is a harmonic fulcrum 510 that is touching the outer to of the end effector 130 at location 515. The harmonic fulcrum 510 may be calculated to be positioned a specific distance away from the 25 handle assembly 122 take advantage of a specific frequency that the ultrasonic waveguide 505 is vibrated at. Specifically, ultrasonic vibrations of the ultrasonic waveguide 505 create a sinusoidal effect of the ultrasonic waveguide 505, much like a rope being shaken when held at one end. In other words, the ultrasonic vibrations can cause the ultrasonic waveguide 505 to vibrate like a standing wave. The ultrasonic fulcrum 510 is positioned at a node of the standing wave, which is of course based on the specific frequency of the ultrasonic vibrations. The ultrasonic fulcrum 510 being 35 positioned at a node of the standing wave allows the blade 205 positioned beyond the fulcrum 510 to continue to vibrate unimpeded. In contrast, if the fulcrum 510 were placed at an anti-node according to the specific vibration frequency, any vibrations beyond the fulcrum 510 may be 40 canceled out, thereby causing the blade 205 to cease to

Referring to FIG. 6, illustration 600 shows a variation of the end effector 130 having a protective hood 605, according to some embodiments. As shown, the shielded surface 210 45 may also include a protective hood 605 that covers the front portion of the blade 205. The hood 605 may protect other tissues from getting caught near the blade 205 when the blade 205 is vibrating. In this way, the blade 205 is fully isolated from any unwanted contact against other tissue, 50 other than the target tissue that is intended to be dissected.

Referring to FIG. 7, illustration 700 shows another variation of the end effector 130 having an indentation 705 to the shielded portion 210, according to some embodiments. Here, the indentation 705 is placed towards the base of the 55 blade 205 to act like a hinge for the shielded portion 210 to bend. In this way, the shielded portion 210 can more easily touch the blade 205 when trying to employ the sealing mechanism through connecting the blade 205 with the high friction surface 215.

Referring to FIG. 8A, illustration 800 shows another variation of the end effector 130 having a sleeve mechanism for sliding the blade and sealing assembly into the end effector 130, according to some embodiments. In this case, the shielded portion 805 has a rounded shape that covers the 65 top and parts of the side of the blade 205. In other cases, the shielded portion 805 can have different shapes, including the

12

horse collar shape similar to the shielded portion 205, and embodiments are not so limited. Of note is the indent 810 then may be configured to allow the shielded portion 805 to bend when slid into the end effector 130. When the blade 205 and the shielded portion 805 are extended out of the end effector 130 in the distal direction, in some embodiments, the shielded portion 805 may be configured to naturally bend, Such that the high friction surface 215 and the shielded portion 805 extend upward and away from the blade 205. In some embodiments, the blade and sealing assembly may be pulled into the end effector 130 by a sliding mechanism, such as the sliding button 124 (see FIG. 1). The sliding button 124 may be mechanically connected to an ultrasonic waveguide inside the shaft 128 that connects to the blade and sealing assembly.

Referring to FIG. 8B, illustration 850 shows an example of how the blade and sealing assembly may be slid into the end effector 130, according to some embodiments. As shown, the blade and sealing assembly may be pulled back into the end effector 130 in direction A, e.g., by a sliding mechanism such as the sliding button 124 (see FIG. 1). When pulled back into the end effector 130, the blade 205 and the high friction surface 215 may be closed together and further encapsulated by the shielded portion 805, as shown. The enclosed position as shown herein may be used when entering the surgical site through a small incision in the patient. This may allow for the surgical instrument 105 to be more carefully placed into the patient, minimizing any possible damage caused by the blade 205.

Referring to FIG. 9, illustration 900 shows yet another variation of the sealing assembly, this time having multiple operational mechanical parts, according to some embodiments. As shown, a second shielded portion 905 has a similar horse collar characteristic to the shielded portion 205. The shielded portion 905 still includes a high friction surface 215 and low friction surfaces 220 positioned near the top of the blade 205. In addition, the shielded portion 905 is mechanically coupled to a stationary base 915 via a hinge 910. The base 915 may be part of a single piece formed with the blade 205, according to some embodiments. The hinge 910 may allow for the shielded portion 905 to pivot on top of the blade 205. As shown, the hinge 910 and the stationary base 915 are positioned within the tube portion of the end effector 130, where the end effector 130 shown herein is made transparent for illustration purposes.

Also included in this variation is a mechanism for guiding the movement of the shielded portion 905, via a mechanical chain link 920 that is connected to a slidable rod 925. In some embodiments, the slidable rod may extend through the shaft 128 (see FIG. 1) that is connected to a sliding mechanism, such as the sliding button 124, configured to be manipulated by the surgeon. That is, as the surgeon moves the sliding button 124 back-and-forth, the slidable rod 925 correspondingly moves. This causes the distal end of the slidable rod 925 to pull the chain link 920. Coupled with the leverage created by the shielded portion 905 being affixed to the hinge 910, the surgeon can in this manner, manipulate the shielded portion 905 to be pulled slightly away from the blade 205, as well as be connected to the blade 205. In this manner, the surgeon can control the surgical device 1052 operate in the dissecting mode or the sealing mode.

In some embodiments, a variation like the one shown in illustration 900 may also be capable of sliding into the end effector 130, while also being configured to manipulate the slidable rod 925. For example, the handle assembly 120 may include two slidable buttons (not shown), one used to

manipulate the slidable rod 925, while the other is configured to slide the entire blade and sealing assembly into the end effector 130.

Referring to FIG. 10A, illustration 1000 shows yet another variation for a cutting and sealing assembly at the 5 distal end of the shaft 128, according to some embodiments. Illustration 1000 features several different variations, each of which may be separately interchanged with other similarly functioning parts described herein, and embodiments are not so limited for example, illustration 1000 shows a 10 different shaped blade having a pointed end 1002, a wider backside 1004, and a smooth lateral side 1006. The pointed end 1002 may be configured to dissect tissue, while the wider backside 1004 and smooth lateral side 1006 may be configured to coagulate tissue when the blade is heated. As 15 shown, the blade may be connected to an ultrasonic waveguide 1008, the vast majority of which is enclosed by the shaft 128 (here shown transparently for illustration purposes).

The pointed end 1002 is commonly referred to as a 20 functional asymmetry. That is, the blade (functionally, the blade provides a multitude of tissue effects) lies outside the longitudinal axis of waveguide 1008 (that is, asymmetrical with the longitudinal axis), and accordingly creates an imbalance in the ultrasonic waveguide. If the imbalance is 25 not corrected, then undesirable heat, noise, and compromised tissue effect occur.

It is possible to minimize unwanted tip excursion in the y and z axes, and therefore maximize efficiency with improved tissue effect, by providing one or more balance asymmetries 30 or balancing features proximal to the blade functional asymmetry.

Another variation shown in illustration 1000 includes another type of sealing mechanism comprised of a heating pad 1010 and a slidable lever 1012. As shown, the heating 35 pad 1010 and the slidable lever 1012 are enclosed within the cylindrical tube of the shaft 128. The heating pad 1010 is connected to the slidable lever 1012 via a hinge 1014, as shown. At least part of the heating pad 1010 may include a high friction surface, similar to a material used for the high 40 friction surface 215, that is configured to grip the ultrasonic waveguide 1008 to generate the heat when the blade and the ultrasonic waveguide 1008 are vibrated. The heating pad 1010 may be moved on to the ultrasonic waveguide 1008 by electromechanical means via a power button 1022, shown in 45 the next figure, and similar to the button 122 in FIG. 1. In some embodiments, the distal end of the shaft 128 may be pulled back, or alternatively the waveguide 1008 and the sealing assembly comprising the heating pad 1010 and slidable lever 1012 may be configured to slide forward, thus 50 exposing the heating pad 1010 for more maneuverability. In this way, the shaft 128 may act and be referred to as a sheath.

Referring to FIG. 10B, illustration 1020 shows additional features of the handle assembly 124 operating the electromechanical sealing mechanism described in illustration 55 1000, according to some embodiments. As previously discussed, the handle assembly 120 may include a power button 1022, that may be configured to operate a timed procedure for a controlled sealing operation, according to some embodiments. The power button 1022 may be interconnected with a series of mechanical and electrical parts that connects to the sealing assembly at the distal end of the end effector 130, via the slidable lever 1012. In some embodiments, additional buttons such as button 1024, may be configured to manipulate the sealing assembly without utilizing a timing procedure. These mechanisms will be described further in the following figures.

14

Referring to FIG. 10C, illustration 1040 provides one example of how the sealing assembly described in illustration 1000 may be utilized, according to some embodiments. Here, the blade described in illustration 1000 is turned on its side to provide a different perspective on the other features of the blade. Shown here is the wider backside 1004 of the blade, as well as the smooth lateral side 1006. In some embodiments, the opposite side is the same as the lateral side 1006. Not shown is the cylindrical tube of the end effector 130 in the shaft 128. In some cases, the blade and sealing assembly may be configured to be advanced beyond the sheath 128, e.g. by a sliding button 124. In other cases, the shaft 128 may be large enough to allow for the sealing assembly to move within the shaft 128.

As shown, the heating pad 1010 may include a groove or indentation 1042 that may allow for the heating pad 1010 touch more surface area of the ultrasonic waveguide 1008. In addition, in some embodiments, heating pad 1010 may include a high friction surface 1046, while in other cases, the entire heating pad 1010 may be composed of the high friction material used to make the high friction surface 1046. At a minimum, the area within and around the indentation 1042 may be comprised of the high friction material, such that the heating pad 1010 generates heat when touching the ultrasonic waveguide 1008 while it is vibrating. Thus, when the heating pad 1010 grips on to the ultrasonic waveguide 1008, heat from the heating pad 1010 is transferred to the ultrasonic waveguide 1008 and the blade affixed at the distal end of the ultrasonic waveguide 1008. The surgeon may then be able to apply the heat to a bleeding area via the wider backside 1004 and/or the smoother lateral surface 1006. The slidable lever 1012 may control movement of the heating pad 1010 by sliding back and forth in direction C. Control of the heating pad 1010 may be achieved based on the hinge 1044 than acts as a pivot point for the heating pad 1010.

Referring to FIG. 10D, illustration 1060 shows some of the inner workings of the power button 1022 and associated mechanical buttons 1024 for manipulating the sealing assembly described in illustration 1000, according to some embodiments. Here, the outer casing of the handle assembly 120 is not shown for illustration purposes, while normally the outer casing of the handle assembly 120 may enclose the backside and the front side of this assembly of buttons, as shown in illustration 1060 (see illustration 1020). In this example, a single power button 1022 is available and is configured to perform a timed operation for utilizing the sealing assembly. This may be achieved in part by pressing down on power button 1022, which is connected to activation sled 1064 and will be described in more detail with reference to later figures. Also, multiple mechanical buttons 1024 are present and spaced uniformly around the shaft 128, where pressing any one (or more) of the mechanical buttons 1024 may be configured to activate just the ultrasonic waveguide to vibrate the blade, without activating the heating functionality. To achieve this, each of the mechanical buttons 1024 is coupled to a cylindrical activation sled 1062, which is coupled to a single plunger that may push a button connected to the ultrasonic transducer, not shown. An example of the inner workings of these mechanisms will be described in more detail in the next figures.

Referring to FIG. 10E, illustration 1080 shows how the button assembly is ultimately connected to the sealing and blade assemblies at the distal end of the shaft 128, according to some embodiments. As previously discussed, the button assembly including the buttons 1022 and 1024 are connected to the sealing and blade assemblies, respectively, via the slidable lever 1012 and the waveguide 1008, respectively,

inside the shaft 128. In some embodiments, pressing any of the mechanical buttons 1024 spaced around the button assembly (only one is labeled in FIG. 10E as an example) activates the waveguide 1008 via the circular activation sled 1062 to cause the blade to vibrate, while pressing on the 5 power button 1022 activates the sealing assembly in a timed operation via the activation sled 1064. In some cases, the power button 1022 may be delineated from the other buttons 1024 in various ways, including having a different color, a different shape, a different grip, and so on.

Referring to FIG. 10F, illustration 1090 shows a portion of the mechanical and electrical components of the button assembly used to control the sealing and blade assemblies, according to some embodiments. Here, the button assembly is cut in half for illustration purposes, to show portions of the 15 various mechanical and electrical components used to provide interaction between the button 1022 to the slidable lever 1012 and the button 1024 the waveguide 1008. The surfaces of the mechanical and electrical components of illustration 1090 that have shades or designs represent 20 locations where the components are cut in half.

As shown, the power button 1022 rests on top of the button assembly. When a surgeon presses down on the button, the button 1022 pushes down on a sloped portion of the activation sled 1064, which is also shown previously in 25 FIGS. 10D and 10E. The downward movement of the power button 1022 causes the sloped portion of the activation sled 1064 to slide the activation sled 1064 proximally toward the surgeon. At the distal end of the activation sled 1064 is a hook that attaches to the slidable lever 1012. Thus, as the 30 activation sled 1064 moves proximal toward the surgeon, the slidable lever 1012 is correspondingly pulled proximally. The pulling motion of the slidable lever 1012 causes the heating pad 1010 to clamp down on the ultrasonic waveguide 1008 (see illustration 1040). Thus, pressing down on 35 the power button 1022 causes the heating pad 1010 to clamp down on the ultrasonic waveguide 1008 in order to heat up the blade at the distal end.

Simultaneously, at the proximal end of the activation sled 1064 is an activation magnet 1094. As the activation sled 40 1064 slides proximally, the activation magnet 1094 is moved closer to a Hall effect sensor 1096. When sufficiently close, the activation magnet 1094 may activate through the Hall effect sensor 1096 a timing program built into the memory of a circuitboard 1098. The timing program may be config- 45 ured to deactivate power to the blade to stop it from vibrating. For example, when the timing program in the circuitboard 1098 is triggered, power to apply ultrasonic vibrations to the blade may be automatically halted after five seconds, even if the surgeon tries to continue to apply power, 50 e.g., by pressing on the foot pedal 112 (see FIG. 1) or pressing on any of the buttons 1024 (see below for more details). In this way, pressing on the power button 1022 initiates a tissue sealing procedure that applies heat for only a fixed amount of time, in order to safely control the sealing 55 assembly.

In some embodiments, the mechanical buttons 1024 may offer additional an alternative mechanism for controlling the ultrasonic vibrations of the blade. Here, an example button 1024 is located at the bottom of the button assembly, and is connected to its own activation sled 1062, which is also previously shown in FIGS. 10D and 10E. The activation sled 1062 is connected to a plunger 1095. In some cases, the activation sled 1062 and the plunger 1095 may be molded together as a single piece (e.g., single piece of polycarbonate). In general, as the button 1024 is pressed, the sloped part of the activation sled 1062 touches the button 1024 and

16

causes the activation sled 1062 to slide proximally toward the surgeon. This in turn moves the plunger 1095 to slide proximally toward the surgeon as well. The plunger 1095 then pushes an activation button or switch 1097, which is configured to activate the ultrasonic transducer, not shown. Activating the ultrasonic transducer causes the waveguide 1008 to vibrate, which vibrates the blade at the distal end of the shaft 128. The transducer may be coupled to the proximal end of the waveguide 1008, fitting into the open space 1099, in some embodiments.

As previously mentioned, the activation sled 1062 may be cylindrically constructed such that the activation sled 1062 wraps all the way around within the button assembly, all of which ultimately connect to the plunger 1095. Thus, pressing any of the mechanical buttons 1024 cylindrically positioned all around the button assembly can cause the activation sled 1062 to slide proximally and push the plunger 1095 into the activation button 1097. In this way, the surgeon can control both the vibrations of the blade and the sealing assembly using the button assembly within the handle assembly 120. In some embodiments, to distinguish the buttons, the power button 1022 may be simply colored differently or grooved differently, and embodiments are not so limited.

Referring to FIG. 11A, illustration 1100 shows yet another variation of the blade and sealing assembly, this time including a rotatable sealing assembly, according to some embodiments. As shown, a rotatable sealing assembly 1105 is position cylindrically within the end effector 130 and includes a long strip of the high friction material, extendable in-line with the blade 205. The sealing assembly 1105 may be rotated via a rotational knob, such as the rotating knob 126 (see FIG. 1). Thus, by manipulating the rotating knob 126, the sealing assembly 1105 can be rotated around the blade 205, as shown in illustration 1150 of FIG. 11B, e.g., in rotational direction D. In this way, the high friction material may be rotatable to touch either the backend of the blade 205 that is flatter and broader, or the pointed edge of blade 205 itself. These two options may allow for changing degrees of heat to be achieved in the sealing assembly. For example, in illustration 1150, pressing the backend of the blade 205 against the high friction surface of the sealing assembly 1105 may create more heat because more surface of the blade 205 would be touching the high fiction surface. In contrast, if just the edge of the blade 205 touches the high friction surface in the sealing assembly 1105, as shown in illustration 1100, a lower degree of heat would be generated, or at least the rate of heat transfer would be slower in this configuration. In some embodiments, the sealing assembly 1105 may also include other materials, such as materials for enclosing the high friction surface in a shielded portion similar to the horse collar or cylindrical shielded portions described in the previous figures, and embodiments are not so limited.

Referring to FIG. 12A, illustration 1200 shows yet another variation of the blade and sealing assembly, this time including a rotating cam mechanism that applies the high friction surface 215 to the blade 205 in a rotational manner that does not require bending or pressing of the blade 205, according to some embodiments. As shown, a rotating member 1202 is coupled to a shielding member 1204 that includes the high friction surface 215, and in some embodiments, the low friction surface 220. In illustration 1200, the rotating member 1202 is configured in the "open" position, whereby the shielding member 1204 is rotated away from the blade 205.

The rotating member 1202 is housed within a stationary body 1208. The stationary body 1208 is shaped cylindrically so as to efficiently connect to the shaft 128 as well as slide into a trocar, although other embodiments may not be shaped cylindrically. The rotating member 1202 is configured to be 5 rotated via a rotating innertube 1206 that is connected through the shaft 128 to a rotating knob, such as rotating knob 126 (see FIG. 1.).

Referring to FIG. 12B, illustration 1210 shows a transparent review of the stationary body 1208 and some of the 10 mechanical parts used to connect with the rotating member 1202, according to some embodiments. As shown, the distal end of the rotating innertube 1206 slides into the proximal end of the stationary body 1208. The rotating innertube 1206 includes a sliding cam 1212 that allows a knob 1222 15 fastened to the rotating member 1202 to be fit into (see FIG. F12C, described below). Also shown is a stationary axle 1214 that acts as a pivot axis for the rotating member 1202. The stationary axle 1214 is affixed to the stationary body 1208 via anchor 1216, while the cam 1212 is installed into 20 the rotating innertube 1206. Also shown is the base of the blade 205 for reference as to how the blade and the ceiling assembly maybe positioned.

Referring to FIG. 12C, illustration 1220 shows a transparent view of the rotating body 1202, according to some 25 embodiments. As shown, the proximal end of the rotating body 1202 is shaped like a portion of a cylinder so that the rotating body 1202 may fit into the cylindrical end effector. The shielded portion 1204 is connected to the rotating body 1202 as shown. In some embodiments, the rotating body 1202 and the shielded portion 12 four may be formed as a single piece, e.g., single piece of molded plastic or molded metal. The proximal end of the rotating body includes a knob 1222 that may be fit into the cam 1212, as previously discussed. The axle 1214 is also shown in illustration 1220, 35 and essentially the axle 1214 shows how the rotating body 1202 links with the rotating innertube 1206 and the stationary body 1208. Thus, the rotating body 1202 may rotate via the axle 1214 acting as a pivot axis, and may be moved via the knob 1222 connected to the cam 1212 being rotated by 40 the rotating innertube 1206. Because the cam 1212 is designed with a straight edge and the axle 1214 is located off the center of the rotating innertube 1206, rotation of the rotating innertube 1206 will cause the knob 1222 to shift on a different rotational axis than the rotating innertube 1206. 45

To illustrate this motion, referring to FIG. 12D, illustration 1230 shows the original open position of the rotating body 1202. In contrast with FIG. 12E, illustration 1240 shows what happens when the rotating innertube 1206 is rotated in the direction E. That is, the shielded portion **1204** 50 translates down and also rotates counterclockwise until it touches the blade 205. The rotating body 1202 also translates and rotates into a "closed" position, where the rotating body 1202 is calibrated to fit nicely into the cylindrical shape of the stationary body 1208. In some embodiments, the 55 closed position is how the blade and sealing assembly is positioned when entering the trocar, before entering the patient. Accordingly, if the blade and sealing assembly were positioned in the open position, the end effector may not fit into the cylindrical trocar, dust serving as a safety mecha- 60 nism to ensure that the blade and sealing assembly begins in a closed position.

Referring to FIGS. 12F, 12G, and 12H, illustrations 1250, 1260, and 1270, respectively, show additional views of the blade and sealing assembly having the rotating member 65 variation, according to some embodiments. The additional views herein provide greater context to how the rotating

18

member 1202 is positioned in comparison to the other components. For example, illustration 1250 also shows the harmonic fulcrum 510 connected to the stationary body 1208 at the node location 515. Illustration 1260 provide the same perspective as illustration 1250, but with the rotating member 1202 in the open position. Illustration 1270 shows a closer view of a reverse angle of the rotating member 1202 and the shielded portion 1204.

In some cases, various embodiments may be implemented as an article of manufacture. The article of manufacture may include a computer readable storage medium arranged to store logic, instructions and/or data for performing various operations of one or more embodiments. In various embodiments, for example, the article of manufacture may comprise a magnetic disk, optical disk, flash memory or firmware containing computer program instructions suitable for execution by a general purpose processor or application specific processor. The embodiments, however, are not limited in this context.

The functions of the various functional elements, logical blocks, modules, and circuits elements described in connection with the embodiments disclosed herein may be implemented in the general context of computer executable instructions, such as software, control modules, logic, and/or logic modules executed by the processing unit. Generally, software, control modules, logic, and/or logic modules comprise any software element arranged to perform particular operations. Software, control modules, logic, and/or logic modules can comprise routines, programs, objects, components, data structures and the like that perform particular tasks or implement particular abstract data types. An implementation of the software, control modules, logic, and/or logic modules and techniques may be stored on and/or transmitted across some form of computer-readable media. In this regard, computer-readable media can be any available medium or media useable to store information and accessible by a computing device. Some embodiments also may be practiced in distributed computing environments where operations are performed by one or more remote processing devices that are linked through a communications network. In a distributed computing environment, software, control modules, logic, and/or logic modules may be located in both local and remote computer storage media including memory storage devices.

Additionally, it is to be appreciated that the embodiments described herein illustrate example implementations, and that the functional elements, logical blocks, modules, and circuits elements may be implemented in various other ways which are consistent with the described embodiments. Furthermore, the operations performed by such functional elements, logical blocks, modules, and circuits elements may be combined and/or separated for a given implementation and may be performed by a greater number or fewer number of components or modules. As will be apparent to those of skill in the art upon reading the present disclosure, each of the individual embodiments described and illustrated herein has discrete components and features which may be readily separated from or combined with the features of any of the other several aspects without departing from the scope of the present disclosure. Any recited method can be carried out in the order of events recited or in any other order which is logically possible.

Unless specifically stated otherwise, it may be appreciated that terms such as "processing," "computing," "calculating," "determining," or the like, refer to the action and/or processes of a computer or computing system, or similar electronic computing device, such as a general purpose

processor, a DSP, ASIC, FPGA or other programmable logic device, discrete gate or transistor logic, discrete hardware components, or any combination thereof designed to perform the functions described herein that manipulates and/or transforms data represented as physical quantities (e.g., 5 electronic) within registers and/or memories into other data similarly represented as physical quantities within the memories, registers or other such information storage, transmission or display devices.

It is worthy to note that some embodiments may be 10 described using the expression "coupled" and "connected" along with their derivatives. These terms are not intended as synonyms for each other. For example, some embodiments may be described using the terms "connected" and/or "coupled" to indicate that two or more elements are in direct 15 physical or electrical contact with each other. The term "coupled," however, also may mean that two or more elements are not in direct contact with each other, but yet still co-operate or interact with each other. With respect to software elements, for example, the term "coupled" may 20 refer to interfaces, message interfaces, and application program interface (API), exchanging messages, and so forth.

The devices disclosed herein can be designed to be disposed of after a single use, or they can be designed to be used multiple times. In either case, however, the device can 25 be reconditioned for reuse after at least one use. Reconditioning can include any combination of the steps of disassembly of the device, followed by cleaning or replacement of particular pieces, and subsequent reassembly. In particular, the device can be disassembled, and any number of the 30 particular pieces or parts of the device can be selectively replaced or removed in any combination. Upon cleaning and/or replacement of particular parts, the device can be reassembled for subsequent use either at a reconditioning facility, or by a surgical team immediately prior to a surgical 35 procedure. Those skilled in the art will appreciate that reconditioning of a device can utilize a variety of techniques for disassembly, cleaning/replacement, and reassembly. Use of such techniques, and the resulting reconditioned device, are all within the scope of the present application.

Although various embodiments have been described herein, many modifications, variations, substitutions, changes, and equivalents to those embodiments may be implemented and will occur to those skilled in the art. Also, where materials are disclosed for certain components, other 45 materials may be used. It is therefore to be understood that the foregoing description and the appended claims are intended to cover all such modifications and variations as falling within the scope of the disclosed embodiments. The following claims are intended to cover all such modification 50 and variations.

The invention claimed is:

- 1. An end effector, comprising:
- a blade comprising a cutting edge, wherein the cutting edge comprises a straight edge configured to dissect and coagulate tissue, wherein the blade further com-

20

prises a back edge, wherein the back edge comprises a flat side, wherein the back edge of the blade is positioned opposite to the cutting edge of the blade, and wherein the blade is configured to couple to an ultrasonic waveguide and configured to vibrate at an ultrasonic frequency to produce ultrasonic vibrations that dissect and coagulate the tissue;

- a shielded portion enclosing the back edge of the blade, wherein the shielded portion is configured to partially surround at least one lateral edge of the blade; and
- a high-friction surface coupled to the shielded portion and positioned between the shielded portion and the back edge of the blade, wherein a space is defined between the high-friction surface and the back edge of the blade when the end effector is configured into a dissecting configuration;
- wherein, when the end effector is configured into a sealing configuration, the high-friction surface contacts the back edge of the blade and is configured to generate heat by frictionally coupling the ultrasonic vibrations of the blade to the high-friction surface, and wherein the shielded portion is configured to directly contact the tissue to coagulate the tissue by coupling heat from the high-friction surface to the tissue.
- 2. The end effector of claim 1, further comprising at least one low-friction surface coupled to the shielded portion and positioned alongside the at least one lateral edge of the blade, the low-friction surface configured to permit the ultrasonic vibrations of the blade upon contacting the low-friction surface based on a lateral movement of the blade.
- 3. The end effector of claim 1, further comprising a shaft including a fulcrum component, wherein the ultrasonic waveguide is positioned within the shaft, and wherein the fulcrum component is configured to couple to the ultrasonic waveguide positioned within the shaft.
- **4**. The end effector of claim **3**, wherein the fulcrum component is positioned at a node based on a frequency of the ultrasonic vibrations.
- 5. The end effector of claim 1, further comprising a protective hood coupled to the shielded portion and covering at least a portion of a distal end of the blade.
 - **6.** The end effector of claim **1**, further comprising an indentation grooved into a proximal end of the shielded portion and configured to flexibly enable the shielded portion to bend upon applying a force against a side of the shielded portion opposite the position of the blade.
 - 7. The end effector of claim 1, further comprising a sliding mechanism configured to slide the shielded portion and the blade in and out of the end effector.
- 8. The end effector of claim 1, wherein the shielded portion is further configured to rotate around the blade such that the high-friction surface is configured to touch the back edge of the blade in a first rotational configuration and the high-friction surface is configured to touch the cutting edge of the blade in a second rotational configuration.

* * * * *



专利名称(译)	可移动的外管,用于使用屏蔽的lap chole解剖器进行密封		
公开(公告)号	<u>US10357303</u>	公开(公告)日	2019-07-23
申请号	US14/788599	申请日	2015-06-30
[标]申请(专利权)人(译)	爱惜康内镜外科,LLC		
申请(专利权)人(译)	爱惜康内镜外科,LLC		
当前申请(专利权)人(译)	ETHICON LLC		
[标]发明人	CONLON SEAN P SCHULTE JOHN B GALLMEYER THOMAS C DENZINGER KRISTEN G KIRK JEFFERY T		
发明人	CONLON, SEAN P. SCHULTE, JOHN B. GALLMEYER, THOMAS C. DENZINGER, KRISTEN G. KIRK, JEFFERY T.		
IPC分类号	A61B18/04 A61B17/32 A61B17/28 A61B17/00 A61B18/00		
CPC分类号	A61B18/04 A61B17/320068 A61B2017/00367 A61B2017/00845 A61B2018/00607 A61B2017/2825 A61B2017/320078 A61B2018/00589 A61B2017/00858 A61B2017/320071 A61B2017/320082 A61B2017/320089		
其他公开文献	US20170000512A1		
外部链接	Espacenet		

摘要(译)

提供了用于切割和密封组织的外科器械的本公开的各方面。在一些实施例中,外科器械包括手柄组件,轴和末端执行器。末端执行器可包括:以超声频率振动的叶片,包围叶片后边缘的屏蔽部分,连接到屏蔽部分并位于屏蔽部分和叶片后边缘之间的高摩擦表面。当末端执行器处于切割配置时,在高摩擦表面和刀片的后边缘之间限定空间。在密封构造中,高摩擦表面接触叶片的后边缘,其基于叶片的摩擦力抵抗高摩擦表面而产生热量。基于从高摩擦表面到屏蔽部分的热传递,屏蔽部分可凝结出血组织。

