



US007910315B2

(12) **United States Patent**
Modiano et al.

(10) **Patent No.:** **US 7,910,315 B2**
(45) **Date of Patent:** **Mar. 22, 2011**

(54) **EARLY DETECTION OF HEMANGIOSARCOMA AND ANGIOSARCOMA**

(75) Inventors: **Jaime F. Modiano**, Littleton, CO (US);
Stuart C. Helfand, Madison, WI (US)

(73) Assignee: **The Regents of the University of Colorado, a body corporate**, Boulder, CO (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 599 days.

(21) Appl. No.: **11/662,529**

(22) PCT Filed: **Sep. 9, 2005**

(86) PCT No.: **PCT/US2005/031753**

§ 371 (c)(1),
(2), (4) Date: **Oct. 25, 2007**

(87) PCT Pub. No.: **WO2006/031524**

PCT Pub. Date: **Mar. 23, 2006**

(65) **Prior Publication Data**

US 2008/0050730 A1 Feb. 28, 2008

Related U.S. Application Data

(60) Provisional application No. 60/608,745, filed on Sep. 10, 2004.

(51) **Int. Cl.**

G01N 33/53 (2006.01)
G01N 33/574 (2006.01)
C12Q 1/68 (2006.01)

(52) **U.S. Cl.** **435/7.1; 435/6; 435/7.23**

(58) **Field of Classification Search** None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,354,729 B2* 4/2008 Rich 435/8
2002/0009759 A1 1/2002 Terstappen et al.

FOREIGN PATENT DOCUMENTS

WO WO 03/037172 A2 5/2003
WO WO 03/095977 A2 11/2003
WO WO 2005/043121 A2 5/2005

OTHER PUBLICATIONS

Arber et al. *American Journal of Surgical Pathology*. 1997. vol. 21, No. 7; p. 827-835 (IDS).*
Tockman et al (*Cancer Res.*, 1992, 52:2711s-2718s).*
Kern et al (*Cytometry Part B, Clinical Cytometry*, 2003, 55B:29-36).*
Escribano et al (*Analytical Cellular Pathology*, 1998, 16:151-159).*
Paietta et al (*Cytometry Part B, Clinical Cytometry*, 2004, 59B:1-9).*

Arber et al., "Splenic vascular tumors: A histologic, immunophenotypic, and virologic study", *American Journal of Surgical Pathology*, 21:827-835 (1997).

Breiteneder-Geleff et al., "Angiosarcomas express mixed endothelial phenotypes of blood and lymphatic capillaries", *American Journal of Pathology*, 154:385-394 (1999).

Brown et al., "Canine hemangiosarcoma: retrospective analysis of 104 cases", *J. Am. Vet. Med. Assoc.*, 186:56-58 (1985).

Budd G. T., "Management of angiosarcoma", *Curr. Oncol. Rep.*, 4:515-519 (2002).

Clifford et al., "Treatment of canine hemangiosarcoma: 2000 and beyond", *J. Vet. Intern. Med.*, 14:479-485 (2000).

Del Papa et al., "Circulating endothelial cells as a marker of ongoing vascular disease in systemic sclerosis", *Arthritis & Rheumatism*, 50:1296-1304 (2004).

Eghbali-Fatourehchi et al., "Circulating osteoblast-lineage cells in humans", *N. Engl. J. Med.*, 352:1959-1966 (2005).

Fedok et al., "Angiosarcoma: current review", *Am J. Otolaryngol.*, 20:223-231 (1999).

Fosmire et al., "Canine malignant hemangiosarcoma as a model of primitive angiogenic endothelium", *Laboratory Investigation*, 84:562-572 (2004).

Hai et al., "Primary splenic angiosarcoma: case report and literature review", *J. Natl. Med. Assoc.*, 92:143-146 (2000).

Hur et al., "Characterization of two types of endothelial progenitor cells and their different contributions to neovascularogenesis", *Arterioscler Thromb Vasc Biol.*, 24:288-293 (2004).

Khan et al., "Detection of circulating endothelial cells and endothelial progenitor cells by flow cytometry", *Cytometry Part B (Clinical Cytometry)*, 64B:1-8 (2005).

Liu et al., "Changes in cell surface molecules associated with in vitro culture of prostatic stromal cells", *The Prostate*, 45:303-312 (2000).

Martin-Padura et al., "Expression of VE (vascular endothelial)-cadherin and other endothelial-specific markers in haemangiomas", *Journal of Pathology*, 175:51-57 (1995).

Oksanen A., "Hemangiosarcoma in dogs", *J. Comp. Pathol.*, 88:585-595 (1978).

PCT International Search Report and Written Opinion mailed Mar. 11, 2008 for PCT/US05/31753.

Poblet et al., "Different immunoreactivity of endothelial markers in well and poorly differentiated areas of angiosarcomas", *Virchows Arch*, 428:217-221 (1996).

Shaw et al., "Hemopoietic stem cells and endothelial cell precursors express Tie-2, CD31 and CD45", *Blood Cells, Molecules, & Diseases*, 32:168-175 (2004).

Sorenmo et al., "Canine hemangiosarcoma treated with standard chemotherapy and minocycline", *J. Vet. Intern. Med.*, 14:395-398 (2000).

Sorenmo et al., "Chemotherapy of canine hemangiosarcoma with doxorubicin and cyclophosphamide", *J. Vet. Intern. Med.*, 7:370-376 (1993).

Weiss DJ., "Flow Cytometric evaluation of hemophagocytic disorders in canine bone marrow", *Veterinary Clinical Pathology*, 31:36-41 (2002).

* cited by examiner

Primary Examiner — Laura B Goddard

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(57) **ABSTRACT**

A variety of methods, compositions and kits are provided for the early detection, diagnosis and treatment of hemangiosarcoma in dogs and angiosarcomas in humans.

14 Claims, 7 Drawing Sheets




Fig. 1B




Fig. 1D




Fig. 1A








Fig. 1C






Fig. 2B




Fig. 2D




Fig. 2A








Fig. 2C






Fig. 3B

Fig. 3A




Fig. 5A Splenic Hematoma




Fig. 5D Hemangiosarcoma




Fig. 5B




Fig. 5E




Fig. 5C





Fig. 5F



EARLY DETECTION OF HEMANGIOSARCOMA AND ANGIOSARCOMA

CROSS-REFERENCE TO RELATED APPLICATIONS

The present application is a nonprovisional and claims the benefit of U.S. Ser. No. 60/608,745, filed Sep. 10, 2004, which is incorporated by reference in its entirety for all purposes.

STATEMENT AS TO RIGHTS TO INVENTIONS MADE UNDER FEDERALLY SPONSORED RESEARCH AND DEVELOPMENT

This invention was made with Government support under Grant Nos. CA46934 and CA86264 awarded by the National Institutes of Health. The Government has certain rights in this invention.

BACKGROUND

Canine hemangiosarcoma (HSA) is an incurable tumor of cells that line blood vessels in dogs. Of the approximately 65 million owned dogs in the United States in 2004, between 1.5 and 2.5 million will get this disease and die from it. The disease accounts for about 7% of all canine cancers. Because the disease is extremely indolent, treatment is largely ineffective and microscopic metastases are often present at the time of diagnosis. The tumors at this stage are largely resistant to chemotherapy, and thus standard-of-care (surgery and intensive chemotherapy) provides a median survival of little more than six months (Clifford, C. A., et al. (2000) *J. Vet. Intern. Med.* 14:479-485; Sorenmo, K., et al. (2000), *J. Vet. Intern. Med.* 14:395-398; and Sorenmo, K. U., et al. (1993) *J. Vet. Intern. Med.* 7:370-376). Common primary sites for HSA are spleen and right atrium (visceral), and subcutis. Local infiltration and systemic metastases are the common growth patterns and metastatic sites are wide spread, with lung and liver being the most frequently affected organs (Oksanen, A. (1978) *J. Comp. Pathol.* 88:585-595; and Brown, N. O., et al., (1985) *J. Am. Vet. Med. Assoc.* 186:56-58). Morbidity and mortality are usually due to acute internal hemorrhage secondary to tumor rupture. Many dogs die from severe abdominal or thoracic hemorrhage before any treatment can be instituted. Although dogs of any age and breed are susceptible to HSA, it occurs more commonly in dogs beyond middle age, and in breeds such as Golden Retrievers, German Shepherd Dogs, Portuguese Water Dogs, and Skye Terriers, among others. The estimated lifetime risk of HSA in Golden Retrievers is 1 in 5, illustrating the magnitude of this problem.

There is presently no effective technology for early diagnosis of HSA. The only means available to diagnose the disease (for cavitary tumors such as those that occur in the spleen or heart) are imaging methods such as ultrasound and radiographs. Ultrasound, however, although moderately specific is not sensitive. Radiographs are neither specific nor sensitive. Careful examination of blood smears may suggest the presence of chronic hemorrhage (anemia and thrombocytopenia) and vascular abnormalities (red blood cell fragmentation) that are consistent with HSA; however, the method is neither sensitive or specific to confirm the diagnosis. A biopsy is required for confirmation of imaging results, and even then, distinction between hemangiosarcoma and benign proliferative lesions (hemangioma, hematoma) can be difficult. Skin biopsies where there is no lesion would be of little use to

provide early diagnosis for cutaneous hemangiosarcoma. The same is true for splenic, hepatic (liver), or cardiac (heart) tumors, with the added issue that the risk of these procedures in the absence of a visible tumor (on radiographs or ultrasound) is unacceptable.

Human angiosarcomas are similar to canine HSA (see, e.g., Fosmire, S. P., et al (2004) *Laboratory Investigation* 84:562-572). These tumors are uncommon soft tissue sarcomas that can arise in a variety of locations, such as the liver, spleen, skin breast and endocrine organs (see, e.g., Fedok, F. G., et al. (1999) *Am J. Otolaryngol.* 20:223-231; Hai, S. A., et al., (2000) *J. Natl. Med. Assoc.* 92:143-146; and Budd, G. T. (2002) *Curr. Oncol. Rep.* 4:515-519). Like canine HSA, treatment of human angiosarcomas can be challenging and often is not successful.

Given the severity of canine HSA and human angiosarcomas coupled with the lack of effective treatment options once the tumor has metastasized, it would be useful to have a method for early detection of these two diseases. Early detection would allow for treatment options having a higher chance of successfully treating the tumor.

SUMMARY OF THE CLAIMED INVENTION

The invention provides methods for early detection of hemangiosarcoma or angiosarcoma in a subject. The method comprises providing a population of cells from the subject and determining the level at which cells within the cell population concurrently express a plurality of cell markers, and the plurality of cell markers comprising at least one primitive hematopoietic cell marker and at least one endothelial cell marker. Such methods determine whether or not cells within the cell population express at least one leukemia cell marker or leukocyte-specific cell marker. In such methods, at least one primitive hematopoietic cell marker is selected from the group consisting of CD117, CD34, and CD133. At least one endothelial cell marker is selected from the group consisting of CD51/CD61, CD31, CD105, CD106 CD146 and von Willibrand Factor (vWF). At least one leukemia cell marker or leukocyte-specific cell marker is selected from the group consisting of CD18, CD3, CD5, CD21 and CD11b. The level at which cells in the cell population concurrently express the plurality of cell markers is compared with a control level of concurrent expression of the markers. In such methods an increase in the expression level of the plurality of cell markers relative to the control expression level, and the absence of expression of CD18, CD3, CD5, CD21 and/or CD11b collectively are an indication of hemangiosarcoma or angiosarcoma.

In some methods the determining step comprises incubating the population of cells with labeled antibodies that specifically bind the at least one primitive hematopoietic cell marker, the at least one endothelial cell marker and the at least one leukemia cell marker or leukocyte-specific cell marker under conditions such that cells expressing the markers become labeled. The antibodies that bind different markers are differentially labeled. Multiparameter flow cytometry is used to detect the labeled cells.

In some methods the subject is a dog and the method detects hemangiosarcoma. Dog breeds that may be subjects of the invention are selected from the group consisting of a Golden Retriever, a German Shepherd, a Portuguese Water Dog, or a Skye Terrier.

In some methods the subject is a human and the method detects angiosarcoma.

Humans screened using the methods of the invention include individuals having a risk factor for angiosarcoma, the

risk factor being prior exposure to vinyl chloride, prior exposure to ionizing radiation, mutation in the Von Hippel-Lindau gene or infection with human immunodeficiency virus (HIV).

Populations of cells used in methods of the invention can be obtained from a blood samples.

Some methods of the invention comprise determining the level at which cells in the population of cells concurrently express at least one primitive hematopoietic cell marker selected from the group consisting of CD117, CD133 and CD34.

Some methods of the invention comprise determining the level at which cells in the population concurrently express at least one leukemia cell marker or leukocyte-specific cell marker selected from the group consisting of CD18, CD3, CD5, CD21 and CD11b.

Some methods of the invention comprise determining the level at which cells in the population concurrently express CD117, CD34, CD51/CD61, and CD18, and/or CD3, CD5, CD21 or CD11b.

Some methods of the invention further comprise determining the fraction of cells in the cell population that concurrently express the plurality of cell markers. The control is a threshold level representative of the fraction of cells that currently express the plurality of cell markers in a control population. The comparing step comprises comparing the fraction of cells in the cell population that concurrently express the plurality of cell markers with the threshold level.

In some methods of the invention, the expression level of the plurality of cell markers is determined at the mRNA level or at the protein level.

Some methods of invention detect hemangiosarcoma in dogs. A population of cells is obtained from a blood sample. The determining step further comprises incubating the population of cells with differentially labeled antibodies that specifically bind to CD117, CD34, CD51/61, and CD 18 and/or CD3, CD5, CD21 or CD11b under conditions such that cells expressing CD117, CD34, CD51/61, and CD 18 and/or CD3, CD5, CD21 or CD11b become labeled. The labeled cells are detected by multiparameter flow cytometry.

The invention provides methods for early detection of hemangiosarcoma or angiosarcoma. A population of cells is obtained from the subject and the level at which cells within the cell population concurrently express at least one primitive hematopoietic cell marker, at least one endothelial cell marker and at least one leukemia cell marker or leukocyte-specific cell marker are determined. The at least one primitive hematopoietic cell marker is selected from the group consisting of CD117, CD34 and CD133. The at least one endothelial cell marker is selected from the group consisting of CD51/CD61, CD31, CD105, CD106, CD146 and von Willebrand Factor (vWF). The at least one leukemia cell marker or leukocyte-specific cell marker is selected from the group consisting of CD18, CD3, CD5, CD21 and CD11b. The lower the expression of the at least one leukemia marker or leukocyte-specific cell marker and the greater the concurrent expression of the at least one primitive hematopoietic cell marker and the at least one endothelial cell marker, the greater the likelihood of hemangiosarcoma or angiosarcoma. Some methods provide early detection of hemangiosarcoma in dogs; other methods provide early detection of angiosarcoma in humans.

In some methods of the invention, the determining step comprises incubating the population of cells with labeled antibodies that specifically bind the at least one primitive hematopoietic cell marker, the at least one endothelial cell marker and the at least one leukemia cell marker or leukocyte-specific cell marker. The incubations are done under conditions such that cells expressing the markers become labeled.

Antibodies that bind different markers are differentially labeled. Labeled cells are detected by multiparameter flow cytometry.

The invention provides methods for distinguishing between hemangiosarcoma and leukemia. Such methods comprise providing a cell population from a subject suspected of having hemangiosarcoma or leukemia and determining whether cells in the cell population concurrently express a plurality of markers associated with a proliferative primitive hematopoietic cell. The plurality of markers comprise at least one primitive hematopoietic cell marker and at least one endothelial cell marker. Whether the cells in the cell population also express also at least one leukemia marker or leukocyte-specific cell marker is also determined. The at least one primitive hematopoietic cell marker is selected from the group consisting of CD117, CD34 and CD133. The at least one endothelial cell marker is selected from the group consisting of CD51/CD61, CD31, CD105, CD146 and von Willebrand Factor (vWF). The at least one leukemia marker or leukocyte-specific cell marker is selected from the group consisting of CD18, CD3, CD5, CD21 and CD11b. The concurrent expression of the plurality of cell makers and the expression of the at least one leukemia marker or leukocyte-specific cell marker is an indication that the cell sample contains leukemia cells, whereas the concurrent expression of the plurality of cell markers but not expression of the at least one leukemia marker or leukocyte-specific cell marker is an indication that the cell population contains cells from a hemangiosarcoma.

The invention provides methods of treating a dog having or suspected of having hemangiosarcoma. The method comprises administering an antibody to the dog, wherein the antibody specifically binds CD51/CD61, CD31, or CD105. In some methods, the antibody is linked to a cytotoxic agent.

Some methods of the invention are directed to treating a dog having or suspected of having hemangiosarcoma, the method comprising administering an antibody to the dog. The antibody is a bispecific antibody that can specifically bind a pair of antigens. The pair of antigens is selected from the group consisting of 1) CD34 AND CD51/CD61, 2) CD117 AND CD51/CD61, 3) CD34 AND CD31, 4) CD117 AND CD31, 5) CD34 AND CD105, and 6) CD117 AND CD105.

The invention provides methods of collecting cells from a hemangiosarcoma or an angiosarcoma. The methods comprise providing a cell population suspected of containing cells from a hemangiosarcoma or angiosarcoma, and labeling cells in the cell population that concurrently express at least one primitive hematopoietic cell marker and at least one endothelial cell marker. The at least one primitive hematopoietic cell marker is selected from the group consisting of CD117, CD34 and CD133. The at least one endothelial cell marker is selected from the group consisting of CD51/CD61, CD31, CD105, CD106, CD146 and von Willebrand Factor (vWF). The methods further determine whether or not the cells in the cell population express at least one leukemia cell marker or leukocyte-specific cell marker. The at least one leukemia cell marker or leukocyte-specific cell marker is selected from the group consisting of CD18, CD3, CD5, CD21 and CD11b. The labeled cells are separated from the unlabeled cells if the labeled cells do not express the at least one leukemia cell marker or leukocyte-specific cell marker, thereby collecting cells that are from a hemangiosarcoma or an angiosarcoma.

The invention provides populations of cells comprising early proliferative endothelial cells that are bound to a plurality of labeled antibodies. The plurality of antibodies comprise an antibody that specifically binds a primitive hematopoietic cell marker, selected from the group consisting of

CD117, CD34 and CD133, and an antibody that specifically binds an endothelial cell marker, selected from the group consisting of CD51/CD61, CD31, CD105, CD106 and CD146.

The invention provides methods to detect residual disease in a subject undergoing treatment for hemangiosarcoma or angiosarcoma. The methods comprise providing a population of cells from the subject, and determining (i) the level at which cells within the cell population concurrently express a plurality of cell markers, the plurality of cell markers comprising at least one primitive hematopoietic cell marker and at least one endothelial cell marker, and (ii) whether cells within the cell population express at least one leukemia cell marker or leukocyte-specific cell marker. The at least one primitive hematopoietic cell marker is selected from the group consisting of CD117, CD34, CD133. The at least one endothelial cell marker is selected from the group consisting of CD51/CD61, CD31, CD105, CD106 CD146 and von Willebrand Factor (vWF). The at least one leukemia cell marker or leukocyte-specific cell marker is selected from the group consisting of CD18, CD3, CD5, CD21 and CD11b. The methods compare the level at which cells in the cell population concurrently express the plurality of cell markers with the level of concurrent expression of the markers in a control cell population. An increase in the expression level of the plurality of cell markers relative to the expression level of the markers in the control cell population and an absence of expression of CD18, CD3, CD5, CD21 or CD11b are collectively an indication of residual disease in the subject being treated for hemangiosarcoma or angiosarcoma.

In some methods to detect residual disease in a subject undergoing treatment for hemangiosarcoma or angiosarcoma the subject is a dog and the residual disease is hemangiosarcoma. In other methods, the subject is a human and the residual disease is hemangiosarcoma. Some methods comprise incubating the population of cells with first, second and third antibodies that specifically bind the at least one primitive hematopoietic cell marker, the at least one endothelial cell marker, and the at least one leukemia cell marker or leukocyte-specific cell marker respectively under conditions such that antibodies bind to the markers. The first, second and third antibodies bound to the markers are differentially labeled. Cells bound with labeled antibodies are detected by multiparameter flow cytometry.

Antibodies used in the methods of the invention can be labeled using a secondary detection scheme to increase sensitivity of the methods.

The invention provides kits for use in distinguishing between hemangiosarcoma and leukemia. The kits comprise a plurality of antibodies. The antibodies comprise: an antibody that specifically binds a primitive hematopoietic cell marker that is selected from the group consisting of CD117, CD34 and CD133; an antibody that specifically binds an endothelial cell marker that is selected from the group consisting of CD51/CD61, CD31, CD105, CD106, and CD146; and an antibody that specifically binds to a leukemia cell marker or leukocyte-specific cell marker that is selected from the group consisting of CD18, CD3, CD5, CD21 and CD11b.

In some kits of the invention, the antibodies are labeled such that antibodies that bind different markers bear different labels.

Some kits of the invention comprise an antibody that specifically binds CD117, an antibody that specifically binds CD34, an antibody that specifically binds CD51/61, and an antibody that specifically binds CD18, and an antibody that specifically binds CD3, CD5, CD21 or CD11b. Other kits of the invention comprise an antibody that specifically binds

CD117, an antibody that specifically binds CD34, an antibody that specifically binds CD51/61, an antibody that specifically binds CD18, or an antibody that specifically binds CD3, CD5, CD21 or CD11b.

Some kits of the invention further comprise instructions on how to use the plurality of antibodies to distinguish between a hemangiosarcoma and leukemia.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGS. 1A-1H illustrate that the light scatter (FIGS. 1A, 1C, 1E and 1G) and fluorescence emission (FIGS. 1B, 1D, 1F and 1H) characteristics of leukocytes and hemangiosarcoma cells are distinct and can be used to distinguish between the two sets of cells. The light scatter plots show forward scatter on the x-axis and side scatter on the y-axis. The fluorescence emission results are for the markers CD51/61 (x-axis) and CD117 (y-axis). FIG. 1A shows the light scatter profile for nucleated cells (white blood cells, tumor cells) in the peripheral blood from a dog with a thoracic hemangiosarcoma. The gate drawn around the cells is used to exclude red blood cells, platelets, and cellular debris, while including all white blood cells (granulocytes, lymphocytes, monocytes) and other nucleated cells that may be present in the circulation (e.g., tumor cells). FIG. 1B depicts the fluorescence emission for the same cells "stained" with isotype control (irrelevant) antibodies conjugated to phycoerythrin (PE control) and fluorescein (FITC control). FIG. 1C also shows the light scatter profile for cells (white blood cells, tumor cells) in the peripheral blood from the same dog. FIG. 1D shows the fluorescence emission for the same cells "stained" with an antibody against CD51/CD61 conjugated to FITC (x-axis) and an antibody against CD117 conjugated to PE (y-axis). FIG. 1E shows the light scatter profile for nucleated cells where a gate is drawn around the area that should contain the leukocytes and FIG. 1F shows the fluorescence emission for this leukocyte population specifically (CD117 vs. CD51/61). FIG. 1G shows the light scatter profile for where a gate is drawn around the area that would contain large abnormal cells (such as tumor cells) and FIG. 1H depicts the fluorescence emission for this population specifically (CD117 vs. CD51/61).

FIGS. 2A-2H shows the difference in CD45 expression in conjunction with expression of CD51/CD61 in the same populations (from the same patient) as in FIGS. 2A-2H.

FIGS. 3A and 3B show 2-dimensional flow histograms from a multiparameter flow cytometry assay of anticoagulated peripheral blood from a canine patient using multiple fluorochromes. One fluorochrome is bound to antibodies recognizing c-KIT and $\alpha_v\beta_3$ integrin to detect HSA cells in the sample, (FIG. 3A), a second fluorochrome is bound to antibodies recognizing CD11b on granulocytes in the sample (FIG. 3B).

FIGS. 4A-4P show one-dimensional flow cytometry histograms for representative hemangiosarcoma cell lines, DD-1 (FIGS. 4A-4H) and Dal-4 (FIGS. 4I-4P), stained using antibodies against irrelevant controls (FIGS. 4A and 4I), c-KIT (FIGS. 4B and 4J), CD133 (FIGS. 4C and 4K), CD34 (FIGS. 4D and 4L), CD45 (FIGS. 4E and 4M), CD14 (FIGS. 4F and 4N), $\alpha_v\beta_3$ -integrin (FIGS. 4G and 4O), and CD146 (FIGS. 4H and 4P).

FIGS. 5A-5F show multiparameter flow cytometry data from a dog with splenic hematoma (FIGS. 5A-5C) in comparison with a dog with hemangiosarcoma (FIGS. 5D-5F). Cells positive for CD133 and $\alpha_v\beta_3$ integrin were back-gated to two-dimensional light scatter histograms, and the percent-

age of positive cells that partitioned to regions encompassing the defined gate for HSA cells was determined.

DETAILED DESCRIPTION

I. Definitions

As used in this specification and the appended claims, the singular forms “a,” “an” and “the” include plural references unless the content clearly dictates otherwise.

Unless defined otherwise, all technical and scientific terms used herein have the meaning commonly understood by a person skilled in the art to which this invention belongs. The following references provide one of skill with a general definition of many of the terms used in this invention: Stedman, T. L., *STEDMAN'S MEDICAL DICTIONARY* (26th ed., 1995); Singleton et al., *DICTIONARY OF MICROBIOLOGY AND MOLECULAR BIOLOGY* (2d ed. 1994); *THE CAMBRIDGE DICTIONARY OF SCIENCE AND TECHNOLOGY* (Walker ed., 1988); and Hale & Marham, *THE HARPER COLLINS DICTIONARY OF BIOLOGY* (1991).

The term “hemangiosarcoma” has its normal meaning in the art and refers generally to malignant neoplasms that are characterized by rapidly proliferating, extensively infiltrating, anaplastic cells derived from blood vessels and lining irregular blood-filled or lumpy spaces. Canine hemangiosarcoma (HSA), for example, arises from transformed vascular endothelial cells, most commonly in the spleen, right atrium or subcutis. Growth patterns are characterized by local infiltration and systemic metastases, with metastatic sites tending to be widespread. The lung and liver are the most frequently affected organs.

“Angiosarcoma” as used herein has its normal meaning in the art and refers generally to malignant neoplasms occurring most often in the liver, spleen, skin, breast and endocrine organs. These soft tissue sarcomas are believed to originate from the endothelial cells of blood vessels. Microscopically, the tumors are characterized by closely packed round or spindle-shaped cells, some of which line small spaces resembling vascular clefts.

The term “leukemia” has its normal meaning in the art and generally refers to a disease involving the progressive proliferation of abnormal leukocytes found in hematopoietic tissues, other organs, and usually in the blood in increased numbers. Symptoms of the disease typically include severe anemia, hemorrhages, and enlargement of lymph nodes or the spleen.

“Lymphoma” as used herein refers generally to cancers that develop in the lymphatic system. In humans, one specific type of lymphoma is called Hodgkin's disease, which can be endemic (caused by Epstein Barr virus-dependent transformation of B lymphocytes) or sporadic (not associated with Epstein Barr virus infection), and is characterized by the presence of Reed Sternberg cells. All other lymphomas are grouped together and are called non-Hodgkin's lymphomas.

A “marker” as used herein refers generally to a protein or its corresponding transcript whose expression, or lack thereof, is characteristic of a particular type of cell or group of cells (e.g., endothelial cells) and/or cellular state (e.g., proliferating or non-proliferating). Some markers are cell-surface proteins whose expression can be detected using antibodies that specifically bind to the cell-surface protein. Specific examples of markers referred to herein include, but are not limited to CD117, CD34, CD51/61, CD18, CD45, CD31, CD105, CD106 and CD146. The “markers” referred to herein can include markers from various species (e.g., human and dog).

An “expression profile,” as used herein, refers to a pattern of gene (e.g., marker) expression (e.g., pattern of expression of markers) that is associated with a particular type of cell and/or cellular state. The pattern can include genes (e.g., markers) that are expressed and/or that are not expressed. For instance, an expression profile may include the pattern of genes (e.g., markers) that are expressed and/or not expressed by primitive hematopoietic cells, primitive hematopoietic cells that are malignant (e.g., hemangiosarcoma, angiosarcoma or leukemia), or primitive hematopoietic cells that are malignant, but are distinct from leukemia (e.g., hemangiosarcoma, angiosarcoma). A profile can include the expression of as few as a single gene (marker), but more typically includes the concurrent expression of multiple genes (markers). The expression profile obtained for a particular cell or cellular state can be useful for a variety of applications, including diagnosis of a particular disease or condition and evaluation of various treatment regimes. Expression of genes (markers) that make up the expression profile can be determined at the transcript or protein level.

“Polypeptide” and “protein” are used interchangeably herein and include a molecular chain of amino acids linked through peptide bonds. The terms do not refer to a specific length of the product. Thus, “peptides,” “oligopeptides,” and “proteins” are included within the definition of polypeptide. The terms include post-translational modifications of the polypeptide, for example, glycosylations, acetylations, phosphorylations and the like.

As used herein, references to specific polypeptides (e.g., cell markers such as CD117, CD34, CD51/61, CD18, CD45, CD31, CD105 and CD146) refer to a polypeptide having a native amino acid sequence, as well naturally occurring variant forms (e.g., alternatively spliced forms), naturally occurring allelic variants and forms including posttranslational modifications. As noted above, the specific protein markers referred to herein include the protein as expressed in various mammals, including humans and dogs.

“CD117” is the receptor for stem cell factor (SCF) and is thus sometimes referred to as the stem cell factor receptor (SCFR). It is also sometimes referred to in the literature as (c-Kit). An exemplary amino acid sequence from dog is provided in GenBank Accession No. NP_001003181 (SEQ ID NO: 2), which is encoded by the nucleic acid having the sequence of SEQ ID NO:1 (GenBank Accession No. AF044249). An exemplary amino acid sequence from human is provided in GenBank Accession No. AAC50968 (SEQ ID NO:4), which is encoded by the nucleic acid having the sequence of SEQ ID NO:3 (GenBank Accession No. NM_00022).

“CD34” is sometimes referred to as the ligand for CD62 or the ligand for L-selectin. CD34 is a protein expressed on early lymphohematopoietic stem and progenitor cells, small-vessel endothelial cells, embryonic fibroblasts, and some cells in fetal and adult nervous tissue. It is also expressed on hematopoietic progenitors derived from fetal yolk sac, embryonic liver, and extra-hepatic embryonic tissues. An exemplary amino acid sequence from dog is provided in GenBank Accession No. AAB41055 (SEQ ID NO:6), which is encoded by the nucleic acid having the sequence of SEQ ID NO:5 (GenBank Accession No. U49457). An exemplary amino acid sequence from human is provided in GenBank Accession No. NP_001764.1 (SEQ ID NO:8), which is encoded by the nucleic acid having the sequence of SEQ ID NO:7 (GenBank Accession No. NM_001773).

“CD133” is also sometimes referred to in the art as prominin 1, hProminin, and hematopoietic stem cell antigen. CD133 antigen is a 120 kDa five transmembrane domain

glycoprotein (5-TM) expressed on primitive cell populations, such as CD34 bright hematopoietic stem and progenitor cells, neural and endothelial stem cells, and other primitive cells such as retina and retinoblastoma and developing epithelium. The CD133 gene codes for a pentaspan transmembrane glycoprotein and appears to belong to a molecular family of 5-TM proteins. This "family" includes members from several different species (which may be homologs) including human, mouse, rat, fly, and worm. The 5-transmembrane domain structure includes an extracellular N-terminus, two short intracellular loops, two large extracellular loops and an intracellular C-terminus. CD133 is expressed on primitive hematopoietic stem and progenitor cells and retinoblastoma, as well as on hemangioblasts, neural stem cells, and developing epithelium. Many leukemias express CD133 as well as CD34, but some leukemic blasts are CD133+ and CD34 negative. A predicted partial nucleic acid sequence for dog CD133 corresponds to position 50894 to position 51101 of GenBank Accession No. AAEX01026434.1 (SEQ ID NO:43). An exemplary amino acid sequence from human is provided in GenBank Accession No. NP_006008 (SEQ ID NO:45), which is encoded by the nucleic acid having the sequence of SEQ ID NO:44 (GenBank Accession No. NM_006017).

"CD51/CD61" is also sometimes referred to in the art as alpha_vbeta₃ (α_vβ₃) integrin, the vitronectin receptor, or glycoprotein IIIa. A predicted partial nucleic acid sequence for dog CD51 corresponds to position 65528 to position 67792 from GenBank AAEX01022275.1, (SEQ ID NO:9). An exemplary amino acid sequence for dog CD61 is provided in GenBank Accession No. AAD49737.1 (CD61, beta-3, GP IIIa) (SEQ ID NO:13), which is encoded by the nucleic acid having the sequence of SEQ ID NO:12 (GenBank Accession No. AF170525 (beta-3)).

An exemplary amino acid sequence for human CD51 is provided in GenBank Accession No. NP_002201.1 (alpha-v) (SEQ ID NO:11), which is encoded by the nucleic acid having the sequence of SEQ ID NO:10 (GenBank Accession No. NM_002210). An exemplary amino acid sequence for human CD61 is provided by GenBank Accession No. NP_000203.2 (beta-3) (SEQ ID NO:15), which is encoded by the nucleic acid having the sequence of SEQ ID NO:14 (GenBank Accession No. NM_000212 (beta-3, GP IIIa)).

"CD31", also known as glycoprotein IIa (GPIIa), endocam, or platelet endothelial cell adhesion molecule (PECAM-1), refers to a cell adhesion protein that is highly expressed on endothelial cells and often concentrated at the junctions between them. CD31 also is present on virtually all monocytes, platelets, and granulocytes. A predicted partial nucleic acid sequence for dog CD31 corresponds to position 77862 to position 77586 of the minus strand of sequence from chromosome 9 (GenBank AAEX01022173.1) (SEQ ID NO:16). An exemplary amino acid sequence from human is provided in GenBank Accession No. AAH22512 (SEQ ID NO:18), which is encoded by the nucleic acid having the sequence of SEQ ID NO:17 (GenBank Accession No. BC022512).

"CD105," also sometimes referred to in the art as "endoglin," is a cell-surface glycoprotein that is over-expressed on vascular endothelium, particularly in angiogenic tissues. A predicted partial nucleic acid sequence for dog CD105 corresponds to positions 17214 to position 17370 of GenBank AAEX01025446.1 (SEQ ID NO:19). An exemplary amino acid sequence from human is provided in GenBank Accession No. NP_000109.1 (SEQ ID NO:21), which is encoded by the nucleic acid having the sequence of SEQ ID NO:20 (GenBank Accession No. NM_000118).

"CD106" is also referred to in the art as VCAM-1 because it is a vascular cell adhesion molecule. It is a member of the immunoglobulin superfamily, C2 subset. This protein is thought to be induced on human endothelial cells by TNF-alpha, IL-1, IFN-gamma or endotoxins. A predicted partial nucleic acid sequence for dog CD106 corresponds to position 134174 to position 135113 of AAEX01044853.1 (SEQ ID NO:22). An exemplary amino acid sequence from human is provided in GenBank Accession No. NP_001069 (SEQ ID NO:24), which is encoded by the nucleic acid having the sequence of SEQ ID NO:23 (GenBank Accession No. NM_001078).

"CD146," sometimes also referred to as A32, MCAM, Mel-CAM, MUC18, and S-Endo-1) is a cell-cell adhesion receptor that mediates calcium-independent homotypic endothelial cell adhesion. It is a cell-surface glycoprotein that belongs to the immunoglobulin super-gene family. A predicted partial nucleic acid sequence for dog CD146 corresponds to position 3260 to position 3439 of the sequence from chromosome 5 (GenBank AAEX01009397.1) (SEQ ID NO:25). An exemplary amino acid sequence from human is provided in GenBank Accession No. CAA48332.1 (SEQ ID NO:27), which is encoded by the nucleic acid having the sequence of SEQ ID NO:26 (GenBank Accession No. AF089868).

"CD3" is a 20 kD non-glycosylated transmembrane protein expressed by T cells.

"CD5" is a leukocyte-specific cell marker found on B1 and T cells.

"CD11b" (GenBank Accession No. NM000362) is also referred to as Mac 1α and integrin α_M chain, a member of the alpha integrin family. Canine CD11b is expressed by granulocytes, monocytes and some macrophages.

"CD21" is a component of the B-cell Receptor complex. It is a B cell specific marker.

"CD14" is part of the LPS receptor complex that further comprises TLR4 and MD-2. CD-14 is expressed mainly on monocytes and tissue macrophages in peripheral blood.

"CD18" is also referred to as β-2 integrin. CD18 is a cell-surface glycoprotein containing beta-chains that can be non-covalently linked to specific alpha-chains of the CD11 family of leukocyte-adhesion molecules (receptors, leukocyte-adhesion). An exemplary amino acid sequence from dog is provided in GenBank Accession No. AAD56947 (SEQ ID NO:33), which is encoded by the nucleic acid having the sequence of SEQ ID NO:32 (GenBank Accession No. AF181965). An exemplary amino acid sequence from human is provided in GenBank Accession No. AAH05861.1 (SEQ ID NO:35), which is encoded by the nucleic acid having the sequence of SEQ ID NO:34 (GenBank Accession No. BC005861).

"CD45" is a common leukocyte antigen and is a high-molecular weight glycoprotein expressed on the surface of all leukocytes and their hemopoietic progenitors. The CD45 family consists of multiple members that are all products of a single gene. Predicted partial nucleic acid sequences for dog CD45 are provided in SEQ ID NOS:36-40 (partial sequences from AAEX01013304.1. An exemplary amino acid sequence from human is provided in GenBank Accession No. NP_002829 (SEQ ID NO:42), which is encoded by the nucleic acid having the sequence of SEQ ID NO:41 (GenBank Accession No. Y00638).

"vWF" is an abbreviation for von Willebrand factor, also called Factor VIII-related antigen (F VIII-ra). vWF is a clotting protein present in the blood that is produced in the cells that line blood vessels and then is released into the blood stream. vWF has two functions: 1) bind and stabilize factor

VIII, and 2) bind to platelets and enable them to function normally in making a platelet plug and clot. An exemplary amino acid sequence from dog is provided in GenBank Accession No. AAB93766.2 (SEQ ID NO:29), which is encoded by the nucleic acid having the sequence of SEQ ID NO:28 (GenBank Accession No. U66246). An exemplary amino acid sequence from human is provided in GenBank Accession No. NP_000543 (SEQ ID NO:31), which is encoded by the nucleic acid having the sequence of SEQ ID NO:30 (GenBank Accession No. AH005287).

The term "antibody" as used herein includes, but is not limited to, antibodies obtained from both polyclonal and monoclonal preparations, as well as the following: (i) chimeric antibody molecules (see, for example, Winter et al. (1991) *Nature* 349:293-299; and U.S. Pat. No. 4,816,567); (ii) F(ab')₂ and F(ab) fragments; (iii) Fv molecules (noncovalent heterodimers, see, for example, Inbar et al. (1972) *Proc. Natl. Acad. Sci. USA* 69:2659-2662; and Ehrlich et al. (1980) *Biochem* 19:4091-4096); (iv) single-chain Fv molecules (sFv) (see, for example, Huston et al. (1988) *Proc. Natl. Acad. Sci. USA* 85:5879-5883); (v) dimeric and trimeric antibody fragment constructs; (vi) humanized antibody molecules (see, for example, Riechmann et al. (1988) *Nature* 332:323-327; Verhoeyan et al. (1988) *Science* 239:1534-1536; and U.K. Patent Publication No. GB 2,276,169, published 21 Sep. 1994); (vii) Mini-antibodies or minibodies (i.e., sFv polypeptide chains that include oligomerization domains at their C-termini, separated from the sFv by a hinge region; see, e.g., Pack et al. (1992) *Biochem* 31:1579-1584; Cumber et al. (1992) *J. Immunology* 149B:120-126); and, (viii) any functional fragments obtained from such molecules, wherein such fragments retain specific-binding properties of the parent antibody molecule.

The phrases "specifically binds" when referring to a protein, "specifically immunologically cross reactive with," or simply "specifically immunoreactive with" when referring to an antibody, refers to a binding reaction which is determinative of the presence of the protein in the presence of a heterogeneous population of proteins and other biologics. Thus, under designated conditions, a specified ligand binds preferentially to a particular protein and does not bind in a significant amount to other proteins present in the sample. A molecule or ligand (e.g., an antibody) that specifically binds to a protein has an association constant of at least 10^3 M^{-1} or 10^4 M^{-1} , sometimes 10^5 M^{-1} or 10^6 M^{-1} , in other instances 10^6 M^{-1} or 10^7 M^{-1} , preferably 10^8 M^{-1} to 10^9 M^{-1} , and more preferably, about 10^{10} M^{-1} to 10^{11} M^{-1} or higher. A variety of immunoassay formats can be used to select antibodies specifically immunoreactive with a particular protein. For example, solid-phase ELISA immunoassays are routinely used to select monoclonal antibodies specifically immunoreactive with a protein. See, e.g., Harlow and Lane (1988) *Antibodies, A Laboratory Manual*, Cold Spring Harbor Publications, New York, for a description of immunoassay formats and conditions that can be used to determine specific immunoreactivity.

The term "label" refers generally to an agent that can be detected by some means (e.g., chemical, physical, electromagnetic or other analytical means). Examples of detectable labels that can be utilized include, but are not limited to, radioisotopes, fluorophores, chromophores, mass labels, electron dense particles, magnetic particles, spin labels, molecules that emit chemiluminescence, electrochemically active molecules, enzymes, cofactors, and enzyme substrates.

A "subject" can be a mammal, including primates, non-human primates (e.g., monkey, ape, chimpanzee) and mam-

mals other than primates (e.g., cat, dog, rat, mouse). Most typically the subject is a human or a dog.

A difference is typically considered to be "statistically significant" in general terms if an observed value differs by more than the level of experimental error. A difference, for example, can be "statistically significant" if the probability of the observed difference occurring by chance (the p-value) is less than some predetermined level. As used herein a "statistically significant difference" refers to a p-value that is <0.05 , preferably <0.01 and most preferably <0.001 .

A "control value" or simply "control" generally refers to a value (or range of values), such as expression levels, against which an experimental or determined value is compared. As used herein, the term typically refers to a measure of expression of one or more markers in a sample from a particular individual or population of individuals. For instance, the term can refer to the concentration of cells expressing one or more markers (e.g., the concentration of cells having a particular expression profile) in a sample. In the case of methods in which the risk of hemangiosarcoma or angiosarcoma is being evaluated, the control is typically the concentration or frequency of cells from the same tissue or body fluid as those under test having a particular expression profile as determined for an individual or population of individuals at low-risk for the disease and/or that has no discernible evidence of the disease (e.g., no detectable clinical manifestations). The control can also be the test sample analyzed with an irrelevant antibody or probe or primer instead of an antibody, probe or primer to a desired marker. If the signal from the antibody, probe or primer to the desired marker is not higher than that of the irrelevant control (and a margin of experimental error) expression is considered to be absent. Conversely, if the signal from the antibody, primer or probe to the desired marker is higher than that from an irrelevant control and an appropriate margin of experimental error, the marker is expressed. For comparison of leukemia cell marker levels, test samples can be compared with samples from the same tissue or body source either with individuals at low risk of disease (hemangiosarcoma or leukemia) or individuals known to have leukemia. Examples of suitable controls for dogs include those at low risk for hemangiosarcoma, i.e., dogs other than those at high risk (e.g., dogs beyond middle age, Golden Retrievers, German Shepherd Dog, Portuguese Water Dogs, Skye Terriers, or mixed breed dogs containing predominant derivation from such breeds). Absence of clinical manifestation of hemangiosarcoma or angiosarcoma can be evaluated by imaging techniques such as ultrasound, radiographs and/or magnetic imaging techniques (e.g., MRI), for instance. The control can be based upon a single individual, but more typically is a statistical value (e.g., an average or mean) determined from a population. The control can be determined contemporaneously with the test or experimental value or can be performed prior to the test assay. Thus, the control can be based upon contemporaneous or historical data.

In some methods, the control is a "threshold level." A "threshold level" as used herein generally refers to a threshold value for the expression level of one or more markers that are associated with hemangiosarcoma and/or angiosarcoma. In some instances, the threshold level is expressed as the concentration of cells that concurrently express the one or more markers of interest. If a measured value for the expression level of the markers in a test sample is above the threshold level, this is a statistically-significant indication that the test sample is from a subject that has hemangiosarcoma or angiosarcoma. If, however, the measured value of the test sample is below the threshold level, this is a statistically significant indication that the test sample is from a subject that

does not have hemangiosarcoma or angiosarcoma. As with control values, a threshold level can be based upon a single individual, but more commonly represents a value determined from a population of samples to provide the desired level of statistical certainty. Thus, the threshold value is often a statistical value (e.g., an average or mean) established for a population of individuals.

The terms "nucleic acid," "polynucleotide," and "oligonucleotide" are used herein to include a polymeric form of nucleotides of any length, including, but not limited to, ribonucleotides or deoxyribonucleotides. There is no intended distinction in length between these terms. Further, these terms refer only to the primary structure of the molecule. Thus, in certain embodiments these terms can include triple-, double- and single-stranded DNA, as well as triple-, double- and single-stranded RNA. They also include modifications, such as by methylation and/or by capping, and unmodified forms of the polynucleotide. More particularly, these terms include polymers containing nonnucleotidic backbones, for example, polyamide (e.g., peptide nucleic acids (PNAs)) and polymorpholino polymers, and other synthetic sequence-specific nucleic acid polymers, providing that the polymers contain nucleobases in a configuration which allows for base pairing and base stacking, such as is found in DNA and RNA.

The term "expression" or "express" refers to the conversion of sequence information, contained in a gene, into a gene product. The gene product can be the direct transcriptional product of a gene (e.g., a mRNA) or a protein produced by translation of a mRNA. Gene products also include RNAs that are modified, by processes such as capping, polyadenylation, methylation, and editing, and proteins modified by, for example, methylation, acetylation, phosphorylation, ubiquitination, ADP-ribosylation, and glycosylation.

A "probe" is a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation, thus forming a duplex structure. The probe binds or hybridizes to a "probe binding site." The probe can be labeled with a detectable label to permit facile detection of the probe, particularly once the probe has hybridized to its complementary target. The label attached to the probe can include any of a variety of different labels known in the art that can be detected by chemical or physical means, for example. Suitable labels that can be attached to probes include, but are not limited to, radioisotopes, fluorophores, chromophores, mass labels, electron dense particles, magnetic particles, spin labels, molecules that emit chemiluminescence, electrochemically active molecules, enzymes, cofactors, and enzyme substrates. Probes can vary significantly in size. Some probes are relatively short. Generally, probes are at least 7 to 15 nucleotides in length. Other probes are at least 20, 30 or 40 nucleotides long. Still other probes are somewhat longer, being at least 50, 60, 70, 80, 90 nucleotides long. Yet other probes are longer still, and are at least 100, 150, 200 or more nucleotides long. Probes can be of any specific length that falls within the foregoing ranges as well.

A "primer" is a single-stranded polynucleotide capable of acting as a point of initiation of template-directed DNA synthesis under appropriate conditions (i.e., in the presence of four different nucleoside triphosphates and an agent for polymerization, such as, DNA or RNA polymerase or reverse transcriptase) in an appropriate buffer and at a suitable temperature. The appropriate length of a primer depends on the intended use of the primer but typically is at least 7 nucleotides long and, more typically range from 10 to 30 nucleotides in length. Other primers can be somewhat longer such

as 30 to 50 nucleotides long. Short primer molecules generally require cooler temperatures to form sufficiently stable hybrid complexes with the template. A primer need not reflect the exact sequence of the template but must be sufficiently complementary to hybridize with a template. The term "primer site" or "primer binding site" refers to the segment of the target DNA to which a primer hybridizes. The term "primer pair" means a set of primers including a 5' "upstream primer" that hybridizes with the complement of the 5' end of the DNA sequence to be amplified and a 3' "downstream primer" that hybridizes with the 3' end of the sequence to be amplified.

The term "target nucleic acid" refers to a nucleic acid (often derived from a biological sample), to which the probe is designed to specifically hybridize. It is either the presence or absence of the target nucleic acid that is to be detected, or the amount of the target nucleic acid that is to be quantified. The target nucleic acid has a sequence that is complementary to the nucleic acid sequence of the corresponding probe directed to the target. The term target nucleic acid can refer to the specific subsequence of a larger nucleic acid to which the probe is directed or to the overall sequence (e.g., gene or mRNA) whose expression level it is desired to detect.

The term "complementary" means that one nucleic acid is identical to, or hybridizes selectively to, another nucleic acid molecule. Selectivity of hybridization exists when hybridization occurs that is more selective than total lack of specificity. Typically, selective hybridization will occur when there is at least about 55% identity over a stretch of at least 14-25 nucleotides, preferably at least 65%, more preferably at least 75%, and most preferably at least 90%. Preferably, one nucleic acid hybridizes specifically to the other nucleic acid. See M. Kanehisa, *Nucleic Acids Res.* 12:203 (1984).

The term "substantially complementary" means that a primer or probe need not be exactly complementary to its target sequence; instead, the primer or probe need be only sufficiently complementary to selectively hybridize to its respective strand at the desired annealing site. A non-complementary base or multiple bases can be included within the primer or probe, so long as the primer or probe retains sufficient complementarity with its polynucleotide binding site to form a stable duplex therewith.

A "perfectly matched probe" has a sequence perfectly complementary to a particular target sequence. The probe is typically perfectly complementary to a portion (subsequence) of a target sequence. The term "mismatch probe" refer to probes whose sequence is deliberately selected not to be perfectly complementary to a particular target sequence.

II. Overview

A variety of methods and kits are provided for detecting the presence of primitive proliferative endothelial cells. This detection capability allows the methods and kits to be used to diagnose and detect the early formation of hemangiosarcoma in dogs or angiosarcoma in humans since these malignant tumors arise from primitive proliferating endothelial cells. The methods can be used to detect or diagnose hemangiosarcoma or angiosarcoma asymptomatic subjects that do not present with typical symptoms associated with the diseases. The methods and kits are based, in part, on the finding that certain primitive proliferating endothelial proteins associated with hemangiosarcomas and angiosarcomas express characteristic markers, including characteristic cell-surface proteins. Cells expressing these characteristic proteins can be distinguished from hematopoietic cells associated with leukemias and lymphomas, which can express some of the same

proteins, because hematopoietic cells associated with leukemias and lymphomas express other characteristic proteins that are not expressed by endothelial cells arising from hemangiosarcomas or angiosarcomas.

The methods and kits that are provided can be used to detect the existence of hemangiosarcomas and angiosarcomas at earlier stages than existing methods and can be conducted using non-invasive methods. This simplifies detection and means that therapies can be initiated sooner, thereby improving the chances for successfully treating the tumors. The ability to distinguish between hemangiosarcomas/angiosarcomas and leukemia/lymphomas also means that treatments can be tailored to the particular disease, thereby improving the efficacy of treatment. The methods and kits provided can also be used to monitor minimal residual disease in an individual undergoing treatment.

Antibodies that can be used to treat hemangiosarcoma in dogs and angiosarcomas in humans are also disclosed. Some of the antibodies are conjugated antibodies, which include (1) an antibody that specifically recognizes one or more of the characteristic proteins (i.e., antigens) expressed by the proliferating primitive endothelial cells, and (2) a cytotoxic agent (e.g., a chemotherapeutic) linked to the antibody. These antibodies can optionally be formulated as pharmaceutical compositions for use in the treatment of hemangiosarcoma and angiosarcomas.

III. Methods of Analyzing Primitive Endothelial Cells

A. Detecting Presence of Proliferative Primitive Endothelial Cell

It has been found that hemangiosarcoma is a tumor of "primitive" endothelial cells, i.e., cells that have not differentiated, that are committed to the endothelial lineage, and whose progeny carry characteristic defects that will similarly prevent or arrest their differentiation. These primitive (undifferentiated) endothelial cells can be distinguished from "benign" differentiated endothelial cells because the primitive endothelial cells express the markers CD117, CD133, and/or CD34. Primitive endothelial cells may also express other antigens, such as a Sca-1 homolog (as is seen in the mouse). Differentiated, normal or benign endothelial cells, in contrast, do not express CD117, CD34 or CD133 (or Sca-1 homolog). Primitive endothelial cells lack expression of proteins normally found in hematopoietic cells committed to leukocyte lineages, including CD18, CD11b, CD3, and CD21. Thus, certain methods that are provided herein involve detecting the presence or absence of primitive endothelial cells by detecting the presence or absence of expression of one or more cell markers that define primitive hematopoietic cells such as CD117, CD34, CD133 and/or a Sca-1 homolog that distinguish a primitive endothelial cell from a differentiated endothelial cell and/or cells committed to leukocyte lineages. Although detection of primitive hematopoietic cell markers provides some indication of risk of hemangiosarcoma or angiosarcoma, detection of these markers is typically coupled with the detection of expression of other characteristic markers to distinguish primitive endothelial cells per se from other hematopoietic stem cells and to further classify and/or confirm the type of cell as described in the following sections.

Variable expression of some cell markers, including CD14 and CD45, indicate HSA cells can attain different stages of differentiation. The difference in differentiation can affect response to therapy. Expression of these markers can be deter-

mined to identify prognosis or optimal treatment methods for an individual affected with HSA.

B. Assessment of Elevated Risk for Hemangiosarcoma or Angiosarcoma

Because the cells from a hemangiosarcoma or angiosarcoma are primitive endothelial cells, some methods are designed to detect the concurrent expression of (1) one or more primitive hematopoietic cell markers such as described supra, and (2) one or more endothelial cell markers in a population of cells from a test sample taken from a patient. These methods can be utilized as a diagnostic for hemangiosarcoma or angiosarcoma and/or to evaluate the efficacy of a treatment regime.

Examples of primitive hematopoietic cell markers include, but are not limited to, CD117, CD34, CD133 and/or a Sca-1 homolog. Examples of suitable endothelial cell markers that can be detected include, but are not limited to, CD51/CD61, CD31, CD105, CD106, CD146 and/or von Willebrand Factor (vWF). The endothelial cell marker can be a marker that is expressed by endothelial cells generally (e.g., CD31, CD105, CD106, CD146), and/or a proliferative endothelial cell marker that is associated with proliferative endothelial cells (e.g., CD51/CD61). Detection of concurrent expression of one or more primitive hematopoietic cell markers in combination with one or more endothelial cell markers thus provides strong evidence for hematopoietic ontogeny with endothelial commitment.

Some methods can be conducted such that one, some or all of the foregoing primitive hematopoietic cell markers are detected. Likewise, certain methods can be conducted such that one, some or all of the foregoing endothelial cell markers are detected (e.g., 1, 2, 3, 4, 5 or all 6 of the foregoing markers). Thus, the methods can detect any combination of one or more primitive hematopoietic cell markers and one or more endothelial (committed) cell markers, provided at least one each of a primitive hematopoietic cell marker and an endothelial cell marker are detected. The particular grouping of markers that are detected can be considered an expression profile that is characteristic of a primitive endothelial cell. Thus, the methods can be considered to involve detecting an expression profile that is characteristic of a primitive endothelial cell.

As one specific example, some methods that are provided involve detecting the concurrent expression of the primitive hematopoietic cell markers CD117 and CD34. These two primitive hematopoietic cell markers are detected in this particular method rather than just one to provide increased confidence that the cell is in fact a primitive hematopoietic cell. These methods also detect one, some or all of the endothelial cell markers listed above. But in certain methods, the cells are also examined for concurrent expression of CD51/61 in combination with CD117 and CD34. It can be useful to detect CD51/61 because its expression indicates not only that the cell is an endothelial cell, but more specifically that the cell is a proliferative endothelial cell. This is helpful because tumor cells from tumors such as hemangiosarcoma and angiosarcomas are proliferative.

Because bone marrow (hematopoietic) stem cells and precursor endothelial cells are also present in the circulation and concurrently express primitive hematopoietic and endothelial cell markers such as those just described, methods for evaluating the risk of hemangiosarcoma or angiosarcoma also typically involves comparing the concentration, frequency or fraction of cells concurrently expressing the markers in the test sample with respect to a control. This can involve determining, for instance, if there is a statistically significant difference between the frequency or concentration in the test

sample as compared to the control. In some instances, this involves determining whether the concentration of cells concurrently expressing the markers in the test sample is above or below a threshold level. If the concentration is above the threshold level, then there is a statistical basis for concluding that the subject from which the test sample was obtained has hemangiosarcoma or angiosarcoma. If, on the other hand, the concentration is below the threshold level, there is a statistical basis for concluding that the subject from which the sample was obtained does not have hemangiosarcoma or angiosarcoma.

The concentration of cells that concurrently express the primitive hematopoietic cell and the endothelial cell markers is increased if a hemangiosarcoma or angiosarcoma is present because hemangiosarcomas and angiosarcomas by definition are in constant contact with the blood and thus shed cells into the circulation. This mechanism is also responsible, at least in part, for the high metastatic potential and hematogenous (through the blood) spread of these tumors. Thus, normal circulating precursor endothelial cells and malignant hemangiosarcoma or angiosarcoma cells can be distinguished based upon the quantity of cells that are concurrently expressing the primitive hematopoietic cell markers and the endothelial cell markers. The continuous release of HSA tumor cells into the circulation provides the opportunity to detect these cells in routine blood samples.

Some diagnostic methods and methods for assessing whether a subject is at elevated risk of hemangiosarcoma or angiosarcoma also involve distinguishing among the primitive hematopoietic cells to determine whether those cells that express the primitive hematopoietic cell marker(s) also express marker(s) that are characteristic of endothelial cells or marker(s) that are characteristic of leukemia or lymphoma. This determination can be done qualitatively or quantitatively. As described in greater detail below, the presence of the leukemia marker, in combination with the primitive hematopoietic cell markers, but not the endothelial cell markers, is an indication that the cells are associated with leukemia or lymphoma. The absence of expression of the leukemia marker, concurrent with the presence of an endothelial marker in contrast, is an indication that cells expressing the primitive hematopoietic cell markers are from a hemangiosarcoma or angiosarcoma rather than being leukemia cells.

C. Methods for Distinguishing Between Hemangiosarcoma or Angiosarcoma and Leukemia

Hemangiosarcoma/angiosarcoma, leukemia, and lymphoma are all diseases that involve excessive proliferation of cells that originate from bone marrow (hematopoietic) precursors. Thus, the characteristic markers for hemangiosarcoma and angiosarcoma that have been identified can be utilized in combination with specific markers for hematopoietic progenitors committed to leukocyte, erythroid, or thrombopoietic lineages that give rise to leukemias and lymphomas to distinguish between hemangiosarcoma (or angiosarcoma) and leukemia or lymphoma. As indicated above (see also Table 1), the cells from hemangiosarcomas or angiosarcomas, as well as leukemia or lymphoma cells, all can express certain common markers (e.g., primitive hematopoietic cell markers such as CD117, CD34 and CD133). Hemangiosarcoma/angiosarcoma also express markers that identify them as committed to the endothelial lineage, such as CD51/61, CD31, CD105, CD106, CD146 and vWF.

In contrast, leukemia and lymphoma cells express markers that are unique to cells committed to traditional blood cell forming lineages (leukocytes, red blood cells, platelets) that include, but are not limited to, CD18 and CD45, which are referred to herein as "leukemia markers." Other leukocyte-

specific markers, including CD3, CD21, CD5, and CD11b, are also not expressed by hemangiosarcoma cells. The differential expression of one or more of these leukemia-specific or leukocyte-specific markers can be used to distinguish hemangiosarcoma or angiosarcoma from leukemia or lymphoma. Specifically, detection of expression of leukemia or leukocyte-specific cell markers CD18, CD45, CD3, CD21, CD5 or CD11b in a cell population is an indication of leukemia or lymphoma. Conversely, elevated levels of cells expressing a primitive hematopoietic cell marker such as CD117, CD34 and/or CD133, in combination with an endothelial cell marker such as CD51/61, CD31, CD105, CD106, and/or CD146, in combination with a lack of expression of leukemia or leukocyte-specific cell markers, such as CD18, CD45, CD3, CD21, CD5 and/or CD11b are collectively indicative of hemangiosarcoma or angiosarcoma in a cell population.

The unique properties of laser light scatter, can also be used independently or in combination with detection of the leukemia markers or leukocyte-specific cell markers to make this distinction. Canine hemangiosarcoma cells are large (they segregate to higher channels than leukocytes based on forward angle (or 0°) light scatter) and they are granular or have complex cytoplasm, resulting in right angle (or 90°) side scatter that is comparable to or higher than granulocytes (neutrophils, eosinophils, basophils). The clear differences between the light scatter patterns of canine hemangiosarcoma cells and canine leukocytes can be seen in FIGS. 1A-1H and FIGS. 2A-2H. Further details regarding differences in the patterns are described in the example below.

Accordingly, certain cell classification and cell diagnostic methods involve determining whether cells in a test sample from a subject concurrently express at least one primitive hematopoietic cell marker, at least one endothelial cell marker, and at least one leukemia cell marker or leukocyte-specific cell marker. As described above, the primitive hematopoietic cell marker(s) and the endothelial cell marker(s) that are analyzed can include one, some or all of those listed supra. Likewise, the expression of one or multiple leukemia cell or leukocyte-specific cell markers can be analyzed. The markers from these three classes can be combined in any combination, so long as expression of at least one marker from each class is analyzed.

Thus, the most thorough assessment or diagnosis of a subject thought to be at increased risk for hemangiosarcoma or angiosarcoma involves (1) assessing whether the subject is at elevated risk for hemangiosarcoma or angiosarcoma as described above by determining if cells in the test sample obtained from the subject concurrently express at least one primitive hematopoietic cell marker and at least one endothelial cell marker at levels that are above that of a control (e.g., a threshold level), and (2) determining if the same cells also concurrently express one or more leukemia or leukocyte-specific cell markers. The expression of the one or more leukemia or leukocyte-specific cell markers can be done qualitatively (e.g., determining whether the marker is expressed by the cells or not) or quantitatively (e.g., with respect to a control such as a threshold level). In some methods, expression of the primitive hematopoietic cell marker(s), the endothelial cell marker(s) and the leukemia or leukocyte-specific cell marker(s) are conducted contemporaneously. As described in greater detail below, this may be accomplished, for example, by incubating cells from a test sample with differentially labeled antibodies that specifically bind markers from the three different classes and then detecting cells that are labeled with the antibodies using multiparameter flow cytometry. Alternatively, concurrent expression of the three classes of markers can be detected at the transcript level using

probes that specifically hybridize to a segment of each of the marker transcripts in a hybridization assay and/or primers that specifically amplify the marker transcripts.

As a specific example of this general approach, some methods for diagnosing hemangiosarcoma in a dog involve testing a population of cells from a dog at risk for hemangiosarcoma for concurrent expression of CD117 and CD34 (examples of primitive hematopoietic cell markers) and CD51/CD61 (an example of an endothelial cell marker), and lack of expression of CD18 (an example of a committed leukocyte cell marker). If the cell population concurrently expresses CD117, CD34 and CD51/61 but not CD18 (i.e., the cells are CD117⁺, CD34⁺, CD51/61⁺, CD18⁻), then the differential diagnosis is that the dog has a hemangiosarcoma. If, however, the cell population concurrently expresses CD117, CD34, and CD18 (i.e., the cells are CD117⁺, CD34⁺, CD18⁺), then the differential diagnosis is that the dog has leukemia or lymphoma. Absence of expression of these markers (e.g., expression below a threshold level), indicates that the dog is unlikely to be at immediate risk to develop, or to have hemangiosarcoma, leukemia or a lymphoma.

The same type of analysis would apply to humans, except that CD117⁺, CD34⁺, CD51/61⁺, CD18⁻ cells indicate that the human has angiosarcoma (rather than hemangiosarcoma which is specific to dogs rather than humans).

Although the foregoing methods have emphasized the ability to detect or diagnose hemangiosarcoma in dogs or angiosarcoma in humans, it should be clear that the capacity of the methods to distinguish between hemangiosarcoma/angiosarcoma from leukemia/lymphoma means that the methods can be used equally well to detect or diagnose leukemia or lymphoma in dogs or humans. The main difference between methods for diagnosing angiosarcoma and methods for diagnosing leukemia being that in methods for diagnosing angiosarcoma one looks for presence of expression of endothelial cell marker(s) and absence of expression of the leukemia cell marker(s) which rules out leukemia and lymphoma, whereas in methods for diagnosing leukemia one instead looks for presence of expression of the leukemia cell marker(s) and absence of expression of the endothelial cell marker(s). If the leukemia cell marker(s) are found to be expressed concurrently with at least one primitive hematopoietic cell marker and at least one endothelial cell marker, then this indicates that cells are from a subject with leukemia or lymphoma.

The following table summarizes which markers are associated with hemangiosarcomas, angiosarcomas, leukocyte-specific cells, leukemia and lymphoma, and thus indicates which combination of markers can be used to detect these diseases and distinguish between them.

TABLE I

Markers	Primitive Endothelial Cells (Hemangiosarcoma and Angiosarcoma)	Benign Endothelial Cells	Leukemia and Lymphoma
<u>Primitive Hematopoietic Cell Markers</u>			
CD117	Yes	No	Variable
CD34	Yes	No	Variable
	(low to intermediate)		
CD133	Yes	No	Variable
<u>Endothelial Cell Markers</u>			
CD51/CD61	Yes	Variable	No
CD31	Yes	Yes	No
CD105	Yes	Yes	No
CD106	Yes	Yes	No
CD146	Yes	Yes	No
<u>Markers to Exclude HSA Cells</u>			
CD18, CD11b, CD3, CD5, and CD21	No	No	Yes
<u>Leukemia Cell Markers</u>			
CD18	No	No	Yes
CD45	Variable (when yes, low to intermediate)	Variable (usually No)	Yes (intermediate to high, except for B cell-chronic lymphocytic leukemia (CLL), which is No)
CD14	Variable (when yes, low to intermediate)	Variable (usually No)	Yes (absent to high, depending on the type of leukemia; highest in monoblastic and monocytic leukemias, low to intermediate in

TABLE I-continued

Markers	Primitive Endothelial Cells (Hemangiosarcoma and Angiosarcoma)	Benign Endothelial Cells	Leukemia and Lymphoma
			other myeloid leukemias and some B cell leukemias)

IV. Options for Detecting Markers

Expression of the various markers described above can be detected at the protein level by detecting the expressed proteins themselves, or at the transcript (i.e., mRNA) level by detecting transcript that encodes the corresponding proteins of interest. Conversely, proteins not expressed cannot be detected at the protein level or transcript level by the assays described below. Additional details regarding these various detection options follows.

A. Detecting Expressed Proteins

1. Multiparameter Flow Cytometry

Flow cytometry is one detection method that can be used to determine the level at which cells in a sample concurrently express the primitive hematopoietic cell markers, endothelial cell markers and/or leukemia or leukocyte specific cell markers (markers), in addition to the peculiar light scatter patterns, which are different between leukocytes (associated with leukemia and lymphoma) and primitive endothelial cells (associated with hemangiosarcoma and angiosarcoma). These differences are described in greater detail in the example below. Flow cytometry involves the quantitative multiparameter measurement of chemical or physical characteristics of cells in suspension. A flow cytometer can measure, for instance, the cell's light scatter and the electronic cell volume as a cell passes through detectors in the device. The flow cytometer can also measure a cell's axial (at a right angle) light loss and morphological information (derived from the cell shape or time duration of light scatter signals) as it passes through a fluorescent excitation beam. Thus, a flow cytometer can categorize cells on the basis of size, granularity, and fluorophore intensity.

The methods provided herein that use flow cytometry to detect the level of expression of the markers usually involve a process referred to in the art as "immunophenotyping." In this process, antigens expressed by a cell (e.g., the markers disclosed herein) can be identified by incubating cells with labeled antibodies that recognize different antigens/markers on the cell. The antibodies are generally differentially labeled such that different antigens/markers on the cell surface become labeled with antibodies bearing different labels. After a suitable incubation period, any unbound antibodies are subsequently removed by washing. The resulting labeled cells are then introduced into a flow cytometer where the fluorescent labels can be excited by the excitation beam and the resulting fluorescence emissions detected. Since different antigens/markers are associated with different fluorescent labels, each having a characteristic emission spectrum, the identity of the antigens/markers on the cell can be determined from the fluorescence signals that are detected. In some methods, the cells can also be incubated with a fluorescent dye which intercalates into the DNA, thereby allowing the DNA composition (ploidy) to be determined.

Additional details regarding the use of flow cytometry to detect cells that concurrently express the different markers disclosed herein are provided in the examples below. Further

discussion on flow cytometry sufficient to guide the skilled practitioner is provided by De Rosa, S. C., et al. (2003) *Nature Medicine* 9:112-117, and Baumgarth, N. and Roederer, M. (2000) *J. Immunological Methods* 243:77-97.

2. Other Immunological Techniques

A variety of other immunological techniques can also be used to determine whether cells concurrently express the primitive hematopoietic cell markers, endothelial cell markers and/or leukemia or leukocyte-specific cell markers described herein. Antibodies that specifically bind these markers, for instance, can be used to detect such these markers in various diagnostic assays, including but not limited to, competitive binding assays, direct or indirect sandwich assays, enzyme-linked immunospecific assays (ELISA), and immunoprecipitation assays (see, e.g., *Monoclonal Antibodies: A Manual of Techniques*, CRC Press, Inc. (1987) pp. 147-158). Further guidance regarding the methodology and steps of a variety of antibody assays is provided, for example, in U.S. Pat. No. 4,376,110 to Greene; "Immunometric Assays Using Monoclonal Antibodies," in *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, Chap. 14 (1988); Bolton and Hunter, "Radioimmunoassay and Related Methods," in *Handbook of Experimental Immunology* (D. M. Weir, ed.), Vol. 1, chap. 26, Blackwell Scientific Publications, 1986; Nakamura, et al., "Enzyme Immunoassays: Heterogeneous and Homogenous Systems," in *Handbook of Experimental Immunology* (D. M. Weir, ed.), Vol. 1, chap. 27, Blackwell Scientific Publications, 1986; and *Current Protocols in Immunology*, (John E. Coligan, et al., eds), chap. 2, section I, (1991).

3. Antibodies for Use in Flow Cytometry and Other Immunological Methods

Antibodies that recognize a number of the foregoing markers as expressed in canines are commercially available, including:

- (1) canine CD117 (clone ACK45, BD Biosciences, phycoerythrin (PE) conjugate);
- (2) canine CD34 (clone 2E9, BD Biosciences, biotin conjugate);
- (3) canine CD51/CD61 (mAb 1976, Chemicon, APC or FITC conjugate);
- (4) canine CD18 (clone YK1X490.6.4, Serotec, fluorescein isothiocyanate (FITC) conjugate and clone YFC118.3, Serotec, FITC or biotin conjugate);
- (5) canine CD45 (clone YK1X716.13, Serotec, PE conjugate);
- (6) canine CD105 (cross reactive) (clone 8E11, Southern Biotechnology Associates, Birmingham, Ala., FITC conjugate);
- (7) canine CD133 (clone 13A4, BD Biosciences);
- (8) canine CD11b antibody (clone CA16.3E10, Serotec);
- (9) canine anti-CD146 (MUC18, S-endo, clone P1H12 conjugated to biotin, catalog #MAB16985B, Chemicon Intl., Temecula, Calif.);
- (10) canine CD CD3 (clone CA17.2A12, Serotec, Inc., FITC conjugate);

(11) canine CD5 antibody (clone YKIX322.3, Serotec, Inc.); and

(12) canine anti-B cell (CD21) antibody (clone Ca2.1D6, Serotec, Inc.).

Antibodies that recognize a number of the foregoing markers as expressed in humans are also commercially available, including:

(1) human CD117 (clone YB5.B8, BD Biosciences, phycoerythrin (PE), or APC, or PE-Cy5 conjugate);

(2) human CD34 (clone 581, BD Biosciences, allophycocyanin (APC) or PE conjugate);

(3) human CD51/CD61 (mAb 1976, Chemicon, biotin or FITC or PE conjugate);

(4) human CD18 (clone 6.7, BD Biosciences, FITC or PE, or APC, or PE-Cy5, or APC conjugate and clone L130, BD Biosciences, FITC conjugate);

(5) human CD45 (clone 2D1, BD Biosciences, APC, FITC, APC-Cy7, PerCP, PerCP-Cy5.5 conjugate and clone H130, BD Biosciences, FITC, PE, APC, biotin, PE-Cy7, PE-Cy5 conjugate);

(6) human CD105 (clone 8E11, Southern Biotechnology Associates, Birmingham, Ala., conjugated to FITC);

(7) human anti-CD146 (MUC18, S-endo, clone P1H12 conjugated to biotin, catalog #MAB16985B, Chemicon Intl., Temecula, Calif.);

(8) human CD106 (clone 1.G11b1, Southern Biotechnology Associates, Birmingham, Ala., conjugated to biotin, FITC, or PE);

(9) human CD133 (prominin, human promin-1, antibody AC133 PE, APC, biotin conjugate and antibody 293C3 PE, APC, biotin conjugate, Miltenyi Biotech, Auburn, Calif.); and

(10) murine CD133 (clone 13A4, eBioscience, San Diego, Calif.).

Additional antibodies to any of the markers described herein can be prepared according to routine methods that are known in the art (see, e.g., discussion below in the section on antibodies). Each antibody can also be obtained in purified form without a fluorochrome or biotin label, and labeled to any available fluorochrome in vitro using the AlexaFluor Zenon antibody labeling technology from Invitrogen/Molecular Probes, Eugene, Oreg. (emitting at 16 different wavelengths between 350 and 750 nm) or other equivalent technologies (e.g., Zymed and others). The resulting antibodies can be conjugated to any of a number of different labels, including for example, radioisotopes (e.g., ^3H , ^{14}C , ^{32}P , ^{35}S , ^{125}I), fluorophores (e.g., phycoerythrin, fluorescein and rhodamine dyes and derivatives thereof), chromophores, chemiluminescent molecules, and enzyme substrates (e.g., the enzymes luciferase, alkaline phosphatase, beta-galactosidase and horse radish peroxidase).

Secondary detection systems employing an unlabelled antibody to bind to a cell marker and another labeled antibody to bind to the Fc region of the first antibody can be used in the immunoassays of the invention to increase the sensitivity of the assays.

Other markers that can optionally be detected in combination with those above include vascular endothelial growth factor (VEGF), which is constitutively elevated in HSA tumors, and is found at increased levels in blood samples from affected dogs. c-KIT, and vascular endothelial growth factor receptor-2 (VEGFR-2) are expressed by canine HSA cells in culture. These markers can be monitored in detection and diagnosis of HSA. The VEGF-2 tumor suppressor genes, include PTEN and VHL, are sometimes inactivated in canine

HSA as well, providing cells a growth advantage within their microenvironment. Lack of PTEN, and VHL is therefore also an indicator of HSA.

A series of iterative steps can be used to identify circulating endothelial precursor cells (EPC) or HSA cells in peripheral blood. First, single color staining can be used to define background levels for each antibody and to verify that the relative number of leukocytes (CD21⁺B cells, CD3⁺ and CD5⁺ T cells, CD14⁺ monocytes, and CD11b⁺ granulocytes) in samples are within previously reported reference ranges. Next, antibody combinations can be used for two-color staining. Color compensation can be adjusted using, e.g., BD Biosciences CompBeads. Populations staining positively for one or more of three markers associated with bone marrow progenitor cells (c-KIT, CD34, CD133) and for a marker associated with proliferating endothelial cells ($\alpha_v\beta_3$ -integrin) can be "back-gated" to two-dimensional light scatter histograms to define the flow cytometric light scatter parameters of HSA cells versus normal leukocytes. Some protocols can be modified to exclude leukocytes using antibodies against CD5, CD11b, and CD21 labeled with FITC (and/or Alexa Fluor-488) to establish a "dump gate", and EPC can be detected in the remaining cell population by dual staining with antibodies against c-KIT, CD34, or CD133 (conjugated to PE) along with antibodies against $\alpha_v\beta_3$ -integrin or CD146 (labeled with Alexa Fluor-647). Preferably at least 100,000 cells can be analyzed for each antibody pair to ensure statistical validity for rare-event determination.

B. Detecting Transcript that Encodes Markers

1. General Considerations

The level of gene expression and expression of the primitive hematopoietic cell markers, endothelial cell markers and leukemia or leukocyte-specific cell markers can also be detected qualitatively or quantitatively using a number of established techniques including, but not limited to, multiplex PCR, nucleic acid probe arrays, dot blot assays, in-situ hybridization, Northern-blot, and RNase protection assays (RPA). These are described further in the sections that follow.

Primers and/or probes having sequences that are appropriate for use in such detection schemes can be designed based upon the sequences for the different markers that are provided herein (e.g., SEQ ID NOS:1-45). See, e.g., Mitsuhashi, M. (1996) *J. Clin. Lab. Anal.* 10:285-93, which is incorporated herein by reference in its entirety for all purposes.

For the following methods that utilize probes to detect marker expression, the hybridization probes utilized in these methods are of sufficient length to specifically hybridize to a particular marker nucleic acid. Hybridization probes are typically at least 15 nucleotides in length, in some instances 20 to 30 nucleotides in length, in other instances 30 to 50 nucleotides in length, and in still other instances up to the full length of a marker nucleic acid. The probes are labeled with a detectable label, such as a radiolabel, fluorophore, chromophore or enzyme to facilitate detection. Methods for synthesizing the necessary probes include the phosphotriester method described by Narang et al. (1979) *Methods of Enzymology* 68:90, and the phosphodiester method disclosed by Brown et al. (1979) *Methods of Enzymology* 68:109.

2. Multiplex PCR

Various types of multiplex PCR can be utilized to detect expression of the cell markers described herein. Multiplex PCR in general refers to PCR methods in which more than one pair of primers is used, thus allowing the amplification of multiple DNA targets in a single run. If this approach is utilized, typically the methods are conducted as quantitative multiplex PCR so the level of expression can be more readily determined.

The quantitative multiplex PCR assays that are utilized with the current methods can be conventional quantitative PCR or "real time PCR" methods. Real-time PCR usually monitors the fluorescence emitted during an amplification reaction as an indicator of amplicon production during each PCR cycle (i.e., in real time) as opposed to the endpoint detection by conventional quantitative PCR methods. By recording the amount of fluorescence emission at each cycle, it is possible to monitor the PCR reaction during exponential phase where the first significant increase in the amount of PCR product correlates to the initial amount of target template.

There are several real-time strategies that can be used to detect the expression of the marker transcripts disclosed herein (i.e., the targets). A requirement that is common to each strategy is a probe bearing fluorescent moieties that is complementary to a section in the amplified target. One example of real-time analysis method that can be utilized with the current methods is the "Taqman" PCR approach. Reagents and equipment for performing such analyses are marketed by Applied Biosystems, Foster City, Calif. In this method, the probe used in such assays is typically a short (ca. 20-25 bases) polynucleotide that is labeled with two different fluorescent dyes. The 5' terminus of the probe is typically attached to a reporter dye and the 3' terminus is attached to a quenching dye, although the dyes can be attached at other locations on the probe as well. For each marker transcript, a probe is designed to have at least substantial sequence complementarity with a probe binding site on the marker transcript. Upstream and downstream PCR primers that bind to regions that flank the region encoding each marker are also added to the reaction mixture for use in amplifying the markers of interest.

When the probe is intact, energy transfer between the two fluorophores occurs and the quencher quenches emission from the reporter. During the extension phase of PCR, the probe is cleaved by the 5' nuclease activity of a nucleic acid polymerase such as Taq polymerase, thereby releasing the reporter dye from the polynucleotide-quencher complex and resulting in an increase of reporter emission intensity that can be measured by an appropriate detection system.

One detector which is specifically adapted for measuring fluorescence emissions during quantitative PCR reactions is the ABI 7700 manufactured by Applied Biosystems, Inc. in Foster City, Calif. Computer software provided with the instrument is capable of recording the fluorescence intensity of reporter and quencher over the course of the amplification. These recorded values can then be used to calculate the increase in normalized reporter emission intensity on a continuous basis and ultimately quantify the amount of the mRNA being amplified.

Information specific to the "TaqMan" type assays are described, for example, in U.S. Pat. No. 5,210,015 to Gelfand, U.S. Pat. No. 5,538,848 to Livak, et al., and U.S. Pat. No. 5,863,736 to Haaland, as well as Heid, C. A., et al., *Genome Research*, 6:986-994 (1996); Gibson, U. E. M., et al., *Genome Research* 6:995-1001 (1996); Holland, P. M., et al., *Proc. Natl. Acad. Sci. USA* 88:7276-7280, (1991); and Livak, K. J., et al., *PCR Methods and Applications* 357-362 (1995), each of which is incorporated by reference in its entirety for all purposes.

Another real-time strategy that can be used to detect expression of the markers provided herein utilizes labeled probes called "Molecular Beacons," which are marketed by various entities including Proligo LLC, Boulder, Colo. and Synthegen LLC, Houston, Tex., under a license from Public Health Research Institute. In methods using this approach,

the fluorophore and the quencher, attached to opposite ends of the probe, are held together by a base paired stem that becomes disrupted on hybridization of the loop to a target nucleic acid. Further details regarding the use of molecular beacons are provided by Tyagi, S., and F. R. Kramer (1996) *Nature Biotechnology* 14: 303-8; and Tyagi S., et al. (2000) *Nature Biotechnology* 18: 1191-96, each of which is incorporated by reference in its entirety for all purposes.

Additional details regarding the theory and operation of multiplex PCR assays are described, for example, by Wittwer, C. T., et al. (2001) *Methods* 25:430-42; Markoulatos, P., et al. (2002) *J. Clin. Lab. Anal.* 16:47-51; Elnifro, E. M., et al. (2000) *J. Clin. Microbiol. Rev.* 13:559-570; and Edwards, M. C. and Gibbs, R. A. (1994) *PCR Methods Appl.* 3:S65-75, each of which is incorporated herein by reference in its entirety for all purposes.

3. Nucleic Acid Probe Arrays

Marker transcripts can also be detected using a variety of hybridization methods. One example, is the use of nucleic acid probe arrays to detect and quantitate marker transcript. A variety of different types of arrays can be used to detect expression of the markers of interest depending upon the nature of the probes on the arrays. The array probes, can include, for example, synthesized probes of relatively short length (e.g., a 20-mer or a 25-mer), cDNA (full length or fragments of gene), amplified DNA, fragments of DNA (generated by restriction enzymes, for example) and reverse transcribed DNA (see, e.g., Southern et al. (1999) *Nature Genetics Supplement* 21:5-9 (1999)).

Both custom and generic arrays can be utilized in detecting marker expression levels. Custom arrays can be prepared using probes that hybridize to particular preselected subsequences of mRNA gene sequences of the markers or amplification products prepared from them. Generic arrays are not specially prepared to bind to the marker sequences, but instead are designed to analyze mRNAs irrespective of sequence. Nonetheless, such arrays can still be utilized because marker transcripts only hybridize to those locations that include complementary probes. Thus, the different marker transcript levels can still be determined based upon the extent of binding at those locations bearing probes of complementary sequence.

In probe array methods, once nucleic acids have been obtained from a test sample, they typically are reversed transcribed into labeled cDNA, although labeled mRNA can be used directly. By differentially labeling the mRNA or cDNA, the expression levels of multiple markers can be determined simultaneously. The test sample containing the labeled nucleic acids is then contacted with the probes of the array. After allowing a period sufficient for any labeled marker nucleic acids present in the sample to hybridize to the probes, the array is typically subjected to one or more high stringency washes to remove unbound nucleic acids and to minimize nonspecific binding to the nucleic acid probes of the arrays. Binding of labeled nucleic acids corresponding to the markers is detected using any of a variety of commercially available scanners and accompanying software programs.

For example, if the nucleic acids from the sample are labeled with fluorescent labels, hybridization intensity can be determined by, for example, a scanning confocal microscope in photon counting mode. Appropriate scanning devices are described by e.g., U.S. Pat. No. 5,578,832 to Trulson et al., and U.S. Pat. No. 5,631,734 to Stem et al. and are available from Affymetrix, Inc., under the GeneChip™ label.

Those locations on the probe array that are hybridized to labeled nucleic acid are detected using a reader, such as described by U.S. Pat. No. 5,143,854, WO 90/15070, and

U.S. Pat. No. 5,578,832. For customized arrays, the hybridization pattern can then be analyzed to determine the presence and/or relative amounts or absolute amounts of known mRNA species in samples being analyzed as described in e.g., WO 97/10365.

Further guidance regarding the use of probe arrays sufficient to guide one of skill in the art is provided in WO 97/10365, PCT/US/96/143839 and WO 97/27317.

4. Dot Blots and In-Situ Hybridization

Dot blots are another example of a hybridization assay approach that can be utilized to determine the amount of each of the marker transcripts that are present in a sample obtained from a subject being tested. In some assays, for instance, a sample from a subject being tested is spotted on a support (e.g., a filter) and then probed with labeled nucleic acid probes that specifically hybridize with the marker transcript sequences of interest. After the probes have been allowed to hybridize to the immobilized nucleic acids on the filter, unbound nucleic acids are rinsed away and the presence of hybridization complexes detected and quantitated on the basis of the amount of labeled probe bound to the filter. By using differentially labeled probes, transcripts from multiple markers can be detected at the same time.

In-situ hybridization methods are hybridization methods in which the cells are not lysed prior to hybridization. Because the method is performed in situ, it has the advantage that it is not necessary to prepare RNA from the cells. The method usually involves initially fixing test cells to a support (e.g., the walls of a microtiter well) and then permeabilizing the cells with an appropriate permeabilizing solution. A solution containing labeled probes for the markers of interest is then contacted with the cells and the probes allowed to hybridize with the labeled nucleic acids. Excess probe is digested, washed away and the amount of hybridized probe measured. This approach is described in greater detail by Harris, D. W. (1996) *Anal. Biochem.* 243:249-256; Singer, et al. (1986) *Biotechniques* 4:230-250; Haase et al. (1984) *Methods in Virology*, vol. VII, pp. 189-226; and *Nucleic Acid Hybridization: A Practical Approach* (Hames, et al., eds., 1987).

5. Northern Blots

Northern blots can also be used to detect and quantitate marker transcript. Such methods typically involve initially isolating total cellular or poly(A) RNA and separating the RNA on an agarose gel by electrophoresis. The gel is then overlaid with a sheet of nitrocellulose, activated cellulose, or glass or nylon membranes and the separated RNA transferred to the sheet or membrane by passing buffer through the gel and onto the sheet or membrane. The presence and amount of marker transcript present on the sheet or membrane can then be determined by probing with a labeled probe complementary to the marker transcripts to form labeled hybridization complexes that can be detected and optionally quantitated (see, e.g., Sambrook, et al. (1989) *Molecular Cloning—A Laboratory Manual* (2nd ed) Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor Press, NY).

6. RNAase Protection Assays

Ribonuclease protection assays (RPA) involve preparing a labeled antisense RNA probe for each of the markers of interest. These probes are subsequently allowed to hybridize in solution with marker transcript contained in a biological sample to form RNA:RNA hybrids. Unhybridized RNA is then removed by digestion with an RNAase, while the RNA:RNA hybrid is protected from degradation. The labeled RNA:RNA hybrid is separated by gel electrophoresis and the band corresponding to the markers detected and quantitated. Usually the labeled RNA probe is radiolabeled and the bands corresponding to the different markers detected and quanti-

tated by autoradiography. RPA is discussed further by (Lynn et al. (1983) *Proc. Natl. Acad. Sci.* 80:2656; Zinn, et al. (1983) *Cell* 34:865; and Sambrook, et al. (1989) *Molecular Cloning—A Laboratory Manual* (2nd ed) Vols. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor Press, NY).

V. Samples

A. General Considerations

Although the methods that are provided can generally be used to detect early formation of hemangiosarcoma in any breed of dog (or mix of breeds), the methods are often used in the early diagnosis of hemangiosarcoma in dogs that are at increased risk for hemangiosarcoma. As indicated in the background section, some dogs are inherently at higher risk than other dogs. These dogs include those of any breed that are beyond middle age and purebred dogs where the prevalence of hemangiosarcoma is high including, but not limited to, Golden Retrievers, German Shepherds, Portuguese Water Dogs, or Skye Terriers. Mix breed dogs are also at higher risk if their predominant derivation is from one of the foregoing breeds.

In the case of angiosarcoma, the methods can also be performed, for example, with samples from any human deemed to potentially have an angiosarcoma. The methods, however, have particular utility with the humans that are at increased risk for angiosarcoma because they have a risk factor that is correlated with angiosarcoma. Examples of such risk factors include, but are not limited to, occupational exposure to vinyl chloride for hepatic angiosarcoma, radiation therapy for mammary angiosarcoma, HIV-1 infection for Kaposi sarcoma, and heritable defects in the Von Hippel-Lindau gene in human infantile angiosarcomas.

B. Samples for Flow Cytometry

Blood samples are the type of sample most typically utilized in flow cytometry analyses. A typical sample size for flow cytometry is about 10 μ l to about 1.0 ml, which includes about 100,000 (10^5) to 2,500,000 (2.5×10^6) cells. One useful sample collection method is to collect blood by venipuncture into evacuated tubes containing an appropriate anticoagulant. The blood is then mixed well with the anticoagulant in the tube to prevent clotting. Various anticoagulants can be used. If the specimens will be processed within thirty hours of collection, then examples of suitable anticoagulants include potassium EDTA, acid citrate dextrose (ACD), or heparin. If, however, the samples will not be processed within 30 hours, of these three anticoagulants, either ACD or heparin should be used.

Typically, specimens for flow cytometry are maintained and transported (if necessary) under refrigerated temperatures (2-8° C.). This maintains the viability of the cells and their expression of antigens. Tubes are usually incubated in the dark to maximize fluorescence capability.

Once the sample has been combined with the labeled antibodies that specifically bind the markers of interest, the samples are typically vortexed to mix up the antibodies with the cells and break up cell aggregates. A source of protein may be included in the wash buffer to reduce cell clumps and autofluorescence. Before analysis, samples are generally fixed with a fixation solution (e.g., 1-2% buffered paraformaldehyde or formaldehyde).

Flow cytometry can include processes to distinguish primitive cells from normal cells. Normal leukocytes in a sample can be labeled using antibodies with one fluorochrome (in one color, e.g. FITC). A dump gate can be established to ignore the FITC color associated with the normal leukocytes, and to focus only on cells labeled with fluorochromes of other

colors, such as red (PE) and blue (APC). Markers that can be used for the "dump gate" include CD3, CD5, CD11c, CD21, and optionally, CD18. CD45 and/or CD14 are not suitable as "dumpgate" markers, because hemangiosarcoma cells may express these markers at some stage differentiation. CD45 and/or CD14 can be used to distinguish monocytes and monocyte precursor cells from hemangiosarcoma cells based upon expression level, because these markers are expressed at higher levels in monocytes than in hemangiosarcoma cells.

Samples for analysis can be enriched for hemangiosarcoma cells by separation from erythrocytes and granulocytes by lysis or discontinuous gradients using conventional separation agents such as Ficoll-Hypaque.

As cultured cells can lose markers of interest after several passages (4-6 weeks), early passage cultured cells or other suitable cells, such as cells stably transfected to express desired markers, are optimal controls.

C. Samples for Transcript Detection

If marker expression is determined by measuring transcript levels, blood samples are typically used because they can be obtained in a relatively non-invasive manner. The methods can also be conducted with tissue biopsies from the tumor if available, but this is not typical because the methods are usually conducted to detect early onset of disease and because obtaining biopsies is more invasive. Many of the methods involving transcript detection are very sensitive and can be conducted with minimal sample volume (e.g., fractions of a milliliter of a blood sample). A variety of different sample types can be utilized in methods that involve detecting transcript levels including, but not limited to, blood and various samples taken from the tumor such as different types of effusion fluids (e.g., thoracic effusion, peritoneal effusion, pericardial effusion, or cystic fluid within a mass). Effusion fluids are collected from the site of the tumor. Effusion samples are usually treated with anticoagulants as described above for blood samples.

To measure the transcription level (and thereby the expression level) of the markers, a nucleic acid sample comprising mRNA transcripts of the markers, fragments, or nucleic acids derived from the mRNA transcripts is obtained. A nucleic acid derived from an mRNA transcript refers to a nucleic acid for whose synthesis the mRNA transcript or a subsequence thereof has ultimately served as a template. Thus, a cDNA reverse transcribed from an mRNA, an RNA transcribed from that cDNA, a DNA amplified from the cDNA, an RNA transcribed from the amplified DNA, are all derived from the mRNA transcript and detection of such derived products is indicative of the presence and/or abundance of the original transcript in a sample. Thus, suitable samples include, but are not limited to, mRNA transcripts of the markers, cDNA reverse transcribed from the mRNA, cRNA transcribed from the cDNA, DNA amplified from the genes, and RNA transcribed from amplified DNA.

In some methods, a nucleic acid sample is the total mRNA isolated from a biological sample; in other instances, the nucleic acid sample is the total RNA from a biological sample. Any RNA isolation technique that does not select against the isolation of mRNA can be utilized for the purification of such RNA samples. For example, methods of isolation and purification of nucleic acids are described in detail in WO 97/10365, WO 97/27317, Chapter 3 of *Laboratory Techniques in Biochemistry and Molecular Biology: Hybridization With Nucleic Acid Probes*, Part I. *Theory and Nucleic Acid Preparation*, (P. Tijssen, ed.) Elsevier, N.Y. (1993); Chapter 3 of *Laboratory Techniques in Biochemistry and Molecular Biology: Hybridization With Nucleic Acid Probes*, Part I. *Theory and Nucleic Acid Preparation*, (P. Tijssen, ed.)

Elsevier, N.Y. (1993); and Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Press, N.Y., (1989); *Current Protocols in Molecular Biology*, (Ausubel, F. M. et al., eds.) John Wiley & Sons, Inc., New York (1987-1993).

VI. Antibodies

A. General Considerations

Antibodies that specifically bind to the markers expressed by cells from hemangiosarcomas, angiosarcomas and/or leukemia cells are also provided. These antibodies can be of a variety of different types including, but not limited to, (i) monoclonal antibodies, (ii) chimeric antibody molecules; (iii) F(ab')₂ and F(ab) fragments; (iv) Fv molecules; (v) single-chain Fv molecules (sFv); (vi) dimeric and trimeric antibody fragment constructs (e.g., diabodies and triabodies); (vii) humanized antibody molecules or canonized antibody molecules; (viii) Mini-antibodies or minibodies (i.e., sFv polypeptide chains that include oligomerization domains at their C-termini, separated from the sFv by a hinge region; and, (ix) any functional fragments obtained from such molecules, wherein such fragments retain specific-binding properties of the parent antibody molecule. The antibodies may be of any isotype, e.g., IgM, IgD, IgG, IgA, and IgE, with IgG, IgA and IgM often preferred. Humanized and caninized antibodies (see infra) may comprise sequences from more than one class or isotype.

The antibodies can be used with or without modification. Frequently, the antibodies are labeled by conjugating, either covalently or non-covalently, a detectable label. As labeled binding entities, the antibodies are particularly useful in diagnostic applications. The label can be any molecule capable of producing, either directly or indirectly, a detectable signal. Suitable labels include, but are not limited to, radioisotopes (e.g., ³H, ¹⁴C, ³²P, ³⁵S, ¹²⁵I), fluorophores (e.g., fluorescein and rhodamine dyes and derivatives thereof), chromophores, chemiluminescent molecules, an enzyme substrate (including the enzymes luciferase, alkaline phosphatase, beta-galactosidase and horseradish peroxidase, for example).

The antibodies can be prepared, for example, using intact polypeptide or fragments containing antigenic determinants from proteins encoded by the markers that are disclosed herein. The polypeptide used to immunize an animal can be from natural sources, derived from translated cDNA, or prepared by chemical synthesis and can be conjugated with a carrier protein. Commonly used carriers include keyhole limpet hemocyanin (KLH), thyroglobulin, bovine serum albumin (BSA), and tetanus toxoid. The coupled peptide is then used to immunize the animal (e.g., a mouse, a rat, or a rabbit). Various adjuvants can be utilized to increase the immunological response, depending on the host species and include, but are not limited to, Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, dinitrophenol and carrier proteins, as well as human adjuvants such as BCG (bacille Calmette-Guerin) and *Corynebacterium parvum*.

Cultured hemangiosarcoma cell lines that express the markers can be prepared as described by Fosmire, S. P. et al. (2004) *Laboratory Investigation* 84:562-572, which is incorporated herein by reference in its entirety for all purposes.

B. Monoclonal Antibodies

Monoclonal antibodies that specifically recognize the markers described herein can be made from antigen containing fragments of the protein marker by the hybridoma technique, for example, of Kohler and Milstein (*Nature*, 256:495-

497, (1975); and U.S. Pat. No. 4,376,110). See also, Harlow & Lane, *Antibodies, A Laboratory Manual* (C.S.H.P., NY, 1988); and Goding et al., *Monoclonal Antibodies: Principles and Practice* (2d ed.) Acad. Press, N.Y. Human monoclonal antibodies that recognize the markers can be generated using, for example, the human B-cell hybridoma technique (Kosbor et al., *Immunology Today* 4:72 (1983); for a review, see also, Larrick et al., U.S. Pat. No. 5,001,065). The EBV-hybridoma technique is another approach to prepare monoclonal antibodies to the markers (see, e.g., *Monoclonal Antibodies and Cancer Therapy*, (1985) Alan R. Liss Inc., New York, N.Y., pp. 77-96).

C. Human Antibodies

Human monoclonal antibodies against a known antigen such as the markers disclosed herein can also be made using transgenic animals having elements of a human immune system (see, e.g., U.S. Pat. Nos. 5,569,825 and 5,545,806) or using human peripheral blood cells (Casali et al., 1986, *Science* 234:476). Human antibodies to the protein markers can be produced by screening a DNA library from human B cells according to the general protocol outlined by Huse et al., 1989, *Science* 246:1275. Antibodies binding to the protein markers are selected. Sequences encoding such antibodies (or binding fragments) are then cloned and amplified. The protocol described by Huse is often used with phage-display technology (see *infra*).

D. Humanized/Caninized and Chimeric Antibodies

Humanized or chimeric antibodies designed to reduce their potential antigenicity, without reducing their affinity for their target, are also provided. Preparation of chimeric, human-like and humanized antibodies have been described in the art (see, e.g., U.S. Pat. Nos. 5,585,089 and 5,530,101; Queen, et al., 1989, *Proc. Nat'l Acad. Sci. USA* 86:10029; and Verhoeyan et al., 1988, *Science* 239:1534). Humanized immunoglobulins have variable framework regions substantially from a human immunoglobulin (termed an acceptor immunoglobulin) and complementarity determining regions substantially from a non-human (e.g., mouse) immunoglobulin (referred to as the donor immunoglobulin). The constant region(s), if present, are also substantially from a human immunoglobulin.

The same approach taken in preparing humanized antibodies can also be used to incorporate the canine framework or constant region from dog immunoglobulins with the complementarity determining or variable region from another animal such as mouse, rat, rabbit or hamster, for instance.

E. Antibodies Prepared by Phage Display

Antibodies produced by the phage display methods that have specific binding affinity for the markers described herein are also included. Antibodies of this type can be produced using established methods (see, e.g., Dower et al., *WO* 91/17271, *WO* 92/01047; and Vaughan et al., 1996, *Nature Biotechnology*, 14: 309). In these methods, libraries of phage are produced in which members display different antibodies on their outer surfaces. Antibodies are usually displayed as Fv or Fab fragments. Phage displaying antibodies with a desired specificity are selected by affinity enrichment to a desired marker.

F. Bispecific and Hybrid Antibodies

Hybrid antibodies that can bind to a plurality of the markers disclosed herein are also provided. In such hybrid antibodies, one heavy and light chain pair is usually from an antibody against one marker and the other pair from an antibody raised against another marker. This results in the property of multifunctional valency, i.e., the ability to bind at least two different epitopes simultaneously, where at least one epitope is the epitope to which the anti-complex antibody binds. Such

hybrids can be formed by fusion of hybridomas producing the respective component antibodies, or by recombinant techniques.

A hybrid antibody can bind any combination of two or more markers described herein (e.g., any two markers selected from the group consisting of CD117, CD34, CD133, CD51/61, CD31, CD105, CD106, CD146, vWF, CD18 and CD45). Examples of particular pairs that can be recognized by the hybrid antibody include, but are not limited to: 1) CD34 and CD51/61; 2) CD117 and CD51/61; 3) CD34 and CD31; 4) CD117 and CD31; and 5) CD34 and CD105; and 6) CD117 and CD105.

G. Antibodies Conjugated to a Cytotoxic Agent

The various antibodies that are provided can be used in the preparation of immunotoxins designed to kill cells that express one or more markers disclosed herein that are associated with a hemangiosarcoma or angiosarcoma (e.g., cells from hemangiosarcomas, angiosarcomas and/or leukocyte or leukemia or lymphoma cells). These immunotoxins typically include two components and can be used to kill selected cells expressing the desired marker(s) *in vitro* or *in vivo*. One component is the "delivery vehicle," which is capable of delivering the toxic agent to a particular cell type, such as cells expressing the desired marker(s). The delivery vehicle in this instance is an antibody that specifically recognizes one or more of the markers described herein. To improve the selectivity in delivery, the antibody can be a hybrid antibody that binds at least two of the markers. The second component is a cytotoxic agent that usually is fatal to a cell when attached or adsorbed to the cell. The two components are chemically bonded to one another by any of a variety of well-known chemical procedures. For example, when the cytotoxic agent is a protein and the second component is an intact immunoglobulin, the linkage may be by way of heterobifunctional cross-linkers, e.g., SPDP, carbodiimide, glutaraldehyde, or the like. Further guidance regarding the production of various immunotoxins can be found, for example, in "Monoclonal Antibody—Toxin Conjugates: Aiming the Magic Bullet," Thorpe et al., *Monoclonal Antibodies in Clinical Medicine*, Academic Press, pp. 168-190 (1982), which is incorporated herein by reference in its entirety for all purposes. The components may also be linked genetically (see Chaudhary et al., *Nature* 339:394 (1989), incorporated herein by reference in its entirety for all purposes).

A variety of cytotoxic agents are suitable for use in immunotoxins. Cytotoxic agents can include radionuclides, such as Iodine-131 or other isotopes of iodine, Yttrium-90, Rhenium-188, and Bismuth-212 or other alpha emitters; a number of chemotherapeutic drugs, such as vindesine, methotrexate, adriamycin, and cisplatin; and cytotoxic proteins such as ribosomal inhibiting proteins like pokeweed antiviral protein, *Pseudomonas* exotoxin A, ricin, diphtheria toxin, ricin A chain, or an agent active at the cell surface, such as the phospholipase enzymes (e.g., phospholipase C).

VII. Pharmaceutical Compositions

The antibodies that are described herein, either in unconjugated form or conjugated to a cytotoxic agent, can serve as the active ingredient in pharmaceutical compositions formulated for use in the various applications disclosed herein. These pharmaceutical compositions may comprise a pharmaceutically acceptable carrier. Pharmaceutically acceptable carriers are determined in part by the particular composition being administered, as well as by the particular method used to administer the composition. Accordingly, there is a wide variety of suitable formulations of pharmaceutical composi-

tions of the present invention (see, e.g., Remington's Pharmaceutical Sciences, 17th ed. 1985).

Formulations suitable for administration include aqueous and non-aqueous solutions, isotonic sterile solutions, which can contain antioxidants, buffers, bacteriostats, and solutes that render the formulation isotonic, and aqueous and non-aqueous sterile suspensions that can include suspending agents, solubilizers, thickening agents, stabilizers, and preservatives. In the practice of this invention, compositions can be administered, for example, orally, topically, intravenously, intraperitoneally, subcutaneously, intrathecally (for intracranial angiosarcoma, e.g.) or intratumorally when the tumor is in the subcutaneous space. The formulations of compounds can be presented in unit-dose or multi-dose sealed containers, such as ampoules and vials. Solutions and suspensions can be prepared from sterile powders, granules, and tablets of the kind previously described.

The composition can be administered by means of an infusion pump, for example, of the type used for delivering chemotherapy to specific organs or tumors. Compositions of the inventions can be injected using a syringe or catheter directly into a tumor or at the site of a primary tumor prior to or after excision; or systemically following excision of the primary tumor. The compositions of the invention can be administered topically or locally as needed. For prolonged local administration, the enzymes may be administered in a controlled release implant injected at the site of a tumor. For topical treatment of a skin condition, the formulation may be administered to the skin in an ointment or gel.

The antibodies and pharmaceutical compositions thereof are particularly useful for parenteral administration, i.e., subcutaneously, intramuscularly or intravenously. The compositions for parenteral administration will commonly comprise a solution of the antibody or antibody conjugate or a cocktail thereof dissolved in an acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers can be used, e.g., water, buffered water, phosphate buffered saline (PBS), 0.4% saline, 0.3% glycine, human albumin solution and the like. These solutions are sterile and generally free of particulate matter. These compositions may be sterilized by conventional, well-known sterilization techniques. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions such as pH adjusting and buffering agents, toxicity adjusting agents and the like, for example sodium acetate, sodium chloride, potassium chloride, calcium chloride and sodium lactate. The concentration of antibody in these formulations can vary widely, i.e., from less than about 0.005%, usually at least about 1% to as much as 15 or 20% by weight and will be selected primarily based on fluid volumes, viscosities, etc., in accordance with the particular mode of administration selected.

The dose administered to a subject should be sufficient to effect a beneficial response in the subject over time (e.g., to reduce tumor size or tumor load). Early detection may allow for prolonged remission/survival since the tumor would not yet be clinically evident and would be more amenable to control or elimination using the aforementioned treatments. The optimal dose level for any patient will depend on a variety of factors including the efficacy of the specific modulator employed, the age, body weight, physical activity, and diet of the patient, and on the severity of a particular disease. The size of the dose also will be determined by the existence, nature, and extent of any adverse side-effects that accompany the administration of a particular compound or vector in a particular subject.

VIII. Treatment Methods

Once a subject has been diagnosed using the methods provided herein as having an elevated risk of hemangiosarcoma or angiosarcoma, various treatment options can be implemented. One option is to conduct surgery to try to excise the tumor (if a tumor mass is grossly detectable) using standard surgical procedures in the art. Another option is to begin chemotherapy to try to eradicate the tumor. Of course combined treatment regimes using both surgery and chemotherapy can be implemented.

The antibodies and methods disclosed herein can in a sense be used "prophylactically" in that they can be used to detect "tumor cells" before the tumor is clinically detectable using existing state-of-the-art techniques. This means that treatment (e.g., administration of antibodies such as described herein) need not be administered blindly simply to ward off the disease. Rather treatments can be tailored to the subject's particular needs when the disease is still at a microscopic stage, thereby increasing the ability to prevent the tumor from progressing to clinically evident disease. Antibodies of the invention can be combined with antibodies against other molecules expressed in hemangiosarcomas. These include VEGF, c-KIT, and VEGFR-2.

In therapeutic applications, compositions (e.g., the antibodies and pharmaceutical compositions provided herein or to other molecules present on hemangiosarcomas as described above) are administered to a subject that already has been diagnosed as having a hemangiosarcoma or an angiosarcoma (e.g., using the methods provided herein). The composition is administered in an amount sufficient to cure or at least partially arrest the disease and its complications (e.g., to reduce the tumor size or arrest its spread). An amount adequate to accomplish this is defined as a "therapeutically effective dose." Amounts effective for this use will depend upon the severity of the disease, the extent to which the tumor has metastasized, the age and weight of the subject, and other factors known to those of skill in the art, but generally range from about 1 to about 200 mg of antibody per dose, with dosages of from 5 to 70 mg per patient being more commonly used. Dosing schedules will vary with the disease state and status of the patient, and will typically range from a single bolus dosage or continuous infusion to multiple administrations per day (e.g., every 4-6 hours), or as indicated by the treating physician and the patient's condition.

It must be kept in mind that the materials of this invention may generally be employed in serious disease states, that is life-threatening or potentially life-threatening situations. In such cases, in view of the minimization of extraneous substances and the lower probability of "foreign substance" rejections which are achieved using certain antibodies described herein (e.g., chimeric or humanized antibodies), it is possible, and may be felt desirable by the treating clinician, to administer substantial excesses of these antibodies

IX. Other Applications

A. Monitoring High Risk Individuals for Disease

The methods that are provided can be used as part of a monitoring program for dogs at high risk for hemangiosarcomas and for humans at high risk for angiosarcomas (see supra). In such a program, the methods as described above are repeated at intervals determined by the responsible clinician to monitor whether there is any change in the status of the subject. In such methods, the expression data can be compared against a variety of different values. The data may be compared, for example, with a control that establishes a

threshold level that provides a statistical basis for concluding whether the subject has hemangiosarcoma or angiosarcoma. Alternatively, the expression data may be compared with the expression level from the prior measurement. Depending upon the trend that is observed, the clinician may opt to simply further monitor the subject or initiate treatment.

B. Detection of Residual Disease in Individuals Undergoing Treatment.

The markers used initially to detect and diagnose HSA can also be used to monitor disease progression, in individuals being treated for the disease. Such techniques allow caregivers to monitor efficacy of treatment regimens and allow modification of those regimens based on an individual's response.

C. Identification of Cells Expressing Desired Markers

The methods that are provided herein can also be utilized to select and collect cells that express the desired markers. For example, cells that express markers characteristic of hemangiosarcoma or angiosarcoma (e.g., cells expressing a primitive hematopoietic cell marker, an endothelial cell marker but not a leukemia or leukocyte-specific cell marker) can be identified using the antibody tagging methods described above. These cells can be selected and collected using any of a variety of cell sorters that are known in the art.

Once collected, the cells may be cultured in suitable media at 37° C. for a period of time (e.g., 2 hr) to promote internalization of surface antigens with bound antibodies. The antibodies once taken up can be broken down by lysosomal or proteosomal degradation, with new synthesis or recycling to the surface of the characteristic antigens.

The collected cells can be used in a variety of other applications including, for example, to (1) identify early genetic lesions to define events in molecular progression; (2) identify genes or proteins that interact with environmental factors (e.g., cigarette smoke, other environmental carcinogens) to promote cancer; (3) derive novel diagnostic tests (e.g., new, improved antibodies); and (4) derive xenotransplant tumor models in mice (putting the human or dog tumor in an immunodeficient mouse (see, e.g., Akhtar et al, (2004) Neoplasia, 6:106-116) to test specific therapies in vivo.

X. Kits

Kits that can be used in the methods described herein are also provided. The kits in general include one or more species that can be used to detect the expression of one or more primitive hematopoietic cell markers, one or more endothelial cell markers and/or one or more leukemia or leukocyte-specific cell markers. The kits can thus be used, for example, to diagnose the presence of hemangiosarcomas in dogs and angiosarcomas in humans.

The species included in the kits that are used to detect the presence of the marker(s) can be an antibody that specifically binds to a marker, a probe that specifically hybridizes to a target sequence of a marker that encodes the marker, and/or a primer that can be utilized to specifically amplify a target sequence (e.g., a sequence that encodes a marker). The antibodies, probes and/or primers are typically stored in suitable storage containers. The antibodies, probes and/or primers that are included in a kit may be labeled. If so, they are typically differentially labeled so antibodies, probes or primers specific for different markers have different labels. If the antibodies, probes or primers are not labeled, the kits can include suitable labels such as described herein. Kits may also include instructions that provide directions on how to use the antibodies, probes and/or primers to detect expression of the markers.

One example of a kit that can be used to distinguish between a hemangiosarcoma or angiosarcoma and leukemia

contains a plurality of antibodies, including: (1) at least one antibody that specifically binds to a primitive hematopoietic cell marker, (2) at least one antibody that specifically binds to an endothelial cell marker, and (3) at least one antibody that specifically binds to a leukemia marker.

A specific example of such an antibody kit is one that contains an antibody that specifically binds CD117, an antibody that specifically binds CD34, an antibody that specifically binds CD51/61 and an antibody that binds CD18, CD45, CD3, CD21, CD5 or CD11b. Other kits include the same antibodies but include an antibody that can bind more than one leukemia or leukocyte-specific cell marker selected from the group consisting of CD18, CD45, CD3, CD21, CD5 and CD11b.

Other related kits, rather than including antibodies, include probes that specifically hybridize with nucleic acids encoding these particular markers and/or primers that specifically amplify nucleic acids encoding these particular markers.

The following examples are provided to illustrate certain aspects of the methods and compositions that are provided. As such, they should not be construed to limit the scope of the claimed invention.

Example 1

Detection of Hemangiosarcomas in Dogs

I. Materials and Methods

A. Flow Cytometer

Beckman Coulter Epics XL flow cytometer, catalog #6605464 (Beckman Coulter, Inc., Hialeah, Fla.) running the Expo 32 software package, catalog #6605433 (Beckman Coulter, Inc.), or BD FACSCalibur™ flow cytometer, catalog #343020 (Becton Dickinson Immunocytometry Systems, Mountain View, Calif.) running the BD CellQuest™ software package, catalog #342182 (BD Biosciences Immunocytometry Systems).

B. Antibodies

The testing described in this example was conducted with the antibodies listed below. However, these antibodies are available in different conjugate forms to provide flexibility for multiparameter flow cytometry, and all can be conjugated to a variety of fluorochromes using the AlexaFluor technology (Molecular Probes-Invitrogen, Eugene, Oreg., see <http://www.probes.com/handbook/sections/0103.html>). In addition, Serotec, Inc. and BD Biosciences offer a range of canine leukocyte typing reagents that can be incorporated into the assay (for example, see world wide web-bdbiosciences.com/pdfs/brochures/03-7900030-3-A1.pdf).

a. Control antibody-1: Mouse IgG2a conjugated to phycoerythrin (PE), clone G155-178, catalog #559319, BD Pharmingen™ (San Diego, Calif.)

b. Control antibody-2: Mouse IgG1, k conjugated to fluorescein isothiocyanate (FITC), clone MOPC-2, catalog #1554679, BD Pharmingen™ (San Diego, Calif.)

c. Control antibody-3 and second-step reagent: Goat Anti-Mouse IgG & IgM (human adsorbed) conjugated to FITC, catalog #555988, BD Pharmingen™ (San Diego, Calif.)

d. Control antibody-4 and second-step reagent: Sheep Anti-Mouse IgG (whole molecule) F(ab')₂ fragment, affinity isolated, conjugated to PE, catalog#P8547, Sigma-Aldrich (St. Louis, Mo.)

e. Anti-CD117 (c-Kit): clone ACK45 (Rat IgG2b, κ) conjugated to PE, catalog #553869, BD Pharmingen™ (San Diego, Calif.)

f. Anti-CD34: clone 2E9 (Ms IgG1, κ) conjugated to biotin, catalog #550427, BD Pharmingen™ (San Diego, Calif.)

g. Anti-CD51/61($\alpha_v\beta_3$ integrin): clone LM606 (Ms IgG1) conjugated to FITC, catalog #MAB1976F, Chemicon Intl., (Temecula, Calif.)

h. Anti-CD146 (MUC18, S-endo): clone P1H12 conjugated to biotin, catalog #MAB16985B, Chemicon Intl., (Temecula, Calif.)

i. Anti-CD105 (endoglin): clone 8E11 (Ms IgM, κ) conjugated to FITC, catalog #9810-02, Southern Biotechnology Associates (Birmingham, Ala.)

j. Anti-CD3: clone CA17.2A12 (Ms IgG1) conjugated to FITC, catalog #MCA1774F, Serotec, Inc. (Raleigh, N.C.)

k. Anti-canine B-cells (probably CD21): clone CA2.1D6 (Ms IgG1) conjugated to PE, catalog #MCA1781PE, Serotec, Inc. (Raleigh, N.C.)

l. Anti-CD5: clone YKIX322.3 (Rat IgG2a) conjugated to FITC, catalog #MCA1037F, Serotec, Inc. (Raleigh, N.C.)

m. Anti-LFA-1 (CD11a and/or CD18):

Anti-CD11/18 (LFA-1): clone YKIX490.6.4 (Rat IgG2c) conjugated to FITC, catalog #MCA1040F, Serotec, Inc. (Raleigh, N.C.)

Anti-CD18 (integrin $\beta 2$ chain): clone CA1.4E9 (Ms IgG1) unconjugated, catalog #MCA1780, Serotec, Inc. (Raleigh, N.C.)

Anti-CD11a (integrin αL): clone HI111 (Ms IgG1, κ) conjugated to PE-Cy5 (BD Cy-Chrome™), catalog #551131, BD Pharmingen™ (San Diego, Calif.)

n. Anti-CD45: clone YKIX716.13 (Rat IgG2b) conjugated to PE, catalog #MCA1042PE, Serotec, Inc. (Raleigh, N.C.)

o. Anti-CD90 (Thy-1): clone YKIX337.217 (Rat IgG2b) unconjugated, catalog #MCA1036G, Serotec, Inc. (Raleigh, N.C.)

p. Anti-CD8: clone YCATE55.9 (Rat IgG1) conjugated to PE, catalog #MCA1039PE, Serotec, Inc. (Raleigh, N.C.)

q. Anti-CD4: clone YKIX302.9 (Rat IgG2a) conjugated to FITC, catalog #MCA1038F, Serotec, Inc. (Raleigh, N.C.)

r. Anti-CD14: clone M5E2 (Ms IgG2a, κ) conjugated to PE, catalog #555398, BD Pharmingen™ (San Diego, Calif.)

s. Anti-CD133 clone 13A4 (Rat IgG1, κ) conjugated to PE, catalog #12-1331-82, eBioscience (San Diego, Calif.)

t. Labeled streptavidin secondary reagents and labeling kits:

Streptavidin-FITC (ZyMAX grade), catalog #43-8311, Zymed Laboratories (South San Francisco, Calif.)

Streptavidin-PE, catalog #15-4301, Zymed Laboratories (South San Francisco, Calif.)

Streptavidin-APC, catalog #SA1005, Caltag Laboratories (Burlingame, Calif.)

Alexa Fluor® 647 Monoclonal Antibody Labeling Kit, catalog # A-20186, Invitrogen (Carlsbad, Calif.)

Alexa Fluor® 488 Monoclonal Antibody Labeling Kit, catalog # A30006, Invitrogen (Carlsbad, Calif.)

C. Solutions

a. RBC lysis buffer: 8.3 g/L of ammonium chloride (NH_4Cl) in 10 mM Tris, pH 7.2, catalog #R7757, Sigma-Aldrich (St. Louis, Mo.).

b. Phosphate buffered saline (PBS): 8 g/L of sodium chloride (NaCl), 0.2 g/L of potassium chloride (KCl), 1.44 g/L of sodium phosphate (Na_2PO_4), 0.24 g/L of potassium dihydrogen phosphate (KH_2PO_4).

c. Staining buffer: PBS with 0.1% (0.1 g/100 mL) of bovine serum albumin (BSA) and 0.1% sodium azide (NaN_3). Can substitute 0.1% fetal bovine serum (FBS) or 0.1% horse serum for BSA.

D. Dogs

Blood samples from health dogs and from dogs with biopsy-confirmed HSA, leukemia, or other splenic abnormalities (nodular hyperplasia, splenic hematoma) were obtained from a protocol reviewed and approved by the Institutional Animal Care and Use Committee and the Institutional Review Board of AMC Cancer Center. Dog owners were required to sign Informed Consent donating blood and tumor samples to Dr. Jaime Modiano at AMC Cancer Center/ University of Colorado Health Science Center. Whole blood samples were submitted from veterinary clinics throughout the United States and shipped at 4° C. in EDTA using a priority overnight courier.

a. The Dal-4 cell line was derived from a male Dalmatian (see Fosmire, S. P., et al. (2004) Laboratory Investigation 84:562-572).

b. The DD-1 cell line was derived from a male Golden Retriever/Great Pyrenees mix (see Fosmire et al, tab Invest, 2004).

c. Normal blood samples (unaffected dog controls) were obtained from seven dogs.

d. Samples were obtained from three dogs with leukemia (chronic lymphocytic leukemia or acute lymphoblastic leukemia).

e. Samples from affected dogs (biopsy-confirmed hemangiosarcoma) were obtained from 10 dogs.

II. Methods

A. Sample Acquisition

Cell lines were maintained as described by Fosmire, S. P., et al. (2004) Laboratory Investigation 84:562-572. Briefly, cells were fed three times weekly and passaged when they reached approximately 80% confluence in F12K media (ATCC, Manassas, Va.) supplemented with 10% fetal bovine serum (Hyclone, Logan, Utah), endothelial growth supplements (BD Biosciences, San Jose, Calif.), and 100,000 IU/ml of high molecular weight heparin (Sigma-Aldrich, St. Louis, Mo.).

Sterile venous blood samples from normal or affected dogs were obtained at the attending veterinarians' offices with Informed Consent of the owners by jugular venipuncture using 22 gauge needles and collected into 6-ml syringes using standard procedures of veterinary care. Blood was immediately transferred into evacuated 3-ml collection tubes containing EDTA.

Sterile thoracic, pericardial, or peritoneal effusions from affected dogs with thoracic, atrial, or splenic/hepatic hemangiosarcoma were collected by thoracocentesis, pericardiocentesis, or pleurocentesis using standard procedures of veterinary care. The effusions were immediately transferred into evacuated 3-ml collection tubes containing EDTA

B. Sample Preparation

Cell lines were detached using 0.1 mM EDTA and sterile cell scrapers to maintain the integrity of extracellular antigens, washed in PBS, and resuspended in staining buffer at the indicated concentrations for staining. In some procedures, cells were separated using a discontinuous Ficoll-hypaque gradient. HSA cells from four cell lines (DD-1, Dal-4, CHAD-G4.1, and CHAD-B7.4) were shown to float on the Ficoll-hypaque gradient with a similar buoyant density as other blood mononuclear cells.

Blood samples were subjected to red blood cell lysis using the following procedure. Blood was transferred to 15 ml conical tubes and centrifuged at 2,000 RPM (1,600 \times g) for 15 min in a Sorvall RT-6000 centrifuge. Plasma was aspirated under vacuum and cells were washed in 10 volumes of PBS.

Cell suspension was again centrifuged at the same speed for 15 minutes and supernatant was aspirated under vacuum. Cells were gently resuspended in 3 volumes of RBC lysis buffer and incubated at 37° C. After 10 minutes, five volumes of PBS were added to the sample and the cells were centrifuged as above. The procedure was repeated twice. The remaining white blood cells (nucleated blood cells) were counted using an automated particle analyzer (Cell-Dyn 1200, Abbott Diagnostics, Santa Clara, Calif.), resuspended in staining buffer and divided into 3×10^5 to 1×10^6 per condition for staining.

C. Cell Labeling/Immunophenotyping

All procedures were at 4° C. (except where noted). Plates, cells and antibodies were kept on ice and centrifuged at 4° C.

Preparation of Antibodies: Total staining volume was 25 μ l/sample. Directly conjugated antibodies were used at 5 μ l/sample (as recommended by the manufacturers for "1 test"); negative control antibodies were used at 2 μ l/sample.

Negative controls for Streptavidin-APC, Control antibody-FITC, Control antibody-PE were prepared individually, in pairs (APC-FITC, APC-PE, FITC-PE), and for three-color staining (APC-FITC-PE)

Experimental conditions included anti-CD117-PE, anti-CD34-biotin, anti-CD51/CD61-FITC, and anti-CD45-PE prepared individually, in pairs, or for three-color staining (anti-CD117, anti-CD34, anti-CD51/CD61)

Red blood cells were lysed as described above. Cells were divided into aliquots of 5×10^5 cells in 100 μ l of staining buffer into individual wells of a 96 well, round-bottom plate and centrifuged 2 min at 1,200 RPM using a plate adaptor in the RT-6000 centrifuge. Supernatant was discarded by inverting the plate and shaking vigorously without dislodging the pellets.

The blocking step included adding 10 μ g/ml of non-specific antibody (e.g., goat IgG) in 5 μ l for 10 min. Primary antibodies (negative controls or test antibodies) were then added as indicated above in a total volume of 25 μ l and incubated at 4° C. for 30 min.

One hundred μ l of staining buffer were then added to each well with gentle agitation and the plates were centrifuged as described above. The cell pellets were washed once more in 100 μ l of staining buffer.

Samples that did not require a second step reagent (directly conjugated antibodies) were resuspended in 100 μ l of staining buffer and transferred to 12 \times 75 polystyrene tubes. Each sample was fixed in 2% neutral buffered formalin (by adding an additional 350 μ l of staining buffer and 150 μ l of 10% formalin). Samples were kept protected from light at 4° C. until analysis (<48 hr).

Samples that required a second step reagent (e.g., streptavidin-APC or anti-mouse FITC) were kept in the 96 well plates. Streptavidin-APC was used at a concentration of 2 μ g/ml in 50 μ l. Anti-mouse-FITC was used at 1 μ g/ml in 50 μ l. Samples were incubated for 20 min at 4° C. At the end of the incubation period, 100 μ l of staining buffer were added to each well with gentle agitation and the plates were centrifuged as described above. The cell pellets were washed once more in 100 μ l of staining buffer.

Samples were resuspended in 100 μ l of staining buffer and transferred to 12 \times 75 polystyrene tubes. Each sample was fixed in 2% neutral buffered formalin (by adding an additional 350 μ l of staining buffer and 150 μ l of 10% formalin). Samples were kept protected from light at 4° C. until analysis (<48 hr).

D. Flow Cytometry

The instrument was calibrated daily as per the manufacturers' directions.

Cells were calibrated by running a positive control sample and a negative control sample to determine the extent of adjustment needed, if any, for the detectors and for color compensation.

Gates were set based on the negative control samples for cell populations based on light scatter and fluorescence emission.

Each sample was run on the "high" setting (>300 events/second) and 5000 to 20,000, or preferably, >100,000 events, were acquired in the light scatter gates.

Samples were analyzed by assessment of fluorescence for each antigen based on the whole population and based on gating of discrete subpopulations identified based on light scatter properties.

Blood from dogs with HSA, leukemia, and nodular hyperplasia was used to optimize flow cytometry conditions. Blood from fourteen dogs (seven with HSA, six normal, and one splenic

E. Threshold Level

The threshold for the analysis to date was based on negative controls.

A reference range can be established based on the numbers of detectable cells that have the test markers in a suitable population of disease-free, low risk dogs.

F. Controls

The controls included non-specific antibodies (to determine background staining that is not antigen-specific), blood from normal healthy dogs (to determine the extent of circulating cells that express the markers in these samples), leukemia cells (to distinguish between leukemia and hemangiosarcoma), and separation of normal cell populations and hemangiosarcoma cell populations in patient samples (see below).

III. Results

Results obtained from samples from the dogs listed above show that:

a. Canine hemangiosarcoma cells express approximately equivalent levels of CD34 and CD117;

b. Canine hemangiosarcoma cells express CD105, CD146, and CD51/CD61;

c. Canine hemangiosarcoma cells express variable levels of CD45 and CD14, which are generally distinguishable from the levels of CD45 and CD14 seen in canine leukocytes;

d. Circulating canine hemangiosarcoma cells express equivalent levels of CD34 to those seen in cultured canine hemangiosarcoma cells;

e. Canine hemangiosarcoma cells have unique light scatter patterns that are distinguishable from the light scatter seen in canine leukocytes (FIGS. 1A-1H and FIGS. 2A-2H). Canine hemangiosarcoma cells are large (they segregate to higher channels than leukocytes based on forward angle (or 0°) light scatter) and they are granular or have complex cytoplasm, resulting in right angle (or 90°) side scatter that is comparable to or higher than granulocytes (neutrophils, eosinophils, basophils).

Hemangiosarcoma cells and leukocytes or leukemia cells will be generally distinguishable based on light scatter by using a laser power setting that localizes the mean forward light scatter for the lymphoid cells to approximately channel 250 (of 1024) and the mean right angle light scatter for the lymphoid cells to approximately channel 25 (of 1024). Under these conditions, monocytes will usually localize at or near

channel 400 for the mean forward light scatter and at or near channel 50 for the mean right angle light scatter; granulocytes will usually localize at or near channel 400 for the mean forward light scatter and at or near channel 300 for the mean right angle light scatter. Leukemia cells will usually localize between channels approximately 300 and approximately 1,000 for the mean forward light scatter and between channels approximately 25 and approximately 300 for the mean right angle light scatter. In contrast, hemangiosarcoma cells will usually localize between channels approximately 400 and approximately 1,000 for the mean forward light scatter and between channels approximately 300 and approximately 1,000 for the mean right angle light scatter. Certain types of leukemia cells and hemangiosarcoma cells may show overlapping light scatter properties. These include chronic granulocytic leukemia and possibly some types of myeloid leukemias such as megakaryocytic leukemia. In the subclinical stage where such circulating cells may not manifest as clinical disease, these diseases (leukemia and hemangiosarcoma) can be distinguished based on the expression of cell markers as described herein.

f. Normal canine leukocytes (FIGS. 1E and 1F) and canine leukemia cells (not shown) do not express CD51/CD61;

g. The patterns of expression of CD117/CD51/CD61 (FIGS. 1E-1H) and of CD45/CD51/CD61 (FIGS. 2E-2H) are distinct between canine leukocytes and canine hemangiosarcoma cells;

h. Blood from unaffected healthy dogs will be used to establish precise reference ranges for expression of CD34+, CD117+, CD51/CD61+, CD45, CD18+ in these cells, individually and in groups;

i. Blood from unaffected healthy dogs to which known concentrations of hemangiosarcoma cells are added will be used to define the sensitivity of the assay; and

j. Blinded samples similar to those used to define the sensitivity in (g) can be used to define the specificity of the assay.

IV. Conclusions

The results obtained herein demonstrate that multiparameter flow cytometry can be used to identify canine hemangiosarcoma cells in the circulation of dogs with this disease and to distinguish these malignant cells from normal canine leukocytes.

The same approach described in this example can be used to detect and diagnose angiosarcoma in human subjects. As described supra, antibodies specific for the markers that are analyzed in the analysis are commercially available.

Example 2

Hemangiosarcoma Detection in Dogs by Determining HSA Cell Levels

The light scatter parameters of HSA cells as defined in Example 1 were used to define the flow cytometric light scatter parameters of HSA cells versus normal leukocytes to determine HSA levels in patient samples.

The percentage of cells co-expressing one or more markers of immature bone marrow precursor cells (c-KIT, CD34, CD133) and $\alpha_v\beta_3$ -integrin ranged between 0.5% and 2.0% for dogs with HSA, and was generally less than 0.1% for unaffected dogs (0.03% in a dog with splenic hematoma, see FIGS. 5A-5C, except for two highly conditioned, healthy dogs that had 0.2-0.3% EPC in the circulation. The mean, median, standard deviation, and standard error of the mean for each group were 0.90, 0.93, 0.26, and 0.10 for dogs with

HSA, and 0.10, 0.04, 0.13 and 0.05 for unaffected dogs. Non-parametric analyses (analysis of variance, Wilcoxon rank test, Wilcoxon two-sample test, and Kruskal-Wallis test) all indicate the two groups were significantly different from each other ($p < 0.01$); working on the assumption that EPC in the circulation are rare events that follow a Poisson distribution, the results show a trend for increased frequency ($t = 2.22$) of EPC in the blood from dogs with biopsy confirmed HSA.

When the same criteria were applied using antibodies against peripheral blood leukocytes (CD3, CD21, CD11b), the frequency of gated cells was also $< < 0.1\%$, whether applied to normal or leukemic white blood cells.

Analyses was done of samples in which leukocytes were excluded by using a "dump gate" for T cells (CD5), B cells (CD21), and granulocytes (CD11b) labeled with FITC. Two dogs were unaffected, while another had HSA of the right atrium. The frequency of cells obtained using this method was similar to that obtained without using the "dump gate" both for the unaffected dogs (0%, 0.01%) and for the affected dog (0.5%), although interpretation was much simpler due to the reduced background noise.

Example 3

Expression of HSA Markers in Established Cell Lines

Four established canine cell lines of HSA origin were monitored for expression of bone marrow precursor cell markers (e.g., c-KIT, CD34, CD133), using flow cytometry and/or immunofluorescence techniques described in Example 1. Differences in expression from other cell lineages of hematopoietic differentiation, as well as from mature, fully differentiated, leukocytes and vascular endothelial cells and proteins that define lineage commitment to T-lymphocytes (CD3), B-lymphocytes (CD21), granulocytes (CD11b), and vascular endothelial cells (CD105, CD146, $\alpha_v\beta_3$ -integrin) are shown in Table 2.

TABLE 2

Surface Markers	Cell Lines			
	DD-1	Dal-4	CHAD G4.1	CHAD B7.4
CD3	-	-	-	-
CD11b	-	-	-	-
CD14	+ ¹	-	-	-
CD21	-	-	-	-
CD34	+	+	+	-
CD45	+	+ ²	+ ¹	+ ¹
$\alpha_v\beta_3$ -integrin (CD51/CD61)	+	+	+	+
CD105	+	+	+	+
CD133	+	+	+	+
c-KIT (CD117)	+	+	+	+
CD146	+	+	+	+

¹Expression was only upregulated in the presence of endothelial growth factors

²A subpopulation of approximately 5% of the cells was positive

Each of the cell lines is positive for c-KIT, CD133, $\alpha_v\beta_3$ -integrin, CD105 and CD146; none express prototypical leukocyte markers CD3, CD21 or CD11b, and the expression of CD34, CD45 and CD14 is variable (See, e.g., FIGS. 4A-4P). These cell lines all express CD105, CD146 and $\alpha_v\beta_3$ -integrin. While other hematopoietic tumors (leukemias, mast cells tumors and multiple myeloma) can express one or more of these markers, the pattern of co-expression where cells have c-KIT/CD34/CD133 and $\alpha_v\beta_3$ -integrin, but no detectable

leukocyte markers (CD3, CD21, or CD11b), seems to be uniquely associated with HSA.

It is noteworthy that under conditions of logarithmic growth certain subpopulations in the cultures lacked expression of CD133, CD105, and CD146, and the density of receptor expression was also variable. HSA cell lines have also been shown to express VEGFR2. The levels of expression for CD45, CD34 and CD105 increase in DD-1 and CHAD-B7.4 cells when they are cultured in the presence of endothelial growth factors as compared to basal media (F12K media supplemented with 10% fetal bovine serum). In addition, when the lines are maintained in culture for extended periods of time (e.g., more than 10-15 passages), there is a tendency by the cells to down regulate expression of CD133, c-KIT,

CD34, and CD105. For example, CD34, which was positive in Dal-4 cells and in early passage DD-1 cells, was lost in DD-1 cells after several passages (see FIGS. 4D and 4L). Various non-mutually exclusive possibilities can account for these changes: (1) expression of these proteins is unnecessary in the artificial environment of tissue culture, (2) the cell lines are genetically unstable and "drift", or (3) "stem cells" in the populations are lost at the expense of differentiated progeny.

All publications, patents and patent applications cited herein are hereby incorporated by reference in their entirety for all purposes to the same extent as if each individual publication, patent or patent application were specifically and individually.

 SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 45

<210> SEQ ID NO 1

<211> LENGTH: 3154

<212> TYPE: DNA

<213> ORGANISM: *Canis familiaris*

<400> SEQUENCE: 1

```

gagctcagag tctatcgcag ccaccgcgat gagaggcgct cgcggcgcct gggattttct      60
ctgcgtcctg ctctctgtgc tgetgctcgg cgtccggaca ggetctttct aacctctgt      120
gagtcacagg gaaccgtctc tcccatccat ccataccagca aatcagagt taatagtcag      180
tgtcggcgac gagcttaggc tgtcctgcac cgaccaggga tttgtcaagt ggacttttga      240
gacctgggt caactgaatg agaacacaca caacgaatgg atcacagaga aggcagaggg      300
tggccacacg ggcaattaca cgtgcaccaa cagagatggc ttgagcaggt ccatttatgt      360
gtttgtcaga gatcctgcaa agcttttctt cgttgacctt cccttgatg gaaagaagg      420
caatgatacg ctggtccgct gccctctgac ggaccagaa gtgaccaatt actccctcag      480
gggggtcgcg gggaagcctc ttccaagga cttgacgttc gtcgctgatc ccaaagctgg      540
catcacgata agaaactgta agcgcgagta tcatcggctc tgettgaact gctctgcgga      600
ccagaagggg aggcaggtgc tgtccaagaa attcaccctg aaagtgaggg cagccatcag      660
agctgtacca gttgtgtcag tatccaaaac aagctctctc ctgaaggaag ggaagcctt      720
ctctgtgatg tgctttataa aagatgtgtc tagtttcgtg gactcagatg ggataaagga      780
gaacagccag cagactaatg cacagacaca gagtaatagc tggcatcatg gtgacttcaa      840
ttttgaacgt caggaaaagt tgattatcag ctacagcaaga gttaatgatt ctggagtgtt      900
catgtgttac gccaaataata cttttggatc agcaaatgac acaacaacct tggaagtagt      960
agataaagga ttcattaata tcttcccat gatgagtact acaatatttg taaatgatgg      1020
acagaatgtg gatctgattg ttgaatatga ggcatatccc aaaccggagc accagcagtg      1080
gatctatatg aacagaacct tcaactgata atgggaagat tatcccaagt ctgacaatga      1140
aagtaatatc agatatgtga gtgaacttca tctaaccaga ttaaaagggg acgaaggagg      1200
cacttacaca tttcaagtgt ccaattccga tgtcaattct tcggtgacat ttaatgttta      1260
tgtgaacaca aaaccagaaa tcctgactca tgaaagtctc acgaatggca tgctccagtg      1320
tgtggttgca ggattcccag agcccagct aggttggtat ttctgtccag gagctgagca      1380
gagatgttct gtcctattg ggccaatgga tgtgcagatg caaaactcgt ctctgtcacc      1440
gtctggaaaa ctagtggttc agagttccat cgattatagt gccttcaagc acaatggcac      1500

```

-continued

```

agtcgagtgt agggcttaca acaatgtagg caggagtctt gcctttttta actttgcaat 1560
taaagaacaa atccatcccc acaccctggt cacacctttg ctgattggct ttgtgatcgc 1620
agctggaatg atgtgcatta tcgtgatgat tcttaacctac aagtatctac agaaccocat 1680
gtatgaagta cagtggaagg ttgttgagga gatcaatgga aacaattatg tttacataga 1740
cccaacacag cttccttacg atcacaaatg ggagtttccc agaaacaggc tgagctttgg 1800
gaaaactttg ggtgctgggt ccttcgggaa agtggttgaa gccaccgcat atggcctgat 1860
taagtcggat gcggccatga ctgtgcccgt taagatgctc aaaccaagtg cccatttaac 1920
cgaacgagaa gcacctaatgt ctgagctcaa agtcttgagt tacctcggta atcatatgaa 1980
tattgtgaat cttcttgagg cgtgcaccgt tggagggccc accttggcca ttacagaata 2040
ttgttgctat ggtgatcttt tgaatttttt gcgaaggaaa cgtgattcat ttatttgctc 2100
aaagcaggaa gatcacggag aagtggcact ttataagaac cttctgcatt caaaggagtc 2160
ttcctgcagt gacagtacta atgaatacat ggacatgaaa cccggcgttt cttacgttgt 2220
gccaaccaag gcagacaaaa ggagatctgc gagaataggc tcatacatag aaagggatgt 2280
gactcctgcc atcatggaag atgatgagtt ggctctagat ctgaggact tgctgagctt 2340
ttcttaccag gtggccaagg gtatggcatt cctggcctcg aagaattgta ttcacagaga 2400
cttggtgctc agaaatatcc tccttactca tggctgaatc acaaagattt gtgattttgg 2460
tctagccaga gacatcaaga atgattctaa ttatgtggtc aaaggaaaac ctcggctacc 2520
tgtgaagtgg atggcccctg agagcatttt caactgtgtg tacacatttg aaagtgatgt 2580
ctggtcctat gggatttttc tgtgggagct cttctcttta ggaagcagcc cctaccctgg 2640
gatgccagtc gattcaaatg tctacaagat gatcaaggaa gggttccgga tgctcagccc 2700
tgagcatgca cctgctgaaa tgtatgacat catgaagacg tgctgggatg ctgateccct 2760
gaaaaggccg acgttcaagc agatcgtgca gctaattgag aagcagattt cagatagcac 2820
caatcatatt tattccaacc tcgcgaactg cagccccaac ccagagcggc ccgtggtgga 2880
ccattccgtg cggatcaatt ccgtgggcag cagcgcgtct tccaaccagc ctctgctggt 2940
acacgaagat gtgtgaagca ggaggagtgc cgggggtctc cccaacaaga gcgatccctg 3000
ttcttttggg tctatactg gttattctgt cctccttegg cttgcatcct attccagggt 3060
agcggacacc cctctgtccc tcctcttta cgagcacacc ctaattagtg gccagtgact 3120
tttgtcatca gccaccatcc tattgcaag gttc 3154

```

<210> SEQ ID NO 2

<211> LENGTH: 975

<212> TYPE: PRT

<213> ORGANISM: Canis familiaris

<400> SEQUENCE: 2

```

Met Arg Gly Ala Arg Gly Ala Trp Asp Phe Leu Cys Val Leu Leu Leu
1           5           10          15
Leu Leu Leu Leu Gly Val Arg Thr Gly Ser Ser Gln Pro Ser Val Ser
20          25          30
Pro Gly Glu Pro Ser Leu Pro Ser Ile His Pro Ala Lys Ser Glu Leu
35          40          45
Ile Val Ser Val Gly Asp Glu Leu Arg Leu Ser Cys Thr Asp Pro Gly
50          55          60
Phe Val Lys Trp Thr Phe Glu Thr Leu Gly Gln Leu Asn Glu Asn Thr
65          70          75          80
His Asn Glu Trp Ile Thr Glu Lys Ala Glu Ala Gly His Thr Gly Asn

```

-continued

85					90					95					
Tyr	Thr	Cys	Thr	Asn	Arg	Asp	Gly	Leu	Ser	Arg	Ser	Ile	Tyr	Val	Phe
			100					105					110		
Val	Arg	Asp	Pro	Ala	Lys	Leu	Phe	Leu	Val	Asp	Leu	Pro	Leu	Tyr	Gly
			115				120					125			
Lys	Glu	Gly	Asn	Asp	Thr	Leu	Val	Arg	Cys	Pro	Leu	Thr	Asp	Pro	Glu
			130			135					140				
Val	Thr	Asn	Tyr	Ser	Leu	Arg	Gly	Cys	Glu	Gly	Lys	Pro	Leu	Pro	Lys
			145			150					155			160	
Asp	Leu	Thr	Phe	Val	Ala	Asp	Pro	Lys	Ala	Gly	Ile	Thr	Ile	Arg	Asn
			165						170					175	
Val	Lys	Arg	Glu	Tyr	His	Arg	Leu	Cys	Leu	His	Cys	Ser	Ala	Asp	Gln
			180					185						190	
Lys	Gly	Arg	Thr	Val	Leu	Ser	Lys	Lys	Phe	Thr	Leu	Lys	Val	Arg	Ala
			195				200						205		
Ala	Ile	Arg	Ala	Val	Pro	Val	Val	Ser	Val	Ser	Lys	Thr	Ser	Ser	Leu
			210			215					220				
Leu	Lys	Glu	Gly	Glu	Ala	Phe	Ser	Val	Met	Cys	Phe	Ile	Lys	Asp	Val
			225			230					235			240	
Ser	Ser	Phe	Val	Asp	Ser	Met	Trp	Ile	Lys	Glu	Asn	Ser	Gln	Gln	Thr
			245						250					255	
Asn	Ala	Gln	Thr	Gln	Ser	Asn	Ser	Trp	His	His	Gly	Asp	Phe	Asn	Phe
			260					265						270	
Glu	Arg	Gln	Glu	Lys	Leu	Ile	Ile	Ser	Ser	Ala	Arg	Val	Asn	Asp	Ser
			275				280						285		
Gly	Val	Phe	Met	Cys	Tyr	Ala	Asn	Asn	Thr	Phe	Gly	Ser	Ala	Asn	Val
			290			295					300				
Thr	Thr	Thr	Leu	Glu	Val	Val	Asp	Lys	Gly	Phe	Ile	Asn	Ile	Phe	Pro
			305			310					315			320	
Met	Met	Ser	Thr	Thr	Ile	Phe	Val	Asn	Asp	Gly	Gln	Asn	Val	Asp	Leu
			325						330					335	
Ile	Val	Glu	Tyr	Glu	Ala	Tyr	Pro	Lys	Pro	Glu	His	Gln	Gln	Trp	Ile
			340						345					350	
Tyr	Met	Asn	Arg	Thr	Phe	Thr	Asp	Lys	Trp	Glu	Asp	Tyr	Pro	Lys	Ser
			355					360						365	
Asp	Asn	Glu	Ser	Asn	Ile	Arg	Tyr	Val	Ser	Glu	Leu	His	Leu	Thr	Arg
			370			375					380				
Leu	Lys	Gly	Asn	Glu	Gly	Gly	Thr	Tyr	Thr	Phe	Gln	Val	Ser	Asn	Ser
			385			390					395			400	
Asp	Val	Asn	Ser	Ser	Val	Thr	Phe	Asn	Val	Tyr	Val	Asn	Thr	Lys	Pro
			405						410					415	
Glu	Ile	Leu	Thr	His	Glu	Ser	Leu	Thr	Asn	Gly	Met	Leu	Gln	Cys	Val
			420					425						430	
Val	Ala	Gly	Phe	Pro	Glu	Pro	Ala	Val	Gly	Trp	Tyr	Phe	Cys	Pro	Gly
			435				440						445		
Ala	Glu	Gln	Arg	Cys	Ser	Val	Pro	Ile	Gly	Pro	Met	Asp	Val	Gln	Met
			450			455					460				
Gln	Asn	Ser	Ser	Leu	Ser	Pro	Ser	Gly	Lys	Leu	Val	Val	Gln	Ser	Ser
			465			470					475			480	
Ile	Asp	Tyr	Ser	Ala	Phe	Lys	His	Asn	Gly	Thr	Val	Glu	Cys	Arg	Ala
			485						490					495	
Tyr	Asn	Asn	Val	Gly	Arg	Ser	Ser	Ala	Phe	Phe	Asn	Phe	Ala	Phe	Lys
			500					505						510	

-continued

Glu Gln Ile His Pro His Thr Leu Phe Thr Pro Leu Leu Ile Gly Phe
 515 520 525
 Val Ile Ala Ala Gly Met Met Cys Ile Ile Val Met Ile Leu Thr Tyr
 530 535 540
 Lys Tyr Leu Gln Lys Pro Met Tyr Glu Val Gln Trp Lys Val Val Glu
 545 550 555 560
 Glu Ile Asn Gly Asn Asn Tyr Val Tyr Ile Asp Pro Thr Gln Leu Pro
 565 570 575
 Tyr Asp His Lys Trp Glu Phe Pro Arg Asn Arg Leu Ser Phe Gly Lys
 580 585 590
 Thr Leu Gly Ala Gly Ala Phe Gly Lys Val Val Glu Ala Thr Ala Tyr
 595 600 605
 Gly Leu Ile Lys Ser Asp Ala Ala Met Thr Val Ala Val Lys Met Leu
 610 615 620
 Lys Pro Ser Ala His Leu Thr Glu Arg Glu Ala Leu Met Ser Glu Leu
 625 630 635 640
 Lys Val Leu Ser Tyr Leu Gly Asn His Met Asn Ile Val Asn Leu Leu
 645 650 655
 Gly Ala Cys Thr Val Gly Gly Pro Thr Leu Val Ile Thr Glu Tyr Cys
 660 665 670
 Cys Tyr Gly Asp Leu Leu Asn Phe Leu Arg Arg Lys Arg Asp Ser Phe
 675 680 685
 Ile Cys Ser Lys Gln Glu Asp His Gly Glu Val Ala Leu Tyr Lys Asn
 690 695 700
 Leu Leu His Ser Lys Glu Ser Ser Cys Ser Asp Ser Thr Asn Glu Tyr
 705 710 715 720
 Met Asp Met Lys Pro Gly Val Ser Tyr Val Val Pro Thr Lys Ala Asp
 725 730 735
 Lys Arg Arg Ser Ala Arg Ile Gly Ser Tyr Ile Glu Arg Asp Val Thr
 740 745 750
 Pro Ala Ile Met Glu Asp Asp Glu Leu Ala Leu Asp Leu Glu Asp Leu
 755 760 765
 Leu Ser Phe Ser Tyr Gln Val Ala Lys Gly Met Ala Phe Leu Ala Ser
 770 775 780
 Lys Asn Cys Ile His Arg Asp Leu Ala Ala Arg Asn Ile Leu Leu Thr
 785 790 795 800
 His Gly Arg Ile Thr Lys Ile Cys Asp Phe Gly Leu Ala Arg Asp Ile
 805 810 815
 Lys Asn Asp Ser Asn Tyr Val Val Lys Gly Asn Ala Arg Leu Pro Val
 820 825 830
 Lys Trp Met Ala Pro Glu Ser Ile Phe Asn Cys Val Tyr Thr Phe Glu
 835 840 845
 Ser Asp Val Trp Ser Tyr Gly Ile Phe Leu Trp Glu Leu Phe Ser Leu
 850 855 860
 Gly Ser Ser Pro Tyr Pro Gly Met Pro Val Asp Ser Lys Phe Tyr Lys
 865 870 875 880
 Met Ile Lys Glu Gly Phe Arg Met Leu Ser Pro Glu His Ala Pro Ala
 885 890 895
 Glu Met Tyr Asp Ile Met Lys Thr Cys Trp Asp Ala Asp Pro Leu Lys
 900 905 910
 Arg Pro Thr Phe Lys Gln Ile Val Gln Leu Ile Glu Lys Gln Ile Ser
 915 920 925
 Asp Ser Thr Asn His Ile Tyr Ser Asn Leu Ala Asn Cys Ser Pro Asn
 930 935 940

-continued

```

gtgaatctac ttggagcctg caccattgga gggcccaccc tggtcattac agaatttgt 2040
tgctatgggt atcttttgaa ttttttgaga agaaaacgtg attcatttat ttgttcaaag 2100
caggaagatc atgcagaagc tgcactttat aagaatcttc tgcattcaaa ggagtcttcc 2160
tgcagcgata gtactaatga gtacatggac atgaaacctg gagtttctta tgttgtccca 2220
accaaggccg acaaaaaggag atctgtgaga ataggctcat acatagaaag agatgtgact 2280
cccgccatca tggaggatga cgagttggcc ctagacttag aagacttgct gagcttttct 2340
taccagtggt caaagggatg ggctttcctc gcctccaaga attgtattca cagagacttg 2400
gcagccagaa atactcctct tactcatggg cggatcacia agatttgtga ttttggctca 2460
gccagagaca tcaagaatga ttctaattat gtggttaaag gaaaacgtcg actacctgtg 2520
aagtggatgg cacctgaaag cattttcaac tgtgtataca cgtttgaaag tgacgtctgg 2580
tcctatggga tttttctttg ggagctgttc tctttaggaa gcagccccta tcctggaatg 2640
ccggtcgatt ctaagtctta caagatgac aaggaaggct tccggatgct cagccctgaa 2700
cacgcacctg ctgaaatgta tgacataatg aagacttgct gggatgcaga tcccctaaaa 2760
agaccaacat tcaagcaaat tgttcagcta attgagaagc agatttcaga gagaccaat 2820
catatttact ccaacttagc aaactgcagc cccaaccgac agaagcccggt ggtagaccat 2880
tctgtgcgga tcaattctgt cggcagcacc gcttcctcct cccagcctct gcttgtgcac 2940
gacgatgtct ga 2952

```

<210> SEQ ID NO 4

<211> LENGTH: 976

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 4

```

Met Arg Gly Ala Arg Gly Ala Trp Asp Phe Leu Cys Val Leu Leu Leu
1           5           10           15
Leu Leu Arg Val Gln Thr Gly Ser Ser Gln Pro Ser Val Ser Pro Gly
20           25           30
Glu Pro Ser Pro Pro Ser Ile His Pro Gly Lys Ser Asp Leu Ile Val
35           40           45
Arg Val Gly Asp Glu Ile Arg Leu Leu Cys Thr Asp Pro Gly Phe Val
50           55           60
Lys Trp Thr Phe Glu Ile Leu Asp Glu Thr Asn Glu Asn Lys Gln Asn
65           70           75           80
Glu Trp Ile Thr Glu Lys Ala Glu Ala Thr Asn Thr Gly Lys Tyr Thr
85           90           95
Cys Thr Asn Lys His Gly Leu Ser Asn Ser Ile Tyr Val Phe Val Arg
100          105          110
Asp Pro Ala Lys Leu Phe Leu Val Asp Arg Ser Leu Tyr Gly Lys Glu
115          120          125
Asp Asn Asp Thr Leu Val Arg Cys Pro Leu Thr Asp Pro Glu Val Thr
130          135          140
Asn Tyr Ser Leu Lys Gly Cys Gln Gly Lys Pro Leu Pro Lys Asp Leu
145          150          155          160
Arg Phe Ile Pro Asp Pro Lys Ala Gly Ile Met Ile Lys Ser Val Lys
165          170          175
Arg Ala Tyr His Arg Leu Cys Leu His Cys Ser Val Asp Gln Glu Gly
180          185          190
Lys Ser Val Leu Ser Glu Lys Phe Ile Leu Lys Val Arg Pro Ala Phe

```

-continued

195				200				205							
Lys	Ala	Val	Pro	Val	Val	Ser	Val	Ser	Lys	Ala	Ser	Tyr	Leu	Leu	Arg
210						215					220				
Glu	Gly	Glu	Glu	Phe	Thr	Val	Thr	Cys	Thr	Ile	Lys	Asp	Val	Ser	Ser
225				230						235					240
Ser	Val	Tyr	Ser	Thr	Trp	Lys	Arg	Glu	Asn	Ser	Gln	Thr	Lys	Leu	Gln
				245					250					255	
Glu	Lys	Tyr	Asn	Ser	Trp	His	His	Gly	Asp	Phe	Asn	Tyr	Glu	Arg	Gln
			260					265					270		
Ala	Thr	Leu	Thr	Ile	Ser	Ser	Ala	Arg	Val	Asn	Asp	Ser	Gly	Val	Phe
		275					280					285			
Met	Cys	Tyr	Ala	Asn	Asn	Thr	Phe	Gly	Ser	Ala	Asn	Val	Thr	Thr	Thr
	290					295					300				
Leu	Glu	Val	Val	Asp	Lys	Gly	Phe	Ile	Asn	Ile	Phe	Pro	Met	Ile	Asn
305					310					315					320
Thr	Thr	Val	Phe	Val	Asn	Asp	Gly	Glu	Asn	Val	Asp	Leu	Ile	Val	Glu
				325					330					335	
Tyr	Glu	Ala	Phe	Pro	Lys	Pro	Glu	His	Gln	Gln	Trp	Ile	Tyr	Met	Asn
			340						345					350	
Arg	Thr	Phe	Thr	Asp	Lys	Trp	Glu	Asp	Tyr	Pro	Lys	Ser	Glu	Asn	Glu
		355					360					365			
Ser	Asn	Ile	Arg	Tyr	Val	Ser	Glu	Leu	His	Leu	Thr	Arg	Leu	Lys	Gly
	370					375					380				
Thr	Glu	Gly	Gly	Thr	Tyr	Thr	Phe	Leu	Val	Ser	Asn	Ser	Asp	Val	Asn
385					390					395					400
Ala	Ala	Ile	Ala	Phe	Asn	Val	Tyr	Val	Asn	Thr	Lys	Pro	Glu	Ile	Leu
			405						410					415	
Thr	Tyr	Asp	Arg	Leu	Val	Asn	Gly	Met	Leu	Gln	Cys	Val	Ala	Ala	Gly
			420					425					430		
Phe	Pro	Glu	Pro	Thr	Ile	Asp	Trp	Tyr	Phe	Cys	Pro	Gly	Thr	Glu	Gln
		435					440					445			
Arg	Cys	Ser	Ala	Ser	Val	Leu	Pro	Val	Asp	Val	Gln	Thr	Leu	Asn	Ser
	450					455					460				
Ser	Gly	Pro	Pro	Phe	Gly	Lys	Leu	Val	Val	Gln	Ser	Ser	Ile	Asp	Ser
465					470					475				480	
Ser	Ala	Phe	Lys	His	Asn	Gly	Thr	Val	Glu	Cys	Lys	Ala	Tyr	Asn	Asp
			485						490					495	
Val	Gly	Lys	Thr	Ser	Ala	Tyr	Phe	Asn	Phe	Ala	Phe	Lys	Gly	Asn	Asn
			500						505				510		
Lys	Glu	Gln	Ile	His	Pro	His	Thr	Leu	Phe	Thr	Pro	Leu	Leu	Ile	Gly
		515					520						525		
Phe	Val	Ile	Val	Ala	Gly	Met	Met	Cys	Ile	Ile	Val	Met	Ile	Leu	Thr
	530					535					540				
Tyr	Lys	Tyr	Leu	Gln	Lys	Pro	Met	Tyr	Glu	Val	Gln	Trp	Lys	Val	Val
545					550					555					560
Glu	Glu	Ile	Asn	Gly	Asn	Asn	Tyr	Val	Tyr	Ile	Asp	Pro	Thr	Gln	Leu
			565						570					575	
Pro	Tyr	Asp	His	Lys	Trp	Glu	Phe	Pro	Arg	Asn	Arg	Leu	Ser	Phe	Gly
			580						585				590		
Lys	Thr	Leu	Gly	Ala	Gly	Ala	Phe	Gly	Lys	Val	Val	Glu	Ala	Thr	Ala
	595					600						605			
Tyr	Gly	Leu	Ile	Lys	Ser	Asp	Ala	Ala	Met	Thr	Val	Ala	Val	Lys	Met
	610					615					620				

-continued

Leu Lys Pro Ser Ala His Leu Thr Glu Arg Glu Ala Leu Met Ser Glu
 625 630 635 640
 Leu Lys Val Leu Ser Tyr Leu Gly Asn His Met Asn Ile Val Asn Leu
 645 650 655
 Leu Gly Ala Cys Thr Ile Gly Gly Pro Thr Leu Val Ile Thr Glu Tyr
 660 665 670
 Cys Cys Tyr Gly Asp Leu Leu Asn Phe Leu Arg Arg Lys Arg Asp Ser
 675 680 685
 Phe Ile Cys Ser Lys Gln Glu Asp His Ala Glu Ala Ala Leu Tyr Lys
 690 695 700
 Asn Leu Leu His Ser Lys Glu Ser Ser Cys Ser Asp Ser Thr Asn Glu
 705 710 715 720
 Tyr Met Asp Met Lys Pro Gly Val Ser Tyr Val Val Pro Thr Lys Ala
 725 730 735
 Asp Lys Arg Arg Ser Val Arg Ile Gly Ser Tyr Ile Glu Arg Asp Val
 740 745 750
 Thr Pro Ala Ile Met Glu Asp Asp Glu Leu Ala Leu Asp Leu Glu Asp
 755 760 765
 Leu Leu Ser Phe Ser Tyr Gln Val Ala Lys Gly Met Ala Phe Leu Ala
 770 775 780
 Ser Lys Asn Cys Ile His Arg Asp Leu Ala Ala Arg Asn Ile Leu Leu
 785 790 795 800
 Thr His Gly Arg Ile Thr Lys Ile Cys Asp Phe Gly Leu Ala Arg Asp
 805 810 815
 Ile Lys Asn Asp Ser Asn Tyr Val Val Lys Gly Asn Ala Arg Leu Pro
 820 825 830
 Val Lys Trp Met Ala Pro Glu Ser Ile Phe Asn Cys Val Tyr Thr Phe
 835 840 845
 Glu Ser Asp Val Trp Ser Tyr Gly Ile Phe Leu Trp Glu Leu Phe Ser
 850 855 860
 Leu Gly Ser Ser Pro Tyr Pro Gly Met Pro Val Asp Ser Lys Phe Tyr
 865 870 875 880
 Lys Met Ile Lys Glu Gly Phe Arg Met Leu Ser Pro Glu His Ala Pro
 885 890 895
 Ala Glu Met Tyr Asp Ile Met Lys Thr Cys Trp Asp Ala Asp Pro Leu
 900 905 910
 Lys Arg Pro Thr Phe Lys Gln Ile Val Gln Leu Ile Glu Lys Gln Ile
 915 920 925
 Ser Glu Ser Thr Asn His Ile Tyr Ser Asn Leu Ala Asn Cys Ser Pro
 930 935 940
 Asn Arg Gln Lys Pro Val Val Asp His Ser Val Arg Ile Asn Ser Val
 945 950 955 960
 Gly Ser Thr Ala Ser Ser Ser Gln Pro Leu Leu Val His Asp Asp Val
 965 970 975

<210> SEQ ID NO 5

<211> LENGTH: 2956

<212> TYPE: DNA

<213> ORGANISM: Canis familiaris

<400> SEQUENCE: 5

cccccctcgg cctccagggc ggcggcaacc ccggcccccg ctcctgctcc cgcctgcgg 60
 ggctgagccg agcctcgcg gtggcggcgg ccaagcggag gggccggcct tgccaggaac 120
 gcggagggag ggggtggggg agacagccag ctgcgccacc ccgctccggg cggagggcgg 180

-continued

agggcgccgg gcggcgccgg gcggcgccgc ccggggccga gcgcgtctgt ccggagccga	240
gcggagcggc gcgggaagga tgctggcggg caggggcggc cgcgcggggc gcgggctgcc	300
gcggggctgg accgcgctct gcctgctcag tctgctgccc tttgggtca caaacacaga	360
aaccgtgatt actcctacca cagtgccaac ctccacagaa ataatgtcag ctgtttctga	420
gaatacatcc aaacgggaag ccatacact aactccttct ggaactacca cctgtactc	480
tgtctctcaa gacagcagtg ggaccacagc aacctctca gagactacag tccatgtcac	540
atctacctct gagatcacc taacgcctgg gaccatgaac tcttctgttc agtcgcagac	600
ctctttagct atcacggtat cttttacccc aaccaacttt tcaacttcaa gtgtgacctt	660
ggagcccagc ctgctacctg gaaatggttc ggatccccc tacaacagca ccagccttgt	720
gacatccccc accggaatatt atacatcact ttctcctacc ccaagtagaa atgacacccc	780
aagtaccatc aaggagaaa tcaaatgttc cggagtcaaa gaagtgaat tgaaccaagg	840
tatctgccta gagctaaatg agacctccag ctgtgaggac tttagaagaa ataacgaaga	900
aaaactgacc caagtcctgt gtgagaagga gccagctgag gctggggccc ggggtgtctc	960
cctgcttctg gccacgtctg aggtgaggcc tctctcctg ctgctggtct tggccaacaa	1020
aacagaactt ttcagtaaac tccaacttct gagaaagcac cagtctgacc tgaaaaagct	1080
ggggatccga gacttcaactg aacaagatgt tgggagccac cagagctatt cccgcaagac	1140
cctgattgca ctggtcacct cagggatcct gctggctgtc ttgggcacca ctggttactt	1200
cctgatgaac cgcgcagtt ggagccctac aggagaaagg ctgggcaag acccttatta	1260
cacggagaac ggtggaggcc agggctatag ctacagccct ggggtctccc ctgaggtca	1320
gggaaaggcc agtgtaaac gtgggcctca ggagaacgg accggccagg ccacgtccag	1380
aaacggccat tcagcaagc aacacatggt ggctgataca gaattgtgac tctggggggg	1440
gagtaaggct gggcagggct tggggaagg gcccctcca gcacctgacc acatgtctgc	1500
tctgtctgag agctgccacc acttacatc tagcctttcc tgetgcacac accctccgag	1560
gccattcctg gggccctgca ctgcaccagg ccgaggggtt ctctccatcc tggggcccgg	1620
gaggtaaccc ctacctttta tacattcact tcaactaagc tagagtctgg tctcctttga	1680
gaaaagacat gagggagagc tgccaaagta tagagaagct accagagttg ggggggtggg	1740
gggtgatgat ctacatcat tcacgtgtgg gcttctccc tcttctcct ctctgcctta	1800
ttaaagaac ttcaggggg aagcatggcc tttctgggc tacaatgtcc tctggggagg	1860
ctttgtctt tctgtgtct tctctatgct tgtctcctct actttaggga aaccaaagca	1920
cctgctcctt tgtaagtcta tagccagcaa gacttgttgt cttaaacct cctccttgtg	1980
ctcacaccag ctactgtgg attcaggcaa ccggcttccc tcatgctctc cgggctccct	2040
gagctccaca ccttctcct gcacctctgt gtacagaagc ctgcaactgt ctctggctga	2100
gcctggaacg agactccaag ttttgaacaa tgtcttgtgt ctatgtttgg gagacagcat	2160
agggatgcgt ggacacatgc gttcctatct ttggggacaa atgaaggaga ggggatggct	2220
cagtccttgt ctctctgggg ctacacagat ctcatcttgg gcccccttt ctccctgtga	2280
gtctcagtga accgggaccaa gggaccagat cttggagcca agcctctga cccatgcacc	2340
tctgaagaag cccctgcct gaaggctagg tctggcctt gccctctgat cctgatggct	2400
tcctccttcc tcctctgac tcctgggtga gctgtggact cagactccca gcagactcct	2460
ttctgtctca gcctccccga ccccaacccc ctactgttc tgaacccca tatagtcagg	2520
gccccgaca tctccagagg accttcatca caagccatct cctctgtagg tggcccagg	2580

-continued

```

tctcatttat ttttttaggt atttttttt tccagagggg tgagcagaga tcttggttc 2640
aatgacgggt ggaatagaa ctttcagag ataggaagac tgggtggatt ttatttctga 2700
atacaaaaat ggtgtgtgta aatactgtaa ttaaagtgat accgagacac atctgttctg 2760
tgtcgtgcc ccagccaggt gtgtctgaat gccacggcgg tgccctgggt gtcccgggtca 2820
gaccggcca gacttcccaa tgatgtgta gagaggggtg accctggaaa gaggtgggcc 2880
catctcgggg gatacagga aaagccaggg tgctgccct tggccaagtg tcctatggg 2940
tggggggggg tggagg 2956

```

<210> SEQ ID NO 6

<211> LENGTH: 389

<212> TYPE: PRT

<213> ORGANISM: *Canis familiaris*

<400> SEQUENCE: 6

```

Met Leu Ala Gly Arg Gly Ala Arg Ala Gly Gly Gly Leu Pro Arg Gly
1          5          10
Trp Thr Ala Leu Cys Leu Leu Ser Leu Leu Pro Phe Gly Phe Thr Asn
20         25         30
Thr Glu Thr Val Ile Thr Pro Thr Thr Val Pro Thr Ser Thr Glu Ile
35         40         45
Met Ser Ala Val Ser Glu Asn Thr Ser Lys Arg Glu Ala Ile Thr Leu
50         55         60
Thr Pro Ser Gly Thr Thr Thr Leu Tyr Ser Val Ser Gln Asp Ser Ser
65         70         75         80
Gly Thr Thr Ala Thr Ile Ser Glu Thr Thr Val His Val Thr Ser Thr
85         90         95
Ser Glu Ile Thr Leu Thr Pro Gly Thr Met Asn Ser Ser Val Gln Ser
100        105        110
Gln Thr Ser Leu Ala Ile Thr Val Ser Phe Thr Pro Thr Asn Phe Ser
115        120        125
Thr Ser Ser Val Thr Leu Glu Pro Ser Leu Leu Pro Gly Asn Gly Ser
130        135        140
Asp Pro Pro Tyr Asn Ser Thr Ser Leu Val Thr Ser Pro Thr Glu Tyr
145        150        155        160
Tyr Thr Ser Leu Ser Pro Thr Pro Ser Arg Asn Asp Thr Pro Ser Thr
165        170        175
Ile Lys Gly Glu Ile Lys Cys Ser Gly Val Lys Glu Val Lys Leu Asn
180        185        190
Gln Gly Ile Cys Leu Glu Leu Asn Glu Thr Ser Ser Cys Glu Asp Phe
195        200        205
Lys Lys Asp Asn Glu Glu Lys Leu Thr Gln Val Leu Cys Glu Lys Glu
210        215        220
Pro Ala Glu Ala Gly Ala Gly Val Cys Ser Leu Leu Leu Ala Gln Ser
225        230        235        240
Glu Val Arg Pro His Cys Leu Leu Leu Val Leu Ala Asn Lys Thr Glu
245        250        255
Leu Phe Ser Lys Leu Gln Leu Leu Arg Lys His Gln Ser Asp Leu Lys
260        265        270
Lys Leu Gly Ile Arg Asp Phe Thr Glu Gln Asp Val Gly Ser His Gln
275        280        285
Ser Tyr Ser Arg Lys Thr Leu Ile Ala Leu Val Thr Ser Gly Ile Leu
290        295        300
Leu Ala Val Leu Gly Thr Thr Gly Tyr Phe Leu Met Asn Arg Arg Ser

```


-continued

```

ggaaaagccaa ggtctggaga agctcccagg aacaactgat ggccttgacag cactcacaca 1740
ggacccccctt cccctacccc ctctctcttg ccgcaataca ggaacccccca ggggaaagat 1800
gagctttttct aggtacaaat tttctcccag gaagctttga tttttaccgt ttcttccctg 1860
tattttctttt ctctactttg aggaaaccaa agtaaccttt tgcactgctct ctcttgtaat 1920
gatatagcca gaaaaacgtg ttgccttgaa ccacttccct catctctcct ccaagacact 1980
gtggacttgg tcaccagctc ctcccttggc ctctaagttc cactgagctc catgtgcccc 2040
ctctaccatt tgcagagtcc tgcacagttt tctggctgga gcctagaaca ggctcccaa 2100
gttttaggac aaacagctca gttctagtct ctctggggcc acacagaaac tctttttggg 2160
ctcttttttc tcctctgga tcaaagtagg caggaccatg ggaccaggtc ttggagctga 2220
gcctctcacc tgaactcttc cgaaaaatcc tcttctctg aggetggatc ctagccttat 2280
cctctgatct ccatggcttc ctctccttc ctgccgactc ctgggttgag ctgttgcttc 2340
agtcccccaa cagatgcttt tctgtctctg cctcctcac cctgagcccc ttcttgctc 2400
tgcacccccca tatggtcata gccagatca gctcctaacc cttatcacca getgctctt 2460
ctgtgggtga cccaggtctc tgtttgctgt tgatttctt ccagaggggt tgaacaggga 2520
tcctggtttc aatgacggtt ggaaatagaa atttccagag aagagagtat tgggtagata 2580
ttttttctga atacaaagtg atgtgtttaa atactgcaat taaagtgata ctgaaacaca 2640
aaaaaaaaaa aaaaaaaa 2657

```

<210> SEQ ID NO 8

<211> LENGTH: 328

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 8

```

Met Leu Val Arg Arg Gly Ala Arg Ala Gly Pro Arg Met Pro Arg Gly
1           5           10           15
Trp Thr Ala Leu Cys Leu Leu Ser Leu Leu Pro Ser Gly Phe Met Ser
          20           25           30
Leu Asp Asn Asn Gly Thr Ala Thr Pro Glu Leu Pro Thr Gln Gly Thr
          35           40           45
Phe Ser Asn Val Ser Thr Asn Val Ser Tyr Gln Glu Thr Thr Thr Pro
          50           55           60
Ser Thr Leu Gly Ser Thr Ser Leu His Pro Val Ser Gln His Gly Asn
65           70           75           80
Glu Ala Thr Thr Asn Ile Thr Glu Thr Thr Val Lys Phe Thr Ser Thr
          85           90           95
Ser Val Ile Thr Ser Val Tyr Gly Asn Thr Asn Ser Ser Val Gln Ser
          100          105          110
Gln Thr Ser Val Ile Ser Thr Val Phe Thr Thr Pro Ala Asn Val Ser
          115          120          125
Thr Pro Glu Thr Thr Leu Lys Pro Ser Leu Ser Pro Gly Asn Val Ser
          130          135          140
Asp Leu Ser Thr Thr Ser Thr Ser Leu Ala Thr Ser Pro Thr Lys Pro
145          150          155          160
Tyr Thr Ser Ser Ser Pro Ile Leu Ser Asp Ile Lys Ala Glu Ile Lys
          165          170          175
Cys Ser Gly Ile Arg Glu Val Lys Leu Thr Gln Gly Ile Cys Leu Glu
          180          185          190
Gln Asn Lys Thr Ser Ser Cys Ala Glu Phe Lys Lys Asp Arg Gly Glu

```

-continued

195	200	205
Gly Leu Ala Arg Val Leu Cys Gly Glu Glu Gln Ala Asp Ala Asp Ala 210 215 220		
Gly Ala Gln Val Cys Ser Leu Leu Leu Ala Gln Ser Glu Val Arg Pro 225 230 235 240		
Gln Cys Leu Leu Leu Val Leu Ala Asn Arg Thr Glu Ile Ser Ser Lys 245 250 255		
Leu Gln Leu Met Lys Lys His Gln Ser Asp Leu Lys Lys Leu Gly Ile 260 265 270		
Leu Asp Phe Thr Glu Gln Asp Val Ala Ser His Gln Ser Tyr Ser Gln 275 280 285		
Lys Thr Leu Ile Ala Leu Val Thr Ser Gly Ala Leu Leu Ala Val Leu 290 295 300		
Gly Ile Thr Gly Tyr Phe Leu Met Asn Arg Arg Ser Trp Ser Pro Thr 305 310 315 320		
Gly Glu Arg Leu Glu Leu Glu Pro 325		

<210> SEQ ID NO 9
 <211> LENGTH: 2265
 <212> TYPE: DNA
 <213> ORGANISM: Artificial
 <220> FEATURE:
 <223> OTHER INFORMATION: Predicted nucleic acid sequence for dog CD51

<400> SEQUENCE: 9

```

gatgggcttt ttaaactgtg tccggccacc gcaggaagag caagaaaggg aacagcttca    60
acctcatgaa aatggcgaag gaaactcaga aacttaacgg tcatttttaa gtcatgctac    120
gctctgaccc gtcagagttt ccgacttcat cataggttcc agtttccttt gcgaggaata    180
aaaattccaa gactgtactg ctgatggtgc ccattggtgt taaccacaca acaagggcaa    240
tgggtgtcaa cttttttgtc attactaagt tcaaactgac gtgtaataca caccactgac    300
ttcgcgtttt aggtatttaa ataatgaaat ttaagcaat agtcgttctt caatgtacat    360
aagacaagga gcacctgagt taccactttc tataagatag gacctcctac gatgattatt    420
tctgattttg tgtgattttg tgtgttgggt cttttgtggg ttaaggcaa tccatatttg    480
gaccttagga gccacatctt ttgtacagga gcttactggt aatacacatt aactacagt    540
tgagttttta agctactaac ttataactg catgaacttg gattttaata ttacctgtgt    600
cgtagaactt taaaaaaaaa aaaaaaagca tgatccatcc aggttctttc ctgtaatagc    660
aaaggtatag tattttaata tgaagttgg gtacatgcta ttgtgttttt atttttgttt    720
aatccactcc atttccttac atttcagttt gtatacgttt aggttctatt tcaaatcctt    780
taagccaacc taaactaaaa attctatgat caaaaatgcc tcttttgggt aatagtttta    840
atttccgcta ctcatcatca tgcctaaagc catatgcggt tggaaatcat ttctgaagta    900
cagaaattcc attgtattag tctggctatc tgcaatacaa aaaaaaaaa atatatatat    960
atatatcatt taagttaaaa gactgtagtt ctttgataga cttgcttatt aatcgtacgc   1020
tcttagagca agaattttga gtctagatta atttattttc ttcctatata tgtaactctc   1080
cttattatct ctaaaacttt actgagaatg ggttaagatc aatgaagaat ctttataatg   1140
tgcaggaacc tgcaccgcac ctccaacccc atgagaaatg cgtggaattg aaattcttaa   1200
agtagcttgc tggtttgctt cgggaataa tagcatgatg ctcacacgga cattacctta   1260
gcttagcaag ggtatcatct gtaaaccagc tctcagctac caaataacg tagagtagtg   1320
    
```

-continued

```

acttttataa gcaataacaag ttattgggag ccttttaaaa cttttatagt tttattaaca 1380
taaataactt ttttagaatt tttatataac agctgcacag gtagcacatt gtaattttat 1440
ctgcctggag ggtgatgatt cttctagagg aataatgtga tttagtcaca gttcctcaag 1500
gtctgggaac gactattaat tatacctatt tttgtgcaat tacatcatgt tgtgctttag 1560
aaattgagag ttaataaggt ttttaactgc tgcctcatt aggcaaggat aaatatttcc 1620
cttaataaat tgaatatttt tctatgattt aaaaataatt gaaatttate gtgccatgtc 1680
ttgtgttoga attcctcaca caaggggcta agctagaata tatttgtaaa acagagggaac 1740
gtgagttata tacgtagaa cgtgacaaga cctgtattc agcttagatg aatttcaaaa 1800
ttaatagatt ttgtagcata ggttttgcta gtagtcaaaa agatcttagt catatgcaat 1860
aactattttt attaccagta agtctaaagt tttttaagaa aaaatatttt tatcctagga 1920
tcttcaccaa acagtcacta agttgacgac tttcacttta tacctgttcc cccactgaat 1980
ggtagtcac cctgaaagta gatgttggat agaaatccac tcttcacaag aaatgttagt 2040
ttgcttttgc acggtctgtt cctcctgtgg cctgtagctc aaggtataat catgtgtggg 2100
agactgaagg atattggtgt tggaagcatg atgttttaag ttcctttta tgaatgtag 2160
ttttgagcaa tagtattttc ttttaaaaa tgaaaacgtg tatctctacg gaactatggt 2220
agaagtatga tttggaagct tacacttoga ggaaaatggt tggga 2265

```

<210> SEQ ID NO 10

<211> LENGTH: 7037

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 10

```

gctgcgtgga gcggcggagc cggagggaag caaaggaccg tctgcgctgc tgtccccgcc 60
ccgcgcgctc tgcgccccct gtcctctggc gtcgctccga agctcagccc tcttgctctc 120
cccggagctg tcccgggcta gccgagaaga gagcggccgg caagtttggg cgcgcgcagg 180
cggcgggccc cgggcactgg gcgcctcctg gggcgggggg gaggtggcta ccgctccccg 240
cttgcgctcc cgcgcgcact tcggcgatgg cttttccgcc gcgcgacagg ctgcgcctcg 300
gtccccgagg cctcccgttt cttctctcgg gactcctgct acctctgtgc cgcgccttca 360
acctagacgt ggacagtctt gccgagtact ctggccccga gggaagttae ttcggcttcc 420
ccgtgatttt cttcgtgccc agcgcgtctt cccggatggt tcttctcgtg ggagctccca 480
aagcaaacac caaccagcct gggattgtgg aaggagggca ggtcctcaaa tgtgactggt 540
cttctaccgg ccggtgccag ccaattgaat ttgatgcaac aggcaataga gattatgcca 600
aggatgatcc attggaattt aagtccatc agtggtttgg agcatctgtg aggtcgaaaac 660
aggataaaat tttggcctgt gccccattgt accattggag aactgagatg aaacaggagc 720
gagagcctgt tggaacatgc tttcttcaag atggaacaaa gactgttgag tatgctccat 780
gtagatcaca agatattgat gctgatggac agggattttg tcaaggagga ttcagcattg 840
atthtactaa agctgacaga gtacttcttg gtggtcctgg tagcttttat tggcaaggtc 900
agcttatttc ggatcaagtg gcagaaatcg tatctaaata cgaccccaat gtttacagca 960
tcaagtataa taaccaatta gcaactcgga ctgcacaagc tatttttgat gacagctatt 1020
tgggttattc tgtggtctgc ggagatttca atggtgatgg catagatgac tttgtttcag 1080
gagttccaag agcagcaagg actttgggaa tggtttata tttatgatggg aagaacatgt 1140
cctccttata caatthtact ggcgagcaga tggctgcata tttcggattt tctgtagctg 1200

```

-continued

ccactgacat taatggagat gattatgcag atgtgtttat tggagcacct ctcttcatgg	1260
atcgtggctc tgatggcaaa ctccaagagg tggggcaggt ctcaagtctc ctacagagag	1320
cttcaggaga ctccagacg acaaaagctga atggatttga ggtctttgca cggtttgca	1380
gtgccatagc tcctttggga gatctggacc aggatggttt caatgatatt gcaattgctg	1440
ctccatatgg gggggaagat aaaaaaggaa ttgtttatat ctccaatgga agatcaacag	1500
gcttgaacgc agtcccctc caaatccttg aagggcagtg ggctgctcga agcatgccac	1560
caagctttgg ctattcaatg aaaggagcca cagatataga caaaaatgga tatccagact	1620
taattgtagg agcttttggg ttagatcgag ctatcttata cagggccaga ccagttatca	1680
ctgtaaatgc tggctttgaa gtgtacccta gcattttaaa tcaagacaat aaaacctgct	1740
cactgectgg aacagctctc aaagtcttct gttttaatgt taggttctgc ttaaaggcag	1800
atggcaaagg agtacttccc aggaaactta atttccaggt ggaacttctt ttggataaac	1860
tcaagcaaaa gggagcaatt cgacgagcac tgtttctcta cagcaggtcc ccaagtcact	1920
ccaagaacat gactatttca agggggggac tgatgcagtg tgaggaattg atagcgtatc	1980
tgcgggatga atctgaattt agagacaaac tcaactcaat tactattttt atggaatatc	2040
ggttggatta tagaacagct gctgatacaa caggcttgca acccattctt aaccagttca	2100
cgctgctaa cattagtcga caggctcaca ttctacttga ctgtggtgaa gacaatgtct	2160
gtaaacccaa gctggaagtt tctgtagata gtgatcaaaa gaagatctat attggggatg	2220
acaacctctc gacattgatt gttaaggctc agaatcaagg agaaggtgcc tacgaagctg	2280
agctcatcgt ttccattcca ctgcaggctg atttcatcgg ggttgcctga aacaatgaag	2340
ccttagcaag acttctctg gcatttaaga cagaaaacca aactcgccag gtggtatgtg	2400
accttgaaa cccaatgaag gctggaactc aactcttagc tggctctcgt ttcagtgtgc	2460
accagcagtc agagatggat acttctgtga aatttgactt acaaatccaa agctcaaatc	2520
tatttgacaa agtaagccca gttgtatctc aaaaagttag tcttctgtgt ttagctgcag	2580
ttgagataag aggagtctcg agtcctgatc atatctttct tccgattcca aactgggagc	2640
acaaggagaa cctgagact gaagaagatg ttgggcccag tgttcagcac atctatgagc	2700
tgagaaacaa tggccaagt tcattcagca aggcaatgct ccactctcag tggccttaca	2760
aatataataa taacctctg ttgtatatcc ttcattatga tattgatgga ccaatgaact	2820
gcacttcaga tatggagatc aaccctttga gaattaagat ctcatctttg caaacaactg	2880
aaaagaatga cacggttgc gggcaagggt agcgggacca tctcatcact aagcgggatc	2940
ttgccctcag tgaaggagat attcacactt tgggttgtgg agttgctcag tgcttgaaga	3000
ttgtctgcca agttgggaga ttagacagag gaaagagtgc aatctgtac gtaaagtcac	3060
tactgtggac tgagactttt atgaataaag aaaatcagaa tcattcctat tctctgaagt	3120
cgtctgcttc atttaatgtc atagagtttc cttataagaa tcttccaatt gaggatatca	3180
ccaactccac attggttacc actaatgtca cctggggcat tcagccagcg cccatgectg	3240
tgctgtgtg ggtgatcatt ttagcagttc tagcaggatt gttgctactg gctgttttg	3300
tatttgaat gtacaggatg ggctttttta aacgggtccg gccacctcaa gaagaacaag	3360
aaaggagca gcttcaacct catgaaaatg gtgaaggaaa ctcaaaaact taactgcagt	3420
ttttaagtta tgctacatct tgaccacta gaattagcaa ctttattata gatttaaac	3480
ttctcatga ggagtaaaaa tccaaggctt tactgctgat agtgctaatt ggcattaacc	3540
acaaaatgag aatttatatt gtcaaccttc tccttataaa taagttcaga catacattta	3600

-continued

ataacatagg gtgacttgty ttttaggta ttttaataat aaaatttcaa gggatagttt	3660
ttattcaatg tatataagac aggtagtgcc tgatttacta ctttatataa aatagtagct	3720
ccttcagtta ctgtttctga tttaatgtac ggaactttat ttgttggtgt tgttggtgtt	3780
gttggtgttg ttttaagca gtccaaattt ggaccttagc aatcatgtct tttgtatagg	3840
tacttaatgt taatacatat tacaactacag tttacttttc agaatactaa agactttata	3900
actgcatgaa cttggatttt tttaatcact catatggtag aattttataa acacatacat	3960
gataccatcc aaattcttgc ttttaataac aaaggtacaa tattttgttt tagtatgaaa	4020
atctggtaga tctattaca cttctgttta tattaatcc acaatatttt attacatttt	4080
taacttgat aaattttagg tcaaatcctt caagccaacc tatactaaaa attagttcca	4140
taatcacaaa tggctctttt gtgtaattgt ttaatttcac ctgaatatca taatgcttaa	4200
agccataggt agttggaaat tatttccaaa gcatatttat tccattgttt tagtctggct	4260
atttacagta taaaaaagc atttttatta aaatactgtg tagttctttg agatagttgc	4320
ttatgcatat agtaagtatt acattcttag agtagagcag agtttttagt tagtattaat	4380
ttattttcct ccattcatgt acttttcctt atatttccaa aactgttact gagaatgggt	4440
caagatcagt gagaatcctt tacagttgac aggaacctgg accttacc ccaactttat	4500
gagtaatgct tggataaaaa actcttaagg caactcactg atttacttct agcaatagca	4560
tgatgttaca ggaatattac ctctgtttaa gcaaggaat gtgtaaaatc agtctcggt	4620
gtcagaataa cttctaaaag gtatttttat aagcagttca agttactgaa aaccttttaa	4680
acctttctga agttcgtag tataaattac ttttctagga ttattaataa aagccacata	4740
ggtaggcaagt tgtagtttta tatggctctg tagagtggg aaccttctag aggaatatat	4800
gattattca cagttcctca aggcctgggg atgatgatca gttataccta tttttgtgca	4860
attacatcat gttgtacatt agaaatggag agtttaatag ctctttaact gctgtcctca	4920
ttaggtaatg ataaatattt cctttaaata attgactatt ttgctgtgtt ttaaaaatga	4980
ttgaaattta tcttgccata tctcataatt tcatgcacaa gttgactgag ctaatctga	5040
gaatatattc gtaaaaatag agcacattta gttgaggat acaaggtagg actctagaca	5100
aaaccttcta ttttagcttt agtgaatttc aaaagtaatg ggtcttgag tatagatttt	5160
tatttagtagc ttgaaagagc ttaatcatat gcagtaagta tttttattac caataaattt	5220
aaaatttttt aagaaaaata tttttatcct agggccaagt gttgctgcc accaatcagt	5280
aagttagtct ataacaaatt ttacctaac agttttacca cctagtaaca gtcatttctg	5340
aaaatatggt ggatagaaaag tcaactcttg gcaaaagtgt tagaatttgc ttttgtgcca	5400
tctattcctt ttatggcctc tatcttgaaa gtaatcttgt attggagatt gaaagatgct	5460
gtaatttaga aattaacatg atatcttaaa ttacctttat gaaatatagt tttgtataat	5520
agcatagatt ttccttcaaa aaatgaacat ttatatatct acaaaaaatg ggagaagagt	5580
aatttgaag cctactttct gaagaaaatg gtgggatttt tttttatcat gattaaatat	5640
caaaaaattg ccatatgaaa actttaaact tctaaaacat ttgaaatact accatatttg	5700
tgatttattg agaataaaaa tccattttga aatgtaaaat ttttatgac tgattcagtt	5760
ttaagaaaac atgaatgaac tagaagatat taaaaacatt tgacattggt aagaaatatt	5820
gatactgata ttgattttta tataggatatt tttttcagaa ttgatatttt gagaaaaata	5880
catgtgagtc atttttctg tttctctttt ctcttaacga ttatcactgt aattctgaat	5940
ctgaaaggta aaacaattag tcaaaatatt attgccaatca ttctactgt gttatgaaac	6000

-continued

```

tacttattca tagttaattc tcattaacac ttacatttcc ataaagaaaa ctcaagtatt 6060
aataaaagag actttactgg cttaagaggg ctgtgaaaga tttttgatag tgaatcatga 6120
ccctaaggga gagatttgtg tgataaaagt attgtatata atagatcagc gatttttcta 6180
aggcaaacag aatttgtaag ttggcagatc ttcctaagtt gcaaaatgta atgatgagct 6240
tgggtggagaa gaatgagtcg ttcttggaaat acctatgtgc agccactacc catctcaatg 6300
tcaccttgtt tgcattcttg gatagcttgg atatgtagta gtttgatgaa taattttaaag 6360
aaaaacacct aaaatttgaa aaatgattgt aggatcaaaa aaggcagatg aaattactta 6420
atactcagtg ttttggagag tattcctttt agtttgttgg ttggctgggt tgaacgatag 6480
aaatatgcag catgcaatat atgcttatat ttcattttaa tttctgatat ataataaact 6540
tcttgggaga ggtactgaat ctttggatgt ttttgcatt gttctcaagt gcaatataac 6600
aatgtaacca aatctagata atttcaaagt tgcattaat ttagtaagcc taatataaac 6660
aaatatttgt attatttttg ttagcaggaa agagtgatta agtgaggta tttacccta 6720
aatggtccat tctgcattgt atttcaggct ggaatgaat tattctttac cagttttgaa 6780
acactttgaa atactctaag gtaacttgga agctgtgtag tatatcaaat taatttgcta 6840
cctaataaca tagaaagtaa atactttgt ggtcaccac attgggtgag acagaaaatg 6900
aatctgttct aaaatttgta atttgctaac ttgatttgag ttagtgaaaa ctggtacagt 6960
gttctgcttg atttacaaca tgtaacttgt gactgtacaa taaacataag catatggtac 7020
caaaaaaaaa aaaaaaaaa 7037

```

<210> SEQ ID NO 11

<211> LENGTH: 1048

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 11

```

Met Ala Phe Pro Pro Arg Arg Arg Leu Arg Leu Gly Pro Arg Gly Leu
1           5           10           15
Pro Leu Leu Leu Ser Gly Leu Leu Leu Pro Leu Cys Arg Ala Phe Asn
                20           25           30
Leu Asp Val Asp Ser Pro Ala Glu Tyr Ser Gly Pro Glu Gly Ser Tyr
                35           40           45
Phe Gly Phe Ala Val Asp Phe Phe Val Pro Ser Ala Ser Ser Arg Met
                50           55           60
Phe Leu Leu Val Gly Ala Pro Lys Ala Asn Thr Thr Gln Pro Gly Ile
65           70           75           80
Val Glu Gly Gly Gln Val Leu Lys Cys Asp Trp Ser Ser Thr Arg Arg
                85           90           95
Cys Gln Pro Ile Glu Phe Asp Ala Thr Gly Asn Arg Asp Tyr Ala Lys
                100          105          110
Asp Asp Pro Leu Glu Phe Lys Ser His Gln Trp Phe Gly Ala Ser Val
                115          120          125
Arg Ser Lys Gln Asp Lys Ile Leu Ala Cys Ala Pro Leu Tyr His Trp
                130          135          140
Arg Thr Glu Met Lys Gln Glu Arg Glu Pro Val Gly Thr Cys Phe Leu
145          150          155          160
Gln Asp Gly Thr Lys Thr Val Glu Tyr Ala Pro Cys Arg Ser Gln Asp
                165          170          175
Ile Asp Ala Asp Gly Gln Gly Phe Cys Gln Gly Gly Phe Ser Ile Asp
                180          185          190

```

-continued

Phe Thr Lys Ala Asp Arg Val Leu Leu Gly Gly Pro Gly Ser Phe Tyr
 195 200 205
 Trp Gln Gly Gln Leu Ile Ser Asp Gln Val Ala Glu Ile Val Ser Lys
 210 215 220
 Tyr Asp Pro Asn Val Tyr Ser Ile Lys Tyr Asn Asn Gln Leu Ala Thr
 225 230 235 240
 Arg Thr Ala Gln Ala Ile Phe Asp Asp Ser Tyr Leu Gly Tyr Ser Val
 245 250 255
 Ala Val Gly Asp Phe Asn Gly Asp Gly Ile Asp Asp Phe Val Ser Gly
 260 265 270
 Val Pro Arg Ala Ala Arg Thr Leu Gly Met Val Tyr Ile Tyr Asp Gly
 275 280 285
 Lys Asn Met Ser Ser Leu Tyr Asn Phe Thr Gly Glu Gln Met Ala Ala
 290 295 300
 Tyr Phe Gly Phe Ser Val Ala Ala Thr Asp Ile Asn Gly Asp Asp Tyr
 305 310 315 320
 Ala Asp Val Phe Ile Gly Ala Pro Leu Phe Met Asp Arg Gly Ser Asp
 325 330 335
 Gly Lys Leu Gln Glu Val Gly Gln Val Ser Val Ser Leu Gln Arg Ala
 340 345 350
 Ser Gly Asp Phe Gln Thr Thr Lys Leu Asn Gly Phe Glu Val Phe Ala
 355 360 365
 Arg Phe Gly Ser Ala Ile Ala Pro Leu Gly Asp Leu Asp Gln Asp Gly
 370 375 380
 Phe Asn Asp Ile Ala Ile Ala Ala Pro Tyr Gly Gly Glu Asp Lys Lys
 385 390 395 400
 Gly Ile Val Tyr Ile Phe Asn Gly Arg Ser Thr Gly Leu Asn Ala Val
 405 410 415
 Pro Ser Gln Ile Leu Glu Gly Gln Trp Ala Ala Arg Ser Met Pro Pro
 420 425 430
 Ser Phe Gly Tyr Ser Met Lys Gly Ala Thr Asp Ile Asp Lys Asn Gly
 435 440 445
 Tyr Pro Asp Leu Ile Val Gly Ala Phe Gly Val Asp Arg Ala Ile Leu
 450 455 460
 Tyr Arg Ala Arg Pro Val Ile Thr Val Asn Ala Gly Leu Glu Val Tyr
 465 470 475 480
 Pro Ser Ile Leu Asn Gln Asp Asn Lys Thr Cys Ser Leu Pro Gly Thr
 485 490 495
 Ala Leu Lys Val Ser Cys Phe Asn Val Arg Phe Cys Leu Lys Ala Asp
 500 505 510
 Gly Lys Gly Val Leu Pro Arg Lys Leu Asn Phe Gln Val Glu Leu Leu
 515 520 525
 Leu Asp Lys Leu Lys Gln Lys Gly Ala Ile Arg Arg Ala Leu Phe Leu
 530 535 540
 Tyr Ser Arg Ser Pro Ser His Ser Lys Asn Met Thr Ile Ser Arg Gly
 545 550 555 560
 Gly Leu Met Gln Cys Glu Glu Leu Ile Ala Tyr Leu Arg Asp Glu Ser
 565 570 575
 Glu Phe Arg Asp Lys Leu Thr Pro Ile Thr Ile Phe Met Glu Tyr Arg
 580 585 590
 Leu Asp Tyr Arg Thr Ala Ala Asp Thr Thr Gly Leu Gln Pro Ile Leu
 595 600 605
 Asn Gln Phe Thr Pro Ala Asn Ile Ser Arg Gln Ala His Ile Leu Leu
 610 615 620

-continued

Asp Cys Gly Glu Asp Asn Val Cys Lys Pro Lys Leu Glu Val Ser Val
 625 630 635 640
 Asp Ser Asp Gln Lys Lys Ile Tyr Ile Gly Asp Asp Asn Pro Leu Thr
 645 650 655
 Leu Ile Val Lys Ala Gln Asn Gln Gly Glu Gly Ala Tyr Glu Ala Glu
 660 665 670
 Leu Ile Val Ser Ile Pro Leu Gln Ala Asp Phe Ile Gly Val Val Arg
 675 680 685
 Asn Asn Glu Ala Leu Ala Arg Leu Ser Cys Ala Phe Lys Thr Glu Asn
 690 695 700
 Gln Thr Arg Gln Val Val Cys Asp Leu Gly Asn Pro Met Lys Ala Gly
 705 710 715 720
 Thr Gln Leu Leu Ala Gly Leu Arg Phe Ser Val His Gln Gln Ser Glu
 725 730 735
 Met Asp Thr Ser Val Lys Phe Asp Leu Gln Ile Gln Ser Ser Asn Leu
 740 745 750
 Phe Asp Lys Val Ser Pro Val Val Ser His Lys Val Asp Leu Ala Val
 755 760 765
 Leu Ala Ala Val Glu Ile Arg Gly Val Ser Ser Pro Asp His Ile Phe
 770 775 780
 Leu Pro Ile Pro Asn Trp Glu His Lys Glu Asn Pro Glu Thr Glu Glu
 785 790 795 800
 Asp Val Gly Pro Val Val Gln His Ile Tyr Glu Leu Arg Asn Asn Gly
 805 810 815
 Pro Ser Ser Phe Ser Lys Ala Met Leu His Leu Gln Trp Pro Tyr Lys
 820 825 830
 Tyr Asn Asn Asn Thr Leu Leu Tyr Ile Leu His Tyr Asp Ile Asp Gly
 835 840 845
 Pro Met Asn Cys Thr Ser Asp Met Glu Ile Asn Pro Leu Arg Ile Lys
 850 855 860
 Ile Ser Ser Leu Gln Thr Thr Glu Lys Asn Asp Thr Val Ala Gly Gln
 865 870 875 880
 Gly Glu Arg Asp His Leu Ile Thr Lys Arg Asp Leu Ala Leu Ser Glu
 885 890 895
 Gly Asp Ile His Thr Leu Gly Cys Gly Val Ala Gln Cys Leu Lys Ile
 900 905 910
 Val Cys Gln Val Gly Arg Leu Asp Arg Gly Lys Ser Ala Ile Leu Tyr
 915 920 925
 Val Lys Ser Leu Leu Trp Thr Glu Thr Phe Met Asn Lys Glu Asn Gln
 930 935 940
 Asn His Ser Tyr Ser Leu Lys Ser Ser Ala Ser Phe Asn Val Ile Glu
 945 950 955 960
 Phe Pro Tyr Lys Asn Leu Pro Ile Glu Asp Ile Thr Asn Ser Thr Leu
 965 970 975
 Val Thr Thr Asn Val Thr Trp Gly Ile Gln Pro Ala Pro Met Pro Val
 980 985 990
 Pro Val Trp Val Ile Ile Leu Ala Val Leu Ala Gly Leu Leu Leu Leu
 995 1000 1005
 Ala Val Leu Val Phe Val Met Tyr Arg Met Gly Phe Phe Lys Arg
 1010 1015 1020
 Val Arg Pro Pro Gln Glu Glu Gln Glu Arg Glu Gln Leu Gln Pro
 1025 1030 1035
 His Glu Asn Gly Glu Gly Asn Ser Glu Thr

-continued

1040	1045	
<210> SEQ ID NO 12		
<211> LENGTH: 2374		
<212> TYPE: DNA		
<213> ORGANISM: <i>Canis familiaris</i>		
<400> SEQUENCE: 12		
atgcgggccc	ggccgctctg	ggccgcggtg ctgctgctgg gggcgctggc gggcaccggc 60
gtcggagtgt	ccaacatctg	taccacacga ggtgtccact cctgccagca atgtctagct 120
gtgagtcctg	tgtgtgcctg	gtgctcagat gaggcctgc ctctgggctc tccccgctgt 180
aacctgaagg	aaaatctgct	gaaggataac tgtgcctctg aatccattga gttccccatc 240
agtgaggtcc	gcactctgga	ggccaggccc cttagcaaca agggctctgg agacagctcc 300
cagattactc	aagtcagccc	tcagaggatt gcgctcgggc tccggccaga tgattcaaag 360
aatttctcca	tccaagtctg	gcaagtagag gattaccctg tggacatcta ctacttgatg 420
gacctgtcct	attccatgaa	ggatgatctg tcgagcatcc agaacctagg caccaggctg 480
gcctcccaga	tcacacaagc	caccagtaac ttgcggattg gcttcggggc ttttgtggac 540
aagcctgtgt	ctccatacat	gtacatctcc ccaccagagg ccctcaaaaa ccctctctat 600
gatatgaaga	ccacctgttt	gcctatgttt ggctacaaac atgtgctgac gctaaactgac 660
caggtgacct	gcttcaatga	ggaagtgaaa aagcagagtg tgtcacggaa ccgagatgcc 720
ccagagggcg	gctttgatgc	tatcatgcag gctacagtct gtgatgagaa gattggctgg 780
aggaatgatg	catcccactt	gctggatatt accactgatg ccaagaccca tatagcgtg 840
gatggaaggc	tggcaggcat	tgtccaacct aacgatgggc agtgtccat tggcagtgac 900
aaccattatt	ctgcctccac	taccatggat tatcctctc tgggactgat gacagagaag 960
ctctcccaga	aaaacatcaa	tttgatcttt gcagtaacgg aaaatgtggt caatctctac 1020
cagaactaca	gtgagctcat	cccagggacc acagtgggga ttctgtctac ggattccagc 1080
aatgtccttc	agctcattgt	tgatgcttat ggaaaaatcc gctctaaagt ggagctggaa 1140
gtcgtgacc	tccctgagga	gttgctctca tcggtcaacg ccacctgtct caacaatgag 1200
gtcatecccg	gctcaagtc	ttgtgtcggc ctcaagattg gagacacggg gagcttcagc 1260
attgaggcca	aagtgcgagg	ctgccccag gagaaggaga agtccttcac catcaagcct 1320
gtgggcttca	aagacagcct	caccatccag gtcaccttg actgtgactg tgcctgccag 1380
gcccaggctg	agccttccag	tcaccgctgc aacaatggca atgggacctt tgagtgtggg 1440
gtgtgcctct	gtgggectgg	ctggctgggg tcccagtggt aatgctcgga agaggactat 1500
catccctccc	agcaggacga	gtgcagcccc cgggagggcc agcccgcctg cagccagcgg 1560
ggcgagtgcc	tgtgtggcca	atgtgtctgc catagcagtg actttggcaa gatcacgggc 1620
aagtactgcg	agtgtgatga	cttctcctgt gtccgctaca agggggagat gtgctcaggc 1680
catggccagt	gcagctgtgg	ggactgcctg tgtgactccg actggaccgg ctactactgc 1740
aactgtacca	cgcgactga	cactgcatg tccagcaacg ggctgctgtg cggcggctcg 1800
ggcaagtgtg	agtgtggcag	ctgcgtgtgc atccaacctg gctcctacgg ggacacctgc 1860
gagaagtgcc	ccacctgccc	tgacgcctgc acctttaaga aggagtgtgt ggagtgtgaa 1920
aaatttgacc	gaggaactct	ccatgatgat aatacctgca accgttactg tcgtgatgag 1980
attgagtctg	tgaaggagct	taaggatact ggcaaggatg cagtgaattg tacatacaag 2040
aatgaggatg	actgtgtgtg	cagatttccag tactatgaag actccagtgg aaagtccatt 2100

-continued

```

ctctatgtgg tagaagagcc agagtgtccc aagggtcctg acatcctggt ggtcctgctt 2160
tcagtgatgg gggccatttt gctcattggc cttgctactc tgctcatctg gaagctcctc 2220
atcacatcc atgatcggaag ggagtttgct aaatttgagg aagagcgagc cagagcaaaa 2280
tgggacacag ccaacaaccc actgtataaa gagggccatc ccaacttttac caacatcacc 2340
taccggggca cttaacacca aggagccatc ctca 2374

```

```

<210> SEQ ID NO 13
<211> LENGTH: 784
<212> TYPE: PRT
<213> ORGANISM: Canis familiaris

```

```

<400> SEQUENCE: 13

```

```

Met Arg Ala Arg Pro Leu Trp Ala Ala Val Leu Leu Leu Gly Ala Leu
1          5          10          15
Ala Gly Thr Gly Val Gly Val Ser Asn Ile Cys Thr Thr Arg Gly Val
20          25          30
His Ser Cys Gln Gln Cys Leu Ala Val Ser Pro Val Cys Ala Trp Cys
35          40          45
Ser Asp Glu Ala Leu Pro Leu Gly Ser Pro Arg Cys Asn Leu Lys Glu
50          55          60
Asn Leu Leu Lys Asp Asn Cys Ala Leu Glu Ser Ile Glu Phe Pro Ile
65          70          75          80
Ser Glu Val Arg Ile Leu Glu Ala Arg Pro Leu Ser Asn Lys Gly Ser
85          90          95
Gly Asp Ser Ser Gln Ile Thr Gln Val Ser Pro Gln Arg Ile Ala Leu
100         105         110
Arg Leu Arg Pro Asp Asp Ser Lys Asn Phe Ser Ile Gln Val Arg Gln
115        120        125
Val Glu Asp Tyr Pro Val Asp Ile Tyr Tyr Leu Met Asp Leu Ser Tyr
130        135        140
Ser Met Lys Asp Asp Leu Ser Ser Ile Gln Asn Leu Gly Thr Arg Leu
145        150        155        160
Ala Ser Gln Met His Lys Leu Thr Ser Asn Leu Arg Ile Gly Phe Gly
165        170        175
Ala Phe Val Asp Lys Pro Val Ser Pro Tyr Met Tyr Ile Ser Pro Pro
180        185        190
Glu Ala Leu Lys Asn Pro Cys Tyr Asp Met Lys Thr Thr Cys Leu Pro
195        200        205
Met Phe Gly Tyr Lys His Val Leu Thr Leu Thr Asp Gln Val Thr Arg
210        215        220
Phe Asn Glu Glu Val Lys Lys Gln Ser Val Ser Arg Asn Arg Asp Ala
225        230        235        240
Pro Glu Gly Gly Phe Asp Ala Ile Met Gln Ala Thr Val Cys Asp Glu
245        250        255
Lys Ile Gly Trp Arg Asn Asp Ala Ser His Leu Leu Val Phe Thr Thr
260        265        270
Asp Ala Lys Thr His Ile Ala Leu Asp Gly Arg Leu Ala Gly Ile Val
275        280        285
Gln Pro Asn Asp Gly Gln Cys His Ile Gly Ser Asp Asn His Tyr Ser
290        295        300
Ala Ser Thr Thr Met Asp Tyr Pro Ser Leu Gly Leu Met Thr Glu Lys
305        310        315        320
Leu Ser Gln Lys Asn Ile Asn Leu Ile Phe Ala Val Thr Glu Asn Val
325        330        335

```

-continued

Val Asn Leu Tyr Gln Asn Tyr Ser Glu Leu Ile Pro Gly Thr Thr Val
 340 345 350

Gly Ile Leu Ser Thr Asp Ser Ser Asn Val Leu Gln Leu Ile Val Asp
 355 360 365

Ala Tyr Gly Lys Ile Arg Ser Lys Val Glu Leu Glu Val Arg Asp Leu
 370 375 380

Pro Glu Glu Leu Ser Leu Ser Phe Asn Ala Thr Cys Leu Asn Asn Glu
 385 390 395 400

Val Ile Pro Gly Leu Lys Ser Cys Val Gly Leu Lys Ile Gly Asp Thr
 405 410 415

Val Ser Phe Ser Ile Glu Ala Lys Val Arg Gly Cys Pro Gln Glu Lys
 420 425 430

Glu Lys Ser Phe Thr Ile Lys Pro Val Gly Phe Lys Asp Ser Leu Thr
 435 440 445

Ile Gln Val Thr Phe Asp Cys Asp Cys Ala Cys Gln Ala Gln Ala Glu
 450 455 460

Pro Ser Ser His Arg Cys Asn Asn Gly Asn Gly Thr Phe Glu Cys Gly
 465 470 475 480

Val Cys Leu Cys Gly Pro Gly Trp Leu Gly Ser Gln Cys Glu Cys Ser
 485 490 495

Glu Glu Asp Tyr His Pro Ser Gln Gln Asp Glu Cys Ser Pro Arg Glu
 500 505 510

Gly Gln Pro Ala Cys Ser Gln Arg Gly Glu Cys Leu Cys Gly Gln Cys
 515 520 525

Val Cys His Ser Ser Asp Phe Gly Lys Ile Thr Gly Lys Tyr Cys Glu
 530 535 540

Cys Asp Asp Phe Ser Cys Val Arg Tyr Lys Gly Glu Met Cys Ser Gly
 545 550 555 560

His Gly Gln Cys Ser Cys Gly Asp Cys Leu Cys Asp Ser Asp Trp Thr
 565 570 575

Gly Tyr Tyr Cys Asn Cys Thr Thr Arg Thr Asp Thr Cys Met Ser Ser
 580 585 590

Asn Gly Leu Leu Cys Gly Gly Arg Gly Lys Cys Glu Cys Gly Ser Cys
 595 600 605

Val Cys Ile Gln Pro Gly Ser Tyr Gly Asp Thr Cys Glu Lys Cys Pro
 610 615 620

Thr Cys Pro Asp Ala Cys Thr Phe Lys Lys Glu Cys Val Glu Cys Lys
 625 630 635 640

Lys Phe Asp Arg Gly Thr Leu His Asp Asp Asn Thr Cys Asn Arg Tyr
 645 650 655

Cys Arg Asp Glu Ile Glu Ser Val Lys Glu Leu Lys Asp Thr Gly Lys
 660 665 670

Asp Ala Val Asn Cys Thr Tyr Lys Asn Glu Asp Asp Cys Val Val Arg
 675 680 685

Phe Gln Tyr Tyr Glu Asp Ser Ser Gly Lys Ser Ile Leu Tyr Val Val
 690 695 700

Glu Glu Pro Glu Cys Pro Lys Gly Pro Asp Ile Leu Val Val Leu Leu
 705 710 715 720

Ser Val Met Gly Ala Ile Leu Leu Ile Gly Leu Ala Thr Leu Leu Ile
 725 730 735

Trp Lys Leu Leu Ile Thr Ile His Asp Arg Lys Glu Phe Ala Lys Phe
 740 745 750

Glu Glu Glu Arg Ala Arg Ala Lys Trp Asp Thr Ala Asn Asn Pro Leu

-continued

755	760	765	
Tyr Lys Glu Ala Thr Ser Thr Phe Thr Asn Ile Thr Tyr Arg Gly Thr			
770	775	780	
<210> SEQ ID NO 14			
<211> LENGTH: 4894			
<212> TYPE: DNA			
<213> ORGANISM: Homo sapiens			
<400> SEQUENCE: 14			
cgccgcgga ggcggacgag atgcgagcgc gcccgcgcc cggccgctc tggggactg			60
tgctggcgct gggggcgctg gcggcgcttg gcgtaggagg gcccaacatc tgtaccacgc			120
gaggtgtgag ctctgccag cagtgcctgg ctgtgagccc catgtgtgcc tgggtctctg			180
atgaggccct gcctctgggc tcacctcgtc gtgacctgaa ggagaatctg ctgaaggata			240
actgtgcccc agaatccatc gagttcccag tgagtgaggc cggagtacta gaggacaggc			300
ccctcagcga caagggctct ggagacagct ccaggtcac tcaagtcagt ccccagagga			360
ttgcaactcc getccggcca gatgattcga agaattctc catccaagtg cggcaggtgg			420
aggattacc tgtggacatc tactacttga tggacctgtc ttactccatg aaggatgatc			480
tgtggagcat ccagaacctg ggtaccaagc tggccacca gatgcgaaag ctcaccagta			540
acctgcggat tggcttcggg gcatttctgg acaagcctgt gtcaccatac atgtatatct			600
ccccaccaga gccctcga aacctctgct atgatatgaa gaccacctgc ttgcccatgt			660
ttggctacaa acacgtgctg acgctaactg accaggtgac ccgcttcaat gaggaagtga			720
agaagcagag tgtgtcacgg aaccgagatg ccccagaggg tggctttgat gccatcatgc			780
aggctacagt ctgtgatgaa aagattggct ggaggaatga tgcattccac ttgctggtgt			840
ttaccactga tgccaagat catatagcat tggacggaag gctggcaggc attgtccagc			900
ctaatgacgg gcagtgcat gttgtagtg acaatcatta ctctgcctcc actaccatgg			960
attatccctc tttggggctg atgactgaga agctatccca gaaaaacatc aatttgatct			1020
ttgcagtgac tgaaaaatga gtcaatctct atcagaacta tagtgagctc atcccaggga			1080
ccacagttgg ggttctgtcc atggattcca gcaatgtcct ccagctcatt gttgatgctt			1140
atgggaaaat ccgttctaaa gtagagctgg aagtgcgtga cctcctgaa gagttgtctc			1200
tatcctcaa tgccacctgc ctcaacaatg aggtcatccc tggcctcaag tcttgtatgg			1260
gactcaagat tggagacacg gtgagcttca gcattgaggc caaggctcga ggctgtcccc			1320
aggagaagga gaagtcttt accataaagc ccgtgggctt caaggacagc ctgategtcc			1380
aggcacctt tgattgtgac tgtgcctgcc aggcccaagc tgaacctaat agccatcgct			1440
gcaacaatgg caatgggacc tttgagtgtg gggatgccc ttgtgggctt ggctggctgg			1500
gatcccagtg tgagtgtcga gaggaggact atcgcccttc ccagcaggac gaatgcagcc			1560
ccccggaggg tcagccctgc tgcagccagc ggggcgagtg cctctgtggt caatgtgtct			1620
gccacagcag tgactttggc aagatcacgg gcaagtactg cgagtgtgac gacttctcct			1680
gtgtccgcta caagggggag atgtgctcag gccatggcca gtgcagctgt ggggactgcc			1740
tgtgtgactc cgactggacc ggctactact gcaactgtac cacgcgtact gacacctgca			1800
tgtccagcaa tgggtgctg tgcagcggcc gcggcaagtg tgaatgtggc agctgtgtct			1860
gtatccagcc gggctcctat ggggacacct gtgagaagtg ccccacctgc ccagatgcct			1920
gcacctttaa gaaagaatgt gtggagtgtg agaagtttga cgggggagcc ctacatgacg			1980
aaaatactg caaccgttac tgccgtgacg agattgagtc agtgaaagag cttaaggaca			2040

-continued

ctggcaagga tgcagtgaat tgtacctata agaatgagga tgactgtgtc gtcagattcc	2100
agtactatga agattctagt ggaaagtcca tctgtatgt ggtagaagag ccagagtgtc	2160
ccaagggccc tgacatcctg gtggtcctgc tctcagtgat gggggccatt ctgctcattg	2220
gccttgccgc cctgctcctc tggaaactcc tcatcaccat ccacgaccga aaagaattcg	2280
ctaaatttga ggaagaacgc gccagagcaa aatgggacac agccaacaac cactgtata	2340
aagaggccac gtctacctc accaatatca cgtaccgggg cacttaatga taagcagtca	2400
tcctcagatc attatcagcc tgtgccacga ttgcaggagt cctgcccac atgtttacag	2460
aggacagtat ttgtggggag ggatttgggg ctcagagtgg ggtaggttgg gagaatgtca	2520
gtatgtggaa gtgtgggtct gtgtgtgtgt atgtgggggt ctgtgtgttt atgtgtgtgt	2580
gttgtgtgtg ggagtgtgta atttaaaatt gtgatgtgtc ctgataagct gagctcctta	2640
gcctttgtcc cagaatgcct cctgcaggga ttcttctctc ttagcttgag ggtgactatg	2700
gagctgagca ggtgttcttc attacctcag tgagaagcca gcttctctca tcaggccatt	2760
gtccctgaag agaagggcag ggctgaggcc tctcattcca gaggaaggga caccaagcct	2820
tggctctacc ctgagttcat aaatttatgg ttctcaggcc tgactctcag cagctatggt	2880
aggaaactgct gggcttgga gcccggtca tctgtacctc tgccctcttt ccctccctc	2940
aggccgaagg aggagtcagg gagagctgaa ctattagagc tgcctgtgcc ttttgccatc	3000
ccctcaaccc agctatggtt ctctcgcaag ggaagtcctt gcaagctaat tctttgacct	3060
gttgggagtg aggatgtctg ggccactcag gggtcattca tggcctgggg gatgtaccag	3120
catctcccag ttcataatca caaccctca gatttgcctt attggcagct ctactctgga	3180
ggtttgttga gaagaagtgt gtcaccctta ggccagcacc atctctttac ctctaatc	3240
cacaccctca ctgctgtaga catttgctat gagctgggga tgtctctcat gaccaaagtc	3300
tttctctcaa agggagagag tgctattgta gagccagagg tctggcccta tgcttccggc	3360
ctctgtccc tcatccatag cacctccaca tacctggccc tgtgccttgg tgtgctgtat	3420
ccatccatgg ggctgattgt atttacctc tacctcttgg ctgccttgtg aaggaattat	3480
tcccatgagt tggctgggaa taagtgccag gatggaatga tgggtcagtt gtatcagcac	3540
gtgtggcctg ttctctatg ggttggaaca cctcatttta actcagctt taatctgaga	3600
ggccacagtg caattttatt ttatttttct catgatgagg tttcttaac ttaaaagaac	3660
atgtatataa acatgcttgc attatatttg taaatttatg tgatggcaaa gaaggagagc	3720
ataggaacc acacagactt gggcagggta cagacactcc cacttggcat cattcacagc	3780
aagtcaactg ccagtggtct gatctgtgag gggctctctc atgatagaag gctatgggga	3840
tagatgtgtg gacacattgg accttctctg aggaagaggg actgttcttt tgtcccagaa	3900
aagcagtggc tccattggtg ttgacatata tccaacatta aaagccccc ccaaatgccc	3960
aagaaaaaaa gaaagactta tcaacatttg ttccatgagc agaaaactgg agctctggcc	4020
tcagtgttac agctaaataa tctttaatta aggcaagtca ctttcttctt cttaaagctg	4080
ttttctagtt tgagaaatga tgggatttta gcagccagtc ttgaaggtct ctttcagtat	4140
caacattcta agatgctggg acttactgtg tcatcaaagc tggcggttaag attctctggg	4200
atattgatac tgtttgtgtt tttagttggg agatctgaga gacctggctt tggcaagagc	4260
agatgtcatt ccatatcacc tttctcaatg aaagtctcat tctatcctct ctccaaaccc	4320
gttttccaac atttgttaat agttacgtct ctctgatgt agcacttaag cttcatttag	4380
ttattatttc tttcttctact ttgcacacat ttgcatccac atattagga agaggaatcc	4440

-continued

```

ataagtagct gaaatatcta ttctgtatta ttgtgttaac attgagaata agccttgga 4500
ttagatatgg ggcaatgact ggcacctgct tcacctatgg attactcctt actgtaggga 4560
atggcagtat ggtagagggg taaatagggg gcggggaggg atagtcattg atccaagaag 4620
tccttagaaa tagtggcagg gaacaggtgt ggaagctcat gctgttaatt ataacctca 4680
gctactaaga caggtgtggt ggctcacgcc tgtgattata atcttcagtt actaagacag 4740
agtccatgag agtgtaaatg ggacattttc ttagataag atgttttata tgaagaaact 4800
gtatcaaagg gggaagaaaa tgtatttaac aggtgaatca aatcaggaat cttgtctgag 4860
ctactggaat gaagttcaca ggtcttgaag acca 4894

```

<210> SEQ ID NO 15

<211> LENGTH: 788

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 15

```

Met Arg Ala Arg Pro Arg Pro Arg Pro Leu Trp Ala Thr Val Leu Ala
1          5          10          15
Leu Gly Ala Leu Ala Gly Val Gly Val Gly Gly Pro Asn Ile Cys Thr
20          25          30
Thr Arg Gly Val Ser Ser Cys Gln Gln Cys Leu Ala Val Ser Pro Met
35          40          45
Cys Ala Trp Cys Ser Asp Glu Ala Leu Pro Leu Gly Ser Pro Arg Cys
50          55          60
Asp Leu Lys Glu Asn Leu Leu Lys Asp Asn Cys Ala Pro Glu Ser Ile
65          70          75          80
Glu Phe Pro Val Ser Glu Ala Arg Val Leu Glu Asp Arg Pro Leu Ser
85          90          95
Asp Lys Gly Ser Gly Asp Ser Ser Gln Val Thr Gln Val Ser Pro Gln
100         105         110
Arg Ile Ala Leu Arg Leu Arg Pro Asp Asp Ser Lys Asn Phe Ser Ile
115         120         125
Gln Val Arg Gln Val Glu Asp Tyr Pro Val Asp Ile Tyr Tyr Leu Met
130         135         140
Asp Leu Ser Tyr Ser Met Lys Asp Asp Leu Trp Ser Ile Gln Asn Leu
145         150         155         160
Gly Thr Lys Leu Ala Thr Gln Met Arg Lys Leu Thr Ser Asn Leu Arg
165         170         175
Ile Gly Phe Gly Ala Phe Val Asp Lys Pro Val Ser Pro Tyr Met Tyr
180         185         190
Ile Ser Pro Pro Glu Ala Leu Glu Asn Pro Cys Tyr Asp Met Lys Thr
195         200         205
Thr Cys Leu Pro Met Phe Gly Tyr Lys His Val Leu Thr Leu Thr Asp
210         215         220
Gln Val Thr Arg Phe Asn Glu Glu Val Lys Lys Gln Ser Val Ser Arg
225         230         235         240
Asn Arg Asp Ala Pro Glu Gly Gly Phe Asp Ala Ile Met Gln Ala Thr
245         250         255
Val Cys Asp Glu Lys Ile Gly Trp Arg Asn Asp Ala Ser His Leu Leu
260         265         270
Val Phe Thr Thr Asp Ala Lys Thr His Ile Ala Leu Asp Gly Arg Leu
275         280         285
Ala Gly Ile Val Gln Pro Asn Asp Gly Gln Cys His Val Gly Ser Asp

```

-continued

290				295				300							
Asn	His	Tyr	Ser	Ala	Ser	Thr	Thr	Met	Asp	Tyr	Pro	Ser	Leu	Gly	Leu
305					310					315					320
Met	Thr	Glu	Lys	Leu	Ser	Gln	Lys	Asn	Ile	Asn	Leu	Ile	Phe	Ala	Val
				325					330					335	
Thr	Glu	Asn	Val	Val	Asn	Leu	Tyr	Gln	Asn	Tyr	Ser	Glu	Leu	Ile	Pro
			340						345					350	
Gly	Thr	Thr	Val	Gly	Val	Leu	Ser	Met	Asp	Ser	Ser	Asn	Val	Leu	Gln
		355					360						365		
Leu	Ile	Val	Asp	Ala	Tyr	Gly	Lys	Ile	Arg	Ser	Lys	Val	Glu	Leu	Glu
	370					375					380				
Val	Arg	Asp	Leu	Pro	Glu	Glu	Leu	Ser	Leu	Ser	Phe	Asn	Ala	Thr	Cys
	385				390					395					400
Leu	Asn	Asn	Glu	Val	Ile	Pro	Gly	Leu	Lys	Ser	Cys	Met	Gly	Leu	Lys
			405						410					415	
Ile	Gly	Asp	Thr	Val	Ser	Phe	Ser	Ile	Glu	Ala	Lys	Val	Arg	Gly	Cys
			420						425					430	
Pro	Gln	Glu	Lys	Glu	Lys	Ser	Phe	Thr	Ile	Lys	Pro	Val	Gly	Phe	Lys
		435					440						445		
Asp	Ser	Leu	Ile	Val	Gln	Val	Thr	Phe	Asp	Cys	Asp	Cys	Ala	Cys	Gln
	450					455					460				
Ala	Gln	Ala	Glu	Pro	Asn	Ser	His	Arg	Cys	Asn	Asn	Gly	Asn	Gly	Thr
	465				470					475					480
Phe	Glu	Cys	Gly	Val	Cys	Arg	Cys	Gly	Pro	Gly	Trp	Leu	Gly	Ser	Gln
			485						490					495	
Cys	Glu	Cys	Ser	Glu	Glu	Asp	Tyr	Arg	Pro	Ser	Gln	Gln	Asp	Glu	Cys
			500						505				510		
Ser	Pro	Arg	Glu	Gly	Gln	Pro	Val	Cys	Ser	Gln	Arg	Gly	Glu	Cys	Leu
		515					520					525			
Cys	Gly	Gln	Cys	Val	Cys	His	Ser	Ser	Asp	Phe	Gly	Lys	Ile	Thr	Gly
	530					535					540				
Lys	Tyr	Cys	Glu	Cys	Asp	Asp	Phe	Ser	Cys	Val	Arg	Tyr	Lys	Gly	Glu
	545				550					555					560
Met	Cys	Ser	Gly	His	Gly	Gln	Cys	Ser	Cys	Gly	Asp	Cys	Leu	Cys	Asp
			565						570					575	
Ser	Asp	Trp	Thr	Gly	Tyr	Tyr	Cys	Asn	Cys	Thr	Thr	Arg	Thr	Asp	Thr
			580						585					590	
Cys	Met	Ser	Ser	Asn	Gly	Leu	Leu	Cys	Ser	Gly	Arg	Gly	Lys	Cys	Glu
		595					600						605		
Cys	Gly	Ser	Cys	Val	Cys	Ile	Gln	Pro	Gly	Ser	Tyr	Gly	Asp	Thr	Cys
	610					615							620		
Glu	Lys	Cys	Pro	Thr	Cys	Pro	Asp	Ala	Cys	Thr	Phe	Lys	Lys	Glu	Cys
	625				630					635					640
Val	Glu	Cys	Lys	Lys	Phe	Asp	Arg	Gly	Ala	Leu	His	Asp	Glu	Asn	Thr
			645						650					655	
Cys	Asn	Arg	Tyr	Cys	Arg	Asp	Glu	Ile	Glu	Ser	Val	Lys	Glu	Leu	Lys
		660					665						670		
Asp	Thr	Gly	Lys	Asp	Ala	Val	Asn	Cys	Thr	Tyr	Lys	Asn	Glu	Asp	Asp
		675					680						685		
Cys	Val	Val	Arg	Phe	Gln	Tyr	Tyr	Glu	Asp	Ser	Ser	Gly	Lys	Ser	Ile
	690					695					700				
Leu	Tyr	Val	Val	Glu	Glu	Pro	Glu	Cys	Pro	Lys	Gly	Pro	Asp	Ile	Leu
	705					710				715					720

-continued

Val Val Leu Leu Ser Val Met Gly Ala Ile Leu Leu Ile Gly Leu Ala
725 730 735

Ala Leu Leu Ile Trp Lys Leu Leu Ile Thr Ile His Asp Arg Lys Glu
740 745 750

Phe Ala Lys Phe Glu Glu Glu Arg Ala Arg Ala Lys Trp Asp Thr Ala
755 760 765

Asn Asn Pro Leu Tyr Lys Glu Ala Thr Ser Thr Phe Thr Asn Ile Thr
770 775 780

Tyr Arg Gly Thr
785

<210> SEQ ID NO 16
<211> LENGTH: 277
<212> TYPE: DNA
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Predicted nucleic acid sequence for dog CD31

<400> SEQUENCE: 16

gaatccttct ctaatcccaa attccacgtc agccccgaag gagtgatcac agaaggagat 60
cagctctaca ttaggtgcac cattcaagtg acacatctgg tccaagcatt tccagaaatc 120
ataatccaga aggacaaggc aattgtagca cacaagaggc atggtaacga agccacctac 180
tcagtgatgg ccatggcgga gcacaatggc aattacacat gcaaagtgga agccagccgg 240
atatccaagg tcagcagcat cgtgggtaaac ataacag 277

<210> SEQ ID NO 17
<211> LENGTH: 3189
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 17

tttccagcca tggctgccaat tacctgacca gcgccacagc cggctctctct gcaggcgccc 60
ggagaagtga ccagagcaat ttctgctttt cacagggcgg gtttctcaac ggtgacttgt 120
gggcagtgcc ttctgctgag cgagtcattg cccgaaggca gaactaactg tgctgcagt 180
cttactctc aggatgcagc cgaggtgggc ccaaggggcc acgatgtggc ttggagtct 240
gctgaccctt ctgctctgtt caagccttga gggtaagaa aacttttca caatcaacag 300
tggtgacatg aagagcctgc cggactggac ggtgcaaaat ggaagaacc tgaccctgca 360
gtgcttcgag gatgacagca ccacctctca cgtcaagcct cagcaccaga tgctgttcta 420
taaggatgac gtgctgtttt acaacatctc ctccatgaag agcacagaga gttattttat 480
tcctgaagtc cggatctatg actcagggac atataaatgt actgtgattg tgaacaacaa 540
agagaaaacc actgcagagt accaggtgtt ggtggaagga gtgccagtc ccagggtgac 600
actggacaag aaagaggcca tccaaggtgg gatcgtgagg gtcaactggt ctgtcccaga 660
ggaaaaggcc ccaatacact tcacaattga aaaacttgaa ctaaatgaaa aaatgggtcaa 720
gctgaaaaga gagaagaatt ctgagacca gaattttgtg atactggaat tccccgttga 780
ggaacaggac cgcgttttat ccttccgatg tcaagctagg atcatttctg ggtccatat 840
gcagacctca gaatctacca agagtgaact ggtcaccgtg acggaatcct tctctacac 900
caagttccac atcagcccca ccggaatgat catggaagga gctcagctcc acattaagtg 960
caccattcaa gtgactcacc tggcccagga gtttccagaa atcataattc agaaggacaa 1020
ggcgattgtg gccacaaca gacatggcaa caaggctgtg tactcagtca tggccatggt 1080
ggagcacagt ggcaactaca cgtgcaaagt ggagtccagc cgcatatcca aggtcagcag 1140

-continued

```

catcgtggtc aacataacag aactattttc caagcccgaa ctggaatctt ccttcacaca 1200
tctggaccaa ggtgaaagac tgaacctgtc ctgctccatc ccaggagcac ctccagccaa 1260
cttcaccatc cagaaggaag atacgattgt gtcacagact caagatttca ccaagatagc 1320
ctcaaagtgc gacagtggga cgtatatctg cactgcaggt attgacaaag tggtaagaa 1380
aagcaacaca gtccagatag tcgtatgtga aatgctctcc cagcccagga tttcttatga 1440
tgcccagttt gaggtcataa aaggacagac catcgaagtc cgttgcaaat cgatcagtg 1500
aactttgctt atttcttacc aactttttaa aacaagtaaa gttttggaga atagtaccaa 1560
gaactcaaat gatcctgctg tattcaaaaga caaccctact gaagacgtcg aataccagt 1620
tggtgcagat aattgccatt cccacgcca aatgttaagt gaggttctga gggtaaggt 1680
gatagccccg gtggatgagg tccagatttc taccctgtca agtaaggtgg tggagtctgg 1740
agaggacatt gtgctgcaat gtgctgtgaa tgaaggatct ggtcccatca cctataagtt 1800
ttacagagaa aaagagggca aacccttcta tcaaatgacc tcaaatgcca cccaggcatt 1860
ttggaccaag cagaaggcta acaaggaaca ggaggagag tattactgca cagcctcaa 1920
cagagccaac cagcctcca gtgtcccag aagcaaaata ctgacagtca gagtcattct 1980
tgccccatgg aagaaagac ttattgcagt ggttatcatc ggagtgatca ttgctctctt 2040
gatcattgct gccaaatgtt atttctgag gaaagccaag gccaaagcaga tgccagtgga 2100
aatgtccagg ccagcagtc cacttctgaa ctccaacaac gagaaaatgt cagatcccaa 2160
tatggaagct aacagtcatt acggtcaca tgacgatgtc ggaaacctg caatgaaacc 2220
aataaatgat aataaagac ctctgaaact agacgtgcag tacacggaag ttcaagtgtc 2280
ctcagctgag tctcacaag atctaggaaa gaaggacaca gagacagtgt acagtgaagt 2340
ccgaaaagct gtccctgatg ccgtggaaa cagatactct agaacggaag gctcccttga 2400
tggaacttag acagcaagc cagatgcaca tcctggaag gacatccatg ttccgagaag 2460
aacagatgat cctgtatatt caagacctc gtgcacttat ttatgaaact gcctgctcc 2520
cacagaacac agcaattcct caggctaagc tgccggttct taaatccatc ctgctaagtt 2580
aatgttgggt agaaagagat acagaggggc tgttgaattt cccacatata ctcttccac 2640
caagttgga catccttga aattggaaga gcacaagagg agatccaggg caaggccatt 2700
gggatattct gaaacttga tattttgttt tgtgcagaga taaagacctt ttccatgcac 2760
cctcatacac agaaaccaat tttctttttt atactcaatc atttctagcg catggcctgg 2820
ttagaggctg gttttttctc ttttctttg gtccttcaaa ggctttagt tttggtagt 2880
ccttgttctt tggaataca cagtgtgac cagacagcct cccctgtcc cctctatgac 2940
ctgcacctcc acaaatggga aaaccagact acttgggagc accgctgtg aaataccaac 3000
ctgaagacac ggttcattca ggcaacgcac aaaacagaaa atgaaggtgg aacaagcaca 3060
gatgttcttc aactgttttt gtctacactc tttctctttt cctctacat gctgaaggct 3120
gaaagacagg aagatgggtc catcagcaaa tattattctt aattgaaaaa ttgaaaaaaa 3180
aaaaaaaaa 3189

```

<210> SEQ ID NO 18

<211> LENGTH: 738

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 18

Met Gln Pro Arg Trp Ala Gln Gly Ala Thr Met Trp Leu Gly Val Leu

-continued

1	5	10	15
Leu Thr Leu Leu Leu Cys Ser Ser Leu Glu Gly Gln Glu Asn Ser Phe	20	25	30
Thr Ile Asn Ser Val Asp Met Lys Ser Leu Pro Asp Trp Thr Val Gln	35	40	45
Asn Gly Lys Asn Leu Thr Leu Gln Cys Phe Ala Asp Val Ser Thr Thr	50	55	60
Ser His Val Lys Pro Gln His Gln Met Leu Phe Tyr Lys Asp Asp Val	65	70	75
Leu Phe Tyr Asn Ile Ser Ser Met Lys Ser Thr Glu Ser Tyr Phe Ile	85	90	95
Pro Glu Val Arg Ile Tyr Asp Ser Gly Thr Tyr Lys Cys Thr Val Ile	100	105	110
Val Asn Asn Lys Glu Lys Thr Thr Ala Glu Tyr Gln Val Leu Val Glu	115	120	125
Gly Val Pro Ser Pro Arg Val Thr Leu Asp Lys Lys Glu Ala Ile Gln	130	135	140
Gly Gly Ile Val Arg Val Asn Cys Ser Val Pro Glu Glu Lys Ala Pro	145	150	155
Ile His Phe Thr Ile Glu Lys Leu Glu Leu Asn Glu Lys Met Val Lys	165	170	175
Leu Lys Arg Glu Lys Asn Ser Arg Asp Gln Asn Phe Val Ile Leu Glu	180	185	190
Phe Pro Val Glu Glu Gln Asp Arg Val Leu Ser Phe Arg Cys Gln Ala	195	200	205
Arg Ile Ile Ser Gly Ile His Met Gln Thr Ser Glu Ser Thr Lys Ser	210	215	220
Glu Leu Val Thr Val Thr Glu Ser Phe Ser Thr Pro Lys Phe His Ile	225	230	235
Ser Pro Thr Gly Met Ile Met Glu Gly Ala Gln Leu His Ile Lys Cys	245	250	255
Thr Ile Gln Val Thr His Leu Ala Gln Glu Phe Pro Glu Ile Ile Ile	260	265	270
Gln Lys Asp Lys Ala Ile Val Ala His Asn Arg His Gly Asn Lys Ala	275	280	285
Val Tyr Ser Val Met Ala Met Val Glu His Ser Gly Asn Tyr Thr Cys	290	295	300
Lys Val Glu Ser Ser Arg Ile Ser Lys Val Ser Ser Ile Val Val Asn	305	310	315
Ile Thr Glu Leu Phe Ser Lys Pro Glu Leu Glu Ser Ser Phe Thr His	325	330	335
Leu Asp Gln Gly Glu Arg Leu Asn Leu Ser Cys Ser Ile Pro Gly Ala	340	345	350
Pro Pro Ala Asn Phe Thr Ile Gln Lys Glu Asp Thr Ile Val Ser Gln	355	360	365
Thr Gln Asp Phe Thr Lys Ile Ala Ser Lys Ser Asp Ser Gly Thr Tyr	370	375	380
Ile Cys Thr Ala Gly Ile Asp Lys Val Val Lys Lys Ser Asn Thr Val	385	390	395
Gln Ile Val Val Cys Glu Met Leu Ser Gln Pro Arg Ile Ser Tyr Asp	405	410	415
Ala Gln Phe Glu Val Ile Lys Gly Gln Thr Ile Glu Val Arg Cys Glu	420	425	430

-continued

Ser Ile Ser Gly Thr Leu Pro Ile Ser Tyr Gln Leu Leu Lys Thr Ser
 435 440 445

Lys Val Leu Glu Asn Ser Thr Lys Asn Ser Asn Asp Pro Ala Val Phe
 450 455 460

Lys Asp Asn Pro Thr Glu Asp Val Glu Tyr Gln Cys Val Ala Asp Asn
 465 470 475 480

Cys His Ser His Ala Lys Met Leu Ser Glu Val Leu Arg Val Lys Val
 485 490 495

Ile Ala Pro Val Asp Glu Val Gln Ile Ser Ile Leu Ser Ser Lys Val
 500 505 510

Val Glu Ser Gly Glu Asp Ile Val Leu Gln Cys Ala Val Asn Glu Gly
 515 520 525

Ser Gly Pro Ile Thr Tyr Lys Phe Tyr Arg Glu Lys Glu Gly Lys Pro
 530 535 540

Phe Tyr Gln Met Thr Ser Asn Ala Thr Gln Ala Phe Trp Thr Lys Gln
 545 550 555 560

Lys Ala Asn Lys Glu Gln Glu Gly Glu Tyr Tyr Cys Thr Ala Phe Asn
 565 570 575

Arg Ala Asn His Ala Ser Ser Val Pro Arg Ser Lys Ile Leu Thr Val
 580 585 590

Arg Val Ile Leu Ala Pro Trp Lys Lys Gly Leu Ile Ala Val Val Ile
 595 600 605

Ile Gly Val Ile Ile Ala Leu Leu Ile Ile Ala Ala Lys Cys Tyr Phe
 610 615 620

Leu Arg Lys Ala Lys Ala Lys Gln Met Pro Val Glu Met Ser Arg Pro
 625 630 635 640

Ala Val Pro Leu Leu Asn Ser Asn Asn Glu Lys Met Ser Asp Pro Asn
 645 650 655

Met Glu Ala Asn Ser His Tyr Gly His Asn Asp Asp Val Gly Asn His
 660 665 670

Ala Met Lys Pro Ile Asn Asp Asn Lys Glu Pro Leu Asn Ser Asp Val
 675 680 685

Gln Tyr Thr Glu Val Gln Val Ser Ser Ala Glu Ser His Lys Asp Leu
 690 695 700

Gly Lys Lys Asp Thr Glu Thr Val Tyr Ser Glu Val Arg Lys Ala Val
 705 710 715 720

Pro Asp Ala Val Glu Ser Arg Tyr Ser Arg Thr Glu Gly Ser Leu Asp
 725 730 735

Gly Thr

<210> SEQ ID NO 19
 <211> LENGTH: 157
 <212> TYPE: DNA
 <213> ORGANISM: Artificial
 <220> FEATURE:
 <223> OTHER INFORMATION: Predicited nucleic acid sequence for dog
 CD105

<400> SEQUENCE: 19

cctccagggg tggctgtgag gattcagagc tgataaggcc accgactgcc taggggtgggg 60
 cctggggcac tggggtgttc ggccctgag gccgggttaa ctgtcccoca gggtacagac 120
 cctgttcaga gggcctcggg gaaacctccc agcccc 157

<210> SEQ ID NO 20
 <211> LENGTH: 3142
 <212> TYPE: DNA

-continued

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 20

cctgggcccg ccgggtcggg tgagccggga gctccctgct gccggtcata ccacagcctt 60
 catctgcgcc ctggggccag gactgctgct gtcactgccca tccattggag cccagcacc 120
 cctccccgcc catccttcgg acagcaactc cagcccagcc ccgcgtccct gtgtccactt 180
 ctctgaccc ctccggccgc accccagaag gctggagcag ggacgcccgc gctccggccg 240
 cctgtcccc tcgggtcccc gtgcgagccc acgcccggcc cggtgcccgc ccgcagcct 300
 gccactggac acaggataag gcccagcgca caggccccc cgtggacagc atggaccgcg 360
 gcacgctccc tctggtgttt gccctgctgc tggccagctg cagcctcagc cccacaagtc 420
 ttgcagaaac agtccattgt gacctcagc ctgtgggccc cgagaggggc gaggtgacat 480
 ataccactag ccaggtctcg aagggtgctg tggtcaggc ccccaatgcc atccttgaag 540
 tccatgtcct ctctctggag ttcccacgg gcccgtcaca gctggagctg actctccagg 600
 catccaagca aaatggcacc tggccccgag aggtgcttct ggtcctcagt gtaaacagca 660
 gtgtcttcc tgcactccag gccctgggaa tcccactgca cttggcctac aattccagcc 720
 tggtcacctt ccaagagccc ccgggggtca acaccacaga gctgccatcc tcccccaaga 780
 cccagatcct tgagtgggca gctgagaggg gccccatcac ctctgctgct gagctgaatg 840
 acccccagag catcctctc cgactgggccc aagcccaggg gtcactgtcc ttctgcatgc 900
 tggaaagccag ccaggacatg ggcgcagcc tcgagtggcg gccgcgtact ccagccttgg 960
 tccggggctg ccaactggaa ggcgtggccc gccacaagga ggcgcacatc ctgagggtcc 1020
 tgccgggcca ctccggccgg ccccggacgg tgacggtgaa ggtggaactg agctgcgcac 1080
 ccggggatct cgatgcctgc ctcatcctgc agggtecccc ctacgtgtcc tggtccatcg 1140
 acgccaacca caacatgcag atctggacca ctggagaata ctcttcaag atctttccag 1200
 agaaaaacat tcgtggcttc aagctcccag acacacctca aggcctcctg ggggaggccc 1260
 ggatgctcaa tgcagcatt gtggcatcct tcgtggagct accgctggcc agcattgtct 1320
 cacttcatgc ctccagctgc ggtggtaggc tgcagacctc acccgaccg atccagacca 1380
 ctctcccaa ggacacttgt agcccggagc tgctcatgct cttgatccag acaaagtgtg 1440
 ccgacgagc catgaccctg gtactaaaga aagagcttgt tgcgcatttg aagtgcacca 1500
 tcacgggctt gaccttctg gaccccagct gtgaggcaga ggacaggggt gacaagtttg 1560
 tcttgccag tcttactcc agctgtggca tgcaggtgct agcaagtatg atcagcaatg 1620
 aggcgggtgt caatatcctg tcgagctcat caccacagcg gaaaaagggt cactgcctca 1680
 acatggacag cctctcttcc cagctgggccc tctacctcag cccacacttc ctccaggcct 1740
 ccaacacat ccagccgggg cagcagagct ttgtgcaggt cagagtgtcc ccatccgtct 1800
 ccgagttcct gctccagtta gacagctgcc acctggactt ggggctgag ggaggcaccg 1860
 tggaaactcat ccagggccgg gcggccaagg gcaactgtgt gagcctgctg tccccaaagc 1920
 ccgaggtgta ccgcgcttc agcttctcc tccacttcta cacagtacc atacccaaaa 1980
 ccggcaccct cagctgcacg gtagccctgc gtcccaagac cgggtctcaa gaccaggaag 2040
 tccataggac tgtcttcatg cgttgaaca tcatcagccc tgacctgtct ggttgcaaaa 2100
 gcaaaaggct cgtcctgccc gccgtgctgg gcatcacctt tgggtccttc ctcatcgggg 2160
 ccctgctcac tctgcaactc tggtagatct actcgcacac gogtgagtac cccagcccc 2220
 cacagtgagc atgcccggcc cctccatcca cccggggggag cccagtgaag cctctgaggg 2280

-continued

```

attgaggggc cctggcagga ccctgacctc cgccccctgcc cccgctcccg ctcccaggtt 2340
ccccagcaa gcgggagccc gtggtggcgg tggtgcccc ggctcctcg gagagcagca 2400
gcaccaacca cagcatcggg agcaccacaga gcacccccctg ctccaccagc agcatggcat 2460
agccccggcc cccccgctc gccacgcagg agagactgag cagccgccag ctgggagcac 2520
tggtgtgaac tcacctggg agccagtct cactcgacc cagaatggag cctgctctcc 2580
gcgctaccc tccccgctc cctctcagag gctgctgcc agtgcagcca ctggcttggg 2640
acacctggg gtccctccac cccacagaac cttcaacca gtgggtctgg gatatggctg 2700
cccaggagac agaccacttg ccacgctggt gtaaaaacc aagtcctgt catttgaacc 2760
tggatccagc actggtgaac tgagctgggc aggaaggag aacttgaac agattcaggc 2820
cagcccagcc agccaacag cacctcccc ctgggaagag aagagggccc agcccagagc 2880
cactggatc tatcctgcg gcctccacac ctgaacttgc ctaactaact ggcaggggag 2940
acaggagcct agcggagccc agcctgggag cccagagggt ggcaagaaca gtgggcgctg 3000
ggagcctagc tctgccaca tggagcccc tctgcccgtc gggcagccag cagaggggga 3060
gtagccaagc tgcttgcct gggcctgcc ctgtgtatc accaccaata aatcagacca 3120
tgaaacctga aaaaaaaaa aa 3142

```

```

<210> SEQ ID NO 21
<211> LENGTH: 625
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 21

```

```

Met Asp Arg Gly Thr Leu Pro Leu Ala Val Ala Leu Leu Leu Ala Ser
1           5           10           15
Cys Ser Leu Ser Pro Thr Ser Leu Ala Glu Thr Val His Cys Asp Leu
                20           25           30
Gln Pro Val Gly Pro Glu Arg Gly Glu Val Thr Tyr Thr Thr Ser Gln
                35           40           45
Val Ser Lys Gly Cys Val Ala Gln Ala Pro Asn Ala Ile Leu Glu Val
                50           55           60
His Val Leu Phe Leu Glu Phe Pro Thr Gly Pro Ser Gln Leu Glu Leu
65           70           75           80
Thr Leu Gln Ala Ser Lys Gln Asn Gly Thr Trp Pro Arg Glu Val Leu
                85           90           95
Leu Val Leu Ser Val Asn Ser Ser Val Phe Leu His Leu Gln Ala Leu
                100          105          110
Gly Ile Pro Leu His Leu Ala Tyr Asn Ser Ser Leu Val Thr Phe Gln
                115          120          125
Glu Pro Pro Gly Val Asn Thr Thr Glu Leu Pro Ser Phe Pro Lys Thr
130          135          140
Gln Ile Leu Glu Trp Ala Ala Glu Arg Gly Pro Ile Thr Ser Ala Ala
145          150          155          160
Glu Leu Asn Asp Pro Gln Ser Ile Leu Leu Arg Leu Gly Gln Ala Gln
                165          170          175
Gly Ser Leu Ser Phe Cys Met Leu Glu Ala Ser Gln Asp Met Gly Arg
                180          185          190
Thr Leu Glu Trp Arg Pro Arg Thr Pro Ala Leu Val Arg Gly Cys His
195          200          205
Leu Glu Gly Val Ala Gly His Lys Glu Ala His Ile Leu Arg Val Leu
210          215          220

```

-continued

Pro Gly His Ser Ala Gly Pro Arg Thr Val Thr Val Lys Val Glu Leu
 225 230 235 240
 Ser Cys Ala Pro Gly Asp Leu Asp Ala Val Leu Ile Leu Gln Gly Pro
 245 250 255
 Pro Tyr Val Ser Trp Leu Ile Asp Ala Asn His Asn Met Gln Ile Trp
 260 265 270
 Thr Thr Gly Glu Tyr Ser Phe Lys Ile Phe Pro Glu Lys Asn Ile Arg
 275 280 285
 Gly Phe Lys Leu Pro Asp Thr Pro Gln Gly Leu Leu Gly Glu Ala Arg
 290 295 300
 Met Leu Asn Ala Ser Ile Val Ala Ser Phe Val Glu Leu Pro Leu Ala
 305 310 315 320
 Ser Ile Val Ser Leu His Ala Ser Ser Cys Gly Gly Arg Leu Gln Thr
 325 330 335
 Ser Pro Ala Pro Ile Gln Thr Thr Pro Pro Lys Asp Thr Cys Ser Pro
 340 345 350
 Glu Leu Leu Met Ser Leu Ile Gln Thr Lys Cys Ala Asp Asp Ala Met
 355 360 365
 Thr Leu Val Leu Lys Lys Glu Leu Val Ala His Leu Lys Cys Thr Ile
 370 375 380
 Thr Gly Leu Thr Phe Trp Asp Pro Ser Cys Glu Ala Glu Asp Arg Gly
 385 390 395 400
 Asp Lys Phe Val Leu Arg Ser Ala Tyr Ser Ser Cys Gly Met Gln Val
 405 410 415
 Ser Ala Ser Met Ile Ser Asn Glu Ala Val Val Asn Ile Leu Ser Ser
 420 425 430
 Ser Ser Pro Gln Arg Lys Lys Val His Cys Leu Asn Met Asp Ser Leu
 435 440 445
 Ser Phe Gln Leu Gly Leu Tyr Leu Ser Pro His Phe Leu Gln Ala Ser
 450 455 460
 Asn Thr Ile Glu Pro Gly Gln Gln Ser Phe Val Gln Val Arg Val Ser
 465 470 475 480
 Pro Ser Val Ser Glu Phe Leu Leu Gln Leu Asp Ser Cys His Leu Asp
 485 490 495
 Leu Gly Pro Glu Gly Gly Thr Val Glu Leu Ile Gln Gly Arg Ala Ala
 500 505 510
 Lys Gly Asn Cys Val Ser Leu Leu Ser Pro Ser Pro Glu Gly Asp Pro
 515 520 525
 Arg Phe Ser Phe Leu Leu His Phe Tyr Thr Val Pro Ile Pro Lys Thr
 530 535 540
 Gly Thr Leu Ser Cys Thr Val Ala Leu Arg Pro Lys Thr Gly Ser Gln
 545 550 555 560
 Asp Gln Glu Val His Arg Thr Val Phe Met Arg Leu Asn Ile Ile Ser
 565 570 575
 Pro Asp Leu Ser Gly Cys Thr Ser Lys Gly Leu Val Leu Pro Ala Val
 580 585 590
 Leu Gly Ile Thr Phe Gly Ala Phe Leu Ile Gly Ala Leu Leu Thr Ala
 595 600 605
 Ala Leu Trp Tyr Ile Tyr Ser His Thr Arg Glu Tyr Pro Arg Pro Pro
 610 615 620

Gln
625

-continued

```

<211> LENGTH: 912
<212> TYPE: DNA
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Predicited nucleic acid sequence for dog
        CD106

<400> SEQUENCE: 22

ttccaggaag agaaaataac aaggactatt tttctccaga actactcgtg ctttattgtg    60
catcttcctt gataatacca gccattggga tgatcattta ctttgccaga agagccaaca    120
tgaaggggtc atacagtctt gtagaagcac agaaatcaaa agtgtagcta atgtttgcaa    180
tggccaacta gagacactat ttatcagtcc aaattcttaa tactgctcat cattccatga    240
gggaaacaaa ctaagagtcc agacttcctt gaatgtagtg aattcttggg aagaaatggc    300
ttcctgtgcc coactgtgtg agcaagaggc taaaagaaaa cttctgcctt gaaactggag    360
tagctccttg atgtgtatat acaataacat gatctgtaca tatgtaaaat aaatttatgc    420
cataggagga tcacttgtaa taacagcact ctatagttag atcttcaaaa tatttaaaaa    480
gtgttgcttc ggttggtcgt aacggaatgc atcttaagaa aatttaacat gaattatgac    540
tggcagctaa cctatgtcat cttcttaata ttttgtttcc ttaacaaaa ttttattttg    600
gtaaaattta tttcattgac aataatttca tgttttatga agataccaag gtttatcttt    660
ttatgggtaa atgataaacc aacaaggcac taggttcacc ttcaggtact aaataactca    720
accatgggta taatggttga ctggatttct ctggatggta cttacatggt acgaagatgt    780
tttatgatgt tgtttatcag acttttgtgt aacttttcca atgtggtcta aaatgcaact    840
gcttttgatt tctttttgta aatgtttagg ggttcttttt gtatagtaaa gtgataatat    900
ccagaattag aa                                                    912

```

```

<210> SEQ ID NO 23
<211> LENGTH: 3119
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 23

cgcggtatct gcatcgggcc tcaactggctt caggagctga ataccctccc aggcacacac    60
agggtgggaca caaataaggg ttttggaaac actatthtct catcacgaca gcaactaaa    120
atgcctggga agatggctct gatccttggg gcctcaaata tactttggat aatgthtga    180
gcttctcaag cthttaaaat cgagaccacc ccagaatcta gatattctgc tcagattggt    240
gactccgtct cattgacttg cagcaccaca ggctgtgagt cccattttt ctcttggaga    300
accagatag atagccact gaatgggaag gtgacgaatg aggggaccac atctacgctg    360
acaatgaatc ctgttagttt tgggaacgaa cactcttacc tgtgcacagc aacttgtgaa    420
tctaggaat tggaaaaagg aatccagggt gagatctact cthtctctaa ggatccagag    480
attcatttga gtggccctct ggaggctggg aagccgatca cagtcaagtg ttcagttgct    540
gatgtatacc catttgacag gctggagata gacttactga aaggagatca tctcatgaag    600
agtcaggaat tcttggagga tgcagacagg aagtcctctg aaaccaagag tttggaagta    660
acctttactc ctgtcattga ggatattgga aaagtctctg tttgcccagc taaattacac    720
attgatgaaa tggattctgt gccacagta aggcaggctg taaaagaatt gcaagtctac    780
atatcacca agaatacagt tatttctgtg aatccatcca caaagctgca agaagtggtc    840
tctgtgacca tgacctgttc cagegagggg ctaccagctc cagagatttt ctggagtaag    900
aaattagata atgggaatct acagcacctt tctggaaatg caactctcac cttaattgct    960

```

-continued

```

atgaggatgg aagattctgg aatztatgtg tgtgaaggag ttaatttgat tgggaaaaac 1020
agaaaagagg tggaaattaat tgttcaagag aaaccattta ctggtgagat ctccccgga 1080
ccccgattg ctgctcagat tggagactca gtcattgtga catgtagtgt catgggctgt 1140
gaatccccat ctttctcctg gagaaccag atagacagcc ctctgagcgg gaaggtgagg 1200
agtgagggga ccaattccac gctgacctg agccctgtga gttttgagaa cgaacactct 1260
tatctgtgca cagtgaactg tggacataag aaactggaaa agggaatcca ggtggagctc 1320
tactcattcc ctgagatcc agaaatcgag atgagtgggtg gcctcgtgaa tgggagctct 1380
gtcactgtaa gctgcaagg tccatagcgtg taccoccttg accggctgga gattgaatta 1440
cttaaggggg agactattct ggagaatata gagtttttgg aggatacga tatgaaatct 1500
ctagagaaca aaagtttga aatgacctc atccctacca ttgaagatac tggaaaagct 1560
cttgtttctc aggctaagtt acatattgat gacatggaat tcgaacccaa acaaaggcag 1620
agtacgcaaa cactttatgt caatgttgcc ccagagata caaccgtctt ggtcagccct 1680
tcctccatcc tggaggaagg cagtctctgtg aatatgacat gcttgagcca gggctttcct 1740
gctccgaaaa tcctgtggag caggcagctc cctaacgggg agctacagcc tctttctgag 1800
aatgcaactc tcaccttaat ttctacaaaa atggaagatt ctggggttta tttatgtgaa 1860
ggaattaacc aggctggaag aagcagaaa gaagtggaat taattatcca agttactcca 1920
aaagacataa aacttacagc ttttctctct gagagtgtca aagaaggaga cactgtcatc 1980
atctcttcta catgtggaaa tgttccagaa acatggataa tctgaaagaa aaaagcggag 2040
acaggagaca cagtactaaa atctatagat ggcgcctata ccatccgaaa ggcccagtg 2100
aaggatgggg gagtatatga atgtgaatct aaaaacaaag ttggctcaca attaagaagt 2160
ttaacacttg atgttcaagg aagagaaaa acaaaagact atttttctcc tgagcttctc 2220
gtgctctatt ttgcatcctc cttaataata cctgccattg gaatgataat ttactttgca 2280
agaaaagcca acatgaaggg gtcatatagt cttgtagaag cacagaaatc aaaagtgtag 2340
ctaatgcttg atatgttcaa ctggagacac tatttatctg tgcaaatcct tgatactgct 2400
catcattcct tgagaaaaac aatgagctga gaggcagact tcctgaatg tattgaaact 2460
ggaagaaat gccatctat gtcccttctg gtgagcaaga agtcaaagta aaacttgctg 2520
cctgaagaac agtaactgcc atcaagatga gagaactgga ggagttcctt gatctgtata 2580
tacaataaca taatttgtac atatgtaaaa taaaattatg ccatagcaag attgcttaaa 2640
atagcaacac tctatattta gattgttaaa ataactagtg ttgcttgagc tattataatt 2700
taatgcatgt taggaaaatt tcacattaat atttgctgac agctgacctt tgtcatctt 2760
cttctatttt atccctttc acaaaatttt attcctatat agtttattga caataattc 2820
aggttttgta aagatgccgg gttttatatt tttatagaca aataataagc aaaggagca 2880
ctgggtgac tttcaggtac taaatacctc aaacctatgt ataaggttg actgggttcc 2940
tctgtatagt actgcatgg tacgggatg tttcacgaag tttgttcac agactcctgt 3000
gcaactttcc caatgtggcc taaaaatgca acttcttttt atttctttt gtaaatgttt 3060
aggttttttt gtatagtaaa gtgataatth ctggaattag aaaaaaaaa aaaaaaaaa 3119

```

<210> SEQ ID NO 24

<211> LENGTH: 739

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 24

-continued

Met Pro Gly Lys Met Val Val Ile Leu Gly Ala Ser Asn Ile Leu Trp
 1 5 10 15
 Ile Met Phe Ala Ala Ser Gln Ala Phe Lys Ile Glu Thr Thr Pro Glu
 20 25 30
 Ser Arg Tyr Leu Ala Gln Ile Gly Asp Ser Val Ser Leu Thr Cys Ser
 35 40 45
 Thr Thr Gly Cys Glu Ser Pro Phe Phe Ser Trp Arg Thr Gln Ile Asp
 50 55 60
 Ser Pro Leu Asn Gly Lys Val Thr Asn Glu Gly Thr Thr Ser Thr Leu
 65 70 75 80
 Thr Met Asn Pro Val Ser Phe Gly Asn Glu His Ser Tyr Leu Cys Thr
 85 90 95
 Ala Thr Cys Glu Ser Arg Lys Leu Glu Lys Gly Ile Gln Val Glu Ile
 100 105 110
 Tyr Ser Phe Pro Lys Asp Pro Glu Ile His Leu Ser Gly Pro Leu Glu
 115 120 125
 Ala Gly Lys Pro Ile Thr Val Lys Cys Ser Val Ala Asp Val Tyr Pro
 130 135 140
 Phe Asp Arg Leu Glu Ile Asp Leu Leu Lys Gly Asp His Leu Met Lys
 145 150 155 160
 Ser Gln Glu Phe Leu Glu Asp Ala Asp Arg Lys Ser Leu Glu Thr Lys
 165 170 175
 Ser Leu Glu Val Thr Phe Thr Pro Val Ile Glu Asp Ile Gly Lys Val
 180 185 190
 Leu Val Cys Arg Ala Lys Leu His Ile Asp Glu Met Asp Ser Val Pro
 195 200 205
 Thr Val Arg Gln Ala Val Lys Glu Leu Gln Val Tyr Ile Ser Pro Lys
 210 215 220
 Asn Thr Val Ile Ser Val Asn Pro Ser Thr Lys Leu Gln Glu Gly Gly
 225 230 235 240
 Ser Val Thr Met Thr Cys Ser Ser Glu Gly Leu Pro Ala Pro Glu Ile
 245 250 255
 Phe Trp Ser Lys Lys Leu Asp Asn Gly Asn Leu Gln His Leu Ser Gly
 260 265 270
 Asn Ala Thr Leu Thr Leu Ile Ala Met Arg Met Glu Asp Ser Gly Ile
 275 280 285
 Tyr Val Cys Glu Gly Val Asn Leu Ile Gly Lys Asn Arg Lys Glu Val
 290 295 300
 Glu Leu Ile Val Gln Glu Lys Pro Phe Thr Val Glu Ile Ser Pro Gly
 305 310 315 320
 Pro Arg Ile Ala Ala Gln Ile Gly Asp Ser Val Met Leu Thr Cys Ser
 325 330 335
 Val Met Gly Cys Glu Ser Pro Ser Phe Ser Trp Arg Thr Gln Ile Asp
 340 345 350
 Ser Pro Leu Ser Gly Lys Val Arg Ser Glu Gly Thr Asn Ser Thr Leu
 355 360 365
 Thr Leu Ser Pro Val Ser Phe Glu Asn Glu His Ser Tyr Leu Cys Thr
 370 375 380
 Val Thr Cys Gly His Lys Lys Leu Glu Lys Gly Ile Gln Val Glu Leu
 385 390 395 400
 Tyr Ser Phe Pro Arg Asp Pro Glu Ile Glu Met Ser Gly Gly Leu Val
 405 410 415
 Asn Gly Ser Ser Val Thr Val Ser Cys Lys Val Pro Ser Val Tyr Pro

-continued

420				425				430							
Leu	Asp	Arg	Leu	Glu	Ile	Glu	Leu	Leu	Lys	Gly	Glu	Thr	Ile	Leu	Glu
		435					440					445			
Asn	Ile	Glu	Phe	Leu	Glu	Asp	Thr	Asp	Met	Lys	Ser	Leu	Glu	Asn	Lys
		450				455						460			
Ser	Leu	Glu	Met	Thr	Phe	Ile	Pro	Thr	Ile	Glu	Asp	Thr	Gly	Lys	Ala
		465			470					475					480
Leu	Val	Cys	Gln	Ala	Lys	Leu	His	Ile	Asp	Asp	Met	Glu	Phe	Glu	Pro
			485						490					495	
Lys	Gln	Arg	Gln	Ser	Thr	Gln	Thr	Leu	Tyr	Val	Asn	Val	Ala	Pro	Arg
			500					505					510		
Asp	Thr	Thr	Val	Leu	Val	Ser	Pro	Ser	Ser	Ile	Leu	Glu	Glu	Gly	Ser
		515					520					525			
Ser	Val	Asn	Met	Thr	Cys	Leu	Ser	Gln	Gly	Phe	Pro	Ala	Pro	Lys	Ile
		530				535					540				
Leu	Trp	Ser	Arg	Gln	Leu	Pro	Asn	Gly	Glu	Leu	Gln	Pro	Leu	Ser	Glu
				550						555					560
Asn	Ala	Thr	Leu	Thr	Leu	Ile	Ser	Thr	Lys	Met	Glu	Asp	Ser	Gly	Val
			565						570					575	
Tyr	Leu	Cys	Glu	Gly	Ile	Asn	Gln	Ala	Gly	Arg	Ser	Arg	Lys	Glu	Val
			580					585					590		
Glu	Leu	Ile	Ile	Gln	Val	Thr	Pro	Lys	Asp	Ile	Lys	Leu	Thr	Ala	Phe
		595					600					605			
Pro	Ser	Glu	Ser	Val	Lys	Glu	Gly	Asp	Thr	Val	Ile	Ile	Ser	Cys	Thr
		610			615						620				
Cys	Gly	Asn	Val	Pro	Glu	Thr	Trp	Ile	Ile	Leu	Lys	Lys	Lys	Ala	Glu
				625		630				635					640
Thr	Gly	Asp	Thr	Val	Leu	Lys	Ser	Ile	Asp	Gly	Ala	Tyr	Thr	Ile	Arg
			645						650					655	
Lys	Ala	Gln	Leu	Lys	Asp	Ala	Gly	Val	Tyr	Glu	Cys	Glu	Ser	Lys	Asn
			660					665					670		
Lys	Val	Gly	Ser	Gln	Leu	Arg	Ser	Leu	Thr	Leu	Asp	Val	Gln	Gly	Arg
		675					680					685			
Glu	Asn	Asn	Lys	Asp	Tyr	Phe	Ser	Pro	Glu	Leu	Leu	Val	Leu	Tyr	Phe
			690			695					700				
Ala	Ser	Ser	Leu	Ile	Ile	Pro	Ala	Ile	Gly	Met	Ile	Ile	Tyr	Phe	Ala
				705		710				715					720
Arg	Lys	Ala	Asn	Met	Lys	Gly	Ser	Tyr	Ser	Leu	Val	Glu	Ala	Gln	Lys
			725						730					735	

Ser Lys Val
 <210> SEQ ID NO 25
 <211> LENGTH: 180
 <212> TYPE: DNA
 <213> ORGANISM: Artificial
 <220> FEATURE:
 <223> OTHER INFORMATION: Predicted nucleic acid sequence for dog CD146

<400> SEQUENCE: 25

gggttcacat	tcagtcgtcc	cagatcgtgg	agtccagtg	tctgtacacc	ttggagagcg	60
ttctgaaggc	ccagctggcc	aaagaggata	aagatgccca	gttttactgt	gagctcaact	120
accggctgcc	cagcgggaac	cacatgaagg	agtctcagga	agtcactgtc	caggttttct	180

<210> SEQ ID NO 26

-continued

<211> LENGTH: 3335

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 26

```

ggcacgagct cgggccggga agcatggggc ttcccaggct ggtctgcgcc ttcttgctcg      60
ccgctgctg ctgctgtcct cgcgtcgccg gtgtgcccgg agaggctgag cagcctgccc      120
ctgagctggt ggaggtggaa gtgggcagca cagcccttct gaagtgcggc ctctcccagt      180
cccaaggcaa cctcagccat gtcgactggt tttctgtcca caaggagaag cggacgctca      240
tcttccgtgt ggcgccggg caggggcaga gcgaacctgg ggagtacgag cagcggctca      300
gcctccagga cagaggggct actctggccc tgactcaagt cccccccaa gacgagcgca      360
tcttcttggt ccagggcaag cgccctcggt cccaggagta ccgcatccag ctccgctct      420
acaaaactcc ggaggagcca aacatccagg tcaaccccct gggcatccct gtgaacagta      480
aggagcctga ggaggtcgct acctgtgtag ggaggaacgg gtacccatt cctcaagtea      540
tctggtacaa gaatggccgg cctctgaagg aggagaagaa ccgggtccac attcagtcgt      600
cccagactgt ggagtcgagt ggtttgtaca ccttgacagag tattctgaag gcacagctgg      660
ttaaagaaga caaagatgcc cagttttact gtgagctcaa ctaccggctg cccagtgagg      720
accacatgaa ggagtcacag gaagtcaccg tcctgtttt ctaccgaca gaaaaagtg      780
ggctggaagt ggagcccgtg ggaatgctga aggaagggga ccgctggaa atcagtggt      840
tggctgatgg caacctcca ccacactca gcatcagcaa gcagaacccc agcaccaggg      900
aggcagagga agagacaacc aacgacaacg gggtcctggt gctggagcct gcccggaagg      960
aacacagtgg ggcctatgaa tgtcagggcc tggacttggc caccatgata tcgctgctga      1020
gtgaaccaca ggaactactg gtgaactatg tgtctgacgt ccgagtgagt cccgagccc      1080
ctgagagaca ggaaggcagc agcctcacc tgacctgtga ggcagagagt agccaggacc      1140
tcgagttcca gtggctgaga gaagagacag accaggtgct ggaaaggggg cctgtgcttc      1200
agttgcatga cctgaaacgg gaggcaggag gcggctatcg ctgctggcg tctgtgccc      1260
gcatacccg cctgaaccgc acacagctgg tcaacgtggc ctttttggc cccccttgg      1320
tggcattcaa ggagaggaag gtgtgggtga aagagaatat ggtgttgaat ctgtcttg      1380
aagcgtcagg gacccccgg cccaccatct cctggaact caacggcac gcaagtgaac      1440
aagaccaaga tccacagca gtctgagca ccctgaatgt cctcgtgacc cgggagctgt      1500
tggagacagg tgttgaatgc acggcctcca acgacctggg caaaaacacc agcatcctct      1560
tcctggagct ggtcaattta accaccctca caccagactc caacacaacc actggcctca      1620
gcacttccac tgccagtct cataccagag ccaacagcac ctccacagag agaaagctgc      1680
cggagccgga gagccggggc gtggtcatcg tggctgtgat tgtgtgcatc ctggtcctgg      1740
cgggtgctgg cgctgtcctc tatttctctc ataagaaggg caagctgccg tgcaggcgct      1800
cagggaagca ggagatcacg ctgccccgt ctcgtaagag cgaacttgta gttgaagtta      1860
agtcagataa gctcccagaa gagatgggccc tcctgcaggg cagcagcggg gacaagaggg      1920
ctccgggaga ccagggagag aaatacatcg atctgaggca ttagccccga atcaactcag      1980
ctcccttccc tgctggacc attccagct ccctgctcac tcttctctca gccaaagcct      2040
ccaaagggac tagagagaag cctcctgctc ccctcgcctg cacaccccct ttcaaagggc      2100
cactgggtta ggacctgagg acctcaactg gcctgcaag gcccgctttt cagggaccag      2160
tccaccacca tctctccac gttgagtga gctcatccca agcaaggagc cccagtctcc      2220

```

-continued

```

cgagcgggta ggagagtctt ttgcagaacg tgttttttct ttacacacat tatggctgta 2280
aatacctggc tcttgccagc agctgagctg ggtagcctct ctgagctggt ttctgcccc 2340
aaaggctggc ttccaccatc caggtgcacc actgaagtga ggacacaccg gagccaggcg 2400
cctgctcatg ttgaagtgcg ctgttcacac ccgctccgga gagcacccca gcagcatcca 2460
gaagcagctg cagtgttctt gccaccaccc tctgtctctc ctcttcaaag tctcctgtga 2520
cattttttct ttggtcagaa gccaggaact ggtgtcattc cttaaaagat acgtgccggg 2580
gccagggtg  gtggtcacg  cctgtaatcc  cagcactttg  ggaggccgag  gcgggaggat  2640
cacaaagtca  ggacgagacc  atctggcta  acacggtgaa  accctgtctc  tactaaaaat  2700
acaaaaaaaa  attagctagg  cgtagtggtt  ggcacctata  gtcccagcta  ctcggaaggc  2760
tgaagcagga  gaatggtatg  aatccaggag  gtggagcttg  cagtgagccg  agaccgtgcc  2820
actgcactcc  agcctgggca  acacagcgag  actccgtctc  gaggaaaaaa  aaagaaaaga  2880
cgcgtgctg  cggtgaggaa  gctgggcgct  gttttcgagt  tcaggatgaat  tagcctcaat  2940
ccccctggtt  cacttggtct  ccatagccct  cttgatggat  cacgtaaaac  tgaaggcag  3000
cggggagcag  acaaagatga  ggtctacact  gtcctcatg  gggattaaag  ctatggttat  3060
attagcacca  aactcttaca  aaccaagctc  agggccccaa  ccctagaagg  gcccaaatga  3120
gagaatggta  cttagggatg  gaaaacgggc  ctggctagag  ctacgggtgt  gtgtgtctgt  3180
ctatgtgtat  gcatacatat  gtgtgtatat  atggttttgt  caggtgtgta  aatttgcaaa  3240
ttgtttcctt  tatatatgta  tgtatatata  tatatgaaaa  tatatatata  tatgaaaaat  3300
aaagcttaat  tgtcccagaa  aaaaaaaaaa  aaaaaa  3335

```

<210> SEQ ID NO 27

<211> LENGTH: 646

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 27

```

Met Gly Leu Pro Arg Leu Val Cys Ala Phe Leu Leu Ala Ala Cys Cys
1             5             10             15
Cys Cys Pro Arg Val Ala Gly Val Pro Gly Glu Ala Glu Gln Pro Ala
20           25           30
Pro Glu Leu Val Glu Val Glu Val Gly Ser Thr Ala Leu Leu Lys Cys
35           40           45
Gly Leu Ser Gln Ser Gln Gly Asn Leu Ser His Val Asp Trp Phe Ser
50           55           60
Val His Lys Glu Lys Arg Thr Leu Ile Phe Arg Val Arg Gln Gly Gln
65           70           75           80
Gly Gln Ser Glu Pro Gly Glu Tyr Glu Gln Arg Leu Ser Leu Gln Asp
85           90           95
Arg Gly Ala Thr Leu Ala Leu Thr Gln Val Thr Pro Gln Asp Glu Arg
100          105          110
Ile Phe Leu Cys Gln Gly Lys Arg Pro Arg Ser Gln Glu Tyr Arg Ile
115          120          125
Gln Leu Arg Val Tyr Lys Ala Pro Glu Glu Pro Asn Ile Gln Val Asn
130          135          140
Pro Leu Gly Ile Pro Val Asn Ser Lys Glu Pro Glu Glu Val Ala Thr
145          150          155          160
Cys Val Gly Arg Asn Gly Tyr Pro Ile Pro Gln Val Ile Trp Tyr Lys
165          170          175
Asn Gly Arg Pro Leu Lys Glu Glu Lys Asn Arg Val His Ile Gln Ser

```

-continued

180					185					190					
Ser	Gln	Thr	Val	Glu	Ser	Ser	Gly	Leu	Tyr	Thr	Leu	Gln	Ser	Ile	Leu
			195				200					205			
Lys	Ala	Gln	Leu	Val	Lys	Glu	Asp	Lys	Asp	Ala	Gln	Phe	Tyr	Cys	Glu
	210					215					220				
Leu	Asn	Tyr	Arg	Leu	Pro	Ser	Gly	Asn	His	Met	Lys	Glu	Ser	Arg	Glu
	225					230					235				240
Val	Thr	Val	Pro	Val	Phe	Tyr	Pro	Thr	Glu	Lys	Val	Trp	Leu	Glu	Val
				245					250					255	
Glu	Pro	Val	Gly	Met	Leu	Lys	Glu	Gly	Asp	Arg	Val	Glu	Ile	Arg	Cys
			260						265					270	
Leu	Ala	Asp	Gly	Asn	Pro	Pro	Pro	His	Phe	Ser	Ile	Ser	Lys	Gln	Asn
		275							280					285	
Pro	Ser	Thr	Arg	Glu	Ala	Glu	Glu	Glu	Thr	Thr	Asn	Asp	Asn	Gly	Val
		290							295					300	
Leu	Val	Leu	Glu	Pro	Ala	Arg	Lys	Glu	His	Ser	Gly	Arg	Tyr	Glu	Cys
		305				310						315			320
Gln	Ala	Trp	Asn	Leu	Asp	Thr	Met	Ile	Ser	Leu	Leu	Ser	Glu	Pro	Gln
				325					330					335	
Glu	Leu	Leu	Val	Asn	Tyr	Val	Ser	Asp	Val	Arg	Val	Ser	Pro	Ala	Ala
			340						345					350	
Pro	Glu	Arg	Gln	Glu	Gly	Ser	Ser	Leu	Thr	Leu	Thr	Cys	Glu	Ala	Glu
		355							360					365	
Ser	Ser	Gln	Asp	Leu	Glu	Phe	Gln	Trp	Leu	Arg	Glu	Glu	Thr	Asp	Gln
		370					375					380			
Val	Leu	Glu	Arg	Gly	Pro	Val	Leu	Gln	Leu	His	Asp	Leu	Lys	Arg	Glu
		385							390					400	
Ala	Gly	Gly	Gly	Tyr	Arg	Cys	Val	Ala	Ser	Val	Pro	Ser	Ile	Pro	Gly
				405					410					415	
Leu	Asn	Arg	Thr	Gln	Leu	Val	Lys	Leu	Ala	Ile	Phe	Gly	Pro	Pro	Trp
			420						425					430	
Met	Ala	Phe	Lys	Glu	Arg	Lys	Val	Trp	Val	Lys	Glu	Asn	Met	Val	Leu
		435							440					445	
Asn	Leu	Ser	Cys	Glu	Ala	Ser	Gly	His	Pro	Arg	Pro	Thr	Ile	Ser	Trp
		450							455					460	
Asn	Val	Asn	Gly	Thr	Ala	Ser	Glu	Gln	Asp	Gln	Asp	Pro	Gln	Arg	Val
		465							470					475	480
Leu	Ser	Thr	Leu	Asn	Val	Leu	Val	Thr	Pro	Glu	Leu	Leu	Glu	Thr	Gly
			485						490					495	
Val	Glu	Cys	Thr	Ala	Ser	Asn	Asp	Leu	Gly	Lys	Asn	Thr	Ser	Ile	Leu
			500						505					510	
Phe	Leu	Glu	Leu	Val	Asn	Leu	Thr	Thr	Leu	Thr	Pro	Asp	Ser	Asn	Thr
		515							520					525	
Thr	Thr	Gly	Leu	Ser	Thr	Ser	Thr	Ala	Ser	Pro	His	Thr	Arg	Ala	Asn
		530							535					540	
Ser	Thr	Ser	Thr	Glu	Arg	Lys	Leu	Pro	Glu	Pro	Glu	Ser	Arg	Gly	Val
		545							550					555	560
Val	Ile	Val	Ala	Val	Ile	Val	Cys	Ile	Leu	Val	Leu	Ala	Val	Leu	Gly
			565						570					575	
Ala	Val	Leu	Tyr	Phe	Leu	Tyr	Lys	Lys	Gly	Lys	Leu	Pro	Cys	Arg	Arg
			580						585					590	
Ser	Gly	Lys	Gln	Glu	Ile	Thr	Leu	Pro	Pro	Ser	Arg	Lys	Thr	Glu	Leu
		595							600					605	

-continued

Val Val Glu Val Lys Ser Asp Lys Leu Pro Glu Glu Met Gly Leu Leu
610 615 620

Gln Gly Ser Ser Gly Asp Lys Arg Ala Pro Gly Asp Gln Gly Glu Lys
625 630 635 640

Tyr Ile Asp Leu Arg His
645

<210> SEQ ID NO 28

<211> LENGTH: 8694

<212> TYPE: DNA

<213> ORGANISM: *Canis familiaris*

<400> SEQUENCE: 28

tcggcctcag ctgctgggag catggcctag gccgggtggcg ctgtcgtgcg gccaccttcc 60
caacggacct tegagatacc tgttgcccc gcttgcaggg aaagatgagt cctaccagac 120
ttgtgagggg gctgctggct ctggccctca tcttgccagg gaaactttgt acaaaagggg 180
ctgttgaag gtcctgatg gcccgatgta gcctcttctgg aggtgacttc atcaaacact 240
ttgatgagag catgtacagc tttgcggggg attgcagtta cctcctggct ggggactgcc 300
aggaacactc cgtctcactt atcggggggt tccaaaatgg caaaagagtg agcctctccg 360
tgtatctcgg agaatttttc gacattcatt tgtttgtcaa tggtagcatg ctgcagggga 420
cccaaagcat ctccatgccc tacgcctcca atgggctgta tctagaggcc gaggctggct 480
actacaagct gtcctagtga gcctacggct ttgtggccag aattgatggc aatggcaact 540
ttcaagtcct gctgtcagac agatacttca acaagacctg tgggctgtgt ggcaacttta 600
atatctttgc tgaggatgac ttcaggactc aagaagggac gttgacttgc gaccctatg 660
actttgcaa ctctggggcc ctgagcagtg gggacaacac gtgcaaacgg gtgtcccctc 720
ccagcagccc atgcaatgct tcctctgatg aagtgcagca ggtcctgtgg gagcagtgcc 780
agctcctgaa gaggcctcgt gtgtttgccc gctgccaccc gctgggtggc cctgagcctt 840
ttgtgcacct ggtgaaagg actctgtgca cctgtgtcca ggggatggag tgcccttgtg 900
gggtcctcct ggagtacgcc cgggctctgt cccagcaggg ggttgtcttg tacggctgga 960
ccgaccacag cgtctgccga ccagcatgcc ctgctggcat ggagtacaag gaggcgtgtg 1020
ccccttgac cagaacttgc cagagccttc atgtcaaaga agtgtgtcag gagcaatgtg 1080
tagatggctg cagctgcccc gagggccagc tcctggatga aggccactgc gtgggaagtg 1140
ctgagtgttc ctgtgtgcat gctgggcaac ggtaccctcc gggcgctccc ctcttacagg 1200
actgccacac ctgcatttgc cgaaatagcc tgtggatctg cagcaatgaa gaatgccag 1260
gcgagtgtct ggtcacagga cagtcccact tcaagagctt cgacaacagg tacttcacct 1320
tcagtgggat ctgccagtac ctgctggccc aggactgcca ggaccacacc ttctctgttg 1380
tcatagagac tgtccagtgt gccgatgacc tggatgctgt ctgcaccgc tcggtcaccg 1440
tccgcctgcc tggacatcac aacagccttg tgaagctgaa gcatggggga ggagtctcca 1500
tggatggcca ggatatccag attcctctcc tgcaaggatga cctccgcac cagcacaccg 1560
tgatggctc cgtgcgcctc agctacgggg aggacctgca gatggattgg gacggccggg 1620
gcaggctgct ggtgacgctg tcccggcct acgccccgaa gacgtgcggc ctgtgcggga 1680
actacaacgg caaccggggg gacgacttgc tgacccccgc aggcctggcg gagccctgg 1740
tggaggactt cgggaacgccc tggaaactgc tcggggcctg cgagaacctg cagaagcagc 1800
accgcgatcc ctgcagcctc aaccgcgccc aggccaggtt tgcggaggag gegtgcgccc 1860
tgctgacgct ctcgaagttc gagecctgcc accgagcggg gggctcctcag cctacgtgc 1920

-continued

```

agaactgccg ctacgacgtc tgctcctgct cegacggcag agactgtctt tgcagcgccg 1980
tggccaacta cgccgacgcc tgtgcccgga gggcgctgca catcgctggg cgggagcccg 2040
gcttctgtgc gctgagctgc ccccagggcc aggtgtacct gcagtgtggg accccctgca 2100
acatgacctg tcgtcccttc tcttaccocg aggaggactg caatgaggtc tgcttggaaag 2160
gctgcttctg cccccaggg ctgtacctgg atgagagggg agattgtgtg cccaaggctc 2220
agtgtccctg ttaactatgat ggtgagatct ttcagcccga agacatcttc tcagaccatc 2280
acaccatgtg ctactgtgag gatggcttca tgcactgtac cacaagtgga ggctgggaa 2340
gcctgctgcc caaccgggtg ctacgacgcc cccggctcga ccgacgaaa aggagcctgt 2400
cctgtcggcc ccccatgggt aagttgggtg gtcccgtga taaccgagg gctgaaggac 2460
tggagtgtgc caaacctgc cagaactatg acctgcagt catgagcaca ggctgtgtct 2520
ccgctgcct ctgcccgcag ggcctgttcc ggcatgaaaa caggtgtgtg gcgctggaaa 2580
gatgtccctg cttccacca ggccaagagt acgcccagg agaaacctg aaaattgact 2640
gcaacacttg tgtctgtcgg gaccggaagt ggaactgcac agaccatgtg tgtgatgcca 2700
cttgcctcgc catcgcatg gcgcactacc tcacctcga cggactcaag tacctgttcc 2760
ctggggagtg ccagtatgtt ctggtgcagg attactgtgg cagtaacctt gggaccttcc 2820
ggatcctggt ggggaacgag ggggtgcagct acccctcagt gaaatgcaag aagcgggtca 2880
ccatcctggt ggaaggagga gagattgaac tgtttgatgg ggagggaat gtgaagaaac 2940
ccatgaagga tgagactcac tttgaggtgg tagagtctgg tcagtacgtc attctgctgc 3000
tgggcaaggc actctctgtg gtctgggacc accgctgag catctctgtg accctgaagc 3060
ggacatacca ggagcaggtg tgtggcctgt gtgggaattt tgatggcatc cagaacaatg 3120
atctcaccag cagcagcctc caaatagaag aagaccctgt ggacctggg aattcctgga 3180
aagtgaaccg gcagtgtgcc gacaccaaga aagtaccact ggactcctct cctgccgtct 3240
gccacaacaa catcatgaag cagacgatgg tggattcctc ctgcaggatc ctaccagtg 3300
atattttcca ggactgcaac aggetggtgg accctgagcc attcctggac atttgcattc 3360
acgacacttg ctctctgtg tccattgggg actgcacctg cttctgtgac accattgctg 3420
cttacgccca tgtctgtgcc cagcatggca aggtggtagc ctggaggaca gccacattct 3480
gtcccagaa ttgcgaggag cggaaatctc acgagaatgg gtatgagtgt gagtggcgct 3540
ataacagctg tgccccctgc tgtcccata cgtgccagca ccccgagcca ctggcatgcc 3600
ctgtacagtg tgttgaaggt tgccatgccc actgcctcc agggaaaatc ctggatgagc 3660
ttttgcagac ctgcatcgac cctgaagact gtccctgtgt tgagggtggct ggtcgtcgtc 3720
tggcccagg aaagaaaatc atcttgaacc ccagtgacct tgagcactgc caaatttgc 3780
attgtgatgg tgtcaacttc acctgtcagg cctgcagaga acccggaagt cttgtgggtc 3840
ccccacaga agggccatt ggctctacca cctcgtatgt ggaggacacg cgggagccc 3900
ccctccatga cttccactgc agcaggttc tggacctggt tttcctgctg gatggctcct 3960
ccaagctgtc tgaggacgag tttgaagtgc tgaaggtctt tgtgggggt atgatggagc 4020
atctgcacat ctcccagaag cggatccgag tggtgtggt ggagtaccac gacggctccc 4080
acgctacat cgagctcaag gaccggaagc gaccctcaga gctgcggcgc atcaccagcc 4140
aggtaagta cgcgggcagc gaggtggcct ccaccagtga ggtctaaag tacacgctgt 4200
tccagatctt tggcaagatc gaccgcccgg aagcgtctcg cattgcctg ctctgatgg 4260
ccagccagga gccctcaagg ctggcccgga atttggctcc ctatgtgcag ggctgaaga 4320

```

-continued

agaagaaagt cattgtcatc cctgtgggca tegggcccca cgccagcctt aagcagatcc 4380
 acctcataga gaagcaggcc cctgagaaca aggcctttgt gttcagtggt gtggatgagt 4440
 tggagcagcg aagggatgag attatcaact acctctgtga ccttgcccc gaagcacctg 4500
 ccctactca gacccccca atggcccagg tcacgggtggg ttcggagctg ttggggggtt 4560
 catctccagg acccaaaagc aactccatgg tcctggatgt ggtgtttgtc ctggaagggt 4620
 cagacaaaat tggtgaggcc aactttaaca aaagcaggga gttcatggag gaggtgattc 4680
 agcggatgga cgtgggccag gacaggatcc acgtcacagt gctgcagtac tcgtacatgg 4740
 tgaccgtgga gtacacctc agcagggcgc agtccaaggg cgaggctcta cagcaggtgc 4800
 gggatatccg ataccggggt ggcaacagga ccaacactgg actggccctg caatacctgt 4860
 ccgaacacag cttctcggtc agccaggggg accgggagca ggtacctaac ctggtctaca 4920
 tggtcacagg aaaccccgtc tctgatgaga tcaagcggat gcctggagac atccaggtgg 4980
 tgcccatcgg ggtgggtcca catgccaatg tgcaggagct ggagaagatt ggctggccca 5040
 atgccccat cctcatccat gactttgaga tgetccctcg agaggctcct gatctggtgc 5100
 tacagaggtg ctgctctgga gaggggctgc agatccccac cctctcccc accccagatt 5160
 gcagccagcc cctggatgtg gtcctcctcc tggatggctc tccagcatt ccagcttctt 5220
 actttgatga aatgaagagc ttcaccaagg ctttcatttc aagagctaat atagggcccc 5280
 ggctcactca agtgtcggtg ctgcaatatg gaagcatcac cactatcgat gtgccttgga 5340
 atgtagccta tgagaaagtc catttactga gccttggtga cctcatgcag caggagggag 5400
 gccccagcca aattggggat gctttgagct ttgccgtgcg atatgtcacc tcagaagtcc 5460
 atggtgccag gcccgagcc tcgaaagcgg tggttatcct agtcacagat gtctccgtgg 5520
 attcagtgga tgetgcagcc gaggcccca gatccaaccg agtgacagtg tccccattg 5580
 gaatcgggga tcggtacagt gaggcccagc tgagcagctt ggcaggccca aaggctggct 5640
 ccaatatggt aaggctccag cgaattgaag acctccccac cgtggccacc ctgggaaatt 5700
 ccttcttcca caagctgtgc tctgggtttg atagagtttg cgtggatgag gatgggaatg 5760
 agaagaggcc cgggatgtc tggacctgc cagaccagtg ccacacagtg acttgcctgc 5820
 cagatggcca gacctgtctg aagagtcatc gggccaactg tgaccggggg ccaaggcctt 5880
 cgtgccccaa tggccagccc cctctcaggg tagaggagac ctgtggctgc cgctggacct 5940
 gtcctctgtg gtgcagggc agctctaccc ggcacatcgt gacctttgat gggcagaatt 6000
 tcaagctgac tggcagctgt tcgtatgtcc tatttcaaaa caaggagcag gacctggagg 6060
 tgattctcca taatgggtgcc tgcagccctg gggcgaagga gacctgcatg aaatccattg 6120
 aggtgaagca tgacggcctc tcagttgagc tccacagtga catgcagatg acagtgaatg 6180
 ggagactagt ctccatccca tatgtgggtg gagacatgga agtcaatggt tatgggacca 6240
 tcattgatga ggtcagatcc aaccatcttg gccacatctt cacattcacc ccccaaaaca 6300
 atgagttcca gctgcagctc agccccagga cctttgcttc gaagacatat ggtctctgtg 6360
 ggatctgtga tgagaacgga gccaatgact tcattctgag ggatgggaca gtcaccacag 6420
 actggaaggc actcatccag gaatggaacc tacagcagct tgggaagaca tgccagcctg 6480
 tcctgagga gcagtgtcct gtctccagca gttcccactg ccaggctctc ctctcagaat 6540
 tgtttgccga gtgccacaag gtctctgctc cagccacctt ttatgccatg tgccagcccc 6600
 acagttgcca cccgaagaaa gtgtgtgagg cgattgcctt gtatgccac ctctgtcgga 6660
 ccaaaagggt ctgtgtggac tggaggaggg ccaatttctg tgctatgtca tgtccaccat 6720

-continued

```

ccttggtgta caaccactgt gagcatggct gccctcggct ctgtgaaggc aatacaagct 6780
cctgtgggga ccaacctcgt gaaggetgct tetgcccc aaaccaagtc atgctggaag 6840
gtagctgtgt ccccgaggag gcctgtacct agtgcacag cgaggatgga gtccggcacc 6900
agttcctgga aacctgggtc ccagcccacc agccttgcca gatctgcacg tgcctcagtg 6960
ggcggaaagt caactgtacg ttgcagccct gcccacagc cagagctccc acctgtggcc 7020
cgtgtgaagt gcccgcctc cgccagaacg cagagcagtg ctgcccggag tacgagtgtg 7080
tgtgtgacct ggtgagctgt gacctgcccc cggtgccctc ctgcgaagat ggccctcaga 7140
tgaccctgac caatcctggc gagtgcagac ccaacttcac ctgtgcctgc aggaaggatg 7200
aatgcagacg ggagctcccg cctcttctgc ccccgcaccg gacgccggcc ctctggaaga 7260
ctcagtctg tgatgagtat gagtgtgcat gcaactgtgt caactccacg gtgagctgcc 7320
tgctgggga cctggcctcg cctgtcacca acgactgtgg ctgcaccaca acaacctgct 7380
tcctgacaa ggtgtgtgtc caccgaggca ccatctaccc tgtgggcag ttctgggagg 7440
aggcctgtga cgtgtgcacc tgcacggact tggaggactc tgtgatgggc ctgcctgtgg 7500
cccagtgtc ccagaagccc tgtgaggaca actgcctgtc gggttccact tatgtccttc 7560
atgaaggcga gtgctgtgga aggtgtctgc catctgcctg tgagggtggtc atcggttcac 7620
cacggggcga cgcaccgtc cactggaaga atgttggtc tcaactgggc tcccctgaca 7680
accctgcct catcaatgag tgtgtccgag tgaaggaaga ggtctttgtg caacagagga 7740
atgtctctg cccccagctg aatgtcccc cctgcccac gggttccag ctgagctgta 7800
agacctcaga gtgtgtccc acctgtcact gcgagccct ggaggcctgc ttgctcaatg 7860
gtaccatcat tggccgggg aaaagtctga tgattgatgt gtgtacaacc tgccgctgca 7920
ccgtccaggt gggagctcct tctgattca agctggagtg caggaagacc acctgtgagg 7980
catgccccct gggttataag gaagagaaga accaagggtga atgctgtggg agatgtctgc 8040
ctatagctt caccattcag ctaagaggag gacagatcat gacctgaag cgtgatgaga 8100
ctatccagga tggctgtgac agtcaactct gcaagggtcaa tgaagagga gagtacatct 8160
gggagaagag agtcacgggt tgcccacct tcgatgaaca caagtgtctg gctgaggag 8220
ggaaaatcat gaaaattcca ggcacctgct gtgacacatg tgaggagcca gaatgcaagg 8280
atatcattgc caagctgcag cgtgtcaaag tgggagactg taagtctgaa gaggaagtgg 8340
acattcatta ctgtgaggtt aaatgtgcca gcaaagccgt gtactccatc cacatggagg 8400
atgtgcagga ccagtgtctc tgetgtctgc ccaccagac ggagcccatg caggtgcccc 8460
tgcgctgcac caatggctcc ctcatctacc atgagatcct caatgccatg caatgcaggt 8520
gttccccag gaagtgcagc aagtgaggcc actgcctgg atgctactgt cgctgcctt 8580
accgacctc actggactgg ccagagtgt gctcagctc cctcagctc cctcctgctc 8640
tgctctgtg ctctctgac ccacaataaa ggtcaatctt tcacctgca aaaa 8694

```

<210> SEQ ID NO 29

<211> LENGTH: 2813

<212> TYPE: PRT

<213> ORGANISM: *Canis familiaris*

<400> SEQUENCE: 29

```

Met Ser Pro Thr Arg Leu Val Arg Val Leu Leu Ala Leu Ala Leu Ile
1           5           10          15

```

```

Leu Pro Gly Lys Leu Cys Thr Lys Gly Thr Val Gly Arg Ser Ser Met
          20          25          30

```

-continued

Ala Arg Cys Ser Leu Phe Gly Gly Asp Phe Ile Asn Thr Phe Asp Glu
35 40 45

Ser Met Tyr Ser Phe Ala Gly Asp Cys Ser Tyr Leu Leu Ala Gly Asp
50 55 60

Cys Gln Glu His Ser Val Ser Leu Ile Gly Gly Phe Gln Asn Gly Lys
65 70 75 80

Arg Val Ser Leu Ser Val Tyr Leu Gly Glu Phe Phe Asp Ile His Leu
85 90 95

Phe Val Asn Gly Thr Met Leu Gln Gly Thr Gln Ser Ile Ser Met Pro
100 105 110

Tyr Ala Ser Asn Gly Leu Tyr Leu Glu Ala Glu Ala Gly Tyr Tyr Lys
115 120 125

Leu Ser Ser Glu Ala Tyr Gly Phe Val Ala Arg Ile Asp Gly Asn Gly
130 135 140

Asn Phe Gln Val Leu Leu Ser Asp Arg Tyr Phe Asn Lys Thr Cys Gly
145 150 155 160

Leu Cys Gly Asn Phe Asn Ile Phe Ala Glu Asp Asp Phe Arg Thr Gln
165 170 175

Glu Gly Thr Leu Thr Ser Asp Pro Tyr Asp Phe Ala Asn Ser Trp Ala
180 185 190

Leu Ser Ser Gly Glu Gln Arg Cys Lys Arg Val Ser Pro Pro Ser Ser
195 200 205

Pro Cys Asn Val Ser Ser Asp Glu Val Gln Gln Val Leu Trp Glu Gln
210 215 220

Cys Gln Leu Leu Lys Ser Ala Ser Val Phe Ala Arg Cys His Pro Leu
225 230 235 240

Val Asp Pro Glu Pro Phe Val Ala Leu Cys Glu Arg Thr Leu Cys Thr
245 250 255

Cys Val Gln Gly Met Glu Cys Pro Cys Gly Val Leu Leu Glu Tyr Ala
260 265 270

Arg Ala Cys Ala Gln Gln Gly Val Val Leu Tyr Gly Trp Thr Asp His
275 280 285

Ser Val Cys Arg Pro Ala Cys Pro Ala Gly Met Glu Tyr Lys Glu Cys
290 295 300

Val Ser Pro Cys Thr Arg Thr Cys Gln Ser Leu His Val Lys Glu Val
305 310 315 320

Cys Gln Glu Gln Cys Val Asp Gly Cys Ser Cys Pro Glu Gly Gln Leu
325 330 335

Leu Asp Glu Gly His Cys Val Gly Ser Ala Glu Cys Ser Cys Val His
340 345 350

Ala Gly Gln Arg Tyr Pro Pro Gly Ala Ser Leu Leu Gln Asp Cys His
355 360 365

Thr Cys Ile Cys Arg Asn Ser Leu Trp Ile Cys Ser Asn Glu Glu Cys
370 375 380

Pro Gly Glu Cys Leu Val Thr Gly Gln Ser His Phe Lys Ser Phe Asp
385 390 395 400

Asn Arg Tyr Phe Thr Phe Ser Gly Ile Cys Gln Tyr Leu Leu Ala Gln
405 410 415

Asp Cys Gln Asp His Thr Phe Ser Val Val Ile Glu Thr Val Gln Cys
420 425 430

Ala Asp Asp Leu Asp Ala Val Cys Thr Arg Ser Val Thr Val Arg Leu
435 440 445

Pro Gly His His Asn Ser Leu Val Lys Leu Lys His Gly Gly Val

-continued

450				455				460							
Ser	Met	Asp	Gly	Gln	Asp	Ile	Gln	Ile	Pro	Leu	Leu	Gln	Gly	Asp	Leu
465					470					475					480
Arg	Ile	Gln	His	Thr	Val	Met	Ala	Ser	Val	Arg	Leu	Ser	Tyr	Gly	Glu
				485					490					495	
Asp	Leu	Gln	Met	Asp	Trp	Asp	Gly	Arg	Gly	Arg	Leu	Leu	Val	Thr	Leu
			500					505					510		
Ser	Pro	Ala	Tyr	Ala	Gly	Lys	Thr	Cys	Gly	Leu	Cys	Gly	Asn	Tyr	Asn
		515					520					525			
Gly	Asn	Arg	Gly	Asp	Asp	Phe	Val	Thr	Pro	Ala	Gly	Leu	Ala	Glu	Pro
	530					535					540				
Leu	Val	Glu	Asp	Phe	Gly	Asn	Ala	Trp	Lys	Leu	Leu	Gly	Ala	Cys	Glu
545					550					555					560
Asn	Leu	Gln	Lys	Gln	His	Arg	Asp	Pro	Cys	Ser	Leu	Asn	Pro	Arg	Gln
				565					570					575	
Ala	Arg	Phe	Ala	Glu	Glu	Ala	Cys	Ala	Leu	Leu	Thr	Ser	Ser	Lys	Phe
			580					585					590		
Glu	Pro	Cys	His	Arg	Ala	Val	Gly	Pro	Gln	Pro	Tyr	Val	Gln	Asn	Cys
		595					600					605			
Arg	Tyr	Asp	Val	Cys	Ser	Cys	Ser	Asp	Gly	Arg	Asp	Cys	Leu	Cys	Ser
	610					615					620				
Ala	Val	Ala	Asn	Tyr	Ala	Ala	Ala	Cys	Ala	Arg	Arg	Gly	Val	His	Ile
625					630					635					640
Ala	Trp	Arg	Glu	Pro	Gly	Phe	Cys	Ala	Leu	Ser	Cys	Pro	Gln	Gly	Gln
			645					650						655	
Val	Tyr	Leu	Gln	Cys	Gly	Thr	Pro	Cys	Asn	Met	Thr	Cys	Arg	Ser	Leu
		660						665				670			
Ser	Tyr	Pro	Glu	Glu	Asp	Cys	Asn	Glu	Val	Cys	Leu	Glu	Gly	Cys	Phe
		675					680					685			
Cys	Pro	Pro	Gly	Leu	Tyr	Leu	Asp	Glu	Arg	Gly	Asp	Cys	Val	Pro	Lys
	690					695					700				
Ala	Gln	Cys	Pro	Cys	Tyr	Tyr	Asp	Gly	Glu	Ile	Phe	Gln	Pro	Glu	Asp
705					710					715					720
Ile	Phe	Ser	Asp	His	His	Thr	Met	Cys	Tyr	Cys	Glu	Asp	Gly	Phe	Met
				725					730					735	
His	Cys	Thr	Thr	Ser	Gly	Gly	Leu	Gly	Ser	Leu	Leu	Pro	Asn	Pro	Val
			740					745					750		
Leu	Ser	Ser	Pro	Arg	Ser	His	Arg	Ser	Lys	Arg	Ser	Leu	Ser	Cys	Arg
		755					760					765			
Pro	Pro	Met	Val	Lys	Leu	Val	Cys	Pro	Ala	Asp	Asn	Pro	Arg	Ala	Glu
		770				775					780				
Gly	Leu	Glu	Cys	Ala	Lys	Thr	Cys	Gln	Asn	Tyr	Asp	Leu	Gln	Cys	Met
785					790					795					800
Ser	Thr	Gly	Cys	Val	Ser	Gly	Cys	Leu	Cys	Pro	Gln	Gly	Met	Val	Arg
			805					810						815	
His	Glu	Asn	Arg	Cys	Val	Ala	Leu	Glu	Arg	Cys	Pro	Cys	Phe	His	Gln
			820					825					830		
Gly	Gln	Glu	Tyr	Ala	Pro	Gly	Glu	Thr	Val	Lys	Ile	Asp	Cys	Asn	Thr
		835					840					845			
Cys	Val	Cys	Arg	Asp	Arg	Lys	Trp	Asn	Cys	Thr	Asp	His	Val	Cys	Asp
	850					855					860				
Ala	Thr	Cys	Ser	Ala	Ile	Gly	Met	Ala	His	Tyr	Leu	Thr	Phe	Asp	Gly
865					870					875					880

-continued

Glu Val	Leu Lys Val Phe	Val Val Gly Met Met	Glu His Leu His
1295		1300	1305
Ile Ser	Gln Lys Arg Ile	Arg Val Ala Val Val	Glu Tyr His Asp
1310		1315	1320
Gly Ser	His Ala Tyr Ile	Glu Leu Lys Asp Arg	Lys Arg Pro Ser
1325		1330	1335
Glu Leu	Arg Arg Ile Thr	Ser Gln Val Lys Tyr	Ala Gly Ser Glu
1340		1345	1350
Val Ala	Ser Thr Ser Glu	Val Leu Lys Tyr Thr	Leu Phe Gln Ile
1355		1360	1365
Phe Gly	Lys Ile Asp Arg	Pro Glu Ala Ser Arg	Ile Ala Leu Leu
1370		1375	1380
Leu Met	Ala Ser Gln Glu	Pro Ser Arg Leu Ala	Arg Asn Leu Val
1385		1390	1395
Arg Tyr	Val Gln Gly Leu	Lys Lys Lys Val	Ile Val Ile Pro
1400		1405	1410
Val Gly	Ile Gly Pro His	Ala Ser Leu Lys Gln	Ile His Leu Ile
1415		1420	1425
Glu Lys	Gln Ala Pro Glu	Asn Lys Ala Phe Val	Phe Ser Gly Val
1430		1435	1440
Asp Glu	Leu Glu Gln Arg	Arg Asp Glu Ile Ile	Asn Tyr Leu Cys
1445		1450	1455
Asp Leu	Ala Pro Glu Ala	Pro Ala Pro Thr Gln	His Pro Pro Met
1460		1465	1470
Ala Gln	Val Thr Val Gly	Ser Glu Leu Leu Gly	Val Ser Ser Pro
1475		1480	1485
Gly Pro	Lys Arg Asn Ser	Met Val Leu Asp Val	Val Phe Val Leu
1490		1495	1500
Glu Gly	Ser Asp Lys Ile	Gly Glu Ala Asn Phe	Asn Lys Ser Arg
1505		1510	1515
Glu Phe	Met Glu Glu Val	Ile Gln Arg Met Asp	Val Gly Gln Asp
1520		1525	1530
Arg Ile	His Val Thr Val	Leu Gln Tyr Ser Tyr	Met Val Thr Val
1535		1540	1545
Glu Tyr	Thr Phe Ser Glu	Ala Gln Ser Lys Gly	Glu Val Leu Gln
1550		1555	1560
Gln Val	Arg Asp Ile Arg	Tyr Arg Gly Gly Asn	Arg Thr Asn Thr
1565		1570	1575
Gly Leu	Ala Leu Gln Tyr	Leu Ser Glu His Ser	Phe Ser Val Ser
1580		1585	1590
Gln Gly	Asp Arg Glu Gln	Val Pro Asn Leu Val	Tyr Met Val Thr
1595		1600	1605
Gly Asn	Pro Ala Ser Asp	Glu Ile Lys Arg Met	Pro Gly Asp Ile
1610		1615	1620
Gln Val	Val Pro Ile Gly	Val Gly Pro His Ala	Asn Val Gln Glu
1625		1630	1635
Leu Glu	Lys Ile Gly Trp	Pro Asn Ala Pro Ile	Leu Ile His Asp
1640		1645	1650
Phe Glu	Met Leu Pro Arg	Glu Ala Pro Asp Leu	Val Leu Gln Arg
1655		1660	1665
Cys Cys	Ser Gly Glu Gly	Leu Gln Ile Pro Thr	Leu Ser Pro Thr
1670		1675	1680
Pro Asp	Cys Ser Gln Pro	Leu Asp Val Val Leu	Leu Leu Asp Gly

-continued

Asp 2090	Glu	Asn	Gly	Ala	Asn	Asp 2095	Phe	Ile	Leu	Arg	Asp 2100	Gly	Thr	Val
Thr 2105	Thr	Asp	Trp	Lys	Ala	Leu 2110	Ile	Gln	Glu	Trp	Thr 2115	Val	Gln	Gln
Leu 2120	Gly	Lys	Thr	Cys	Gln	Pro 2125	Val	Pro	Glu	Glu	Gln 2130	Cys	Pro	Val
Ser 2135	Ser	Ser	Ser	His	Cys	Gln 2140	Val	Leu	Leu	Ser	Glu 2145	Leu	Phe	Ala
Glu 2150	Cys	His	Lys	Val	Leu	Ala 2155	Pro	Ala	Thr	Phe	Tyr 2160	Ala	Met	Cys
Gln 2165	Pro	Asp	Ser	Cys	His	Pro 2170	Lys	Lys	Val	Cys	Glu 2175	Ala	Ile	Ala
Leu 2180	Tyr	Ala	His	Leu	Cys	Arg 2185	Thr	Lys	Gly	Val	Cys 2190	Val	Asp	Trp
Arg 2195	Arg	Ala	Asn	Phe	Cys	Ala 2200	Met	Ser	Cys	Pro	Pro 2205	Ser	Leu	Val
Tyr 2210	Asn	His	Cys	Glu	His	Gly 2215	Cys	Pro	Arg	Leu	Cys 2220	Glu	Gly	Asn
Thr 2225	Ser	Ser	Cys	Gly	Asp	Gln 2230	Pro	Ser	Glu	Gly	Cys 2235	Phe	Cys	Pro
Pro 2240	Asn	Gln	Val	Met	Leu	Glu 2245	Gly	Ser	Cys	Val	Pro 2250	Glu	Glu	Ala
Cys 2255	Thr	Gln	Cys	Ile	Ser	Glu 2260	Asp	Gly	Val	Arg	His 2265	Gln	Phe	Leu
Glu 2270	Thr	Trp	Val	Pro	Ala	His 2275	Gln	Pro	Cys	Gln	Ile 2280	Cys	Thr	Cys
Leu 2285	Ser	Gly	Arg	Lys	Val	Asn 2290	Cys	Thr	Leu	Gln	Pro 2295	Cys	Pro	Thr
Ala 2300	Arg	Ala	Pro	Thr	Cys	Gly 2305	Pro	Cys	Glu	Val	Ala 2310	Arg	Leu	Arg
Gln 2315	Asn	Ala	Glu	Gln	Cys	Cys 2320	Pro	Glu	Tyr	Glu	Cys 2325	Val	Cys	Asp
Leu 2330	Val	Ser	Cys	Asp	Leu	Pro 2335	Pro	Val	Pro	Pro	Cys 2340	Glu	Asp	Gly
Leu 2345	Gln	Met	Thr	Leu	Thr	Asn 2350	Pro	Gly	Glu	Cys	Arg 2355	Pro	Asn	Phe
Thr 2360	Cys	Ala	Cys	Arg	Lys	Asp 2365	Glu	Cys	Arg	Arg	Glu 2370	Ser	Pro	Pro
Ser 2375	Cys	Pro	Pro	His	Arg	Thr 2380	Pro	Ala	Leu	Arg	Lys 2385	Thr	Gln	Cys
Cys 2390	Asp	Glu	Tyr	Glu	Cys	Ala 2395	Cys	Asn	Cys	Val	Asn 2400	Ser	Thr	Val
Ser 2405	Cys	Leu	Leu	Gly	Tyr	Leu 2410	Ala	Ser	Ala	Val	Thr 2415	Asn	Asp	Cys
Gly 2420	Cys	Thr	Thr	Thr	Thr	Cys 2425	Phe	Pro	Asp	Lys	Val 2430	Cys	Val	His
Arg 2435	Gly	Thr	Ile	Tyr	Pro	Val 2440	Gly	Gln	Phe	Trp	Glu 2445	Glu	Ala	Cys
Asp 2450	Val	Cys	Thr	Cys	Thr	Asp 2455	Leu	Glu	Asp	Ser	Val 2460	Met	Gly	Leu
Arg 2465	Val	Ala	Gln	Cys	Ser	Gln 2470	Lys	Pro	Cys	Glu	Asp 2475	Asn	Cys	Leu
Ser 2480	Gly	Phe	Thr	Tyr	Val	Leu 2485	His	Glu	Gly	Glu	Cys 2490	Cys	Gly	Arg

-continued

Cys Leu Pro Ser Ala Cys Glu Val Val Ile Gly Ser Pro Arg Gly
 2495 2500 2505
 Asp Ala Gln Ser His Trp Lys Asn Val Gly Ser His Trp Ala Ser
 2510 2515 2520
 Pro Asp Asn Pro Cys Leu Ile Asn Glu Cys Val Arg Val Lys Glu
 2525 2530 2535
 Glu Val Phe Val Gln Gln Arg Asn Val Ser Cys Pro Gln Leu Asn
 2540 2545 2550
 Val Pro Thr Cys Pro Thr Gly Phe Gln Leu Ser Cys Lys Thr Ser
 2555 2560 2565
 Glu Cys Cys Pro Thr Cys His Cys Glu Pro Leu Glu Ala Cys Leu
 2570 2575 2580
 Leu Asn Gly Thr Ile Ile Gly Pro Gly Lys Ser Leu Met Ile Asp
 2585 2590 2595
 Val Cys Thr Thr Cys Arg Cys Thr Val Gln Val Gly Val Ile Ser
 2600 2605 2610
 Gly Phe Lys Leu Glu Cys Arg Lys Thr Thr Cys Glu Ala Cys Pro
 2615 2620 2625
 Leu Gly Tyr Lys Glu Glu Lys Asn Gln Gly Glu Cys Cys Gly Arg
 2630 2635 2640
 Cys Leu Pro Ile Ala Cys Thr Ile Gln Leu Arg Gly Gly Gln Ile
 2645 2650 2655
 Met Thr Leu Lys Arg Asp Glu Thr Ile Gln Asp Gly Cys Asp Ser
 2660 2665 2670
 His Phe Cys Lys Val Asn Glu Arg Gly Glu Tyr Ile Trp Glu Lys
 2675 2680 2685
 Arg Val Thr Gly Cys Pro Pro Phe Asp Glu His Lys Cys Leu Ala
 2690 2695 2700
 Glu Gly Gly Lys Ile Met Lys Ile Pro Gly Thr Cys Cys Asp Thr
 2705 2710 2715
 Cys Glu Glu Pro Glu Cys Lys Asp Ile Ile Ala Lys Leu Gln Arg
 2720 2725 2730
 Val Lys Val Gly Asp Cys Lys Ser Glu Glu Glu Val Asp Ile His
 2735 2740 2745
 Tyr Cys Glu Gly Lys Cys Ala Ser Lys Ala Val Tyr Ser Ile His
 2750 2755 2760
 Met Glu Asp Val Gln Asp Gln Cys Ser Cys Cys Ser Pro Thr Gln
 2765 2770 2775
 Thr Glu Pro Met Gln Val Pro Leu Arg Cys Thr Asn Gly Ser Leu
 2780 2785 2790
 Ile Tyr His Glu Ile Leu Asn Ala Met Gln Cys Arg Cys Ser Pro
 2795 2800 2805
 Arg Lys Cys Ser Lys
 2810

<210> SEQ ID NO 30

<211> LENGTH: 33834

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 30

gaattcatcg tcaagagagc tttatttgca tgagtgcaaa ggatgaaaat tctagactgg 60

gcgtggtggc tcacgcctgt aatcccagca ctttgggaga ccgaggtggg cagatcacga 120

ggtcaggagt ttgagaccag cctggctaac atagtggaac cccatctcta ctaaaaatac 180

-continued

aaaaaattag	ctgggtgtag	tggtgtgtgc	atgtaatccc	agctacttgg	gaggctgagg	240
caggagaatt	gcttgaagcc	gggaggcaga	ggttgcaagt	agccatgatt	gcatactgc	300
actccagccc	agcggacagt	gcgagactcc	atctcaaaaa	aaaaaaaaaga	aagaaaagaa	360
tattctaaaa	aaagacttaa	ttccccccgc	cacccccacc	caaaaacaagt	ggagacaggc	420
aaacttcctt	atcttctagg	ttgggggatg	gatttttttc	ctgggtccact	gtttgaaga	480
tgtttccctt	caaactttca	gcttttgcag	ggatctccgt	tctagttctc	cctctgggtc	540
aggcccgtag	ctgcactgcc	cattcttgta	atgtgcggcc	tccagtctgg	agggttccca	600
gactggccta	cgctaggcca	cccattgggc	taccctgcct	catgctcatt	taggctctc	660
ttcctcattg	accctttaag	atattcctta	ctttcctccc	agatcaactg	tggatttaa	720
gaacatttgt	tgtatttagc	acagcattta	aagatatttt	gtaatgaaag	ggttttcaga	780
ttagttattt	agttttttta	aataagagct	ggaagtggaa	atcccgatgg	ccttttcttt	840
tcttttcttt	tttttcttga	gaeggagtct	tgctctgtca	cccaggctgg	agtgcagtgg	900
ctcgatctca	gctcaactgc	agctccgcct	cccggttcca	cgccattctc	ctgcctcagc	960
ctcccagata	gctgggacta	caggcgcccc	gccaccacgc	ctggctaatt	ttttgtgttt	1020
ttagtagaga	cggggtttca	ctatgttagc	caggatggtc	ttgatccctt	gacctcgtga	1080
tccgccacc	tccgctccc	aaagtgtctg	gattacaggc	gtgaaccacc	gtgcccgccc	1140
ccccaatggc	cttttctact	gtctcatgct	gattctgcct	ctggtgccat	ttttcttctt	1200
tgggagtgtg	catcttcctc	tccctggggc	gtaaggagg	tagcagagtg	cgaggatgt	1260
gggaaggagg	gaggttgaa	cctagtgggt	tctcaaagt	ttagggcagg	aggtatcatg	1320
gagaagcagt	gaggaggtct	tccataccca	gacatgcctc	aggggtgctt	tctcagtgcc	1380
tggaatccca	gcacgagagt	catcttcccc	ccaccgctgc	ccattgcac	agttacttat	1440
tttagtagga	attagtttag	cagatgggtg	tgagaattag	gcttttggga	atgggaggct	1500
gggaagaaga	attgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	taagatcagg	1560
gtaccagaag	tgggtgaaa	tgtccttgag	aattagaatt	attagaatgt	agcaacagta	1620
gaagtattag	actcaacca	tactcccca	ccttcacccat	tttacaagg	cttaggett	1680
tggccaagac	cttcatcttt	agccgatcca	ttcaaccctg	gccaggatcc	aatggactg	1740
tttttgcag	ggccaggacc	ggatccttca	tacctggggt	gcataggaag	tgttagtact	1800
ccccttctc	caaacacagc	agcaaaattg	gctcaggttg	aggtgttttt	ctcaacttcc	1860
ctggagtcca	gccttggaa	ctggatcagg	aagctgtgtt	gttctactgt	gattccccct	1920
ggcctgtatc	agcttgccct	gaaacaacca	gcattcctgg	ttatcccaca	caggtggggc	1980
actctaggaa	gaccagggat	caagtgtggg	ggtgtagggg	tagggggtgt	ttggggagg	2040
caaggcagtt	aattaaggca	gctgccagga	ggtctccctc	caaaactctac	aaagctttat	2100
cagcttgagg	gtacttctaa	taccatttcc	ttcattgtt	tccttttgg	aattaaagg	2160
aggccaatcc	cctgttgtgg	cagctcacag	ctattgtggt	gggaaaggga	gggtggttgg	2220
tggatgtcac	agcttgggct	ttatctcccc	cagcagtggg	gactccacag	cccctgggct	2280
acataacagc	aagacagtcc	ggagctgtag	cagacctgat	tgagcctttg	cagcagctga	2340
gagcatggcc	tagggtgggc	ggcaccattg	tccagcagct	gagtttccca	gggaccttgg	2400
agatagccgc	agccctcatt	tgcaggggaa	ggtatggcct	ttggaaggag	agctggctca	2460
gttgtgggag	gaagatgcag	gactgactga	tccctgctcc	tggggagctg	gagttctctg	2520
tcgctggact	agaagggctt	tgtttgagg	ggcaattcaa	ttcagccagg	gatgatccta	2580

-continued

atactccctc ctccacttgc ctctgagggg cctggggctg cttttcttca tgcagtgggt	2640
tttactgttt gatagtactt cactcaaatg agttggaatg aagtttgccc tcacctctga	2700
gaacctggga gcagctgaat gtacctgcgt gtaggactg ggaggggaca cctgcttga	2760
gaccgagacc tggcagtatc tgacatctca gtgttccttc cacagatgta tcacagattg	2820
gcttgatttc acctttggct ggatgggacc ttaggtagga agggagtcac ccccagtga	2880
tctcaggcag cagattctgc acttcaatca acaacttttc ccgaggagag gggctacagc	2940
aggggctcta agtgacttgg ggtacgctct gccagccagg atgaattgct cctctcttgg	3000
gggtcacaca gtggggaagt ctgcctgcac ccagggccgc tggactcctg tccattttt	3060
cagatgaact cagcaaacat ttgtcgggca tctcctgggt gctaagcatc ttgccaggtg	3120
ctggggttgg aggcaaggga gacagccttt gctcttctga aggcacttgt ggtacagagt	3180
caggggcaa caagcaaac gtcaagtgg tggttcctga gcattctcta tgtctgggct	3240
gctgtgttgg gcacacaagt gtaagacggt tctactctgc cagtttggat gcagaggcag	3300
gaaggaatga ggtgtgtgtt agctcccagc tgettccagga ggcagggatg tgaggcccag	3360
cgggcctgga ggggaaggca cgttttcctc ctgtcttggg cctgggactg ctgtctgtgg	3420
aaagtgccc acaggtccca gctcacagcg attgttacc ttgggcctgg cactggccag	3480
gggttttttc gggggccaga agtccatggt caaaggggaa aaggggtca cgaggatcaa	3540
tcttttctcc tgctttaaag aaatgttttt gctactgcat gccctgatag tegccacacc	3600
agcagccgcc tacctgggga gcaatgacca gctcacgtct cttgcttctt tgcagatgat	3660
tcctgccaga tttgccgggg tgctgcttgc tctggccctc attttgccag gtaggtacaa	3720
aagggcctcc atttctcatt cctgcccag gccatctgg agtgacacct ttccgggaat	3780
cagcaggtgt gtctggagct cacctgtgtg cccagcccta acttaggctg ttggttgcct	3840
cctgtgaagg ttctgcggag ttcccacct tgacttgtat tccagagacc aggtgcctgc	3900
aatgccatc tctgttggg gaattaagaa gcataaagg ggacacagaac tgcctatat	3960
tatgggggca caggatgag aggaaggaat ccaagacttg gatggattat tagtttttga	4020
taagattgtg gaggtcacct tgttgaacct cccatggtac aatgaagaga ctgagggtca	4080
gagaggagaa atgactgctc caaagtctcc tagagccaaa atcagaggtc agtcttctctg	4140
ggttccaggc caacaccctt tccactgcac tgcatacaca tgcctgacct cccttgctaa	4200
gattctgggt ctgcaaatgg cgggagggga cttttgacct tgggcgcttt ccacttagat	4260
ctctcaggtc agcagcatcc agctactgcc cacaggtgag tctgggaaaa aaaatacaca	4320
tttgtcacac tctctgcatc ttctactag gtgggtcttt tgccggggaa cccagaacac	4380
ttagagattt actgctgtat ttccccacct gccgacacac acacacccat agtcagtga	4440
ggagttagcc tgtgacgccc gaggagtca cacttcagag agtctatgtg tcaggcacac	4500
agtctgatct gtttaaaat taacatgccc aagacatgct agtagattta tgtacaaaga	4560
tgctcactgc aatctatcta taatattaaa acatggaaaa atgctagaaa cctaacaata	4620
gagggctata ctatagacat tcagatgcaa aatataatgc agccactaaa aaccgcatat	4680
tggaaatata tacactagca gcacaaattg tttacaatct attgagaat aaacagaggt	4740
tataggtagt ttgcacaagt tggtcaccaa tttataaaaa acccacagct gtatatatgc	4800
tatacaacia aatggaaga tgaacattga aatgttaact ctaatcatcg ctgaatgttg	4860
ggttacagat ggttttaact tctttgtctt tcttttctt tttcttttct ttttttttt	4920
cgagacagag tctcactctg tgcgccagtc tagagtgcag tggatgatg ttggctccct	4980

-continued

gcaacctctg cctcctgggc tcaagtgatt ctctgcctc agcctcacca gtagctggga 5040
ttacaggcgc ccaccactac acccgctag tttttgtatt tttagtagag acagggttcc 5100
gccatgttgg gcaggctggt cttgaattcc tgacctcagg tgatctgccc acctcggcct 5160
cccaaagtgc tgggattata ggcgtgagcc actgtgcccg gccagcttct ttgttttctt 5220
ctgtatgccc caaattttta ataattggaca tgatgacatt ttaaatcagt aagtaaatgt 5280
cattgaaact aatggatttc ctgaaaaact gttccttagt tattgctgtg agtctggggt 5340
catactggg agctgaaagc aacagcttta gtctcattta ggatggaaaa tacctcccca 5400
cagcccagtt tctatcagag gcagtctaatt ttctacgagg ccagagaggt ttgagctgat 5460
ggccccagtt gtgccctgag atcaccagcc caacctgtgg cctctccctc cagggacct 5520
ttgtgcagaa ggaactcgcg gcaggtcatc cacggcccga tgcagccttt tcggaagtga 5580
cttcgtcaac acctttgatg ggagcatgta cagctttgcg ggatactgca gttacctcct 5640
ggcagggggc tgccagaaac gctccttctc gattattggt gagttctggg cactgcaggg 5700
aggacttcag agggagggct ggctgagctc agccctgggt tgggggagga ttctctctct 5760
caggacagtg tctgagtgga aaggtcactg ctgagaacaa ggagaggaac agcctttctg 5820
tgacacgtag cccctcttgg ctttcccggg gtctctcccc acgggagccg ggtgggatgg 5880
atgaagagag tcttcatctt tggtagtcca ctgtgtccgt tgctctgggg cccggcgatg 5940
ccctgggaac tccacagcat caaggcaaat gatgaactag agaagggtct ttggaacctg 6000
taaaactcct tgccagagag aagactcgtt gttgttttct tggtggtctg ttgatcagaa 6060
catcagctta tgctgaggac ttctctgatt cctgcagaag ggctggtact gtccttgcca 6120
tgtccctgca tccccacaac agccctggga ttagctgta gtcacccag tttaccaat 6180
ggagaaccaa ggctcatgaa ggttgcatga tccttccaag gcctgacaga caataaaagg 6240
tggagctgag gccgggcacg gtggctcatg cctgtaatcc cagtactttg ggaggccaag 6300
gtgggtggat cacctgaggt caagagtttg agaccagcct ggccaacatg gtgaaacccc 6360
atcttacta aaaaatacaaa aattagccgg gtgtggtggt gtgtgtctat aatcccagct 6420
acttgggagg ctgaggcagg agaatcgctt gaacctggtt gcaataagct gagatacact 6480
ccagcctggg caacagagcg agactccatc tcaaaaaaaaa aaacaaccca caaaaaaca 6540
aaaaactgga ctaagcaggc caaggacaga gcccaaggcc aaggcttaat ctagaagagg 6600
gctcagaagt gccccactca agtttggtca aggagggagt ctttggcaac acctggacac 6660
ttacctgaga tetgggctgt agggctcctg gggctattgc tccatcagtc agcggggact 6720
gacacagggt cctccatgtg cccagcactg ggctaggctc tgtctagcac ctggctatag 6780
ctatgagctc ctttttgggg cgttttctgc tgagaaaagg ttacgtagat aatgattctt 6840
aatcaatgta ttcatttttt gagaggagta ataactacta ctattgactt ttttctctt 6900
caggggactt ccagaatggc aagagagtga gcctctccgt gtatcttggg gaattttttg 6960
acatccattt gtttgtaaat ggtaccgtga cacaggggga ccaaaggtaa gccacaatg 7020
tctgagttag aaaggacct agggatcccc tgacacaacc cctcatttt tagatgagga 7080
agctggggcc cagagaatgg aagcaaatgt tccaaggaag tgagtagcag ggctgggtga 7140
gagccagctc tcccattgct tgatctaggt cctcagccac tttgcacat gttctgaacc 7200
ctacaacatg gggttggggg tagaagggtg gagagacatc cagaaaatgc acaagaagcc 7260
cacttctgaa cttagccttt gccctccaga gtctccatgc cctatgctc caaagggctg 7320
tatctagaaa ctgaggctgg gtactacaag ctgtccgggt aggcctatgg ctttgtggcc 7380

-continued

aggatcgatg gcagcgccaa ctttcaagtc ctgctgtcag acagatactt caacaagacc	7440
tgcgggctgt gtggcaactt taacatcttt gctgaagatg actttatgac ccaagaaggt	7500
aagatgttct gggataccat ttccctaaag tgtggccatg ctttttattt ccttgctcat	7560
aaaccttcac taacatgcct tccctggcat tcaagcctca ctgtgacctc acctcaattt	7620
atgttgccaa ccttatctct ttgcattcca ttccaatgcc tagacctcta gtgaaaccag	7680
gtcttagagc tctcctaaag tgacttcggt caactttgaa ttcacaactg ggttgccctga	7740
ggaggggtga accagccaag ccagagatgg gtcaagtcaa aactcctgtg ctgctcagta	7800
gtgggattgc acttgatgaat agccgcgcac tccagcctgg gaaacatagc cagaccctgt	7860
ctctttataa aaaattaaaa caaaacacac aaaaccacca gcagacctag aattttcacc	7920
cagaagttct gggacaggca taactgaagc attactttcc tgaaactttc ctccacaggg	7980
accttgacct cggaccctta tgactttgcc aactcatggg ctctgagcag tggagaacag	8040
tggtgtgaac gggcatctcc tcccagcagc tcatgcaaca tctcctctgg ggaatgcag	8100
aaggtgggtg tggactggcc tgggtgcacc tggatggtgt gtgatttctg gatctaaaag	8160
acagaaggac tcagctctat atccttccat ctgggggagg aatggactta cgcagggccca	8220
ttcctccaa aactaactgt ggctagagtc taattctaatac acatctcgag cctgaagctc	8280
taaaaatgag tctgggctaa tgacttcagg tgctgagggg gctgccttgg tttccctagc	8340
agggctaagt ctcaagtcca cactcagggg gacactaacg gagcataccg ctgaggcggc	8400
ccctcttctc gcagggcctg tgggagcagt gccagcttct gaagagcacc tgggtgtttg	8460
cccctgccca ccctctgggt gaccccgagc cttttgtggc cctgtgtgag aagactttgt	8520
gtgagtgtgc tggggggctg gagtgcgcct gcctgcctc cctggagtac gcccgacct	8580
gtgccaggga gggaaatggt ctgtacggct ggaccgacca cagcgcgtgc agtaagtcgg	8640
ccccctgccc cgtcctgccc tgccggggat gaacggtctg tcttgggtgg tgtcccttag	8700
gggtcttcgg ggctgtgtca cgtatgtgcg gctttaccac acccagccag ccagtgacta	8760
caaagccacg tgtccgggac ccatttctct aatggtctct gccctctgct aaacgggctt	8820
cccaaagccc cgtgtcctgc cctgcctcc gtcccgcctc cagcctccc ctggcgcccc	8880
ctgacttccc tcaggaaatc gcacccctgc actcacacag tgttctctgc tcccaccaa	8940
gatcttggca gttcggtttt tggtttttct cttcaccgcc tgcccgcctc aattgatgag	9000
gagcaggacg ctgacctggc tgcctgtgtg tggatgattt ggggaagggt gggggtcctg	9060
gggtccccga tgggtcttgg taagggcctc acaagatgga agatgttcat ctaaggggag	9120
gggtggcctca ggggggcacg tggctcactg ggggtgagaa ggacctgga gctgaagac	9180
agaggggagc agtcagagtg ggcacgagag gctcaggctg tggcatggct ggtgagatga	9240
tgcaccgggtg ggacctgccc tgggtagacc cctttgatgt tcttttctag gccagtggtg	9300
ccctgctggt atggagtata ggcagtgtgt gtccccttgc gccaggacct gccagagcct	9360
gcacatcaat gaaatgtgtc aggagcgatg cgtggatggc tgcagctgcc ctggtaatga	9420
acttcccact ttatttacag atcagagacc ttgccagcac ttccttctct tatattgcat	9480
tatgtgaaag ataaacacca cagaacaagt tctttgagct tcttgaaga aaccacaacca	9540
ttgtccctgg ggattctata gttgtgggat gagtgcgcga atgacaatgt tgaggtcttt	9600
gtcttgatgc ccttgacccc agagggacag ctctggatg aaggcctctg cgtggagagc	9660
accgagtgtc cctgcgtgca ttccggaaag cgtaccctc ccggcacctc cctctctcga	9720
gactgcaaca cctggtaatg ggggctgcgc agcgtgctct gggagacctg cctgggggac	9780

-continued

tggggagggga agaattttaa ccctatgaag attctgctag caccagctct tttcttttcc 9840
 cacatccctt cgtttgggga ctgtgataac taccaagagc tctaaatcca tttgcatacc 9900
 cttgtgtttg cagaaccacc aatgacctgt gctttttccc tccaacagca tttgccgaaa 9960
 cagccagtgg atctgcagca atgaagaatg tccaggtagg cgacctgccg ctcattctct 10020
 tcctccttcc ctgaatcggg gaggcgtctc ctctatttt ctcgtagaac ttgtttttag 10080
 actggtttgg gcaaaggacg tccatgcagt tttggggaag ggcaccctgc ttgcatatgc 10140
 attccacctt ggccacccca ggggaagtgc cctcacctcc cattcttctc ccttctctg 10200
 tgtctctcca ggggagtgcc ttgtcactgg tcaatcccac ttcaagagct ttgacaacag 10260
 atacttcacc ttcagtggga tctgccagta cctgctggcc cgggattgcc aggaccactc 10320
 cttctccatt gtcattgaga ctgtccaggt gagctttgcc agcccgctg ctggctgggt 10380
 ggtgggttga ggcctttctc tgattaagag ggtcctgggc tggggagctg gataggcagg 10440
 ggggtcagca aagtccacct gtgttcctcc ttggcagtg tctgatgacc gegacgctgt 10500
 gtgcaccctc tccgtcaccg tccggctgcc tggcctgcac aacagccttg tgaactgaa 10560
 gcattgggca ggaagtggca tggatggcca ggacatccag ctccccctcc tgaaggat 10620
 gcttcgtcct gctccatcag gcctggggct ggcacagccc atcccttagc accctcctc 10680
 tcaaccctgg cctaagtcat tgctcttcag tgctaccatc cttttgagac accccatttc 10740
 ctcccaaata catctgcctg ccaccacct gtctctccc cacctctgcc tgagtctgt 10800
 cctgctgggt tccaggtgac ctccgcatcc agcatacagt gacggcctcc gtgcgctca 10860
 gctacgggga ggaacctgag atggactggg atggccgctg gaggtgctg gtgaaggtag 10920
 gtgcctcac ggggtactgg ctccctgcgg cccgaccctt acaaagtacc ccttgtgctc 10980
 tgggtagaat gcttttgtg ggtgggagaa gaattcccag agtggcctgg tctctcctgc 11040
 agctgtcccc cgtctacgcc gggaagacct gcggcctgtg tgggaattac aatggcaacc 11100
 agggcgacga cttccttacc ccctctgggc tggcagagcc cgggtggag gacttcggga 11160
 acgctggaa gctgcacggg gactgccagg acctgcagaa gcagcacagc gatccctgcg 11220
 ccctcaacc gcgcatgagt atgtgaacct gggggcaagg caggagggga gtgttgaccg 11280
 ggaggcgtgg cccccactcc tccccaccac atcccaggct cgctcctctc gccccacagc 11340
 caggttctcc gaggagcgt gcgcggtcct gacgtcccc acattcgagg cctgccatcg 11400
 tgccgtcagc ccgctgcctt acctgcccga ctgccctac gacgtgtgct cctgctcggg 11460
 cggcccgag tgctgtgct gcgcctggc cagctatgcc gcggcctgcg cggggagagg 11520
 cgtgcgctc cgtggcgcg agccaggccg ctgtggtgct tgccctcctt gcccgagcc 11580
 ctccggcgg cccccaaat ccgtccacgt gtgcttttcg aagcccttc tctgcgttgt 11640
 ttctgtgga aattgggggt cacagctaca aggggtggca agtccatgaa ccacagtcct 11700
 tgctgtccaa cattcccgct gaggccttac ttcttctcct ctctcttcta gagctgaact 11760
 gccgaaaagg ccaggtgtac ctgcagtgcg ggacccctg caacctgacc tgccgctctc 11820
 tctcttacc ggatgaggaa tgcaatgagg cctgctgga gggctgctt tccccccag 11880
 ggctctacat ggatgagag ggggactgct tgcccaggc ccagtgcctc tgttactatg 11940
 acggtgagat cttccagcca gaagacatct tctcagacca tcacaccatg tggtaagtgc 12000
 aggcagcagt gtcagggacc tctaaaacag cagagctggg gaggaaaacg ggatcaatta 12060
 agcaataaac tgaaaaaagt cccatgggat ttagtgacgt ggggatcctc cattggtaac 12120
 gttagcaagc tgtgcttcag gaggggttat gggactggga cctggttgga aggggcagag 12180

-continued

agtgagtggg aggtgaagat gtggaggcag cgagtataga cgagtctcgt gaagctcggc 12240
 tatgattttc ttctctgcag ctactgtgag gatggcttca tgcactgtac catgagtgga 12300
 gtccccggaa gcttgctgcc tgacgctgtc ctcagcagtc ccctgtctca tcgcaagtga 12360
 tactgtcccc ctggaaggcc cattgactcc atcctgcccc gattcctcac gtgtggaatg 12420
 gcgggagaga gctgggtatg taagccagag gtcagaagcc caggtgagaa gatgcctcc 12480
 cagtcccaca cagggacctt ggctcaggca gccgctggtc cccgtgagtg ggcaactctg 12540
 agtctcttga atttagtcac agactctagg ggaccaaagg acagtgtgga aggtaggtcc 12600
 attatctcct tcactaatca tctctttgct tttcctacct tcgaggcaaa aggagcctat 12660
 cctgtcggcc ccccatggct aagctgggtg gtcccgtga caacctgcgg gctgaagggc 12720
 tcgagtgtac caaaacgtgc cagaactatg acctggagtg catgagcatg ggctgtgtct 12780
 ctggctgcct ctgccccccc ggcctgggtg gtcaccaggc acagagctgg tgcttcccct 12840
 tcagttttct tgtaggcagg agggaggcct tagatcagtc actgtggccc tgaggacttt 12900
 tggattcttt tctcttaggt ccggcatgag aacagatgtg tggccctgga aagggtgccc 12960
 tgcttccatc agggcaagga gtatgccctt ggagaaacag tgaagattgg ctgcaacct 13020
 tggtaggctc cagtgagggg ctgcgccggg gacctaggcc ctgcgggtgg agtgagggtg 13080
 cacgcgcca caggaccttc cgcacttggg caacctcttc ccttcttgc ctcagtttcc 13140
 ccttttagg gacagccact aggtctccct gtctcctgct gggccccatg ctgggcctat 13200
 gaagtcaca ctccacgcta caggtcctca acttctctgg gcttctgga gggttgggag 13260
 gcaccagag tattctgtgt tccttcattg cctccatggc ccagatgggc cctcaaac 13320
 caagtgccc aacttgctat ctctgccatg actgctccta gtgtctgtcg ggaccggaag 13380
 tggaaactga cagaccatgt gtgtgatgcc acgtgctcca cgatggcat ggcccactac 13440
 ctcacctcg acgggctcaa atacctgttc cccggggagt gccagtaagt tctggtgcag 13500
 gtgagaggtg gggagatggg gagagggtgc tgtttcttcc taggaggggt gggaggtgtg 13560
 gcctcaggtt gggttctgtg gatctgtctg cagaaacaac tctgggtctt ggtttctact 13620
 ggagtacttc ccagtccttc acagaagtgc ctgaagcggg aggggatttg aagctcaaag 13680
 tggttgtcca ttttccctct gctcacctgg ggactataa aaaggcatt cacctgggca 13740
 tatccccctg cccccagaca cacacagagg cacatatgcg cagccatgga cgtggcaaga 13800
 tcctgtgaca cgtactcaaa ggcctgtgat gaagagatgc caatcttctg gtctggtgag 13860
 agccagtggg gataatggtc ttctcctggc actcctcttt ccccaggatt actgcggcag 13920
 taaccctggg accttctgga tcctagtggg gaataaggga tgcagccacc cctcagtga 13980
 atgcaagaaa cgggtcacca tcctggtgga gggaggagag attgagctgt ttgacgggga 14040
 ggtaagtga gcctcatctc caccctcatg tcccgtttg tgcttctgcc acttaatagg 14100
 aacatttcca agcattcatt tagagctcgt gtgaatgga taacgcacag ccattaaaga 14160
 ggatgagggt agatggtcac agacatgtcc tggcgtgggg ctggcctgca ggggtgcagt 14220
 ggcaggtggg gtctcgaggg ggtggcagtg cctgcactcg tgggactga agacagatgg 14280
 gcaggtgtag agtgagggga ggcctggctg gtcgagcctg ccttcatcc tcttgattt 14340
 cttgctttgt tttctccag gtgaatgtga agaggccat gaaggatgag actcactttg 14400
 aggtggtgga gtctggccgg tacatcatcc tgctgctggg caaagccctc tccgtggtct 14460
 gggaccgcca cctgagcatc tccgtggtcc tgaagcagac ataccaggtc agtggctttc 14520
 ttgcttcatc ttgttgggga cttggccttt ggagtgtttt ctgctcctg atcgtaggtc 14580

-continued

tctaaggact tgccttatga atccagggtgc tectgtgttg ggtgcatata tatttaggat 14640
agttaggagc agtgatagtt cccaccagtg atctcagggc caaggctgcc tgattcccac 14700
ctctgccctt ggctgactat gtgacatggg catgttgctt ctctgtttcc atagctttaa 14760
ataaaatggg gccacgaagg aagctcagga atgggtcttg gcaatggcaa ggctttgctg 14820
ctcacctcgg gcctcctctg agtctctgtc ccgctcctcc tectcttctc cgaatgcctt 14880
ctgcctccat tgcgcgcaag aatgttcccc ttccccctga gccggagagc atgctcctgg 14940
gcttgacggt gctcatcctt caacttgtct ctcaaggaga aagtgtgttg cctgtgtggg 15000
aattttgatg gcatccagaa caatgacctc accagcagca acctccaagt ggaggaagac 15060
cctgtggact ttgggaactc ctggaagtgt agctcgcagt gtgctgacac cagaaaagta 15120
cgtctgggtc tctgtgtgga cagagcccta gagcttgctt cctggaatgt cctctgttcc 15180
ccattgtcat gggggctgga aggggggttg tgggtggtat gacctccagg tggctgcagg 15240
gtgggaagga gggctctctg gatccttctg ggctgaataa cccagtttg accagctgac 15300
ggctggccta tctcttgcct ggttcccagg tgctctgga ctcatccctt gccacctgcc 15360
ataacaacat catgaagcag acgattgttg attcctcctg tagaatcctt accagtgcag 15420
tcttccagga ctgcaacaag ctggtgagga ccttgagggt agtgggaagc agacggtccc 15480
aaggcttggc ctgggtggtat ggacacagag tgtgacctt ctaactggac actacctctg 15540
tgtcttgaca tgatctgac caagacacca ctteggcttt tttcttggc tttcaactctg 15600
ggaaacaaaa agtaaaatca acagtcttca ggggaagcaa tgcctggcaa aacatttctt 15660
tctgcatgag aagtaactcc ccttggcatg tgccaatgct tctctttcag cccagctctt 15720
aggatttgtt ctcttattga agtatctgtt tttcaacacc agagccagag atttctttt 15780
cctgtcactg ctgcatttgc ccagaccaa agaccttctt ctcccacccc ctaaaacccc 15840
ttggtgcca tttcttgcct cacagaaatt cttttctggc cttaattttg gtgattttga 15900
gtcctctgat tatgacttat tttgtgtctt tcatctctaa tgacaaggag gaattctgtc 15960
ttctggaaaa tctcaggctt cattgtgttc tgcagaaggc cagcagcact gcattattca 16020
actcttcttg ctggaatgca gattagaaac taagaatctt gccttcccac tcattccctc 16080
tttgagacca ttgagctgca tttctccttc tacttgagcc ccttatcctt taaattgacc 16140
atcagaacat ttgcaccag actaagagcc agagttcctg acacctggcc ataggcctgg 16200
gccacctgag gctgcctttg caggtggacc ccgagccata tctggatgct tgcatttaag 16260
acacctgctc ctgtgagtc attggggact gcgctgctt ctgcgacacc attgctgctt 16320
atgcccacgt gtgtgcccag catggcaagg tggtagctg gaggacggcc acattgtgcc 16380
gtgagtactg acgcccctat gttctcagat gcctccctt cttccatgt gtctatgctt 16440
gaagaccttg tgagtgcagg gggatatctt catgggcgag aggaattcag aaccaataga 16500
ttctggttta ggtgcttcaa caatccagaa gtctctaata ttggtgacgc ccatagctcc 16560
ctagtteccc aacattatct ccagatggcg caggccatca ccacatgggt ctgcagtcct 16620
ggaggettth cctgttgttg ccacagcctt gtctcctgtc tacacagccc agagctgcga 16680
ggagaggaat ctccgggaga acgggtatga gtgtgagtgg cgtataaca gctgtgcacc 16740
tgctgtcaa gtcactgtc agcaccctga gccactggcc tgccctgtc agtgtgtgga 16800
gggctgcat gccactgcc ctccaggta ggcctctatc cctgggggtc aggctggtgg 16860
gatgggatag ggatggatgg aaagggtctt ctaggctctg ctctatctca gctccacct 16920
gccacgtcct atctctgacc tgcaaggctg ctgcaggctt cgtgggttct tctatcagag 16980

-continued

tcaggacagt cgtgattttt ctcaagtcga gctcctccaa aatgcttttc tgtgcctatt 17040
 tatgggattc tcacctaaag cagcccctgc cgatagaact ttctgcagtg ggggaatggt 17100
 gtattgaatg caggcaggag gagttggctt ctagggcagg aggaggagtt ggctcctccc 17160
 ttttagttaa aaatgaggct tcctcgtggg aaaggggagc gttttggttc ctaatgagag 17220
 ctttcttttg cagggaaaat cctggatgag cttttgcaga cctgcgttga ccctgaagac 17280
 tgtccagtggt gtgagggtgc tggccggcgt ttgcctcag gaaagaaagt caccttgaat 17340
 cccagtgacc ctgagcactg ccagatttgg taaaacagat tcctgggttg tttgaagtga 17400
 tgaatcttat tgcttctcca tgttttgaag gtggggggca tgctatttgg ggacagatgt 17460
 taaacaatga catctcactt ggatgtggaa tggtcacatg gatctcaagt tcaggtggaa 17520
 cagaggagat tctgtgggaa tatggaagtc attgtacact gtagggctca gaagtgtcca 17580
 caggttcttc ctgaaccatt ttaatttctt cgctcttttc tgcagccact gtgatgttgt 17640
 caacctcacc tgtgaagcct gccaggagcc gggaggcctg gtggtgctc ccacagatgc 17700
 cccggtgagc cccaccactc tgtatgtgga ggacatctcg gaaccgcctg tgcacgattt 17760
 ctactgcagc aggtacttgg acctggtctt cctgctggat ggctcctcca ggctgtccga 17820
 ggctgagttt gaagtgtga aggccttgtt ggtggacatg atggagcggc tgcgcatctc 17880
 ccagaagtgg gtcccgctgg ccgtggtgga gtaccacgac ggctcccacg cctacatcgg 17940
 gctcaaggac cggaaagcag cgtcagagct gcggcgcatt gccagccagg tgaagtatgc 18000
 gggcagccag gtggcctcca ccagcaggtt cttgaaatac aactgttcc aaatcttcag 18060
 caagatcgac cgcctgaag cctcccgcct cgcctgctc ctgatggcca gccaggagcc 18120
 ccaacggatg tcccgaact ttgtccgcta cgtccagggc ctgaagaaga agaaggtcat 18180
 tgtgatcccc gtgggcattg ggccccatgc caacctcaag cagatccgcc tcatcgagaa 18240
 gcaggcccct gagaacaagg cctcgtgctg gagcagtggt gatgagctgg agcagcaaag 18300
 ggacgagatc gttagctacc tctgtgacct tgccctgaa gccctcctc ctactctgcc 18360
 cccccacatg gcacaagtca ctgtgggccc ggggctcttg ggggtttcga ccctggggcc 18420
 caagaggaac tccatggttc tggatgtggt gttcgtcctg gaaggatcgg acaaaattgg 18480
 tgaagccgac ttoaacagga gcaaggagtt catggaggag gtgattcagc ggatggatgt 18540
 gggccaggac agcatccacg tcacgggtgct gcagtactcc tacatggtga ccgtggagta 18600
 ccccttcagc gaggcacagt ccaaagggga catcctgcag cgggtgagag agatccgcta 18660
 ccaggggcgc aacaggacca aactggggtt ggccctgcgg tacctctctg accacagctt 18720
 cttggtcagc caggtgacc gggagcaggc gcccaacctg gtctacatgg tcaccggaaa 18780
 tcctgcctct gatgagatca agaggtgccc tggagacatc caggtggtgc ccattggagt 18840
 gggccctaata gccaacgtgc aggagctgga gaggattggc tggcccaatg ccctatcct 18900
 catccaggac tttgagacgc tccccgaga ggctcctgac ctggtgctgc agaggtgctg 18960
 ctccggagag gggctgcaga tccccacct ctccctgca cctggtatgc tggcaccttg 19020
 tgtgcaggtg ggagggctg gcgagggctg gcatggcctt ggtgctacat gcatctgcca 19080
 agatacgaact cgggttctaa tcctggcttc cctggtctgt gtggccttg ttaaacttg 19140
 cttcaaagg gcctgtgttt cctcacctcc ctggcaggga gacaaactgt gatcctttt 19200
 cggggcctgc tggcacctgt gtgtcacct tcctggttgt ctttcagac tgcagccagc 19260
 ccctggacgt gatcctctc ctggatggct cctccagttt cccagcttct tattttgatg 19320
 aaatgaagag tttcgcgaag gctttcattt caaaagccaa tataggtggg tgagcgaggc 19380

-continued

acctgaagca gcaggtagc aagaggctct ttttggct ctacttgatt caaaataatc 19440
cgcattttct cgttcogttt agggcctcgt ctcaactcagg tgcagtgct gcagtagga 19500
agcatcacca ccattgacgt gccatggaac gtgggtcccgg agaaagccca tttgctgagc 19560
cttgtggacg tcattgacgt ggagggaggc cccagccaaa tcggtaacgt tggtagccca 19620
ggctggatgc agaagctgca ttctggttct ttttttggc ataagtgact gtgtgacctc 19680
ggccagtcac tttgctcctt ggcccttagt tcttctcctg gaaagtgagg ggctagatgc 19740
tcttccacgt ctctccagat ctcaactggg tgttctctgg agtttctgaa tcattcagct 19800
tttaagtgac ttaaggatcc accgttaaga cagggtgtcg agccgcagtc agtactgact 19860
tggcgtgacg tgttctccat cctcagggga tgcttgggc tttgctgtgc gatactgac 19920
ttcagaaatg catggtgcca ggccgggagc ctcaaaggcg gtggtcatcc tggtagcga 19980
cgtctctgtg gattcagtg atgcagcagc tgatgccgc aggtccaaca gtaagaatct 20040
gggtgacagc cctcaattca ggagagcgtg gtttgttgc tatctctcca tgaggacggg 20100
ggacagggag ggactttatg tgcctggctc actgctgtac cctattgct tacaatagta 20160
cctgacacag agtagcagct cattaatata tgttgactga acatcttct catagggtg 20220
atgtatgtga ccagcctgga aaacatgagg ctgtattcag atgctggata taacgtcagg 20280
ccagtcattc ttgagcctt ttgcccacag atcctttctt gtctcttgc taactctagg 20340
agtgacagtg ttccctattg gaattggaga tcgctacgat gcagcccagc tacggatctt 20400
ggcaggccca gcaggcagc ccaacgtggt gaagctccag cgaatcgaag acctccctac 20460
catggtcacc ttggccaatt ccttctcca caaactgtgc tctggtagt cttataatac 20520
ctttcttact tcctcaaaa tcatgtcct atgtctccac tgttaacctt gttcagattc 20580
ttttcagagt tgagttgact tcaaaaacta gaccaggttg cttaaagcaga cattgtgaat 20640
ggttcagaat ttctgggtga aagatgggaa ctaaggtctt atttgtgtct gttgcaggat 20700
ttgttaggat ttgcatgat gaggatggga atgagaagag ggtaagtcc tttctgttga 20760
ctttgaaaga aaggttagag atgtgtttgg ggtcttgtt cccactggtt aatttttct 20820
cctttggtct tagtccagtg cttccttta ctattatctt gtttttgcgg gtccatctgt 20880
acatcttggt ttttcttcc tgtctcatgt acagggggcc tccttgtgtg gtaggcctgt 20940
gttcaattct aggggtcagt tgtctggcag atgggcttag agttggagta cctcatctta 21000
ttccctgcct gaactgctg ttttctctg cagcccgggg acgtctggac cttgcccagc 21060
cagtgccaca ccgtgacttg ccagccagat ggccagacct tgtgaagag tcategggtc 21120
aactgtgacc ggggctgag gccttctgct cctaaccagc agtcccctgt taaagtggaa 21180
gagacctgtg gctgccctg gacctgccc tgtgagtcct ttgcttctcc agccagggca 21240
gcgtcagaag tgtggttcta taatttgcca cattttatgt aacaggaaaa tatttaatgg 21300
ccaagtgtta cttacctaaa cctctctacc tctcagagcc ccagtttctt aatctgtaaa 21360
aaaaggagga aattgttcta tatgacctca aaggcctgt tccgttctct actgtattta 21420
tctgtgtgca acttggtcac acctgcctgt ctgcatgtag taggcatggg ggtttggata 21480
acgtgcacat catcctctgc ttctctctgt ccaggcgtgt gcacaggcag ctccactcgg 21540
cacatcgtga cctttgatgg gcagaatttc aagctgactg gcagctgttc ttatgtccta 21600
tttcaaaaaca aggagcagga cctggaggtg attctccata atggtgctg cagccctgga 21660
gcaaggcagg gctgcatgaa atccatcgag gtgaagcaca gtgcctctc cgtcgagctg 21720
cacagtgaca tggaggtgag aagtactttc tgtggatccg tggtaaggca atagaatgtc 21780

-continued

aggaaaaacca cctggacctg gtggcagttg cttttagtgt atgctcttgt tagggactct 21840
 gccttctgct taagtggagg agaggagtac cactttctta gaggggttta ttgccatccc 21900
 cttgtcttgg cgtgatttca tgttgttccg ggctcagatt tgcaagatgg aatcactttt 21960
 agatagcata aaattgtgaa tttagtgcc a gtttctggca ctggtggaga attgggattg 22020
 gcatcaggat tgtttactcg gaaggtatta tgagtccaat gcctaaacc tgtaagcttt 22080
 ccaaagggaa acatttatgg cctaatttag gtcttttgaa aatatttaag gcctacataa 22140
 aacgtcaggc tccaaaattt gaaaagaaa ctgcaaaact gatatatata tatataaatg 22200
 attgattaaa tgcttcaaaa aggttacct atgccaaact ctttacttgt tegtgtagaa 22260
 atcataaaaa cctaggattc ctcatgtcta ggactacgga tgagctcttt cttctttgtg 22320
 caggtgacgg tgaatgggag actggtctct gttccttacg tgggtgggaa catggaagtc 22380
 aacgtttatg gtgccatcat gcatgaggtc agattcaatc accttggta catcttcaca 22440
 ttcactccac aaaacaatga gttccaactg cagctcagcc ccaagacttt tgettcaaag 22500
 acgtatggtc tgtgtggtaa gaacatttcc tcaactcctc ttctcccctc getatacatt 22560
 tataaacctt acttgcctca ctctgaggct cttggatgct tatatttcag ggtctagtag 22620
 cgagggtcag attctggtga ggatcaagaa tggcctgtct ctggcatcaa tgtttttgta 22680
 cccagggccca ctacagttat cttttttttg tttgtttgtt tctctaggga tctgtgatga 22740
 gaacggagcc aatgacttca tctgtgagga tggcacagtc accacagact ggaaaacact 22800
 tgttcaggaa tggactgtgc agcggccagg gcagacgtgc cagcccatcc tggaggagca 22860
 gtgtcttctc cccgacagct cccactgcca ggtcctcctc ttaccactgt ttgctgaatg 22920
 ccacaaggtc ctggctccag ccacattcta tgccatctgc cagcaggaca gttgccacca 22980
 ggagcaagtg tgtgaggtga tgcctctta tgcaccctc tgcggacca acggggctctg 23040
 cgttgactgg aggacacctg atttctgtgg tgagctctca agttacctc gaaaatcctg 23100
 gagaccagct aactgggctt gctcagcctc tctgtcccc agattcttta tttagctgca 23160
 agaaaagggtt ggaatatag tccctattct ggtggtcata tgcaccagct aaagttctgt 23220
 ttctatggaa ggtggggagg atgaagattg gtggaaaata gccgtctctg cctggcaag 23280
 tttgtctgat gattaacct gttgaatcag ctgtgccc atcaactctg ctggtgtggg 23340
 cctttgcaag tgacctcctt ctctgtctac agctatgtca tgcaccat ctctggtcta 23400
 caaccactgt gagcatggtc gtccccggca ctgtgatggc aacgtgagct cctgtgggga 23460
 ccctcctcc gaaggctgtt tctgccctcc agataaagtc atgttgaag gcagctgtgt 23520
 ccctgaagag gcctgcactc agtgcattgg tgaggatgga gtccagcacc aggtaggagc 23580
 ctgggccttt cacttccat ggggtgcga attctgggct tegtacctag aatgtcctgt 23640
 gccctttctg aacctgtctt tgcctcagc tccctggaagc ctgggtccc gaccaccagc 23700
 cctgtcagat ctgcacatgc ctacgctggc ggaaggtcaa ctgcacaacg cagccctgcc 23760
 ccacggccaa aggtgagagt cctcccctcc ctgggtcctt catggaggaa caagggcccc 23820
 tgcaaggccc cccagccacc catcttcacc tctggcagag cagactcaaa cactggcacc 23880
 tagagtcta gagggggtg gcttctctgc ccagctgca tttccatca ctgggcctgg 23940
 gagccccatt ctgcacctgg ggtcgacatt ctgagattaa ccctcgcctc tggccccag 24000
 caacggtcag acttaagagt cccctggagg gtaaatgtga ggggtcaac aggaacatgg 24060
 ggacactcat ctgtcagagg tcccgtggcc tggatccttg tgggatgacc gtacagaact 24120
 cctactagtt ttcagtgagc aagaacattt caaatccctc tgaggctgtc ccaccactaa 24180

-continued

```

tttctctgac ttttgtggcc gttcctctcc tctagctccc acgtgtggcc tgtgtgaagt 24240
agccccctc cgccagaatg cagaccagtg ctgccccgag tatgagtggt gtatgtgtcc 24300
caccaggggg atgtctccag ggcccaacc tagccccagg gggcaccacg ttgaaggtgc 24360
tgaaggtgt ctctgttctc aggcacaggg tgtgtgaaag gaggtgggta aggaccgatt 24420
ggatactcca aaaaagtgga aagggttacc tctggagaat aggatttgc tctagaaga 24480
atctactgta aactactaaa cacaggtttg acaggattaa tacaagaatg gggtgattac 24540
tggggactat ggagatatac tgaagaaaag gtcctgccc agcaaccat tttcattttc 24600
aataagattt tgaggctgct agatatagag aagaccacac actgggcacc ttgagttcag 24660
caggttgttt gctagaggtt ttcctgctag ccttgccaggc tgctctgtga atagtgggct 24720
gaataatggt ataagtcctg gaattcagag ctgatggaat tacggttagc atggcaggaa 24780
atcattagtg cctttgtccc agtctgtccc agtgtgttta ttgctgttac agatgaagac 24840
ctaaagcaca ggcttgtaca atttgcagtg atgcagatat tgaagggaga gcagatagat 24900
caggggacag tccaaggaac taaaagaaaa tcatataatc ggagaaaactt atttgactc 24960
gtgaaattga tcagaataa atagaagtc tgtaggggag ggagatgtgg cttgagaaca 25020
attaatgtaa aggaggtctt agaatgttag cagtagagag aactagaggg atcatttact 25080
tcaagccctc cattttatag acattactag tctcctacaa tgtgccgggc actttgcct 25140
tattattttg tgaactcctc agactgatcc tataaggtag agtcccacc tccagaaga 25200
agaaacaggt ctgagggatc caagttgact tggctgagat gtgaaagccc tagtggatga 25260
taagaataat cagtatgtga cttggattga tctatctgtc tgtctgtctg tctatctatc 25320
tatctatcta tctatctatc tatctatcta tctatctatc tatccatcta tccatccatc 25380
ctatgtatct atcatctgtc ctatctctat ctaacctatg tatctattta tcatctatcc 25440
tgtctctatc tatcctttgt atctatcctc taccctatct ctatctaagc tatatatcta 25500
tttatcatct atcctctatc atctatctat ctatctatct atctatctct attgtatcta 25560
gttatctatc ctatatctat gtatgtatct atctgtctgt ctaatctatc taacctgtgt 25620
atctatctat aatctatcct atctctatct aacctatgta tctatctatc atcctatctc 25680
tgtctaocat atgtatctat catctattct atatctatct gtctatctac cctatgtttt 25740
atcatctatc ctatctctct ctaagctgtg tatctatcat ctatcctcta tctatcatcc 25800
atctatctat ctatctatct aatgtacctc gttatctatc ctgtatgtat gtatgtatgt 25860
atgtatctat ctatcaaatc tatctcatgt atctagttat cattotatct atctatctat 25920
ctatctatct atctatctat ctatctatct atcctaacc atgtaatctc tgtctccatc 25980
atcatcactt acctaaaaca gtagaagtct gcatgaatag gaatgtagca tcccactcac 26040
aggtaataaa agagtaacct ttctgaactc tgcctggagc tctctctttc tggccctcag 26100
tgtgtgaccc agtgagctgt gacctgccc cagtgccctc ctgtgaaagt ggccctcagc 26160
ccacactgac caacctggc gagtgcagac ccaacttcac ctgctgtaag gctctgtgtg 26220
atgaggaggg gtgggtgtgc ctctctctgc tgggtgtgagg gaggccatcc tctcagggga 26280
cctcttccaa gatcacgtca tttcctgttt tctacctagc tgaatctggg ttgggagtac 26340
atctggaaca gaggggttag ggtcacacct gcacggaatc ctccggctg cacgctgctg 26400
aaggatacca ggtgtgggca cagcacaggc acctccgtct tgggtttatg aagaagcagc 26460
tggggctgag atgaggaggg ctccgaatct aatctttatt tctgcccac ctctgtatg 26520
tcatcaaggg gagggaatgt ttccttgact tcccctcac attggatctt attcccaaac 26580

```

-continued

aaatztatag tttttcgect ctgaagggtg atatatgtaa tcactatata ctgtaactta 26640
 aacatagcga tggactaaaa taagacacga caagaaacca aattctgtat ttacctcccg 26700
 agaatcccca ctctaactcc gttggcggtc ttgtcctgct gatgtggaca ctcacccgac 26760
 ttcttagatg tgagacttca aggtgggagg agagcacatt gtgtttgaag ggagctggaa 26820
 acaggcaaag gacacagggg caggatttgg tcttttaaaa gtgacattgt ggctttgaca 26880
 agattgtctg caatctttca ttccacactg attgctggcg gacctaaagt gtagggattt 26940
 gttctaggta ctgagggtgg gataggatca cagaagctcc tggcatagaa cagtgttag 27000
 cagggcggtg tgtaccaga cctactggac ttagagattc tacatctgac acctctgaga 27060
 atgaaggaa ccccccctc cagatgtatg tgggaaagt atagagcagg gattgagcag 27120
 ccttcacttc tctccatta gagttcctag cttcacattt cctttttga ttaatgttca 27180
 tattttctg cagatggact gcttttgga acattgaata actcccagcc cgtgagcttg 27240
 gccctcacac atttctgact taatctctg agtctaaagc tccctggcac cctatagcat 27300
 agctgaatac ttacgagccc tggtggggcg cagtgtcag tgtggccttg tctatcctc 27360
 agcctgcagg aaggaggagt gcaaaagagt gtccccacc tctgcccc cgcaccggtt 27420
 gccaccctt cgaagaccc agtgtgtga tgagtatgag tgtgectgca actgtgtcaa 27480
 ctccacagt agctgtcccc ttgggtactt ggctcaacc gccaccaatg actgtggctg 27540
 taccacaacc acctgcctc cgcacaaggt aaggactgct tggctattaa ctatcagtta 27600
 atagtttact catttattta ttgtgtcag tttatcctc tatccacca tccattcatc 27660
 catccaccta cccatccaat atttgctaag caacatgtgc tctcatgga agatttgcag 27720
 cctaccagc attccttct tgccaaaacc aagtgtaca aggttggtt ggggggcagt 27780
 cagcattcca gctcagcctg agtggaaatt tagttaactc aggaggcatt tcttgtgagc 27840
 ctactatgta ctaagcatgg ctagggtctg aggttacaaa taatgtgcag gacatggctc 27900
 ttacctttat aagcttattt taggttagct aaggaaataa catgattgca tggattattt 27960
 agagatcagt taatagttat acatacatgt tgagatgagg tcttgcctatg ttgcctagge 28020
 tggctttgga ctctgggct caagtgatcc tcccactct gctcacgag taggtgagat 28080
 tacaagtgca caccaccaca cctggctacg agcagttaat agtttactca tttatttat 28140
 gctgtcagtt tatccatcta tccaccatc cattcatcca tccatctgcc catccaatat 28200
 ttactaagca actactgtgt tctaacagaa ttggcactgt gctagggtct atgggagaaa 28260
 tgtaagatg aagtctctat gtatgccctt gttagtatat atgacaatag tctataaact 28320
 gaatataata aagtgtcaac gaatgttaca gattttcatt acaaacagca gtcttatagg 28380
 tgaagagcc accaagatta gctatcatta aagatttaat tgatggagtg gaaagtgaa 28440
 gggcgcgaaa gtggcggagt gagaactgaa atgagccaga actgcagcag gaagacctga 28500
 gcatagttat agctgtcga ttgaggggag tctgacatg aatgacagac aagctgcagt 28560
 catctctctc tggagcctgt tagggctgga acagatcttt atttgtctgg aatgcttaag 28620
 acctctctc cctctggac gctcttccag ctcagggatt ctaagcacgc agttttggag 28680
 aagcgggaa aagtctagga ggctacagtt gctgctgctg ctttcttata tctctgttct 28740
 ccttctcgtc ttctgccc cccctcctgc cttgctgttt ttctattaat gtttctgtg 28800
 tgtctttaat ctatagtaat gccactcccc atttttatgc ctttgatttg ttggggaagc 28860
 tgggtcattt gtctgtaga atgtcatgaa ttccacatt ctcagcact agagcggctt 28920
 ctgtgtagta ggtgctaact caccgctgtt ttcaatgaaa caaatgagtt cactcacgaa 28980

-continued

aacttatgtc tacagggtgtg tgtccaccga agcaccatct accctgtggg ccagttcttg 29040
gaggagggct gcgatgtgtg cacctgcacc gacatggagg atgccgtgat gggcctccgc 29100
gtggcccagt gctcccagaa gccctgtgag gacagctgtc ggtcggtgag tggggcaggg 29160
gctgggcatg cctgcagcta tcagagcggg aaagtagagg agggcatctt aggaagggt 29220
agaaagggtc tttttttttt tgaatggag actcgtctg togccaggt ctttcagggg 29280
gcagaattat atctctgcag ctgatgtaag acttcgttta gtgacctggt ggttgctgct 29340
tcttggcatg gccctgaggc tggttgacaa caaagatgaa aatgccaga ccagtgatca 29400
cttggcacia ccccagggct cagtacgcag gaggcgtagg taagagcccc tgtgtctttg 29460
ctgctggcct gtccctactc tgttttttct gcttttccag ggcttcaact acgttctgca 29520
tgaaggcgag tctgtggaa ggtgcctgcc atctgcctgt gagtggtga ctggctcacc 29580
gcggggggac tccagctctt cctggaagag ttaggtcca gggccccggg acggggagga 29640
gggcagattg gggccactcc agggaccagc gttgacctg gttcatcta gtccctggc 29700
tttccaagg tcttgcctg ggtgcctcag tcaggtgatt ttgacccaaa ctgtttgagt 29760
ggtgctcact gagacgagc ccaactatcc cctccgtggg ccctaccctg tgggggact 29820
tacatgtaa gccaggcttc acgtctagaa accaccttcc tgagagaaga gcacattccc 29880
actgggaccc tgggctccag ccctgcccc gcttgttggg ctaactctgg tgccctgcag 29940
gtcggctccc agtgggctcc cccggagaac cctgcctca tcaatgagtg tgtccgagtg 30000
aaggaggagg tctttataca acaaggaaac gtctcctgcc ccagctgga ggtccctgtc 30060
tgccctcgg gctttcagct gagctgtaag acctcagcgt gctgccaag ctgtcctgt 30120
ggtaaggcat gcaggctggg gctgggctgg accgggcacc accttaagc ctctcttcc 30180
acttttgct cctgaattcg aattcttgaa actgaaattt tcaagagtag cgtttcattg 30240
tttcataaac ccaaacatcc tccatctcat cccatctctt aaatgtaaat tcacataagc 30300
aagcgtgtc acttgagaa cgtacggggc tcttctcatt gtgggctgca tggggaaggg 30360
aggccgtgt gggctccagc agtaggaccc ccagcgtgg gttgtggggg ggggggaaag 30420
ggccgaccga tacaggaggg agggccagac acggaggagg agcccaag agagcagcct 30480
gctcgcgggt ctaccaggg tgtgttttgc ccactctcac totgacttt tctctcccc 30540
agagcgcatg gaggcctgca tgctcaatgg cactgtcatt ggggtgagcc gctgtcctct 30600
tctccagagc aagtgtggg gacagggaa ggggtactgt gggaaaggga gcaggcaagt 30660
cattgtaaag cagaaatgaa gaaaccaga gagacccaac ccagcttcc cactgcctgt 30720
gggacgtgcc tggcatcatg gagcccaggc taggaccatc ttctgactc tccgggctg 30780
tctcacactc acttctcggc cccacctca ggcacctgt cattcttct gtgtgcagag 30840
aagcactctg aagtcattgt gcacgtttta gtttgcctcc tctgccaacta cctgggctgc 30900
ctctttggca tgaaggctct cactcttacc atctcgatac tggagggtggg aggacgggaa 30960
ggcagtgggc cataggagac agggaggagca gcagagcgat ggctcatggg agctatgggt 31020
gggtgggcag gagacagggt atgagagtga ggtgagtggg ggggtggggg atgctggggg 31080
gcctgacctt ggtgcctctg cttccagccc gggaaagactg tgatgatcga tgtgtgcacg 31140
acctgccgct gcatggtgca ggtgggggtc atctctggat tcaagctgga gtgcaggaa 31200
accacctgca acccctgcc cctggtgaa gaggtcaat ggggaccgag ggcattggact 31260
ggacgcgtgt gggaccagc cagtgggacc tcaactcggg ctttaataa atgaattcta 31320
ggtgaaacta ctggataaga gagatgagag gccagcaaaa tcagcctact tacaattggg 31380

-continued

atgttttaag gaggttaact atggctgctt tttccccctc tggatgcagg gttacaagga 31440
agaaaataac acaggatgaat gttgtgggag atgtttgctt acggcttgca ccattcagct 31500
aagaggagga cagatcatga cactgaaggt aggagcaagc tgaatgcagg gctccctcac 31560
atatcaccat cttgcttctt tttttgaaa tgcatttaac tggctggaag agtctacata 31620
gcagccctgt tcataggata caagctgtaa aactgggact ccacttctgg tctgtgttct 31680
gggtgtgggg gctttattat acactgtctt cttgtttcat ggctctgcag attgtttcgt 31740
catctccatg gagtcaagct catggtttga agtggctttg tgaaccaaac actgtctctg 31800
actttacca cctcctcttc cttccagcgt gatgagacgc tccaggatgg ctgtgatact 31860
cacttctgca aggtcaatga gagaggagag tacttctggg agaagagggt cacaggetgc 31920
ccaccctttg atgaacacaa gtgtctggct gagggagtga gtactcattc tgcttctctc 31980
tttactgtct caatctctaa gaacaagatt cttctgaata gtgtgcatcc cagctccggc 32040
ataatttctc agtgtctgag gcacatctct ggcttagttg aagaatcagt gagattacga 32100
aatcaaagcc tacggagaga taaaattctc tgcaatatag gatgttttaa aaaaatattt 32160
tccttaaggg aggtgagtg tgtgattctt gaataaaatg tgagatcaaa ctgattttta 32220
gtctccctgg gaatgaagat cctgatgact caactggaag agaattcaga atcatcaaaa 32280
ttgtttcagc ctggctcagg aggggtgtca agctgctcac atttatgata ggaagcata 32340
gtttacatct gggcacttaa gcacagggct gtgagttcgg agctaaaaat tggcccggag 32400
tgacctgaaa gctgtctact ctgtactttt tgtgcctaac ctgaaatttt gctgttttct 32460
tagggtaaaa ttatgaaaat tccaggcacc tgctgtgaca catgtgagtg cgttactaat 32520
atcttgtccc ttgaaacca tcagagcaag tccaggggct ctttgcagct tgctccttga 32580
aaccatttag caagccgaaa gggcctatt tccagcccag tgagggcact ggggctgaag 32640
agtgttctct agaaccccag ccagtcctca agtttcatct ctcacctgct ctgtaggtga 32700
ggagcctgag tgcaacgaca tcaactgccag gctgcagtat gtcaagggtg gaagctgtaa 32760
gtctgaagta gaggtggata tccactactg ccaggtaaag gctctgcttc aataagggct 32820
gggtgcggag ggttgagcct ccgtgttcgg atacctatcc ttagttacat tctagaagga 32880
tctgaaaaat tcgcagggaa gagaagggaa ataaactgga agcatttttt ttaagcaaa 32940
tgttttattg aagtaactgg aaatttttga ctccaggaaa aaaacaaaaa tggaggaaaag 33000
actcagcaaa tcttttacag aaaatggaga gttatttatg caagatgggg gccacaattc 33060
ttgaagatca gtcaaacata tataaaattt tctgcataa aacatgcata atcaggcata 33120
aaacatttta tgcattaaca tgcataaaaa ttgcagctag aggggtgtgg gtatgatatt 33180
attaccatag agaagaggac atgtcagacc tatgatcttc ctttacaat tgcctagctg 33240
tcttgggtgc ttctgggtga gatcagacct gccttgcttg gaggggttca gggagaaagc 33300
aggctgcccc agagccctgc ctaagccagg acttcccacc attgtgaagc tcccatcttc 33360
ctctgcttct ttgcagggca aatgtgccag caaagccatg tactccattg acatcaacga 33420
tgtgcaggac cagtgtctct gctgctctcc gacacggacg gagcccatgc aggtggccct 33480
gcactgcacc aatggctctg ttgtgtaoca tgaggttctc aatgccatgg agtgcaaatg 33540
ctccccagg aagtgcagca agtgaggctg ctgcagctgc atgggtgcct gctgctgcct 33600
gccttggcct gatggccagg ccagagtgtc gccagtcctc tgcattgtct gctcttgtgc 33660
ccttctgagc ccacaataaa ggtgagctc ttatcttgca aaaggctgct ggtgcactgt 33720
gtcgtagggc tgagatggca acggtgggca ggggctgagt tctgagaccg gttctgagga 33780

-continued

aggaagcaca ggccccatct gcaagcctca gtgtcagtgt gagatactgc caac 33834

<210> SEQ ID NO 31
 <211> LENGTH: 2813
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 31

Met Ile Pro Ala Arg Phe Ala Gly Val Leu Leu Ala Leu Ala Leu Ile
 1 5 10 15
 Leu Pro Gly Thr Leu Cys Ala Glu Gly Thr Arg Gly Arg Ser Ser Thr
 20 25 30
 Ala Arg Cys Ser Leu Phe Gly Ser Asp Phe Val Asn Thr Phe Asp Gly
 35 40 45
 Ser Met Tyr Ser Phe Ala Gly Tyr Cys Ser Tyr Leu Leu Ala Gly Gly
 50 55 60
 Cys Gln Lys Arg Ser Phe Ser Ile Ile Gly Asp Phe Gln Asn Gly Lys
 65 70 75 80
 Arg Val Ser Leu Ser Val Tyr Leu Gly Glu Phe Phe Asp Ile His Leu
 85 90 95
 Phe Val Asn Gly Thr Val Thr Gln Gly Asp Gln Arg Val Ser Met Pro
 100 105 110
 Tyr Ala Ser Lys Gly Leu Tyr Leu Glu Thr Glu Ala Gly Tyr Tyr Lys
 115 120 125
 Leu Ser Gly Glu Ala Tyr Gly Phe Val Ala Arg Ile Asp Gly Ser Gly
 130 135 140
 Asn Phe Gln Val Leu Leu Ser Asp Arg Tyr Phe Asn Lys Thr Cys Gly
 145 150 155 160
 Leu Cys Gly Asn Phe Asn Ile Phe Ala Glu Asp Asp Phe Met Thr Gln
 165 170 175
 Glu Gly Thr Leu Thr Ser Asp Pro Tyr Asp Phe Ala Asn Ser Trp Ala
 180 185 190
 Leu Ser Ser Gly Glu Gln Trp Cys Glu Arg Ala Ser Pro Pro Ser Ser
 195 200 205
 Ser Cys Asn Ile Ser Ser Gly Glu Met Gln Lys Gly Leu Trp Glu Gln
 210 215 220
 Cys Gln Leu Leu Lys Ser Thr Ser Val Phe Ala Arg Cys His Pro Leu
 225 230 235 240
 Val Asp Pro Glu Pro Phe Val Ala Leu Cys Glu Lys Thr Leu Cys Glu
 245 250 255
 Cys Ala Gly Gly Leu Glu Cys Ala Cys Pro Ala Leu Leu Glu Tyr Ala
 260 265 270
 Arg Thr Cys Ala Gln Glu Gly Met Val Leu Tyr Gly Trp Thr Asp His
 275 280 285
 Ser Ala Cys Ser Pro Val Cys Pro Ala Gly Met Glu Tyr Arg Gln Cys
 290 295 300
 Val Ser Pro Cys Ala Arg Thr Cys Gln Ser Leu His Ile Asn Glu Met
 305 310 315 320
 Cys Gln Glu Arg Cys Val Asp Gly Cys Ser Cys Pro Glu Gly Gln Leu
 325 330 335
 Leu Asp Glu Gly Leu Cys Val Glu Ser Thr Glu Cys Pro Cys Val His
 340 345 350
 Ser Gly Lys Arg Tyr Pro Pro Gly Thr Ser Leu Ser Arg Asp Cys Asn
 355 360 365

-continued

Thr Cys Ile Cys Arg Asn Ser Gln Trp Ile Cys Ser Asn Glu Glu Cys
 370 375 380
 Pro Gly Glu Cys Leu Val Thr Gly Gln Ser His Phe Lys Ser Phe Asp
 385 390 395 400
 Asn Arg Tyr Phe Thr Phe Ser Gly Ile Cys Gln Tyr Leu Leu Ala Arg
 405 410 415
 Asp Cys Gln Asp His Ser Phe Ser Ile Val Ile Glu Thr Val Gln Cys
 420 425 430
 Ala Asp Asp Arg Asp Ala Val Cys Thr Arg Ser Val Thr Val Arg Leu
 435 440 445
 Pro Gly Leu His Asn Ser Leu Val Lys Leu Lys His Gly Ala Gly Val
 450 455 460
 Ala Met Asp Gly Gln Asp Ile Gln Leu Pro Leu Leu Lys Gly Asp Leu
 465 470 475 480
 Arg Ile Gln His Thr Val Thr Ala Ser Val Arg Leu Ser Tyr Gly Glu
 485 490 495
 Asp Leu Gln Met Asp Trp Asp Gly Arg Gly Arg Leu Leu Val Lys Leu
 500 505 510
 Ser Pro Val Tyr Ala Gly Lys Thr Cys Gly Leu Cys Gly Asn Tyr Asn
 515 520 525
 Gly Asn Gln Gly Asp Asp Phe Leu Thr Pro Ser Gly Leu Ala Glu Pro
 530 535 540
 Arg Val Glu Asp Phe Gly Asn Ala Trp Lys Leu His Gly Asp Cys Gln
 545 550 555 560
 Asp Leu Gln Lys Gln His Ser Asp Pro Cys Ala Leu Asn Pro Arg Met
 565 570 575
 Thr Arg Phe Ser Glu Glu Ala Cys Ala Val Leu Thr Ser Pro Thr Phe
 580 585 590
 Glu Ala Cys His Arg Ala Val Ser Pro Leu Pro Tyr Leu Arg Asn Cys
 595 600 605
 Arg Tyr Asp Val Cys Ser Cys Ser Asp Gly Arg Glu Cys Leu Cys Gly
 610 615 620
 Ala Leu Ala Ser Tyr Ala Ala Ala Cys Ala Gly Arg Gly Val Arg Val
 625 630 635 640
 Ala Trp Arg Glu Pro Gly Arg Cys Glu Leu Asn Cys Pro Lys Gly Gln
 645 650 655
 Val Tyr Leu Gln Cys Gly Thr Pro Cys Asn Leu Thr Cys Arg Ser Leu
 660 665 670
 Ser Tyr Pro Asp Glu Glu Cys Asn Glu Ala Cys Leu Glu Gly Cys Phe
 675 680 685
 Cys Pro Pro Gly Leu Tyr Met Asp Glu Arg Gly Asp Cys Val Pro Lys
 690 695 700
 Ala Gln Cys Pro Cys Tyr Tyr Asp Gly Glu Ile Phe Gln Pro Glu Asp
 705 710 715 720
 Ile Phe Ser Asp His His Thr Met Cys Tyr Cys Glu Asp Gly Phe Met
 725 730 735
 His Cys Thr Met Ser Gly Val Pro Gly Ser Leu Leu Pro Asp Ala Val
 740 745 750
 Leu Ser Ser Pro Leu Ser His Arg Ser Lys Arg Ser Leu Ser Cys Arg
 755 760 765
 Pro Pro Met Val Lys Leu Val Cys Pro Ala Asp Asn Leu Arg Ala Glu
 770 775 780
 Gly Leu Glu Cys Thr Lys Thr Cys Gln Asn Tyr Asp Leu Glu Cys Met
 785 790 795 800

-continued

Ser Met Gly Cys Val Ser Gly Cys Leu Cys Pro Pro Gly Met Val Arg
 805 810 815

His Glu Asn Arg Cys Val Ala Leu Glu Arg Cys Pro Cys Phe His Gln
 820 825 830

Gly Lys Glu Tyr Ala Pro Gly Glu Thr Val Lys Ile Gly Cys Asn Thr
 835 840 845

Cys Val Cys Arg Asp Arg Lys Trp Asn Cys Thr Asp His Val Cys Asp
 850 855 860

Ala Thr Cys Ser Thr Ile Gly Met Ala His Tyr Leu Thr Phe Asp Gly
 865 870 875 880

Leu Lys Tyr Leu Phe Pro Gly Glu Cys Gln Tyr Val Leu Val Gln Asp
 885 890 895

Tyr Cys Gly Ser Asn Pro Gly Thr Phe Arg Ile Leu Val Gly Asn Lys
 900 905 910

Gly Cys Ser His Pro Ser Val Lys Cys Lys Lys Arg Val Thr Ile Leu
 915 920 925

Val Glu Gly Gly Glu Ile Glu Leu Phe Asp Gly Glu Val Asn Val Lys
 930 935 940

Arg Pro Met Lys Asp Glu Thr His Phe Glu Val Val Glu Ser Gly Arg
 945 950 955 960

Tyr Ile Ile Leu Leu Leu Gly Lys Ala Leu Ser Val Val Trp Asp Arg
 965 970 975

His Leu Ser Ile Ser Val Val Leu Lys Gln Thr Tyr Gln Glu Lys Val
 980 985 990

Cys Gly Leu Cys Gly Asn Phe Asp Gly Ile Gln Asn Asn Asp Leu Thr
 995 1000 1005

Ser Ser Asn Leu Gln Val Glu Glu Asp Pro Val Asp Phe Gly Asn
 1010 1015 1020

Ser Trp Lys Val Ser Ser Gln Cys Ala Asp Thr Arg Lys Val Pro
 1025 1030 1035

Leu Asp Ser Ser Pro Ala Thr Cys His Asn Asn Ile Met Lys Gln
 1040 1045 1050

Thr Met Val Asp Ser Ser Cys Arg Ile Leu Thr Ser Asp Val Phe
 1055 1060 1065

Gln Asp Cys Asn Lys Leu Val Asp Pro Glu Pro Tyr Leu Asp Val
 1070 1075 1080

Cys Ile Tyr Asp Thr Cys Ser Cys Glu Ser Ile Gly Asp Cys Ala
 1085 1090 1095

Cys Phe Cys Asp Thr Ile Ala Ala Tyr Ala His Val Cys Ala Gln
 1100 1105 1110

His Gly Lys Val Val Thr Trp Arg Thr Ala Thr Leu Cys Pro Gln
 1115 1120 1125

Ser Cys Glu Glu Arg Asn Leu Arg Glu Asn Gly Tyr Glu Cys Glu
 1130 1135 1140

Trp Arg Tyr Asn Ser Cys Ala Pro Ala Cys Gln Val Thr Cys Gln
 1145 1150 1155

His Pro Glu Pro Leu Ala Cys Pro Val Gln Cys Val Glu Gly Cys
 1160 1165 1170

His Ala His Cys Pro Pro Gly Lys Ile Leu Asp Glu Leu Leu Gln
 1175 1180 1185

Thr Cys Val Asp Pro Glu Asp Cys Pro Val Cys Glu Val Ala Gly
 1190 1195 1200

Arg Arg Phe Ala Ser Gly Lys Lys Val Thr Leu Asn Pro Ser Asp

-continued

1205	1210	1215
Pro Glu His Cys Gln Ile 1220	Cys His Cys Asp Val 1225	Val Val Asn Leu Thr 1230
Cys Glu Ala Cys Gln Glu 1235	Pro Gly Gly Leu Val 1240	Val Val Pro Pro Thr 1245
Asp Ala Pro Val Ser Pro 1250	Thr Thr Leu Tyr Val 1255	Glu Asp Ile Ser 1260
Glu Pro Pro Leu His Asp 1265	Phe Tyr Cys Ser Arg 1270	Leu Leu Asp Leu 1275
Val Phe Leu Leu Asp Gly 1280	Ser Ser Arg Leu Ser 1285	Glu Ala Glu Phe 1290
Glu Val Leu Lys Ala Phe 1295	Val Val Asp Met Met 1300	Glu Arg Leu Arg 1305
Ile Ser Gln Lys Trp Val 1310	Arg Val Ala Val Val 1315	Glu Tyr His Asp 1320
Gly Ser His Ala Tyr Ile 1325	Gly Leu Lys Asp Arg 1330	Lys Arg Pro Ser 1335
Glu Leu Arg Arg Ile Ala 1340	Ser Gln Val Lys Tyr 1345	Ala Gly Ser Gln 1350
Val Ala Ser Thr Ser Glu 1355	Val Leu Lys Tyr Thr 1360	Leu Phe Gln Ile 1365
Phe Ser Lys Ile Asp Arg 1370	Pro Glu Ala Ser Arg 1375	Ile Ala Leu Leu 1380
Leu Met Ala Ser Gln Glu 1385	Pro Gln Arg Met Ser 1390	Arg Asn Phe Val 1395
Arg Tyr Val Gln Gly Leu 1400	Lys Lys Lys Lys Val 1405	Ile Val Ile Pro 1410
Val Gly Ile Gly Pro His 1415	Ala Asn Leu Lys Gln 1420	Ile Arg Leu Ile 1425
Glu Lys Gln Ala Pro Glu 1430	Asn Lys Ala Phe Val 1435	Leu Ser Ser Val 1440
Asp Glu Leu Glu Gln Gln 1445	Arg Asp Glu Ile Val 1450	Ser Tyr Leu Cys 1455
Asp Leu Ala Pro Glu Ala 1460	Pro Pro Pro Thr Leu 1465	Pro Pro His Met 1470
Ala Gln Val Thr Val Gly 1475	Pro Gly Leu Leu Gly 1480	Val Ser Thr Leu 1485
Gly Pro Lys Arg Asn Ser 1490	Met Val Leu Asp Val 1495	Ala Phe Val Leu 1500
Glu Gly Ser Asp Lys Ile 1505	Gly Glu Ala Asp Phe 1510	Asn Arg Ser Lys 1515
Glu Phe Met Glu Glu Val 1520	Ile Gln Arg Met Asp 1525	Val Gly Gln Asp 1530
Ser Ile His Val Thr Val 1535	Leu Gln Tyr Ser Tyr 1540	Met Val Thr Val 1545
Glu Tyr Pro Phe Ser Glu 1550	Ala Gln Ser Lys Gly 1555	Asp Ile Leu Gln 1560
Arg Val Arg Glu Ile Arg 1565	Tyr Gln Gly Gly Asn 1570	Arg Thr Asn Thr 1575
Gly Leu Ala Leu Arg Tyr 1580	Leu Ser Asp His Ser 1585	Phe Leu Val Ser 1590
Gln Gly Asp Arg Glu Gln 1595	Ala Pro Asn Leu Val 1600	Tyr Met Val Thr 1605

-continued

Gly 1610	Asn	Pro	Ala	Ser	Asp	Glu 1615	Ile	Lys	Arg	Leu	Pro 1620	Gly	Asp	Ile
Gln 1625	Val	Val	Pro	Ile	Gly	Val 1630	Gly	Pro	Asn	Ala	Asn 1635	Val	Gln	Glu
Leu 1640	Glu	Arg	Ile	Gly	Trp	Pro 1645	Asn	Ala	Pro	Ile	Leu 1650	Ile	Gln	Asp
Phe 1655	Glu	Thr	Leu	Pro	Arg	Glu 1660	Ala	Pro	Asp	Leu	Val 1665	Leu	Gln	Arg
Cys 1670	Cys	Ser	Gly	Glu	Gly	Leu 1675	Gln	Ile	Pro	Thr	Leu 1680	Ser	Pro	Ala
Pro 1685	Asp	Cys	Ser	Gln	Pro	Leu 1690	Asp	Val	Ile	Leu	Leu 1695	Leu	Asp	Gly
Ser 1700	Ser	Ser	Phe	Pro	Ala	Ser 1705	Tyr	Phe	Asp	Glu	Met 1710	Lys	Ser	Phe
Ala 1715	Lys	Ala	Phe	Ile	Ser	Lys 1720	Ala	Asn	Ile	Gly	Pro 1725	Arg	Leu	Thr
Gln 1730	Val	Ser	Val	Leu	Gln	Tyr 1735	Gly	Ser	Ile	Thr	Thr 1740	Ile	Asp	Val
Pro 1745	Trp	Asn	Val	Val	Pro	Glu 1750	Lys	Ala	His	Leu	Leu 1755	Ser	Leu	Val
Asp 1760	Val	Met	Gln	Arg	Glu	Gly 1765	Gly	Pro	Ser	Gln	Ile 1770	Gly	Asp	Ala
Leu 1775	Gly	Phe	Ala	Val	Arg	Tyr 1780	Leu	Thr	Ser	Glu	Met 1785	His	Gly	Ala
Arg 1790	Pro	Gly	Ala	Ser	Lys	Ala 1795	Val	Val	Ile	Leu	Val 1800	Thr	Asp	Val
Ser 1805	Val	Asp	Ser	Val	Asp	Ala 1810	Ala	Ala	Asp	Ala	Ala 1815	Arg	Ser	Asn
Arg 1820	Val	Thr	Val	Phe	Pro	Ile 1825	Gly	Ile	Gly	Asp	Arg 1830	Tyr	Asp	Ala
Ala 1835	Gln	Leu	Arg	Ile	Leu	Ala 1840	Gly	Pro	Ala	Gly	Asp 1845	Ser	Asn	Val
Val 1850	Lys	Leu	Gln	Arg	Ile	Glu 1855	Asp	Leu	Pro	Thr	Met 1860	Val	Thr	Leu
Gly 1865	Asn	Ser	Phe	Leu	His	Lys 1870	Leu	Cys	Ser	Gly	Phe 1875	Val	Arg	Ile
Cys 1880	Met	Asp	Glu	Asp	Gly	Asn 1885	Glu	Lys	Arg	Pro	Gly 1890	Asp	Val	Trp
Thr 1895	Leu	Pro	Asp	Gln	Cys	His 1900	Thr	Val	Thr	Cys	Gln 1905	Pro	Asp	Gly
Gln 1910	Thr	Leu	Leu	Lys	Ser	His 1915	Arg	Val	Asn	Cys	Asp 1920	Arg	Gly	Leu
Arg 1925	Pro	Ser	Cys	Pro	Asn	Ser 1930	Gln	Ser	Pro	Val	Lys 1935	Val	Glu	Glu
Thr 1940	Cys	Gly	Cys	Arg	Trp	Thr 1945	Cys	Pro	Cys	Val	Cys 1950	Thr	Gly	Ser
Ser 1955	Thr	Arg	His	Ile	Val	Thr 1960	Phe	Asp	Gly	Gln	Asn 1965	Phe	Lys	Leu
Thr 1970	Gly	Ser	Cys	Ser	Tyr	Val 1975	Leu	Phe	Gln	Asn	Lys 1980	Glu	Gln	Asp
Leu 1985	Glu	Val	Ile	Leu	His	Asn 1990	Gly	Ala	Cys	Ser	Pro 1995	Gly	Ala	Arg
Gln 2000	Gly	Cys	Met	Lys	Ser	Ile 2005	Glu	Val	Lys	His	Ser 2010	Ala	Leu	Ser

-continued

Val Glu	Leu His Ser Asp	Met	Glu Val Thr	Val Asn	Gly Arg Leu
2015		2020		2025	
Val Ser	Val Pro Tyr Val	Gly	Gly Asn Met	Glu Val	Asn Val Tyr
2030		2035		2040	
Gly Ala	Ile Met His Glu	Val	Arg Phe Asn His	Leu	Gly His Ile
2045		2050		2055	
Phe Thr	Phe Thr Pro Gln	Asn	Asn Glu Phe Gln	Leu	Gln Leu Ser
2060		2065		2070	
Pro Lys	Thr Phe Ala Ser	Lys	Thr Tyr Gly Leu	Cys	Gly Ile Cys
2075		2080		2085	
Asp Glu	Asn Gly Ala Asn	Asp	Phe Met Leu Arg	Asp	Gly Thr Val
2090		2095		2100	
Thr Thr	Asp Trp Lys Thr	Leu	Val Gln Glu Trp	Thr	Val Gln Arg
2105		2110		2115	
Pro Gly	Gln Thr Cys Gln	Pro	Ile Leu Glu Glu	Gln	Cys Leu Val
2120		2125		2130	
Pro Asp	Ser Ser His Cys	Gln	Val Leu Leu Leu	Pro	Leu Phe Ala
2135		2140		2145	
Glu Cys	His Lys Val Leu	Ala	Pro Ala Thr Phe	Tyr	Ala Ile Cys
2150		2155		2160	
Gln Gln	Asp Ser Cys His	Gln	Glu Gln Val Cys	Glu	Val Ile Ala
2165		2170		2175	
Ser Tyr	Ala His Leu Cys	Arg	Thr Asn Gly Val	Cys	Val Asp Trp
2180		2185		2190	
Arg Thr	Pro Asp Phe Cys	Ala	Met Ser Cys Pro	Pro	Ser Leu Val
2195		2200		2205	
Tyr Asn	His Cys Glu His	Gly	Cys Pro Arg His	Cys	Asp Gly Asn
2210		2215		2220	
Val Ser	Ser Cys Gly Asp	His	Pro Ser Glu Gly	Cys	Phe Cys Pro
2225		2230		2235	
Pro Asp	Lys Val Met Leu	Glu	Gly Ser Cys Val	Pro	Glu Glu Ala
2240		2245		2250	
Cys Thr	Gln Cys Ile Gly	Glu	Asp Gly Val Gln	His	Gln Phe Leu
2255		2260		2265	
Glu Ala	Trp Val Pro Asp	His	Gln Pro Cys Gln	Ile	Cys Thr Cys
2270		2275		2280	
Leu Ser	Gly Arg Lys Val	Asn	Cys Thr Thr Gln	Pro	Cys Pro Thr
2285		2290		2295	
Ala Lys	Ala Pro Thr Cys	Gly	Leu Cys Glu Val	Ala	Arg Leu Arg
2300		2305		2310	
Gln Asn	Ala Asp Gln Cys	Cys	Pro Glu Tyr Glu	Cys	Val Cys Asp
2315		2320		2325	
Pro Val	Ser Cys Asp Leu	Pro	Pro Val Pro His	Cys	Glu Arg Gly
2330		2335		2340	
Leu Gln	Pro Thr Leu Thr	Asn	Pro Gly Glu Cys	Arg	Pro Asn Phe
2345		2350		2355	
Thr Cys	Ala Cys Arg Lys	Glu	Glu Cys Lys Arg	Val	Ser Pro Pro
2360		2365		2370	
Ser Cys	Pro Pro His Arg	Leu	Pro Thr Leu Arg	Lys	Thr Gln Cys
2375		2380		2385	
Cys Asp	Glu Tyr Glu Cys	Ala	Cys Asn Cys Val	Asn	Ser Thr Val
2390		2395		2400	
Ser Cys	Pro Leu Gly Tyr	Leu	Ala Ser Thr Ala	Thr	Asn Asp Cys

-continued

2405	2410	2415
Gly Cys Thr Thr Thr Thr 2420	Cys Leu Pro Asp Lys Val 2425	Cys Val His 2430
Arg Ser Thr Ile Tyr Pro 2435	Val Gly Gln Phe Trp 2440	Glu Glu Gly Cys 2445
Asp Val Cys Thr Cys Thr 2450	Asp Met Glu Asp Ala 2455	Val Met Gly Leu 2460
Arg Val Ala Gln Cys Ser 2465	Gln Lys Pro Cys Glu 2470	Asp Ser Cys Arg 2475
Ser Gly Phe Thr Tyr Val 2480	Leu His Glu Gly Glu 2485	Cys Cys Gly Arg 2490
Cys Leu Pro Ser Ala Cys 2495	Glu Val Val Thr Gly 2500	Ser Pro Arg Gly 2505
Asp Ser Gln Ser Ser Trp 2510	Lys Ser Val Gly Ser 2515	Gln Trp Ala Ser 2520
Pro Glu Asn Pro Cys Leu 2525	Ile Asn Glu Cys Val 2530	Arg Val Lys Glu 2535
Glu Val Phe Ile Gln Gln 2540	Arg Asn Val Ser Cys 2545	Pro Gln Leu Glu 2550
Val Pro Val Cys Pro Ser 2555	Gly Phe Gln Leu Ser 2560	Cys Lys Thr Ser 2565
Ala Cys Cys Pro Ser Cys 2570	Arg Cys Glu Arg Met 2575	Glu Ala Cys Met 2580
Leu Asn Gly Thr Val Ile 2585	Gly Pro Gly Lys Thr 2590	Val Met Ile Asp 2595
Val Cys Thr Thr Cys Arg 2600	Cys Met Val Gln Val 2605	Gly Val Ile Ser 2610
Gly Phe Lys Leu Glu Cys 2615	Arg Lys Thr Thr Cys 2620	Asn Pro Cys Pro 2625
Leu Gly Tyr Lys Glu Glu 2630	Asn Asn Thr Gly Glu 2635	Cys Cys Gly Arg 2640
Cys Leu Pro Thr Ala Cys 2645	Thr Ile Gln Leu Arg 2650	Gly Gly Gln Ile 2655
Met Thr Leu Lys Arg Asp 2660	Glu Thr Leu Gln Asp 2665	Gly Cys Asp Thr 2670
His Phe Cys Lys Val Asn 2675	Glu Arg Gly Glu Tyr 2680	Phe Trp Glu Lys 2685
Arg Val Thr Gly Cys Pro 2690	Pro Phe Asp Glu His 2695	Lys Cys Leu Ala 2700
Glu Gly Gly Lys Ile Met 2705	Lys Ile Pro Gly Thr 2710	Cys Cys Asp Thr 2715
Cys Glu Glu Pro Glu Cys 2720	Asn Asp Ile Thr Ala 2725	Arg Leu Gln Tyr 2730
Val Lys Val Gly Ser Cys 2735	Lys Ser Glu Val Glu 2740	Val Asp Ile His 2745
Tyr Cys Gln Gly Lys Cys 2750	Ala Ser Lys Ala Met 2755	Tyr Ser Ile Asp 2760
Ile Asn Asp Val Gln Asp 2765	Gln Cys Ser Cys Cys 2770	Ser Pro Thr Arg 2775
Thr Glu Pro Met Gln Val 2780	Ala Leu His Cys Thr 2785	Asn Gly Ser Val 2790
Val Tyr His Glu Val Leu 2795	Asn Ala Met Glu Cys 2800	Lys Cys Ser Pro 2805

-continued

Arg Lys Cys Ser Lys
2810

<210> SEQ ID NO 32

<211> LENGTH: 2326

<212> TYPE: DNA

<213> ORGANISM: *Canis familiaris*

<400> SEQUENCE: 32

```

cctgctgctc accctggagg gtctgctctt tctctgggcc gcgtcctgcc aggagtgcac    60
caagtacaaa gtgagcacgt gccgggactg tgtggagtgc gggcccggct ggcctgggtg    120
ccagaagctg aacttcaactg ggctagggga gcccgactcc gttcgtgtg acacccgaga    180
gcagctgctg ctgaaaggat gtgcggtga cgacatcatg gacctcaga gcctggccga    240
gatccaggag gacaagaagg gcggccggca gcagctgtcc ccgcagaaag tgacgctcta    300
cctgagacca ggtcaggcgg ctgccttcaa tgtgacctc cggcgggcca agggctacct    360
catcgacctg tactacctga tggatctgtc ctactccatg ctggacgacc tcatcaactg    420
caagaagctg gggggcgacc tgctgctggc gctcaacgaa atcaccgagt ccggccgcat    480
cggcttcggg tctttcgtgg acaagacggt gctcccctc gtcaacacgc accccgagaa    540
gctgaagaac ccgtgcccc acaaggagaa ggagtgccag gcgccgttcg ccttcagaca    600
cgtgctgaag ctcacaaca actccaacaa gttccagac gaggtcggga agcagctgat    660
ttcggggaac ctggacgcgc ccgaggcggg gctggatgcc atgatgcagg tcgcccgtg    720
cccggagcaa atcggtggtc gcaacgtcac tcggctgctg gtgttcgcca cggacgacgg    780
cttccacttt gcgggcgacg ggaagctggg tgccatcctg accccaatg acggccgctg    840
ccacctggag gacaacatgt acaagaggag caatgaattt gactaccctg cggtgggcca    900
gctggcacac aaactggccc aaagcaacat ccagcccatc ttcgcggtga ccaagagaat    960
ggtgacgacc tatgagaagc tcaccgaggt catccccaag tcagcggctc gggagctgtc   1020
ggacgattcc agcaacgtgg tccagctcat caagaacgcc tacaacaaac tgtcctccag   1080
ggctctcctg gaccacagcc tggccccag caccctcaag gtcacctatg actccttctg   1140
cagtaacggg gtgtcgcagg tggaccagcc cagaggggac tgcgacggcg tccagatcaa   1200
cgtcccgatc accttcagg tgaaggtcac ggccacggag tgcattcagg agcagtcgtt   1260
tataatccgg gcaactgggt tcacggacac ggtgaccgtg cacgtcatcc cccagtgcga   1320
gtgccagtgc cgggacgtgg gccaggacca cggcctctgc agyggcaagg gctccctgga   1380
gtgtggcacc tgcagggtg aggtgggcta catcggaag aactgcgagt gcctgacgca   1440
cggccgcagc agccaggagc tggagggcag ctgtcggagg gacaacagct ctctcatctg   1500
ctcggggctg ggggactgcc tctcgggca gtgcgtgtgc cacaggagcg acgttcccaa   1560
caagaacatc tcggggcgt actgcgagtg tgacaatgtc aactgcgagc gctatgacgg   1620
gcaggtgtgc gggggtaaag ttcggggctc ctgcaactgc ggcaagtgcc agtgcgagca   1680
gaactacgag ggctcggcgt gccagtgcgt gaagtccacc cagggctgcc tgagcacgga   1740
gggcatcgag tgcaacgggc gcggccgctg tcgctgtaac gtgtgcgagt gcgacggggg   1800
ctaccagccg ccgctgtgcg gggactgctt gggctgcccg tcgcctgtg gccggtacat   1860
cacctgtgcc cagtgcctga agttcaagca gggcccctcg gggaggaact gcagcgtgga   1920
gtgtgggaac gtgggctctg tgagcaaac cccggagaag gggcgaggt gcaaggagcg   1980
ggatctggag ggctgtgga tcacctacac gctgcggcag cgggcccggct gggacagcta   2040
tgaaatccac gtggacgaca gccgggagtg tgtggggggc ccccaaatcg ccccatcgt   2100

```

-continued

```

gggcggcacc gtgtggggag tcgtgctcat cggcaccctc ctgctggcca tctggaaggc 2160
tctgaccacac ctgagtgacc tccgcgagtt caagcgattc gagaaggaga agctcaggtc 2220
ccagtggaac aacgacaacc ccccttttcaa gagcgccacc accacagtca tgaaccccag 2280
gtttgctgag agttagggcg ctcggcggag acggcgctgg ctgagc 2326

```

```

<210> SEQ ID NO 33
<211> LENGTH: 764
<212> TYPE: PRT
<213> ORGANISM: Canis familiaris

```

```

<400> SEQUENCE: 33

```

```

Leu Leu Leu Thr Leu Glu Gly Leu Leu Phe Leu Trp Ala Ala Ser Cys
1           5           10          15
Gln Glu Cys Thr Lys Tyr Lys Val Ser Thr Cys Arg Asp Cys Val Glu
20          25          30
Ser Gly Pro Gly Cys Ala Trp Cys Gln Lys Leu Asn Phe Thr Gly Leu
35          40          45
Gly Glu Pro Asp Ser Val Arg Cys Asp Thr Arg Glu Gln Leu Leu Leu
50          55          60
Lys Gly Cys Ala Ala Asp Asp Ile Met Asp Pro Gln Ser Leu Ala Glu
65          70          75          80
Ile Gln Glu Asp Lys Lys Gly Gly Arg Gln Gln Leu Ser Pro Gln Lys
85          90          95
Val Thr Leu Tyr Leu Arg Pro Gly Gln Ala Ala Ala Phe Asn Val Thr
100         105         110
Phe Arg Arg Ala Lys Gly Tyr Pro Ile Asp Leu Tyr Tyr Leu Met Asp
115        120        125
Leu Ser Tyr Ser Met Leu Asp Asp Leu Ile Asn Val Lys Lys Leu Gly
130        135        140
Gly Asp Leu Leu Arg Ala Leu Asn Glu Ile Thr Glu Ser Gly Arg Ile
145        150        155        160
Gly Phe Gly Ser Phe Val Asp Lys Thr Val Leu Pro Phe Val Asn Thr
165        170        175
His Pro Glu Lys Leu Lys Asn Pro Cys Pro Asn Lys Glu Lys Glu Cys
180        185        190
Gln Ala Pro Phe Ala Phe Arg His Val Leu Lys Leu Thr Asn Asn Ser
195        200        205
Asn Lys Phe Gln Thr Glu Val Gly Lys Gln Leu Ile Ser Gly Asn Leu
210        215        220
Asp Ala Pro Glu Gly Gly Leu Asp Ala Met Met Gln Val Ala Ala Cys
225        230        235        240
Pro Glu Gln Ile Gly Trp Arg Asn Val Thr Arg Leu Leu Val Phe Ala
245        250        255
Thr Asp Asp Gly Phe His Phe Ala Gly Asp Gly Lys Leu Gly Ala Ile
260        265        270
Leu Thr Pro Asn Asp Gly Arg Cys His Leu Glu Asp Asn Met Tyr Lys
275        280        285
Arg Ser Asn Glu Phe Asp Tyr Pro Ser Val Gly Gln Leu Ala His Lys
290        295        300
Leu Ala Glu Ser Asn Ile Gln Pro Ile Phe Ala Val Thr Lys Arg Met
305        310        315        320
Val Thr Thr Tyr Glu Lys Leu Thr Glu Val Ile Pro Lys Ser Ala Val
325        330        335

```

-continued

Gly Glu Leu Ser Asp Asp Ser Ser Asn Val Val Gln Leu Ile Lys Asn
 340 345 350

Ala Tyr Asn Lys Leu Ser Ser Arg Val Phe Leu Asp His Ser Leu Ala
 355 360 365

Pro Ser Thr Leu Lys Val Thr Tyr Asp Ser Phe Cys Ser Asn Gly Val
 370 375 380

Ser Gln Val Asp Gln Pro Arg Gly Asp Cys Asp Gly Val Gln Ile Asn
 385 390 395 400

Val Pro Ile Thr Phe Gln Val Lys Val Thr Ala Thr Glu Cys Ile Gln
 405 410 415

Glu Gln Ser Phe Ile Ile Arg Ala Leu Gly Phe Thr Asp Thr Val Thr
 420 425 430

Val His Val Ile Pro Gln Cys Glu Cys Gln Cys Arg Asp Val Gly Gln
 435 440 445

Asp His Gly Leu Cys Ser Gly Lys Gly Ser Leu Glu Cys Gly Ile Cys
 450 455 460

Arg Cys Glu Ala Gly Tyr Ile Gly Lys Asn Cys Glu Cys Leu Thr His
 465 470 475 480

Gly Arg Ser Ser Gln Glu Leu Glu Gly Ser Cys Arg Arg Asp Asn Ser
 485 490 495

Ser Leu Ile Cys Ser Gly Leu Gly Asp Cys Leu Cys Gly Gln Cys Val
 500 505 510

Cys His Arg Ser Asp Val Pro Asn Lys Asn Ile Phe Gly Arg Tyr Cys
 515 520 525

Glu Cys Asp Asn Val Asn Cys Glu Arg Tyr Asp Gly Gln Val Cys Gly
 530 535 540

Gly Lys Val Arg Gly Ser Cys Asn Cys Gly Lys Cys Gln Cys Glu Gln
 545 550 555 560

Asn Tyr Glu Gly Ser Ala Cys Gln Cys Val Lys Ser Thr Gln Gly Cys
 565 570 575

Leu Ser Thr Glu Gly Ile Glu Cys Asn Gly Arg Gly Arg Cys Arg Cys
 580 585 590

Asn Val Cys Glu Cys Asp Gly Gly Tyr Gln Pro Pro Leu Cys Gly Asp
 595 600 605

Cys Leu Gly Cys Pro Ser Pro Cys Gly Arg Tyr Ile Thr Cys Ala Gln
 610 615 620

Cys Leu Lys Phe Lys Gln Gly Pro Ser Gly Arg Asn Cys Ser Val Glu
 625 630 635 640

Cys Gly Asn Val Gly Leu Leu Ser Lys Pro Pro Glu Lys Gly Arg Arg
 645 650 655

Cys Lys Glu Arg Asp Leu Glu Gly Cys Trp Ile Thr Tyr Thr Leu Arg
 660 665 670

Gln Arg Ala Gly Trp Asp Ser Tyr Glu Ile His Val Asp Asp Ser Arg
 675 680 685

Glu Cys Val Gly Gly Pro Gln Ile Ala Pro Ile Val Gly Gly Thr Val
 690 695 700

Ser Gly Val Val Leu Ile Gly Ile Leu Leu Leu Ala Ile Trp Lys Ala
 705 710 715 720

Leu Thr His Leu Ser Asp Leu Arg Glu Phe Lys Arg Phe Glu Lys Glu
 725 730 735

Lys Leu Arg Ser Gln Trp Asn Asn Asp Asn Pro Leu Phe Lys Ser Ala
 740 745 750

Thr Thr Thr Val Met Asn Pro Arg Phe Ala Glu Ser
 755 760

-continued

<210> SEQ ID NO 34
<211> LENGTH: 2788
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<400> SEQUENCE: 34

gttgggctg agaccgtcac caagaccctt ccctccaca ggacatgctg ggctgcgcc 60
ccccattct cgcctggtg gggctgctct ccctcgggtg cgtcctctct caggagtga 120
cgaagtcaa ggtcagcagc tgccgggaat gcatcgagtc ggggcccggc tgcaactggt 180
gccagaagct gaacttcaca gggccggggg atcctgactc cattcgctgc gacaccggc 240
cacagctgct catgaggggc tgtcgggctg acgacatcat ggaccccaca agcctcgtg 300
aaaccaggga agaccacaat gggggccaga agcagctgct cccacaaaaa gtgacgctt 360
acctgcgacc aggccaggca gcagcgttca acgtgacctt ccggcgggcc aagggtacc 420
ccatcgacct gtactatctg atggacctct cctactccat gcttgatgac ctgaggaatg 480
tcaagaagct aggtggcgac ctgctccggg ccctcaacga gatcaccgag tccggccgca 540
ttgcttcgg gtctctctg gacaagaccg tgctgcccgt cgtgaacacg caccctgata 600
agctgcgaaa cccatgcccc aacaaggaga aagagtgcc accccgctt gccttcaggc 660
acgtgctgaa gctgaccaac aactccaacc agtttcagac cgaggctcggg aagcagctga 720
tttccgaaa cctggatgca cccgaggggt ggctggacgc catgatgcag gtcgcccct 780
gcccggagga aatcggctgg cgcaacgtca cgcggctgct ggtgtttgcc actgatgacg 840
gcttcattt cgcggggcag gggaaactgg gcgccatcct gacccccaac gacggccgct 900
gtcacctgga ggacaacttg tacaagagga gcaacgaatt cgactacca tcggtgggcc 960
agctggcgca caagctggct gaaaacaaca tccagcccat ctccggctg accagtagga 1020
tggtaagac ctacgagaaa ctcaccgaga tcatcccaa gtcagccgtg ggggagctgt 1080
ctgaggactc cagcaatgtg gtccatctca ttaagaatgc ttacaataaa ctctcctcca 1140
gggtattcct ggatcacaac gccctccccg acacctgaa agtcacctac gactccttct 1200
gcagcaatgg agtgacgcac aggaaccagc ccagaggtga ctgtgatggc gtgcagatca 1260
atgtcccgat cacctccag gtgaaggtca ccggccacaga gtgcattccag gacgagctgt 1320
ttgtcatccg ggcgctgggc ttcacggaca tagtgacctg gcaggctcct cccagtggtg 1380
agtcccggtg ccgggaccag agcagagacc gcagcctctg ccatggcaag ggcttcttgg 1440
agtgcggcat ctgcaggtg gacactggct acattgggaa aaactgtgag tgccagacac 1500
agggccggag cagccaggag ctggaaggaa gctgccggaa ggacaacaac tccatcatct 1560
gctcagggtt ggggactgt gtctcggggc agtgcctgtg ccacaccagc gacgtccccg 1620
gcaagctgat ataccggcag tactgagagt gtgacacct caactgtgag cgctacaacg 1680
gccaggtctg ccggcggccc gggagggggc tctgcttctg cgggaagtgc cgtgcccacc 1740
cgggctttga gggctcagcg tgccagtgcg agaggaccac tgagggtgct ctgaaccgct 1800
ggcggtttga gtgtagtggc cgtggccggg gccgctgcaa cgtatgcgag tgccattcag 1860
gctaccagct gcctctgtgc caggagtgcc ccggctgccc ctacacctgt ggcaagtaca 1920
tctcctgcgc cgagtgcctg aagttcgaaa agggcccctt tgggaagaac tgacagcgg 1980
cgtgtccggg cctgcagctg tcgaacaacc ccgtgaaggg caggacctgc aaggagaggg 2040
actcagaggg ctgctgggtg gcctacacgc tggagcagca ggacgggatg gaccgctacc 2100
tcatctatgt ggatgagagc cgagagtgtg tggcaggccc caacatcgcc gccatcgctg 2160

-continued

```

ggggcaccgt ggcaggcatc gtgctgatcg gcattctcct gctggtcac c tggaaaggctc 2220
tgatccacct gagcgacctc cgggagtaca ggcgctttga gaaggagaag ctcaagtcce 2280
agtggaacaa tgataatccc cttttcaaga gcgccaccac gacggtcacg aaccccaagt 2340
ttgctgagag ttaggagcac ttggtgaaga caaggccgctc aggaccacc atgtctgccc 2400
catcacgcyg ccgagacatg gcttgccaca gctcttgagg atgtcaccaa ttaaccagaa 2460
atccagttat tttccacctc caaaatgaca gccatggccg gccgggtgct tctgggggct 2520
cgtcgggggg acagctccac tctgactggc acagtctttg catggagact tgaggaggga 2580
gggcttgagg ttggtgaggt taggtgcgtg tttcctgtgc aagtcaggac atcagtctga 2640
ttaaaggctg tgccaattta tttacattta aacttgctcag ggtataaaat gacatcccat 2700
taattatatt gttaatcaat cacgtgtata gaaaaaaaaa aaaacttcaa tacaggctgt 2760
ccatggaaaa aaaaaaaaaa aaaaaaaaaa 2788

```

<210> SEQ ID NO 35

<211> LENGTH: 769

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 35

```

Met Leu Gly Leu Arg Pro Pro Leu Leu Ala Leu Val Gly Leu Leu Ser
1           5           10          15
Leu Gly Cys Val Leu Ser Gln Glu Cys Thr Lys Phe Lys Val Ser Ser
                20           25           30
Cys Arg Glu Cys Ile Glu Ser Gly Pro Gly Cys Thr Trp Cys Gln Lys
                35           40           45
Leu Asn Phe Thr Gly Pro Gly Asp Pro Asp Ser Ile Arg Cys Asp Thr
                50           55           60
Arg Pro Gln Leu Leu Met Arg Gly Cys Ala Ala Asp Asp Ile Met Asp
65           70           75           80
Pro Thr Ser Leu Ala Glu Thr Gln Glu Asp His Asn Gly Gly Gln Lys
                85           90           95
Gln Leu Ser Pro Gln Lys Val Thr Leu Tyr Leu Arg Pro Gly Gln Ala
                100          105          110
Ala Ala Phe Asn Val Thr Phe Arg Arg Ala Lys Gly Tyr Pro Ile Asp
                115          120          125
Leu Tyr Tyr Leu Met Asp Leu Ser Tyr Ser Met Leu Asp Asp Leu Arg
130          135          140
Asn Val Lys Lys Leu Gly Gly Asp Leu Leu Arg Ala Leu Asn Glu Ile
145          150          155          160
Thr Glu Ser Gly Arg Ile Gly Phe Gly Ser Phe Val Asp Lys Thr Val
                165          170          175
Leu Pro Phe Val Asn Thr His Pro Asp Lys Leu Arg Asn Pro Cys Pro
                180          185          190
Asn Lys Glu Lys Glu Cys Gln Pro Pro Phe Ala Phe Arg His Val Leu
                195          200          205
Lys Leu Thr Asn Asn Ser Asn Gln Phe Gln Thr Glu Val Gly Lys Gln
                210          215          220
Leu Ile Ser Gly Asn Leu Asp Ala Pro Glu Gly Gly Leu Asp Ala Met
225          230          235          240
Met Gln Val Ala Ala Cys Pro Glu Glu Ile Gly Trp Arg Asn Val Thr
                245          250          255
Arg Leu Leu Val Phe Ala Thr Asp Asp Gly Phe His Phe Ala Gly Asp

```

-continued

260				265				270							
Gly	Lys	Leu	Gly	Ala	Ile	Leu	Thr	Pro	Asn	Asp	Gly	Arg	Cys	His	Leu
		275					280					285			
Glu	Asp	Asn	Leu	Tyr	Lys	Arg	Ser	Asn	Glu	Phe	Asp	Tyr	Pro	Ser	Val
	290					295					300				
Gly	Gln	Leu	Ala	His	Lys	Leu	Ala	Glu	Asn	Asn	Ile	Gln	Pro	Ile	Phe
305					310					315					320
Ala	Val	Thr	Ser	Arg	Met	Val	Lys	Thr	Tyr	Glu	Lys	Leu	Thr	Glu	Ile
			325						330					335	
Ile	Pro	Lys	Ser	Ala	Val	Gly	Glu	Leu	Ser	Glu	Asp	Ser	Ser	Asn	Val
		340						345				350			
Val	His	Leu	Ile	Lys	Asn	Ala	Tyr	Asn	Lys	Leu	Ser	Ser	Arg	Val	Phe
	355						360					365			
Leu	Asp	His	Asn	Ala	Leu	Pro	Asp	Thr	Leu	Lys	Val	Thr	Tyr	Asp	Ser
	370					375					380				
Phe	Cys	Ser	Asn	Gly	Val	Thr	His	Arg	Asn	Gln	Pro	Arg	Gly	Asp	Cys
385					390					395					400
Asp	Gly	Val	Gln	Ile	Asn	Val	Pro	Ile	Thr	Phe	Gln	Val	Lys	Val	Thr
			405						410					415	
Ala	Thr	Glu	Cys	Ile	Gln	Glu	Gln	Ser	Phe	Val	Ile	Arg	Ala	Leu	Gly
			420					425					430		
Phe	Thr	Asp	Ile	Val	Thr	Val	Gln	Val	Leu	Pro	Gln	Cys	Glu	Cys	Arg
	435						440					445			
Cys	Arg	Asp	Gln	Ser	Arg	Asp	Arg	Ser	Leu	Cys	His	Gly	Lys	Gly	Phe
	450					455					460				
Leu	Glu	Cys	Gly	Ile	Cys	Arg	Cys	Asp	Thr	Gly	Tyr	Ile	Gly	Lys	Asn
465					470					475					480
Cys	Glu	Cys	Gln	Thr	Gln	Gly	Arg	Ser	Ser	Gln	Glu	Leu	Glu	Gly	Ser
			485						490					495	
Cys	Arg	Lys	Asp	Asn	Asn	Ser	Ile	Ile	Cys	Ser	Gly	Leu	Gly	Asp	Cys
		500					505					510			
Val	Cys	Gly	Gln	Cys	Leu	Cys	His	Thr	Ser	Asp	Val	Pro	Gly	Lys	Leu
	515						520					525			
Ile	Tyr	Gly	Gln	Tyr	Cys	Glu	Cys	Asp	Thr	Ile	Asn	Cys	Glu	Arg	Tyr
	530					535					540				
Asn	Gly	Gln	Val	Cys	Gly	Gly	Pro	Gly	Arg	Gly	Leu	Cys	Phe	Cys	Gly
545					550					555					560
Lys	Cys	Arg	Cys	His	Pro	Gly	Phe	Glu	Gly	Ser	Ala	Cys	Gln	Cys	Glu
			565						570					575	
Arg	Thr	Thr	Glu	Gly	Cys	Leu	Asn	Pro	Arg	Arg	Val	Glu	Cys	Ser	Gly
		580						585				590			
Arg	Gly	Arg	Cys	Arg	Cys	Asn	Val	Cys	Glu	Cys	His	Ser	Gly	Tyr	Gln
	595					600					605				
Leu	Pro	Leu	Cys	Gln	Glu	Cys	Pro	Gly	Cys	Pro	Ser	Pro	Cys	Gly	Lys
	610					615					620				
Tyr	Ile	Ser	Cys	Ala	Glu	Cys	Leu	Lys	Phe	Glu	Lys	Gly	Pro	Phe	Gly
625					630					635					640
Lys	Asn	Cys	Ser	Ala	Ala	Cys	Pro	Gly	Leu	Gln	Leu	Ser	Asn	Asn	Pro
			645						650					655	
Val	Lys	Gly	Arg	Thr	Cys	Lys	Glu	Arg	Asp	Ser	Glu	Gly	Cys	Trp	Val
			660						665					670	
Ala	Tyr	Thr	Leu	Glu	Gln	Gln	Asp	Gly	Met	Asp	Arg	Tyr	Leu	Ile	Tyr
		675							680					685	

-continued

Val Asp Glu Ser Arg Glu Cys Val Ala Gly Pro Asn Ile Ala Ala Ile
690 695 700

Val Gly Gly Thr Val Ala Gly Ile Val Leu Ile Gly Ile Leu Leu Leu
705 710 715 720

Val Ile Trp Lys Ala Leu Ile His Leu Ser Asp Leu Arg Glu Tyr Arg
725 730 735

Arg Phe Glu Lys Glu Lys Leu Lys Ser Gln Trp Asn Asn Asp Asn Pro
740 745 750

Leu Phe Lys Ser Ala Thr Thr Thr Val Met Asn Pro Lys Phe Ala Glu
755 760 765

Ser

<210> SEQ ID NO 36
<211> LENGTH: 119
<212> TYPE: DNA
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Predicted nucleic acid sequence for dog CD45,
partial sequence within chromosome 7, positions 18132 to 17986

<400> SEQUENCE: 36

tctttttaa gagttactgg aaacctgaag tgatgattgc tgctcaggga ccctaaaag 60
agaccattgg tgacttttgg cagatgatat tccaaagaaa agtcaaagtc attggtatg 119

<210> SEQ ID NO 37
<211> LENGTH: 128
<212> TYPE: DNA
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Predicted nucleic acid sequence for dog CD45,
partial sequence within chromosome 7, positions 19420 to 19293

<400> SEQUENCE: 37

atgactttaa cagagtgcc ctaaaccatg aactggagat gagcaaagag agtgagcatg 60
attcagatga atctctgat gatgacagtg actcagagga aacaagtaga tacatcaatg 120
cgtctttt 128

<210> SEQ ID NO 38
<211> LENGTH: 158
<212> TYPE: DNA
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Predicted nucleic acid sequence for dog CD45,
partial sequence within chromosome 7, positions 27292 to 27135

<400> SEQUENCE: 38

aaaaagaga aggccaccgg aagagaggtg actcacatc agttcaccag ctggccagac 60
catggggtgc ctgaagatcc tcacctgctt ctgaagctgc ggaggagagt gaacgctttc 120
agcaacttct tcagtgccc cattgtggtg cactgcag 158

<210> SEQ ID NO 39
<211> LENGTH: 140
<212> TYPE: DNA
<213> ORGANISM: Artificial
<220> FEATURE:
<223> OTHER INFORMATION: Predicted nucleic acid sequence for dog CD45,
partial sequence within chromosome 7, positions 26930 to 26791

<400> SEQUENCE: 39

cagtgtggt gtgggacgca caggcaccta tattggaatt gatgcatgc tagaaggcct 60
ggaagcggaa aacaaagtag atgtttatgg ttatgttgc aagctaaggc gacagagatg 120

-continued

cttgatggtc caagtggagg 140

<210> SEQ ID NO 40
 <211> LENGTH: 111
 <212> TYPE: DNA
 <213> ORGANISM: Artificial
 <220> FEATURE:
 <223> OTHER INFORMATION: Predicted nucleic acid sequence for dog CD45,
 partial sequence within chromosome 7, positions 35370 to 35260
 <400> SEQUENCE: 40

gatgatgaaa aacaactgat gactgtggag ccaatccatg cagatatttt gttggaaact 60
 tataagagga agatcgctga tgaaggaaga ctgtttctgg ctgaattca g 111

<210> SEQ ID NO 41
 <211> LENGTH: 4315
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <400> SEQUENCE: 41

ggaaattggt cctcgtctga taagacaaca gtggagaaag gacgcattgct gtttcttagg 60
 gacacggctg gcttcagat atgacctgt atttggct taaactcttg gcattggct 120
 ttgcctttct ggacacagaa gtatttga cagggcaaag cccaacacct tccccactg 180
 gattgactac agcaaatgat cccagtgtc cactttcaag tgaccctta cctactcaca 240
 ccactgcatt ctcaccgca agcacccttg aaagagaaaa tgactttca gagaccacaa 300
 cttctcttag tccagacaat acttccacc aagtatccc ggactcttg gataatgcta 360
 gtgcttttaa taccacaggt gtttcatcag tacagacgcc tcacctccc acgcacgcag 420
 actgcagac gccctctgt ggaactgaca cgcagacatt cageggctcc gccgccaatg 480
 caaaaactcaa cctaccoca ggcagcaatg ctatctcaga tgtcccagga gagaggagta 540
 cagccagcac ctttctaca gaccagttt cccattgac aaccaccctc agccttgac 600
 accacagctc tctgcctta cctgcacgca cctccaacac caccatcaca gcgaacacct 660
 cagatgccta ccttaatgcc tctgaaacaa ccactctgag cccttctgga agcgtgtgca 720
 tttcaaccac aacaatagct actactccat ctaagccaac atgtgatgaa aaatatgcaa 780
 acatcactgt ggattactta tataacaagg aactaaatt atttacagca aagctaaatg 840
 ttaatgagaa tgtggaatg ggaacaata cttgcacaaa caatgaggtg cataacctta 900
 cagaatgtaa aaatgcgtct gttccatct ctcataatc atgtactgct cctgataaga 960
 cattaatatt agatgtgcca ccaggggttg aaaagtttca gttacatgat tgtacacaag 1020
 ttgaaaaagc agatactact atttgttaa aatggaaaaa tattgaaacc tttacttgtg 1080
 atacacagaa tattacctac agatttcagt gtggtaatat gatatttgat aataaagaaa 1140
 ttaaattaga aaacctgaa cccgaacatg agtataagtg tgactcagaa atactctata 1200
 ataaccacaa gtttactaac gcaagtaaaa ttattaaaac agattttggg agtccaggag 1260
 agcctcagat tattttttgt agaagtgaag ctgcacatca aggagtaatt acctggaatc 1320
 cccctcaaag atcatttcat aattttacc tctgttatat aaaagagaca gaaaaagatt 1380
 gcctcaatct ggataaaaac ctgatcaaat atgatttgca aaatttaaaa ccttatacga 1440
 aatatgtttt atcattacat gcctacatca ttgcaaaagt gcaacgtaat ggaagtgtg 1500
 caatgtgtca tttcacaact aaaagtgtc ctccaagcca ggtctggaac atgactgtct 1560
 ccatgacatc agataatag atgcatgtca agtgtaggcc tcccaggac cgtaatggcc 1620

-continued

cccatgaacg ttaccatttg gaagtgaag ctggaatac tctggtaga aatgagtcgc	1680
ataagaattg cgatttccgt gtaaaagatc ttcaatattc aacagactac acttttaagg	1740
cctattttca caatggagac tatcctggag aaccctttat tttacatcat tcaacatcct	1800
ataaattctaa ggcaactgata gcatttctgg catttctgat tattgtgaca tcaatagccc	1860
tgcttgttgt tctctacaaa atctatgatc tacataagaa aagatcctgc aatttagatg	1920
aacagcagga gcttgttgaa agggatgatg aaaaacaact gatgaatgtg gagccaatcc	1980
atgcagatat tttgttgaa acttataaga ggaagattgc tgatgaagga agacctttc	2040
tggtgaatt tcagagcatc ccgcggtgt tcagcaagt tctataaag gaagctcgaa	2100
agccctttaa ccagaataaa aaccgttatg ttgacattct tcttatgat tataaccgtg	2160
ttgaactctc tgagataaac ggagatgcag ggtcaaaact cataaatgcc agctatattg	2220
atggtttcaa agaaccagg aaatacattg ctgcacaagg tcccaggat gaaactgttg	2280
atgatttctg gaggatgatt tgggaacaga aagccacagt tattgtcatg gtcactcgat	2340
gtgaagaagg aaacaggaac aagtgtgcag aatactggcc gtcaatggaa gagggcactc	2400
gggcttttgg agatgttgtt gtaaagatca accagcacia aagatgtcca gattacatca	2460
ttcagaaatt gaacattgta aataaaaaag aaaaagcaac tggaagagag gtgactcaca	2520
ttcagttcac cagctggcca gaccacgggg tgctgagga tctcacttg ctctcaaac	2580
tgagaaggag agtgaatgcc ttcagcaatt tcttcagtgg tccattgtg gtgactgca	2640
gtgctgttgt tgggcgcaca ggaacctata tcggaattga tgccatgcta gaaggcttg	2700
aagccgagaa caaagtggat gtttatggtt atgttgtcaa gctaaggcga cagagatgcc	2760
tgatggttca agtagaggcc cagtacatct tgatccatca ggctttgttg gaatacaatc	2820
agtttgaga aacagaatg aattgtctg aattacatcc atatctacat aacatgaaga	2880
aaaggatcc acccagtgag ccgtctccac tagaggctga attccagaga cttccttcat	2940
ataggagctg gaggacacag cacattggaa atcaagaaga aaataaaagt aaaaacagga	3000
attctaattg catcccatat gactataaca gagtgccact taaacatgag ctggaaatga	3060
gtaaagagag tgagcatgat tcagatgaat cctctgatga tgacagtgat tcagaggaac	3120
caagcaata catcaatgca tcttttataa tgagctactg gaaacctgaa gtgatgattg	3180
ctgctcaggg accactgaag gagaccattg gtgacttttg gcagatgatc ttccaagaa	3240
aagtcaaagt tattgttatg ctgacagaac tgaacatgg agaccaggaa atctgtgctc	3300
agtactgggg agaaggaaag caaacatag gagatattga agttgacctg aaagacacag	3360
acaaatcttc aactataacc cttcgtgtct ttgaaactgag acattccaag aggaaagact	3420
ctcgaactgt gtaccagtac caatatacaa actggagtgt ggagcagctt cctgcagaac	3480
ccaaggaatt aatctctatg attcaggtcg tcaaacaaaa acttcccag aagaattcct	3540
ctgaagggaa caagcatcac aagagtacac ctctactcat tcaactgcagg gatggatctc	3600
agcaaacggg aatattttgt gctttgttaa atctcttaga aagtgcggaa acagaagagg	3660
tagtgatgat ttttcaagtg gtaaaagctc tacgcaaagc taggctaggc atggtttcca	3720
cattcgagca atatcaatct ctatatgacg tcattgccag cacctacct gctcagaatg	3780
gacaagttaa gaaaaacaac catcaagaag ataaaattga atttgataat gaagtggaca	3840
aagttaaagca ggatgctaatt tgtgttaatc cacttgggtgc ccagaaaag ctccctgaa	3900
caaaggaaca ggctgaaggt tctgaaccca cgagtggcac tgaggggcca gaacattctg	3960
tcaatggtcc tgcaagtcca gctttaaact aaggttcata ggaaaagaca taatgagga	4020

-continued

```

aactccaaac ctctgttag ctgttatttc tatttttgta gaagtaggaa gtgaaaatag 4080
gtatacagtg gattaattaa atgcagcgaa ccaatatttg tagaagggtt atattttact 4140
actgtggaaa aatatttaag atagttttgc cagaacagtt tgtacagacg tatgcttatt 4200
ttaaaatttt atctcttatt cagtaaaaaa caacttcttt gtaatcgta tgagtgtata 4260
tgatatgtg tgatgggtgtg tgtttgtgtg agagacagag aaagagagag aattc 4315

```

```

<210> SEQ ID NO 42
<211> LENGTH: 1304
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 42

```

```

Met Tyr Leu Trp Leu Lys Leu Leu Ala Phe Gly Phe Ala Phe Leu Asp
1           5           10           15
Thr Glu Val Phe Val Thr Gly Gln Ser Pro Thr Pro Ser Pro Thr Gly
                20           25           30
Leu Thr Thr Ala Lys Met Pro Ser Val Pro Leu Ser Ser Asp Pro Leu
            35           40           45
Pro Thr His Thr Thr Ala Phe Ser Pro Ala Ser Thr Phe Glu Arg Glu
            50           55           60
Asn Asp Phe Ser Glu Thr Thr Thr Ser Leu Ser Pro Asp Asn Thr Ser
65           70           75           80
Thr Gln Val Ser Pro Asp Ser Leu Asp Asn Ala Ser Ala Phe Asn Thr
            85           90           95
Thr Gly Val Ser Ser Val Gln Thr Pro His Leu Pro Thr His Ala Asp
            100          105          110
Ser Gln Thr Pro Ser Ala Gly Thr Asp Thr Gln Thr Phe Ser Gly Ser
            115          120          125
Ala Ala Asn Ala Lys Leu Asn Pro Thr Pro Gly Ser Asn Ala Ile Ser
            130          135          140
Asp Val Pro Gly Glu Arg Ser Thr Ala Ser Thr Phe Pro Thr Asp Pro
145          150          155          160
Val Ser Pro Leu Thr Thr Thr Leu Ser Leu Ala His His Ser Ser Ala
            165          170          175
Ala Leu Pro Ala Arg Thr Ser Asn Thr Thr Ile Thr Ala Asn Thr Ser
            180          185          190
Asp Ala Tyr Leu Asn Ala Ser Glu Thr Thr Thr Leu Ser Pro Ser Gly
            195          200          205
Ser Ala Val Ile Ser Thr Thr Thr Ile Ala Thr Thr Pro Ser Lys Pro
210          215          220
Thr Cys Asp Glu Lys Tyr Ala Asn Ile Thr Val Asp Tyr Leu Tyr Asn
225          230          235          240
Lys Glu Thr Lys Leu Phe Thr Ala Lys Leu Asn Val Asn Glu Asn Val
            245          250          255
Glu Cys Gly Asn Asn Thr Cys Thr Asn Asn Glu Val His Asn Leu Thr
            260          265          270
Glu Cys Lys Asn Ala Ser Val Ser Ile Ser His Asn Ser Cys Thr Ala
            275          280          285
Pro Asp Lys Thr Leu Ile Leu Asp Val Pro Pro Gly Val Glu Lys Phe
290          295          300
Gln Leu His Asp Cys Thr Gln Val Glu Lys Ala Asp Thr Thr Ile Cys
305          310          315          320
Leu Lys Trp Lys Asn Ile Glu Thr Phe Thr Cys Asp Thr Gln Asn Ile
            325          330          335

```

-continued

Thr Tyr Arg Phe Gln Cys Gly Asn Met Ile Phe Asp Asn Lys Glu Ile
 340 345 350
 Lys Leu Glu Asn Leu Glu Pro Glu His Glu Tyr Lys Cys Asp Ser Glu
 355 360 365
 Ile Leu Tyr Asn Asn His Lys Phe Thr Asn Ala Ser Lys Ile Ile Lys
 370 375 380
 Thr Asp Phe Gly Ser Pro Gly Glu Pro Gln Ile Ile Phe Cys Arg Ser
 385 390 395 400
 Glu Ala Ala His Gln Gly Val Ile Thr Trp Asn Pro Pro Gln Arg Ser
 405 410 415
 Phe His Asn Phe Thr Leu Cys Tyr Ile Lys Glu Thr Glu Lys Asp Cys
 420 425 430
 Leu Asn Leu Asp Lys Asn Leu Ile Lys Tyr Asp Leu Gln Asn Leu Lys
 435 440 445
 Pro Tyr Thr Lys Tyr Val Leu Ser Leu His Ala Tyr Ile Ile Ala Lys
 450 455 460
 Val Gln Arg Asn Gly Ser Ala Ala Met Cys His Phe Thr Thr Lys Ser
 465 470 475 480
 Ala Pro Pro Ser Gln Val Trp Asn Met Thr Val Ser Met Thr Ser Asp
 485 490 495
 Asn Ser Met His Val Lys Cys Arg Pro Pro Arg Asp Arg Asn Gly Pro
 500 505 510
 His Glu Arg Tyr His Leu Glu Val Glu Ala Gly Asn Thr Leu Val Arg
 515 520 525
 Asn Glu Ser His Lys Asn Cys Asp Phe Arg Val Lys Asp Leu Gln Tyr
 530 535 540
 Ser Thr Asp Tyr Thr Phe Lys Ala Tyr Phe His Asn Gly Asp Tyr Pro
 545 550 555 560
 Gly Glu Pro Phe Ile Leu His His Ser Thr Ser Tyr Asn Ser Lys Ala
 565 570 575
 Leu Ile Ala Phe Leu Ala Phe Leu Ile Ile Val Thr Ser Ile Ala Leu
 580 585 590
 Leu Val Val Leu Tyr Lys Ile Tyr Asp Leu His Lys Lys Arg Ser Cys
 595 600 605
 Asn Leu Asp Glu Gln Gln Glu Leu Val Glu Arg Asp Asp Glu Lys Gln
 610 615 620
 Leu Met Asn Val Glu Pro Ile His Ala Asp Ile Leu Leu Glu Thr Tyr
 625 630 635 640
 Lys Arg Lys Ile Ala Asp Glu Gly Arg Leu Phe Leu Ala Glu Phe Gln
 645 650 655
 Ser Ile Pro Arg Val Phe Ser Lys Phe Pro Ile Lys Glu Ala Arg Lys
 660 665 670
 Pro Phe Asn Gln Asn Lys Asn Arg Tyr Val Asp Ile Leu Pro Tyr Asp
 675 680 685
 Tyr Asn Arg Val Glu Leu Ser Glu Ile Asn Gly Asp Ala Gly Ser Asn
 690 695 700
 Tyr Ile Asn Ala Ser Tyr Ile Asp Gly Phe Lys Glu Pro Arg Lys Tyr
 705 710 715 720
 Ile Ala Ala Gln Gly Pro Arg Asp Glu Thr Val Asp Asp Phe Trp Arg
 725 730 735
 Met Ile Trp Glu Gln Lys Ala Thr Val Ile Val Met Val Thr Arg Cys
 740 745 750
 Glu Glu Gly Asn Arg Asn Lys Cys Ala Glu Tyr Trp Pro Ser Met Glu

-continued

755					760					765					
Glu	Gly	Thr	Arg	Ala	Phe	Gly	Asp	Val	Val	Val	Lys	Ile	Asn	Gln	His
770						775					780				
Lys	Arg	Cys	Pro	Asp	Tyr	Ile	Ile	Gln	Lys	Leu	Asn	Ile	Val	Asn	Lys
785					790					795					800
Lys	Glu	Lys	Ala	Thr	Gly	Arg	Glu	Val	Thr	His	Ile	Gln	Phe	Thr	Ser
				805						810					815
Trp	Pro	Asp	His	Gly	Val	Pro	Glu	Asp	Pro	His	Leu	Leu	Leu	Lys	Leu
			820					825							830
Arg	Arg	Arg	Val	Asn	Ala	Phe	Ser	Asn	Phe	Phe	Ser	Gly	Pro	Ile	Val
			835				840					845			
Val	His	Cys	Ser	Ala	Gly	Val	Gly	Arg	Thr	Gly	Thr	Tyr	Ile	Gly	Ile
	850					855						860			
Asp	Ala	Met	Leu	Glu	Gly	Leu	Glu	Ala	Glu	Asn	Lys	Val	Asp	Val	Tyr
865					870						875				880
Gly	Tyr	Val	Val	Lys	Leu	Arg	Arg	Gln	Arg	Cys	Leu	Met	Val	Gln	Val
				885						890					895
Glu	Ala	Gln	Tyr	Ile	Leu	Ile	His	Gln	Ala	Leu	Val	Glu	Tyr	Asn	Gln
			900					905						910	
Phe	Gly	Glu	Thr	Glu	Val	Asn	Leu	Ser	Glu	Leu	His	Pro	Tyr	Leu	His
		915					920					925			
Asn	Met	Lys	Lys	Arg	Asp	Pro	Pro	Ser	Glu	Pro	Ser	Pro	Leu	Glu	Ala
	930					935						940			
Glu	Phe	Gln	Arg	Leu	Pro	Ser	Tyr	Arg	Ser	Trp	Arg	Thr	Gln	His	Ile
945					950					955					960
Gly	Asn	Gln	Glu	Glu	Asn	Lys	Ser	Lys	Asn	Arg	Asn	Ser	Asn	Val	Ile
			965						970					975	
Pro	Tyr	Asp	Tyr	Asn	Arg	Val	Pro	Leu	Lys	His	Glu	Leu	Glu	Met	Ser
		980						985						990	
Lys	Glu	Ser	Glu	His	Asp	Ser	Asp	Glu	Ser	Ser	Asp	Asp	Asp	Ser	Asp
	995						1000						1005		
Ser	Glu	Glu	Pro	Ser	Lys	Tyr	Ile	Asn	Ala	Ser	Phe	Ile	Met	Ser	
1010						1015						1020			
Tyr	Trp	Lys	Pro	Glu	Val	Met	Ile	Ala	Ala	Gln	Gly	Pro	Leu	Lys	
1025						1030						1035			
Glu	Thr	Ile	Gly	Asp	Phe	Trp	Gln	Met	Ile	Phe	Gln	Arg	Lys	Val	
1040						1045						1050			
Lys	Val	Ile	Val	Met	Leu	Thr	Glu	Leu	Lys	His	Gly	Asp	Gln	Glu	
1055						1060						1065			
Ile	Cys	Ala	Gln	Tyr	Trp	Gly	Glu	Gly	Lys	Gln	Thr	Tyr	Gly	Asp	
1070						1075						1080			
Ile	Glu	Val	Asp	Leu	Lys	Asp	Thr	Asp	Lys	Ser	Ser	Thr	Tyr	Thr	
1085						1090						1095			
Leu	Arg	Val	Phe	Glu	Leu	Arg	His	Ser	Lys	Arg	Lys	Asp	Ser	Arg	
1100						1105						1110			
Thr	Val	Tyr	Gln	Tyr	Gln	Tyr	Thr	Asn	Trp	Ser	Val	Glu	Gln	Leu	
1115						1120						1125			
Pro	Ala	Glu	Pro	Lys	Glu	Leu	Ile	Ser	Met	Ile	Gln	Val	Val	Lys	
1130						1135						1140			
Gln	Lys	Leu	Pro	Gln	Lys	Asn	Ser	Ser	Glu	Gly	Asn	Lys	His	His	
1145						1150						1155			
Lys	Ser	Thr	Pro	Leu	Leu	Ile	His	Cys	Arg	Asp	Gly	Ser	Gln	Gln	
1160						1165						1170			

-continued

Thr Gly Ile Phe Cys Ala Leu Leu Asn Leu Leu Glu Ser Ala Glu
 1175 1180 1185
 Thr Glu Glu Val Val Asp Ile Phe Gln Val Val Lys Ala Leu Arg
 1190 1195 1200
 Lys Ala Arg Pro Gly Met Val Ser Thr Phe Glu Gln Tyr Gln Phe
 1205 1210 1215
 Leu Tyr Asp Val Ile Ala Ser Thr Tyr Pro Ala Gln Asn Gly Gln
 1220 1225 1230
 Val Lys Lys Asn Asn His Gln Glu Asp Lys Ile Glu Phe Asp Asn
 1235 1240 1245
 Glu Val Asp Lys Val Lys Gln Asp Ala Asn Cys Val Asn Pro Leu
 1250 1255 1260
 Gly Ala Pro Glu Lys Leu Pro Glu Ala Lys Glu Gln Ala Glu Gly
 1265 1270 1275
 Ser Glu Pro Thr Ser Gly Thr Glu Gly Pro Glu His Ser Val Asn
 1280 1285 1290
 Gly Pro Ala Ser Pro Ala Leu Asn Gln Gly Ser
 1295 1300

<210> SEQ ID NO 43

<211> LENGTH: 208

<212> TYPE: DNA

<213> ORGANISM: Artificial

<220> FEATURE:

<223> OTHER INFORMATION: Predicted nucleic acid sequence for dog CD133,
partial sequence within position 50894 to 51101

<400> SEQUENCE: 43

```

agattatcta ctatgaaatc gggattatta tttgtgctgt cctggggctg ctctttgtga      60
ttctgatgcc gctgggtggg ttttgccttg gtctgtgtcg ttgctgtaac aaatgtggtg      120
gagaaatgca tcagcgacag aagaaaaatg gggccttcct gaggaaatac tttacagtct      180
ccctcctggt gatttgata ttcataag                                           208
  
```

<210> SEQ ID NO 44

<211> LENGTH: 3794

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 44

```

ccaagttcta cctcatgttt ggaggatcct gctagctatg gccctcgtac tcggctcct      60
gttgctgctg gggctgtgct ggaactcctt ttcaggaggg cagccttcat ccacagatgc      120
tcctaaggct tgggaattatg aattgcctgc aacaaattat gagaccaag actcccataa      180
agctggaccc attggcattc tctttgaaact agtgcataac tttctctatg tggtagagcc      240
gcgtgatttc ccagaagata ctttgagaaa attcttacag aaggcatatg aatccaaaat      300
tgattatgac aagccagaaa ctgtaactct aggtctaaag attgtctact atgaagcagg      360
gattattcta tgctgtgtcc tggggctgct gtttattatt ctgatgcctc tggtaggggta      420
ttctttttgt atgtgtcgtt gctgtaacaa atgtggtgga gaaatgcacc agcgacagaa      480
ggaaaatggg ccttctctga ggaaatgctt tgcaatctcc ctgtaggtga tttgtataat      540
aataagcatt ggcattctct atggttttgt ggcaaatcac caggtaagaa cccggatcaa      600
aaggagtctg aaactggcag atagcaattt caaggacttg cgaactctct tgaatgaaac      660
tccagagcaa atcaaatata tattggccca gtacaacact accaaggaca agcgcttcac      720
agatctgaac agtatcaatt cagtgttagg aggcggaatt cttgaccgac tgagacccaa      780
  
```

-continued

catcatccct gttcttgatg agattaagtc catggcaaca gcgatcaagg agaccaaaaga	840
ggcgttgag aacatgaaca gcacctgaa gagcttgac caacaaagta cacagcttag	900
cagcagtctg accagcgtga aaactagcct gcggtcatct ctcaatgacc ctctgtgctt	960
ggtgcatcca tcaagtgaaa cctgcaacag catcagattg tctctaagcc agctgaatag	1020
caaccctgaa ctgaggcagc ttccaccctg ggatgcagaa cttgacaacg ttaataacgt	1080
tcttaggaca gatttggatg gcctggtcca acagggctat caatccctta atgatatacc	1140
tgacagagta caacgcaaaa ccacgactgt cgtagcaggt atcaaaaggg tcttgaattc	1200
cattggttca gatatcgaca atgtaactca gcgtcttctc attcaggata tactctcagc	1260
attctctggt tatgttaata aactgaaag ttacatccac agaaatttac ctacattgga	1320
agagtatgat tcaactggt ggctgggtgg cctggtcctc tgctctctgc tgaccctcat	1380
cgtgattttt tactacctgg ccttactgtg tggcgtgtgc ggctatgaca ggcatgccac	1440
cccgaccacc cgaggctgtg tctccaacac cggagcgtc ttctcatgg ttggagtgg	1500
attaagtctc ctcttttctg ggatattgat gatcattgtg gttcttacct ttgtctttgg	1560
tgcaaatgtg gaaaaactga tctgtgaacc ttacacgagc aaggaattat tccgggtttt	1620
ggatacacc tacttactaa atgaagactg ggaatactat ctctctggga agctatttaa	1680
taaatcaaaa atgaagctca cttttgaaca agtttacagt gactgcaaaa aaaatagagg	1740
cacttacggc actcttcacc tgcagaacag cttcaatc agtgaacac tcaacattaa	1800
tgagcactact ggaagcataa gcagtgaatt ggaaagtctg aaggtaaatc ttaatatctt	1860
tctgttgggt gcagcaggaa gaaaaaacct tcaggatttt gctgcttctg gaatagacag	1920
aatgaattat gacagctact tggctcagac tggtaaatcc cccgcaggag tgaatctttt	1980
atcatttga cattgatctag aagcaaaagc aaacagtttg ccccaggaa atttgaggaa	2040
ctccctgaaa agagatgcac aaactattaa aacaattcac cagcaacgag tcttctctat	2100
agaacaatca ctgagcactc tataccaaag cgtcaagata cttcaacgca cagggaatgg	2160
attgttgag agagtaacta ggattctagc ttctctggat tttgctcaga acttcatcac	2220
aaacaatact tctctgttta ttattgagga aactaagaag tatgggagaa caataatagg	2280
atattttgaa cattatctgc agtggatcga gttctctatc agtgagaaaag tggcatcgtg	2340
caaacctgtg gccacogctc tagatactgc tgttgatgct tttctgtgta gctacattat	2400
cgacccttg aatttgtttt ggtttggcat aggaaaagct actgtatttt tacttccggc	2460
tctaattttt gcggtaaaac tggctaagta ctatcgtcga atggattcgg aggacgtgta	2520
cgatgatggt gaaactatac ccatgaaaaa tatggaaaat ggtaataatg gttatcataa	2580
agatcatgta tatggtatcc acaatcctgt tatgacaagc ccatcacaac attgatagct	2640
gatgttgaaa ctgcttgagc atcaggatac tcaaagtgga aaggatcaca gatttttgggt	2700
agtttctggg tctacaagga ctttccaaat ccaggagcaa cgccagtggc aacgtagtga	2760
ctcaggcggg caccaaggca acggcaccat tggctctctg gtagtgcttt aagaatgaa	2820
acaatcacgt tatagtcctt ggtccatcac tattcaagga tgactccctc ccttctctgc	2880
tatttttgggt ttttactttt ttactctgag ttctattta gacctacaa catatgggggt	2940
gtttggctcc attggatgca tttctatcaa aactctatca aatgtgatgg ctgatttcta	3000
acatattgcc atgtgtggag tgtgctgaac acacaccagt ttacaggaaa gatgcatttt	3060
gtgtacagta aacggtgat atacctttg ttaccacaga gttttttaa caaatgagta	3120
ttataggact ttcttctaaa tgagctaaat aagtcaccat tgacttcttg gtgctgttga	3180

-continued

```

aaataatcca ttttactaa aagtgtgtga aacctacagc atattcttca cgcagagatt 3240
ttcatctatt atactttatc aaagattggc catgttccac ttggaaatgg catgcaaaag 3300
ccatcataga gaaacctgcg taactccatc tgacaaatc aaaagagaga gagagatctt 3360
gagagagaaa tgctgttcgt tcaaaagtgg agttgtttta acagatgcca attacgggtg 3420
acagtttaac agagttttct gttgcattag gataaacatt aattggagtg cagctaacat 3480
gagtatcatc agactagat caagtgttct aaaatgaaat atgagaagat cctgtcacia 3540
ttcttagatc tgggtgccag catggatgaa acctttgagt ttggtcccta aatttgcatt 3600
aaagcacaag gtaaatattc attgtctca ggagtttcat gttggatctg tcattatcaa 3660
aagtgatcag caatgaagaa ctggtcggac aaaatttaac gttgatgtaa tggaattcca 3720
gatgtaggca ttccccccag gtcttttcat gtgcagattg cagttctgat tcatttgaat 3780
aaaaaggaac ttgg 3794

```

<210> SEQ ID NO 45

<211> LENGTH: 865

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 45

```

Met Ala Leu Val Leu Gly Ser Leu Leu Leu Leu Gly Leu Cys Gly Asn
 1             5             10             15

Ser Phe Ser Gly Gly Gln Pro Ser Ser Thr Asp Ala Pro Lys Ala Trp
          20             25             30

Asn Tyr Glu Leu Pro Ala Thr Asn Tyr Glu Thr Gln Asp Ser His Lys
          35             40             45

Ala Gly Pro Ile Gly Ile Leu Phe Glu Leu Val His Ile Phe Leu Tyr
 50             55             60

Val Val Gln Pro Arg Asp Phe Pro Glu Asp Thr Leu Arg Lys Phe Leu
 65             70             75             80

Gln Lys Ala Tyr Glu Ser Lys Ile Asp Tyr Asp Lys Pro Glu Thr Val
          85             90             95

Ile Leu Gly Leu Lys Ile Val Tyr Tyr Glu Ala Gly Ile Ile Leu Cys
          100            105            110

Cys Val Leu Gly Leu Leu Phe Ile Ile Leu Met Pro Leu Val Gly Tyr
          115            120            125

Phe Phe Cys Met Cys Arg Cys Cys Asn Lys Cys Gly Gly Glu Met His
          130            135            140

Gln Arg Gln Lys Glu Asn Gly Pro Phe Leu Arg Lys Cys Phe Ala Ile
          145            150            155            160

Ser Leu Leu Val Ile Cys Ile Ile Ile Ser Ile Gly Ile Phe Tyr Gly
          165            170            175

Phe Val Ala Asn His Gln Val Arg Thr Arg Ile Lys Arg Ser Arg Lys
          180            185            190

Leu Ala Asp Ser Asn Phe Lys Asp Leu Arg Thr Leu Leu Asn Glu Thr
          195            200            205

Pro Glu Gln Ile Lys Tyr Ile Leu Ala Gln Tyr Asn Thr Thr Lys Asp
          210            215            220

Lys Ala Phe Thr Asp Leu Asn Ser Ile Asn Ser Val Leu Gly Gly Gly
          225            230            235            240

Ile Leu Asp Arg Leu Arg Pro Asn Ile Ile Pro Val Leu Asp Glu Ile
          245            250            255

Lys Ser Met Ala Thr Ala Ile Lys Glu Thr Lys Glu Ala Leu Glu Asn
          260            265            270

```

-continued

Met Asn Ser Thr Leu Lys Ser Leu His Gln Gln Ser Thr Gln Leu Ser
 275 280 285

Ser Ser Leu Thr Ser Val Lys Thr Ser Leu Arg Ser Ser Leu Asn Asp
 290 295 300

Pro Leu Cys Leu Val His Pro Ser Ser Glu Thr Cys Asn Ser Ile Arg
 305 310 315 320

Leu Ser Leu Ser Gln Leu Asn Ser Asn Pro Glu Leu Arg Gln Leu Pro
 325 330 335

Pro Val Asp Ala Glu Leu Asp Asn Val Asn Asn Val Leu Arg Thr Asp
 340 345 350

Leu Asp Gly Leu Val Gln Gln Gly Tyr Gln Ser Leu Asn Asp Ile Pro
 355 360 365

Asp Arg Val Gln Arg Gln Thr Thr Thr Val Val Ala Gly Ile Lys Arg
 370 375 380

Val Leu Asn Ser Ile Gly Ser Asp Ile Asp Asn Val Thr Gln Arg Leu
 385 390 395 400

Pro Ile Gln Asp Ile Leu Ser Ala Phe Ser Val Tyr Val Asn Asn Thr
 405 410 415

Glu Ser Tyr Ile His Arg Asn Leu Pro Thr Leu Glu Glu Tyr Asp Ser
 420 425 430

Tyr Trp Trp Leu Gly Gly Leu Val Ile Cys Ser Leu Leu Thr Leu Ile
 435 440 445

Val Ile Phe Tyr Tyr Leu Gly Leu Leu Cys Gly Val Cys Gly Tyr Asp
 450 455 460

Arg His Ala Thr Pro Thr Thr Arg Gly Cys Val Ser Asn Thr Gly Gly
 465 470 475 480

Val Phe Leu Met Val Gly Val Gly Leu Ser Phe Leu Phe Cys Trp Ile
 485 490 495

Leu Met Ile Ile Val Val Leu Thr Phe Val Phe Gly Ala Asn Val Glu
 500 505 510

Lys Leu Ile Cys Glu Pro Tyr Thr Ser Lys Glu Leu Phe Arg Val Leu
 515 520 525

Asp Thr Pro Tyr Leu Leu Asn Glu Asp Trp Glu Tyr Tyr Leu Ser Gly
 530 535 540

Lys Leu Phe Asn Lys Ser Lys Met Lys Leu Thr Phe Glu Gln Val Tyr
 545 550 555 560

Ser Asp Cys Lys Lys Asn Arg Gly Thr Tyr Gly Thr Leu His Leu Gln
 565 570 575

Asn Ser Phe Asn Ile Ser Glu His Leu Asn Ile Asn Glu His Thr Gly
 580 585 590

Ser Ile Ser Ser Glu Leu Glu Ser Leu Lys Val Asn Leu Asn Ile Phe
 595 600 605

Leu Leu Gly Ala Ala Gly Arg Lys Asn Leu Gln Asp Phe Ala Ala Cys
 610 615 620

Gly Ile Asp Arg Met Asn Tyr Asp Ser Tyr Leu Ala Gln Thr Gly Lys
 625 630 635 640

Ser Pro Ala Gly Val Asn Leu Leu Ser Phe Ala Tyr Asp Leu Glu Ala
 645 650 655

Lys Ala Asn Ser Leu Pro Pro Gly Asn Leu Arg Asn Ser Leu Lys Arg
 660 665 670

Asp Ala Gln Thr Ile Lys Thr Ile His Gln Gln Arg Val Leu Pro Ile
 675 680 685

Glu Gln Ser Leu Ser Thr Leu Tyr Gln Ser Val Lys Ile Leu Gln Arg

-continued

690	695	700
Thr Gly Asn Gly Leu Leu Glu Arg Val Thr Arg Ile Leu Ala Ser Leu 705 710 715 720		
Asp Phe Ala Gln Asn Phe Ile Thr Asn Asn Thr Ser Ser Val Ile Ile 725 730 735		
Glu Glu Thr Lys Tyr Gly Arg Thr Ile Ile Gly Tyr Phe Glu His 740 745 750		
Tyr Leu Gln Trp Ile Glu Phe Ser Ile Ser Glu Lys Val Ala Ser Cys 755 760 765		
Lys Pro Val Ala Thr Ala Leu Asp Thr Ala Val Asp Val Phe Leu Cys 770 775 780		
Ser Tyr Ile Ile Asp Pro Leu Asn Leu Phe Trp Phe Gly Ile Gly Lys 785 790 795 800		
Ala Thr Val Phe Leu Leu Pro Ala Leu Ile Phe Ala Val Lys Leu Ala 805 810 815		
Lys Tyr Tyr Arg Arg Met Asp Ser Glu Asp Val Tyr Asp Asp Val Glu 820 825 830		
Thr Ile Pro Met Lys Asn Met Glu Asn Gly Asn Asn Gly Tyr His Lys 835 840 845		
Asp His Val Tyr Gly Ile His Asn Pro Val Met Thr Ser Pro Ser Gln 850 855 860		
His 865		

What is claimed is:

1. A method for early detection of hemangiosarcoma in a dog, the method comprising:

(a) providing a population of cells obtained from a blood sample from the dog;

(b) determining (i) the level at which cells within the cell population concurrently express a plurality of cell markers, the plurality of cell markers comprising at least one primitive hematopoietic cell marker and at least one endothelial cell marker, and (ii) whether or not cells within the cell population express at least one leukemia cell marker or leukocyte-specific cell marker, wherein the at least one primitive hematopoietic cell marker is selected from the group consisting of CD117, CD34, and CD133;

the at least one endothelial cell marker is selected from the group consisting of CD51/CD61, CD31, CD105, CD106 CD146 and von Willebrand Factor (vWF); and the at least one leukemia cell marker or leukocyte-specific cell marker is selected from the group consisting of CD18, CD3, CD5, CD21 and CD11b; and

(c) comparing the level at which cells in the cell population concurrently express the plurality of cell markers with a control level of concurrent expression of the markers, wherein (1) an increase in the expression level of the plurality of cell markers relative to the control expression level, and (2) the absence of expression of CD18, CD3, CD5, CD21 and/or CD11b collectively are an indication of hemangiosarcoma.

2. The method of claim 1, wherein the determining comprises

incubating the population of cells with labeled antibodies that specifically bind the at least one primitive hematopoietic cell marker, the at least one endothelial cell marker and the at least one leukemia cell marker or

leukocyte-specific cell marker under conditions such that cells expressing the markers become labeled, and wherein antibodies that bind different markers are differentially labeled; and

detecting labeled cells by multiparameter flow cytometry.

3. The method of claim 2, wherein the dog is a purebred dog from a breed where the prevalence of hemangiosarcoma is high, or a mix breed dog containing predominant derivation from a breed where the prevalence of hemangiosarcoma is high.

4. The method of claim 2, wherein one or more of the antibodies is labeled using a secondary detection scheme to increase sensitivity of the method.

5. The method of claim 3, wherein the breed is selected from the group consisting of a Golden Retriever, a German Shepherd, a Portuguese Water Dog, or a Skye Terrier.

6. The method of claim 1, wherein the determining comprises determining the level at which cells in the population of cells concurrently express at least one primitive hematopoietic cell marker selected from the group consisting of CD117, CD133 and CD34.

7. The method of claim 1, wherein the determining comprises determining the level at which cells in the population of cells concurrently express at least one leukemia cell marker or leukocyte-specific cell marker selected from the group consisting of CD18, CD3, CD5, CD21 and CD11b.

8. The method of claim 1, wherein the determining comprises determining the level at which cells in the population of cells concurrently express CD117, CD34, CD51/CD61, and CD18, and/or CD3, CD5, CD21 or CD11b.

9. The method of claim 1, wherein the determining step further comprises determining the fraction of cells in the cell population that concurrently express the plurality of cell markers;

221

the control is a threshold level representative of the fraction of cells that currently express the plurality of cell markers in a control population; and

the comparing step comprises comparing the fraction of cells in the cell population that concurrently express the plurality of cell markers with the threshold level. 5

10. The method of claim 9, wherein the determining step further comprises (i) incubating the population of cells with differentially labeled antibodies that specifically bind to CD117, CD34, CD51/61, and CD18 and/or CD3, CD5, CD21 or CD11b under conditions such that cells expressing CD117, CD34, CD51/61, and CD18 and/or CD3, CD5, CD21 or CD11b become labeled; and (ii) detecting labeled cells by multiparameter flow cytometry. 10

11. The method of claim 1, wherein the expression level of the plurality of cell markers is determined at the mRNA level. 15

12. The method of claim 1, wherein the expression level of the plurality of cell markers is determined at the protein level.

13. A method for assessing risk of hemangiosarcoma, the method comprising:

(a) obtaining a population of cells from a blood sample of a dog; and 20

(b) determining the level at which cells within the cell population express at least one primitive hematopoietic cell marker, at least one endothelial cell marker and at least one leukemia cell marker or leukocyte-specific cell marker, wherein 25

the at least one primitive hematopoietic cell marker is selected from the group consisting of CD117, CD34 and CD133;

222

the at least one endothelial cell marker is selected from the group consisting of CD51/CD61, CD31, CD105, CD106, CD146 and von Willebrand Factor (vWF);

the at least one leukemia cell marker or leukocyte-specific cell marker is selected from the group consisting of CD18, CD3, CD5, CD21 and CD11b; and

(c) comparing the level at which cells in the cell population concurrently express the at least one primitive hematopoietic cell marker and at least one endothelial cell marker with a control level of concurrent expression of the markers and comparing the level at which the cells express the at least one leukemia or leukocyte-specific marker with a control level of the leukemia or leukocyte-specific marker and thereby assessing the risk of hemangiosarcoma.

14. The method of claim 13, wherein the determining step comprises

incubating the population of cells with labeled antibodies that specifically bind the at least one primitive hematopoietic cell marker, the at least one endothelial cell marker and the at least one leukemia cell marker or leukocyte-specific cell marker under conditions such that cells expressing the markers become labeled, and wherein antibodies that bind different markers are differentially labeled; and

detecting labeled cells by multiparameter flow cytometry.

* * * * *

专利名称(译)	早期发现血管肉瘤和血管肉瘤		
公开(公告)号	US7910315	公开(公告)日	2011-03-22
申请号	US11/662529	申请日	2005-09-09
[标]申请(专利权)人(译)	科罗拉多州立大学董事会		
申请(专利权)人(译)	科罗拉多大学校董会		
当前申请(专利权)人(译)	威斯康星校友研究基金会		
[标]发明人	MODIANO JAIME F HELFAND STUART C		
发明人	MODIANO, JAIME F. HELFAND, STUART C.		
IPC分类号	G01N33/53 G01N33/574 C12Q1/68		
CPC分类号	G01N33/57426 G01N2333/70557		
代理机构(译)	KILPATRICK TOWNSEND & STOCKTON LLP		
优先权	60/608745 2004-09-10 US		
其他公开文献	US20080050730A1		
外部链接	Espacenet USPTO		

摘要(译)

提供了多种方法，组合物和试剂盒，用于早期检测，诊断和治疗人和狗的血管肉瘤中的血管肉瘤。

