



US 20100330554A1

(19) **United States**

(12) **Patent Application Publication**
SHIMADA et al.

(10) **Pub. No.: US 2010/0330554 A1**
(43) **Pub. Date: Dec. 30, 2010**

(54) **DIAGNOSTIC KIT FOR SOLID CANCER AND
MEDICAMENT FOR SOLID CANCER
THERAPY**

(75) Inventors: **HIDEKI SHIMADA,**
ICHIKAWA-SHI (JP); **TAKESHI**
TOMONAGA, CHIBA-SHI (JP);
TAKAKI HIWASA, CHIBA-SHI
(JP); **KAZUYUKI**
MATSUSHITA, CHIBA-SHI (JP);
TAKENORI OCHIAI,
CHIBA-SHI (JP); **FUMIO**
NOMURA, CHIBA-SHI (JP);
MASAKI TAKIGUCHI,
FUNABASHI-SHI (JP)

Correspondence Address:
BIRCH STEWART KOLASCH & BIRCH
PO BOX 747
FALLS CHURCH, VA 22040-0747 (US)

(73) Assignees: **MEDICAL & BIOLOGICAL**
LABORATORIES CO., LTD.,
NAGOYA-SHI (JP); **HIDEAKI**
SHIMADA, ICHIKAWA-SHI (JP)

(21) Appl. No.: **12/467,964**

(22) Filed: **May 18, 2009**

Related U.S. Application Data

(62) Division of application No. 10/594,771, filed on Sep. 29, 2006, now abandoned, filed as application No. PCT/JP2005/006222 on Mar. 24, 2005.

(30) **Foreign Application Priority Data**

Mar. 29, 2004 (JP) 2004-095732

Publication Classification


(51) **Int. Cl.**
C12Q 1/68 (2006.01)
G01N 33/53 (2006.01)
G01N 33/48 (2006.01)
C07K 16/30 (2006.01)
C07H 21/04 (2006.01)
(52) **U.S. Cl. 435/6; 435/7.1; 436/501; 436/94;**
530/358; 536/23.5; 536/24.1

(57) **ABSTRACT**

The present invention provides novel solid cancer antigenic proteins, and diagnostic kits for solid cancer and therapeutic agents for solid cancer based on the antigenic proteins. Specifically, the present invention provides a human solid cancer antigenic polypeptide having an amino acid sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 59, 61, 63, 65, 67, 69, 71, 73, and 75.

FIG. 1A

Normal



Tumor





FIG. 1B

Normal



Tumor




FIG. 2

IPTG

- +




FIG. 3

IPTG

- +




FIG. 4

IPTG

- +




FIG. 5

IPTG

- +





FIG. 6

IPTG

- +




FIG. 7

IPTG

- +




FIG. 8

IPTG

- +




FIG. 9

IPTG - +




FIG. 10

IPTG

- +




FIG. 11

IPTG

- +



FIG. 12

IPTG

- +




FIG. 13

IPTG

- +



FIG. 14




FIG. 15

IPTG

- +



FIG. 16

IPTG

- +



FIG. 17

IPTG

- +




FIG. 18




FIG. 19

IPTG


+



FIG. 20

IPTG

+



**DIAGNOSTIC KIT FOR SOLID CANCER AND
MEDICAMENT FOR SOLID CANCER
THERAPY**

PRIORITY INFORMATION

[0001] This application is a Divisional of co-pending application Ser. No. 10/594,771 filed on Sep. 29, 2006, and for which priority is claimed under 35 U.S.C. §120; application Ser. No. 10/594,771 is the National Stage Application of PCT International Application No. PCT/JP2005/006222 filed on Mar. 24, 2005, which claims the benefit of priority of Application No. 2004-095732 filed in Japan on Mar. 29, 2004 under 35 U.S.C. §119; the entire contents of all are hereby incorporated by reference.

TECHNICAL FIELD

[0002] The present invention relates to diagnostic kits for solid cancer and medicaments for preventing or treating solid cancer.

BACKGROUND ART

[0003] All solid cancers are characterized by the presence of malignant tumors. Examples thereof include esophageal cancer, gastric cancer, lung cancer, kidney cancer, thyroid cancer, parotid gland cancer, head and neck cancer, soft tissue and bone sarcoma, urinary tract cancer, bladder cancer, uterine cancer, liver cancer, breast cancer, ovarian cancer, and fallopian tube cancer. Thus, in particular, treatment of progressive solid cancer is difficult, resulting in death in many cases. Therefore, early tumor detection is the most important objective of therapeutic measures against solid cancer.

[0004] Hitherto, tumor markers such as CEA and CA19-9 have been reported and used for diagnosis of the solid cancers listed above and for the prognosis thereof. However, with any tumor marker, the percentage of positive results is as low as 20% to 30%. In particular, during the early stage of cancer, negative results are obtained when using most such markers. In addition, since poor therapeutic outcomes are obtained in the case of the progressive solid cancers listed above, early detection of cancer is the most effective. Thus, novel and effective tumor markers have been expected to be discovered.

[0005] In addition, molecular biological diagnostic methods using antigenic protein markers are disclosed in JP Patent Publication No. 7-51065 A (1995), WO00/060073, and JP Patent Publication No. 2000-511536 A, for example. In addition, a SEREX method (serological identification of antigens by recombinant expression cloning) whereby proteins produced using mRNA of tumor cells obtained from a cancer patient are subjected to screening with the patient's autoserum has been reported (Proc. Natl. Acad. Sci. USA 92: 11810-11813, 1995 and U.S. Pat. No. 5,698,396). Further, it has been reported that the aforementioned SEREX method was used to isolate cancer antigens recognized by IgG antibodies in the cases of malignant melanoma, kidney cancer, esophageal cancer, colorectal cancer, and lung cancer, for example (Int. J. Cancer 72: 965-971, 1997; Cancer Res. 58: 1034-1041, 1998; Int. J. Cancer 29: 652-658, 1998; Int. J. Oncol. 14: 703-708, 1999; Cancer Res. 56: 4766-4772, 1996; Hum. Mol. Genet 6: 33-39, 1997). Further, JP Patent Publication No. 2001-333782 A discloses malignant melanoma antigenic proteins identified by the SEREX method, DNA sequences encoding the proteins, and a method for diagnosing malignant melanoma using such proteins and DNA sequences. However, in

order to improve diagnostic accuracy with regard to solid cancer, it is essential to prepare as many protein markers having high antigenicity as possible so as to use them in combination.

[0006] Meanwhile, as therapeutic methods for solid cancer, surgical extraction of cancer tissue, systemic administration of anticancer drugs, and the like have been carried out. However, as described above, in the case of progressive solid cancer, such therapeutic methods have had few effects. Even when solid cancer is found during the early stage, these therapeutic methods impose heavy physical burdens on patients, which has been problematic.

DISCLOSURE OF THE INVENTION

[0007] As described above, it has been pointed out that the molecular biological diagnostic method using cancer tissue-specific antigenic protein markers is effective as a method for early diagnosis of solid cancer. Thus, several new antigenic protein markers have been suggested. However, in order to improve diagnostic accuracy with regard to solid cancer, it is essential to prepare as many protein markers having high antigenicity as possible so as to use them in combination.

[0008] In addition, since such antigenic protein markers are dominantly expressed in solid cancer tissue, the markers are expected to be applied to therapeutic methods of selectively targeting cancer tissue.

[0009] Thus, it is an objective of the present invention to provide novel solid cancer antigenic proteins, diagnostic kits for solid cancer, and therapeutic agents for solid cancer based on the antigenic proteins.

[0010] As a result of intensive studies to attain above objectives, the present inventors have found novel antigenic polypeptides that are specific to human solid cancer, and have found that solid cancer can be diagnosed and that solid cancer can be prevented or treated with the use of the expression of such antigenic polypeptides. Thus, this has led to the completion of the present invention.

[0011] That is, the present invention relates to a human solid cancer antigenic polypeptide having an amino acid sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 59, 61, 63, 65, 67, 69, 71, 73, and 75.

[0012] The present invention also relates to a polynucleotide encoding the human solid cancer antigenic polypeptide.

[0013] Also, the present invention relates to a polynucleotide having a nucleotide sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 46, 47, 49, 51, 53, 55, 57, 58, 60, 62, 64, 66, 68, 70, 72, and 74.

[0014] The present invention further relates to a diagnostic kit for solid cancer comprising a means of detecting the expression of at least one human solid cancer antigenic polypeptide in a sample derived from a subject, characterized in that the human solid cancer antigenic polypeptide has an amino acid sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 59, 61, 63, 65, 67, 69, 71, 73, and 75.

[0015] The present invention also relates to a diagnostic kit for solid cancer comprising a means of detecting the expression of at least one human solid cancer antigenic polypeptide in a sample derived from a subject, characterized in that the human solid cancer antigenic polypeptide is encoded by a

polynucleotide having a nucleotide sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 46, 47, 49, 51, 53, 55, 57, 58, 60, 62, 64, 66, 68, 70, 72, and 74.

[0016] Examples of the means of detecting the expression of the human solid cancer antigenic polypeptide(s) include the solid cancer antigenic polypeptide or a partial peptide thereof, an antibody against the solid cancer antigenic polypeptide, and a primer or probe comprising polynucleotide consisting of the entire or a partial sequence of a polynucleotide encoding the solid cancer antigenic polypeptide or a complementary sequence thereof.

[0017] In addition, the means of detecting the expression of the human solid cancer antigenic polypeptide(s) may be immobilized on a solid phase and/or labeled.

[0018] Examples of the solid cancer include colorectal cancer, esophageal cancer, gastric cancer, and breast cancer.

[0019] Examples of the sample include serum, blood, hemocytes, and tissue.

[0020] The present invention also relates to a medicament for preventing or treating solid cancer comprising a means of inhibiting the functions or expression of at least one human solid cancer antigenic polypeptide, characterized in that the human solid cancer antigenic polypeptide has an amino acid sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 59, 61, 63, 65, 67, 69, 71, 73, and 75.

[0021] The present invention further relates to a medicament for preventing or treating solid cancer comprising a means of inhibiting the functions or expression of at least one human solid cancer antigenic polypeptide, characterized in that the human solid cancer antigenic polypeptide is encoded by a polynucleotide having a nucleotide sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 46, 47, 49, 51, 53, 55, 57, 58, 60, 62, 64, 66, 68, 70, 72, and 74.

[0022] Examples of the means of inhibiting the functions or expression of the human solid cancer antigenic polypeptide(s) include an antibody against the solid cancer antigenic polypeptide, a means capable of inhibiting transcription of a gene encoding the solid cancer antigenic polypeptide, and a means capable of inhibiting translation of a gene encoding the solid cancer antigenic polypeptide.

[0023] Further, the present invention relates to a medicament for preventing or treating solid cancer comprising a gene encoding a prophylactic or therapeutic agent for solid cancer and a means of targeting to human solid cancer.

[0024] Examples of the means of targeting to human solid cancer include an antibody against a solid cancer antigenic polypeptide and a nucleotide sequence of an expression control region of a polynucleotide encoding a solid cancer antigenic polypeptide.

BRIEF DESCRIPTION OF THE DRAWINGS

[0025] FIG. 1A shows results of a comparison in terms of the specific expression of an antigenic protein between cancer tissue and normal tissue of a colorectal cancer patient.

[0026] FIG. 1B shows results of a comparison in terms of the specific expression of an antigenic protein between cancer tissue and normal tissue of a colorectal cancer patient.

[0027] FIG. 2 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a

polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 41 and an antibody in the serum of a patient.

[0028] FIG. 3 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 43 and an antibody in the serum of a patient.

[0029] FIG. 4 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 45 and an antibody in the serum of a patient.

[0030] FIG. 5 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 46 and an antibody in the serum of a patient.

[0031] FIG. 6 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 47 and an antibody in the serum of a patient.

[0032] FIG. 7 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 49 and an antibody in the serum of a patient.

[0033] FIG. 8 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 51 and an antibody in the serum of a patient.

[0034] FIG. 9 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 53 and an antibody in the serum of a patient.

[0035] FIG. 10 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 55 and an antibody in the serum of a patient.

[0036] FIG. 11 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 57 and an antibody in the serum of a patient.

[0037] FIG. 12 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 58 and an antibody in the serum of a patient.

[0038] FIG. 13 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 60 and an antibody in the serum of a patient.

[0039] FIG. 14 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 62 and an antibody in the serum of a patient.

[0040] FIG. 15 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 64 and an antibody in the serum of a patient.

[0041] FIG. 16 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 66 and an antibody in the serum of a patient.

[0042] FIG. 17 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 68 and an antibody in the serum of a patient.

[0043] FIG. 18 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a

polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 70 and an antibody in the serum of a patient.

[0044] FIG. 19 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 72 and an antibody in the serum of a patient.

[0045] FIG. 20 shows results of Western blotting analysis showing reactivity of an antigenic polypeptide expressed by a polynucleotide having the nucleotide sequence set forth in SEQ ID NO: 74 and an antibody in the serum of a patient.

BEST MODE FOR CARRYING OUT THE INVENTION

[0046] Hereafter, the present invention will be described in detail. The present application claims a priority from Japanese Patent Application No. 2004-95732 filed on Mar. 29, 2004, and the entire contents disclosed in the specification and/or drawings thereof are hereby incorporated.

1. Novel Human Solid Cancer Antigenic Polypeptides

[0047] The present invention is based on novel antigenic polypeptides that are specific to human solid cancer. With the consent of colorectal cancer patients, the present inventors extracted proteins from normal tissue and cancer tissue of surgical samples taken from the patients, followed by analysis via two-dimensional electrophoresis (e.g., Electrophoresis 22: 3019-3025, 2001). Thus, we have found 20 types of antigenic polypeptides (set forth in numbers 1 to 20 in table 1) that are specifically expressed in solid cancer cells and that have not been known to have the function as tumor markers (see Example 1). In addition, serum obtained from esophageal cancer, gastric cancer, colorectal cancer, and breast cancer patients with their consent was analyzed by a SEREX method (Proc. Natl. Acad. Sci. USA 92: 11810-11813, 1995; U.S. Pat. No. 5,698,396). Accordingly, we have also found antigenic polypeptides (set forth in numbers 21 to 39 in table 1) against 19 types of specific antibodies that exist exclusively in serum of esophageal cancer, gastric cancer, colorectal cancer, and breast cancer patients (see Example 2). These solid cancer antigenic polypeptides are shown in table 1.

TABLE 1

No.	Name	Registered number	Nucleotide sequence	Amino acid sequence	Clone name
1	Malate dehydrogenase 2	NP_005909, NM_005918	1	2	
2	Tropomyosin 4	NP_003281, NM_003290	3	4	
3	FK506 binding protein 4	NP_002005, NM_002014	5	6	
4	Chaperonin-containing TCP1, subunit 6A	NP_001753, NM_001762	7	8	
5	Serine protease inhibitor, clade H, collagen binding protein 1	NP_001226, NM_001235	9	10	
6	Sulfide dehydrogenase-like	NP_067022, NM_021199	11	12	
7	Hydroxysteroid(17- β)dehydrogenase 4	NP_000405, NM_000414	13	14	
8	Stress-induced-phosphoprotein 1	NP_006810, NM_006819	15	16	
9	Heterogeneous nuclear ribonucleoprotein L	NP_001524, NM_001533	17	18	
10	Heterogeneous nuclear ribonucleoprotein U	NP_004492, NM_004501	19	20	
11	Matrine 3	NP_061322, NM_018834	21	22	
12	Annexin A3	NP_005130, NM_005139	23	24	
13	PTK9L protein tyrosine kinase 9-like	NP_009215, NM_007284	25	26	
14	splicing factor, arginine/serine-rich 1	NP_008855, NM_006924	27	28	
15	Thiosulfate sulphurtransferase	NP_003303, NM_003312	29	30	
16	S-adenosylhomocysteine hydrolase	NP_000678, NM_000687	31	32	
17	GDP-mannose 4,6-dehydratase	NP_001491, NM_001500	33	34	
18	Hydroxyacyl dehydrogenase, subunit A	NP_000173, NM_000182	35	36	
19	Prolyl-4-hydroxylase β subunit	NP_000909, NM_000918	37	38	
20	Peroxyredoxin 5	NP_036226, NM_012094	39	40	
21	Progesterone receptor membrane component 2	NM_006320	41	42	K35-1-1
22	MAP kinase interacting serine/threonine kinase 2	NM_199054	43	44	K30-1-1
23	EST: 601191782F1	BE264462	45		12N3-1
24	EST: 602301679F1	BG032310	46		12O1-1
25	Additional sex combs-like 1	NM_015338	47	48	14A1-1-1
26	Forkhead box A1	NM_004496	49	50	18G3-1

TABLE 1-continued

No.	Name	Registered number	Nucleotide sequence	Amino acid sequence	Clone name
27	Retinoic acid induced 16	NM_022749	51	52	19C1-1
28	RIKEN cDNA 5730528L13-like gene	NM_080655	53	54	19F1-1
29	Lysine tRNA synthase	BC004132	55	56	19F1-2
30	EST: AGENCOURT_15657942	CF597227	57		6BD3-1
31	KDEL endoplasmic reticulum protein retention receptor 1	NM_006801	58	59	14H1-2-1
32	Lysosomal associated protein transmembrane 4 beta	NM_018407	60	61	18B2-1
33	Protein phosphatase 1, catalytic subunit, α isoform	NM_002708	62	63	18G1-1
34	Peroxyredoxin 3	NM_006793	64	65	20J4-1
35	Aldo-keto reductase family 1, member C3	NM_003739	66	67	19M2
36	Ubiquitin-conjugating enzyme E2I	BC000744	68	69	10Q3-1
37	Phosphatidic acid phosphatase, Type 2C	NM_003712	70	71	14A1-1-2
38	Beta-catenin interacting protein 1	NM_020248	72	73	14B1-2-1
39	Sorting nexin 15	NM_147777	74	75	14H2-1-1

[0048] Note that, in accordance with the present invention, the term “polypeptide(s)” means molecules such as proteins and peptides, which are composed of a plurality of amino acid residues that are bound to one another via an amide bond (peptide bond). Also, the term “polynucleotide” means a molecule in which a plurality of phosphate esters of nucleosides each having a purine or pyrimidine that is bind to a sugar via a β -N-glycoside bond (ATPs, GTPs, CTPs, or UTPs; or dATPs, dGTPs, dCTPs, or dTTPs) are bound to each other.

[0049] In addition, the present invention encompasses nucleotide sequences derived from the nucleotide sequences listed in table 1 by addition, deletion, or substitution of one to several nucleotides. In addition, based on such nucleotide variation, the present invention also encompasses amino acid sequences derived from the amino acid sequences listed in table 1 by addition, deletion, or substitution of one to several amino acid residues.

[0050] Further, the term “serum antibody” means an IgG antibody that exists in the serum of a solid cancer patient and that binds to a solid cancer antigenic polypeptide. Moreover, the term “antibody” means a polyclonal or monoclonal antibody prepared by using a solid cancer antigenic polypeptide or a partial fragment thereof as an immunogen.

[0051] Other terms and concepts used in the present invention will be defined in more detail in the following embodiments and Examples. In addition, based on known literature and the like, persons skilled in the art would be readily and reliably able to use various techniques so as to carry out the present invention, except for techniques that are clearly described herein with references. For instance, preparation of pharmaceuticals for the preparation of the medicaments of the present invention is described in Remington’s Pharmaceutical Sciences, 18th Edition, ed. A. Gennaro, Mack Publishing Co., Easton, Pa., 1990. Also, genetic engineering techniques and molecular biological techniques used in the present invention are described in, for example, Sambrook and Maniatis, Molecular Cloning-A Laboratory Manual, Cold Spring Harbor Laboratory Press, New York, 1989 and Ausubel, F. M. et al., Current Protocols in Molecular Biology, John Wiley & Sons, New York, N.Y., 1995.

[0052] The term “solid cancer antigenic polypeptide” refers to a polypeptide expressed by any of the 39 genes or ESTs (Expressed Sequence Tags) shown in table 1. These gene products are known to have various functions; however,

their specific expression in solid cancer has not been known. Herein, in accordance with the present invention, an expression product of an EST is defined as a “polypeptide encoded by a polynucleotide comprising the nucleotide sequence set forth in SEQ ID NO: 45, 46, or 57.”

[0053] Moreover, as described in Examples below, genes and peptides set forth in SEQ ID NOS: 1 to 40 are identified via two-dimensional electrophoresis, and genes, ESTs, and peptides set forth in SEQ ID NOS: 41 to 75 are identified via the SEREX method.

2. Diagnostic Kits for Solid Cancer

[0054] As described above, solid cancer antigenic polypeptides shown in table 1 are specifically expressed in human solid cancer. Thus, it becomes possible to diagnose a subject as having human solid cancer by detecting the expression of such a solid cancer antigenic polypeptide in a sample derived from the subject.

[0055] A diagnostic kit for solid cancer of the present invention (hereafter sometimes referred to as “the present diagnostic kit for solid cancer”) includes a means of detecting the expression of at least one human solid cancer antigenic polypeptide in a sample derived from a subject.

[0056] The present diagnostic kit for solid cancer is a reagent kit used to make a diagnosis of solid cancer. A variety of such kits are commercially available in accordance with types of test components. Also, the present diagnostic kit for solid cancer may comprise components used in publicly known kits, except that a means of detecting the expression of a human solid cancer antigenic polypeptide is used (e.g., solid cancer antigenic polypeptides, antibodies, primers, and probes).

[0057] Further, with the use of the present diagnostic kit for solid cancer, it is possible to diagnose a subject as having solid cancer. Examples of solid cancer include, but are not limited to, colorectal cancer, esophageal cancer, gastric cancer, lung cancer, kidney cancer, thyroid cancer, parotid gland cancer, head and neck cancer, soft tissue and bone sarcoma, urinary tract cancer, bladder cancer, uterine cancer, liver cancer, breast cancer, ovarian cancer, and fallopian tube cancer. Preferably, the kit can be used for diagnosis of colorectal cancer, esophageal cancer, gastric cancer, or breast cancer.

[0058] Herein, examples of a means of detecting the expression of a solid cancer antigenic polypeptide, the protein expression thereof, the antibody expression thereof, and the gene expression thereof include:

[0059] (1) an antibody against the solid cancer antigenic polypeptide;

[0060] (2) a solid cancer antigenic polypeptide; and

[0061] (3) a probe or primer designed based on a polynucleotide encoding the solid cancer antigenic polypeptide.

Hereafter, these means will be described in detail.

(1) Antibody Against a Solid Cancer Antigenic Polypeptide

[0062] An antibody against a solid cancer antigenic polypeptide is able to bind to a solid cancer antigenic polypeptide expressed in cancer. Thus, by detecting the reaction between the antibody and a solid cancer antigenic polypeptide in a sample, it is possible to diagnose whether or not the sample is derived from a cancer patient or a subject at high risk of developing solid cancer.

[0063] An antibody against a solid cancer antigenic polypeptide can be a polyclonal or monoclonal antibody. Examples thereof include an entire molecule and Fab, F(ab')₂, and Fv fragments that can bind to the epitope of a solid cancer antigenic polypeptide. For instance, in the case of a polyclonal antibody, such antibody can be obtained by immunizing an animal with an immunogen such as an antigenic polypeptide or a partial fragment thereof and recovering from the serum of the animal. Alternatively, such antibody can be prepared by administering the expression vector for eukaryotic cells described above into the muscle or skin of an animal via injection or a gene gun, and collecting the serum. Examples of such animal include mice, rats, rabbits, goats, and chickens.

[0064] Further, the monoclonal antibody can be produced in accordance with a known method for producing monoclonal antibodies ("Monoclonal Antibody (*Tan-Clone Kotai*)," cowritten by Hideaki Nagamune and Hiroshi Terada, Hirokawa Shoten, 1990; "Monoclonal Antibody" James W. Goding, third edition, Academic Press, 1996).

[0065] Furthermore, an antibody against a solid cancer antigenic polypeptide can be an antibody labeled with a labeling substance. The details of such labeled antibody are described above.

[0066] When the expression of a solid cancer antigenic polypeptide in a sample derived from a subject is detected using an antibody against a solid cancer antigenic polypeptide and diagnosis of human solid cancer is carried out, the sample derived from the subject is examined for the presence or absence of an antibody against a solid cancer antigenic polypeptide or an antigenic polypeptide that binds to a labeled antibody thereof. If the antigenic polypeptide is detected in the sample, the subject is determined to be a solid cancer patient or a subject at high risk of developing solid cancer. That is, the antibody or labeled antibody used herein specifically binds to an antigenic polypeptide expressed in a solid cancer cell. Thus, a sample comprising an antigenic polypeptide that is bound to an antibody can be determined as a sample of a solid cancer patient or a subject at high risk of developing solid cancer. In such case, preferably 2 or more, more preferably 5 or more, even more preferably 10 or more, most preferably 15 to 39 antibodies are examined in terms of binding with antigenic polypeptides in a sample. Such sample to be used is not particularly limited as long as a solid cancer

antigenic polypeptide is expressed therein. Examples thereof include blood, hemocytes (e.g., mononuclear cells), and tissue.

[0067] In another embodiment, a method wherein an antibody and an antigenic polypeptide are allowed to bind to each other in a liquid phase system is used. For instance, a labeled antibody is allowed to come into contact with a sample such that the labeled antibody and an antigenic polypeptide bind to each other. Then, such conjugate is separated such that a signal from the label is detected in a manner similar to that described above.

[0068] In another method of diagnosis in a liquid phase system, an antibody (primary antibody) against a solid cancer antigenic polypeptide is allowed to come into contact with a sample such that a primary antibody and the antigenic polypeptide bind to each other. Then, a labeled antibody (secondary antibody) is allowed to bind to the thus obtained conjugate such that the signal from the label of the conjugate comprising the three components is detected. Alternatively, in order to intensify the signal, an unlabeled secondary antibody is allowed to bind to a conjugate of an antibody and an antigenic polypeptide such that a labeling substance may be allowed to bind to the secondary antibody. For instance, such binding of a labeling substance to a secondary antibody can be carried out in a manner such that a secondary antibody and a labeling substance are preliminarily biotinylated and avidinylated, respectively. Also, an antibody (tertiary antibody) that recognizes a partial region of a secondary antibody (e.g., Fc region) is used for labeling so that the tertiary antibody is allowed to bind to the secondary antibody. In addition, as a primary antibody and a secondary antibody, a monoclonal antibody can be used. Alternatively, either the primary antibody or the secondary antibody may be a polyclonal antibody. Separation of such conjugate from a liquid phase and signal detection can be carried out in a manner similar to that described above.

[0069] In another embodiment, a method for examining binding between an antibody and an antigenic polypeptide in a solid phase system is used. The method involving a solid phase system is preferable in terms of detection of minute amounts of antigenic polypeptides and facilitation of operations. That is, in accordance with the method involving a solid phase system, antibodies (primary antibodies) against solid cancer antigenic polypeptides are immobilized on a solid phase (e.g., a resin plate, a membrane, or beads), antigenic polypeptides are allowed to bind to the thus immobilized antibodies, unbound peptides are removed by washing, labeled antibodies (secondary antibodies) are allowed to bind to conjugates of the antibody and the antigenic polypeptide remaining on the plate, for example, and signals of the secondary antibodies are detected. This method is a so-called "sandwich method." Such method is widely used as "ELISA (enzyme linked immunosorbent assay)" using an enzyme as a marker. In the method, the both primary antibody and the secondary antibody may be monoclonal antibodies. Alternatively, either the primary antibody or the secondary antibody may be a polyclonal antibody. Signal detection can be carried out in a manner similar to that described above.

(2) Solid Cancer Antigenic Polypeptide

[0070] Since solid cancer antigenic polypeptides are expressed by cancer cells, the serum of a patient having cancer contains an antibody (serum antibody) against an expressed solid cancer antigenic polypeptide. Thus, by exam-

ining the reaction between a solid cancer antigenic polypeptide and a serum antibody, the expression of a solid cancer antigenic polypeptide in a subject can be detected. Examples of such solid cancer antigenic polypeptide that can be used include the antigenic polypeptides shown in table 1 and partial peptides thereof. Herein, the term "antigenic polypeptide" means the antigenic polypeptides shown in table 1, and also partial peptides of the antigenic polypeptides that comprise at least 6 amino acids, preferably 6 to 500 amino acids, and more preferably 8 to 50 amino acids.

[0071] These antigenic polypeptides can be prepared by preparing RNA via in vitro transcription from a recombinant expression vector comprising a polynucleotide having a nucleotide sequence listed in table 1, for example, carrying out in vitro translation using the RNA as a template, and expressing an antigenic peptide in vitro. Alternatively, when a recombinant expression vector is introduced into a prokaryotic cell such as *E. coli* or *Bacillus subtilis*, or a eukaryotic cell such as yeast, an insect cell, or a mammalian cell such that a transformed cell is produced, it is possible to allow such transformed cell to express an antigenic polypeptide.

[0072] When an antigenic polypeptide is expressed via in vitro translation, a polynucleotide encoding an antigenic polypeptide is inserted into a vector comprising an RNA polymerase promoter to construct a recombinant expression vector. Then, the obtained vector is added to an in vitro translation system such as a rabbit reticulocyte lysate or a wheat germ extract that contains an RNA polymerase corresponding to the promoter. Thus, an antigenic polypeptide can be produced in vitro. Examples of an RNA polymerase promoter include T7, T3, and SP6. Examples of a vector comprising such RNA polymerase promoter include pKA1, pCDM8, pT3/T7 18, pT7/3 19, and pBluescript II.

[0073] When an antigenic polypeptide is allowed to be expressed in an organism such as *E. coli*, an expression vector is produced by ligating a polynucleotide to a vector having a replication origin that is replicable in a microorganism, a promoter, a ribosome binding site, a DNA cloning site, and a terminator. A host cell is then transformed with the expression vector, and the thus obtained transformant is subjected to culture. Thus, an antigenic polypeptide encoded by the polynucleotide can be expressed using microorganisms. In such case, it is also possible to express an antigenic polypeptide as a fusion protein with another protein. Examples of an *E. coli* expression vector include pUC, pBluescript II, a pET expression system, and a pGEX expression system.

[0074] When an antigenic polypeptide is allowed to be expressed in a eukaryotic cell, a recombinant vector is produced by inserting a polynucleotide encoding an antigenic polypeptide into a eukaryotic cell expression vector having a promoter, a splicing region, a poly(A) addition site, and the like. Then, the recombinant vector is introduced into a eukaryotic cell. Accordingly, the antigenic polypeptide can be expressed in the transformed eukaryotic cell. Examples of such expression vector include pKA1, pCDM8, pSVK3, pMSG, pSVL, pBK-CMV, pBK-RSV, EBV vector, pRS, pcDNA3, pMSG, and pYES2. In addition, when pIND/V5-His, pFLAG-CMV-2, pEGFP-N1, pEGFP-C1, and the like are used as expression vectors, it is also possible to express an antigenic polypeptide as a fusion protein to which various types of tags such as a His tag, a FLAG tag, a myc tag, an HA tag, and GFP have been added. Examples of such eukaryotic cell that is generally used include cultured mammalian cells such as monkey kidney cells COST and Chinese hamster

ovary (CHO) cells, budding yeast, fission yeast, silkworm cells, and *Xenopus oocytes*. In addition, any eukaryotic cell may be used as long as it can express an antigenic polypeptide. When an expression vector is introduced into a eukaryotic cell, known methods such as an electroporation method, a calcium phosphate method, a liposome method, and a DEAE-dextran method may be used.

[0075] When isolation and purification of an antigenic polypeptide of interest from a culture product is carried out following expression of the antigenic polypeptide using prokaryotic cells or eukaryotic cells, known separation techniques can be used in combination. Examples thereof include treatment using a denaturing agent such as urea or a surfactant, ultrasonication, enzymatic digestion, salting-out or solvent precipitation, dialysis, centrifugation, ultrafiltration, gel filtration, SDS-PAGE, isoelectric focusing, ion exchange chromatography, hydrophobic chromatography, affinity chromatography, and reversed phase chromatography.

[0076] In addition, recombinant antigenic polypeptides obtained via the methods described above include a fusion protein of such polypeptide and any other protein. For instance, such fusion protein comprises glutathione S-transferase (GST) or green-fluorescent protein (GFP). Further, peptides expressed in transformed cells are sometimes subjected to various forms of post-translational modification in the cells. Thus, modified peptides can be used as antigenic polypeptides. Examples of such post-translational modification include removal of N-terminal methionine, N-terminal acetylation, glycosylation, partial hydrolysis due to intracellular protease, myristoylation, isoprenylation, and phosphorylation.

[0077] In order to detect the expression of a solid cancer antigenic polypeptide in a sample derived from a subject using solid cancer antigenic polypeptides, the presence or absence of at least one serum antibody in a sample of a subject that binds to a solid cancer antigenic polypeptide is examined. If the serum antibody is found in the serum of the subject, the subject is determined to be a solid cancer patient or a subject at high risk of developing solid cancer. Specifically, solid cancer antigenic polypeptides bind to serum antibodies (IgG) derived from a solid cancer patient. Thus, when such polypeptides are allowed to react with the serum of a subject, the serum sample is found to contain serum antibodies that are bound to the polypeptides, the sample can be determined to be derived from a solid cancer patient or a subject at high risk of developing solid cancer. In such case, 2 or more, preferably 5 or more, more preferably 10 or more, and most preferably 15 to 39 antigenic polypeptides are examined in terms of binding with antibodies. Further, other known solid cancer markers (e.g., CEA, Cyfra, and SCC-Ag) can be used in combination. Moreover, the sample may be a serum antibody-containing sample, which in turn indicates serum.

[0078] Specifically, diagnosis using the present diagnostic kit for solid cancer is carried out by allowing serum of a subject to come into contact with, for example, solid cancer antigenic polypeptides in the diagnostic kit for solid cancer so as to allow the solid cancer antigenic polypeptides to react with IgG antibodies in the serum of the subject in a liquid phase. Further, labeled IgG antibodies that specifically bind to serum IgG antibodies are subjected to reaction such that signals of the labeled IgG antibodies can be detected. Examples of labels used in labeled antibodies include enzymes, radioisotopes, and fluorescent dyes. Such enzymes are not particularly limited as long as they satisfy conditions

such as a large turnover number, stability even while being bound to antibodies, and capacity to cause color development specifically to a substrate. Examples of the enzymes that can be used include enzymes used in usual enzyme immunoassay (EIA) such as peroxidase, β -galactosidase, alkaline phosphatase, glucose oxidase, acetylcholine esterase, glucose-6-phosphodehydrogenase, and malate dehydrogenase. Also, enzyme inhibitors, coenzymes, and the like can be used. Binding between these enzymes and antibodies can be carried out by known methods using crosslinkers such as maleimide compounds. As the substrate, known substances can be used depending on the type of enzyme used. For instance, when peroxidase is used as the enzyme, 3,3',5,5'-tetramethylbenzene can be used, and when alkaline phosphatase is used as the enzyme, paranitrophenol or the like can be used.

[0079] When such enzyme is used, enzyme activity is determined by adding a substrate that causes color development as a result of degradation via enzymatic action so as to optically measure the amount of the substrate degraded. Then, the obtained enzyme activity is converted into an amount of binding antibody such that the amount of antibody is calculated based on comparison with a standard.

[0080] Examples of radioisotopes that can be used include ^{125}I and ^3H , which are used in general radioimmunoassay (RIA). When such a radioisotope is used, the radiation dose of the radioisotope is measured using a scintillation counter or the like.

[0081] Examples of fluorescent dyes that can be used include fluorescein isothiocyanate (FITC) and tetramethylrhodamine isothiocyanate (TRITC), which are used in general fluorescent antibody methods. When such a fluorescent dye is used, the fluorescence level may be measured using a measuring apparatus equipped with a fluorescence microscope.

[0082] Further, examples of labeled antibodies include antibodies to which metals such as manganese and iron are bound. By carrying out in vivo administration of such antibodies to which metals are bound so as to measure the metals via MRI or the like, the presence of serum antibodies, or the expression of solid cancer antigenic polypeptides, can be detected.

[0083] Signal detection can be carried out by employing Western blotting analysis, for example. Alternatively, a conjugate of an antigenic polypeptide, a serum antibody, and a labeled IgG antibody is separated by a known separation means (e.g., chromatography, a salting out, an alcohol precipitation, an enzymatic method, or a solid phase method) such that signals of the labeled IgG antibody may be detected.

[0084] In addition, at least one antigenic polypeptide is immobilized on a solid phase (e.g., plates, membranes, and beads) such that binding between serum antibodies of a subject and the antigenic polypeptides can be examined on the solid phase. By immobilizing antigenic polypeptides on a solid phase, it becomes possible to readily remove unbound labeled binding molecules. In particular, in accordance with a protein array method wherein a membrane on which several tens of different types of antigenic polypeptides are immobilized is used, different types of a plurality of antibodies can be analyzed in terms of expression in a short time using about 0.01 ml of the serum of a subject.

(3) Primers or Probes

[0085] The present diagnostic kit for solid cancer may comprise a primer or probe that comprises polynucleotide con-

sisting of the entire or a partial sequence of a polynucleotide encoding a solid cancer antigenic polypeptide shown in table 1 or a complementary sequence thereof. The primer or probe specifically binds to mRNA of the antigenic polypeptide expressed in the sample of a subject or cDNA synthesized from the mRNA. Thus, it is possible to detect the expression of a gene encoding an antigenic polypeptide in a sample, which in turn indicates the expression of the antigenic polypeptide.

[0086] Such primer and probe can be designed in accordance with techniques known by persons skilled in the art based on nucleotide sequences of polynucleotides encoding antigenic polypeptides, which are set forth in SEQ ID NOS:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 46, 47, 49, 51, 53, 55, 57, 58, 60, 62, 64, 66, 68, 70, 72, and 74. The following remarks relate to the designing of such primer and probe.

[0087] The length of the primer that substantially have its function is preferably 10 or more nucleotides, more preferably 16 to 50 nucleotides, and even more preferably 20 to 30 nucleotides. In addition, the length of the probe that substantially have its function is preferably 10 or more nucleotides, more preferably 16 to 50 nucleotides, and even more preferably 20 to 30 nucleotides.

[0088] Upon design, it is preferable to confirm the melting temperature of a primer or probe (T_m). The " T_m " means the temperature at which 50% of an arbitrary polynucleotide chain forms a hybrid with the complementary strand thereof. When template DNA or RNA and a primer or probe anneal or hybridize by forming a duplex, the temperature for annealing or hybridization must be optimized. Meanwhile, when the temperature is excessively decreased, nonspecific reaction takes place. Thus, the temperature is preferably as high as possible. Therefore, the T_m of the primer or probe to be designed is an important factor when carrying out amplification reaction or hybridization. The T_m can be confirmed with the use of known software for designing a primer or probe. Examples of such software that can be used in the present invention include OligoTM (National Bioscience Inc., (U.S. A.)) and GENETYX (Software Development Co., Ltd. (Japan)). In addition, the T_m can be confirmed by manual calculation without using such software. In such case, calculating formulae based on the nearest neighbor base pair model (nearest neighbor method), the Wallace method, the GC % method, and the like can be used. In accordance with the present invention, the average T_m is preferably about 45° C. to 55° C.

[0089] Another example of conditions under which a primer or probe can be specifically anneals or hybridizes involves GC content or the like. Such condition has been known by persons skilled in the art.

[0090] The primer and the probe designed as described above can be prepared in accordance with methods known by persons skilled in the art. Further, as known by persons skilled in the art, such primer or probe may contain a sequence such as an additional sequence known as a tag sequence in addition to the sequence for annealing or hybridization. Also, the aforementioned primer or probe to which such additional sequence has been added is within the scope of the present invention.

[0091] When expression of solid cancer antigenic polypeptides in a sample derived from a subject is detected, the aforementioned primer and/or probe are used in an amplifi-

cation reaction or a hybridization reaction, such that the amplification product or hybridization product thereof is detected.

[0092] Examples of such sample of interest include feces, blood, and hemocytes (e.g., mononuclear cells). In addition, when carrying out an amplification reaction or a hybridization reaction, a nucleic acid to be tested is prepared from a sample derived from a subject, in general. The test nucleic acid may be DNA or RNA, as long as it is nucleic acid. DNA or RNA can be extracted using methods known in the art according to need. For instance, upon DNA extraction, a method of carrying out phenol extraction and ethanol precipitation and a method using glass beads can be used. Also, upon RNA extraction, a guanidine-cesium chloride ultracentrifugation method, a hot phenol method, an acid guanidinium thiocyanate-phenol-chloroform (AGPC) method, or the like can be used. With the use of a sample or test nucleic acid prepared as described above, an amplification reaction and/or a hybridization reaction described below is carried out.

[0093] Expression of a solid cancer antigenic polypeptide in a sample can be detected by carrying out amplification with the use of a primer and test nucleic acid as a template and detecting the specific amplification reaction.

[0094] Amplification methods are not particularly limited. However, examples thereof include known methods utilizing principles of polymerase chain reaction (PCR) methods such as PCR, LAMP (loop-mediated isothermal amplification), ICAN (isothermal and chimeric primer-initiated amplification of nucleic acids), RCA (rolling circle amplification), LCR (ligase chain reaction), and SDA (strand displacement amplification). Amplification is carried out until an amplification product can be detected.

[0095] For instance, upon PCR, a nucleotide sequence between a pair of primers is synthesized based on a template, DNA to be tested, using DNA polymerase. Upon PCR, amplified fragments can be exponentially amplified with the repetition of a cycle consisting of denaturation, annealing, and synthesis. Optimal conditions for PCR can readily be determined by persons skilled in the art.

[0096] In addition, upon RT-PCR, cDNA is produced via reverse transcriptase reaction using RNA to be tested as a template, followed by PCR using a pair of primers and the thus prepared cDNA that serves as a template.

[0097] In addition, with the use of amplification techniques such as quantitative PCR including competitive PCR and real-time PCR, quantitative detection can be achieved.

[0098] In order to detect whether or not the aforementioned amplification reaction is a specific amplification reaction, known methods whereby amplification products obtained via an amplification reaction can be specifically recognized can be used. For instance, a specific amplification reaction can be detected using agarose gel electrophoresis whereby amplification of amplified fragments in given sizes is confirmed.

[0099] Alternatively, labels such as radioisotopes, fluorescent substances, or luminescent substances are allowed to act on dNTP that is incorporated during an amplification reaction such that such label can be detected. Examples of radioisotopes that can be used include ^{32}P , ^{125}I , and ^{35}S . Examples of fluorescent substances that can be used include fluorescein (FITC), sulforhodamine (SR), and tetramethylrhodamine (TRITC). In addition, examples of luminescent substances that can be used include luciferin.

[0100] For instance, the label type and the method for introducing a label are not particularly limited. Thus, convention-

ally known methods can be used. Examples of the method for introducing a label include a random prime method using a radioisotope.

[0101] As a method for observing an amplification product into which labeled dNTP has been incorporated, any methods for detecting aforementioned labels known in the art can be used. For instance, when a radioisotope is used as a label, the radioactivity can be measured using a liquid scintillation counter, a γ -counter, or the like. When fluorescence is used as a label, the fluorescence can be detected using a fluorescence microscope, a fluorescent plate reader, or the like.

[0102] When a specific amplification reaction is detected as described above, a gene encoding a solid cancer antigenic polypeptide is expressed in a sample, which in turn indicates the expression of a solid cancer antigenic polypeptide. Thus, a subject whose sample shows antigenic polypeptide expression is determined to be a solid cancer patient or subject at high risk of developing solid cancer.

[0103] In addition, a sample or test nucleic acid is subjected to a hybridization reaction using a probe, followed by detection of the specific binding (hybrid). Thus, the expression of solid cancer antigenic polypeptides can be detected.

[0104] The hybridization reaction must be carried out under stringent conditions that allow a probe to specifically bind to a polynucleotide derived from a solid cancer antigenic polypeptide. Such stringent conditions have been known in the art and thus are not particularly limited. The stringent conditions include a sodium concentration of 10 to 300 mM and preferably 20 to 100 mM and a temperature of 25° C. to 70° C. and preferably 42° C. to 55° C.

[0105] When carrying out hybridization, it is possible to add appropriate labels such as fluorescence labels (e.g., fluorescein and rhodamine), radioactive labels (e.g., ^{32}P), enzyme labels (e.g., alkaline phosphatase and horseradish peroxidase), and biotin labels to a probe. Thus, the present diagnostic kit for solid cancer comprises probes to which labels as described above have been attached.

[0106] Detection using labeled probes includes allowing a sample or test nucleic acid that has been prepared from the sample to come into contact with a probe so as to achieve hybridization. The expression "so as to achieve hybridization" indicates that detection is carried out in an environment (temperature and salt concentration) in which specific binding occurs under the stringent conditions described above. Specifically, a sample or test nucleic acid is immobilized on an adequate solid phase such as a slide glass, a membrane, or a microtiter. Then, labeled probes are added thereto. Thus, a sample or test nucleic acid is allowed to come into contact with the probes such that hybridization reaction is carried out, followed by removal of the nonhybridized probes. Accordingly, the label of the probe that has hybridized with the sample or test nucleic acid is detected. Detection of the label indicates that solid cancer antigenic polypeptides are expressed in the sample. Therefore, a subject whose sample shows expression of an antigenic polypeptide is diagnosed as being a solid cancer patient or a subject at high risk of developing solid cancer.

[0107] In addition, when the concentration of the label is determined to be an index, it is also possible to carry out quantitative detection. Examples of a detection method using labeled probes include Southern hybridization, Northern hybridization, and FISH (fluorescent in situ hybridization).

[0108] Further, when the present diagnostic kit for solid cancer is used to make a diagnosis, the expression level of

solid cancer antigenic polypeptides in a sample derived from a subject is measured. If the expression level of at least one solid cancer antigenic polypeptide is higher than that of a healthy individual, the subject is determined to be a solid cancer patient or subject at high risk of developing solid cancer. In terms of specific criteria for the expression level of a solid cancer antigenic polypeptide, the expression level of a subject is 10% or more, preferably 30% or more, more preferably 70% or more, and most preferably 100% or more higher than the expression level of a healthy individual.

3. Medicament for Preventing or Treating Solid Cancer

3.1. Inhibition of Functions or Expression of Solid Cancer Antigenic Polypeptide

[0109] Solid cancer antigenic polypeptides are specifically expressed in solid cancer. Thus, such expression very probably causes malignant cell transformation. Therefore, it is expected that therapeutic effects against malignant cell transformation or progress in such transformation can be obtained by inhibiting the functions or the expression of a solid cancer antigenic polypeptide.

[0110] Accordingly, a means of inhibiting the functions and the expression of at least one human solid cancer antigenic polypeptides described above is effective as a medicament for preventing and/or treating solid cancer.

[0111] Examples of such means of inhibiting the functions or the expression of a human solid cancer antigenic polypeptide include:

[0112] (1) an antibody against the solid cancer antigenic polypeptide;

[0113] (2) a means capable of inhibiting transcription of a gene encoding the solid cancer antigenic polypeptide; and

[0114] (3) a means capable of inhibiting translation of a gene encoding the solid cancer antigenic polypeptide.

(1) Antibodies Against Solid Cancer Antigenic Polypeptides

[0115] Antibodies against solid cancer antigenic polypeptides can inhibit activities of the antigenic polypeptides by specifically binding to solid cancer antigenic polypeptides in a subject. Thus, medicaments comprising antibodies against solid cancer antigenic polypeptides are effective for prevention or therapy of solid cancer.

(2) Means Capable of Inhibiting Transcription of a Gene Encoding a Solid Cancer Antigenic Polypeptide

[0116] Examples of a means of inhibiting transcription of a gene encoding a solid cancer antigenic polypeptide include expression vectors that can be used for substitution of transcriptional promoter regions of the genes in a subject with transcriptional repression-type promoters. In addition, as a means of inhibiting transcription of a gene encoding a solid cancer antigenic polypeptide, expression vectors may be used, with which a nucleotide sequence having transcriptional repression activity is inserted into a region involving translation of the gene. Design and preparation of such expression vectors have been known to persons skilled in the art.

(3) Means Capable of Inhibiting Translation of a Gene Encoding a Solid Cancer Antigenic Polypeptide

[0117] In addition, examples of a means of inhibiting translation of a gene encoding a solid cancer antigenic polypeptide

include a method using a so-called antisense RNA. Specifically, a nucleic acid transcribing antisense RNA corresponding to mRNA of a gene is introduced as a plasmid or incorporated into a genome of a subject such that the antisense RNA is allowed to be overexpressed, resulting in inhibition of translation of mRNA of a gene encoding a solid cancer antigenic polypeptide. Techniques related to antisense RNA have been known to be used in cases where mammals and the like are used as hosts (Han et al. (1991) Proc. Natl. Acad. Sci. USA, 88, 4313-4317; Hackett et al. (2000) Plant Physiol., 124, 1079-86).

[0118] Further, it is also possible to utilize RNA interference so as to inhibit translation of a gene encoding a solid cancer antigenic polypeptide. Specifically, double-stranded RNA complementary to a nucleotide sequence of a gene encoding a target solid cancer antigenic polypeptide is introduced into a cell such that mRNA of an endogenous gene encoding a solid cancer antigenic polypeptide is degraded, resulting in specific inhibition of gene expression in the cell. Such technique has been found available in the cases of mammalian cells and the like (Hannon, G J., Nature (2002) 418, 244-251 (review); JP Patent Publication No. 2002-516062 A; JP Patent Publication No. 8-506734 A (1996)).

3.2. Targeting to Solid Cancer

[0119] Since solid cancer antigenic polypeptides are specifically expressed in solid cancer, it becomes possible to allow therapeutic agents for solid cancer to act on cancer lesions with the use of a means of targeting to solid cancer based on such specific expression.

[0120] Thus, the means of targeting to solid cancer described above is also effective as a medicament for preventing and/or treating solid cancer. The medicament for preventing and/or treating solid cancer of the present invention includes a gene encoding a prophylactic or therapeutic agent for solid cancer and a means of targeting to human solid cancer.

[0121] Examples of such means of targeting to human solid cancer include:

[0122] (1) an antibody against a solid cancer antigenic polypeptide; and

[0123] (2) a nucleotide sequence of an expression control region of a polynucleotide encoding a solid cancer antigenic polypeptide.

(1) Antibodies Against Solid Cancer Antigenic Polypeptides

[0124] Antibodies against solid cancer antigenic polypeptides bind to the antigenic polypeptides that are specifically expressed in cancer cells. Thus, when known agents for solid cancer therapy (e.g., anticancer drugs or immunopotentiating agents) are linked to such antibodies so as to be administered to patients, it is possible to allow the agents for solid cancer therapy to specifically act on cancer cells.

(2) Nucleotide Sequences of Expression Control Regions of Polynucleotides Encoding Solid Cancer Antigenic Polypeptides

[0125] Expression control regions of polynucleotides encoding solid cancer antigenic polypeptides (hereafter to be referred to as "promoter sequence(s)") are expression control regions of genes that are specifically expressed in solid cancer cells. Thus, when therapeutic genes are produced by ligating polynucleotides encoding agents for solid cancer therapy to a

promoter sequence and are administered in vivo, it becomes possible to allow such therapeutic genes to be expressed in a cancer cell-specific manner. Examples of polynucleotides encoding substances having an anticancer effect or precursors thereof that can be used include DNA and cDNA of genes encoding p53, herpes simplex virus thymidine kinase, interleukin-2, -12, -17, -18, cytosine deaminase, uracil phosphoribosyltransferase, and the like. Moreover, such promoter sequences can be used in a therapeutic method wherein adenovirus and herpes virus are proliferated in a cancer-cell-specific manner such that cancer cells are degraded. That is, by inserting promoter sequence before the adenovirus E1A region, such adenovirus is allowed to specifically proliferate exclusively in cancer cells such that cancer cells are degraded.

3.3. Application and Administration of Medicament

[0126] Examples of solid cancer to which the medicament of the present invention is applied include, but are not limited to, colorectal cancer, esophageal cancer, gastric cancer, lung cancer, kidney cancer, thyroid cancer, parotid gland cancer, head and neck cancer, soft tissue and bone sarcoma, urinary tract cancer, bladder cancer, uterine cancer, liver cancer, breast cancer, ovarian cancer, and fallopian tube cancer. More specifically, such solid cancer is colorectal cancer, esophageal cancer, gastric cancer, or breast cancer.

[0127] It is possible to administer the medicament of the present invention for the purpose of preventing development of the solid cancer described above or preventing deterioration in terms of symptoms or alleviating symptoms of a patient having solid cancer or a patient who has been diagnosed as being at high risk of developing solid cancer.

[0128] When the aforementioned means is used as a medicament for treating or preventing solid cancer, it can be mixed with pharmaceutically acceptable carriers so as to be used as a pharmaceutical composition. In such case, an active ingredient of such medicament may be adequately adjusted so as to account for 1% to 90% of the carrier content.

[0129] Examples of administration routes of the medicament of the present invention include systemic administration such as intravenous or intra-arterial administration, in general. Further, it is preferable to carry out local administration such as local injection to primary cancer lesions or metastatic lesions that can be predicted based on the cancer type.

[0130] The dose of the medicament of the present invention varies depending on age, sex, symptoms, administration routes, administration frequencies, and formulations. These may be adequately adjusted by persons skilled in the art or physicians.

[0131] The present invention will be hereafter described in detail with reference to the following examples, although the scope of the present invention is not limited thereto.

Example 1

Identification of Colorectal Cancer Antigenic Polypeptides via Two-Dimensional Electrophoresis

[1] Material and Methods

[0132] With the consent of patients (6 cases), frozen specimens of cancer tissue and non-cancer tissue of each patient were separately collected immediately after colorectal cancer extraction. These frozen specimens were kept at -80°C . An adequate amount of each frozen specimen was homogenized with a solution containing 9.5 M Urea, 2% CHAPS, 1% DTT,

and complete protease inhibitor cocktail tablets (Roche). The resultant was centrifuged using an ultracentrifuge (Hitachi) at 100,000 g, followed by extraction of the supernatant (protein solution) thereof. Then, protein concentration was determined based on absorbance.

[0133] Proteins obtained from cancer tissue and non-cancer tissue (400 μg each) were subjected to two-dimensional electrophoresis for separation. The first-dimensional electrophoresis and the second-dimensional electrophoresis were carried out via agarose isoelectric focusing electrophoresis and 12% or 6% to 10% Tris/Glycine SDS polyacrylamide gel electrophoresis, respectively. The thus separated proteins were stained with Coomassie Brilliant Blue R250, followed by detection of spots indicating an increased protein expression level in cancer tissue compared with that in non-cancer tissue. Then, gel containing the spots was excised, followed by digestion of proteins contained in the gel sections using trypsin (Roche). The thus obtained peptides were collected and subjected to amino acid sequence determination using an ion-trap mass spectrometer (LCQ DECA XP, ThermoQuest).

[2] Results

[0134] The results are shown in FIGS. 1A and 1B. The comparison between cancer tissue (Tumor) and normal tissue (Normal) of colorectal cancer patients (6 cases) confirmed specific expression of proteins in the cancer tissue in 4 to 6 cases. The expressed proteins had amino acid sequences set forth in SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, and 40. In FIGS. 1A and 1B, numbers assigned to encircled proteins correspond to antigenic polypeptides denoted by the numbers of 1 to 20 in table 1.

[0135] Nucleotide sequences encoding these proteins are set forth in SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, and 39, respectively. The respective genes are shown in table 1.

Example 2

Identification of Solid Cancer Antigenic Polypeptides by a SEREX Method

[0136] [1] Construction of cDNA Library

[0137] A human esophageal-cancer-derived cell line T.Tn was cultured in DMEM medium containing a 10% fetal bovine-serum supplemented with kanamycin (100 $\mu\text{g}/\text{ml}$). Then, total RNA (250 μg) was isolated from these cultured cells via a guanidinium thiocyanate-phenol-chloroform extraction method, followed by 2 repetitions of poly(A) selection using oligo-dT (Oligotex-dT30 super, TAKARA). Thus, mRNA was purified. With the use of the thus obtained mRNA (5.7 μg), a cDNA library of each cell was constructed. Single-stranded cDNA was synthesized using a XhoI linker primer and 5-methyl dCTP. Double-stranded cDNA having blunt ends was synthesized using T4 DNA polymerase based on the single-stranded cDNA. To both ends of the double-stranded cDNA, a linker containing restriction enzyme sites (EcoRI/ λ ZAPII) was added. The obtained cDNA fragment was inserted into a bacteriophage (Stratagene). Then, a cDNA library of each cancer cell comprising about 1.8×10^6 clones was constructed.

[2] Screening of cDNA Library

[0138] Phage vectors of the above-prepared cDNA libraries of cancer cells were allowed to infect *E. coli* XL1-Blue. Then, plaque was formed on an NZY agarose plate. Each infected *E*

coli cell was treated with 10 mM IPTG, resulting in expression induction. Thus, peptides encoded by the various cDNAs were expressed. These peptides were transferred to a nitrocellulose filter (NitroBind, Osmonics). The filter was washed with TBS (0.5% Tween20-containing TBS (10 mM Tris-HCl, 150 mM NaCl; pH 7.5)) such that bacteriophages that had adsorbed thereto were removed. Thereafter, nonspecific reaction was suppressed using TBS-Tween containing 1% albumin. The filter was subjected to reaction with serum of patients with esophageal cancer, gastric cancer, colorectal cancer, and breast cancer at room temperature for 2 hours.

[0139] The serum isolated from each patient was kept at -80° C. and diluted 500-fold immediately before use with a TBS-Tween solution (TBS-Tween containing 0.5% polyoxyethylene sorbitan monolaurate) that contained 1% by weight albumin. The thus diluted serum was mixed with an *E. coli* lysate at a ratio of 1:5. The resultant was allowed to stand at 4° C. for 8 hours, followed by centrifugation at 15,000 g for 20 minutes. Then, the supernatant thereof was recovered and used. In addition, untreated serum was diluted 2000-fold and used according to need.

[0140] Each serum was subjected to reaction with the aforementioned nitrocellulose filter on which expressed peptides had been blotted at room temperature for 10 to 20 hours. Thus, polypeptides with which serum antibodies had reacted were identified. Specifically, alkaline-phosphatase-labeled

anti human IgG-F (ab')₂ goat antibodies (Jackson) were diluted 5000-fold and used as secondary antibodies during the reaction. Label signals were detected via enzymatic chromogenic reaction using nitroblue tetrazolium (Wako) and 5-bromo-4-chloro-3-indolyl phosphate (Wako). Colonies corresponding to chromogenic-reaction-positive were collected from the agarose plate and dissolved in SM buffer (100 mM NaCl, 10 mM MgSO₄, and 50 mM Tris-HCl; pH 7.5). Until chromogenic-reaction-positive colonies became united, secondary screening and tertiary screening were repeated as described above. Thus, phage clones that reacted with serum IgG of 5 patients were subjected to screening such that positive clones were isolated.

[3] Identification of Novel Antigens

[0141] With the use of the obtained positive clones, insert DNA was replicated by PCR. The resulting product was subjected to sequencing using a Big Dye DNA Sequencing Kit (ABI) and ABI Prism (Perkin Elmer). As a result of searching based on existing databases, in addition to antigenic polypeptides that were expression products of known cancer-related genes, 19 types of novel antigenic polypeptides that reacted with serum antibodies of a plurality of patients were identified. Table 2 shows antibody prevalences among cancer patients to these novel antigenic polypeptides.

TABLE 2

Clone No.	Clone name	Name	Registered number	Antibody prevalence (%)					Healthy individual
				Esophageal cancer patient	Early esophageal cancer patient	Colorectal cancer patient	Gastric cancer patient	Breast cancer patient	
1	K35-1-1	Progesterone receptor membrane component 2	NM_006320	10	13	0	20	0	10
2	K30-1-1	MAP kinase interacting serine/threonine kinase 2	NM_199054	0	13	10	20	20	5
3	12N3-1	EST: 601191782F1	BE264462	5	0	0	0	0	0
4	12O1-1	EST: 602301679F1	BG032310	15	0	10	30	0	0
5	14A1-1-1	Additional sex combs-like 1	NM_015338	15	13	10	10	0	6
6	18G3-1	Forkhead box A1	NM_004496	10	0	0	0	20	0
7	19C1-1	Retinoic acid induced 16	NM_022749	5	0	0	0	10	0
8	19F1-1	RIKEN cDNA 5730528L13-like gene	NM_080655	5	0	40	10	10	5
9	19F1-2	Lysine tRNA synthase	BC004132	0	13	20	20	20	0
10	6BD3-1	EST: AGENCOURT_15657942	CF597227	14					0
11	14H1-2-1	KDEL endoplasmic reticulum protein retention receptor 1	NM_006801	10					0
12	18B2-1	Lysosomal associated protein transmembrane 4 beta	NM_018407	10					0
13	18G1-1	Protein phosphatase 1, catalytic subunit, α isoform	NM_002708	10					0
14	20J4-1	Peroxyredoxin 3	NM_006793	14					0
15	19M2	Aldo-keto reductase family 1, member C3	NM_003739	38					0
16	10Q3-1	Ubiquitin-conjugating enzyme E2I	BC000744	33					0
17	14A1-1-2	Phosphatidic acid phosphatase, Type 2C	NM_003712	40					21
18	14B1-2-1	Beta-catenin interacting protein 1	NM_020248	33					17
19	14H2-1-1	Sorting nexin 15	NM_147777	11					4

[0142] Polynucleotide (cDNA) sequences that encode amino acids of these 19 types of novel antigenic polypeptides have nucleotide sequences set forth in SEQ ID NOS: 41, 43, 45, 46, 47, 49, 51, 53, 55, 57, 58, 60, 62, 64, 66, 68, 70, 72, and 74, respectively. In addition, nucleotide sequences set forth in SEQ ID NOS: 41, 43, 47, 49, 51, 53, 55, 58, 60, 62, 64, 66, 68, 70, 72, and 74 have amino acid sequences set forth in SEQ ID NOS: 42, 44, 48, 50, 52, 54, 56, 59, 61, 63, 65, 67, 69, 71, 73, and 75, respectively.

[0143] FIGS. 2 to 20 show the results of Western blotting analysis that was carried out to examine binding reactions involving these 19 types of novel antigenic polypeptides and serum antibodies of the patients. In FIGS. 2 to 20, arrows indicate polypeptides that underwent specific reaction with the serum antibodies of the patients. The polypeptides were detected in the IPTG-treated *E. coli* extract; however, they

were not detected in the untreated *E. coli* extract. Thus, the polypeptides were confirmed to be derived from cDNA that had been introduced thereinto.

[0144] All publications, patents, and patent applications cited herein are incorporated herein by reference in their entirety.

INDUSTRIAL APPLICABILITY

[0145] According to the diagnostic kit for solid cancer of the present invention, solid cancer can be diagnosed with high accuracy and it is useful for early diagnosis of solid cancer. In addition, with the use of the medicament for preventing or treating solid cancer of the present invention, it becomes possible to carry out a therapy whereby selective targeting of solid cancer is carried out.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 75

<210> SEQ ID NO 1

<211> LENGTH: 1321

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: CDS

<222> LOCATION: (87)..(1103)

<400> SEQUENCE: 1

```

ggcgctgggc agtgtggagg tcgttgagtc cacttcgcg tcaccagetc ctgtgectgc      60
cagtcggtgc ccctcccgcg ccagcc atg ctc tcc gcc ctc gcc cgg cct gcc      113
                Met Leu Ser Ala Leu Ala Arg Pro Ala
                1                5
agc gct gct ctc cgc cgc agc ttc agc acc tcg gcc cag aac aat gct      161
Ser Ala Ala Leu Arg Arg Ser Phe Ser Thr Ser Ala Gln Asn Asn Ala
10                15                20                25
aaa gta gct gtg cta ggg gcc tct gga ggc atc ggg cag cca ctt tca      209
Lys Val Ala Val Leu Gly Ala Ser Gly Gly Ile Gly Gln Pro Leu Ser
                30                35                40
ctt ctc ctg aag aac agc ccc ttg gtg agc cgc ctg acc ctc tat gat      257
Leu Leu Leu Lys Asn Ser Pro Leu Val Ser Arg Leu Thr Leu Tyr Asp
                45                50                55
atc gcg cac aca ccc gga gtg gcc gca gat ctg agc cac atc gag acc      305
Ile Ala His Thr Pro Gly Val Ala Ala Asp Leu Ser His Ile Glu Thr
                60                65                70
aaa gcc gct gtg aaa ggc tac ctc gga cct gaa cag ctg cct gac tgc      353
Lys Ala Ala Val Lys Gly Tyr Leu Gly Pro Glu Gln Leu Pro Asp Cys
                75                80                85
ctg aaa ggt tgt gat gtg gta gtt att cgg gct gga gtc ccc aga aag      401
Leu Lys Gly Cys Asp Val Val Val Ile Pro Ala Gly Val Pro Arg Lys
90                95                100                105
cca ggc atg acc cgg gac gac ctg ttc aac acc aat gcc acg att gtg      449
Pro Gly Met Thr Arg Asp Asp Leu Phe Asn Thr Asn Ala Thr Ile Val
                110                115                120
gcc acc ctg acc gct gcc tgt gcc cag cac tgc ccg gaa gcc atg atc      497
Ala Thr Leu Thr Ala Ala Cys Ala Gln His Cys Pro Glu Ala Met Ile
                125                130                135
tgc gtc att gcc aat cgg gtt aat tcc acc atc ccc atc aca gca gaa      545
Cys Val Ile Ala Asn Pro Val Asn Ser Thr Ile Pro Ile Thr Ala Glu

```

-continued

140	145	150	
gtt ttc aag aag cat gga gtg tac aac ccc aac aaa atc ttc ggc gtg Val Phe Lys Lys His Gly Val Tyr Asn Pro Asn Lys Ile Phe Gly Val 155 160 165			593
acg acc ctg gac atc gtc aga gcc aac acc ttt gtt gca gag ctg aag Thr Thr Leu Asp Ile Val Arg Ala Asn Thr Phe Val Ala Glu Leu Lys 170 175 180 185			641
ggg ttg gat cca gct cga gtc aac gtc cct gtc att ggt ggc cat gct Gly Leu Asp Pro Ala Arg Val Asn Val Pro Val Ile Gly Gly His Ala 190 195 200			689
ggg aag acc atc atc ccc ctg atc tct cag tgc acc ccc aag gtg gac Gly Lys Thr Ile Ile Pro Leu Ile Ser Gln Cys Thr Pro Lys Val Asp 205 210 215			737
ttt ccc cag gac cag ctg aca gca ctc act ggg cgg atc cag gag gcc Phe Pro Gln Asp Gln Leu Thr Ala Leu Thr Gly Arg Ile Gln Glu Ala 220 225 230			785
ggc acg gag gtg gtc aag gct aaa gcc gga gca ggc tct gcc acc ctc Gly Thr Glu Val Val Lys Ala Lys Ala Gly Ala Gly Ser Ala Thr Leu 235 240 245			833
tcc atg gcg tat gcc ggc gcc cgc ttt gtc ttc tcc ctt gtg gat gca Ser Met Ala Tyr Ala Gly Ala Arg Phe Val Phe Ser Leu Val Asp Ala 250 255 260 265			881
atg aat gga aag gaa ggt gtt gtg gaa tgt tcc ttc gtt aag tca cag Met Asn Gly Lys Glu Gly Val Val Glu Cys Ser Phe Val Lys Ser Gln 270 275 280			929
gaa acg gaa tgt acc tac ttc tcc aca ccg ctg ctg ctt ggg aaa aag Glu Thr Glu Cys Thr Tyr Phe Ser Thr Pro Leu Leu Leu Gly Lys Lys 285 290 295			977
ggc atc gag aag aac ctg ggc atc ggc aaa gtc tcc tct ttt gag gag Gly Ile Glu Lys Asn Leu Gly Ile Gly Lys Val Ser Ser Phe Glu Glu 300 305 310			1025
aag atg atc tcg gat gcc atc ccc gag ctg aag gcc tcc atc aag aag Lys Met Ile Ser Asp Ala Ile Pro Glu Leu Lys Ala Ser Ile Lys Lys 315 320 325			1073
ggg gaa gat ttc gtg aag acc ctg aag tga gccgctgtga cgggtggcca Gly Glu Asp Phe Val Lys Thr Leu Lys 330 335			1123
gtttccttaa tttatgaagg catcatgtca ctgcaaagcc gttgcagata aactttgtat			1183
tttaatttgc tttggtgatg attactgtat tgacatcatc atgccttcca aattgtgggt			1243
ggctctgtgg gcgcatcaat aaaagccgtc cttgatttta tttttcaagg tccttctgt			1303
aaaaaaaaaaaaaaaa			1321
<p><210> SEQ ID NO 2 <211> LENGTH: 338 <212> TYPE: PRT <213> ORGANISM: Homo sapiens <400> SEQUENCE: 2</p>			
Met Leu Ser Ala Leu Ala Arg Pro Ala Ser Ala Ala Leu Arg Arg Ser 1 5 10 15			
Phe Ser Thr Ser Ala Gln Asn Asn Ala Lys Val Ala Val Leu Gly Ala 20 25 30			
Ser Gly Gly Ile Gly Gln Pro Leu Ser Leu Leu Leu Lys Asn Ser Pro 35 40 45			
Leu Val Ser Arg Leu Thr Leu Tyr Asp Ile Ala His Thr Pro Gly Val			

-continued

50	55	60		
Ala Ala Asp Leu Ser His Ile Glu Thr Lys Ala Ala Val Lys Gly Tyr 65	70	75		80
Leu Gly Pro Glu Gln Leu Pro Asp Cys Leu Lys Gly Cys Asp Val Val 85	90	95		
Val Ile Pro Ala Gly Val Pro Arg Lys Pro Gly Met Thr Arg Asp Asp 100	105	110		
Leu Phe Asn Thr Asn Ala Thr Ile Val Ala Thr Leu Thr Ala Ala Cys 115	120	125		
Ala Gln His Cys Pro Glu Ala Met Ile Cys Val Ile Ala Asn Pro Val 130	135	140		
Asn Ser Thr Ile Pro Ile Thr Ala Glu Val Phe Lys Lys His Gly Val 145	150	155		160
Tyr Asn Pro Asn Lys Ile Phe Gly Val Thr Thr Leu Asp Ile Val Arg 165	170	175		
Ala Asn Thr Phe Val Ala Glu Leu Lys Gly Leu Asp Pro Ala Arg Val 180	185	190		
Asn Val Pro Val Ile Gly Gly His Ala Gly Lys Thr Ile Ile Pro Leu 195	200	205		
Ile Ser Gln Cys Thr Pro Lys Val Asp Phe Pro Gln Asp Gln Leu Thr 210	215	220		
Ala Leu Thr Gly Arg Ile Gln Glu Ala Gly Thr Glu Val Val Lys Ala 225	230	235		240
Lys Ala Gly Ala Gly Ser Ala Thr Leu Ser Met Ala Tyr Ala Gly Ala 245	250	255		
Arg Phe Val Phe Ser Leu Val Asp Ala Met Asn Gly Lys Glu Gly Val 260	265	270		
Val Glu Cys Ser Phe Val Lys Ser Gln Glu Thr Glu Cys Thr Tyr Phe 275	280	285		
Ser Thr Pro Leu Leu Leu Gly Lys Lys Gly Ile Glu Lys Asn Leu Gly 290	295	300		
Ile Gly Lys Val Ser Ser Phe Glu Glu Lys Met Ile Ser Asp Ala Ile 305	310	315		320
Pro Glu Leu Lys Ala Ser Ile Lys Lys Gly Glu Asp Phe Val Lys Thr 325	330	335		
Leu Lys				
<210> SEQ ID NO 3				
<211> LENGTH: 2049				
<212> TYPE: DNA				
<213> ORGANISM: Homo sapiens				
<220> FEATURE:				
<221> NAME/KEY: CDS				
<222> LOCATION: (51)..(797)				
<400> SEQUENCE: 3				
gagcccagcc gagcgtccgc cgctgcccgt ggcctctcgc gctccgcgcc atg gcc				56
				Met Ala
				1
ggc ctc aac tcc ctg gag gcg gtg aaa cgc aag atc cag gcc ctg cag				104
Gly Leu Asn Ser Leu Glu Ala Val Lys Arg Lys Ile Gln Ala Leu Gln				
5				10 15
cag cag gcg gac gag gcg gaa gac cgc gcg cag ggc ctg cag cgg gag				152
Gln Gln Ala Asp Glu Ala Glu Asp Arg Ala Gln Gly Leu Gln Arg Glu				

-continued

20	25	30	
ctg gac ggc gag cgc gag cgg cgc gag aaa gct gaa ggt gat gtg gcc Leu Asp Gly Glu Arg Glu Arg Arg Glu Lys Ala Glu Gly Asp Val Ala 35 40 45 50			200
gcc ctc aac cga cgc atc cag ctc gtt gag gag gag ttg gac agg gct Ala Leu Asn Arg Arg Ile Gln Leu Val Glu Glu Glu Leu Asp Arg Ala 55 60 65			248
cag gaa cga ctg gcc acg gcc ctg cag aag ctg gag gag gca gaa aaa Gln Glu Arg Leu Ala Thr Ala Leu Gln Lys Leu Glu Glu Ala Glu Lys 70 75 80			296
gct gca gat gag agt gag aga gga atg aag gtg ata gaa aac cgg gcc Ala Ala Asp Glu Ser Glu Arg Gly Met Lys Val Ile Glu Asn Arg Ala 85 90 95			344
atg aag gat gag gag aag atg gag att cag gag atg cag ctc aaa gag Met Lys Asp Glu Glu Lys Met Glu Ile Gln Glu Met Gln Leu Lys Glu 100 105 110			392
gcc aag cac att gcg gaa gag gct gac cgc aaa tac gag gag gta gct Ala Lys His Ile Ala Glu Glu Ala Asp Arg Lys Tyr Glu Glu Val Ala 115 120 125 130			440
cgt aag ctg gtc atc ctg gag ggt gag ctg gag agg gca gag gag cgt Arg Lys Leu Val Ile Leu Glu Gly Glu Leu Glu Arg Ala Glu Glu Arg 135 140 145			488
gcg gag gtg tct gaa cta aaa tgt ggt gac ctg gaa gaa gaa ctc aag Ala Glu Val Ser Glu Leu Lys Cys Gly Asp Leu Glu Glu Glu Leu Lys 150 155 160			536
aat gtt act aac aat ctg aaa tct ctg gag gct gca tct gaa aag tat Asn Val Thr Asn Asn Leu Lys Ser Leu Glu Ala Ala Ser Glu Lys Tyr 165 170 175			584
tct gaa aag gag gac aaa tat gaa gaa gaa att aaa ctt ctg tct gac Ser Glu Lys Glu Asp Lys Tyr Glu Glu Glu Ile Lys Leu Leu Ser Asp 180 185 190			632
aaa ctg aaa gag gct gag acc cgt gct gaa ttt gca gag aga acg gtt Lys Leu Lys Glu Ala Glu Thr Arg Ala Glu Phe Ala Glu Arg Thr Val 195 200 205 210			680
gca aaa ctg gaa aag aca att gat gac ctg gaa gag aaa ctt gcc cag Ala Lys Leu Glu Lys Thr Ile Asp Asp Leu Glu Glu Lys Leu Ala Gln 215 220 225			728
gcc aaa gaa gag aac gtg ggc tta cat cag aca ctg gat cag aca cta Ala Lys Glu Glu Asn Val Gly Leu His Gln Thr Leu Asp Gln Thr Leu 230 235 240			776
aac gaa ctt aac tgt ata taa gcaaacaga agagtcttgt tccaacagaa Asn Glu Leu Asn Cys Ile 245			827
actctggagc tccgtgggtc tttctcttct cttgtaagaa gttccttttg ttattgccat			887
cttcgctttg ctggaatgt caagcaaatt atgaatacat gaccaaatat tttgtatcgg			947
agaagctttg agcaccagtt aaatctcatt ccttcccttt ttttttcaaa tggcaccagc			1007
tttttcagct ctcttatttt ttccttaagt agcatttatt cctaaggtag gcaggggtatt			1067
tcctagtaag catactttct taagacggag gccatttggg tctctgggaga ataggcagcc			1127
ccacactttg aagaatacag accccagtat ctagtctgtg atataattaa aacgctgaag			1187
accataacct tttgggtcaa ctgttgggtca aactatagga gagaccaggg accatcacat			1247
gggtagggat tttccatcca gagccaataa aaggactggg gggggccggg ggtggctatt			1307
gtgggaagtc ataaccaca gatagatcaa cctaagaatc ctggcccttc tccactctcc			1367

-continued

```

accatgcagg acaaacatct tctcaagcag tcaacgtaga atgcttggga aatagtcata 1427
attaccacaca tatagtaatt aatagatggg aattaattga tccttgatgt gatgttcttt 1487
tgcataatttc cttcattcta aagtgtgtcc ctggccggga gcgtttgctt tcgctgttaa 1547
tcccaaacact ttgggaggcc aggacagatc acttgaggtc aggagttcga gaccagccca 1607
gccaacatgg cgaaaccatg tctctactaa aaatacaaaa attatggtga cgctgctctg 1667
tagtcccagc tactcgggag gctgaggcag gaggatcgct tgaaccagg aagtgagagc 1727
tgcagtgagc cgatatcgca ccacagcgtt ccagcctggt cgacagagtg agactccatc 1787
tcaagaaaaa ataaaaataa agttgttctc tgaagagcaa atgtctcatt ccagtaatga 1847
cccactcagc aggaatatgg tggagttcag tccaattcag gtcagccata tccaaaagac 1907
cacaagtcac tactaagttg agcaaaagag tttttatcta ttagcagaaa gggcctctct 1967
ggcagcagag attaaaaact ggcccaactt catttccata cttcagggaa cagcaaattg 2027
aggatttact tatctaggac tt 2049

```

<210> SEQ ID NO 4

<211> LENGTH: 248

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 4

```

Met Ala Gly Leu Asn Ser Leu Glu Ala Val Lys Arg Lys Ile Gln Ala
1           5           10           15
Leu Gln Gln Gln Ala Asp Glu Ala Glu Asp Arg Ala Gln Gly Leu Gln
20           25           30
Arg Glu Leu Asp Gly Glu Arg Glu Arg Arg Glu Lys Ala Glu Gly Asp
35           40           45
Val Ala Ala Leu Asn Arg Arg Ile Gln Leu Val Glu Glu Glu Leu Asp
50           55           60
Arg Ala Gln Glu Arg Leu Ala Thr Ala Leu Gln Lys Leu Glu Glu Ala
65           70           75           80
Glu Lys Ala Ala Asp Glu Ser Glu Arg Gly Met Lys Val Ile Glu Asn
85           90           95
Arg Ala Met Lys Asp Glu Glu Lys Met Glu Ile Gln Glu Met Gln Leu
100          105          110
Lys Glu Ala Lys His Ile Ala Glu Glu Ala Asp Arg Lys Tyr Glu Glu
115          120          125
Val Ala Arg Lys Leu Val Ile Leu Glu Gly Glu Leu Glu Arg Ala Glu
130          135          140
Glu Arg Ala Glu Val Ser Glu Leu Lys Cys Gly Asp Leu Glu Glu Glu
145          150          155          160
Leu Lys Asn Val Thr Asn Asn Leu Lys Ser Leu Glu Ala Ala Ser Glu
165          170          175
Lys Tyr Ser Glu Lys Glu Asp Lys Tyr Glu Glu Glu Ile Lys Leu Leu
180          185          190
Ser Asp Lys Leu Lys Glu Ala Glu Thr Arg Ala Glu Phe Ala Glu Arg
195          200          205
Thr Val Ala Lys Leu Glu Lys Thr Ile Asp Asp Leu Glu Glu Lys Leu
210          215          220
Ala Gln Ala Lys Glu Glu Asn Val Gly Leu His Gln Thr Leu Asp Gln
225          230          235          240

```

-continued

Thr Leu Asn Glu Leu Asn Cys Ile
245

<210> SEQ ID NO 5
<211> LENGTH: 2251
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (154)..(1533)

<400> SEQUENCE: 5

```

gccgcgtgca gaggtgctca agcctcctcg cggtcgcgag tcagtgccgc cgcgcccggc      60
ctcccgcacg ccccgcaggt agcgcccccg cccgcggccc agagtgcgct cgcgccggca      120
ccagctcccg gataaacggc gcgcccgcgc gag atg aca gcc gag gag atg aag      174
                               Met Thr Ala Glu Glu Met Lys
                               1                               5

gcg acc gag agc ggg gcg cag tcg gcg ccg ctg ccc atg gag gga gtg      222
Ala Thr Glu Ser Gly Ala Gln Ser Ala Pro Leu Pro Met Glu Gly Val
                               10                               15                               20

gac atc agc ccc aaa cag gac gaa ggc gtg ctg aag gtc atc aag aga      270
Asp Ile Ser Pro Lys Gln Asp Glu Gly Val Leu Lys Val Ile Lys Arg
                               25                               30                               35

gag ggc aca ggt aca gag atg ccc atg att ggg gac cga gtc ttt gtc      318
Glu Gly Thr Gly Thr Glu Met Pro Met Ile Gly Asp Arg Val Phe Val
40                               45                               50                               55

cac tac act ggc tgg cta tta gat ggc aca aag ttt gac tcc agt ctg      366
His Tyr Thr Gly Trp Leu Leu Asp Gly Thr Lys Phe Asp Ser Ser Leu
                               60                               65                               70

gat cgc aag gac aaa ttc tcc ttt gac ctg gga aaa ggg gag gtc atc      414
Asp Arg Lys Asp Lys Phe Ser Phe Asp Leu Gly Lys Gly Glu Val Ile
                               75                               80                               85

aag gct tgg gac att gcc ata gcc acc atg aag gtg ggg gag gtg tgc      462
Lys Ala Trp Asp Ile Ala Ile Ala Thr Met Lys Val Gly Glu Val Cys
90                               95                               100

cac atc acc tgc aaa cca gaa tat gcc tac ggt tca gca ggc agt cct      510
His Ile Thr Cys Lys Pro Glu Tyr Ala Tyr Gly Ser Ala Gly Ser Pro
105                               110                               115

cca aag att ccc ccc aat gcc acg ctt gta ttt gag gtg gag ttg ttt      558
Pro Lys Ile Pro Pro Asn Ala Thr Leu Val Phe Glu Val Glu Leu Phe
120                               125                               130                               135

gag ttt aag gga gaa gat ctg acg gaa gag gaa gat ggc gga atc att      606
Glu Phe Lys Gly Glu Asp Leu Thr Glu Glu Glu Asp Gly Gly Ile Ile
140                               145                               150

cgc aga ata cag act cgc ggt gaa ggc tat gct aag ccc aat gag ggt      654
Arg Arg Ile Gln Thr Arg Gly Glu Gly Tyr Ala Lys Pro Asn Glu Gly
155                               160                               165

gct atc gtg gag gtt gca ctg gaa ggg tac tac aag gac aag ctc ttt      702
Ala Ile Val Glu Val Ala Leu Glu Gly Tyr Tyr Lys Asp Lys Leu Phe
170                               175                               180

gac cag cgg gag ctc cgc ttt gag att ggc gag ggg gag aac ctg gat      750
Asp Gln Arg Glu Leu Arg Phe Glu Ile Gly Glu Gly Glu Asn Leu Asp
185                               190                               195

ctg cct tat ggt ctg gag agg gcc att cag cgc atg gag aaa gga gaa      798
Leu Pro Tyr Gly Leu Glu Arg Ala Ile Gln Arg Met Glu Lys Gly Glu
200                               205                               210                               215

cat tcc atc gtg tac ctc aag ccc agc tat gct ttt ggc agt gtt ggg      846
    
```

-continued

His Ser Ile Val Tyr Leu Lys Pro Ser Tyr Ala Phe Gly Ser Val Gly	
	220 225 230
aag gaa aag ttc caa atc cca cca aat gct gag ctg aaa tat gaa tta	894
Lys Glu Lys Phe Gln Ile Pro Pro Asn Ala Glu Leu Lys Tyr Glu Leu	
	235 240 245
cac ctc aag agt ttt gaa aag gcc aag gag tct tgg gag atg aat tca	942
His Leu Lys Ser Phe Glu Lys Ala Lys Glu Ser Trp Glu Met Asn Ser	
	250 255 260
gaa gag aag ctg gaa cag agc acc ata gtg aaa gag cgg gcc act gtg	990
Glu Glu Lys Leu Glu Gln Ser Thr Ile Val Lys Glu Arg Gly Thr Val	
	265 270 275
tac ttc aag gaa ggt aaa tac aag caa gct tta cta cag tat aag aag	1038
Tyr Phe Lys Glu Gly Lys Tyr Lys Gln Ala Leu Leu Gln Tyr Lys Lys	
	280 285 290 295
atc gtg tct tgg ctg gaa tat gag tct agt ttt tcc aat gag gaa gca	1086
Ile Val Ser Trp Leu Glu Tyr Glu Ser Ser Phe Ser Asn Glu Glu Ala	
	300 305 310
cag aaa gca cag gcc ctt cga ctg gcc tct cac ctc aac ctg gcc atg	1134
Gln Lys Ala Gln Ala Leu Arg Leu Ala Ser His Leu Asn Leu Ala Met	
	315 320 325
tgt cat ctg aaa cta cag gcc ttc tct gct gcc att gaa agc tgt aac	1182
Cys His Leu Lys Leu Gln Ala Phe Ser Ala Ala Ile Glu Ser Cys Asn	
	330 335 340
aag gcc cta gaa ctg gac agc aac aac gag aag ggc ctc ttc cgc cgg	1230
Lys Ala Leu Glu Leu Asp Ser Asn Asn Glu Lys Gly Leu Phe Arg Arg	
	345 350 355
gga gag gcc cac ctg gcc gtg aat gac ttt gaa ctg gca cgg gct gat	1278
Gly Glu Ala His Leu Ala Val Asn Asp Phe Glu Leu Ala Arg Ala Asp	
	360 365 370 375
ttc cag aag gtc ctg cag ctc tac ccc aac aac aaa gcc gcc aag acc	1326
Phe Gln Lys Val Leu Gln Leu Tyr Pro Asn Asn Lys Ala Ala Lys Thr	
	380 385 390
cag ctg gct gtg tgc cag cag cgg atc cga agg cag ctt gcc cgg gag	1374
Gln Leu Ala Val Cys Gln Gln Arg Ile Arg Arg Gln Leu Ala Arg Glu	
	395 400 405
aag aag ctc tat gcc aat atg ttt gag agg ctg gct gag gag gag aac	1422
Lys Lys Leu Tyr Ala Asn Met Phe Glu Arg Leu Ala Glu Glu Glu Asn	
	410 415 420
aag gcc aag gca gag gct tcc tca gga gac cat ccc act gac aca gag	1470
Lys Ala Lys Ala Glu Ala Ser Ser Gly Asp His Pro Thr Asp Thr Glu	
	425 430 435
atg aag gag gag cag aag agc aac acg gca ggg agc cag tct cag gtg	1518
Met Lys Glu Glu Gln Lys Ser Asn Thr Ala Gly Ser Gln Ser Gln Val	
	440 445 450 455
gag aca gaa gca tag ccctctcca ccagccctac tctgcggtt gctgcccc	1573
Glu Thr Glu Ala	
cagtctcccc actccacct gttagttttg taaaaactga agaattttga gtgaattaga	1633
cctttatttt tctatctggt tggatggtgg ctttagggga agggggaaag gtgtaggtg	1693
ggggattgag gtggggaatc attttagctg gtgtcagccc ctcttccctt cctccattgc	1753
acatgaacat atgtccatcc atatatatcc atcagaatgt taatttattt tgctccctct	1813
gttaggtcca ttttctaagg gtagaagagg caagtggtag ggatgaggtc tgataagaac	1873
ccaggggtgga gagggagact cctgggcagc cgttttcctc atcctttccc tctcccagtc	1933
catttccaaa tgtggcctcc atgtgggtgc tagggacatg ggaaaaacca ctgctatgcc	1993

-continued

```

attctctctc tctgttcct tcctcacc ccgacgggtg gctgatgatg tcttctggtg 2053
tcattggtgac caccctctgt tccctgttct ggtatttccc ctgtcagttt cccctctcgg 2113
ccagggttggtg tcccaaaatc ccctcagcct cttctctgca cgttgctgaa ggtccaggct 2173
tgctcaagt tccatgcttg agcaataaag tggaacaat aaaacctggg tgtcagacaa 2233
aaaaaaaaa aaaaaaaaa 2251

```

```

<210> SEQ ID NO 6
<211> LENGTH: 459
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 6

```

```

Met Thr Ala Glu Glu Met Lys Ala Thr Glu Ser Gly Ala Gln Ser Ala
1          5          10          15
Pro Leu Pro Met Glu Gly Val Asp Ile Ser Pro Lys Gln Asp Glu Gly
20         25         30
Val Leu Lys Val Ile Lys Arg Glu Gly Thr Gly Thr Glu Met Pro Met
35         40         45
Ile Gly Asp Arg Val Phe Val His Tyr Thr Gly Trp Leu Leu Asp Gly
50         55         60
Thr Lys Phe Asp Ser Ser Leu Asp Arg Lys Asp Lys Phe Ser Phe Asp
65         70         75         80
Leu Gly Lys Gly Glu Val Ile Lys Ala Trp Asp Ile Ala Ile Ala Thr
85         90         95
Met Lys Val Gly Glu Val Cys His Ile Thr Cys Lys Pro Glu Tyr Ala
100        105        110
Tyr Gly Ser Ala Gly Ser Pro Pro Lys Ile Pro Pro Asn Ala Thr Leu
115        120        125
Val Phe Glu Val Glu Leu Phe Glu Phe Lys Gly Glu Asp Leu Thr Glu
130        135        140
Glu Glu Asp Gly Gly Ile Ile Arg Arg Ile Gln Thr Arg Gly Glu Gly
145        150        155        160
Tyr Ala Lys Pro Asn Glu Gly Ala Ile Val Glu Val Ala Leu Glu Gly
165        170        175
Tyr Tyr Lys Asp Lys Leu Phe Asp Gln Arg Glu Leu Arg Phe Glu Ile
180        185        190
Gly Glu Gly Glu Asn Leu Asp Leu Pro Tyr Gly Leu Glu Arg Ala Ile
195        200        205
Gln Arg Met Glu Lys Gly Glu His Ser Ile Val Tyr Leu Lys Pro Ser
210        215        220
Tyr Ala Phe Gly Ser Val Gly Lys Glu Lys Phe Gln Ile Pro Pro Asn
225        230        235        240
Ala Glu Leu Lys Tyr Glu Leu His Leu Lys Ser Phe Glu Lys Ala Lys
245        250        255
Glu Ser Trp Glu Met Asn Ser Glu Glu Lys Leu Glu Gln Ser Thr Ile
260        265        270
Val Lys Glu Arg Gly Thr Val Tyr Phe Lys Glu Gly Lys Tyr Lys Gln
275        280        285
Ala Leu Leu Gln Tyr Lys Lys Ile Val Ser Trp Leu Glu Tyr Glu Ser
290        295        300
Ser Phe Ser Asn Glu Glu Ala Gln Lys Ala Gln Ala Leu Arg Leu Ala

```

-continued

305	310	315	320	
Ser His Leu Asn	Leu Ala Met Cys His	Leu Lys Leu Gln Ala Phe Ser		
	325	330	335	
Ala Ala Ile Glu Ser Cys Asn Lys	Ala Leu Glu Leu Asp Ser Asn Asn			
	340	345	350	
Glu Lys Gly Leu Phe Arg Arg Gly	Glu Ala His Leu Ala Val Asn Asp			
	355	360	365	
Phe Glu Leu Ala Arg Ala Asp Phe	Gln Lys Val Leu Gln Leu Tyr Pro			
	370	375	380	
Asn Asn Lys Ala Ala Lys Thr Gln	Leu Ala Val Cys Gln Gln Arg Ile			
	385	390	395	400
Arg Arg Gln Leu Ala Arg Glu Lys	Lys Leu Tyr Ala Asn Met Phe Glu			
	405	410	415	
Arg Leu Ala Glu Glu Glu Asn Lys	Ala Lys Ala Glu Ala Ser Ser Gly			
	420	425	430	
Asp His Pro Thr Asp Thr Glu Met	Lys Glu Glu Gln Lys Ser Asn Thr			
	435	440	445	
Ala Gly Ser Gln Ser Gln Val Glu	Thr Glu Ala			
	450	455		

<210> SEQ ID NO 7
 <211> LENGTH: 2562
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (56)..(1651)

<400> SEQUENCE: 7

gccgcggcggg ctctgggcac tcagcatcgt ttccttttcc tccgctggag cagct atg	58
	Met
	1
gcg gcg gtg aag acc ctg aac ccc aag gcc gag gtg gcc cga gcg cag	106
Ala Ala Val Lys Thr Leu Asn Pro Lys Ala Glu Val Ala Arg Ala Gln	
	5 10 15
gcg gcg ctg gcg gtc aac atc agc gca gcg egg ggt ctg cag gac gtg	154
Ala Ala Leu Ala Val Asn Ile Ser Ala Ala Arg Gly Leu Gln Asp Val	
	20 25 30
cta agg acc aac ctg ggg ccc aag ggc acc atg aag atg ctc gtt tct	202
Leu Arg Thr Asn Leu Gly Pro Lys Gly Thr Met Lys Met Leu Val Ser	
	35 40 45
ggc gct gga gac atc aaa ctt act aaa gac ggc aat gtg ctg ctt cac	250
Gly Ala Gly Asp Ile Lys Leu Thr Lys Asp Gly Asn Val Leu Leu His	
	50 55 60 65
gaa atg caa att caa cac cca aca gct tcc tta ata gca aag gta gca	298
Glu Met Gln Ile Gln His Pro Thr Ala Ser Leu Ile Ala Lys Val Ala	
	70 75 80
aca gcc cag gat gat ata act ggt gat ggt acg act tct aat gtc cta	346
Thr Ala Gln Asp Asp Ile Thr Gly Asp Gly Thr Thr Ser Asn Val Leu	
	85 90 95
atc att gga gag ctg ctg aaa cag gcg gat ctc tac att tct gaa ggc	394
Ile Ile Gly Glu Leu Leu Lys Gln Ala Asp Leu Tyr Ile Ser Glu Gly	
	100 105 110
ctt cat cct aga ata atc act gaa gga ttt gaa gct gca aag gaa aag	442
Leu His Pro Arg Ile Ile Thr Glu Gly Phe Glu Ala Ala Lys Glu Lys	
	115 120 125

-continued

gcc ctt cag ttt ttg gaa gaa gtc aaa gta agc aga gag atg gac agg	490
Ala Leu Gln Phe Leu Glu Glu Val Lys Val Ser Arg Glu Met Asp Arg	
130 135 140 145	
gaa aca ctt ata gat gtg gcc aga aca tct ctt cgt act aaa gtt cat	538
Glu Thr Leu Ile Asp Val Ala Arg Thr Ser Leu Arg Thr Lys Val His	
150 155 160	
gct gaa ctt gca gat gtc tta aca gag gct gta gtg gac tcc att ttg	586
Ala Glu Leu Ala Asp Val Leu Thr Glu Ala Val Val Asp Ser Ile Leu	
165 170 175	
gcc att aaa aag caa gat gaa cct att gat ctc ttc atg att gag atc	634
Ala Ile Lys Lys Gln Asp Glu Pro Ile Asp Leu Phe Met Ile Glu Ile	
180 185 190	
atg gag atg aaa cat aaa tct gaa act gat aca agc tta atc aga ggg	682
Met Glu Met Lys His Lys Ser Glu Thr Asp Thr Ser Leu Ile Arg Gly	
195 200 205	
ctt gtt ttg gac cac gga gca cgg cat cct gat atg aag aaa agg gtg	730
Leu Val Leu Asp His Gly Ala Arg His Pro Asp Met Lys Lys Arg Val	
210 215 220 225	
gag gat gca tac atc ctc act tgt aac gtg tca tta gag tat gag aaa	778
Glu Asp Ala Tyr Ile Leu Thr Cys Asn Val Ser Leu Glu Tyr Glu Lys	
230 235 240	
aca gaa gtg aat tct ggc ttt ttt tac aag agt gca gaa gag aga gaa	826
Thr Glu Val Asn Ser Gly Phe Phe Tyr Lys Ser Ala Glu Glu Arg Glu	
245 250 255	
aaa ctc gtg aaa gct gaa aga aaa ttc att gaa gat agg gtt aaa aaa	874
Lys Leu Val Lys Ala Glu Arg Lys Phe Ile Glu Asp Arg Val Lys Lys	
260 265 270	
ata ata gaa ctg aaa agg aaa gtc tgt ggc gat tca gat aaa gga ttt	922
Ile Ile Glu Leu Lys Arg Lys Val Cys Gly Asp Ser Asp Lys Gly Phe	
275 280 285	
gtt gtt att aat caa aag gga att gac ccc ttt tcc tta gat gct ctt	970
Val Val Ile Asn Gln Lys Gly Ile Asp Pro Phe Ser Leu Asp Ala Leu	
290 295 300 305	
tca aaa gaa ggc ata gtc gct ctg cgc aga gct aaa agg aga aat atg	1018
Ser Lys Glu Gly Ile Val Ala Leu Arg Arg Ala Lys Arg Arg Asn Met	
310 315 320	
gag agg ctg act ctt gct tgt ggt ggg gta gcc ctg aat tct ttt gac	1066
Glu Arg Leu Thr Leu Ala Cys Gly Gly Val Ala Leu Asn Ser Phe Asp	
325 330 335	
gac cta agt cct gac tgc ttg gga cat gca gga ctt gta tat gag tat	1114
Asp Leu Ser Pro Asp Cys Leu Gly His Ala Gly Leu Val Tyr Glu Tyr	
340 345 350	
aca ttg gga gaa gag aag ttt acc ttt att gag aaa tgt aac aac cct	1162
Thr Leu Gly Glu Glu Lys Phe Thr Phe Ile Glu Lys Cys Asn Asn Pro	
355 360 365	
cgt tct gtc aca tta ttg atc aaa gga cca aat aag cac aca ctc act	1210
Arg Ser Val Thr Leu Leu Ile Lys Gly Pro Asn Lys His Thr Leu Thr	
370 375 380 385	
cag atc aaa gat gca gtg agg gac ggc ttg agg gct gtc aaa aat gct	1258
Gln Ile Lys Asp Ala Val Arg Asp Gly Leu Arg Ala Val Lys Asn Ala	
390 395 400	
att gat gat ggc tgt gtg gtt cca ggt gct ggt gcc gtg gaa gtg gca	1306
Ile Asp Asp Gly Cys Val Val Pro Gly Ala Gly Ala Val Glu Val Ala	
405 410 415	
atg gca gaa gcc ctg att aaa cat aag ccc agt gta aag ggc agg gca	1354
Met Ala Glu Ala Leu Ile Lys His Lys Pro Ser Val Lys Gly Arg Ala	
420 425 430	

-continued

```

cag ctt gga gtc caa gca ttt gct gat gca ttg ctc att att ccc aag      1402
Gln Leu Gly Val Gln Ala Phe Ala Asp Ala Leu Leu Ile Ile Pro Lys
   435                               440                               445

gtt ctt gct cag aac tct ggt ttt gac ctt cag gaa aca tta gtt aaa      1450
Val Leu Ala Gln Asn Ser Gly Phe Asp Leu Gln Glu Thr Leu Val Lys
   450                               455                               460                               465

att caa gca gaa cat tca gaa tca ggt cag ctt gtg ggt gtg gac ctg      1498
Ile Gln Ala Glu His Ser Glu Ser Gly Gln Leu Val Gly Val Asp Leu
                               470                               475                               480

aac aca ggt gag cca atg gtg gca gca gaa gta ggc gta tgg gat aac      1546
Asn Thr Gly Glu Pro Met Val Ala Ala Glu Val Gly Val Trp Asp Asn
                               485                               490                               495

tat tgt gta aag aaa cag ctt ctt cac tcc tgc act gtg att gcc acc      1594
Tyr Cys Val Lys Lys Gln Leu Leu His Ser Cys Thr Val Ile Ala Thr
                               500                               505                               510

aac att ctc ttg gtt gat gag atc atg cga gct gga atg tct tct ctg      1642
Asn Ile Leu Leu Val Asp Glu Ile Met Arg Ala Gly Met Ser Ser Leu
   515                               520                               525

aaa ggt tga attgaagctt cctctgtatc tgaatcttga agactgcaaa      1691
Lys Gly
530

gtgatcctga ggattacagc tgtggaattt ttgtccaagc ttcaaataat tttgaaagaa      1751

attttcccat atgaaaaaag gagagaacac tggcatctgt tgaatttgg aagtctctgaa      1811

attatagtat ttttaaaaat tgcactgaag tgtatacaca taaagcaggt cttttatcca      1871

gtgaacagga tgttttgctt tagcagcagt gacataaaaat tccatgtag ataagcatat      1931

gttacttacc ttgttattaa atatttcttg aaaagcaaat ttaatgggtt aattttatgt      1991

ggacgtatgt taaattatcc aaactaccct attgttaagc atttggtttt aaaattttta      2051

tgctaataata aatgctcaag taatttaaaa tattgaaagc atccctgttg gtataaattt      2111

ctgagtaaat gcattggatc agttggactt tgaacgcctt ttgaaatggc tttgctaaaa      2171

tgctcccgcc acaaagttgt aggaaatggg aagaggagtc aactagaggc aaggaggttg      2231

agagagctgc aactgtaaag ggcaagaaca ggcagaggta aaaagatgat ggaaggtgtg      2291

gtgactaagg gccacggtta ttgggtgaaa tttgagatgt aggccaactg tattttcaag      2351

cttctgaact taaggcaaaa tattcatcgc aaagtcteta gcgtcatatt tttctcacc      2411

aaattacggt tccacgagtt attatatata gttggtctat ctctgcagtc cttgaaggtg      2471

aagttgtgtg ttactaggct gtgttttggg atgtcagcag tggcctgaag tgagttgtgc      2531

aataaatggt aagttgaaac ctcaaaaaa a      2562

```

```

<210> SEQ ID NO 8
<211> LENGTH: 531
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 8

```

```

Met Ala Ala Val Lys Thr Leu Asn Pro Lys Ala Glu Val Ala Arg Ala
1                               5                               10                               15

Gln Ala Ala Leu Ala Val Asn Ile Ser Ala Ala Arg Gly Leu Gln Asp
20                               25                               30

Val Leu Arg Thr Asn Leu Gly Pro Lys Gly Thr Met Lys Met Leu Val
35                               40                               45

Ser Gly Ala Gly Asp Ile Lys Leu Thr Lys Asp Gly Asn Val Leu Leu

```

-continued

50					55					60					
His	Glu	Met	Gln	Ile	Gln	His	Pro	Thr	Ala	Ser	Leu	Ile	Ala	Lys	Val
65					70					75					80
Ala	Thr	Ala	Gln	Asp	Asp	Ile	Thr	Gly	Asp	Gly	Thr	Thr	Ser	Asn	Val
			85						90					95	
Leu	Ile	Ile	Gly	Glu	Leu	Leu	Lys	Gln	Ala	Asp	Leu	Tyr	Ile	Ser	Glu
			100					105					110		
Gly	Leu	His	Pro	Arg	Ile	Ile	Thr	Glu	Gly	Phe	Glu	Ala	Ala	Lys	Glu
		115					120					125			
Lys	Ala	Leu	Gln	Phe	Leu	Glu	Glu	Val	Lys	Val	Ser	Arg	Glu	Met	Asp
	130					135						140			
Arg	Glu	Thr	Leu	Ile	Asp	Val	Ala	Arg	Thr	Ser	Leu	Arg	Thr	Lys	Val
145					150					155					160
His	Ala	Glu	Leu	Ala	Asp	Val	Leu	Thr	Glu	Ala	Val	Val	Asp	Ser	Ile
			165						170					175	
Leu	Ala	Ile	Lys	Lys	Gln	Asp	Glu	Pro	Ile	Asp	Leu	Phe	Met	Ile	Glu
			180					185					190		
Ile	Met	Glu	Met	Lys	His	Lys	Ser	Glu	Thr	Asp	Thr	Ser	Leu	Ile	Arg
	195						200					205			
Gly	Leu	Val	Leu	Asp	His	Gly	Ala	Arg	His	Pro	Asp	Met	Lys	Lys	Arg
	210					215					220				
Val	Glu	Asp	Ala	Tyr	Ile	Leu	Thr	Cys	Asn	Val	Ser	Leu	Glu	Tyr	Glu
225					230					235					240
Lys	Thr	Glu	Val	Asn	Ser	Gly	Phe	Phe	Tyr	Lys	Ser	Ala	Glu	Glu	Arg
			245						250					255	
Glu	Lys	Leu	Val	Lys	Ala	Glu	Arg	Lys	Phe	Ile	Glu	Asp	Arg	Val	Lys
		260						265					270		
Lys	Ile	Ile	Glu	Leu	Lys	Arg	Lys	Val	Cys	Gly	Asp	Ser	Asp	Lys	Gly
	275					280						285			
Phe	Val	Val	Ile	Asn	Gln	Lys	Gly	Ile	Asp	Pro	Phe	Ser	Leu	Asp	Ala
	290					295					300				
Leu	Ser	Lys	Glu	Gly	Ile	Val	Ala	Leu	Arg	Arg	Ala	Lys	Arg	Arg	Asn
305					310					315					320
Met	Glu	Arg	Leu	Thr	Leu	Ala	Cys	Gly	Gly	Val	Ala	Leu	Asn	Ser	Phe
			325						330					335	
Asp	Asp	Leu	Ser	Pro	Asp	Cys	Leu	Gly	His	Ala	Gly	Leu	Val	Tyr	Glu
		340						345					350		
Tyr	Thr	Leu	Gly	Glu	Glu	Lys	Phe	Thr	Phe	Ile	Glu	Lys	Cys	Asn	Asn
	355						360					365			
Pro	Arg	Ser	Val	Thr	Leu	Leu	Ile	Lys	Gly	Pro	Asn	Lys	His	Thr	Leu
	370					375					380				
Thr	Gln	Ile	Lys	Asp	Ala	Val	Arg	Asp	Gly	Leu	Arg	Ala	Val	Lys	Asn
385					390					395					400
Ala	Ile	Asp	Asp	Gly	Cys	Val	Val	Pro	Gly	Ala	Gly	Ala	Val	Glu	Val
			405						410					415	
Ala	Met	Ala	Glu	Ala	Leu	Ile	Lys	His	Lys	Pro	Ser	Val	Lys	Gly	Arg
		420					425					430			
Ala	Gln	Leu	Gly	Val	Gln	Ala	Phe	Ala	Asp	Ala	Leu	Leu	Ile	Ile	Pro
	435						440					445			
Lys	Val	Leu	Ala	Gln	Asn	Ser	Gly	Phe	Asp	Leu	Gln	Glu	Thr	Leu	Val
	450					455					460				

-continued

Lys Ile Gln Ala Glu His Ser Glu Ser Gly Gln Leu Val Gly Val Asp
465 470 475 480

Leu Asn Thr Gly Glu Pro Met Val Ala Ala Glu Val Gly Val Trp Asp
485 490 495

Asn Tyr Cys Val Lys Lys Gln Leu Leu His Ser Cys Thr Val Ile Ala
500 505 510

Thr Asn Ile Leu Leu Val Asp Glu Ile Met Arg Ala Gly Met Ser Ser
515 520 525

Leu Lys Gly
530

<210> SEQ ID NO 9
<211> LENGTH: 2208
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (230)..(1486)

<400> SEQUENCE: 9

tctttggcctt tttttggcgg agctggggcg ccctccggaa gcgtttccaa ctttccagaa 60

gtttctcggg acgggcagga ggggggtggg actgccatat atagatcccg ggagcagggg 120

agcgggctaa gactagaatc gtgtcgggc tcgagagcga gagtcacgtc ccggcgctag 180

cccagcccga cccaggccca ccgtggtgca cgcaaaccac ttcctggcc atg cgc tcc 238
Met Arg Ser
1

ctc ctg ctt ctc agc gcc ttc tgc ctc ctg gag gcg gcc ctg gcc gcc 286
Leu Leu Leu Leu Ser Ala Phe Cys Leu Leu Glu Ala Ala Leu Ala Ala
5 10 15

gag gtg aag aaa cct gca gcc gca gca gct cct ggc act gcg gag aag 334
Glu Val Lys Lys Pro Ala Ala Ala Ala Pro Gly Thr Ala Glu Lys
20 25 30 35

ttg agc ccc aag gcg gcc acg ctt gcc gag cgc agc gcc ggc ctg gcc 382
Leu Ser Pro Lys Ala Ala Thr Leu Ala Glu Arg Ser Ala Gly Leu Ala
40 45 50

ttc agc ttg tac cag gcc atg gcc aag gac cag gca gtg gag aac atc 430
Phe Ser Leu Tyr Gln Ala Met Ala Lys Asp Gln Ala Val Glu Asn Ile
55 60 65

ctg gtg tca ccc gtg gtg gtg gcc tcg tcg cta ggg ctc gtg tcg ctg 478
Leu Val Ser Pro Val Val Val Ala Ser Ser Leu Gly Leu Val Ser Leu
70 75 80

ggc ggc aag gcg acc acg gcg tcg cag gcc aag gca gtg ctg agc gcc 526
Gly Gly Lys Ala Thr Thr Ala Ser Gln Ala Lys Ala Val Leu Ser Ala
85 90 95

gag cag ctg cgc gac gag gag gtg cac gcc ggc ctg ggc gag ctg ctg 574
Glu Gln Leu Arg Asp Glu Glu Val His Ala Gly Leu Gly Glu Leu Leu
100 105 110 115

cgc tca ctc agc aac tcc acg gcg cgc aac gtg acc tgg aag ctg ggc 622
Arg Ser Leu Ser Asn Ser Thr Ala Arg Asn Val Thr Trp Lys Leu Gly
120 125 130

agc cga ctg tac gga ccc agc tca gtg agc ttc gct gat gac ttc gtg 670
Ser Arg Leu Tyr Gly Pro Ser Ser Val Ser Phe Ala Asp Asp Phe Val
135 140 145

cgc agc agc aag cag cac tac aac tgc gag cac tcc aag atc aac ttc 718
Arg Ser Ser Lys Gln His Tyr Asn Cys Glu His Ser Lys Ile Asn Phe
150 155 160

-continued

cgc gac aag cgc agc gcg ctg cag tcc atc aac gag tgg gcc gcg cag Arg Asp Lys Arg Ser Ala Leu Gln Ser Ile Asn Glu Trp Ala Ala Gln 165 170 175	766
acc acc gac ggc aag ctg ccc gag gtc acc aag gac gtg gag cgc acg Thr Thr Asp Gly Lys Leu Pro Glu Val Thr Lys Asp Val Glu Arg Thr 180 185 190 195	814
gac ggc gcc ctg cta gtc aac gcc atg ttc ttc aag cca cac tgg gat Asp Gly Ala Leu Leu Val Asn Ala Met Phe Phe Lys Pro His Trp Asp 200 205 210	862
gag aaa ttc cac cac aag atg gtg gac aac cgt ggc ttc atg gtg act Glu Lys Phe His His Lys Met Val Asp Asn Arg Gly Phe Met Val Thr 215 220 225	910
cgg tcc tat acc gtg ggt gtc atg atg atg cac cgg aca ggc ctc tac Arg Ser Tyr Thr Val Gly Val Met Met Met His Arg Thr Gly Leu Tyr 230 235 240	958
aac tac tac gac gac gag aag gaa aag ctg caa atc gtg gag atg ccc Asn Tyr Tyr Asp Asp Glu Lys Glu Lys Leu Gln Ile Val Glu Met Pro 245 250 255	1006
ctg gcc cac aag ctc tcc agc ctc atc atc ctc atg ccc cat cac gtg Leu Ala His Lys Leu Ser Ser Leu Ile Ile Leu Met Pro His His Val 260 265 270 275	1054
gag cct ctc gag cgc ctt gaa aag ctg cta acc aaa gag cag ctg aag Glu Pro Leu Glu Arg Leu Glu Lys Leu Leu Thr Lys Glu Gln Leu Lys 280 285 290	1102
atc tgg atg ggg aag atg cag aag aag gct gtt gcc atc tcc ttg ccc Ile Trp Met Gly Lys Met Gln Lys Lys Ala Val Ala Ile Ser Leu Pro 295 300 305	1150
aag ggt gtg gtg gag gtg acc cat gac ctg cag aaa cac ctg gct ggg Lys Gly Val Val Glu Val Thr His Asp Leu Gln Lys His Leu Ala Gly 310 315 320	1198
ctg ggc ctg act gag gcc att gac aag aac aag gcc gac ttg tca cgc Leu Gly Leu Thr Glu Ala Ile Asp Lys Asn Lys Ala Asp Leu Ser Arg 325 330 335	1246
atg tca ggc aag aag gac ctg tac ctg gcc agc gtg ttc cac gcc acc Met Ser Gly Lys Lys Asp Leu Tyr Leu Ala Ser Val Phe His Ala Thr 340 345 350 355	1294
gcc ttt gag ttg gac aca gat ggc aac ccc ttt gac cag gac atc tac Ala Phe Glu Leu Asp Thr Asp Gly Asn Pro Phe Asp Gln Asp Ile Tyr 360 365 370	1342
ggg cgc gag gag ctg cgc agc ccc aag ctg ttc tac gcc gac cac ccc Gly Arg Glu Glu Leu Arg Ser Pro Lys Leu Phe Tyr Ala Asp His Pro 375 380 385	1390
ttc atc ttc cta gtg cgg gac acc caa agc ggc tcc ctg cta ttc att Phe Ile Phe Leu Val Arg Asp Thr Gln Ser Gly Ser Leu Leu Phe Ile 390 395 400	1438
ggg cgc ctg gtc cgg cct aag ggt gac aag atg cga gac gag tta tag Gly Arg Leu Val Arg Pro Lys Gly Asp Lys Met Arg Asp Glu Leu 405 410 415	1486
ggcctcaggg tgcacacagg atggcaggag gcatcacaag gctcctgaga cacatgggtg	1546
ctattgggggt tgggggggag gtgaggtacc agccttggat actccatggg gtgggggtgg	1606
aaaaacagac cggggttccc gtgtgctga gcggacctc ccagctagaa ttcactccac	1666
ttggacatgg gcccagata ccatgatgct gagcccggaa actccacatc ctgtgggacc	1726
tgggcatag tcattctgcc tgccctgaaa gtcccagatc aagcctgcct caatcagtat	1786
tcatatttat agccaggtac cttctcacct gtgagaccaa attgagctag gggggtcagc	1846

-continued

```

cagccctctt ctgacctaa aacacctcag ctgcctcccc agctotatcc caacctctcc 1906
caactataaa actaggtgct gcagcccctg ggaccaggca cccccagaat gacctggccg 1966
cagtgaggcg gattgagaag gagctcccag gaggggcttc tgggcagact ctggtcaaga 2026
agcatcgtgt ctggcgttgt ggggatgaac tttttgtttt gtttcttctt ttttagttc 2086
ttcaaagata gggaggggaag ggggaacatg agcctttgtt gctatcaatc caagaactta 2146
tttgtacatt ttttttttca ataaaaacttt tccaatgaca ttttgttgga gcgtggaaaa 2206
aa 2208

```

```

<210> SEQ ID NO 10
<211> LENGTH: 418
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 10

```

```

Met Arg Ser Leu Leu Leu Ser Ala Phe Cys Leu Leu Glu Ala Ala
1 5 10 15
Leu Ala Ala Glu Val Lys Lys Pro Ala Ala Ala Ala Ala Pro Gly Thr
20 25 30
Ala Glu Lys Leu Ser Pro Lys Ala Ala Thr Leu Ala Glu Arg Ser Ala
35 40 45
Gly Leu Ala Phe Ser Leu Tyr Gln Ala Met Ala Lys Asp Gln Ala Val
50 55 60
Glu Asn Ile Leu Val Ser Pro Val Val Val Ala Ser Ser Leu Gly Leu
65 70 75 80
Val Ser Leu Gly Gly Lys Ala Thr Thr Ala Ser Gln Ala Lys Ala Val
85 90 95
Leu Ser Ala Glu Gln Leu Arg Asp Glu Glu Val His Ala Gly Leu Gly
100 105 110
Glu Leu Leu Arg Ser Leu Ser Asn Ser Thr Ala Arg Asn Val Thr Trp
115 120 125
Lys Leu Gly Ser Arg Leu Tyr Gly Pro Ser Ser Val Ser Phe Ala Asp
130 135 140
Asp Phe Val Arg Ser Ser Lys Gln His Tyr Asn Cys Glu His Ser Lys
145 150 155 160
Ile Asn Phe Arg Asp Lys Arg Ser Ala Leu Gln Ser Ile Asn Glu Trp
165 170 175
Ala Ala Gln Thr Thr Asp Gly Lys Leu Pro Glu Val Thr Lys Asp Val
180 185 190
Glu Arg Thr Asp Gly Ala Leu Leu Val Asn Ala Met Phe Phe Lys Pro
195 200 205
His Trp Asp Glu Lys Phe His His Lys Met Val Asp Asn Arg Gly Phe
210 215 220
Met Val Thr Arg Ser Tyr Thr Val Gly Val Met Met Met His Arg Thr
225 230 235 240
Gly Leu Tyr Asn Tyr Tyr Asp Asp Glu Lys Glu Lys Leu Gln Ile Val
245 250 255
Glu Met Pro Leu Ala His Lys Leu Ser Ser Leu Ile Ile Leu Met Pro
260 265 270
His His Val Glu Pro Leu Glu Arg Leu Glu Lys Leu Leu Thr Lys Glu
275 280 285

```

-continued

Gln Leu Lys Ile Trp Met Gly Lys Met Gln Lys Lys Ala Val Ala Ile
 290 295 300
 Ser Leu Pro Lys Gly Val Val Glu Val Thr His Asp Leu Gln Lys His
 305 310 315 320
 Leu Ala Gly Leu Gly Leu Thr Glu Ala Ile Asp Lys Asn Lys Ala Asp
 325 330 335
 Leu Ser Arg Met Ser Gly Lys Lys Asp Leu Tyr Leu Ala Ser Val Phe
 340 345 350
 His Ala Thr Ala Phe Glu Leu Asp Thr Asp Gly Asn Pro Phe Asp Gln
 355 360 365
 Asp Ile Tyr Gly Arg Glu Glu Leu Arg Ser Pro Lys Leu Phe Tyr Ala
 370 375 380
 Asp His Pro Phe Ile Phe Leu Val Arg Asp Thr Gln Ser Gly Ser Leu
 385 390 395 400
 Leu Phe Ile Gly Arg Leu Val Arg Pro Lys Gly Asp Lys Met Arg Asp
 405 410 415

Glu Leu

<210> SEQ ID NO 11
 <211> LENGTH: 1690
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (77)..(1429)

<400> SEQUENCE: 11

ggcaccgagga aggtttttgc tgcgccaacg cagtgaccga aggctccgct cagcccggc 60
 ctgatcctgc ctgaag atg gtg cca ctg gtg gct gtg gta tca ggg ccc cgt 112
 Met Val Pro Leu Val Ala Val Val Ser Gly Pro Arg
 1 5 10
 gcc cag ctc ttt gcc tgc ctg ctc agg ctg ggc act cag cag gtc ggc 160
 Ala Gln Leu Phe Ala Cys Leu Leu Arg Leu Gly Thr Gln Gln Val Gly
 15 20 25
 ccc ctt cag ctg cac acc ggg gcc agc cat gcg gcc agg aac cat tat 208
 Pro Leu Gln Leu His Thr Gly Ala Ser His Ala Ala Arg Asn His Tyr
 30 35 40
 gag gtg ctg gtg ctg ggt ggg ggc agt ggc gga atc acc atg gct gcc 256
 Glu Val Leu Val Leu Gly Gly Gly Ser Gly Gly Ile Thr Met Ala Ala
 45 50 55 60
 cgc atg aag agg aaa gtg ggt gca gag aat gtg gcc att gtt gag ccc 304
 Arg Met Lys Arg Lys Val Gly Ala Glu Asn Val Ala Ile Val Glu Pro
 65 70 75
 agt gag aga cat ttc tac cag cca atc tgg aca ctg gtg ggt gct ggt 352
 Ser Glu Arg His Phe Tyr Gln Pro Ile Trp Thr Leu Val Gly Ala Gly
 80 85 90
 gcc aaa caa ttg tcc tca tct ggt cgt ccc acg gca agt gtg att cca 400
 Ala Lys Gln Leu Ser Ser Ser Gly Arg Pro Thr Ala Ser Val Ile Pro
 95 100 105
 tct ggt gta gaa tgg atc aaa gct aga gtg act gag ttg aac cca gac 448
 Ser Gly Val Glu Trp Ile Lys Ala Arg Val Thr Glu Leu Asn Pro Asp
 110 115 120
 aag aac tgc att cac aca gat gac gac gag aag atc tcc tac cga tat 496
 Lys Asn Cys Ile His Thr Asp Asp Asp Glu Lys Ile Ser Tyr Arg Tyr
 125 130 135 140

-continued

ctt att att gct ctc gga atc cag ctg gac tat gag aag att aaa ggc Leu Ile Ile Ala Leu Gly Ile Gln Leu Asp Tyr Glu Lys Ile Lys Gly 145 150 155	544
cta cct gaa ggt ttc gct cat ccc aaa ata ggg tcg aat tat tca gtt Leu Pro Glu Gly Phe Ala His Pro Lys Ile Gly Ser Asn Tyr Ser Val 160 165 170	592
aag act gta gag aag aca tgg aaa gct ctg cag gac ttc aaa gag ggc Lys Thr Val Glu Lys Thr Trp Lys Ala Leu Gln Asp Phe Lys Glu Gly 175 180 185	640
aat gcc atc ttc acc ttc cca aat act cca gtg aag tgt gct gga gcc Asn Ala Ile Phe Thr Phe Pro Asn Thr Pro Val Lys Cys Ala Gly Ala 190 195 200	688
cct cag aag atc atg tac tta tca gaa gcc tac ttc agg aag aca ggg Pro Gln Lys Ile Met Tyr Leu Ser Glu Ala Tyr Phe Arg Lys Thr Gly 205 210 215 220	736
aag cga tcc aag gcc aat atc att ttc aac act tct ctt gga gcc att Lys Arg Ser Lys Ala Asn Ile Ile Phe Asn Thr Ser Leu Gly Ala Ile 225 230 235	784
ttc ggg gtt aag aag tat gca gat gcc ctg cag gag atc atc cag gag Phe Gly Val Lys Lys Tyr Ala Asp Ala Leu Gln Glu Ile Ile Gln Glu 240 245 250	832
cgg aac ctc act gtt aac tac aag aaa aac ctc att gaa gtc cga gcc Arg Asn Leu Thr Val Asn Tyr Lys Lys Asn Leu Ile Glu Val Arg Ala 255 260 265	880
gat aaa caa gag gct gta ttt gag aac ctg gac aaa cca gga gag acc Asp Lys Gln Glu Ala Val Phe Glu Asn Leu Asp Lys Pro Gly Glu Thr 270 275 280	928
caa gtg att tca tat gaa atg ctt cat gtc aca cct cca atg agc cca Gln Val Ile Ser Tyr Glu Met Leu His Val Thr Pro Pro Met Ser Pro 285 290 295 300	976
cca gat gtc ctc aag acc agt cct gtg gct gat gct gct ggt tgg gtg Pro Asp Val Leu Lys Thr Ser Pro Val Ala Asp Ala Ala Gly Trp Val 305 310 315	1024
gat gtg gat aaa gaa act ctg caa cac agg agg tac cca aat gtg ttt Asp Val Asp Lys Glu Thr Leu Gln His Arg Arg Tyr Pro Asn Val Phe 320 325 330	1072
ggg att ggg gac tgc acc aac ctt cct acg tca aag acc gct gct gca Gly Ile Gly Asp Cys Thr Asn Leu Pro Thr Ser Lys Thr Ala Ala Ala 335 340 345	1120
gta gct gcc cag tca gga ata ctt gat agg aca att tct gta att atg Val Ala Ala Gln Ser Gly Ile Leu Asp Arg Thr Ile Ser Val Ile Met 350 355 360	1168
aag aat caa aca cca aca aag aag tat gat ggc tac aca tca tgt cca Lys Asn Gln Thr Pro Thr Lys Lys Tyr Asp Gly Tyr Thr Ser Cys Pro 365 370 375 380	1216
ctg gtg acc ggc tac aac cgt gtg att ctt gct gag ttt gac tac aaa Leu Val Thr Gly Tyr Asn Arg Val Ile Leu Ala Glu Phe Asp Tyr Lys 385 390 395	1264
gca gag ccg cta gaa acc ttc ccc ttt gat caa agc aaa gag cgc ctt Ala Glu Pro Leu Glu Thr Phe Pro Phe Asp Gln Ser Lys Glu Arg Leu 400 405 410	1312
tcc atg tat ctc atg aaa gct gac ctg atg cct ttc ctg tat tgg aat Ser Met Tyr Leu Met Lys Ala Asp Leu Met Pro Phe Leu Tyr Trp Asn 415 420 425	1360
atg atg cta agg ggt tac tgg gga gga cca gcg ttt ctg cgc aag ttg Met Met Leu Arg Gly Tyr Trp Gly Gly Pro Ala Phe Leu Arg Lys Leu 430 435 440	1408

-continued

```

ttt cat cta ggt atg agt taa ggatggctca gcacttgctc atcttggatg      1459
Phe His Leu Gly Met Ser
445                               450

gcttctgggc caaaactgca gtcactgaat gaccaagagc agcacgaagg acttgaacc  1519

tatecttgta aagagttoct tgatgggtaa tggtgaccaa atgcctcctt ttcagttacc  1579

tttgaacagc aaccatgtgg gctactcatg atgggcttga ttctttggga ataataaaat  1639

gaaataatac ttttattttc tgaataaaaag tttgtcactg aaaaaaaaaa a      1690

```

```

<210> SEQ ID NO 12
<211> LENGTH: 450
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 12

```

```

Met Val Pro Leu Val Ala Val Val Ser Gly Pro Arg Ala Gln Leu Phe
1                               5           10          15

Ala Cys Leu Leu Arg Leu Gly Thr Gln Gln Val Gly Pro Leu Gln Leu
                20           25           30

His Thr Gly Ala Ser His Ala Ala Arg Asn His Tyr Glu Val Leu Val
        35           40           45

Leu Gly Gly Gly Ser Gly Gly Ile Thr Met Ala Ala Arg Met Lys Arg
        50           55           60

Lys Val Gly Ala Glu Asn Val Ala Ile Val Glu Pro Ser Glu Arg His
        65           70           75           80

Phe Tyr Gln Pro Ile Trp Thr Leu Val Gly Ala Gly Ala Lys Gln Leu
        85           90           95

Ser Ser Ser Gly Arg Pro Thr Ala Ser Val Ile Pro Ser Gly Val Glu
        100          105          110

Trp Ile Lys Ala Arg Val Thr Glu Leu Asn Pro Asp Lys Asn Cys Ile
        115          120          125

His Thr Asp Asp Asp Glu Lys Ile Ser Tyr Arg Tyr Leu Ile Ile Ala
        130          135          140

Leu Gly Ile Gln Leu Asp Tyr Glu Lys Ile Lys Gly Leu Pro Glu Gly
        145          150          155          160

Phe Ala His Pro Lys Ile Gly Ser Asn Tyr Ser Val Lys Thr Val Glu
        165          170          175

Lys Thr Trp Lys Ala Leu Gln Asp Phe Lys Glu Gly Asn Ala Ile Phe
        180          185          190

Thr Phe Pro Asn Thr Pro Val Lys Cys Ala Gly Ala Pro Gln Lys Ile
        195          200          205

Met Tyr Leu Ser Glu Ala Tyr Phe Arg Lys Thr Gly Lys Arg Ser Lys
        210          215          220

Ala Asn Ile Ile Phe Asn Thr Ser Leu Gly Ala Ile Phe Gly Val Lys
        225          230          235          240

Lys Tyr Ala Asp Ala Leu Gln Glu Ile Ile Gln Glu Arg Asn Leu Thr
        245          250          255

Val Asn Tyr Lys Lys Asn Leu Ile Glu Val Arg Ala Asp Lys Gln Glu
        260          265          270

Ala Val Phe Glu Asn Leu Asp Lys Pro Gly Glu Thr Gln Val Ile Ser
        275          280          285

Tyr Glu Met Leu His Val Thr Pro Pro Met Ser Pro Pro Asp Val Leu
        290          295          300

```

-continued

Lys Thr Ser Pro Val Ala Asp Ala Ala Gly Trp Val Asp Val Asp Lys
 305 310 315 320
 Glu Thr Leu Gln His Arg Arg Tyr Pro Asn Val Phe Gly Ile Gly Asp
 325 330 335
 Cys Thr Asn Leu Pro Thr Ser Lys Thr Ala Ala Val Ala Ala Gln
 340 345 350
 Ser Gly Ile Leu Asp Arg Thr Ile Ser Val Ile Met Lys Asn Gln Thr
 355 360 365
 Pro Thr Lys Lys Tyr Asp Gly Tyr Thr Ser Cys Pro Leu Val Thr Gly
 370 375 380
 Tyr Asn Arg Val Ile Leu Ala Glu Phe Asp Tyr Lys Ala Glu Pro Leu
 385 390 395 400
 Glu Thr Phe Pro Phe Asp Gln Ser Lys Glu Arg Leu Ser Met Tyr Leu
 405 410 415
 Met Lys Ala Asp Leu Met Pro Phe Leu Tyr Trp Asn Met Met Leu Arg
 420 425 430
 Gly Tyr Trp Gly Gly Pro Ala Phe Leu Arg Lys Leu Phe His Leu Gly
 435 440 445
 Met Ser
 450

<210> SEQ ID NO 13
 <211> LENGTH: 2593
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (49)..(2259)

<400> SEQUENCE: 13

ggccagcgcg tctgcttggt cgtgtgtgtg tcgttgcagg ccttattc atg ggc tca 57
 Met Gly Ser
 1
 ccg ctg agg ttc gac ggg cgg gtg gta ctg gtc acc ggc gcg ggg gca 105
 Pro Leu Arg Phe Asp Gly Arg Val Val Leu Val Thr Gly Ala Gly Ala
 5 10 15
 gga ttg ggc cga gcc tat gcc ctg gct ttt gca gaa aga gga gcg tta 153
 Gly Leu Gly Arg Ala Tyr Ala Leu Ala Phe Ala Glu Arg Gly Ala Leu
 20 25 30 35
 gtt gtt gtg aat gat ttg gga ggg gac ttc aaa gga gtt ggt aaa ggc 201
 Val Val Val Asn Asp Leu Gly Gly Asp Phe Lys Gly Val Gly Lys Gly
 40 45 50
 tcc tta gct gct gat aag gtt gtt gaa gaa ata aga agg aga ggt gga 249
 Ser Leu Ala Ala Asp Lys Val Val Glu Glu Ile Arg Arg Arg Gly Gly
 55 60 65
 aaa gca gtg gcc aac tat gat tca gtg gaa gaa gga gag aag gtt gtg 297
 Lys Ala Val Ala Asn Tyr Asp Ser Val Glu Glu Gly Glu Lys Val Val
 70 75 80
 aag aca gcc ctg gat gct ttt gga aga ata gat gtt gtg gtc aac aat 345
 Lys Thr Ala Leu Asp Ala Phe Gly Arg Ile Asp Val Val Val Asn Asn
 85 90 95
 gct gga att ctg agg gat cgt tcc ttt gct agg ata agt gat gaa gac 393
 Ala Gly Ile Leu Arg Asp Arg Ser Phe Ala Arg Ile Ser Asp Glu Asp
 100 105 110 115
 tgg gat ata atc cac aga gtt cat ttg cgg ggt tca ttc caa gtg aca 441
 Trp Asp Ile Ile His Arg Val His Leu Arg Gly Ser Phe Gln Val Thr

-continued

420	425	430	435	
gga tcc ggt gta gtg att att atg gat gtc tat tct tat tct gag aag Gly Ser Gly Val Val Ile Ile Met Asp Val Tyr Ser Tyr Ser Glu Lys	440	445	450	1401
gaa ctt ata tgc cac aat cag ttc tct ctc ttt ctt gtt ggc tct gga Glu Leu Ile Cys His Asn Gln Phe Ser Leu Phe Leu Val Gly Ser Gly	455	460	465	1449
ggc ttt ggt gga aaa cgg aca tca gac aaa gtc aag gta gct gta gcc Gly Phe Gly Gly Lys Arg Thr Ser Asp Lys Val Lys Val Ala Val Ala	470	475	480	1497
ata cct aat aga cct cct gat gct gta ctt aca gat acc acc tct ctt Ile Pro Asn Arg Pro Pro Asp Ala Val Leu Thr Asp Thr Thr Ser Leu	485	490	495	1545
aat cag gct gct ttg tac cgc ctc agt gga gac tgg aat ccc tta cac Asn Gln Ala Ala Leu Tyr Arg Leu Ser Gly Asp Trp Asn Pro Leu His	500	505	510	1593
att gat cct aac ttt gct agt cta gca ggt ttt gac aag ccc ata tta Ile Asp Pro Asn Phe Ala Ser Leu Ala Gly Phe Asp Lys Pro Ile Leu	520	525	530	1641
cat gga tta tgt aca ttt gga ttt tct gcc agg cgt gtg tta cag cag His Gly Leu Cys Thr Phe Gly Phe Ser Ala Arg Arg Val Leu Gln Gln	535	540	545	1689
ttt gca gat aat gat gtg tca aga ttc aag gca att aag gct cgt ttt Phe Ala Asp Asn Asp Val Ser Arg Phe Lys Ala Ile Lys Ala Arg Phe	550	555	560	1737
gca aaa cca gta tat cca gga caa act cta caa act gag atg tgg aag Ala Lys Pro Val Tyr Pro Gly Gln Thr Leu Gln Thr Glu Met Trp Lys	565	570	575	1785
gaa gga aac aga att cat ttt caa acc aag gtc caa gaa act gga gac Glu Gly Asn Arg Ile His Phe Gln Thr Lys Val Gln Glu Thr Gly Asp	580	585	590	1833
att gtc att tca aat gca tat gtg gat ctt gca cca aca tct ggt act Ile Val Ile Ser Asn Ala Tyr Val Asp Leu Ala Pro Thr Ser Gly Thr	600	605	610	1881
tca gct aag aca ccc tct gag ggc ggg aag ctt cag agt acc ttt gta Ser Ala Lys Thr Pro Ser Glu Gly Gly Lys Leu Gln Ser Thr Phe Val	615	620	625	1929
ttt gag gaa ata gga cgc cgc cta aag gat att ggg cct gag gtg gtg Phe Glu Glu Ile Gly Arg Arg Leu Lys Asp Ile Gly Pro Glu Val Val	630	635	640	1977
aag aaa gta aat gct gta ttt gag tgg cat ata acc aaa ggc gga aat Lys Lys Val Asn Ala Val Phe Glu Trp His Ile Thr Lys Gly Gly Asn	645	650	655	2025
att ggg gct aag tgg act att gac ctg aaa agt ggt tct gga aaa gtg Ile Gly Ala Lys Trp Thr Ile Asp Leu Lys Ser Gly Ser Gly Lys Val	660	665	670	2073
tac caa ggc cct gca aaa ggt gct gct gat aca aca atc ata ctt tca Tyr Gln Gly Pro Ala Lys Gly Ala Ala Asp Thr Thr Ile Ile Leu Ser	680	685	690	2121
gat gaa gat ttc atg gag gtg gtc ctg ggc aag ctt gac cct cag aag Asp Glu Asp Phe Met Glu Val Val Leu Gly Lys Leu Asp Pro Gln Lys	695	700	705	2169
gca ttc ttt agt ggc agg ctg aag gcc aga ggg aac atc atg ctg agc Ala Phe Phe Ser Gly Arg Leu Lys Ala Arg Gly Asn Ile Met Leu Ser	710	715	720	2217
cag aaa ctt cag atg att ctt aaa gac tac gcc aag ctc tga Gln Lys Leu Gln Met Ile Leu Lys Asp Tyr Ala Lys Leu				2259

-continued

725	730	735	
agggcacact	acactattaa	taaaaatgga	atcattaaat actctcttca cccaaatg
2319			
cttgattatt	ctgcaaaagt	gattagaact	aagatgcagg ggaaattgct taacattttc
2379			
agatatcaga	taactgcaga	ttttcatttt	ctactaattt tcatgtatca ttatttttac
2439			
aaggaactat	atataageta	gcacatgatt	atccttctgt tcttagatct gtatcttcat
2499			
aataaaaaat	tttgcccaag	tctgtttcc	ttagaatttg tgatagcatt gataagttga
2559			
aaggaaaatt	aatcaataa	aggcctttga	tacc
2593			

<210> SEQ ID NO 14

<211> LENGTH: 736

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 14

Met	Gly	Ser	Pro	Leu	Arg	Phe	Asp	Gly	Arg	Val	Val	Leu	Val	Thr	Gly
1				5					10					15	
Ala	Gly	Ala	Gly	Leu	Gly	Arg	Ala	Tyr	Ala	Leu	Ala	Phe	Ala	Glu	Arg
			20					25					30		
Gly	Ala	Leu	Val	Val	Val	Asn	Asp	Leu	Gly	Gly	Asp	Phe	Lys	Gly	Val
		35					40					45			
Gly	Lys	Gly	Ser	Leu	Ala	Ala	Asp	Lys	Val	Val	Glu	Glu	Ile	Arg	Arg
	50					55					60				
Arg	Gly	Gly	Lys	Ala	Val	Ala	Asn	Tyr	Asp	Ser	Val	Glu	Glu	Gly	Glu
65					70					75				80	
Lys	Val	Val	Lys	Thr	Ala	Leu	Asp	Ala	Phe	Gly	Arg	Ile	Asp	Val	Val
				85					90					95	
Val	Asn	Asn	Ala	Gly	Ile	Leu	Arg	Asp	Arg	Ser	Phe	Ala	Arg	Ile	Ser
			100						105				110		
Asp	Glu	Asp	Trp	Asp	Ile	Ile	His	Arg	Val	His	Leu	Arg	Gly	Ser	Phe
	115						120						125		
Gln	Val	Thr	Arg	Ala	Ala	Trp	Glu	His	Met	Lys	Lys	Gln	Lys	Tyr	Gly
	130					135						140			
Arg	Ile	Ile	Met	Thr	Ser	Ser	Ala	Ser	Gly	Ile	Tyr	Gly	Asn	Phe	Gly
145					150					155					160
Gln	Ala	Asn	Tyr	Ser	Ala	Ala	Lys	Leu	Gly	Leu	Leu	Gly	Leu	Ala	Asn
			165						170						175
Ser	Leu	Ala	Ile	Glu	Gly	Arg	Lys	Ser	Asn	Ile	His	Cys	Asn	Thr	Ile
	180							185					190		
Ala	Pro	Asn	Ala	Gly	Ser	Arg	Met	Thr	Gln	Thr	Val	Met	Pro	Glu	Asp
	195						200						205		
Leu	Val	Glu	Ala	Leu	Lys	Pro	Glu	Tyr	Val	Ala	Pro	Leu	Val	Leu	Trp
	210					215						220			
Leu	Cys	His	Glu	Ser	Cys	Glu	Glu	Asn	Gly	Gly	Leu	Phe	Glu	Val	Gly
225					230					235					240
Ala	Gly	Trp	Ile	Gly	Lys	Leu	Arg	Trp	Glu	Arg	Thr	Leu	Gly	Ala	Ile
			245						250					255	
Val	Arg	Gln	Lys	Asn	His	Pro	Met	Thr	Pro	Glu	Ala	Val	Lys	Ala	Asn
			260						265					270	
Trp	Lys	Lys	Ile	Cys	Asp	Phe	Glu	Asn	Ala	Ser	Lys	Pro	Gln	Ser	Ile
	275							280						285	

-continued

Gln Glu Ser Thr Gly Ser Ile Ile Glu Val Leu Ser Lys Ile Asp Ser
 290 295 300
 Glu Gly Gly Val Ser Ala Asn His Thr Ser Arg Ala Thr Ser Thr Ala
 305 310 315 320
 Thr Ser Gly Phe Ala Gly Ala Ile Gly Gln Lys Leu Pro Pro Phe Ser
 325 330 335
 Tyr Ala Tyr Thr Glu Leu Glu Ala Ile Met Tyr Ala Leu Gly Val Gly
 340 345 350
 Ala Ser Ile Lys Asp Pro Lys Asp Leu Lys Phe Ile Tyr Glu Gly Ser
 355 360 365
 Ser Asp Phe Ser Cys Leu Pro Thr Phe Gly Val Ile Ile Gly Gln Lys
 370 375 380
 Ser Met Met Gly Gly Gly Leu Ala Glu Ile Pro Gly Leu Ser Ile Asn
 385 390 395 400
 Phe Ala Lys Val Leu His Gly Glu Gln Tyr Leu Glu Leu Tyr Lys Pro
 405 410 415
 Leu Pro Arg Ala Gly Lys Leu Lys Cys Glu Ala Val Val Ala Asp Val
 420 425 430
 Leu Asp Lys Gly Ser Gly Val Val Ile Ile Met Asp Val Tyr Ser Tyr
 435 440 445
 Ser Glu Lys Glu Leu Ile Cys His Asn Gln Phe Ser Leu Phe Leu Val
 450 455 460
 Gly Ser Gly Gly Phe Gly Gly Lys Arg Thr Ser Asp Lys Val Lys Val
 465 470 475 480
 Ala Val Ala Ile Pro Asn Arg Pro Pro Asp Ala Val Leu Thr Asp Thr
 485 490 495
 Thr Ser Leu Asn Gln Ala Ala Leu Tyr Arg Leu Ser Gly Asp Trp Asn
 500 505 510
 Pro Leu His Ile Asp Pro Asn Phe Ala Ser Leu Ala Gly Phe Asp Lys
 515 520 525
 Pro Ile Leu His Gly Leu Cys Thr Phe Gly Phe Ser Ala Arg Arg Val
 530 535 540
 Leu Gln Gln Phe Ala Asp Asn Asp Val Ser Arg Phe Lys Ala Ile Lys
 545 550 555 560
 Ala Arg Phe Ala Lys Pro Val Tyr Pro Gly Gln Thr Leu Gln Thr Glu
 565 570 575
 Met Trp Lys Glu Gly Asn Arg Ile His Phe Gln Thr Lys Val Gln Glu
 580 585 590
 Thr Gly Asp Ile Val Ile Ser Asn Ala Tyr Val Asp Leu Ala Pro Thr
 595 600 605
 Ser Gly Thr Ser Ala Lys Thr Pro Ser Glu Gly Gly Lys Leu Gln Ser
 610 615 620
 Thr Phe Val Phe Glu Glu Ile Gly Arg Arg Leu Lys Asp Ile Gly Pro
 625 630 635 640
 Glu Val Val Lys Lys Val Asn Ala Val Phe Glu Trp His Ile Thr Lys
 645 650 655
 Gly Gly Asn Ile Gly Ala Lys Trp Thr Ile Asp Leu Lys Ser Gly Ser
 660 665 670
 Gly Lys Val Tyr Gln Gly Pro Ala Lys Gly Ala Ala Asp Thr Thr Ile
 675 680 685
 Ile Leu Ser Asp Glu Asp Phe Met Glu Val Val Leu Gly Lys Leu Asp

-continued

690	695	700	
Pro Gln Lys Ala Phe Phe Ser Gly Arg Leu Lys Ala Arg Gly Asn Ile			
705	710	715	720
Met Leu Ser Gln Lys Leu Gln Met Ile Leu Lys Asp Tyr Ala Lys Leu			
	725	730	735
<210> SEQ ID NO 15 <211> LENGTH: 2113 <212> TYPE: DNA <213> ORGANISM: Homo sapiens <220> FEATURE: <221> NAME/KEY: CDS <222> LOCATION: (63)..(1694)			
<400> SEQUENCE: 15			
gtgcggttg gaacgcggag cggacggatt cgattcaacg gggttccgga ccgcgctgcg			60
ct atg gag cag gtc aat gag ctg aag gag aaa ggc aac aag gcc ctg			107
Met Glu Gln Val Asn Glu Leu Lys Glu Lys Gly Asn Lys Ala Leu			
1	5	10	15
agc gtg ggt aac atc gat gat gcc tta cag tgc tac tcc gaa gct att			155
Ser Val Gly Asn Ile Asp Asp Ala Leu Gln Cys Tyr Ser Glu Ala Ile			
	20	25	30
aag ctg gat ccc cac aac cac gtg ctg tac agc aac cgt tct gct gcc			203
Lys Leu Asp Pro His Asn His Val Leu Tyr Ser Asn Arg Ser Ala Ala			
	35	40	45
tat gcc aag aaa gga gac tac cag aag gct tat gag gat ggc tgc aag			251
Tyr Ala Lys Lys Gly Asp Tyr Gln Lys Ala Tyr Glu Asp Gly Cys Lys			
	50	55	60
act gtc gac cta aag cct gac tgg ggc aag ggc tat tca cga aaa gca			299
Thr Val Asp Leu Lys Pro Asp Trp Gly Lys Gly Tyr Ser Arg Lys Ala			
	65	70	75
gca gct cta gag ttc tta aac cgc ttt gaa gaa gcc aag cga acc tat			347
Ala Ala Leu Glu Phe Leu Asn Arg Phe Glu Glu Ala Lys Arg Thr Tyr			
80	85	90	95
gag gag ggc tta aaa cac gag gca aat aac cct caa ctg aaa gag ggt			395
Glu Glu Gly Leu Lys His Glu Ala Asn Asn Pro Gln Leu Lys Glu Gly			
	100	105	110
tta cag aat atg gag gcc agg ttg gca gag aga aaa ttc atg aac cct			443
Leu Gln Asn Met Glu Ala Arg Leu Ala Glu Arg Lys Phe Met Asn Pro			
	115	120	125
ttc aac atg cct aat ctg tat cag aag ttg gag agt gat ccc agg aca			491
Phe Asn Met Pro Asn Leu Tyr Gln Lys Leu Glu Ser Asp Pro Arg Thr			
	130	135	140
agg aca cta ctc agt gat cct acc tac cgg gag ctg ata gag cag cta			539
Arg Thr Leu Leu Ser Asp Pro Thr Tyr Arg Glu Leu Ile Glu Gln Leu			
	145	150	155
cga aac aag cct tct gac ctg ggc acg aaa cta caa gat ccc cgg atc			587
Arg Asn Lys Pro Ser Asp Leu Gly Thr Lys Leu Gln Asp Pro Arg Ile			
160	165	170	175
atg acc act ctc agc gtc ctc ctt ggg gtc gat ctg ggc agt atg gat			635
Met Thr Thr Leu Ser Val Leu Leu Gly Val Asp Leu Gly Ser Met Asp			
	180	185	190
gag gag gaa gag att gca aca cct cca cca cca ccc oct ccc aaa aag			683
Glu Glu Glu Glu Ile Ala Thr Pro Pro Pro Pro Pro Pro Pro Lys Lys			
	195	200	205
gag acc aag cca gag cca atg gaa gaa gat ctt cca gag aat aag aag			731
Glu Thr Lys Pro Glu Pro Met Glu Glu Asp Leu Pro Glu Asn Lys Lys			
	210	215	220

-continued

cag gca ctg aaa gaa aaa gag ctg ggg aac gat gcc tac aag aag aaa Gln Ala Leu Lys Glu Lys Glu Leu Gly Asn Asp Ala Tyr Lys Lys Lys 225 230 235	779
gac ttt gac aca gcc ttg aag cat tac gac aaa gcc aag gag ctg gac Asp Phe Asp Thr Ala Leu Lys His Tyr Asp Lys Ala Lys Glu Leu Asp 240 245 250 255	827
ccc act aac atg act tac att acc aat caa gca gcg gta tac ttt gaa Pro Thr Asn Met Thr Tyr Ile Thr Asn Gln Ala Ala Val Tyr Phe Glu 260 265 270	875
aag ggc gac tac aat aag tgc cgg gag ctt tgt gag aag gcc att gaa Lys Gly Asp Tyr Asn Lys Cys Arg Glu Leu Cys Glu Lys Ala Ile Glu 275 280 285	923
gtg ggg aga gaa aac cga gaa gac tat cga cag att gcc aaa gca tat Val Gly Arg Glu Asn Arg Glu Asp Tyr Arg Gln Ile Ala Lys Ala Tyr 290 295 300	971
gct cga att ggc aac tcc tac ttc aaa gaa gaa aag tac aag gat gcc Ala Arg Ile Gly Asn Ser Tyr Phe Lys Glu Glu Lys Tyr Lys Asp Ala 305 310 315	1019
atc cat ttc tat aac aag tct ctg gca gag cac cga acc cca gat gtg Ile His Phe Tyr Asn Lys Ser Leu Ala Glu His Arg Thr Pro Asp Val 320 325 330 335	1067
ctc aag aaa tgc cag cag gca gag aaa atc ctg aag gag caa gag cgg Leu Lys Lys Cys Gln Gln Ala Glu Lys Ile Leu Lys Glu Gln Glu Arg 340 345 350	1115
ctg gcc tac ata aac ccc gac ctg gct ttg gag gag aag aac aaa ggc Leu Ala Tyr Ile Asn Pro Asp Leu Ala Leu Glu Glu Lys Asn Lys Gly 355 360 365	1163
aac gag tgt ttt cag aaa ggg gac tat ccc cag gcc atg aag cat tat Asn Glu Cys Phe Gln Lys Gly Asp Tyr Pro Gln Ala Met Lys His Tyr 370 375 380	1211
aca gaa gcc atc aaa agg aac ccg aaa gat gcc aaa tta tac agc aat Thr Glu Ala Ile Lys Arg Asn Pro Lys Asp Ala Lys Leu Tyr Ser Asn 385 390 395	1259
cga gct gcc tgc tac acc aaa ctc ctg gag ttc cag ctg gca ctc aag Arg Ala Ala Cys Tyr Thr Lys Leu Leu Glu Phe Gln Leu Ala Leu Lys 400 405 410 415	1307
gac tgt gag gaa tgt atc cag ctg gag ccg acc ttc atc aag ggt tat Asp Cys Glu Glu Cys Ile Gln Leu Glu Pro Thr Phe Ile Lys Gly Tyr 420 425 430	1355
aca cgg aaa gcc gct gcg ctg gaa gcg atg aag gac tac acc aaa gcc Thr Arg Lys Ala Ala Ala Leu Glu Ala Met Lys Asp Tyr Thr Lys Ala 435 440 445	1403
atg gat gtg tac cag aag gcg cta gac ctg gac tcc agc tgt aag gag Met Asp Val Tyr Gln Lys Ala Leu Asp Leu Asp Ser Ser Cys Lys Glu 450 455 460	1451
gcg gca gac ggc tac cag cgc tgt atg atg gcg cag tac aac cgg cac Ala Ala Asp Gly Tyr Gln Arg Cys Met Met Ala Gln Tyr Asn Arg His 465 470 475	1499
gac agc ccc gaa gat gtg aag cga cga gcc atg gcc gac cct gag gtg Asp Ser Pro Glu Asp Val Lys Arg Arg Ala Met Ala Asp Pro Glu Val 480 485 490 495	1547
cag cag atc atg agt gac cca gcc atg cgc ctt atc ctg gaa cag atg Gln Gln Ile Met Ser Asp Pro Ala Met Arg Leu Ile Leu Glu Gln Met 500 505 510	1595
cag aag gac ccc cag gca ctc agc gaa cac tta aag aat cct gta ata Gln Lys Asp Pro Gln Ala Leu Ser Glu His Leu Lys Asn Pro Val Ile 515 520 525	1643

-continued

```

gca cag aag atc cag aag ctg atg gat gtg ggt ctg att gca att cgg 1691
Ala Gln Lys Ile Gln Lys Leu Met Asp Val Gly Leu Ile Ala Ile Arg
      530                      535                      540

tga tgacttgctc atccccctt cccttcgccc tcatgtggaa agaggagctg 1744

ggaccgcggc gagcagcacg gagcgggaagg gagagcaggg gagagaaggc ctcactctc 1804

tatatttata cataaccccg gggaagacac agagactcgt acctgcgctg tttgtgccgc 1864

cgctgectct gggccctccc agcacacgca tggctctctc accgctgccc tegagtcca 1924

tgtctctctc ccctgcccct agttgctgtc tcggtgctc tcccatagtt ggtttttttt 1984

ttatttgggg cagtgggcat gttatgggga ggggaggggg ttcttcagc ctcaggtccc 2044

agctgtctca cgttgtttat tctgcgtccc cttctccaat aaaacaagcc agttgggcgt 2104

ggttataac 2113

```

<210> SEQ ID NO 16

<211> LENGTH: 543

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 16

```

Met Glu Gln Val Asn Glu Leu Lys Glu Lys Gly Asn Lys Ala Leu Ser
1          5          10          15

Val Gly Asn Ile Asp Asp Ala Leu Gln Cys Tyr Ser Glu Ala Ile Lys
      20          25          30

Leu Asp Pro His Asn His Val Leu Tyr Ser Asn Arg Ser Ala Ala Tyr
      35          40          45

Ala Lys Lys Gly Asp Tyr Gln Lys Ala Tyr Glu Asp Gly Cys Lys Thr
      50          55          60

Val Asp Leu Lys Pro Asp Trp Gly Lys Gly Tyr Ser Arg Lys Ala Ala
      65          70          75          80

Ala Leu Glu Phe Leu Asn Arg Phe Glu Glu Ala Lys Arg Thr Tyr Glu
      85          90          95

Glu Gly Leu Lys His Glu Ala Asn Asn Pro Gln Leu Lys Glu Gly Leu
      100         105         110

Gln Asn Met Glu Ala Arg Leu Ala Glu Arg Lys Phe Met Asn Pro Phe
      115         120         125

Asn Met Pro Asn Leu Tyr Gln Lys Leu Glu Ser Asp Pro Arg Thr Arg
      130         135         140

Thr Leu Leu Ser Asp Pro Thr Tyr Arg Glu Leu Ile Glu Gln Leu Arg
      145         150         155         160

Asn Lys Pro Ser Asp Leu Gly Thr Lys Leu Gln Asp Pro Arg Ile Met
      165         170         175

Thr Thr Leu Ser Val Leu Leu Gly Val Asp Leu Gly Ser Met Asp Glu
      180         185         190

Glu Glu Glu Ile Ala Thr Pro Pro Pro Pro Pro Pro Lys Lys Glu
      195         200         205

Thr Lys Pro Glu Pro Met Glu Glu Asp Leu Pro Glu Asn Lys Lys Gln
      210         215         220

Ala Leu Lys Glu Lys Glu Leu Gly Asn Asp Ala Tyr Lys Lys Lys Asp
      225         230         235         240

Phe Asp Thr Ala Leu Lys His Tyr Asp Lys Ala Lys Glu Leu Asp Pro
      245         250         255

```

-continued

Thr Asn Met Thr Tyr Ile Thr Asn Gln Ala Ala Val Tyr Phe Glu Lys
 260 265 270

Gly Asp Tyr Asn Lys Cys Arg Glu Leu Cys Glu Lys Ala Ile Glu Val
 275 280 285

Gly Arg Glu Asn Arg Glu Asp Tyr Arg Gln Ile Ala Lys Ala Tyr Ala
 290 295 300

Arg Ile Gly Asn Ser Tyr Phe Lys Glu Glu Lys Tyr Lys Asp Ala Ile
 305 310 315 320

His Phe Tyr Asn Lys Ser Leu Ala Glu His Arg Thr Pro Asp Val Leu
 325 330 335

Lys Lys Cys Gln Gln Ala Glu Lys Ile Leu Lys Glu Gln Glu Arg Leu
 340 345 350

Ala Tyr Ile Asn Pro Asp Leu Ala Leu Glu Glu Lys Asn Lys Gly Asn
 355 360 365

Glu Cys Phe Gln Lys Gly Asp Tyr Pro Gln Ala Met Lys His Tyr Thr
 370 375 380

Glu Ala Ile Lys Arg Asn Pro Lys Asp Ala Lys Leu Tyr Ser Asn Arg
 385 390 395 400

Ala Ala Cys Tyr Thr Lys Leu Leu Glu Phe Gln Leu Ala Leu Lys Asp
 405 410 415

Cys Glu Glu Cys Ile Gln Leu Glu Pro Thr Phe Ile Lys Gly Tyr Thr
 420 425 430

Arg Lys Ala Ala Ala Leu Glu Ala Met Lys Asp Tyr Thr Lys Ala Met
 435 440 445

Asp Val Tyr Gln Lys Ala Leu Asp Leu Asp Ser Ser Cys Lys Glu Ala
 450 455 460

Ala Asp Gly Tyr Gln Arg Cys Met Met Ala Gln Tyr Asn Arg His Asp
 465 470 475 480

Ser Pro Glu Asp Val Lys Arg Arg Ala Met Ala Asp Pro Glu Val Gln
 485 490 495

Gln Ile Met Ser Asp Pro Ala Met Arg Leu Ile Leu Glu Gln Met Gln
 500 505 510

Lys Asp Pro Gln Ala Leu Ser Glu His Leu Lys Asn Pro Val Ile Ala
 515 520 525

Gln Lys Ile Gln Lys Leu Met Asp Val Gly Leu Ile Ala Ile Arg
 530 535 540

<210> SEQ ID NO 17
 <211> LENGTH: 2033
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (29)..(1705)

<400> SEQUENCE: 17

ggacgagcag cggaggcggg atgggagcgc atg gtc aag atg gcg gcg gcg ggc 52
 Met Val Lys Met Ala Ala Ala Gly
 1 5

ggc gga ggc ggc ggt ggc cgc tac tac ggc ggc ggc agt gag ggc ggc 100
 Gly Gly Gly Gly Gly Arg Tyr Tyr Gly Gly Gly Ser Glu Gly Gly
 10 15 20

cgg gcc cct aag cgg ctc aag act gac aac gcc ggc gac cag cac gga 148
 Arg Ala Pro Lys Arg Leu Lys Thr Asp Asn Ala Gly Asp Gln His Gly

-continued

25	30	35	40	
ggc ggc ggc ggt ggc ggt gga gga gcc ggg gcg gcg ggc ggc ggc ggc				196
Gly Gly Gly Gly Gly Gly Gly Gly Ala Gly Ala Ala Gly Gly Gly Gly	45	50	55	
ggt ggg gag aac tac gat gac cgg cac aaa acc cct gcc tcc cca gtt				244
Gly Gly Glu Asn Tyr Asp Asp Pro His Lys Thr Pro Ala Ser Pro Val	60	65	70	
gtc cac atc agg ggc ctg att gac ggt gtg gtg gaa gca gac ctt gtg				292
Val His Ile Arg Gly Leu Ile Asp Gly Val Val Glu Ala Asp Leu Val	75	80	85	
gag gcc ttg cag gag ttt gga ccc atc agc tat gtg gtg gta atg cct				340
Glu Ala Leu Gln Glu Phe Gly Pro Ile Ser Tyr Val Val Val Met Pro	90	95	100	
aaa aag aga caa gca ctg gtg gag ttt gaa gat gtg ttg ggg gct tgc				388
Lys Lys Arg Gln Ala Leu Val Glu Phe Glu Asp Val Leu Gly Ala Cys	105	110	115	120
aac gca gtg aac tac gca gcc gac aac caa ata tac att gct ggt cac				436
Asn Ala Val Asn Tyr Ala Ala Asp Asn Gln Ile Tyr Ile Ala Gly His	125	130	135	
cca gct ttt gtc aac tac tct acc agc cag aag atc tcc cgc cct ggg				484
Pro Ala Phe Val Asn Tyr Ser Thr Ser Gln Lys Ile Ser Arg Pro Gly	140	145	150	
gac tcg gat gac tcc cgg agc gtg aac agt gtg ctt ctc ttt acc atc				532
Asp Ser Asp Asp Ser Arg Ser Val Asn Ser Val Leu Leu Phe Thr Ile	155	160	165	
ctg aac ccc att tat tcg atc acc acg gat gtt ctt tac act atc tgt				580
Leu Asn Pro Ile Tyr Ser Ile Thr Thr Asp Val Leu Tyr Thr Ile Cys	170	175	180	
aat cct tgt ggc cct gtc cag aga att gtc att ttc agg aag aat gga				628
Asn Pro Cys Gly Pro Val Gln Arg Ile Val Ile Phe Arg Lys Asn Gly	185	190	195	200
gtt cag gcg atg gtg gaa ttt gac tca gtt caa agt gcc cag cgg gcc				676
Val Gln Ala Met Val Glu Phe Asp Ser Val Gln Ser Ala Gln Arg Ala	205	210	215	
aag gcc tct ctc aat ggg gct gat atc tat tct ggc tgt tgc act ctg				724
Lys Ala Ser Leu Asn Gly Ala Asp Ile Tyr Ser Gly Cys Cys Thr Leu	220	225	230	
aag atc gaa tac gca aag cct aca cgc ttg aat gtg ttc aag aat gat				772
Lys Ile Glu Tyr Ala Lys Pro Thr Arg Leu Asn Val Phe Lys Asn Asp	235	240	245	
cag gat act tgg gac tac aca aac ccc aat ctc agt gga caa ggt gac				820
Gln Asp Thr Trp Asp Tyr Thr Asn Pro Asn Leu Ser Gly Gln Gly Asp	250	255	260	
cct ggc agc aac ccc aac aaa cgc cag agg cag ccc cct ctc ctg gga				868
Pro Gly Ser Asn Pro Asn Lys Arg Gln Arg Gln Pro Pro Leu Leu Gly	265	270	275	280
gat cac ccc gca gaa tat gga ggg ccc cac ggt ggg tac cac agc cat				916
Asp His Pro Ala Glu Tyr Gly Gly Pro His Gly Gly Tyr His Ser His	285	290	295	
tac cat gat gag ggc tac ggg ccc ccc cca cct cac tac gaa ggg aga				964
Tyr His Asp Glu Gly Tyr Gly Pro Pro Pro Pro His Tyr Glu Gly Arg	300	305	310	
agg atg ggt cca cca gtg ggg ggt cac cgt egg ggc cca agt cgc tac				1012
Arg Met Gly Pro Pro Val Gly Gly His Arg Arg Gly Pro Ser Arg Tyr	315	320	325	
ggc ccc cag tat ggg cac ccc cca ccc cct ccc cca cca ccc gag tat				1060
Gly Pro Gln Tyr Gly His Pro Pro Pro Pro Pro Pro Pro Pro Glu Tyr				

-continued

330	335	340	
ggc cct cac gcc gac agc cct gtg ctc atg gtc tat ggc ttg gat caa			1108
Gly Pro His Ala Asp Ser Pro Val Leu Met Val Tyr Gly Leu Asp Gln			
345	350	355	360
tct aag atg aac ggt gac cga gtc ttc aat gtc ttc tgc tta tat ggc			1156
Ser Lys Met Asn Gly Asp Arg Val Phe Asn Val Phe Cys Leu Tyr Gly			
	365	370	375
aat gtg gag aag gtg aaa ttc atg aaa agc aag ccg ggg gcc gcc atg			1204
Asn Val Glu Lys Val Lys Phe Met Lys Ser Lys Pro Gly Ala Ala Met			
	380	385	390
gtg gag atg gct gat ggc tac gct gta gac cgg gcc att acc cac ctc			1252
Val Glu Met Ala Asp Gly Tyr Ala Val Asp Arg Ala Ile Thr His Leu			
	395	400	405
aac aac aac ttc atg ttt ggg cag aag ctg aat gtc tgt gtc tcc aag			1300
Asn Asn Asn Phe Met Phe Gly Gln Lys Leu Asn Val Cys Val Ser Lys			
	410	415	420
cag cca gcc atc atg cct ggt cag tca tac ggg ttg gaa gac ggg tct			1348
Gln Pro Ala Ile Met Pro Gly Gln Ser Tyr Gly Leu Glu Asp Gly Ser			
	425	430	440
tgc agt tac aaa gac ttc agt gaa tcc cgg aac aat cgg ttc tcc acc			1396
Cys Ser Tyr Lys Asp Phe Ser Glu Ser Arg Asn Asn Arg Phe Ser Thr			
	445	450	455
cca gag cag gca gcc aag aac cgc atc cag cac ccc agc aac gtg ctg			1444
Pro Glu Gln Ala Ala Lys Asn Arg Ile Gln His Pro Ser Asn Val Leu			
	460	465	470
cac ttc ttc aac gcc ccg ctg gag gtg acc gag gag aac ttc ttt gag			1492
His Phe Phe Asn Ala Pro Leu Glu Val Thr Glu Glu Asn Phe Phe Glu			
	475	480	485
atc tgc gat gag ctg gga gtg aag cgg cca tct tct gtg aaa gta ttc			1540
Ile Cys Asp Glu Leu Gly Val Lys Arg Pro Ser Ser Val Lys Val Phe			
	490	495	500
tca ggc aaa agt gag cgc agc tcc tct gga ctg ctg gag tgg gaa tcc			1588
Ser Gly Lys Ser Glu Arg Ser Ser Ser Gly Leu Leu Glu Trp Glu Ser			
	505	510	520
aag agc gat gcc ctg gag act ctg ggc ttc ctg aac cat tac cag atg			1636
Lys Ser Asp Ala Leu Glu Thr Leu Gly Phe Leu Asn His Tyr Gln Met			
	525	530	535
aaa aac cca aat ggt cca tac cct tac act ctg aag ttg tgt ttc tcc			1684
Lys Asn Pro Asn Gly Pro Tyr Pro Tyr Thr Leu Lys Leu Cys Phe Ser			
	540	545	550
act gct cag cac gcc tcc taa ttaggtgcct aggaagagtc ccatctgagc			1735
Thr Ala Gln His Ala Ser			
	555		
aggaagacat ttctctttcc tttatgccat tttttgtttt tgttatttgc aaaagatctt			1795
gtattccttt tttttttttt ttttttttaa atgctaggtt tgtagaggct tacttaacct			1855
taatggaac gctggaatc tgcaggggga gggagagggg aactgttata tcccaagatt			1915
aaccttcaact tttaaaaaat tattgtacat gtgatttttt tttttcctgt tcatacattt			1975
gtgctgcca tgactcttg gcacatttca ataaaattgt ttgaaaaata aacacagc			2033

<210> SEQ ID NO 18
 <211> LENGTH: 558
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens
 <400> SEQUENCE: 18

-continued

Met Val Lys Met Ala Ala Ala Gly Gly Gly Gly Gly Gly Gly Arg Tyr
1 5 10 15

Tyr Gly Gly Gly Ser Glu Gly Gly Arg Ala Pro Lys Arg Leu Lys Thr
20 25 30

Asp Asn Ala Gly Asp Gln His Gly Gly Gly Gly Gly Gly Gly Gly Gly
35 40 45

Ala Gly Ala Ala Gly Gly Gly Gly Gly Gly Glu Asn Tyr Asp Asp Pro
50 55 60

His Lys Thr Pro Ala Ser Pro Val Val His Ile Arg Gly Leu Ile Asp
65 70 75 80

Gly Val Val Glu Ala Asp Leu Val Glu Ala Leu Gln Glu Phe Gly Pro
85 90 95

Ile Ser Tyr Val Val Val Met Pro Lys Lys Arg Gln Ala Leu Val Glu
100 105 110

Phe Glu Asp Val Leu Gly Ala Cys Asn Ala Val Asn Tyr Ala Ala Asp
115 120 125

Asn Gln Ile Tyr Ile Ala Gly His Pro Ala Phe Val Asn Tyr Ser Thr
130 135 140

Ser Gln Lys Ile Ser Arg Pro Gly Asp Ser Asp Asp Ser Arg Ser Val
145 150 155 160

Asn Ser Val Leu Leu Phe Thr Ile Leu Asn Pro Ile Tyr Ser Ile Thr
165 170 175

Thr Asp Val Leu Tyr Thr Ile Cys Asn Pro Cys Gly Pro Val Gln Arg
180 185 190

Ile Val Ile Phe Arg Lys Asn Gly Val Gln Ala Met Val Glu Phe Asp
195 200 205

Ser Val Gln Ser Ala Gln Arg Ala Lys Ala Ser Leu Asn Gly Ala Asp
210 215 220

Ile Tyr Ser Gly Cys Cys Thr Leu Lys Ile Glu Tyr Ala Lys Pro Thr
225 230 235 240

Arg Leu Asn Val Phe Lys Asn Asp Gln Asp Thr Trp Asp Tyr Thr Asn
245 250 255

Pro Asn Leu Ser Gly Gln Gly Asp Pro Gly Ser Asn Pro Asn Lys Arg
260 265 270

Gln Arg Gln Pro Pro Leu Leu Gly Asp His Pro Ala Glu Tyr Gly Gly
275 280 285

Pro His Gly Gly Tyr His Ser His Tyr His Asp Glu Gly Tyr Gly Pro
290 295 300

Pro Pro Pro His Tyr Glu Gly Arg Arg Met Gly Pro Pro Val Gly Gly
305 310 315 320

His Arg Arg Gly Pro Ser Arg Tyr Gly Pro Gln Tyr Gly His Pro Pro
325 330 335

Pro Pro Pro Pro Pro Pro Glu Tyr Gly Pro His Ala Asp Ser Pro Val
340 345 350

Leu Met Val Tyr Gly Leu Asp Gln Ser Lys Met Asn Gly Asp Arg Val
355 360 365

Phe Asn Val Phe Cys Leu Tyr Gly Asn Val Glu Lys Val Lys Phe Met
370 375 380

Lys Ser Lys Pro Gly Ala Ala Met Val Glu Met Ala Asp Gly Tyr Ala
385 390 395 400

Val Asp Arg Ala Ile Thr His Leu Asn Asn Asn Phe Met Phe Gly Gln

-continued

	405		410		415	
Lys Leu Asn Val Cys Val Ser Lys Gln Pro Ala Ile Met Pro Gly Gln	420		425		430	
Ser Tyr Gly Leu Glu Asp Gly Ser Cys Ser Tyr Lys Asp Phe Ser Glu	435		440		445	
Ser Arg Asn Asn Arg Phe Ser Thr Pro Glu Gln Ala Ala Lys Asn Arg	450		455		460	
Ile Gln His Pro Ser Asn Val Leu His Phe Phe Asn Ala Pro Leu Glu	465		470		475	480
Val Thr Glu Glu Asn Phe Phe Glu Ile Cys Asp Glu Leu Gly Val Lys	485		490		495	
Arg Pro Ser Ser Val Lys Val Phe Ser Gly Lys Ser Glu Arg Ser Ser	500		505		510	
Ser Gly Leu Leu Glu Trp Glu Ser Lys Ser Asp Ala Leu Glu Thr Leu	515		520		525	
Gly Phe Leu Asn His Tyr Gln Met Lys Asn Pro Asn Gly Pro Tyr Pro	530		535		540	
Tyr Thr Leu Lys Leu Cys Phe Ser Thr Ala Gln His Ala Ser	545		550		555	
<210> SEQ ID NO 19 <211> LENGTH: 3465 <212> TYPE: DNA <213> ORGANISM: Homo sapiens <220> FEATURE: <221> NAME/KEY: CDS <222> LOCATION: (219)..(2639)						
<400> SEQUENCE: 19						
ctcgcgccag gcgagctctcc gcgtctcctc cgcgaaactcg gtgaaaggaa ttggcgccgt						60
tgcacaccag gcggatccgc tctgcagcac gaaccatct ccagccgcag ccgcagccgc						120
cgccccggcc gaggagcagc cgcagcagcc gccaccagtg gccgagtgag cggagccgag						180
tttgaggcag gccttagcgg tgaatcgggg ccctcacc atg agt tcc tcg cct gtt						236
				Met Ser Ser Ser Pro Val		
				1	5	
aat gta aaa aag ctg aag gtg tcg gag ctg aaa gag gag ctc aag aag						284
Asn Val Lys Lys Leu Lys Val Ser Glu Leu Lys Glu Glu Leu Lys Lys	10		15		20	
cga cgc ctt tct gac aag ggt ctc aag gcc gag ctc atg gag cga ctc						332
Arg Arg Leu Ser Asp Lys Gly Leu Lys Ala Glu Leu Met Glu Arg Leu	25		30		35	
cag gct gcg ctg gac gac gag gag gcc ggg ggc cgc ccc gcc atg gag						380
Gln Ala Ala Leu Asp Asp Glu Glu Ala Gly Gly Arg Pro Ala Met Glu	40		45		50	
ccc ggg aac ggc agc cta gac ctg ggc ggg gat tcc gct ggg cgc tcg						428
Pro Gly Asn Gly Ser Leu Asp Leu Gly Gly Asp Ser Ala Gly Arg Ser	55		60		65	70
gga gca ggc ctc gag cag gag gcc gcg gcc ggc ggc gat gaa gag gag						476
Gly Ala Gly Leu Glu Gln Glu Ala Ala Ala Gly Gly Asp Glu Glu Glu	75		80		85	
gag gaa gag gaa gag gag gag gaa gga atc tcc gct ctg gac ggc gac						524
Glu Glu Glu Glu Glu Glu Glu Glu Gly Ile Ser Ala Leu Asp Gly Asp	90		95		100	
cag atg gag cta gga gag gag aac ggg gcc gcg ggg gcg gcc gac tcg						572
Gln Met Glu Leu Gly Glu Glu Asn Gly Ala Ala Gly Ala Ala Asp Ser						

-continued

105	110	115	
ggc ccg atg gag gag gag gag gcc gcc tcg gaa gac gag aac ggc gac Gly Pro Met Glu Glu Glu Glu Ala Ala Ser Glu Asp Glu Asn Gly Asp			620
120	125	130	
gat cag ggt ttc cag gaa ggg gaa gat gag ctc ggg gac gaa gag gaa Asp Gln Gly Phe Gln Glu Gly Glu Asp Glu Leu Gly Asp Glu Glu Glu			668
135	140	145	150
ggc gcg ggc gac gag aac ggg cac ggg gag cag cag cct caa ccg ccg Gly Ala Gly Asp Glu Asn Gly His Gly Glu Gln Gln Pro Gln Pro Pro			716
155	160	165	
gcg acg cag cag caa cag ccc caa cag cag cgc ggg gcc gcc aag gag Ala Thr Gln Gln Gln Gln Pro Gln Gln Gln Arg Gly Ala Ala Lys Glu			764
170	175	180	
gcc gcg ggg aag agc agc ggc ccc acc tcg ctg ttc gcg gtg acg gtg Ala Ala Gly Lys Ser Ser Gly Pro Thr Ser Leu Phe Ala Val Thr Val			812
185	190	195	
gcg ccg ccc ggg gcg agg cag ggc cag cag cag gcg gga ggg gac ggc Ala Pro Pro Gly Ala Arg Gln Gly Gln Gln Gln Ala Gly Gly Asp Gly			860
200	205	210	
aaa aca gaa cag aaa ggc gga gat aaa aag agg ggt gtt aaa aga cca Lys Thr Glu Gln Lys Gly Gly Asp Lys Lys Arg Gly Val Lys Arg Pro			908
215	220	225	230
cga gaa gat cat ggc cgt gga tat ttt gag tac att gaa gag aac aag Arg Glu Asp His Gly Arg Gly Tyr Phe Glu Tyr Ile Glu Glu Asn Lys			956
235	240	245	
tat agc aga gcc aaa tct cct cag cca cct gtt gaa gaa gaa gat gaa Tyr Ser Arg Ala Lys Ser Pro Gln Pro Pro Val Glu Glu Glu Asp Glu			1004
250	255	260	
cac ttc gat gac aca gtg gtt tgt ctt gat act tat aat tgt gat cta His Phe Asp Asp Thr Val Val Cys Leu Asp Thr Tyr Asn Cys Asp Leu			1052
265	270	275	
cat ttt aaa ata tca aga gat cgt ctc agt gct tct tcc ctt aca atg His Phe Lys Ile Ser Arg Asp Arg Leu Ser Ala Ser Ser Leu Thr Met			1100
280	285	290	
gag agt ttt gct ttt ctt tgg gct gga gga aga gca tcc tat ggt gtg Glu Ser Phe Ala Phe Leu Trp Ala Gly Gly Arg Ala Ser Tyr Gly Val			1148
295	300	305	310
tca aaa ggc aaa gtg tgt ttt gag atg aag gtt aca gag aag atc cca Ser Lys Gly Lys Val Cys Phe Glu Met Lys Val Thr Glu Lys Ile Pro			1196
315	320	325	
gta agg cat tta tat aca aaa gat att gac ata cat gaa gtt cgt att Val Arg His Leu Tyr Thr Lys Asp Ile Asp Ile His Glu Val Arg Ile			1244
330	335	340	
ggc tgg tca cta act aca agt gga atg tta ctt ggt gaa gaa gaa ttt Gly Trp Ser Leu Thr Thr Ser Gly Met Leu Leu Gly Glu Glu Glu Phe			1292
345	350	355	
tct tat ggg tat tct cta aaa gga ata aaa aca tgc aac tgt gag act Ser Tyr Gly Tyr Ser Leu Lys Gly Ile Lys Thr Cys Asn Cys Glu Thr			1340
360	365	370	
gaa gat tat gga gaa aag ttt gat gaa aat gat gtg att aca tgt ttt Glu Asp Tyr Gly Glu Lys Phe Asp Glu Asn Asp Val Ile Thr Cys Phe			1388
375	380	385	390
gct aac ttt gaa agt gat gaa gta gaa ctc tcg tat gct aag aat gga Ala Asn Phe Glu Ser Asp Glu Val Glu Leu Ser Tyr Ala Lys Asn Gly			1436
395	400	405	
caa gat ctt ggc gtt gcc ttc aaa atc agt aag gaa gtt ctt gct gga Gln Asp Leu Gly Val Ala Phe Lys Ile Ser Lys Glu Val Leu Ala Gly			1484

-continued

	715	720	725	
agt ggt gga atc ggc tat cca tac cct cgt gcc cct gtt ttt cct ggc				2444
Ser Gly Gly Ile Gly Tyr Pro Tyr Pro Arg Ala Pro Val Phe Pro Gly				
	730	735	740	
cgt ggt agt tac tca aac aga ggg aac tac aac aga ggt gga atg ccc				2492
Arg Gly Ser Tyr Ser Asn Arg Gly Asn Tyr Asn Arg Gly Gly Met Pro				
	745	750	755	
aac aga ggg aac tac aac cag aac ttc aga gga cga gga aac aat cgt				2540
Asn Arg Gly Asn Tyr Asn Gln Asn Phe Arg Gly Arg Gly Asn Asn Arg				
	760	765	770	
ggc tac aaa aat caa tct cag ggc tac aac cag tgg cag cag ggt caa				2588
Gly Tyr Lys Asn Gln Ser Gln Gly Tyr Asn Gln Trp Gln Gln Gly Gln				
	775	780	785	790
ttc tgg ggt cag aag cca tgg agt cag cat tat cac caa gga tat tat				2636
Phe Trp Gly Gln Lys Pro Trp Ser Gln His Tyr His Gln Gly Tyr Tyr				
	795	800	805	
tga atacccaaat aaaacgaact gatacatatt tctccaaaac cttcacaaga				2689
agtcgactgt tttctttagt aggctaactt tttaaacatt ccacaagagg aagtgcctgc				2749
gggttccttt tttagaagct ttgtgggttg attttttttc tttctttttt tgtacathtt				2809
taattgcagt ttaaaagtga atcgtaagag aacctcagca ttgtgcacga taagagaatg				2869
tgtcagtatt tcagggttct acattttatc tgtaaaatgt gacttttttt tttttttatc				2929
acaacagaag taaaatggtg ctttgtacct ggtgtctttt attaagaatt tactcccccc				2989
atttctcaca gagaataaca gtcgggagtc attgtcacaa tataatagaa atgtagcaa				3049
ccagattcat gtaaggacta agtggctctc atgaattgca ttaagactct gtactgctca				3109
tattacactc catcctctct gtagtttgcg gggtagtgga gggggtaagc taaatcatag				3169
tttctgacaa taactgggaa ggttttttct taaaataaca atggaattgg tataattggg				3229
attgaaaact aaaacttggg actaagatag agaagatgga gtgtatgtag aagggtctgt				3289
aaaaatgtaa aacttggttg cattatttgt ggaggctcaa acttgtgaag gttaatacca				3349
taatttttcc atttgttctg cattttgatt ctgaaaagaa agctggcttt gccattttct				3409
tattaaaaaa acttgttcta aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa				3465
<210> SEQ ID NO 20				
<211> LENGTH: 806				
<212> TYPE: PRT				
<213> ORGANISM: Homo sapiens				
<400> SEQUENCE: 20				
Met Ser Ser Ser Pro Val Asn Val Lys Lys Leu Lys Val Ser Glu Leu				
1	5	10	15	
Lys Glu Glu Leu Lys Lys Arg Arg Leu Ser Asp Lys Gly Leu Lys Ala				
	20	25	30	
Glu Leu Met Glu Arg Leu Gln Ala Ala Leu Asp Asp Glu Glu Ala Gly				
	35	40	45	
Gly Arg Pro Ala Met Glu Pro Gly Asn Gly Ser Leu Asp Leu Gly Gly				
	50	55	60	
Asp Ser Ala Gly Arg Ser Gly Ala Gly Leu Glu Gln Glu Ala Ala Ala				
	65	70	75	80
Gly Gly Asp Glu Glu Glu Glu Glu Glu Glu Glu Glu Glu Gly Ile				
	85	90	95	

-continued

Ser Ala Leu Asp Gly Asp Gln Met Glu Leu Gly Glu Glu Asn Gly Ala
 100 105 110

Ala Gly Ala Ala Asp Ser Gly Pro Met Glu Glu Glu Glu Ala Ala Ser
 115 120 125

Glu Asp Glu Asn Gly Asp Asp Gln Gly Phe Gln Glu Gly Glu Asp Glu
 130 135 140

Leu Gly Asp Glu Glu Glu Gly Ala Gly Asp Glu Asn Gly His Gly Glu
 145 150 155 160

Gln Gln Pro Gln Pro Pro Ala Thr Gln Gln Gln Gln Pro Gln Gln Gln
 165 170 175

Arg Gly Ala Ala Lys Glu Ala Ala Gly Lys Ser Ser Gly Pro Thr Ser
 180 185 190

Leu Phe Ala Val Thr Val Ala Pro Pro Gly Ala Arg Gln Gly Gln Gln
 195 200 205

Gln Ala Gly Gly Asp Gly Lys Thr Glu Gln Lys Gly Gly Asp Lys Lys
 210 215 220

Arg Gly Val Lys Arg Pro Arg Glu Asp His Gly Arg Gly Tyr Phe Glu
 225 230 235 240

Tyr Ile Glu Glu Asn Lys Tyr Ser Arg Ala Lys Ser Pro Gln Pro Pro
 245 250 255

Val Glu Glu Glu Asp Glu His Phe Asp Asp Thr Val Val Cys Leu Asp
 260 265 270

Thr Tyr Asn Cys Asp Leu His Phe Lys Ile Ser Arg Asp Arg Leu Ser
 275 280 285

Ala Ser Ser Leu Thr Met Glu Ser Phe Ala Phe Leu Trp Ala Gly Gly
 290 295 300

Arg Ala Ser Tyr Gly Val Ser Lys Gly Lys Val Cys Phe Glu Met Lys
 305 310 315 320

Val Thr Glu Lys Ile Pro Val Arg His Leu Tyr Thr Lys Asp Ile Asp
 325 330 335

Ile His Glu Val Arg Ile Gly Trp Ser Leu Thr Thr Ser Gly Met Leu
 340 345 350

Leu Gly Glu Glu Glu Phe Ser Tyr Gly Tyr Ser Leu Lys Gly Ile Lys
 355 360 365

Thr Cys Asn Cys Glu Thr Glu Asp Tyr Gly Glu Lys Phe Asp Glu Asn
 370 375 380

Asp Val Ile Thr Cys Phe Ala Asn Phe Glu Ser Asp Glu Val Glu Leu
 385 390 395 400

Ser Tyr Ala Lys Asn Gly Gln Asp Leu Gly Val Ala Phe Lys Ile Ser
 405 410 415

Lys Glu Val Leu Ala Gly Arg Pro Leu Phe Pro His Val Leu Cys His
 420 425 430

Asn Cys Ala Val Glu Phe Asn Phe Gly Gln Lys Glu Lys Pro Tyr Phe
 435 440 445

Pro Ile Pro Glu Glu Tyr Thr Phe Ile Gln Asn Val Pro Leu Glu Asp
 450 455 460

Arg Val Arg Gly Pro Lys Gly Pro Glu Glu Lys Lys Asp Cys Glu Val
 465 470 475 480

Val Met Met Ile Gly Leu Pro Gly Ala Gly Lys Thr Thr Trp Val Thr
 485 490 495

Lys His Ala Ala Glu Asn Pro Gly Lys Tyr Asn Ile Leu Gly Thr Asn

-continued

500		505		510											
Thr	Ile	Met	Asp	Lys	Met	Met	Val	Ala	Gly	Phe	Lys	Lys	Gln	Met	Ala
		515					520						525		
Asp	Thr	Gly	Lys	Leu	Asn	Thr	Leu	Leu	Gln	Arg	Ala	Pro	Gln	Cys	Leu
	530					535						540			
Gly	Lys	Phe	Ile	Glu	Ile	Ala	Ala	Arg	Lys	Lys	Arg	Asn	Phe	Ile	Leu
545					550					555					560
Asp	Gln	Thr	Asn	Val	Ser	Ala	Ala	Ala	Gln	Arg	Arg	Lys	Met	Cys	Leu
			565						570					575	
Phe	Ala	Gly	Phe	Gln	Arg	Lys	Ala	Val	Val	Val	Cys	Pro	Lys	Asp	Glu
			580					585						590	
Asp	Tyr	Lys	Gln	Arg	Thr	Gln	Lys	Lys	Ala	Glu	Val	Glu	Gly	Lys	Asp
		595					600						605		
Leu	Pro	Glu	His	Ala	Val	Leu	Lys	Met	Lys	Gly	Asn	Phe	Thr	Leu	Pro
	610					615						620			
Glu	Val	Ala	Glu	Cys	Phe	Asp	Glu	Ile	Thr	Tyr	Val	Glu	Leu	Gln	Lys
625					630					635					640
Glu	Glu	Ala	Gln	Lys	Leu	Leu	Glu	Gln	Tyr	Lys	Glu	Glu	Ser	Lys	Lys
				645					650						655
Ala	Leu	Pro	Pro	Glu	Lys	Lys	Gln	Asn	Thr	Gly	Ser	Lys	Lys	Ser	Asn
			660					665						670	
Lys	Asn	Lys	Ser	Gly	Lys	Asn	Gln	Phe	Asn	Arg	Gly	Gly	Gly	His	Arg
		675					680					685			
Gly	Arg	Gly	Gly	Phe	Asn	Met	Arg	Gly	Gly	Asn	Phe	Arg	Gly	Gly	Ala
	690					695						700			
Pro	Gly	Asn	Arg	Gly	Gly	Tyr	Asn	Arg	Arg	Gly	Asn	Met	Pro	Gln	Arg
705					710					715					720
Gly	Gly	Gly	Gly	Gly	Gly	Ser	Gly	Gly	Ile	Gly	Tyr	Pro	Tyr	Pro	Arg
				725					730					735	
Ala	Pro	Val	Phe	Pro	Gly	Arg	Gly	Ser	Tyr	Ser	Asn	Arg	Gly	Asn	Tyr
			740					745						750	
Asn	Arg	Gly	Gly	Met	Pro	Asn	Arg	Gly	Asn	Tyr	Asn	Gln	Asn	Phe	Arg
		755					760					765			
Gly	Arg	Gly	Asn	Asn	Arg	Gly	Tyr	Lys	Asn	Gln	Ser	Gln	Gly	Tyr	Asn
					775							780			
Gln	Trp	Gln	Gln	Gly	Gln	Phe	Trp	Gly	Gln	Lys	Pro	Trp	Ser	Gln	His
785					790					795					800
Tyr	His	Gln	Gly	Tyr	Tyr										
				805											

<210> SEQ ID NO 21
 <211> LENGTH: 3933
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (318)..(2861)

<400> SEQUENCE: 21

gcgagagtgg gtttgttctt gggtgcgagc cgctgccgcc gcttctcgcc agcgccgttg 60
 ctgcggggga ttgtgggagt ctccgcgtcc cgctcgctgg gagagaggta cctctccttt 120
 tccctctccc tttccctaag agttgtctgc tggttctcag cttgaagaag attctcgagt 180

-continued

ccttattgat cctttttctt ggcgttacca tttttgaagc aaagttaacc tagctttcta	240
gtttgagcct tctttttggc cgtctttaa aaaaattttt tttttaatct ataaaataga	300
caagagctag ttctaca atg tcc aag tca ttc cag cag tca tct ctc agt	350
Met Ser Lys Ser Phe Gln Gln Ser Ser Leu Ser	
1 5 10	
agg gac tca cag ggt cat ggg cgt gac ctg tct gcg gca gga ata ggc	398
Arg Asp Ser Gln Gly His Gly Arg Asp Leu Ser Ala Ala Gly Ile Gly	
15 20 25	
ctt ctt gct gct gct acc cag tct tta agt atg cca gca tct ctt gga	446
Leu Leu Ala Ala Ala Thr Gln Ser Leu Ser Met Pro Ala Ser Leu Gly	
30 35 40	
agg atg aac cag ggt act gca cgc ctt gct agt tta atg aat ctt gga	494
Arg Met Asn Gln Gly Thr Ala Arg Leu Ala Ser Leu Met Asn Leu Gly	
45 50 55	
atg agt tct tca ttg aat caa caa gga gct cat agt gca ctg tct tct	542
Met Ser Ser Ser Leu Asn Gln Gln Gly Ala His Ser Ala Leu Ser Ser	
60 65 70 75	
gct agt act tct tcc cat aat ttg cag tct ata ttt aac att gga agt	590
Ala Ser Thr Ser Ser His Asn Leu Gln Ser Ile Phe Asn Ile Gly Ser	
80 85 90	
aga ggt cca ctc cct tta tct tct caa cac cgt gga gat gca gac cag	638
Arg Gly Pro Leu Pro Leu Ser Ser Gln His Arg Gly Asp Ala Asp Gln	
95 100 105	
gcc agt aac att ttg gcc agc ttt ggt ctg tct gct aga gac tta gat	686
Ala Ser Asn Ile Leu Ala Ser Phe Gly Leu Ser Ala Arg Asp Leu Asp	
110 115 120	
gaa ctg agt cgt tat cca gag gac aag att act cct gag aat ttg ccc	734
Glu Leu Ser Arg Tyr Pro Glu Asp Lys Ile Thr Pro Glu Asn Leu Pro	
125 130 135	
caa atc ctt cta cag ctt aaa agg agg aga act gaa gaa ggc cct acc	782
Gln Ile Leu Leu Gln Leu Lys Arg Arg Arg Thr Glu Glu Gly Pro Thr	
140 145 150 155	
ttg agt tat ggt aga gat ggc aga tct gct aca cgg gag cca cca tac	830
Leu Ser Tyr Gly Arg Asp Gly Arg Ser Ala Thr Arg Glu Pro Pro Tyr	
160 165 170	
aga gta cct agg gat gat tgg gaa gaa aaa agg cac ttt aga aga gat	878
Arg Val Pro Arg Asp Asp Trp Glu Glu Lys Arg His Phe Arg Arg Asp	
175 180 185	
agt ttt gat gat cgt ggt cct agt ctc aac cca gtg ctt gat tat gac	926
Ser Phe Asp Asp Arg Gly Pro Ser Leu Asn Pro Val Leu Asp Tyr Asp	
190 195 200	
cat gga agt cgt tct caa gaa tct ggt tat tat gac aga atg gat tat	974
His Gly Ser Arg Ser Gln Glu Ser Gly Tyr Tyr Asp Arg Met Asp Tyr	
205 210 215	
gaa gat gac aga tta aga gat gga gaa agg tgt agg gat gat tct ttt	1022
Glu Asp Asp Arg Leu Arg Asp Gly Glu Arg Cys Arg Asp Asp Ser Phe	
220 225 230 235	
ttt ggt gag acc tcg cat aac tat cat aaa ttt gac agt gag tat gag	1070
Phe Gly Glu Thr Ser His Asn Tyr His Lys Phe Asp Ser Glu Tyr Glu	
240 245 250	
aga atg gga cgt ggt cct ggc ccc tta caa gag aga tct ctc ttt gag	1118
Arg Met Gly Arg Gly Pro Gly Pro Leu Gln Glu Arg Ser Leu Phe Glu	
255 260 265	
aaa aag aga ggc gct cct cca agt agc aat att gaa gac ttc cat gga	1166
Lys Lys Arg Gly Ala Pro Pro Ser Ser Asn Ile Glu Asp Phe His Gly	
270 275 280	

-continued

ctc tta ccg aag ggt tat ccc cat ctg tgc tct ata tgt gat ttg cca Leu Leu Pro Lys Gly Tyr Pro His Leu Cys Ser Ile Cys Asp Leu Pro 285 290 295	1214
ggt cat tct aat aag gag tgg agt caa cat atc aat gga gca agt cac Val His Ser Asn Lys Glu Trp Ser Gln His Ile Asn Gly Ala Ser His 300 305 310 315	1262
agt cgt cga tgc cag ctt ctt ctt gaa atc tac cca gaa tgg aat cct Ser Arg Arg Cys Gln Leu Leu Leu Glu Ile Tyr Pro Glu Trp Asn Pro 320 325 330	1310
gac aat gat aca gga cac aca atg ggt gat cca ttc atg ttg cag cag Asp Asn Asp Thr Gly His Thr Met Gly Asp Pro Phe Met Leu Gln Gln 335 340 345	1358
tct aca aat cca gca cca gga att ctg gga cct cca cct ccc tca ttt Ser Thr Asn Pro Ala Pro Gly Ile Leu Gly Pro Pro Pro Pro Ser Phe 350 355 360	1406
cat ctt ggg gga cca gca gtt gga cca aga gga aat ctg ggt gct gga His Leu Gly Gly Pro Ala Val Gly Pro Arg Gly Asn Leu Gly Ala Gly 365 370 375	1454
aat gga aac ctg caa gga cct aga cac atg cag aaa ggc aga gtg gaa Asn Gly Asn Leu Gln Gly Pro Arg His Met Gln Lys Gly Arg Val Glu 380 385 390 395	1502
act agc aga gtt gtt cac atc atg gat ttt caa cga ggg aaa aac ttg Thr Ser Arg Val Val His Ile Met Asp Phe Gln Arg Gly Lys Asn Leu 400 405 410	1550
aga tac cag cta tta cag ctg gta gaa cca ttt gga gtc att tca aat Arg Tyr Gln Leu Leu Gln Leu Val Glu Pro Phe Gly Val Ile Ser Asn 415 420 425	1598
cat ctg att cta aat aaa att aat gag gca ttt att gaa atg gca acc His Leu Ile Leu Asn Lys Ile Asn Glu Ala Phe Ile Glu Met Ala Thr 430 435 440	1646
aca gag gat gct cag gcc gca gtg gat tat tac aca acc aca cca gcg Thr Glu Asp Ala Gln Ala Ala Val Asp Tyr Tyr Thr Thr Pro Ala 445 450 455	1694
tta gta ttt ggc aag cca gtg aga gtt cat tta tcc cag aag tat aaa Leu Val Phe Gly Lys Pro Val Arg Val His Leu Ser Gln Lys Tyr Lys 460 465 470 475	1742
aga ata aag aaa cct gaa gga aag cca gat cag aag ttt gat caa aag Arg Ile Lys Lys Pro Glu Gly Lys Pro Asp Gln Lys Phe Asp Gln Lys 480 485 490	1790
caa gag ctt gga cgt gtg ata cat ctc agc aat ttg ccg cat tct ggc Gln Glu Leu Gly Arg Val Ile His Leu Ser Asn Leu Pro His Ser Gly 495 500 505	1838
tat tct gat agt gct gtt ctc aag ctt gct gag cct tat ggg aaa ata Tyr Ser Asp Ser Ala Val Leu Lys Leu Ala Glu Pro Tyr Gly Lys Ile 510 515 520	1886
aag aat tac ata ttg atg agg atg aaa agt cag gct ttt att gag atg Lys Asn Tyr Ile Leu Met Arg Met Lys Ser Gln Ala Phe Ile Glu Met 525 530 535	1934
gag aca aga gaa gat gca atg gca atg gtt gac cat tgt ttg aaa aaa Glu Thr Arg Glu Asp Ala Met Ala Met Val Asp His Cys Leu Lys Lys 540 545 550 555	1982
gcc ctt tgg ttt cag ggg aga tgt gtg aag gtt gac ctg tct gag aaa Ala Leu Trp Phe Gln Gly Arg Cys Val Lys Val Asp Leu Ser Glu Lys 560 565 570	2030
tat aaa aaa ctg gtt ctg agg att cca aac aga ggc att gat tta ctg Tyr Lys Lys Leu Val Leu Arg Ile Pro Asn Arg Gly Ile Asp Leu Leu 575 580 585	2078

-continued

aaa aaa gat aaa tcc cga aaa aga tct tac tct cca gat ggc aaa gaa Lys Lys Asp Lys Ser Arg Lys Arg Ser Tyr Ser Pro Asp Gly Lys Glu 590 595 600	2126
tct cca agt gat aag aaa tcc aaa act gat ggt tcc cag aag act gag Ser Pro Ser Asp Lys Lys Ser Lys Thr Asp Gly Ser Gln Lys Thr Glu 605 610 615	2174
agt tca acc gaa ggt aaa gaa caa gaa gag aag tcc ggt gaa gat ggt Ser Ser Thr Glu Gly Lys Lys Glu Gln Glu Glu Lys Ser Gly Glu Asp Gly 620 625 630 635	2222
gag aaa gac aca aag gat gac cag aca gag cag gaa cct aat atg ctt Glu Lys Asp Thr Lys Asp Asp Gln Thr Glu Gln Glu Pro Asn Met Leu 640 645 650	2270
ctt gaa tct gaa gat gag cta ctt gta gat gaa gaa gaa gca gca gca Leu Glu Ser Glu Asp Glu Leu Leu Val Asp Glu Glu Glu Ala Ala Ala 655 660 665	2318
ctg cta gaa agt ggc agt tca gtg gga gac gag acc gat ctt gct aat Leu Leu Glu Ser Gly Ser Ser Val Gly Asp Glu Thr Asp Leu Ala Asn 670 675 680	2366
tta ggt gat gtg gct tct gat ggg aaa aag gaa cca tca gat aaa gct Leu Gly Asp Val Ala Ser Asp Gly Lys Lys Glu Pro Ser Asp Lys Ala 685 690 695	2414
gtg aaa aaa gat gga agt gct tca gca gca gca aag aaa aag ctt aaa Val Lys Lys Asp Gly Ser Ala Ser Ala Ala Ala Lys Lys Lys Leu Lys 700 705 710 715	2462
aag gtg gac aag atc gag gaa ctt gat caa gaa aac gaa gca gcg ttg Lys Val Asp Lys Ile Glu Glu Leu Asp Gln Glu Asn Glu Ala Ala Leu 720 725 730	2510
gaa aat gga att aaa aat gag gaa aac aca gaa cca ggt gct gaa tct Glu Asn Gly Ile Lys Asn Glu Glu Asn Thr Glu Pro Gly Ala Glu Ser 735 740 745	2558
tct gag aac gct gat gat ccc aac aaa gat aca agt gaa aac gca gat Ser Glu Asn Ala Asp Asp Pro Asn Lys Asp Thr Ser Glu Asn Ala Asp 750 755 760	2606
ggt caa agt gat gag aac aag gac gac tat aca atc cca gat gag tat Gly Gln Ser Asp Glu Asn Lys Asp Asp Tyr Thr Ile Pro Asp Glu Tyr 765 770 775	2654
aga att gga cca tat cag ccc aat gtt cct gtt ggt ata gac tat gtg Arg Ile Gly Pro Tyr Gln Pro Asn Val Pro Val Gly Ile Asp Tyr Val 780 785 790 795	2702
ata cct aaa aca ggg ttt tac tgt aag ctg tgt tca ctc ttt tat aca Ile Pro Lys Thr Gly Phe Tyr Cys Lys Leu Cys Ser Leu Phe Tyr Thr 800 805 810	2750
aat gaa gaa gtt gca aag aat act cat tgc agc agc ctt cct cat tat Asn Glu Glu Val Ala Lys Asn Thr His Cys Ser Ser Leu Pro His Tyr 815 820 825	2798
cag aaa tta aag aaa ttt ctg aat aaa ttg gca gaa gaa cgc aga cag Gln Lys Leu Lys Lys Phe Leu Asn Lys Leu Ala Glu Glu Arg Arg Gln 830 835 840	2846
aag aag gaa act taa gatgtgcaag gagatttaat gatttcaaaag aaaataatgg Lys Lys Glu Thr 845	2901
ttctttgttt ttaatgttaa ccttttttaa atacaatact gatagttaga agaaaactat	2961
tgtactcttt tgttttagtg gagaataat agatgtctgt tcatgtgtta agtgttatag	3021
caaaaaaaaa acacatatgg ttaagttaat gaatagtttt tgttttatca gaatggcaac	3081
agacagaagt acctttagta gattgacttc ctaagctact taagacaact tgcaccacta	3141

-continued

```

agaaaaaat gtagaacat ttgaaaaat gaaatttagt agttccaagt ttcaaagaaa 3201
tgtaaacatt ttattccatt caataaagaa caaaaccaat agtgttttta ttactttcat 3261
ctgaaacatt coatgtttta atctgagcct tgcagacttt cattgggagt ttgaaccogt 3321
tttggttgca tttcattttt ggagaactta attaacgtga gattggcaat tgaatgcag 3381
gtgcagtttt ctgttaatgt catgctgttg ttaggtaat aagaatatt aagtaattgg 3441
ctttagatth tgtaattttt ttccctgagt tctgtctaga tttcgtattc tagtagtcaa 3501
tgtatthtca gtgaaatgca aaaatattcc cgttatcttt gaccagtatt aatthttgag 3561
atcttactgc ttgtcacttg aatcccgtga ttgtcataca tctctggtat aagcaacatt 3621
tgatthttga agtggtgtaga ccatctcttc atatthttcaa gatgtaatth tacatthctg 3681
cattthttaa acagthttggc cataatccta gatgcacgct tctaattcat gtacctgcac 3741
atgtgacctt tgtgaacaga aattgcatg tataatthgt gthtacttgt aactthctgg 3801
ttatatactg cttatatactg tggattcaag ttactgaagt gaataccaat aaaaagaaaa 3861
ccctaggcca tgtaattgg ttatacatgt ttggaatgth aaaaaaaaaa aaaaaaaaaa 3921
aaaaaaaaaa aa 3933

```

<210> SEQ ID NO 22

<211> LENGTH: 847

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 22

```

Met Ser Lys Ser Phe Gln Gln Ser Ser Leu Ser Arg Asp Ser Gln Gly
1           5           10           15
His Gly Arg Asp Leu Ser Ala Ala Gly Ile Gly Leu Leu Ala Ala Ala
20          25          30
Thr Gln Ser Leu Ser Met Pro Ala Ser Leu Gly Arg Met Asn Gln Gly
35          40          45
Thr Ala Arg Leu Ala Ser Leu Met Asn Leu Gly Met Ser Ser Ser Leu
50          55          60
Asn Gln Gln Gly Ala His Ser Ala Leu Ser Ser Ala Ser Thr Ser Ser
65          70          75          80
His Asn Leu Gln Ser Ile Phe Asn Ile Gly Ser Arg Gly Pro Leu Pro
85          90          95
Leu Ser Ser Gln His Arg Gly Asp Ala Asp Gln Ala Ser Asn Ile Leu
100         105         110
Ala Ser Phe Gly Leu Ser Ala Arg Asp Leu Asp Glu Leu Ser Arg Tyr
115         120         125
Pro Glu Asp Lys Ile Thr Pro Glu Asn Leu Pro Gln Ile Leu Leu Gln
130         135         140
Leu Lys Arg Arg Arg Thr Glu Glu Gly Pro Thr Leu Ser Tyr Gly Arg
145         150         155         160
Asp Gly Arg Ser Ala Thr Arg Glu Pro Pro Tyr Arg Val Pro Arg Asp
165         170         175
Asp Trp Glu Glu Lys Arg His Phe Arg Arg Asp Ser Phe Asp Asp Arg
180         185         190
Gly Pro Ser Leu Asn Pro Val Leu Asp Tyr Asp His Gly Ser Arg Ser
195         200         205
Gln Glu Ser Gly Tyr Tyr Asp Arg Met Asp Tyr Glu Asp Asp Arg Leu

```

-continued

210		215		220											
Arg	Asp	Gly	Glu	Arg	Cys	Arg	Asp	Asp	Ser	Phe	Phe	Gly	Glu	Thr	Ser
225					230					235					240
His	Asn	Tyr	His	Lys	Phe	Asp	Ser	Glu	Tyr	Glu	Arg	Met	Gly	Arg	Gly
				245					250					255	
Pro	Gly	Pro	Leu	Gln	Glu	Arg	Ser	Leu	Phe	Glu	Lys	Lys	Arg	Gly	Ala
			260					265					270		
Pro	Pro	Ser	Ser	Asn	Ile	Glu	Asp	Phe	His	Gly	Leu	Leu	Pro	Lys	Gly
		275					280					285			
Tyr	Pro	His	Leu	Cys	Ser	Ile	Cys	Asp	Leu	Pro	Val	His	Ser	Asn	Lys
	290					295					300				
Glu	Trp	Ser	Gln	His	Ile	Asn	Gly	Ala	Ser	His	Ser	Arg	Arg	Cys	Gln
305				310						315					320
Leu	Leu	Leu	Glu	Ile	Tyr	Pro	Glu	Trp	Asn	Pro	Asp	Asn	Asp	Thr	Gly
				325					330					335	
His	Thr	Met	Gly	Asp	Pro	Phe	Met	Leu	Gln	Gln	Ser	Thr	Asn	Pro	Ala
			340					345					350		
Pro	Gly	Ile	Leu	Gly	Pro	Pro	Pro	Pro	Ser	Phe	His	Leu	Gly	Gly	Pro
		355					360					365			
Ala	Val	Gly	Pro	Arg	Gly	Asn	Leu	Gly	Ala	Gly	Asn	Gly	Asn	Leu	Gln
	370					375					380				
Gly	Pro	Arg	His	Met	Gln	Lys	Gly	Arg	Val	Glu	Thr	Ser	Arg	Val	Val
385					390					395					400
His	Ile	Met	Asp	Phe	Gln	Arg	Gly	Lys	Asn	Leu	Arg	Tyr	Gln	Leu	Leu
				405					410					415	
Gln	Leu	Val	Glu	Pro	Phe	Gly	Val	Ile	Ser	Asn	His	Leu	Ile	Leu	Asn
			420					425					430		
Lys	Ile	Asn	Glu	Ala	Phe	Ile	Glu	Met	Ala	Thr	Thr	Glu	Asp	Ala	Gln
		435					440					445			
Ala	Ala	Val	Asp	Tyr	Tyr	Thr	Thr	Thr	Pro	Ala	Leu	Val	Phe	Gly	Lys
	450					455					460				
Pro	Val	Arg	Val	His	Leu	Ser	Gln	Lys	Tyr	Lys	Arg	Ile	Lys	Lys	Pro
465					470					475					480
Glu	Gly	Lys	Pro	Asp	Gln	Lys	Phe	Asp	Gln	Lys	Gln	Glu	Leu	Gly	Arg
				485					490					495	
Val	Ile	His	Leu	Ser	Asn	Leu	Pro	His	Ser	Gly	Tyr	Ser	Asp	Ser	Ala
				500					505				510		
Val	Leu	Lys	Leu	Ala	Glu	Pro	Tyr	Gly	Lys	Ile	Lys	Asn	Tyr	Ile	Leu
		515						520				525			
Met	Arg	Met	Lys	Ser	Gln	Ala	Phe	Ile	Glu	Met	Glu	Thr	Arg	Glu	Asp
	530					535						540			
Ala	Met	Ala	Met	Val	Asp	His	Cys	Leu	Lys	Lys	Ala	Leu	Trp	Phe	Gln
545					550					555					560
Gly	Arg	Cys	Val	Lys	Val	Asp	Leu	Ser	Glu	Lys	Tyr	Lys	Lys	Leu	Val
				565					570					575	
Leu	Arg	Ile	Pro	Asn	Arg	Gly	Ile	Asp	Leu	Leu	Lys	Lys	Asp	Lys	Ser
			580					585					590		
Arg	Lys	Arg	Ser	Tyr	Ser	Pro	Asp	Gly	Lys	Glu	Ser	Pro	Ser	Asp	Lys
		595					600					605			
Lys	Ser	Lys	Thr	Asp	Gly	Ser	Gln	Lys	Thr	Glu	Ser	Ser	Thr	Glu	Gly
	610					615						620			

-continued

Lys Glu Gln Glu Glu Lys Ser Gly Glu Asp Gly Glu Lys Asp Thr Lys
 625 630 635 640
 Asp Asp Gln Thr Glu Gln Glu Pro Asn Met Leu Leu Glu Ser Glu Asp
 645 650 655
 Glu Leu Leu Val Asp Glu Glu Glu Ala Ala Ala Leu Leu Glu Ser Gly
 660 665 670
 Ser Ser Val Gly Asp Glu Thr Asp Leu Ala Asn Leu Gly Asp Val Ala
 675 680 685
 Ser Asp Gly Lys Lys Glu Pro Ser Asp Lys Ala Val Lys Lys Asp Gly
 690 695 700
 Ser Ala Ser Ala Ala Ala Lys Lys Lys Leu Lys Lys Val Asp Lys Ile
 705 710 715 720
 Glu Glu Leu Asp Gln Glu Asn Glu Ala Ala Leu Glu Asn Gly Ile Lys
 725 730 735
 Asn Glu Glu Asn Thr Glu Pro Gly Ala Glu Ser Ser Glu Asn Ala Asp
 740 745 750
 Asp Pro Asn Lys Asp Thr Ser Glu Asn Ala Asp Gly Gln Ser Asp Glu
 755 760 765
 Asn Lys Asp Asp Tyr Thr Ile Pro Asp Glu Tyr Arg Ile Gly Pro Tyr
 770 775 780
 Gln Pro Asn Val Pro Val Gly Ile Asp Tyr Val Ile Pro Lys Thr Gly
 785 790 795 800
 Phe Tyr Cys Lys Leu Cys Ser Leu Phe Tyr Thr Asn Glu Glu Val Ala
 805 810 815
 Lys Asn Thr His Cys Ser Ser Leu Pro His Tyr Gln Lys Leu Lys Lys
 820 825 830
 Phe Leu Asn Lys Leu Ala Glu Glu Arg Arg Gln Lys Lys Glu Thr
 835 840 845

<210> SEQ ID NO 23
 <211> LENGTH: 1339
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (47)..(1018)

<400> SEQUENCE: 23

gaattccgat tagtgtgatc tcagctcaag gcaaaggtgg gatatc atg gca tct 55
 Met Ala Ser
 1
 atc tgg gtt gga cac cga gga aca gta aga gat tat cca gac ttt agc 103
 Ile Trp Val Gly His Arg Gly Thr Val Arg Asp Tyr Pro Asp Phe Ser
 5 10 15
 cca tca gtg gat gct gaa gct att cag aaa gca atc aga gga att gga 151
 Pro Ser Val Asp Ala Glu Ala Ile Gln Lys Ala Ile Arg Gly Ile Gly
 20 25 30 35
 act gat gag aaa atg ctc atc agc att ctg act gag agg tca aat gca 199
 Thr Asp Glu Lys Met Leu Ile Ser Ile Leu Thr Glu Arg Ser Asn Ala
 40 45 50
 cag cgg cag ctg att gtt aag gaa tat caa gca gca tat gga aag gag 247
 Gln Arg Gln Leu Ile Val Lys Glu Tyr Gln Ala Ala Tyr Gly Lys Glu
 55 60 65
 ctg aaa gat gac ttg aag ggt gat ctc tct ggc cac ttt gag cat ctc 295
 Leu Lys Asp Asp Leu Lys Gly Asp Leu Ser Gly His Phe Glu His Leu

-continued

70	75	80	
atg gtg gcc cta gtg act cca cca gca gtc ttt gat gca aag cag cta Met Val Ala Leu Val Thr Pro Pro Ala Val Phe Asp Ala Lys Gln Leu			343
85	90	95	
aag aaa tcc atg aag ggc gcg gga aca aac gaa gat gcc ttg att gaa Lys Lys Ser Met Lys Gly Ala Gly Thr Asn Glu Asp Ala Leu Ile Glu			391
100	105	110	115
atc tta act acc agg aca agc agg caa atg aag gat atc tct caa gcc Ile Leu Thr Thr Arg Thr Ser Arg Gln Met Lys Asp Ile Ser Gln Ala			439
	120	125	130
tat tat aca gta tac aag aag agt ctt gga gat gac att agt tcc gaa Tyr Tyr Thr Val Tyr Lys Lys Ser Leu Gly Asp Asp Ile Ser Ser Glu			487
	135	140	145
aca tct ggt gac ttc cgg aaa gct ctg ttg act ttg gca gat ggc aga Thr Ser Gly Asp Phe Arg Lys Ala Leu Leu Thr Leu Ala Asp Gly Arg			535
	150	155	160
aga gat gaa agt ctg aaa gtg gat gag cat ctg gcc aaa caa gat gcc Arg Asp Glu Ser Leu Lys Val Asp Glu His Leu Ala Lys Gln Asp Ala			583
	165	170	175
cag att ctc tat aaa gct ggt gag aac aga tgg ggc acg gat gaa gac Gln Ile Leu Tyr Lys Ala Gly Glu Asn Arg Trp Gly Thr Asp Glu Asp			631
	180	185	190
aaa ttc act gag atc ctg tgt tta agg agc ttt cct caa tta aaa cta Lys Phe Thr Glu Ile Leu Cys Leu Arg Ser Phe Pro Gln Leu Lys Leu			679
	200	205	210
aca ttt gat gaa tac aga aat atc agc caa aag gac att gtg gac agc Thr Phe Asp Glu Tyr Arg Asn Ile Ser Gln Lys Asp Ile Val Asp Ser			727
	215	220	225
ata aaa gga gaa tta tct ggg cat ttt gaa gac tta ctg ttg gcc ata Ile Lys Gly Glu Leu Ser Gly His Phe Glu Asp Leu Leu Leu Ala Ile			775
	230	235	240
gtt aat tgt gtg agg aac acg ccg gcc ttt tta gcc gaa aga ctg cat Val Asn Cys Val Arg Asn Thr Pro Ala Phe Leu Ala Glu Arg Leu His			823
	245	250	255
cga gcc ttg aag ggt att gga act gat gag ttt act ctg aac cga ata Arg Ala Leu Lys Gly Ile Gly Thr Asp Glu Phe Thr Leu Asn Arg Ile			871
	260	265	270
atg gtg tcc aga tca gaa att gac ctt ttg gac att cga aca gag ttc Met Val Ser Arg Ser Glu Ile Asp Leu Leu Asp Ile Arg Thr Glu Phe			919
	280	285	290
aag aag cat tat ggc tat tcc cta tat tca gca att aaa tcg gat act Lys Lys His Tyr Gly Tyr Ser Leu Tyr Ser Ala Ile Lys Ser Asp Thr			967
	295	300	305
tct gga gac tat gaa atc aca ctc tta aaa atc tgt ggt gga gat gac Ser Gly Asp Tyr Glu Ile Thr Leu Leu Lys Ile Cys Gly Gly Asp Asp			1015
	310	315	320
tga accaagaaga taatctccaa aggtccacga tgggctttcc caacagctcc			1068
accttacttc ttctcactact atttaagaga acaagcaaat ataaacagca acttgtgttc			1128
ctaacaggaa ttttcattgt tctataacaa caacaacaaa agcgattatt attttagagc			1188
atctcattta taatgtagca gctcataaat gaaattgaaa atggattata agatctgcaa			1248
ctactatcca acttatattt ctgctttcaa agttaagaat ctttatagtt ctactccatt			1308
aaatataaag caagataata aaacggaatt c			1339

-continued

```

<211> LENGTH: 323
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 24

Met Ala Ser Ile Trp Val Gly His Arg Gly Thr Val Arg Asp Tyr Pro
1           5           10           15
Asp Phe Ser Pro Ser Val Asp Ala Glu Ala Ile Gln Lys Ala Ile Arg
20           25           30
Gly Ile Gly Thr Asp Glu Lys Met Leu Ile Ser Ile Leu Thr Glu Arg
35           40           45
Ser Asn Ala Gln Arg Gln Leu Ile Val Lys Glu Tyr Gln Ala Ala Tyr
50           55           60
Gly Lys Glu Leu Lys Asp Asp Leu Lys Gly Asp Leu Ser Gly His Phe
65           70           75           80
Glu His Leu Met Val Ala Leu Val Thr Pro Pro Ala Val Phe Asp Ala
85           90           95
Lys Gln Leu Lys Lys Ser Met Lys Gly Ala Gly Thr Asn Glu Asp Ala
100          105          110
Leu Ile Glu Ile Leu Thr Thr Arg Thr Ser Arg Gln Met Lys Asp Ile
115          120          125
Ser Gln Ala Tyr Tyr Thr Val Tyr Lys Lys Ser Leu Gly Asp Asp Ile
130          135          140
Ser Ser Glu Thr Ser Gly Asp Phe Arg Lys Ala Leu Leu Thr Leu Ala
145          150          155          160
Asp Gly Arg Arg Asp Glu Ser Leu Lys Val Asp Glu His Leu Ala Lys
165          170          175
Gln Asp Ala Gln Ile Leu Tyr Lys Ala Gly Glu Asn Arg Trp Gly Thr
180          185          190
Asp Glu Asp Lys Phe Thr Glu Ile Leu Cys Leu Arg Ser Phe Pro Gln
195          200          205
Leu Lys Leu Thr Phe Asp Glu Tyr Arg Asn Ile Ser Gln Lys Asp Ile
210          215          220
Val Asp Ser Ile Lys Gly Glu Leu Ser Gly His Phe Glu Asp Leu Leu
225          230          235          240
Leu Ala Ile Val Asn Cys Val Arg Asn Thr Pro Ala Phe Leu Ala Glu
245          250          255
Arg Leu His Arg Ala Leu Lys Gly Ile Gly Thr Asp Glu Phe Thr Leu
260          265          270
Asn Arg Ile Met Val Ser Arg Ser Glu Ile Asp Leu Leu Asp Ile Arg
275          280          285
Thr Glu Phe Lys Lys His Tyr Gly Tyr Ser Leu Tyr Ser Ala Ile Lys
290          295          300
Ser Asp Thr Ser Gly Asp Tyr Glu Ile Thr Leu Leu Lys Ile Cys Gly
305          310          315          320

Gly Asp Asp

```

```

<210> SEQ ID NO 25
<211> LENGTH: 1659
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (152)..(1201)

```

-continued

<400> SEQUENCE: 25

gctggggggcg ggtcctgcgg caccgcccgg gaagctgcgc gagggctcgac agcctccgcc	60
acatcctcca cctctcttgg tccagcgagc gttgccgggc cagggtaag cggagggtc	120
cgacggcgcg gacggagcga agcgccgagc c atg gcg cac caa acg ggc atc	172
Met Ala His Gln Thr Gly Ile	
1 5	
cac gcc acg gaa gag ctg aag gaa ttc ttt gcc aag gca cgg gct ggc	220
His Ala Thr Glu Glu Leu Lys Glu Phe Phe Ala Lys Ala Arg Ala Gly	
10 15 20	
tct gtg cgg ctc atc aag gtt gtg att gag gac gag cag ctc gtg ctg	268
Ser Val Arg Leu Ile Lys Val Val Ile Glu Asp Glu Gln Leu Val Leu	
25 30 35	
ggt gcc tcg cag gag cca gta ggc cgc tgg gat cag gac tat gac agg	316
Gly Ala Ser Gln Glu Pro Val Gly Arg Trp Asp Gln Asp Tyr Asp Arg	
40 45 50 55	
gcc gtg ctg cca ctg ctg gac gcc cag cag ccc tgc tac ctg ctc tac	364
Ala Val Leu Pro Leu Leu Asp Ala Gln Gln Pro Cys Tyr Leu Leu Tyr	
60 65 70	
cgc ctc gac tca cag aat gct cag ggc ttc gaa tgg ctc ttc ctc gcc	412
Arg Leu Asp Ser Gln Asn Ala Gln Gly Phe Glu Trp Leu Phe Leu Ala	
75 80 85	
tgg tcg cct gat aac tcc ccc gtg cgg ctg aag atg ctg tac gcg gcc	460
Trp Ser Pro Asp Asn Ser Pro Val Arg Leu Lys Met Leu Tyr Ala Ala	
90 95 100	
acg cgg gcc aca gtg aaa aag gag ttt gga ggt ggc cac atc aag gat	508
Thr Arg Ala Thr Val Lys Lys Glu Phe Gly Gly Gly His Ile Lys Asp	
105 110 115	
gag ctc ttc ggg act gtg aag gat gac ctc tct ttt gct ggg tac cag	556
Glu Leu Phe Gly Thr Val Lys Asp Asp Leu Ser Phe Ala Gly Tyr Gln	
120 125 130 135	
aaa cac ctg tcg tcc tgt gcg gca cct gcc ccg ctg acc tcg gct gag	604
Lys His Leu Ser Ser Cys Ala Ala Pro Ala Pro Leu Thr Ser Ala Glu	
140 145 150	
aga gag ctc cag cag atc cgc att aac gag gtg aag aca gag atc agt	652
Arg Glu Leu Gln Gln Ile Arg Ile Asn Glu Val Lys Thr Glu Ile Ser	
155 160 165	
gtg gaa agc aag cac cag acc ctg cag ggc ctc gcc ttc ccc ctg cag	700
Val Glu Ser Lys His Gln Thr Leu Gln Gly Leu Ala Phe Pro Leu Gln	
170 175 180	
cct gag gcc cag cgg gca ctc cag cag ctc aag cag aaa atg gtc aac	748
Pro Glu Ala Gln Arg Ala Leu Gln Gln Leu Lys Gln Lys Met Val Asn	
185 190 195	
tac atc cag atg aag ctg gac cta gag cgg gaa acc att gag ctg gtg	796
Tyr Ile Gln Met Lys Leu Asp Leu Glu Arg Glu Thr Ile Glu Leu Val	
200 205 210 215	
cac aca gag ccc acg gat gtg gcc cag ctg ccc tcc cgg gtg ccc cga	844
His Thr Glu Pro Thr Asp Val Ala Gln Leu Pro Ser Arg Val Pro Arg	
220 225 230	
gat gct gcc cgc tac cac ttc ttc ctc tac aag cac acc cat gag ggc	892
Asp Ala Ala Arg Tyr His Phe Phe Leu Tyr Lys His Thr His Glu Gly	
235 240 245	
gac ccc ctt gag tct gta gtg ttc atc tac tcc atg ccg ggg tac aag	940
Asp Pro Leu Glu Ser Val Val Phe Ile Tyr Ser Met Pro Gly Tyr Lys	
250 255 260	
tgc agc atc aag gag cga atg ctc tac tcc agc tgc aag agc cgc ctc	988

-continued

Cys	Ser	Ile	Lys	Glu	Arg	Met	Leu	Tyr	Ser	Ser	Cys	Lys	Ser	Arg	Leu	
265						270					275					
ctc	gac	tcc	gtg	gag	cag	gac	ttc	cat	ctg	gag	atc	gcc	aag	aaa	att	1036
Leu	Asp	Ser	Val	Glu	Gln	Asp	Phe	His	Leu	Glu	Ile	Ala	Lys	Lys	Ile	
280					285					290					295	
gag	att	ggc	gat	ggg	gca	gag	ctg	acg	gca	gag	ttc	ctc	tac	gac	gag	1084
Glu	Ile	Gly	Asp	Gly	Ala	Glu	Leu	Thr	Ala	Glu	Phe	Leu	Tyr	Asp	Glu	
				300					305						310	
gtg	cac	ccc	aag	caa	cac	gcc	ttc	aag	cag	gcc	ttc	gcc	aag	ccc	aag	1132
Val	His	Pro	Lys	Gln	His	Ala	Phe	Lys	Gln	Ala	Phe	Ala	Lys	Pro	Lys	
			315					320						325		
ggc	cca	ggg	ggc	aag	cgg	ggc	cat	aag	cgc	ctc	atc	cgc	ggc	ccg	ggc	1180
Gly	Pro	Gly	Gly	Lys	Arg	Gly	His	Lys	Arg	Leu	Ile	Arg	Gly	Pro	Gly	
		330					335					340				
gaa	aat	ggg	gat	gac	agc	tag	gaggctggag	cagggccggc	cacgtgtgga							1231
Glu	Asn	Gly	Asp	Asp	Ser											
		345														
ctgtggggct	gcccaccttc	cgctccctgc	caccatcctc	cttctctgggc	tcaggaaaag											1291
tgtttctggg	aggtcaggag	ggctggcagc	tgaacgcact	tgcagcgtcc	gagggccacc											1351
gggctggcat	tttgtgacc	ttccctgttg	ctgtccctgc	atctcgtctg	tgtgcccagg											1411
gtgtccgggg	accctgcctg	gctggcttaa	gggggctggg	tcaggggect	ggcatgaacc											1471
tggcctccc	gggagctgag	actagggtcc	cagcacagcc	cagaaacctt	tggccacaag											1531
aagtggggtc	agtcagggtc	ggggcagggg	tactgcagt	ttgggatggt	tgaatgctgt											1591
atcttctaaa	gaataaaata	tttttaaatc	aagaaaaaaa	aaaaaaaaaa	aaaaaaaaaa											1651
aaaaaaaaa																1659

<210> SEQ ID NO 26
 <211> LENGTH: 349
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 26

Met	Ala	His	Gln	Thr	Gly	Ile	His	Ala	Thr	Glu	Glu	Leu	Lys	Glu	Phe
1			5						10					15	
Phe	Ala	Lys	Ala	Arg	Ala	Gly	Ser	Val	Arg	Leu	Ile	Lys	Val	Val	Ile
			20					25					30		
Glu	Asp	Glu	Gln	Leu	Val	Leu	Gly	Ala	Ser	Gln	Glu	Pro	Val	Gly	Arg
		35					40					45			
Trp	Asp	Gln	Asp	Tyr	Asp	Arg	Ala	Val	Leu	Pro	Leu	Leu	Asp	Ala	Gln
	50					55					60				
Gln	Pro	Cys	Tyr	Leu	Leu	Tyr	Arg	Leu	Asp	Ser	Gln	Asn	Ala	Gln	Gly
65					70					75					80
Phe	Glu	Trp	Leu	Phe	Leu	Ala	Trp	Ser	Pro	Asp	Asn	Ser	Pro	Val	Arg
			85					90						95	
Leu	Lys	Met	Leu	Tyr	Ala	Ala	Thr	Arg	Ala	Thr	Val	Lys	Lys	Glu	Phe
			100					105						110	
Gly	Gly	Gly	His	Ile	Lys	Asp	Glu	Leu	Phe	Gly	Thr	Val	Lys	Asp	Asp
			115				120							125	
Leu	Ser	Phe	Ala	Gly	Tyr	Gln	Lys	His	Leu	Ser	Ser	Cys	Ala	Ala	Pro
	130					135						140			
Ala	Pro	Leu	Thr	Ser	Ala	Glu	Arg	Glu	Leu	Gln	Gln	Ile	Arg	Ile	Asn
145					150					155					160

-continued

Glu Val Lys Thr Glu Ile Ser Val Glu Ser Lys His Gln Thr Leu Gln
 165 170 175
 Gly Leu Ala Phe Pro Leu Gln Pro Glu Ala Gln Arg Ala Leu Gln Gln
 180 185 190
 Leu Lys Gln Lys Met Val Asn Tyr Ile Gln Met Lys Leu Asp Leu Glu
 195 200 205
 Arg Glu Thr Ile Glu Leu Val His Thr Glu Pro Thr Asp Val Ala Gln
 210 215 220
 Leu Pro Ser Arg Val Pro Arg Asp Ala Ala Arg Tyr His Phe Phe Leu
 225 230 235 240
 Tyr Lys His Thr His Glu Gly Asp Pro Leu Glu Ser Val Val Phe Ile
 245 250 255
 Tyr Ser Met Pro Gly Tyr Lys Cys Ser Ile Lys Glu Arg Met Leu Tyr
 260 265 270
 Ser Ser Cys Lys Ser Arg Leu Leu Asp Ser Val Glu Gln Asp Phe His
 275 280 285
 Leu Glu Ile Ala Lys Lys Ile Glu Ile Gly Asp Gly Ala Glu Leu Thr
 290 295 300
 Ala Glu Phe Leu Tyr Asp Glu Val His Pro Lys Gln His Ala Phe Lys
 305 310 315 320
 Gln Ala Phe Ala Lys Pro Lys Gly Pro Gly Gly Lys Arg Gly His Lys
 325 330 335
 Arg Leu Ile Arg Gly Pro Gly Glu Asn Gly Asp Asp Ser
 340 345

<210> SEQ ID NO 27
 <211> LENGTH: 2765
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (91)..(837)

<400> SEQUENCE: 27

gggagacgtg gtgcccgtgc gggctcgctc tgccgtgcgc taggcttggg ggaaggcct 60
 gttctcgagt ccgcgctttt cgtaaccgcc atg tcg gga ggt ggt gtg att cgt 114
 Met Ser Gly Gly Gly Val Ile Arg
 1 5
 ggc ccc gca ggg aac aac gat tgc cgc atc tac gtg ggt aac tta cct 162
 Gly Pro Ala Gly Asn Asn Asp Cys Arg Ile Tyr Val Gly Asn Leu Pro
 10 15 20
 cca gac atc cga acc aag gac att gag gac gtg ttc tac aaa tac ggc 210
 Pro Asp Ile Arg Thr Lys Asp Ile Glu Asp Val Phe Tyr Lys Tyr Gly
 25 30 35 40
 gct atc cgc gac atc gac ctc aag aat cgc cgc ggg gga ccg ccc ttc 258
 Ala Ile Arg Asp Ile Asp Leu Lys Asn Arg Arg Gly Gly Pro Pro Phe
 45 50 55
 gcc ttc gtt gag ttc gag gac ccg cga gac gcg gaa gac gcg gtg tat 306
 Ala Phe Val Glu Phe Glu Asp Pro Arg Asp Ala Glu Asp Ala Val Tyr
 60 65 70
 ggt cgc gac ggc tat gat tac gat ggg tac cgt ctg cgg gtg gag ttt 354
 Gly Arg Asp Gly Tyr Asp Tyr Asp Gly Tyr Arg Leu Arg Val Glu Phe
 75 80 85
 cct cga agc ggc cgt gga aca ggc cga ggc ggc ggc ggg ggt gga ggt 402
 Pro Arg Ser Gly Arg Gly Thr Gly Arg Gly Gly Gly Gly Gly Gly Gly

-continued

90	95	100	
ggc gga gct ccc cga ggt cgc tat ggc ccc cca tcc agg cgg tct gaa Gly Gly Ala Pro Arg Gly Arg Tyr Gly Pro Pro Ser Arg Arg Ser Glu 105 110 115 120			450
aac aga gtg gtt gtc tct gga ctg cct cca agt gga agt tgg cag gat Asn Arg Val Val Val Ser Gly Leu Pro Pro Ser Gly Ser Trp Gln Asp 125 130 135			498
tta aag gat cac atg cgt gaa gca ggt gat gta tgt tat gct gat gtt Leu Lys Asp His Met Arg Glu Ala Gly Asp Val Cys Tyr Ala Asp Val 140 145 150			546
tac cga gat ggc act ggt gtc gtg gag ttt gta cgg aaa gaa gat atg Tyr Arg Asp Gly Thr Gly Val Glu Phe Val Arg Lys Glu Asp Met 155 160 165			594
acc tat gca gtt cga aaa ctg gat aac act aag ttt aga tct cat gag Thr Tyr Ala Val Arg Lys Leu Asp Asn Thr Lys Phe Arg Ser His Glu 170 175 180			642
gga gaa act gcc tac atc cgg gtt aaa gtt gat ggg ccc aga agt cca Gly Glu Thr Ala Tyr Ile Arg Val Lys Val Asp Gly Pro Arg Ser Pro 185 190 195 200			690
agt tat gga aga tct cga tct cga agc cgt agt cgt agc aga agc cgt Ser Tyr Gly Arg Ser Arg Ser Arg Ser Arg Ser Arg Ser Arg Ser Arg 205 210 215			738
agc aga agc aac agc agg agt cgc agt tac tcc cca agg aga agc aga Ser Arg Ser Asn Ser Arg Ser Arg Ser Tyr Ser Pro Arg Arg Ser Arg 220 225 230			786
gga tca cca cgc tat tct ccc cgt cat agc aga tct cgc tct cgt aca Gly Ser Pro Arg Tyr Ser Pro Arg His Ser Arg Ser Arg Ser Arg Thr 235 240 245			834
taa gatgattggt gacacttttt gtagaaccca tgttgtatac agttttcctt			887
tattcagtag aatcttttca ttttttaatt caaactgttt tgttcagaat gggctaaagt			947
gttgaaattgc attcttgtaa tatccccttg ctccatacat ctacattccc ttcgtgtctt			1007
tgataaattg tattttaagt gatgtcatag acaggattgt ttaaatttag ttaactccat			1067
actcttcaga ctgtgatatt gtgtaaatgt ctatctgccc tggtttgtgt gaactgggat			1127
gttggggggtg tttgtggtta tcttacctgg ggaagttctt atgtttatct tgettttcat			1187
gtgtctttct gtagacatat ctgaagagat ggattaagaa tgctttggat taaggattgt			1247
ggagcacatt tcaatcattt taggattgtc aaaaggagga ttgaggagga tcagatcaat			1307
aatggaggca atggtatgac tccaagtgct attgtcacag atgaaattgg cagtattgac			1367
cttatactaa aaggcagggg ttaaaaatga ttatatacat tttccttaaa acacttgcaa			1427
acattttatt cagttgtctt tagctacaat tgctttgctt tttaaacctt ggcaattgtg			1487
gcaaaattat attgccattt ttgtagcaac ttattttgct ccttcccc catttttgtt			1547
ttaatagga ctaatgtggg aagaactggc taatttgta cagtgttag ttacaactgt			1607
taatgtgtga cctgctgttg gtgtacatgt gggtacaggg tgtttttaaa tccaacaaga			1667
tagagtataa tatcaatact gctaaatctg catgtcctct gtgtgactga tagagcgttg			1727
ctatttcatt tttttaagac aaaaatgaag caaaatag agttccaatg tattggtgta			1787
gataatctag ttgggaatac ttttaagtct caccttcccc tttaaactaa tattcataat			1847
tggttcatat gtttaaaaga ctttaattta caaattaaat tgcaaatggg agcattagat			1907
ttagtttttag acttaggtgg gtagcaatgc cagtaaactt aaattacgta acttcttgca			1967

-continued

```

accacgaaac ctgtaatacgt ctgtacagta acaagtgttg gcattatcag ttgaactgta 2027
aatacaaaat gcttcttcca attagtctct atgatgatta agtttctaaa atttatctga 2087
acaccattca gaaacttggt ttggggaatt tgatagttat tgatgtgcat ctgttaaact 2147
gatgacagac ataactcatc attccccaga aacctttttt gattacagta tetaacattt 2207
tgcctcctct tttttggttt tgctggttat aaaggtttgg attggagagg gctcactgga 2267
tccccaatcct tggagctgga tcattggatt caaatcataa tgtggatagg atagggagga 2327
tgaattaccg aggattcatg gagcgggatc agattaccag gaacatagga gtggattcct 2387
gccccaacca aaccgcatc gtgtggattt ttttattcaa cttaattggc tattccaaag 2447
atTTTTTTTT tctattttt gaagattgga gcccttaaga tgcacgatgg aattgtggtt 2507
tgcgtTTTTT ggtaaaagga gcaaagcgag gacctggaga taaacgctgg agcaatctcc 2567
ttggaaggat tcagcacgag tagatggtaa acatttaaag gggaaagggg gggtttggtt 2627
aaaatagtaa atcagtaagt cacttctaaa tttaaagaaa acaaaattgg agttgaagaa 2687
taagtagggt tccaattggc tattgccgtt ttctttgaaa aaataaacat tttttaaaaa 2747
actaaaaaaaa aaaaaaaaaa 2765

```

<210> SEQ ID NO 28

<211> LENGTH: 248

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 28

```

Met Ser Gly Gly Gly Val Ile Arg Gly Pro Ala Gly Asn Asn Asp Cys
1           5           10          15
Arg Ile Tyr Val Gly Asn Leu Pro Pro Asp Ile Arg Thr Lys Asp Ile
20          25          30
Glu Asp Val Phe Tyr Lys Tyr Gly Ala Ile Arg Asp Ile Asp Leu Lys
35          40          45
Asn Arg Arg Gly Gly Pro Pro Phe Ala Phe Val Glu Phe Glu Asp Pro
50          55          60
Arg Asp Ala Glu Asp Ala Val Tyr Gly Arg Asp Gly Tyr Asp Tyr Asp
65          70          75          80
Gly Tyr Arg Leu Arg Val Glu Phe Pro Arg Ser Gly Arg Gly Thr Gly
85          90          95
Arg Gly Gly Gly Gly Gly Gly Gly Gly Ala Pro Arg Gly Arg Tyr
100         105         110
Gly Pro Pro Ser Arg Arg Ser Glu Asn Arg Val Val Val Ser Gly Leu
115        120        125
Pro Pro Ser Gly Ser Trp Gln Asp Leu Lys Asp His Met Arg Glu Ala
130        135        140
Gly Asp Val Cys Tyr Ala Asp Val Tyr Arg Asp Gly Thr Gly Val Val
145        150        155        160
Glu Phe Val Arg Lys Glu Asp Met Thr Tyr Ala Val Arg Lys Leu Asp
165        170        175
Asn Thr Lys Phe Arg Ser His Glu Gly Glu Thr Ala Tyr Ile Arg Val
180        185        190
Lys Val Asp Gly Pro Arg Ser Pro Ser Tyr Gly Arg Ser Arg Ser Arg
195        200        205
Ser Arg Ser Arg Ser Arg Ser Arg Ser Arg Ser Asn Ser Arg Ser Arg

```

-continued

210	215	220	
Ser Tyr Ser Pro Arg Arg Ser Arg Gly Ser Pro Arg Tyr Ser Pro Arg			
225	230	235	240
His Ser Arg Ser Arg Ser Arg Thr			
245			
<210> SEQ ID NO 29 <211> LENGTH: 1167 <212> TYPE: DNA <213> ORGANISM: Homo sapiens <220> FEATURE: <221> NAME/KEY: CDS <222> LOCATION: (73)..(966)			
<400> SEQUENCE: 29			
gccaaacttct ccagccggcc ggggcgagcg ccagcgcggc gtccggggcg agtgacacgc			60
agagctgaag cc atg gtt cat cag gtg ctc tac cgg gcg ctg gtc tcc acc			111
Met Val His Gln Val Leu Tyr Arg Ala Leu Val Ser Thr			
1 5 10			
aag tgg ctg gcg gag tcc atc agg act ggc aag ctg ggg ccc ggc ctg			159
Lys Trp Leu Ala Glu Ser Ile Arg Thr Gly Lys Leu Gly Pro Gly Leu			
15 20 25			
cgg gtg ctg gac gcg tcc tgg tac tca cca ggc acc cga gag gcc cgc			207
Arg Val Leu Asp Ala Ser Trp Tyr Ser Pro Gly Thr Arg Glu Ala Arg			
30 35 40 45			
aag gag tac ctc gag cgc cac gta ccc ggc gcc tct ttc ttt gac ata			255
Lys Glu Tyr Leu Glu Arg His Val Pro Gly Ala Ser Phe Phe Asp Ile			
50 55 60			
gaa gag tgc cgg gac acg gcg tcg ccc tac gag atg atg ctg ccc agc			303
Glu Glu Cys Arg Asp Thr Ala Ser Pro Tyr Glu Met Met Leu Pro Ser			
65 70 75			
gag gct ggc ttc gcc gag tat gtg ggc cgc ctg ggc atc agc aac cac			351
Glu Ala Gly Phe Ala Glu Tyr Val Gly Arg Leu Gly Ile Ser Asn His			
80 85 90			
acg cac gtg gtg gtg tat gat ggt gaa cac ctg ggc agc ttc tat gct			399
Thr His Val Val Val Tyr Asp Gly Glu His Leu Gly Ser Phe Tyr Ala			
95 100 105			
ccc cgg gtc tgg tgg atg ttc cgt gtg ttt ggc cac cgc acc gta tca			447
Pro Arg Val Trp Trp Met Phe Arg Val Phe Gly His Arg Thr Val Ser			
110 115 120 125			
gtg ctc aat ggt ggc ttc cgg aac tgg ctg aag gag ggc cac ccg gtg			495
Val Leu Asn Gly Gly Phe Arg Asn Trp Leu Lys Glu Gly His Pro Val			
130 135 140			
aca tcc gag ccc tca cgc cca gaa ccg gcc gtc ttc aaa gcc aca ctg			543
Thr Ser Glu Pro Ser Arg Pro Glu Pro Ala Val Phe Lys Ala Thr Leu			
145 150 155			
gac cgc tcc ctg ctc aag acc tac gag cag gtg ctg gag aac ctt gaa			591
Asp Arg Ser Leu Leu Lys Thr Tyr Glu Gln Val Leu Glu Asn Leu Glu			
160 165 170			
tct aag agg ttc cag ctg gtg gat tca agg tct caa ggg cgg ttc ctg			639
Ser Lys Arg Phe Gln Leu Val Asp Ser Arg Ser Gln Gly Arg Phe Leu			
175 180 185			
ggc acc gag ccg gag ccg gat gca gta gga ctg gac tcg gcc cat atc			687
Gly Thr Glu Pro Glu Pro Asp Ala Val Gly Leu Asp Ser Gly His Ile			
190 195 200 205			
cgt ggt gcc gtc aac atg cct ttc atg gac ttc ctg act gag gat ggc			735
Arg Gly Ala Val Asn Met Pro Phe Met Asp Phe Leu Thr Glu Asp Gly			
210 215 220			

-continued

```

ttc gag aag ggc cca gaa gag ctc cgt gct ctg ttc cag acc aag aag      783
Phe Glu Lys Gly Pro Glu Glu Leu Arg Ala Leu Phe Gln Thr Lys Lys
      225                230                235

gtg gat ctc tcg cag cct ctc att gcc acg tgc cgc aag gga gtc acc      831
Val Asp Leu Ser Gln Pro Leu Ile Ala Thr Cys Arg Lys Gly Val Thr
      240                245                250

gcc tgc cac gtg gcc ttg gct gcc tac ctc tgc gcc aag cct gat gtg      879
Ala Cys His Val Ala Leu Ala Ala Tyr Leu Cys Gly Lys Pro Asp Val
      255                260                265

gcc gtg tac gat ggc tcc tgg tcc gag tgg ttt cgc egg gcc ccc cca      927
Ala Val Tyr Asp Gly Ser Trp Ser Glu Trp Phe Arg Arg Ala Pro Pro
      270                275                280                285

gag agc cgt gtg tcc cag gga aag tct gag aag gcc tga gccgtgacct      976
Glu Ser Arg Val Ser Gln Gly Lys Ser Glu Lys Ala
      290                295

cttctgctta ctgtaactgc ggccgggttta gtgaccccat gacttacagc cggttcttac 1036
ctcttaggtg aaggagatga catgttttta gaattgctgt gcaaggetca cctctctct 1096
gtcaacactg gaataaactt tgccttttct gaaaaaaaa aaaaaaaaa aaaaaaaaa 1156
aaaaaaaaa a 1167

<210> SEQ ID NO 30
<211> LENGTH: 297
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 30
Met Val His Gln Val Leu Tyr Arg Ala Leu Val Ser Thr Lys Trp Leu
1          5          10          15
Ala Glu Ser Ile Arg Thr Gly Lys Leu Gly Pro Gly Leu Arg Val Leu
20         25         30
Asp Ala Ser Trp Tyr Ser Pro Gly Thr Arg Glu Ala Arg Lys Glu Tyr
35         40         45
Leu Glu Arg His Val Pro Gly Ala Ser Phe Phe Asp Ile Glu Glu Cys
50         55         60
Arg Asp Thr Ala Ser Pro Tyr Glu Met Met Leu Pro Ser Glu Ala Gly
65         70         75         80
Phe Ala Glu Tyr Val Gly Arg Leu Gly Ile Ser Asn His Thr His Val
85         90         95
Val Val Tyr Asp Gly Glu His Leu Gly Ser Phe Tyr Ala Pro Arg Val
100        105        110
Trp Trp Met Phe Arg Val Phe Gly His Arg Thr Val Ser Val Leu Asn
115        120        125
Gly Gly Phe Arg Asn Trp Leu Lys Glu Gly His Pro Val Thr Ser Glu
130        135        140
Pro Ser Arg Pro Glu Pro Ala Val Phe Lys Ala Thr Leu Asp Arg Ser
145        150        155        160
Leu Leu Lys Thr Tyr Glu Gln Val Leu Glu Asn Leu Glu Ser Lys Arg
165        170        175
Phe Gln Leu Val Asp Ser Arg Ser Gln Gly Arg Phe Leu Gly Thr Glu
180        185        190
Pro Glu Pro Asp Ala Val Gly Leu Asp Ser Gly His Ile Arg Gly Ala
195        200        205

```


-continued

gtc aat gac tcc gtc acc aag agc aag ttt gac aac ctc tat ggc tgc	632
Val Asn Asp Ser Val Thr Lys Ser Lys Phe Asp Asn Leu Tyr Gly Cys	
180 185 190 195	
cgg gag tcc ctc ata gat ggc atc aag cgg gcc aca gat gtg atg att	680
Arg Glu Ser Leu Ile Asp Gly Ile Lys Arg Ala Thr Asp Val Met Ile	
200 205 210	
gcc gcc aag gta gcg gtg gta gca gcc tat ggt gat gtg gcc aag gcc	728
Ala Gly Lys Val Ala Val Val Ala Gly Tyr Gly Asp Val Gly Lys Gly	
215 220 225	
tgt gcc cag gcc ctg cgg ggt ttc gga gcc cgc gtc atc atc acc gag	776
Cys Ala Gln Ala Leu Arg Gly Phe Gly Ala Arg Val Ile Ile Thr Glu	
230 235 240	
att gac ccc atc aac gca ctg cag gct gcc atg gag gcc tat gag gtg	824
Ile Asp Pro Ile Asn Ala Leu Gln Ala Ala Met Glu Gly Tyr Glu Val	
245 250 255	
acc acc atg gat gag gcc tgt cag gag gcc aac atc ttt gtc acc acc	872
Thr Thr Met Asp Glu Ala Cys Gln Glu Gly Asn Ile Phe Val Thr Thr	
260 265 270 275	
aca gcc tgt att gac atc atc ctt gcc cgg cac ttt gag cag atg aag	920
Thr Gly Cys Ile Asp Ile Ile Leu Gly Arg His Phe Glu Gln Met Lys	
280 285 290	
gat gat gcc att gtg tgt aac att gga cac ttt gac gtg gag atc gat	968
Asp Asp Ala Ile Val Cys Asn Ile Gly His Phe Asp Val Glu Ile Asp	
295 300 305	
gtc aag tgg ctc aac gag aac gcc gtg gag aag gtg aac atc aag ccg	1016
Val Lys Trp Leu Asn Glu Asn Ala Val Glu Lys Val Asn Ile Lys Pro	
310 315 320	
cag gtg gac cgg tat cgg ttg aag aat ggg cgc cgc atc atc ctg ctg	1064
Gln Val Asp Arg Tyr Arg Leu Lys Asn Gly Arg Arg Ile Ile Leu Leu	
325 330 335	
gcc gag ggt cgg ctg gtc aac ctg ggt tgt gcc atg gcc cac ccc agc	1112
Ala Glu Gly Arg Leu Val Asn Leu Gly Cys Ala Met Gly His Pro Ser	
340 345 350 355	
ttc gtg atg agt aac tcc ttc acc aac cag gtg atg gcg cag atc gag	1160
Phe Val Met Ser Asn Ser Phe Thr Asn Gln Val Met Ala Gln Ile Glu	
360 365 370	
ctg tgg acc cat cca gac aag tac ccc gtt ggg gtt cat ttc ctg ccc	1208
Leu Trp Thr His Pro Asp Lys Tyr Pro Val Gly Val His Phe Leu Pro	
375 380 385	
aag aag ctg gat gag gca gtg gct gaa gcc cac ctg gcc aag ctg aat	1256
Lys Lys Leu Asp Glu Ala Val Ala Glu Ala His Leu Gly Lys Leu Asn	
390 395 400	
gtg aag ttg acc aag cta act gag aag caa gcc cag tac ctg gcc atg	1304
Val Lys Leu Thr Lys Leu Thr Glu Lys Gln Ala Gln Tyr Leu Gly Met	
405 410 415	
tcc tgt gat gcc ccc ttc aag ccg gat cac tac cgc tac tga	1346
Ser Cys Asp Gly Pro Phe Lys Pro Asp His Tyr Arg Tyr	
420 425 430	
gagccaggtc tgcgtttcac cctccagctg ctgtccttgc ccaggcccca cctctctctc	1406
ctaagagcta atggcaccaa ctttgtgact ggtttgtcag tgtccccat cgactctctg	1466
gggctgatca cttagttttt ggctctgtct gcagccgtca tactgttcca aatgtggcag	1526
cggaacaga gtaccctctt caagccccgg tcatgatgga ggtccagcc acaggaacc	1586
atgagctcag tggctttgga acagctcact aagtcagtcc ttccttagcc tggagccag	1646
tagtggagtc acaaagccca tgtgttttgc catctaggcc ttcacctggg ctgtggactt	1706

-continued

```

atacctgtgt gcttggttta caggccaggt ggttcttcag cccatgacag atgagaaggg 1766
gctatatgta agggcacaaga ggaactgttg tttgaatttt cctgagagcc tggcttagtg 1826
ctgggccttc tcttaaacct cattacaatg aggttagtac ttttagtccc tgttttacag 1886
gggttagaat agactgttaa ggggcaactg agaaagaaca gagaagtgac agctaggggt 1946
tgagaggggc cagaaaaaca tgaatgcagg cagatttcgt gaaatctgcc accactttat 2006
aaccagatgg ttcctttcac aacctgggt caaaaagaga ataatttggc ctataatggt 2066
aaaagaaagc aggaaggtgg gtaataaaaa atcttggtgc ctgg 2110

```

<210> SEQ ID NO 32

<211> LENGTH: 432

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 32

```

Met Ser Asp Lys Leu Pro Tyr Lys Val Ala Asp Ile Gly Leu Ala Ala
1           5           10           15
Trp Gly Arg Lys Ala Leu Asp Ile Ala Glu Asn Glu Met Pro Gly Leu
20           25           30
Met Arg Met Arg Glu Arg Tyr Ser Ala Ser Lys Pro Leu Lys Gly Ala
35           40           45
Arg Ile Ala Gly Cys Leu His Met Thr Val Glu Thr Ala Val Leu Ile
50           55           60
Glu Thr Leu Val Thr Leu Gly Ala Glu Val Gln Trp Ser Ser Cys Asn
65           70           75           80
Ile Phe Ser Thr Gln Asp His Ala Ala Ala Ile Ala Lys Ala Gly
85           90           95
Ile Pro Val Tyr Ala Trp Lys Gly Glu Thr Asp Glu Glu Tyr Leu Trp
100          105          110
Cys Ile Glu Gln Thr Leu Tyr Phe Lys Asp Gly Pro Leu Asn Met Ile
115          120          125
Leu Asp Asp Gly Gly Asp Leu Thr Asn Leu Ile His Thr Lys Tyr Pro
130          135          140
Gln Leu Leu Pro Gly Ile Arg Gly Ile Ser Glu Glu Thr Thr Thr Gly
145          150          155          160
Val His Asn Leu Tyr Lys Met Met Ala Asn Gly Ile Leu Lys Val Pro
165          170          175
Ala Ile Asn Val Asn Asp Ser Val Thr Lys Ser Lys Phe Asp Asn Leu
180          185          190
Tyr Gly Cys Arg Glu Ser Leu Ile Asp Gly Ile Lys Arg Ala Thr Asp
195          200          205
Val Met Ile Ala Gly Lys Val Ala Val Val Ala Gly Tyr Gly Asp Val
210          215          220
Gly Lys Gly Cys Ala Gln Ala Leu Arg Gly Phe Gly Ala Arg Val Ile
225          230          235          240
Ile Thr Glu Ile Asp Pro Ile Asn Ala Leu Gln Ala Ala Met Glu Gly
245          250          255
Tyr Glu Val Thr Thr Met Asp Glu Ala Cys Gln Glu Gly Asn Ile Phe
260          265          270
Val Thr Thr Thr Gly Cys Ile Asp Ile Ile Leu Gly Arg His Phe Glu
275          280          285

```

-continued

Gln Met Lys Asp Asp Ala Ile Val Cys Asn Ile Gly His Phe Asp Val
 290 295 300
 Glu Ile Asp Val Lys Trp Leu Asn Glu Asn Ala Val Glu Lys Val Asn
 305 310 315 320
 Ile Lys Pro Gln Val Asp Arg Tyr Arg Leu Lys Asn Gly Arg Arg Ile
 325 330 335
 Ile Leu Leu Ala Glu Gly Arg Leu Val Asn Leu Gly Cys Ala Met Gly
 340 345 350
 His Pro Ser Phe Val Met Ser Asn Ser Phe Thr Asn Gln Val Met Ala
 355 360 365
 Gln Ile Glu Leu Trp Thr His Pro Asp Lys Tyr Pro Val Gly Val His
 370 375 380
 Phe Leu Pro Lys Lys Leu Asp Glu Ala Val Ala Glu Ala His Leu Gly
 385 390 395 400
 Lys Leu Asn Val Lys Leu Thr Lys Leu Thr Glu Lys Gln Ala Gln Tyr
 405 410 415
 Leu Gly Met Ser Cys Asp Gly Pro Phe Lys Pro Asp His Tyr Arg Tyr
 420 425 430

<210> SEQ ID NO 33
 <211> LENGTH: 1698
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (191)..(1309)

<400> SEQUENCE: 33

cccgccctc cctgcacggc ctcccgtgcg ccctgtcag actgtggcgg cgggtcgcgc 60
 ggtgcgtct cctccctgc cgcagcctg gagaggcgt tegtgtgca caccctcgcg 120
 ttctgcgg caccgcgct gccctctgcc gcgctccgcc ctgccgcga cgcacgccc 180
 gccgaggac atg gca cac gca cgg gca cgc tgc ccc agc gcc cgg ggc 229
 Met Ala His Ala Pro Ala Arg Cys Pro Ser Ala Arg Gly
 1 5 10
 tcc ggg gac ggc gag atg ggc aag ccc agg aac gtg gcg ctc atc acc 277
 Ser Gly Asp Gly Glu Met Gly Lys Pro Arg Asn Val Ala Leu Ile Thr
 15 20 25
 ggt atc aca ggc cag gat ggt tcc tac ctg gct gag ttc ctg ctg gag 325
 Gly Ile Thr Gly Gln Asp Gly Ser Tyr Leu Ala Glu Phe Leu Leu Glu
 30 35 40 45
 aaa ggc tat gag gtc cat gga att gta cgg cgg tcc agt tca ttt aat 373
 Lys Gly Tyr Glu Val His Gly Ile Val Arg Arg Ser Ser Ser Phe Asn
 50 55 60
 acg ggt cga att gag cat ctg tat aag aat ccc cag gct cac att gaa 421
 Thr Gly Arg Ile Glu His Leu Tyr Lys Asn Pro Gln Ala His Ile Glu
 65 70 75
 gga aac atg aag ttg cac tat ggc gat ctc act gac agt acc tgc ctt 469
 Gly Asn Met Lys Leu His Tyr Gly Asp Leu Thr Asp Ser Thr Cys Leu
 80 85 90
 gtg aag atc att aat gaa gta aag ccc aca gag atc tac aac ctt gga 517
 Val Lys Ile Ile Asn Glu Val Lys Pro Thr Glu Ile Tyr Asn Leu Gly
 95 100 105
 gcc cag agc cac gtc aaa att tcc ttt gac ctc gct gag tac act gcg 565
 Ala Gln Ser His Val Lys Ile Ser Phe Asp Leu Ala Glu Tyr Thr Ala
 110 115 120 125

-continued

gac gtt gac gga gtt ggc act cta cga ctt cta gat gca gtt aag act Asp Val Asp Gly Val Gly Thr Leu Arg Leu Leu Asp Ala Val Lys Thr 130 135 140	613
tgt ggc ctt atc aac tct gtg aag ttc tac caa gcc tca aca agt gaa Cys Gly Leu Ile Asn Ser Val Lys Phe Tyr Gln Ala Ser Thr Ser Glu 145 150 155	661
ctt tat ggg aaa gtg cag gaa ata ccc cag aag gag acc acc cct ttc Leu Tyr Gly Lys Val Gln Glu Ile Pro Gln Lys Glu Thr Thr Pro Phe 160 165 170	709
tat ccc cgg tca ccc tat ggg gca gca aaa ctc tat gcc tat tgg att Tyr Pro Arg Ser Pro Tyr Gly Ala Ala Lys Leu Tyr Ala Tyr Trp Ile 175 180 185	757
gtg gtg aac ttc cgt gag gcg tat aat ctc ttt gca gtg aac ggc att Val Val Asn Phe Arg Glu Ala Tyr Asn Leu Phe Ala Val Asn Gly Ile 190 195 200 205	805
ctc ttc aat cat gag agt ccc aga aga gga gct aat ttc gtt act cga Leu Phe Asn His Glu Ser Pro Arg Arg Gly Ala Asn Phe Val Thr Arg 210 215 220	853
aaa att agc cgg tca gta gct aag att tac ctt gga caa ctg gaa tgt Lys Ile Ser Arg Ser Val Ala Lys Ile Tyr Leu Gly Gln Leu Glu Cys 225 230 235	901
ttc agt ttg gga aat ctg gat gcc aaa cga gat tgg ggc cat gcc aag Phe Ser Leu Gly Asn Leu Asp Ala Lys Arg Asp Trp Gly His Ala Lys 240 245 250	949
gac tat gtg gag gct atg tgg ttg atg ttg cag aat gat gag ccg gag Asp Tyr Val Glu Ala Met Trp Leu Met Leu Gln Asn Asp Glu Pro Glu 255 260 265	997
gac ttc gtt ata gct act ggg gag gtc cat agt gtc cgg gaa ttt gtc Asp Phe Val Ile Ala Thr Gly Glu Val His Ser Val Arg Glu Phe Val 270 275 280 285	1045
gag aaa tca ttc ttg cac att gga aaa acc att gtg tgg gaa gga aag Glu Lys Ser Phe Leu His Ile Gly Lys Thr Ile Val Trp Glu Gly Lys 290 295 300	1093
aat gaa aat gaa gtg ggc aga tgt aaa gag acc ggc aaa gtt cac gtg Asn Glu Asn Glu Val Gly Arg Cys Lys Glu Thr Gly Lys Val His Val 305 310 315	1141
act gtg gat ctc aag tac tac cgg cca act gaa gtg gac ttt ctg cag Thr Val Asp Leu Lys Tyr Tyr Arg Pro Thr Glu Val Asp Phe Leu Gln 320 325 330	1189
ggc gac tgc acc aaa gcg aaa cag aag ctg aac tgg aag ccc cgg gtc Gly Asp Cys Thr Lys Ala Lys Gln Lys Leu Asn Trp Lys Pro Arg Val 335 340 345	1237
gct ttc gat gag ctg gtg agg gag atg gtg cac gcc gac gtg gag ctc Ala Phe Asp Glu Leu Val Arg Glu Met Val His Ala Asp Val Glu Leu 350 355 360 365	1285
atg agg aca aac ccc aat gcc tga gcagcgcctc ggagcccggc ccgcccctccg Met Arg Thr Asn Pro Asn Ala 370	1339
gctacaatcc ccgagagtc tccggtgcag acgcgctgcg gggatgggga gggcggtgcc	1399
aatctgctggg tcccctgctg cccctgctgc cgctgcgctg tcccggccgc aagagcgggg	1459
ccgccccgcc gaggtttgta gcagccggga tgtgaccctc cagggtttgg gtcgctttgc	1519
gtttgtcgaa gcctcctctg aatggctttg tgaatcaag atgttttaac cacattcaact	1579
ttacttgaaa ttatgttgtt acacaacaaa ttgtggggcc ttcaaattgt ttttctcttt	1639
tcatatataa aatggtcttt ctgtgaacta gcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1698

-continued

```

<210> SEQ ID NO 34
<211> LENGTH: 372
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 34

Met Ala His Ala Pro Ala Arg Cys Pro Ser Ala Arg Gly Ser Gly Asp
1          5          10          15

Gly Glu Met Gly Lys Pro Arg Asn Val Ala Leu Ile Thr Gly Ile Thr
20          25          30

Gly Gln Asp Gly Ser Tyr Leu Ala Glu Phe Leu Leu Glu Lys Gly Tyr
35          40          45

Glu Val His Gly Ile Val Arg Arg Ser Ser Ser Phe Asn Thr Gly Arg
50          55          60

Ile Glu His Leu Tyr Lys Asn Pro Gln Ala His Ile Glu Gly Asn Met
65          70          75          80

Lys Leu His Tyr Gly Asp Leu Thr Asp Ser Thr Cys Leu Val Lys Ile
85          90          95

Ile Asn Glu Val Lys Pro Thr Glu Ile Tyr Asn Leu Gly Ala Gln Ser
100         105         110

His Val Lys Ile Ser Phe Asp Leu Ala Glu Tyr Thr Ala Asp Val Asp
115         120         125

Gly Val Gly Thr Leu Arg Leu Leu Asp Ala Val Lys Thr Cys Gly Leu
130         135         140

Ile Asn Ser Val Lys Phe Tyr Gln Ala Ser Thr Ser Glu Leu Tyr Gly
145         150         155         160

Lys Val Gln Glu Ile Pro Gln Lys Glu Thr Thr Pro Phe Tyr Pro Arg
165         170         175

Ser Pro Tyr Gly Ala Ala Lys Leu Tyr Ala Tyr Trp Ile Val Val Asn
180         185         190

Phe Arg Glu Ala Tyr Asn Leu Phe Ala Val Asn Gly Ile Leu Phe Asn
195         200         205

His Glu Ser Pro Arg Arg Gly Ala Asn Phe Val Thr Arg Lys Ile Ser
210         215         220

Arg Ser Val Ala Lys Ile Tyr Leu Gly Gln Leu Glu Cys Phe Ser Leu
225         230         235         240

Gly Asn Leu Asp Ala Lys Arg Asp Trp Gly His Ala Lys Asp Tyr Val
245         250         255

Glu Ala Met Trp Leu Met Leu Gln Asn Asp Glu Pro Glu Asp Phe Val
260         265         270

Ile Ala Thr Gly Glu Val His Ser Val Arg Glu Phe Val Glu Lys Ser
275         280         285

Phe Leu His Ile Gly Lys Thr Ile Val Trp Glu Gly Lys Asn Glu Asn
290         295         300

Glu Val Gly Arg Cys Lys Glu Thr Gly Lys Val His Val Thr Val Asp
305         310         315         320

Leu Lys Tyr Tyr Arg Pro Thr Glu Val Asp Phe Leu Gln Gly Asp Cys
325         330         335

Thr Lys Ala Lys Gln Lys Leu Asn Trp Lys Pro Arg Val Ala Phe Asp
340         345         350

Glu Leu Val Arg Glu Met Val His Ala Asp Val Glu Leu Met Arg Thr

```

-continued

355	360	365	
Asn Pro Asn Ala			
370			
<210> SEQ ID NO 35			
<211> LENGTH: 2963			
<212> TYPE: DNA			
<213> ORGANISM: Homo sapiens			
<220> FEATURE:			
<221> NAME/KEY: CDS			
<222> LOCATION: (26)..(2317)			
<400> SEQUENCE: 35			
ccactgctgt cctcttcagc tcaag atg gtg gcc tgc egg gcg att ggc atc			52
	Met Val Ala Cys Arg Ala Ile Gly Ile		
	1 5		
ctc agc cgc ttt tct gcc ttc agg atc ctc cgc tcc cga ggt tat ata			100
Leu Ser Arg Phe Ser Ala Phe Arg Ile Leu Arg Ser Arg Gly Tyr Ile			
10 15 20 25			
tgc cgc aat ttt aca ggg tct tct gct ttg ctg acc aga acc cat att			148
Cys Arg Asn Phe Thr Gly Ser Ser Ala Leu Leu Thr Arg Thr His Ile			
30 35 40			
aac tat gga gtc aaa ggg gat gtg gca gtt gtt cga att aac tct ccc			196
Asn Tyr Gly Val Lys Gly Asp Val Ala Val Val Arg Ile Asn Ser Pro			
45 50 55			
aat tca aag gta aat aca ctg agt aaa gag cta cat tca gag ttc tca			244
Asn Ser Lys Val Asn Thr Leu Ser Lys Glu Leu His Ser Glu Phe Ser			
60 65 70			
gaa gtt atg aat gaa atc tgg gct agt gat caa atc aga agt gcc gtc			292
Glu Val Met Asn Glu Ile Trp Ala Ser Asp Gln Ile Arg Ser Ala Val			
75 80 85			
ctt atc tca tca aag cca ggc tgc ttt att gca ggt gct gat atc aac			340
Leu Ile Ser Ser Lys Pro Gly Cys Phe Ile Ala Gly Ala Asp Ile Asn			
90 95 100 105			
atg tta gcc gct tgc aag acc ctt caa gaa gta aca cag cta tca caa			388
Met Leu Ala Ala Cys Lys Thr Leu Gln Glu Val Thr Gln Leu Ser Gln			
110 115 120			
gaa gca cag aga ata gtt gag aaa ctt gaa aag tcc aca aag cct att			436
Glu Ala Gln Arg Ile Val Glu Lys Leu Glu Lys Ser Thr Lys Pro Ile			
125 130 135			
gtg gct gcc atc aat gga tcc tgc ctg gga gga gga ctt gag gtt gcc			484
Val Ala Ala Ile Asn Gly Ser Cys Leu Gly Gly Gly Leu Glu Val Ala			
140 145 150			
att tca tgc caa tac aga ata gca aca aaa gac aga aaa aca gta tta			532
Ile Ser Cys Gln Tyr Arg Ile Ala Thr Lys Asp Arg Lys Thr Val Leu			
155 160 165			
ggg acc cct gaa gtt ttg ctg ggg gcc tta cca gga gca gga ggc aca			580
Gly Thr Pro Glu Val Leu Leu Gly Ala Leu Pro Gly Ala Gly Gly Thr			
170 175 180 185			
caa agg ctg ccc aaa atg gtg ggt gtg cct gct gct ttg gac atg atg			628
Gln Arg Leu Pro Lys Met Val Gly Val Pro Ala Ala Leu Asp Met Met			
190 195 200			
ctg act ggt aga agc att cgt gca gac agg gca aag aaa atg gga ctg			676
Leu Thr Gly Arg Ser Ile Arg Ala Asp Arg Ala Lys Lys Met Gly Leu			
205 210 215			
ggt gac caa ctg gtg gaa ccc ctg gga cca gga cta aaa cct cca gag			724
Val Asp Gln Leu Val Glu Pro Leu Gly Pro Gly Leu Lys Pro Pro Glu			
220 225 230			

-continued

gaa cgg aca ata gaa tac cta gaa gaa gtt gca att act ttt gcc aaa Glu Arg Thr Ile Glu Tyr Leu Glu Glu Val Ala Ile Thr Phe Ala Lys 235 240 245	772
gga cta gct gat aag aag atc tct cca aag aga gac aag gga ttg gtg Gly Leu Ala Asp Lys Lys Ile Ser Pro Lys Arg Asp Lys Gly Leu Val 250 255 260 265	820
gaa aaa ttg aca gcg tat gcc atg act att cca ttt gtc agg caa cag Glu Lys Leu Thr Ala Tyr Ala Met Thr Ile Pro Phe Val Arg Gln Gln 270 275 280	868
gtt tac aaa aaa gtg gaa gaa aaa gtg cga aag cag act aaa ggc ctt Val Tyr Lys Lys Val Glu Glu Lys Val Arg Lys Gln Thr Lys Gly Leu 285 290 295	916
tat cct gca cct ctg aaa ata att gat gtg gta aag act gga att gag Tyr Pro Ala Pro Leu Lys Ile Ile Asp Val Val Lys Thr Gly Ile Glu 300 305 310	964
caa ggg agt gat gcc ggt tat ctc tgt gaa tct cag aaa ttt gga gag Gln Gly Ser Asp Ala Gly Tyr Leu Cys Glu Ser Gln Lys Phe Gly Glu 315 320 325	1012
ctt gta atg acc aaa gaa tca aag gcc ttg atg gga ctc tac cat ggt Leu Val Met Thr Lys Glu Ser Lys Ala Leu Met Gly Leu Tyr His Gly 330 335 340 345	1060
cag gtc ctg tgc aag aag aat aaa ttt gga gct cca cag aag gat gtt Gln Val Leu Cys Lys Lys Asn Lys Phe Gly Ala Pro Gln Lys Asp Val 350 355 360	1108
aag cat ctg gct att ctt ggt gca ggg ctg atg gga gca ggc atc gcc Lys His Leu Ala Ile Leu Gly Ala Gly Leu Met Gly Ala Gly Ile Ala 365 370 375	1156
caa gtc tcc gtg gat aag ggg cta aag act ata ctt aaa gat gcc acc Gln Val Ser Val Asp Lys Gly Leu Lys Thr Ile Leu Lys Asp Ala Thr 380 385 390	1204
ctc act gcg cta gac cga gga cag caa caa gtg ttc aaa gga ttg aat Leu Thr Ala Leu Asp Arg Gly Gln Gln Gln Val Phe Lys Gly Leu Asn 395 400 405	1252
gac aaa gtg aag aag aaa gct cta aca tca ttt gaa agg gat tcc atc Asp Lys Val Lys Lys Lys Ala Leu Thr Ser Phe Glu Arg Asp Ser Ile 410 415 420 425	1300
ttc agc aac ttg act ggg cag ctt gat tac caa ggt ttt gaa aag gcc Phe Ser Asn Leu Thr Gly Gln Leu Asp Tyr Gln Gly Phe Glu Lys Ala 430 435 440	1348
gac atg gtg att gaa gct gtg ttt gag gac ctt agt ctt aag cac aga Asp Met Val Ile Glu Ala Val Phe Glu Asp Leu Ser Leu Lys His Arg 445 450 455	1396
gtg cta aag gaa gta gaa gcg gtg att cca gat cac tgt atc ttt gcc Val Leu Lys Glu Val Glu Ala Val Ile Pro Asp His Cys Ile Phe Ala 460 465 470	1444
agt aac aca tct gct ctc cca atc agt gaa atc gct gct gtc agc aaa Ser Asn Thr Ser Ala Leu Pro Ile Ser Glu Ile Ala Ala Val Ser Lys 475 480 485	1492
aga cct gag aag gtg att ggc atg cac tac ttc tct ccc gtg gac aag Arg Pro Glu Lys Val Ile Gly Met His Tyr Phe Ser Pro Val Asp Lys 490 495 500 505	1540
atg cag ctg ctg gag att atc acg acc gag aaa act tcc aaa gac acc Met Gln Leu Leu Glu Ile Ile Thr Thr Glu Lys Thr Ser Lys Asp Thr 510 515 520	1588
agt gct tca gct gta gca gtt ggt ctc aag cag ggg aag gtc atc att Ser Ala Ser Ala Val Ala Val Gly Leu Lys Gln Gly Lys Val Ile Ile 525 530 535	1636

-continued

gtg gtt aag gat gga cct ggc ttc tat act acc agg tgt ctt gcg ccc Val Val Lys Asp Gly Pro Gly Phe Tyr Thr Thr Arg Cys Leu Ala Pro 540 545 550	1684
atg atg tct gaa gtc atc cga atc ctc cag gaa gga gtt gac ccg aag Met Met Ser Glu Val Ile Arg Ile Leu Gln Glu Gly Val Asp Pro Lys 555 560 565	1732
aag ctg gat tcc ctg acc aca agc ttt ggc ttt cct gtg ggt gcc gcc Lys Leu Asp Ser Leu Thr Thr Ser Phe Gly Phe Pro Val Gly Ala Ala 570 575 580 585	1780
aca ctg gtg gat gaa gtt ggt gtg gat gta gcg aaa cat gtg gcg gaa Thr Leu Val Asp Glu Val Gly Val Asp Val Ala Lys His Val Ala Glu 590 595 600	1828
gat ctg ggc aaa gtc ttt ggg gag cgg ttt gga ggt gga aac cca gaa Asp Leu Gly Lys Val Phe Gly Glu Arg Phe Gly Gly Gly Asn Pro Glu 605 610 615	1876
ctg ctg aca cag atg gtg tcc aag ggc ttc cta ggt cgt aaa tct ggg Leu Leu Thr Gln Met Val Ser Lys Gly Phe Leu Gly Arg Lys Ser Gly 620 625 630	1924
aag ggc ttt tac atc tat cag gag ggt gtg aag agg aag gat ttg aat Lys Gly Phe Tyr Ile Tyr Gln Glu Gly Val Lys Arg Lys Asp Leu Asn 635 640 645	1972
tct gac atg gat agt att tta gcg agt ctg aag ctg cct cct aag tct Ser Asp Met Asp Ser Ile Leu Ala Ser Leu Lys Leu Pro Pro Lys Ser 650 655 660 665	2020
gaa gtc tca tca gac gaa gac atc cag ttc cgc ctg gtg aca aga ttt Glu Val Ser Ser Asp Glu Asp Ile Gln Phe Arg Leu Val Thr Arg Phe 670 675 680	2068
gtg aat gag gca gtc atg tgc ctg caa gag ggg atc ttg gcc aca cct Val Asn Glu Ala Val Met Cys Leu Gln Glu Gly Ile Leu Ala Thr Pro 685 690 695	2116
gca gag gga gac atc gga gcc gtc ttt ggg ctt ggc ttc ccg cct tgt Ala Glu Gly Asp Ile Gly Ala Val Phe Gly Leu Gly Phe Pro Pro Cys 700 705 710	2164
ctg gga ggg cct ttc cgc ttt gtg gat ctg tat ggc gcc cag aag ata Leu Gly Gly Pro Phe Arg Phe Val Asp Leu Tyr Gly Ala Gln Lys Ile 715 720 725	2212
gtg gac cgg ctc aag aaa tat gaa gct gcc tat gga aaa cag ttc acc Val Asp Arg Leu Lys Lys Tyr Glu Ala Ala Tyr Gly Lys Gln Phe Thr 730 735 740 745	2260
cca tgc cag ctg cta gct gac cat gct aac agc cct aac aag aag ttc Pro Cys Gln Leu Leu Ala Asp His Ala Asn Ser Pro Asn Lys Lys Phe 750 755 760	2308
tac cag tga gcaggcctca tgccctcgtc agtcagtgca ctaaccccag Tyr Gln	2357
ctgccggcag tgctggttct ccaacagagt ggtgtctaga tttatcagag taacgagaag	2417
acaaactccg gcaactgggtt tgctccctga ttaaagtgcc ttcagccaag accatctctc	2477
cctcctgggtg aagtgtgact tcgaattagt ttgcacttcc tattggaagg tagagcccac	2537
tgctcattgt ataagcccag aggcctagag tggcagccaa gagccatctg aagccacctc	2597
tctgctgtt cctcccaaga ggccaggggtg gccaggggtg gtgagggcag ttctgcaccc	2657
agccaaacac ataacaataa aaaccaaact ctgtgtcagc atctttgccc ttctggttta	2717
aacgcctcct tcaaaaagca atctggaaga aagccctgtg ctttggggga gtaagaatgt	2777
gtgtgcagaa ttctaggcag caccttaggg agggactggg atgagagaaa gtgggacctg	2837
gtgggctcaa ccacacacac ctgtctgtgc agatgctttg cccaggcttc tcaccacggt	2897

-continued

 gtaccgggat attaaacctc tttcccagc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2957

aaaaaa 2963

<210> SEQ ID NO 36

<211> LENGTH: 763

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 36

 Met Val Ala Cys Arg Ala Ile Gly Ile Leu Ser Arg Phe Ser Ala Phe
 1 5 10 15

 Arg Ile Leu Arg Ser Arg Gly Tyr Ile Cys Arg Asn Phe Thr Gly Ser
 20 25 30

 Ser Ala Leu Leu Thr Arg Thr His Ile Asn Tyr Gly Val Lys Gly Asp
 35 40 45

 Val Ala Val Val Arg Ile Asn Ser Pro Asn Ser Lys Val Asn Thr Leu
 50 55 60

 Ser Lys Glu Leu His Ser Glu Phe Ser Glu Val Met Asn Glu Ile Trp
 65 70 75 80

 Ala Ser Asp Gln Ile Arg Ser Ala Val Leu Ile Ser Ser Lys Pro Gly
 85 90 95

 Cys Phe Ile Ala Gly Ala Asp Ile Asn Met Leu Ala Ala Cys Lys Thr
 100 105 110

 Leu Gln Glu Val Thr Gln Leu Ser Gln Glu Ala Gln Arg Ile Val Glu
 115 120 125

 Lys Leu Glu Lys Ser Thr Lys Pro Ile Val Ala Ala Ile Asn Gly Ser
 130 135 140

 Cys Leu Gly Gly Gly Leu Glu Val Ala Ile Ser Cys Gln Tyr Arg Ile
 145 150 155 160

 Ala Thr Lys Asp Arg Lys Thr Val Leu Gly Thr Pro Glu Val Leu Leu
 165 170 175

 Gly Ala Leu Pro Gly Ala Gly Gly Thr Gln Arg Leu Pro Lys Met Val
 180 185 190

 Gly Val Pro Ala Ala Leu Asp Met Met Leu Thr Gly Arg Ser Ile Arg
 195 200 205

 Ala Asp Arg Ala Lys Lys Met Gly Leu Val Asp Gln Leu Val Glu Pro
 210 215 220

 Leu Gly Pro Gly Leu Lys Pro Pro Glu Glu Arg Thr Ile Glu Tyr Leu
 225 230 235 240

 Glu Glu Val Ala Ile Thr Phe Ala Lys Gly Leu Ala Asp Lys Lys Ile
 245 250 255

 Ser Pro Lys Arg Asp Lys Gly Leu Val Glu Lys Leu Thr Ala Tyr Ala
 260 265 270

 Met Thr Ile Pro Phe Val Arg Gln Gln Val Tyr Lys Lys Val Glu Glu
 275 280 285

 Lys Val Arg Lys Gln Thr Lys Gly Leu Tyr Pro Ala Pro Leu Lys Ile
 290 295 300

 Ile Asp Val Val Lys Thr Gly Ile Glu Gln Gly Ser Asp Ala Gly Tyr
 305 310 315 320

 Leu Cys Glu Ser Gln Lys Phe Gly Glu Leu Val Met Thr Lys Glu Ser
 325 330 335

-continued

Lys Ala Leu Met Gly Leu Tyr His Gly Gln Val Leu Cys Lys Lys Asn
 340 345 350
 Lys Phe Gly Ala Pro Gln Lys Asp Val Lys His Leu Ala Ile Leu Gly
 355 360 365
 Ala Gly Leu Met Gly Ala Gly Ile Ala Gln Val Ser Val Asp Lys Gly
 370 375 380
 Leu Lys Thr Ile Leu Lys Asp Ala Thr Leu Thr Ala Leu Asp Arg Gly
 385 390 395 400
 Gln Gln Gln Val Phe Lys Gly Leu Asn Asp Lys Val Lys Lys Lys Ala
 405 410 415
 Leu Thr Ser Phe Glu Arg Asp Ser Ile Phe Ser Asn Leu Thr Gly Gln
 420 425 430
 Leu Asp Tyr Gln Gly Phe Glu Lys Ala Asp Met Val Ile Glu Ala Val
 435 440 445
 Phe Glu Asp Leu Ser Leu Lys His Arg Val Leu Lys Glu Val Glu Ala
 450 455 460
 Val Ile Pro Asp His Cys Ile Phe Ala Ser Asn Thr Ser Ala Leu Pro
 465 470 475 480
 Ile Ser Glu Ile Ala Ala Val Ser Lys Arg Pro Glu Lys Val Ile Gly
 485 490 495
 Met His Tyr Phe Ser Pro Val Asp Lys Met Gln Leu Leu Glu Ile Ile
 500 505 510
 Thr Thr Glu Lys Thr Ser Lys Asp Thr Ser Ala Ser Ala Val Ala Val
 515 520 525
 Gly Leu Lys Gln Gly Lys Val Ile Ile Val Val Lys Asp Gly Pro Gly
 530 535 540
 Phe Tyr Thr Thr Arg Cys Leu Ala Pro Met Met Ser Glu Val Ile Arg
 545 550 555 560
 Ile Leu Gln Glu Gly Val Asp Pro Lys Lys Leu Asp Ser Leu Thr Thr
 565 570 575
 Ser Phe Gly Phe Pro Val Gly Ala Ala Thr Leu Val Asp Glu Val Gly
 580 585 590
 Val Asp Val Ala Lys His Val Ala Glu Asp Leu Gly Lys Val Phe Gly
 595 600 605
 Glu Arg Phe Gly Gly Gly Asn Pro Glu Leu Leu Thr Gln Met Val Ser
 610 615 620
 Lys Gly Phe Leu Gly Arg Lys Ser Gly Lys Gly Phe Tyr Ile Tyr Gln
 625 630 635 640
 Glu Gly Val Lys Arg Lys Asp Leu Asn Ser Asp Met Asp Ser Ile Leu
 645 650 655
 Ala Ser Leu Lys Leu Pro Pro Lys Ser Glu Val Ser Ser Asp Glu Asp
 660 665 670
 Ile Gln Phe Arg Leu Val Thr Arg Phe Val Asn Glu Ala Val Met Cys
 675 680 685
 Leu Gln Glu Gly Ile Leu Ala Thr Pro Ala Glu Gly Asp Ile Gly Ala
 690 695 700
 Val Phe Gly Leu Gly Phe Pro Pro Cys Leu Gly Gly Pro Phe Arg Phe
 705 710 715 720
 Val Asp Leu Tyr Gly Ala Gln Lys Ile Val Asp Arg Leu Lys Lys Tyr
 725 730 735
 Glu Ala Ala Tyr Gly Lys Gln Phe Thr Pro Cys Gln Leu Leu Ala Asp

-continued

740	745	750	
His Ala Asn Ser Pro Asn Lys Lys Phe Tyr Gln			
755	760		
<210> SEQ ID NO 37 <211> LENGTH: 2438 <212> TYPE: DNA <213> ORGANISM: Homo sapiens <220> FEATURE: <221> NAME/KEY: CDS <222> LOCATION: (45)..(1571)			
<400> SEQUENCE: 37			
cccggcgggcg ccaaccgaag cgccccgcct gatccgtgtc cgac atg ctg cgc cgc			56
		Met Leu Arg Arg	
		1	
gct ctg ctg tgc ctg gcc gtg gcc gcc ctg gtg cgc gcc gac gcc ccc			104
Ala Leu Leu Cys Leu Ala Val Ala Ala Leu Val Arg Ala Asp Ala Pro	10	15	20
5			
gag gag gag gac cac gtc ctg gtg ctg cgg aaa agc aac ttc gcg gag			152
Glu Glu Glu Asp His Val Leu Val Leu Arg Lys Ser Asn Phe Ala Glu	25	30	35
gcg ctg gcg gcc cac aag tac ctg ctg gtg gag ttc tat gcc cct tgg			200
Ala Leu Ala Ala His Lys Tyr Leu Leu Val Glu Phe Tyr Ala Pro Trp	40	45	50
tgt ggc cac tgc aag gct ctg gcc cct gag tat gcc aaa gcc gct ggg			248
Cys Gly His Cys Lys Ala Leu Ala Pro Glu Tyr Ala Lys Ala Ala Gly	55	60	65
aag ctg aag gca gaa ggt tcc gag atc agg ttg gcc aag gtg gac gcc			296
Lys Leu Lys Ala Glu Gly Ser Glu Ile Arg Leu Ala Lys Val Asp Ala	70	75	80
acg gag gag tct gac ctg gcc cag cag tac ggc gtg cgc gcc tat ccc			344
Thr Glu Glu Ser Asp Leu Ala Gln Gln Tyr Gly Val Arg Gly Tyr Pro	85	90	95
acc atc aag ttc ttc agg aat gga gac acg gct tcc ccc aag gaa tat			392
Thr Ile Lys Phe Phe Arg Asn Gly Asp Thr Ala Ser Pro Lys Glu Tyr	105	110	115
aca gct ggc aga gag gct gat gac atc gtg aac tgg ctg aag aag cgc			440
Thr Ala Gly Arg Glu Ala Asp Asp Ile Val Asn Trp Leu Lys Lys Arg	120	125	130
acg ggc cgg gct gcc acc acc ctg cct gac ggc gca gct gca gag tcc			488
Thr Gly Pro Ala Ala Thr Thr Leu Pro Asp Gly Ala Ala Ala Glu Ser	135	140	145
ttg gtg gag tcc agc gag gtg gct gtc atc ggc ttc ttc aag gac gtg			536
Leu Val Glu Ser Ser Glu Val Ala Val Ile Gly Phe Phe Lys Asp Val	150	155	160
gag tgc gac tct gcc aag cag ttt ttg cag gca gca gag gcc atc gat			584
Glu Ser Asp Ser Ala Lys Gln Phe Leu Gln Ala Ala Glu Ala Ile Asp	165	170	175
gac ata cca ttt ggg atc act tcc aac agt gac gtg ttc tcc aaa tac			632
Asp Ile Pro Phe Gly Ile Thr Ser Asn Ser Asp Val Phe Ser Lys Tyr	185	190	195
cag ctc gac aaa gat ggg gtt gtc ctc ttt aag aag ttt gat gaa ggc			680
Gln Leu Asp Lys Asp Gly Val Val Leu Phe Lys Lys Phe Asp Glu Gly	200	205	210
cgg aac aac ttt gaa ggg gag gtc acc aag gag aac ctg ctg gac ttt			728
Arg Asn Asn Phe Glu Gly Glu Val Thr Lys Glu Asn Leu Leu Asp Phe	215	220	225

-continued

atc aaa cac aac cag ctg ccc ctt gtc atc gag ttc acc gag cag aca Ile Lys His Asn Gln Leu Pro Leu Val Ile Glu Phe Thr Glu Gln Thr 230 235 240	776
gcc ccg aag att ttt gga ggt gaa atc aag act cac atc ctg ctg ttc Ala Pro Lys Ile Phe Gly Gly Glu Ile Lys Thr His Ile Leu Leu Phe 245 250 255 260	824
ttg ccc aag agt gtg tct gac tat gac ggc aaa ctg agc aac ttc aaa Leu Pro Lys Ser Val Ser Asp Tyr Asp Gly Lys Leu Ser Asn Phe Lys 265 270 275	872
aca gca gcc gag agc ttc aag ggc aag atc ctg ttc atc ttc atc gac Thr Ala Ala Glu Ser Phe Lys Gly Lys Ile Leu Phe Ile Phe Ile Asp 280 285 290	920
agc gac cac acc gac aac cag cgc atc ctc gag ttc ttt ggc ctg aag Ser Asp His Thr Asp Asn Gln Arg Ile Leu Glu Phe Phe Gly Leu Lys 295 300 305	968
aag gaa gag tgc ccg gcc gtg cgc ctc atc acc ctg gag gag gag atg Lys Glu Glu Cys Pro Ala Val Arg Leu Ile Thr Leu Glu Glu Glu Met 310 315 320	1016
acc aag tac aag ccc gaa tcg gag gag ctg acg gca gag agg atc aca Thr Lys Tyr Lys Pro Glu Ser Glu Glu Leu Thr Ala Glu Arg Ile Thr 325 330 335 340	1064
gag ttc tgc cac cgc ttc ctg gag ggc aaa atc aag ccc cac ctg atg Glu Phe Cys His Arg Phe Leu Glu Gly Lys Ile Lys Pro His Leu Met 345 350 355	1112
agc cag gag ctg ccg gag gac tgg gac aag cag cct gtc aag gtg ctt Ser Gln Glu Leu Pro Glu Asp Trp Asp Lys Gln Pro Val Lys Val Leu 360 365 370	1160
gtt ggg aag aac ttt gaa gac gtg gct ttt gat gag aaa aaa aac gtc Val Gly Lys Asn Phe Glu Asp Val Ala Phe Asp Glu Lys Lys Asn Val 375 380 385	1208
ttt gtg gag ttc tat gcc cca tgg tgt ggt cac tgc aaa cag ttg gct Phe Val Glu Phe Tyr Ala Pro Trp Cys Gly His Cys Lys Gln Leu Ala 390 395 400	1256
ccc att tgg gat aaa ctg gga gag acg tac aag gac cat gag aac atc Pro Ile Trp Asp Lys Leu Gly Glu Thr Tyr Lys Asp His Glu Asn Ile 405 410 415 420	1304
gtc atc gcc aag atg gac tcg act gcc aac gag gtg gag gcc gtc aaa Val Ile Ala Lys Met Asp Ser Thr Ala Asn Glu Val Glu Ala Val Lys 425 430 435	1352
gtg cac agc ttc ccc aca ctc aag ttc ttt cct gcc agt gcc gac agg Val His Ser Phe Pro Thr Leu Lys Phe Phe Pro Ala Ser Ala Asp Arg 440 445 450	1400
acg gtc att gat tac aac ggg gaa cgc acg ctg gat ggt ttt aag aaa Thr Val Ile Asp Tyr Asn Gly Glu Arg Thr Leu Asp Gly Phe Lys Lys 455 460 465	1448
ttc ctg gag agc ggt gcc cag gat ggg gca ggg gat gat gac gat ctc Phe Leu Glu Ser Gly Gly Gln Asp Gly Ala Gly Asp Asp Asp Asp Leu 470 475 480	1496
gag gac ctg gaa gaa gca gag gag cca gac atg gag gaa gac gat gat Glu Asp Leu Glu Glu Ala Glu Glu Pro Asp Met Glu Glu Asp Asp Asp 485 490 495 500	1544
cag aaa gct gtg aaa gat gaa ctg taa tacgcaaagc cagaccggg Gln Lys Ala Val Lys Asp Glu Leu 505	1591
cgctgccgag acccctcggg ggctgcacac ccagcagcag cgcacgcctc cgaagcctgc	1651
ggcctcgctt gaaggagggc gtcgccgaa acccaggaa cctctctgaa gtgacacctc	1711

-continued

```

accctacac accgtccgtt caccctcgtc tcttccttct gcttttcggt ttttgaaag 1771
ggatccatct ccaggcagcc caccctgggt gggcttgttt cctgaaacca tgatgtactt 1831
tttcatacat gagtctgtcc agagtgttg ctaccgtgtt cggagtctcg ctgcctccct 1891
cccgggggag gtttctctc tttttgaaa ttccgtctgt gggattttta gacatttttc 1951
gacatcaggg tatttgttcc accttgcca ggctcctcg gagaagcttg tccccctgtg 2011
gggagggacg gagccggact ggacatggtc actcagtacc gctgcagtg tcgccatgac 2071
tgatcatggc tcttgcaatt ttgggtaaat ggagacttcc ggatcctgtc aggggtgtccc 2131
ccatgcctgg aagaggagct ggtggctgcc agccctgggg cccggcacag gcctgggcct 2191
tccccctccc tcaagccagg gctcctctc ctgtctgtgg ctctattgtga ccaactggcct 2251
ctctacagca cggcctgtgg cctgttcaag gcagaaccac gacccttgac tcccgggtgg 2311
ggaggtggcc aaggatgctg gagctgaatc agacgctgac agttcttcag gcatttctat 2371
ttcacaatcg aattgaacac attggccaaa taaagttgaa attttaccac caaaaaaaaa 2431
aaaaaaaa 2438

```

```

<210> SEQ ID NO 38
<211> LENGTH: 508
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 38

```

```

Met Leu Arg Arg Ala Leu Leu Cys Leu Ala Val Ala Ala Leu Val Arg
1           5           10          15
Ala Asp Ala Pro Glu Glu Glu Asp His Val Leu Val Leu Arg Lys Ser
                20           25           30
Asn Phe Ala Glu Ala Leu Ala Ala His Lys Tyr Leu Leu Val Glu Phe
                35           40           45
Tyr Ala Pro Trp Cys Gly His Cys Lys Ala Leu Ala Pro Glu Tyr Ala
                50           55           60
Lys Ala Ala Gly Lys Leu Lys Ala Glu Gly Ser Glu Ile Arg Leu Ala
                65           70           75           80
Lys Val Asp Ala Thr Glu Glu Ser Asp Leu Ala Gln Gln Tyr Gly Val
                85           90           95
Arg Gly Tyr Pro Thr Ile Lys Phe Phe Arg Asn Gly Asp Thr Ala Ser
                100          105          110
Pro Lys Glu Tyr Thr Ala Gly Arg Glu Ala Asp Asp Ile Val Asn Trp
                115          120          125
Leu Lys Lys Arg Thr Gly Pro Ala Ala Thr Thr Leu Pro Asp Gly Ala
                130          135          140
Ala Ala Glu Ser Leu Val Glu Ser Ser Glu Val Ala Val Ile Gly Phe
                145          150          155          160
Phe Lys Asp Val Glu Ser Asp Ser Ala Lys Gln Phe Leu Gln Ala Ala
                165          170          175
Glu Ala Ile Asp Asp Ile Pro Phe Gly Ile Thr Ser Asn Ser Asp Val
                180          185          190
Phe Ser Lys Tyr Gln Leu Asp Lys Asp Gly Val Val Leu Phe Lys Lys
                195          200          205
Phe Asp Glu Gly Arg Asn Asn Phe Glu Gly Glu Val Thr Lys Glu Asn
                210          215          220

```

-continued

Leu Leu Asp Phe Ile Lys His Asn Gln Leu Pro Leu Val Ile Glu Phe
 225 230 235 240

Thr Glu Gln Thr Ala Pro Lys Ile Phe Gly Gly Glu Ile Lys Thr His
 245 250 255

Ile Leu Leu Phe Leu Pro Lys Ser Val Ser Asp Tyr Asp Gly Lys Leu
 260 265 270

Ser Asn Phe Lys Thr Ala Ala Glu Ser Phe Lys Gly Lys Ile Leu Phe
 275 280 285

Ile Phe Ile Asp Ser Asp His Thr Asp Asn Gln Arg Ile Leu Glu Phe
 290 295 300

Phe Gly Leu Lys Lys Glu Glu Cys Pro Ala Val Arg Leu Ile Thr Leu
 305 310 315 320

Glu Glu Glu Met Thr Lys Tyr Lys Pro Glu Ser Glu Glu Leu Thr Ala
 325 330 335

Glu Arg Ile Thr Glu Phe Cys His Arg Phe Leu Glu Gly Lys Ile Lys
 340 345 350

Pro His Leu Met Ser Gln Glu Leu Pro Glu Asp Trp Asp Lys Gln Pro
 355 360 365

Val Lys Val Leu Val Gly Lys Asn Phe Glu Asp Val Ala Phe Asp Glu
 370 375 380

Lys Lys Asn Val Phe Val Glu Phe Tyr Ala Pro Trp Cys Gly His Cys
 385 390 395 400

Lys Gln Leu Ala Pro Ile Trp Asp Lys Leu Gly Glu Thr Tyr Lys Asp
 405 410 415

His Glu Asn Ile Val Ile Ala Lys Met Asp Ser Thr Ala Asn Glu Val
 420 425 430

Glu Ala Val Lys Val His Ser Phe Pro Thr Leu Lys Phe Phe Pro Ala
 435 440 445

Ser Ala Asp Arg Thr Val Ile Asp Tyr Asn Gly Glu Arg Thr Leu Asp
 450 455 460

Gly Phe Lys Lys Phe Leu Glu Ser Gly Gly Gln Asp Gly Ala Gly Asp
 465 470 475 480

Asp Asp Asp Leu Glu Asp Leu Glu Glu Ala Glu Glu Pro Asp Met Glu
 485 490 495

Glu Asp Asp Asp Gln Lys Ala Val Lys Asp Glu Leu
 500 505

<210> SEQ ID NO 39
 <211> LENGTH: 959
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (120)..(764)

<400> SEQUENCE: 39

```

gcagtggagg cggcccaggc ccgccttcgc cagggtgtgc ccgctgtgcc gctagcgggtg      60
ccccgcctgc tgcggtggca ccagccagga ggcggagtgg aagtggccgt ggggcgggt      119
atg gga cta gct ggc gtg tgc gcc ctg aga cgc tca gcg ggc tat ata      167
Met Gly Leu Ala Gly Val Cys Ala Leu Arg Arg Ser Ala Gly Tyr Ile
1          5          10          15

ctc gtc ggt ggg gcc ggc ggt cag tct gcg gca gcg gca gca aga cgg      215
Leu Val Gly Gly Ala Gly Gly Gln Ser Ala Ala Ala Ala Ala Arg Arg
20          25          30
    
```

-continued

```

tgc agt gaa gga gag tgg gcg tct ggc ggg gtc cgc agt ttc agc aga      263
Cys Ser Glu Gly Glu Trp Ala Ser Gly Gly Val Arg Ser Phe Ser Arg
      35                      40                      45

gcc gct gca gcc atg gcc cca atc aag gtg gga gat gcc atc cca gca      311
Ala Ala Ala Ala Met Ala Pro Ile Lys Val Gly Asp Ala Ile Pro Ala
      50                      55                      60

gtg gag gtg ttt gaa ggg gag cca ggg aac aag gtg aac ctg gca gag      359
Val Glu Val Phe Glu Gly Glu Pro Gly Asn Lys Val Asn Leu Ala Glu
      65                      70                      75                      80

ctg ttc aag ggc aag aag ggt gtg ctg ttt gga gtt cct ggg gcc ttc      407
Leu Phe Lys Gly Lys Lys Gly Val Leu Phe Gly Val Pro Gly Ala Phe
      85                      90                      95

acc cct gga tgt tcc aag aca cac ctg cca ggg ttt gtg gag cag gct      455
Thr Pro Gly Cys Ser Lys Thr His Leu Pro Gly Phe Val Glu Gln Ala
      100                     105                     110

gag gct ctg aag gcc aag gga gtc cag gtg gtg gcc tgt ctg agt gtt      503
Glu Ala Leu Lys Ala Lys Gly Val Gln Val Val Ala Cys Leu Ser Val
      115                     120                     125

aat gat gcc ttt gtg act ggc gag tgg ggc cga gcc cac aag gcg gaa      551
Asn Asp Ala Phe Val Thr Gly Glu Trp Gly Arg Ala His Lys Ala Glu
      130                     135                     140

ggc aag gtt cgg ctc ctg gct gat ccc act ggg gcc ttt ggg aag gag      599
Gly Lys Val Arg Leu Leu Ala Asp Pro Thr Gly Ala Phe Gly Lys Glu
      145                     150                     155                     160

aca gac tta tta cta gat gat tgg ctg gtg tcc atc ttt ggg aat cga      647
Thr Asp Leu Leu Leu Asp Asp Ser Leu Val Ser Ile Phe Gly Asn Arg
      165                     170                     175

cgt ctc aag agg ttc tcc atg gtg gta cag gat ggc ata gtg aag gcc      695
Arg Leu Lys Arg Phe Ser Met Val Val Gln Asp Gly Ile Val Lys Ala
      180                     185                     190

ctg aat gtg gaa cca gat ggc aca ggc ctc acc tgc agc ctg gca ccc      743
Leu Asn Val Glu Pro Asp Gly Thr Gly Leu Thr Cys Ser Leu Ala Pro
      195                     200                     205

aat atc atc tca cag ctc tga ggccctgggc cagattactt cctccacccc      794
Asn Ile Ile Ser Gln Leu
      210

tccctatctc acctgcccag ccctgtgctg gggccctgca attggaatgt tggccagatt      854

tctgcaataa acacttgtgg tttgcggcca aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      914

aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa      959

<210> SEQ ID NO 40
<211> LENGTH: 214
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 40

Met Gly Leu Ala Gly Val Cys Ala Leu Arg Arg Ser Ala Gly Tyr Ile
1                      5                      10                      15

Leu Val Gly Gly Ala Gly Gly Gln Ser Ala Ala Ala Ala Ala Arg Arg
20                      25                      30

Cys Ser Glu Gly Glu Trp Ala Ser Gly Gly Val Arg Ser Phe Ser Arg
35                      40                      45

Ala Ala Ala Ala Met Ala Pro Ile Lys Val Gly Asp Ala Ile Pro Ala
50                      55                      60

Val Glu Val Phe Glu Gly Glu Pro Gly Asn Lys Val Asn Leu Ala Glu

```

-continued

65		70		75		80
Leu Phe Lys Gly	Lys Lys Gly Val	Leu Phe Gly Val	Pro Gly Ala Phe			
	85	90	95			
Thr Pro Gly Cys	Ser Lys Thr His	Leu Pro Gly Phe	Val Glu Gln Ala			
	100	105	110			
Glu Ala Leu Lys	Ala Lys Gly Val	Gln Val Val Ala	Cys Leu Ser Val			
	115	120	125			
Asn Asp Ala Phe	Val Thr Gly Glu	Trp Gly Arg Ala	His Lys Ala Glu			
	130	135	140			
Gly Lys Val Arg	Leu Leu Ala Asp	Pro Thr Gly Ala	Phe Gly Lys Glu			
	145	150	155	160		
Thr Asp Leu Leu	Leu Asp Asp Ser	Leu Val Ser Ile	Phe Gly Asn Arg			
	165	170	175			
Arg Leu Lys Arg	Phe Ser Met Val	Val Gln Asp Gly	Ile Val Lys Ala			
	180	185	190			
Leu Asn Val Glu	Pro Asp Gly Thr	Gly Leu Thr Cys	Ser Leu Ala Pro			
	195	200	205			
Asn Ile Ile Ser	Gln Leu					
	210					

<210> SEQ ID NO 41
 <211> LENGTH: 1874
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (7)..(678)

<400> SEQUENCE: 41

ccggtg atg gcg gct ggt gat ggg gac gtg aag cta ggc acc ctg ggg	48
Met Ala Ala Gly Asp Gly Asp Val Lys Leu Gly Thr Leu Gly	
1 5 10	
agt ggc agc gag agc agc aac gac ggc ggc agc gag agt cca ggc gac	96
Ser Gly Ser Glu Ser Ser Asn Asp Gly Gly Ser Glu Ser Pro Gly Asp	
15 20 25 30	
gcg gga gcg gca gcg gaa ggg gga ggc tgg gcg gcg gcg gcg ttg gcg	144
Ala Gly Ala Ala Ala Glu Gly Gly Trp Ala Ala Ala Ala Leu Ala	
35 40 45	
ctt ctg acg ggg ggc ggg gaa atg ctg ctg aac gtg gcg ctg gtg gct	192
Leu Leu Thr Gly Gly Gly Glu Met Leu Leu Asn Val Ala Leu Val Ala	
50 55 60	
ctg gtg ctg ctg ggg gcc tac cgg ctg tgg gtg cgc tgg ggg cgg cgg	240
Leu Val Leu Leu Gly Ala Tyr Arg Leu Trp Val Arg Trp Gly Arg Arg	
65 70 75	
ggt ctg ggg gcc ggg gcc ggg gcg ggc gag gag agc ccc gcc acc tct	288
Gly Leu Gly Ala Gly Ala Gly Ala Gly Glu Glu Ser Pro Ala Thr Ser	
80 85 90	
ctg cct cgc atg aag aag cgg gac ttc agc ttg gag cag ctg cgc cag	336
Leu Pro Arg Met Lys Lys Arg Asp Phe Ser Leu Glu Gln Leu Arg Gln	
95 100 105 110	
tac gac ggc tcc cgc aac ccg cgc atc ctg ctc gcg gtc aat ggg aaa	384
Tyr Asp Gly Ser Arg Asn Pro Arg Ile Leu Leu Ala Val Asn Gly Lys	
115 120 125	
gtc ttc gac gtg acc aaa ggc agc aag ttc tac ggc ccg gcg ggt cca	432
Val Phe Asp Val Thr Lys Gly Ser Lys Phe Tyr Gly Pro Ala Gly Pro	
130 135 140	

-continued

tat gga ata ttt gct ggt agg gat gcc tcc aga gga ctg gcc aca ttt Tyr Gly Ile Phe Ala Gly Arg Asp Ala Ser Arg Gly Leu Ala Thr Phe 145 150 155	480
tgc cta gat aaa gat gca ctt aga gat gaa tat gat gat ctc tca gat Cys Leu Asp Lys Asp Ala Leu Arg Asp Glu Tyr Asp Asp Leu Ser Asp 160 165 170	528
ttg aat gca gta caa atg gag agt gtt cga gaa tgg gaa atg cag ttt Leu Asn Ala Val Gln Met Glu Ser Val Arg Glu Trp Glu Met Gln Phe 175 180 185 190	576
aaa gaa aaa tat gat tat gta ggc aga ctc cta aaa cca gga gaa gaa Lys Glu Lys Tyr Asp Tyr Val Gly Arg Leu Leu Lys Pro Gly Glu Glu 195 200 205	624
cca tca gaa tat aca gat gaa gaa gat acc aag gat cac aat aaa cag Pro Ser Glu Tyr Thr Asp Glu Glu Asp Thr Lys Asp His Asn Lys Gln 210 215 220	672
gat tga actttgtaaa caaccaaagt caggggcctt cagaactgca attcttactc Asp	728
cctttcacag actgtccgga gtctttgggt ttgattcacc tgctgcgaaa aacattcaac	788
aaattgtgta caagataaat taatctcact atgaagattt gaataactag acattattta	848
tgctgccaaa ctcatttggt gcagttgttt gtaatgtcta gtggggcttc atcatcctga	908
aaagaaggag acagggattt ttttaaagag caagaaagtc acaatattac ttctttcctt	968
ccttttttcc ttctttcctt tcttctttct ctttctttct ttttaaaata tattgaagac	1028
aaccagatat gtatttgcta ctcaagtgta cagatctcct caagaaacat caagggactc	1088
ctgtgtcaca tactgtgttt ttattttaac atgggtgagg gaggcgacct gatcagggga	1148
ggtgggggta cacatcaatt tgagttgttc aggctactga aacattaata tgtgaattcc	1208
caaacctttc tttttggcct tgtcagggaa aagaaaaata tctttataaa gaaatctttg	1268
gaaattagga gaaggaattt caggtggggt taagtcagag ctagtcccc aacagaaaga	1328
tcatttgaaa ccagttttta tcccttctct ttccttcctt ttccttaaat caaatcaata	1388
ttaattgtgc cttatttcac ttaacataga cttgaattat ttttagggaa agcccctata	1448
atgaattcag aaatcactac aagcagcatt aagactgaag ttggaatatt ctgttgacca	1508
taaaaccttg atatcattct gtgtatatag aatgtaaaag gaatattaca gtgttaactg	1568
ccatatatgt aatatacaca aactcaatta gcattgtaat ggccaatgc attcccccat	1628
gcttttctgt tttcaaaaaa attgaaaaac aaatcaactc ttatcccaaa cagctgccta	1688
attttaggag tctgaccctc cacatctcac tgggtggggt gcatggggct gtggagtggg	1748
tgtcagtatg gatgtgtctg aatgtgtgag gccttggaag ggactctttc tgcagatact	1808
gtaaatataca gtaccatttt aataaagcat gtacaataaa ccaaaaaaaaa aaaaaaaaaa	1868
aaaaaa	1874

<210> SEQ ID NO 42
 <211> LENGTH: 223
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 42

Met Ala Ala Gly Asp Gly Asp Val Lys Leu Gly Thr Leu Gly Ser Gly 1 5 10 15
Ser Glu Ser Ser Asn Asp Gly Gly Ser Glu Ser Pro Gly Asp Ala Gly 20 25 30

-continued

Ala Ala Ala Glu Gly Gly Gly Trp Ala Ala Ala Ala Leu Ala Leu Leu
 35 40 45
 Thr Gly Gly Gly Glu Met Leu Leu Asn Val Ala Leu Val Ala Leu Val
 50 55 60
 Leu Leu Gly Ala Tyr Arg Leu Trp Val Arg Trp Gly Arg Arg Gly Leu
 65 70 75 80
 Gly Ala Gly Ala Gly Ala Gly Glu Glu Ser Pro Ala Thr Ser Leu Pro
 85 90 95
 Arg Met Lys Lys Arg Asp Phe Ser Leu Glu Gln Leu Arg Gln Tyr Asp
 100 105 110
 Gly Ser Arg Asn Pro Arg Ile Leu Leu Ala Val Asn Gly Lys Val Phe
 115 120 125
 Asp Val Thr Lys Gly Ser Lys Phe Tyr Gly Pro Ala Gly Pro Tyr Gly
 130 135 140
 Ile Phe Ala Gly Arg Asp Ala Ser Arg Gly Leu Ala Thr Phe Cys Leu
 145 150 155 160
 Asp Lys Asp Ala Leu Arg Asp Glu Tyr Asp Asp Leu Ser Asp Leu Asn
 165 170 175
 Ala Val Gln Met Glu Ser Val Arg Glu Trp Glu Met Gln Phe Lys Glu
 180 185 190
 Lys Tyr Asp Tyr Val Gly Arg Leu Leu Lys Pro Gly Glu Glu Pro Ser
 195 200 205
 Glu Tyr Thr Asp Glu Glu Asp Thr Lys Asp His Asn Lys Gln Asp
 210 215 220

<210> SEQ ID NO 43
 <211> LENGTH: 3795
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (236)..(1633)

<400> SEQUENCE: 43

cagcggcggt ggcccaggta gaggggtccg cgctggcggc ggcggcgggc ctgttcccgc 60
 cgcggtccgc ggagcggggc ccgggctgcg cgacgtgggg cggcggcggc actgcgggccc 120
 cggcccaagc ccgaccccgg gtcccctcct cggcgcgccc ccgcccggcc gcccgccctc 180
 gggcctcccc ccgggcccctc ggtcccctcc cccgctggcg gggcccggac agaag atg 238
 Met
 1
 gtg cag aag aaa cca gcc gaa ctt cag ggt ttc cac cgt tcg ttc aag 286
 Val Gln Lys Lys Pro Ala Glu Leu Gln Gly Phe His Arg Ser Phe Lys
 5 10 15
 ggg cag aac ccc ttc gag ctg gcc ttc tcc cta gac cag ccc gac cac 334
 Gly Gln Asn Pro Phe Glu Leu Ala Phe Ser Leu Asp Gln Pro Asp His
 20 25 30
 gga gac tct gac ttt ggc ctg cag tgc tca gcc cgc cct gac atg ccc 382
 Gly Asp Ser Asp Phe Gly Leu Gln Cys Ser Ala Arg Pro Asp Met Pro
 35 40 45
 gcc agc cag ccc att gac atc ccg gac gcc aag aag agg ggc aag aag 430
 Ala Ser Gln Pro Ile Asp Ile Pro Asp Ala Lys Lys Arg Gly Lys Lys
 50 55 60 65
 aag aag cgc ggc cgg gcc acc gac agc ttc tcg ggc agg ttt gaa gac 478
 Lys Lys Arg Gly Arg Ala Thr Asp Ser Phe Ser Gly Arg Phe Glu Asp

-continued

370	375	380	385	
aac agc tgt gcc aaa gac ctg acg tcc ttc gcg gct gag gcc att gcc				1438
Asn Ser Cys Ala Lys Asp Leu Thr Ser Phe Ala Ala Glu Ala Ile Ala				
	390	395	400	
atg aac cgg cag ctg gcc cag cac gac gag gac ctg gct gag gag gag				1486
Met Asn Arg Gln Leu Ala Gln His Asp Glu Asp Leu Ala Glu Glu Glu				
	405	410	415	
gcc gcg ggg cag ggc cag ccc gtc ctg gtc cga gct acc tca cgc tgc				1534
Ala Ala Gly Gln Gly Gln Pro Val Leu Val Arg Ala Thr Ser Arg Cys				
	420	425	430	
ctg cag ctg tct cca ccc tcc cag tcc aag ctg gcg cag cgg cgg caa				1582
Leu Gln Leu Ser Pro Pro Ser Gln Ser Lys Leu Ala Gln Arg Arg Gln				
	435	440	445	
agg gcc agt ctg tcc tcg gcc cca gtg gtc ctg gtg gga gac cac gcc				1630
Arg Ala Ser Leu Ser Ser Ala Pro Val Val Leu Val Gly Asp His Ala				
	450	455	460	465
tga ccctcccac tcccctctgt acataggtca cccgtcccc aatcaaatct				1683
aaagggtttt taagctatcg ccagccgggtg tccagcgggc tgcccctct ctgcctggat				1743
tcccaggcac taagctcagc tgaggggggt gttttataga aggtttttgc ttttgggttt				1803
tttttttct gtttccacc ctecccgtta ttttttctt tggatggta aaagcattgc				1863
aggcaccgg gaaggtgagc agagggtagg tgggtgggct tgtcccctcc ccgggtcccc				1923
gccctgctca cctctactat gaaggtgccc ccaggtcacc tgtgctgccc gccatctgcc				1983
cacgtggcct gcagtgactc aggagagcag gccccacagc tttgccatct tgcagagctg				2043
gggaggggca caggaccctg ccctcgtggt ccctcccagc ccgcagtatt tcagggacag				2103
gctetteccc tctatcccct accctgagag caccctgggt ggcttggttg gggaggggag				2163
gggctgctg tctctggagg tgtcaggcag gcaggtggca ggcagctcac ccaccaccc				2223
catgggatcc cccagccctt caccgcgcgc tgcttctgccc coatgatagt tgacaatcgg				2283
ggcttctctg aaggcccctg tgtctgtcca ggactcctgg tggccagatt cggcctccga				2343
ccttgacctt aaactgcagc tgaccccagg ggctcgcgc tgcccctccc ctccacacca				2403
aggcctgaga cagcaggagc cccgcctggc ccgaagccgt ttccaccgca gcaggcagag				2463
gggctggaca ggcactgtca gccaatgtgg ggggtcctga agacaccccc ttggggcacc				2523
cgagtgcccc ttctcagggc tcagtctgac cgtagccacg tcctgctctg cggcggccct				2583
cgggcctgac ctggaagctc cgtcagctcc gtccttctcc ttagagctga gccagaccc				2643
cggggtctgg ccgaatcctc acccccaggc cagtgttttt ggtctgccac cttcaggaaa				2703
acggctgcgg cctcggcctc ccttcgggca cccaggaatg cgggggtctg ctcagtcccc				2763
ccaccctcca tgctccaaac cccggggggt gcggagcctg ctgccccctc cccgggggtg				2823
gggacgttct atgcaataca gggttccact ttagaagtgc gcgcggctag ggtcaccgcc				2883
cgcccttccc ggcgcagccc ccgagctcca cagctggggc agccctctg gcttctaaat				2943
ccgcggtcgg gattcttct cctgtttagt tttttagttt ttccttaaaa aaaaacaaca				3003
catcgatgga ctttgettcc ctgttcttga agaatacttg aatgtcgggg ggctggggg				3063
tgggggctc ggagaccctg tgctggccc tgctgcccct cctgaatctc gtatgatgtt				3123
cacagtccgg tggccgtggg ggtgctctgc cttccctggg cccactgcc catatctgtg				3183
gactgcccct tccaaagacc cctggggggg gtggggcatt ccgccaccc ctttcccca				3243

-continued

```

tcacttctcg cctgtcagtg attccatggt tcgtaacggg ggattctctg cctttttgta 3303
tcaaagaaca agcaaatgga cccccgccc ctgcaggcgc ccatagccat cgggtctcta 3363
aagctgagtg gctagcagcg tttgtttggt tgtttttttt tttttttctg aaggtgggac 3423
agtcacttcc tctcctctcc ccacccctgt cgcateccag tggcacctgg aggactggtc 3483
agaaccgtta ctgtgaatga gtgaagatcc tggaggaccc tgggccccag gccagctccc 3543
atcgctgggg gacggtgaac ggccatgtgt taatgttacg atgtttttaa aagacaaaaa 3603
aaaaaaaaaa acctcaaaag ttttttttaa gtgggggaaa aacatccaag cactttaatt 3663
ccaatgtacc aggtgaactg acggagctca gaagttttcc tttacaccaa ctgtcaatgc 3723
cggaattttg tattctgttt tgtaaagatt taataaaagt caaaaaactt gcaaaaaaaaa 3783
aaaaaaaaaa aa 3795

```

<210> SEQ ID NO 44

<211> LENGTH: 465

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 44

```

Met Val Gln Lys Lys Pro Ala Glu Leu Gln Gly Phe His Arg Ser Phe
1          5          10          15
Lys Gly Gln Asn Pro Phe Glu Leu Ala Phe Ser Leu Asp Gln Pro Asp
          20          25          30
His Gly Asp Ser Asp Phe Gly Leu Gln Cys Ser Ala Arg Pro Asp Met
          35          40          45
Pro Ala Ser Gln Pro Ile Asp Ile Pro Asp Ala Lys Lys Arg Gly Lys
          50          55          60
Lys Lys Lys Arg Gly Arg Ala Thr Asp Ser Phe Ser Gly Arg Phe Glu
65          70          75          80
Asp Val Tyr Gln Leu Gln Glu Asp Val Leu Gly Glu Gly Ala His Ala
          85          90          95
Arg Val Gln Thr Cys Ile Asn Leu Ile Thr Ser Gln Glu Tyr Ala Val
          100          105          110
Lys Ile Ile Glu Lys Gln Pro Gly His Ile Arg Ser Arg Val Phe Arg
          115          120          125
Glu Val Glu Met Leu Tyr Gln Cys Gln Gly His Arg Asn Val Leu Glu
          130          135          140
Leu Ile Glu Phe Phe Glu Glu Glu Asp Arg Phe Tyr Leu Val Phe Glu
          145          150          155          160
Lys Met Arg Gly Gly Ser Ile Leu Ser His Ile His Lys Arg Arg His
          165          170          175
Phe Asn Glu Leu Glu Ala Ser Val Val Val Gln Asp Val Ala Ser Ala
          180          185          190
Leu Asp Phe Leu His Asn Lys Gly Ile Ala His Arg Asp Leu Lys Pro
          195          200          205
Glu Asn Ile Leu Cys Glu His Pro Asn Gln Val Ser Pro Val Lys Ile
          210          215          220
Cys Asp Phe Asp Leu Gly Ser Gly Ile Lys Leu Asn Gly Asp Cys Ser
          225          230          235          240
Pro Ile Ser Thr Pro Glu Leu Leu Thr Pro Cys Gly Ser Ala Glu Tyr
          245          250          255

```

-continued

Met Ala Pro Glu Val Val Glu Ala Phe Ser Glu Glu Ala Ser Ile Tyr
 260 265 270

Asp Lys Arg Cys Asp Leu Trp Ser Leu Gly Val Ile Leu Tyr Ile Leu
 275 280 285

Leu Ser Gly Tyr Pro Pro Phe Val Gly Arg Cys Gly Ser Asp Cys Gly
 290 295 300

Trp Asp Arg Gly Glu Ala Cys Pro Ala Cys Gln Asn Met Leu Phe Glu
 305 310 315 320

Ser Ile Gln Glu Gly Lys Tyr Glu Phe Pro Asp Lys Asp Trp Ala His
 325 330 335

Ile Ser Cys Ala Ala Lys Asp Leu Ile Ser Lys Leu Leu Val Arg Asp
 340 345 350

Ala Lys Gln Arg Leu Ser Ala Ala Gln Val Leu Gln His Pro Trp Val
 355 360 365

Gln Gly Cys Ala Pro Glu Asn Thr Leu Pro Thr Pro Met Val Leu Gln
 370 375 380

Arg Asn Ser Cys Ala Lys Asp Leu Thr Ser Phe Ala Ala Glu Ala Ile
 385 390 395 400

Ala Met Asn Arg Gln Leu Ala Gln His Asp Glu Asp Leu Ala Glu Glu
 405 410 415

Glu Ala Ala Gly Gln Gly Gln Pro Val Leu Val Arg Ala Thr Ser Arg
 420 425 430

Cys Leu Gln Leu Ser Pro Pro Ser Gln Ser Lys Leu Ala Gln Arg Arg
 435 440 445

Gln Arg Ala Ser Leu Ser Ser Ala Pro Val Val Leu Val Gly Asp His
 450 455 460

Ala
 465

<210> SEQ ID NO 45
 <211> LENGTH: 631
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 45

```

gaggtgaggg ggcctctgc ccggccgcc ctactgggaa gtgaggagcc cctctgctg 60
gccagccgcc ccgtccggga gggcggtggg ggggtcagcc cccctcccgg ccagccgcc 120
catctgggag gtgaggggca cttctgccgg gccgcccta ctgggaagtg aggagcccct 180
ctgcccggcc acgaccccgt ctgggaggtg tgcccagcgg ctcattgggg atgggccatg 240
atgacaatgg cggttttgtg gaatagaaag gcgggaaggg tggggaaaaa attgagaaat 300
cggatggttg cgggtctgt gtggatagaa gtagacatgg gagacttttc attttgttct 360
gtactaagaa aaattcttct gccttgggat cctgttgatc tgtgacctta tccccaaccc 420
tgtgctctct gaaacatgtg ctgtgtccac tcagggttaa atggattaag ggcggtgcaa 480
gatgtgcttt gttaaacaga tgcttgaagg cagcatgctc gttaagagtc atcaccactc 540
cctaacttta agtaccagg gacacaaaca ctgcggaagg ccgcagggtc ctctgcctag 600
gaaaaccaga gacctttgtt cacttgttat c 631
    
```

<210> SEQ ID NO 46
 <211> LENGTH: 472
 <212> TYPE: DNA

-continued

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 46

```
tactgggaag tgaggaaccc ctctgcccg ccagccgcc cgtccgggag ggaggtgggg      60
ggatcagccc cccgcctggc agccgccccg tcggggaggt gaggggcgcc tetgcccgcc      120
cgcccctact gggaaagtgag gagcccctct gcccggccag ccgccccgtc cgggagggag      180
gtgggggggt cagcccgccc ccgtccggga cctagctggg caccgatggg ccggcacggg      240
tacggtggca ggaagcgtca ggcgagcgaa gtgcgcgtaa cagtgccagc gacgacgaga      300
cgagcaaagg tagtgccgag tgccagtaca tgatgccatc ctcagacgat gggaggcggt      360
gtcgagcacc cgcgcgctgt actgagcaac agggtagact aagaatacaa cagtgggtcg      420
cagtgcctat gagagaataa gtgatgacgc gtgtcgagcg attgtacca ga              472
```

<210> SEQ ID NO 47

<211> LENGTH: 7026

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: CDS

<222> LOCATION: (420)..(5045)

<400> SEQUENCE: 47

```
gacacgcacg caccggggcg ccgaagggaa agccgcgtct cgccctcccg ccccgcctgc      60
ggctctgtct cagtccctca gcagagcggg aaagcggagg ccggagccgt gacctctgac      120
cccgtggtta tcgggagccg ccgcattcct tagcgatcgc ggggcagccg ccgctgccgc      180
cgtggggcag tgacgcagcg cggggcgcgtg gagccgccgc cgccctccc ccaccgccgc      240
tctcgcgcca gcgggtcccc gcgtgccgc cccttctccc cggecgcacc cgagacctcg      300
cgcgccgccc ctgccacgcg cccccccac cgccgcccgc gcccagccc cgcgccaccg      360
ccccagcccg ccagcccgg aggtcccgcg tggagctgcc gccgcccgcg gggagaagg      419
atg aag gac aaa cag aag aag aag aag gag cgc acg tgg gcc gag gcc      467
Met Lys Asp Lys Gln Lys Lys Lys Lys Glu Arg Thr Trp Ala Glu Ala
1          5          10          15

gcg cgc ctg gta tta gaa aac tac tcg gat gct cca atg aca cca aaa      515
Ala Arg Leu Val Leu Glu Asn Tyr Ser Asp Ala Pro Met Thr Pro Lys
20          25          30

cag att ctg cag gtc ata gag gca gaa gga cta aag gaa atg aga agt      563
Gln Ile Leu Gln Val Ile Glu Ala Glu Gly Leu Lys Glu Met Arg Ser
35          40          45

ggg act tcc cct ctc gca tgc ctc aat gct atg cta cat tcc aat tca      611
Gly Thr Ser Pro Leu Ala Cys Leu Asn Ala Met Leu His Ser Asn Ser
50          55          60

aga gga gga gag ggg ttg ttt tat aaa ctg cct ggc cga atc agc ctt      659
Arg Gly Gly Glu Gly Leu Phe Tyr Lys Leu Pro Gly Arg Ile Ser Leu
65          70          75          80

ttc acg ctc aag aag gat gcc ctg cag tgg tct cgc cat cca gct aca      707
Phe Thr Leu Lys Lys Asp Ala Leu Gln Trp Ser Arg His Pro Ala Thr
85          90          95

gtg gag gga gag gag cca gag gac acg gct gat gtg gag agc tgt ggg      755
Val Glu Gly Glu Glu Pro Glu Asp Thr Ala Asp Val Glu Ser Cys Gly
100          105          110

tct aat gaa gcc agc act gtg agt ggt gaa aac gat gta tct ctt gat      803
Ser Asn Glu Ala Ser Thr Val Ser Gly Glu Asn Asp Val Ser Leu Asp
115          120          125
```

-continued

gaa aca tct tcg aac gca tcc tgt tct aca gaa tct cag agt cga cct	851
Glu Thr Ser Ser Asn Ala Ser Cys Ser Thr Glu Ser Gln Ser Arg Pro	
130 135 140	
ctt tcc aat ccc agg gac agc tac aga gct tcc tca cag gcg aac aaa	899
Leu Ser Asn Pro Arg Asp Ser Tyr Arg Ala Ser Ser Gln Ala Asn Lys	
145 150 155 160	
caa aag aaa aag act ggg gtg atg ctg cct cga gtt gtc ctg act cct	947
Gln Lys Lys Lys Thr Gly Val Met Leu Pro Arg Val Val Leu Thr Pro	
165 170 175	
ctg aag gta aac ggg gcc cac gtg gaa tct gca tca ggg ttc tcg ggc	995
Leu Lys Val Asn Gly Ala His Val Glu Ser Ala Ser Gly Phe Ser Gly	
180 185 190	
tgc cac gcc gat ggc gag agc ggc agc ccg tcc agc agc agc agc ggc	1043
Cys His Ala Asp Gly Glu Ser Gly Ser Pro Ser Ser Ser Ser Gly	
195 200 205	
tct ctg gcc ctg ggc agc gct gct att cgt ggc cag gcc gag gtc acc	1091
Ser Leu Ala Leu Gly Ser Ala Ala Ile Arg Gly Gln Ala Glu Val Thr	
210 215 220	
cag gac cct gcc ccg ctc ctg aga ggc ttc cgg aag cca gcc aca ggt	1139
Gln Asp Pro Ala Pro Leu Leu Arg Gly Phe Arg Lys Pro Ala Thr Gly	
225 230 235 240	
caa atg aag cgc aac aga ggg gaa gaa ata gat ttt gag aca cct ggg	1187
Gln Met Lys Arg Asn Arg Gly Glu Glu Ile Asp Phe Glu Thr Pro Gly	
245 250 255	
tcc att ctt gtc aac acc aac ctc cgt gcc ctg atc aac tct cgg acc	1235
Ser Ile Leu Val Asn Thr Asn Leu Arg Ala Leu Ile Asn Ser Arg Thr	
260 265 270	
ttc cat gcc tta cca tca cac ttc cag cag cag ctc ctc ttc ctc ctg	1283
Phe His Ala Leu Pro Ser His Phe Gln Gln Gln Leu Leu Phe Leu Leu	
275 280 285	
cct gaa gta gac aga cag gtg ggg acg gat ggc ctg ttg cgt ctc agc	1331
Pro Glu Val Asp Arg Gln Val Gly Thr Asp Gly Leu Leu Arg Leu Ser	
290 295 300	
agc agt gca cta aat aac gag ttt ttt acc cat gcg gct cag agc tgg	1379
Ser Ser Ala Leu Asn Asn Glu Phe Phe Thr His Ala Ala Gln Ser Trp	
305 310 315 320	
cgg gag cgc ctg gct gat ggt gaa ttt act cat gag atg caa gtc agg	1427
Arg Glu Arg Leu Ala Asp Gly Glu Phe Thr His Glu Met Gln Val Arg	
325 330 335	
ata cga cag gaa atg gag aag gaa aag aag gtg gaa caa tgg aaa gaa	1475
Ile Arg Gln Glu Met Glu Lys Glu Lys Lys Val Glu Gln Trp Lys Glu	
340 345 350	
aag ttc ttt gaa gac tac tat gga cag aag ctg ggt ttg acc aaa gaa	1523
Lys Phe Phe Glu Asp Tyr Tyr Gly Gln Lys Leu Gly Leu Thr Lys Glu	
355 360 365	
gag tca ttg cag cag aac gtg ggc cag gag gag gct gaa atc aaa agt	1571
Glu Ser Leu Gln Gln Asn Val Gly Gln Glu Glu Ala Glu Ile Lys Ser	
370 375 380	
ggc ttg tgt gtc cca gga gaa tca gtg cgt ata cag cgt ggt cca gcc	1619
Gly Leu Cys Val Pro Gly Glu Ser Val Arg Ile Gln Arg Gly Pro Ala	
385 390 395 400	
acc cga cag cga gat ggg cat ttt aag aaa cgc tct cgg cca gat ctc	1667
Thr Arg Gln Arg Asp Gly His Phe Lys Lys Arg Ser Arg Pro Asp Leu	
405 410 415	
cga acc aga gcc aga agg aat ctg tac aaa aaa cag gag tca gaa caa	1715
Arg Thr Arg Ala Arg Arg Asn Leu Tyr Lys Lys Gln Glu Ser Glu Gln	
420 425 430	

-continued

gca ggg gtt gct aag gat gca aaa tct gtg gcc tca gat gtt ccc ctc Ala Gly Val Ala Lys Asp Ala Lys Ser Val Ala Ser Asp Val Pro Leu 435 440 445	1763
tac aag gat ggg gag gct aag act gac cca gca ggg ctg agc agt ccc Tyr Lys Asp Gly Glu Ala Lys Thr Asp Pro Ala Gly Leu Ser Ser Pro 450 455 460	1811
cat ctg cca ggc aca tcc tct gca gca ccc gac ctg gag ggt ccc gaa His Leu Pro Gly Thr Ser Ser Ala Ala Pro Asp Leu Glu Gly Pro Glu 465 470 475 480	1859
ttc cca gtt gag tct gtg gct tct cgg atc cag gct gag cca gac aac Phe Pro Val Glu Ser Val Ala Ser Arg Ile Gln Ala Glu Pro Asp Asn 485 490 495	1907
ttg gca cgt gcc tct gca tct cca gac aga att cct agc ctg cct cag Leu Ala Arg Ala Ser Ala Ser Pro Asp Arg Ile Pro Ser Leu Pro Gln 500 505 510	1955
gaa act gtg gat cag gaa ccc aag gat cag aag agg aaa tcc ttt gag Glu Thr Val Asp Gln Glu Pro Lys Asp Gln Lys Arg Lys Ser Phe Glu 515 520 525	2003
cag gcg gcc tct gca tcc ttt ccc gaa aag aag ccc cgg ctt gaa gat Gln Ala Ala Ser Ala Ser Phe Pro Glu Lys Lys Pro Arg Leu Glu Asp 530 535 540	2051
cgt cag tcc ttt cgt aac aca att gaa agt gtt cac acc gaa aag cca Arg Gln Ser Phe Arg Asn Thr Ile Glu Ser Val His Thr Glu Lys Pro 545 550 555 560	2099
cag ccc act aaa gag gag ccc aaa gtc ccg ccc atc cgg att caa ctt Gln Pro Thr Lys Glu Glu Pro Lys Val Pro Pro Ile Arg Ile Gln Leu 565 570 575	2147
tca cgt atc aaa cca ccc tgg gtg gtt aaa ggt cag ccc act tac cag Ser Arg Ile Lys Pro Pro Trp Val Val Lys Gly Gln Pro Thr Tyr Gln 580 585 590	2195
ata tgc ccc cgg atc atc ccc acc acg gag tcc tcc tgc cgg ggt tgg Ile Cys Pro Arg Ile Ile Pro Thr Thr Glu Ser Ser Cys Arg Gly Trp 595 600 605	2243
act ggc gcc agg acc ctc gca gac att aaa gcc cgt gct ctg cag gtc Thr Gly Ala Arg Thr Leu Ala Asp Ile Lys Ala Arg Ala Leu Gln Val 610 615 620	2291
cga ggg gcg aga ggt cac cac tgc cat aga gag gcg gcc acc act gcc Arg Gly Ala Arg Gly His His Cys His Arg Glu Ala Ala Thr Thr Ala 625 630 635 640	2339
atc gga ggg ggg ggt ggc ccg ggt gga ggt ggc ggc ggg gcc acc gat Ile Gly Gly Gly Gly Gly Pro Gly Gly Gly Gly Gly Gly Ala Thr Asp 645 650 655	2387
gag gga ggt ggc aga ggc agc agc agt ggt gat ggt ggt gag gcc tgt Glu Gly Gly Gly Arg Gly Ser Ser Ser Gly Asp Gly Gly Glu Ala Cys 660 665 670	2435
ggc cac cct gag ccc agg gga ggc ccg agc acc cct gga aag tgt acg Gly His Pro Glu Pro Arg Gly Gly Pro Ser Thr Pro Gly Lys Cys Thr 675 680 685	2483
tca gat cta cag cga aca caa cta ctg ccg cct tat cct cta aat ggg Ser Asp Leu Gln Arg Thr Gln Leu Leu Pro Pro Tyr Pro Leu Asn Gly 690 695 700	2531
gag cat acc cag gcc gga act gcc atg tcc aga gct agg aga gag gac Glu His Thr Gln Ala Gly Thr Ala Met Ser Arg Ala Arg Arg Glu Asp 705 710 715 720	2579
ctg cct tct ctg aga aag gag gaa agc tgc cta cta cag agg gct aca Leu Pro Ser Leu Arg Lys Glu Glu Ser Cys Leu Leu Gln Arg Ala Thr 725 730 735	2627

-continued

ggt gga ctc aca gat ggg cta gga gat gcc tcc caa ctc ccc gtt gct	2675
Val Gly Leu Thr Asp Gly Leu Gly Asp Ala Ser Gln Leu Pro Val Ala	
740 745 750	
ccc act ggg gac cag cca tgc cag gcc ttg ccc cta ctg tcc tcc caa	2723
Pro Thr Gly Asp Gln Pro Cys Gln Ala Leu Pro Leu Leu Ser Ser Gln	
755 760 765	
acc tca gta gct gag aga tta gtg gag cag cct cag ttg cat ccg gat	2771
Thr Ser Val Ala Glu Arg Leu Val Glu Gln Pro Gln Leu His Pro Asp	
770 775 780	
ggt aga act gaa tgt gag tct ggc acc act tcc tgg gaa agt gat gat	2819
Val Arg Thr Glu Cys Glu Ser Gly Thr Thr Ser Trp Glu Ser Asp Asp	
785 790 795 800	
gag gag caa gga ccc acc gtt cct gca gac aat ggt ccc att ccg tct	2867
Glu Glu Gln Gly Pro Thr Val Pro Ala Asp Asn Gly Pro Ile Pro Ser	
805 810 815	
cta gtg gga gat gat aca tta gag aaa gga act ggc caa gct ctt gac	2915
Leu Val Gly Asp Thr Leu Glu Lys Gly Thr Gly Gln Ala Leu Asp	
820 825 830	
agt cat ccc act atg aag gat cct gta aat gtg acc ccc agt tcc aca	2963
Ser His Pro Thr Met Lys Asp Pro Val Asn Val Thr Pro Ser Ser Thr	
835 840 845	
cct gaa tcc tca ccg act gat tgc ctg cag aac aga gca ttt gat gac	3011
Pro Glu Ser Ser Pro Thr Asp Cys Leu Gln Asn Arg Ala Phe Asp Asp	
850 855 860	
gaa tta ggg ctt ggt ggc tca tgc cct cct atg agg gaa agt gat act	3059
Glu Leu Gly Leu Gly Gly Ser Cys Pro Pro Met Arg Glu Ser Asp Thr	
865 870 875 880	
aga caa gaa aac ttg aaa acc aag gct ctc gtt tct aac agt tct ttg	3107
Arg Gln Glu Asn Leu Lys Thr Lys Ala Leu Val Ser Asn Ser Ser Leu	
885 890 895	
cat tgg ata ccc atc cca tcg aat gat gag gta gtg aaa cag ccc aaa	3155
His Trp Ile Pro Ile Pro Ser Asn Asp Glu Val Val Lys Gln Pro Lys	
900 905 910	
cca gaa tcc aga gaa cac ata cca tct gtt gag ccc cag gtt gga gag	3203
Pro Glu Ser Arg Glu His Ile Pro Ser Val Glu Pro Gln Val Gly Glu	
915 920 925	
gag tgg gag aaa gct gct ccc acc cct cct gca ttg cct ggg gat ttg	3251
Glu Trp Glu Lys Ala Ala Pro Thr Pro Pro Ala Leu Pro Gly Asp Leu	
930 935 940	
aca gct gag gag ggt cta gat cct ctt gac agc ctt act tca ctc tgg	3299
Thr Ala Glu Glu Gly Leu Asp Pro Leu Asp Ser Leu Thr Ser Leu Trp	
945 950 955 960	
act gtg cca tct cga gga ggc agt gac agc aat ggc agt tac tgt caa	3347
Thr Val Pro Ser Arg Gly Gly Ser Asp Ser Asn Gly Ser Tyr Cys Gln	
965 970 975	
cag gtg gac att gaa aag ctg aaa atc aac gga gac tct gaa gca ctg	3395
Gln Val Asp Ile Glu Lys Leu Lys Ile Asn Gly Asp Ser Glu Ala Leu	
980 985 990	
agt cct cac ggt gag tcc acg gat aca gcc tct gac ttt gaa ggt cac	3443
Ser Pro His Gly Glu Ser Thr Asp Thr Ala Ser Asp Phe Glu Gly His	
995 1000 1005	
ctc acg gag gac agc agt gag gct gac act aga gaa gct gca gtg	3488
Leu Thr Glu Asp Ser Ser Glu Ala Asp Thr Arg Glu Ala Ala Val	
1010 1015 1020	
aca aag gga tct tcg gtg gac aag gat gag aaa ccc aat tgg aac	3533
Thr Lys Gly Ser Ser Val Asp Lys Asp Glu Lys Pro Asn Trp Asn	
1025 1030 1035	

-continued

caa tct gcc cca ctg tcc aag gtg aat ggt gac atg cgt ctg gtt Gln Ser Ala Pro Leu Ser Lys Val Asn Gly Asp Met Arg Leu Val 1040 1045 1050	3578
aca agg aca gat ggg atg gtt gct cct cag agc tgg gtg tct cga Thr Arg Thr Asp Gly Met Val Ala Pro Gln Ser Trp Val Ser Arg 1055 1060 1065	3623
gta tgt gcg gtc cgc caa aag atc cca gat tcc cta ctg ctg gcc Val Cys Ala Val Arg Gln Lys Ile Pro Asp Ser Leu Leu Leu Ala 1070 1075 1080	3668
agt act gag tac cag cca aga gcc gtg tgc ctg tcc atg cct ggg Ser Thr Glu Tyr Gln Pro Arg Ala Val Cys Leu Ser Met Pro Gly 1085 1090 1095	3713
tcc tca gtg gag gcc act aac cca ctt gtg atg cag ttg ctg cag Ser Ser Val Glu Ala Thr Asn Pro Leu Val Met Gln Leu Leu Gln 1100 1105 1110	3758
ggt agc ttg ccc cta gag aag gtt ctt cca cca gcc cac gat gac Gly Ser Leu Pro Leu Glu Lys Val Leu Pro Pro Ala His Asp Asp 1115 1120 1125	3803
agc atg tca gaa tcc cca caa gta cca ctt aca aaa gac cag agc Ser Met Ser Glu Ser Pro Gln Val Pro Leu Thr Lys Asp Gln Ser 1130 1135 1140	3848
cat ggc tcg cta cgc atg gga tct tta cat ggt ctt gga aaa aac His Gly Ser Leu Arg Met Gly Ser Leu His Gly Leu Gly Lys Asn 1145 1150 1155	3893
agt ggc atg gtt gat gga agc agc ccc agt tct tta agg gct ttg Ser Gly Met Val Asp Gly Ser Ser Pro Ser Ser Leu Arg Ala Leu 1160 1165 1170	3938
aag gag cct ctt ctg cca gat agc tgt gaa aca ggc act ggt ctt Lys Glu Pro Leu Leu Pro Asp Ser Cys Glu Thr Gly Thr Gly Leu 1175 1180 1185	3983
gcc agg att gag gcc acc cag gct cct gga gca ccc caa aag aat Ala Arg Ile Glu Ala Thr Gln Ala Pro Gly Ala Pro Gln Lys Asn 1190 1195 1200	4028
tgc aag gca gtc cca agt ttt gac tcc ctc cat cca gtg aca aat Cys Lys Ala Val Pro Ser Phe Asp Ser Leu His Pro Val Thr Asn 1205 1210 1215	4073
ccc att aca tcc tct agg aaa ctg gaa gaa atg gat tcc aaa gag Pro Ile Thr Ser Ser Arg Lys Leu Glu Glu Met Asp Ser Lys Glu 1220 1225 1230	4118
cag ttc tct tcc ttt agt tgt gaa gat cag aag gaa gtc cgt gct Gln Phe Ser Ser Phe Ser Cys Glu Asp Gln Lys Glu Val Arg Ala 1235 1240 1245	4163
atg tca cag gac agt aat tca aat gct gct cca gga aag agc cca Met Ser Gln Asp Ser Asn Ser Asn Ala Ala Pro Gly Lys Ser Pro 1250 1255 1260	4208
gga gat ctt act acc tcg aga aca cct cgt ttc tca tct cca aat Gly Asp Leu Thr Thr Ser Arg Thr Pro Arg Phe Ser Ser Pro Asn 1265 1270 1275	4253
gtg atc tcc ttt ggt cca gag cag aca ggt cgg gcc ctg ggt gat Val Ile Ser Phe Gly Pro Glu Gln Thr Gly Arg Ala Leu Gly Asp 1280 1285 1290	4298
cag agc aat gtt aca ggc caa ggg aag aag ctt ttt ggc tct ggg Gln Ser Asn Val Thr Gly Gln Gly Lys Lys Leu Phe Gly Ser Gly 1295 1300 1305	4343
aat gtg gct gca acc ctt cag cgc ccc agg cct gcg gac ccg atg Asn Val Ala Ala Thr Leu Gln Arg Pro Arg Pro Ala Asp Pro Met 1310 1315 1320	4388

-continued

cct ctt	cct gct gag atc	cct cca gtt ttt ccc agt	ggg aag ttg	4433		
Pro Leu	Pro Ala Glu Ile	Pro Val Phe Pro Ser	Gly Lys Leu			
1325	1330	1335				
gga cca	agc aca aac tcc atg	tct ggt ggg gta cag	act cca agg	4478		
Gly Pro	Ser Thr Asn Ser Met	Ser Gly Gly Val Gln	Thr Pro Arg			
1340	1345	1350				
gaa gac	tgg gct cca aag cca	cat gcc ttt gtt gcc	agc gtc aag	4523		
Glu Asp	Trp Ala Pro Lys Pro	His Ala Phe Val Gly	Ser Val Lys			
1355	1360	1365				
aat gag	aag act ttt gtg ggg	ggt cct ctt aag gca	aat gcc gag	4568		
Asn Glu	Lys Thr Phe Val Gly	Gly Pro Leu Lys Ala	Asn Ala Glu			
1370	1375	1380				
aac agg	aaa gct act ggg cat	agt ccc ctg gaa ctg	gtg ggt cac	4613		
Asn Arg	Lys Ala Thr Gly His	Ser Pro Leu Glu Leu	Val Gly His			
1385	1390	1395				
ttg gaa	ggg atg ccc ttt gtc	atg gac ttg ccc ttc	tgg aaa tta	4658		
Leu Glu	Gly Met Pro Phe Val	Met Asp Leu Pro Phe	Trp Lys Leu			
1400	1405	1410				
ccc cga	gag cca ggg aag ggg	ctc agt gag cct ctg	gag cct tct	4703		
Pro Arg	Glu Pro Gly Lys Gly	Leu Ser Glu Pro Leu	Glu Pro Ser			
1415	1420	1425				
tct ctc	ccc tcc caa ctc agc	atc aag cag gca ttt	tat ggg aag	4748		
Ser Leu	Pro Ser Gln Leu Ser	Ile Lys Gln Ala Phe	Tyr Gly Lys			
1430	1435	1440				
ctt tct	aaa ctc caa ctg agt	tcc acc agc ttt aat	tat tcc tct	4793		
Leu Ser	Lys Leu Gln Leu Ser	Ser Thr Ser Phe Asn	Tyr Ser Ser			
1445	1450	1455				
agc tct	ccc acc ttt ccc aaa	ggc ctt gct gga agt	gtg gtg cag	4838		
Ser Ser	Pro Thr Phe Pro Lys	Gly Leu Ala Gly Ser	Val Val Gln			
1460	1465	1470				
ctg agc	cac aaa gca aac ttt	ggt gcg agc cac agt	gca tca ctt	4883		
Leu Ser	His Lys Ala Asn Phe	Gly Ala Ser His Ser	Ala Ser Leu			
1475	1480	1485				
tcc ttg	caa atg ttc act gac	agc agc acg gtg gaa	agc atc tcg	4928		
Ser Leu	Gln Met Phe Thr Asp	Ser Ser Thr Val Glu	Ser Ile Ser			
1490	1495	1500				
ctc cag	tgt gcg tgc agc ctg	aaa gcc atg atc atg	tgc caa ggc	4973		
Leu Gln	Cys Ala Cys Ser Leu	Lys Ala Met Ile Met	Cys Gln Gly			
1505	1510	1515				
tgc ggt	gcg ttc tgt cac gat	gac tgt att gga ccc	tca aag ctc	5018		
Cys Gly	Ala Phe Cys His Asp	Asp Cys Ile Gly Pro	Ser Lys Leu			
1520	1525	1530				
tgt gta	ttg tgc ctt gtg gtg	aga taa taaattatgg	ccatgggaaa	5065		
Cys Val	Leu Cys Leu Val Val	Arg				
1535	1540					
cattgtatat	ttagtgtgtg	tattttgata	atgattgato	ttaaatctgt	atacagaata	5125
tcattgatat	aatactcttt	aggcaggagc	actcttgcct	tccccaaaa	tttacctgc	5185
taaagccctc	tgtcacttgg	cgacccttct	ggtcttgcgtg	gaggggttcc	ctgggtataa	5245
cccattgggc	tgcccaaggc	cagccagcct	gagctctcct	gcaagacaga	gacctgatgtg	5305
gcacggagtg	gggttgccggg	gggtgggggg	actgcctgac	tcccagaggg	acttgaact	5365
gaagcaagaa	ggttgcattc	tccaccaagg	gagttaacct	acctgaacta	agtagaatg	5425
ccagtcttcc	actacccctc	ccctgccatc	ttttcttctg	ctactttggg	gagttgatgg	5485
ccaggaaaga	agccagcaca	gggttaaagt	aactcctggc	attgccacc	agggggctgg	5545

-continued

```

tgcacctgct gacctcaggg tcacagtga gtcatttgc agttgacgga gcaagtttga 5605
ccttggttct gttgctgaag caaatttga acttttctgt ctgagtgtga tccactaacc 5665
cacaggatca tttggaacct tgaatagctc tgcttgaca atggggttgg ggaatagggt 5725
tgtcttctct atgaaaatgc catctgtaga ccttgtgagt cagccgtcca gatgtttga 5785
gggtaattcc tctgcttgac atcctccctg tcactttgga ccctatggga gtgggcatct 5845
ccacgcacct gtgatgtga aagtcatttt acatttcaaa gcagtgtgtg tttcttattt 5905
ttatatTTTT aactctttat tcttggatgt ataaagtga ctttttggct tctgtaagta 5965
tgctctatgc acctctaatg ttttatcatg tatttatatg ttgtacacag tactggetga 6025
ttctgtaaat ggatgtattg tacagagaac atgaacgtct cttcctaatt ttacatcttc 6085
agcatcattg cattaagtgt gtgtaatctc cttctctaca tctgttgca gagccactga 6145
gtgctgtgct gctcgactgt aggggtgaaat gattgacttg tgacctgcca ggttgeccga 6205
tgccctgttg ggtcacccgc tggacctgct gcagcctgca gagccacagt cagcctgccc 6265
acatgccacc gagcaaacgc atcttgcttt tcacatctct cctcctacag ccttaatggc 6325
tgcttgctgc catatgtgac aaatcaccac caccagtgtt aagtgtctct ggattcatgg 6385
gtgagttccc tgggcagccc ccaggaaggc cttccagatc tggctccagg gtcaccacct 6445
gtcacagcaa tacctggggac catgctctcc tgggactgtg aggctccttt tgacgtactt 6505
ttgacatcag gcaggtttga gaagaaacaa agccatgect gctcctgect ctctcccaac 6565
atgtttccag caagtagatg cccctgtgtg tgttttcctt tgccctgttt cctgccttat 6625
atcttgtatt tcgacttatt acagagtga gggttcttgc ttaatttaga tcaagtataa 6685
aatttgtatg acttcaagtc tcattttatc tgaagggttt tttctcatt taatctgatg 6745
tggcattttc gtcactgaa gcatgagtga caagttggga atgatgtggg gatttagaat 6805
gcagtattgg ccaagtccaa gttgtcaact taagcgtctg tttaccaaag accgggaaca 6865
ggggcccaaa catgtccagt cctcttcttc cctctgctgg aaccttggg gacactcaag 6925
gggtacagttt gacactgacg tgggtccatga ggctgcccag agaaagcact gcttctgtat 6985
gtctctgtg gtattggaac aataaacccg tacaacctgc a 7026

```

<210> SEQ ID NO 48

<211> LENGTH: 1541

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 48

```

Met Lys Asp Lys Gln Lys Lys Lys Lys Glu Arg Thr Trp Ala Glu Ala
1          5          10          15
Ala Arg Leu Val Leu Glu Asn Tyr Ser Asp Ala Pro Met Thr Pro Lys
20        25        30
Gln Ile Leu Gln Val Ile Glu Ala Glu Gly Leu Lys Glu Met Arg Ser
35        40        45
Gly Thr Ser Pro Leu Ala Cys Leu Asn Ala Met Leu His Ser Asn Ser
50        55        60
Arg Gly Gly Glu Gly Leu Phe Tyr Lys Leu Pro Gly Arg Ile Ser Leu
65        70        75        80
Phe Thr Leu Lys Lys Asp Ala Leu Gln Trp Ser Arg His Pro Ala Thr
85          90          95

```

-continued

Val Glu Gly Glu Glu Pro Glu Asp Thr Ala Asp Val Glu Ser Cys Gly
 100 105 110
 Ser Asn Glu Ala Ser Thr Val Ser Gly Glu Asn Asp Val Ser Leu Asp
 115 120 125
 Glu Thr Ser Ser Asn Ala Ser Cys Ser Thr Glu Ser Gln Ser Arg Pro
 130 135 140
 Leu Ser Asn Pro Arg Asp Ser Tyr Arg Ala Ser Ser Gln Ala Asn Lys
 145 150 155 160
 Gln Lys Lys Lys Thr Gly Val Met Leu Pro Arg Val Val Leu Thr Pro
 165 170 175
 Leu Lys Val Asn Gly Ala His Val Glu Ser Ala Ser Gly Phe Ser Gly
 180 185 190
 Cys His Ala Asp Gly Glu Ser Gly Ser Pro Ser Ser Ser Ser Ser Gly
 195 200 205
 Ser Leu Ala Leu Gly Ser Ala Ala Ile Arg Gly Gln Ala Glu Val Thr
 210 215 220
 Gln Asp Pro Ala Pro Leu Leu Arg Gly Phe Arg Lys Pro Ala Thr Gly
 225 230 235 240
 Gln Met Lys Arg Asn Arg Gly Glu Glu Ile Asp Phe Glu Thr Pro Gly
 245 250 255
 Ser Ile Leu Val Asn Thr Asn Leu Arg Ala Leu Ile Asn Ser Arg Thr
 260 265 270
 Phe His Ala Leu Pro Ser His Phe Gln Gln Gln Leu Leu Phe Leu Leu
 275 280 285
 Pro Glu Val Asp Arg Gln Val Gly Thr Asp Gly Leu Leu Arg Leu Ser
 290 295 300
 Ser Ser Ala Leu Asn Asn Glu Phe Phe Thr His Ala Ala Gln Ser Trp
 305 310 315 320
 Arg Glu Arg Leu Ala Asp Gly Glu Phe Thr His Glu Met Gln Val Arg
 325 330 335
 Ile Arg Gln Glu Met Glu Lys Glu Lys Lys Val Glu Gln Trp Lys Glu
 340 345 350
 Lys Phe Phe Glu Asp Tyr Tyr Gly Gln Lys Leu Gly Leu Thr Lys Glu
 355 360 365
 Glu Ser Leu Gln Gln Asn Val Gly Gln Glu Glu Ala Glu Ile Lys Ser
 370 375 380
 Gly Leu Cys Val Pro Gly Glu Ser Val Arg Ile Gln Arg Gly Pro Ala
 385 390 395 400
 Thr Arg Gln Arg Asp Gly His Phe Lys Lys Arg Ser Arg Pro Asp Leu
 405 410 415
 Arg Thr Arg Ala Arg Arg Asn Leu Tyr Lys Lys Gln Glu Ser Glu Gln
 420 425 430
 Ala Gly Val Ala Lys Asp Ala Lys Ser Val Ala Ser Asp Val Pro Leu
 435 440 445
 Tyr Lys Asp Gly Glu Ala Lys Thr Asp Pro Ala Gly Leu Ser Ser Pro
 450 455 460
 His Leu Pro Gly Thr Ser Ser Ala Ala Pro Asp Leu Glu Gly Pro Glu
 465 470 475 480
 Phe Pro Val Glu Ser Val Ala Ser Arg Ile Gln Ala Glu Pro Asp Asn
 485 490 495

-continued

Leu Ala Arg Ala Ser Ala Ser Pro Asp Arg Ile Pro Ser Leu Pro Gln
 500 505 510

Glu Thr Val Asp Gln Glu Pro Lys Asp Gln Lys Arg Lys Ser Phe Glu
 515 520 525

Gln Ala Ala Ser Ala Ser Phe Pro Glu Lys Lys Pro Arg Leu Glu Asp
 530 535 540

Arg Gln Ser Phe Arg Asn Thr Ile Glu Ser Val His Thr Glu Lys Pro
 545 550 555 560

Gln Pro Thr Lys Glu Glu Pro Lys Val Pro Pro Ile Arg Ile Gln Leu
 565 570 575

Ser Arg Ile Lys Pro Pro Trp Val Val Lys Gly Gln Pro Thr Tyr Gln
 580 585 590

Ile Cys Pro Arg Ile Ile Pro Thr Thr Glu Ser Ser Cys Arg Gly Trp
 595 600 605

Thr Gly Ala Arg Thr Leu Ala Asp Ile Lys Ala Arg Ala Leu Gln Val
 610 615 620

Arg Gly Ala Arg Gly His His Cys His Arg Glu Ala Ala Thr Thr Ala
 625 630 635 640

Ile Gly Gly Gly Gly Gly Pro Gly Gly Gly Gly Gly Gly Ala Thr Asp
 645 650 655

Glu Gly Gly Gly Arg Gly Ser Ser Ser Gly Asp Gly Gly Glu Ala Cys
 660 665 670

Gly His Pro Glu Pro Arg Gly Gly Pro Ser Thr Pro Gly Lys Cys Thr
 675 680 685

Ser Asp Leu Gln Arg Thr Gln Leu Leu Pro Pro Tyr Pro Leu Asn Gly
 690 695 700

Glu His Thr Gln Ala Gly Thr Ala Met Ser Arg Ala Arg Arg Glu Asp
 705 710 715 720

Leu Pro Ser Leu Arg Lys Glu Glu Ser Cys Leu Leu Gln Arg Ala Thr
 725 730 735

Val Gly Leu Thr Asp Gly Leu Gly Asp Ala Ser Gln Leu Pro Val Ala
 740 745 750

Pro Thr Gly Asp Gln Pro Cys Gln Ala Leu Pro Leu Leu Ser Ser Gln
 755 760 765

Thr Ser Val Ala Glu Arg Leu Val Glu Gln Pro Gln Leu His Pro Asp
 770 775 780

Val Arg Thr Glu Cys Glu Ser Gly Thr Thr Ser Trp Glu Ser Asp Asp
 785 790 795 800

Glu Glu Gln Gly Pro Thr Val Pro Ala Asp Asn Gly Pro Ile Pro Ser
 805 810 815

Leu Val Gly Asp Asp Thr Leu Glu Lys Gly Thr Gly Gln Ala Leu Asp
 820 825 830

Ser His Pro Thr Met Lys Asp Pro Val Asn Val Thr Pro Ser Ser Thr
 835 840 845

Pro Glu Ser Ser Pro Thr Asp Cys Leu Gln Asn Arg Ala Phe Asp Asp
 850 855 860

Glu Leu Gly Leu Gly Gly Ser Cys Pro Pro Met Arg Glu Ser Asp Thr
 865 870 875 880

Arg Gln Glu Asn Leu Lys Thr Lys Ala Leu Val Ser Asn Ser Ser Leu
 885 890 895

His Trp Ile Pro Ile Pro Ser Asn Asp Glu Val Val Lys Gln Pro Lys

-continued

900					905					910					
Pro	Glu	Ser	Arg	Glu	His	Ile	Pro	Ser	Val	Glu	Pro	Gln	Val	Gly	Glu
		915						920					925		
Glu	Trp	Glu	Lys	Ala	Ala	Pro	Thr	Pro	Pro	Ala	Leu	Pro	Gly	Asp	Leu
	930					935					940				
Thr	Ala	Glu	Glu	Gly	Leu	Asp	Pro	Leu	Asp	Ser	Leu	Thr	Ser	Leu	Trp
	945				950					955					960
Thr	Val	Pro	Ser	Arg	Gly	Gly	Ser	Asp	Ser	Asn	Gly	Ser	Tyr	Cys	Gln
				965					970						975
Gln	Val	Asp	Ile	Glu	Lys	Leu	Lys	Ile	Asn	Gly	Asp	Ser	Glu	Ala	Leu
			980					985						990	
Ser	Pro	His	Gly	Glu	Ser	Thr	Asp	Thr	Ala	Ser	Asp	Phe	Glu	Gly	His
		995					1000						1005		
Leu	Thr	Glu	Asp	Ser	Ser	Glu	Ala	Asp	Thr	Arg	Glu	Ala	Ala	Val	
	1010					1015						1020			
Thr	Lys	Gly	Ser	Ser	Val	Asp	Lys	Asp	Glu	Lys	Pro	Asn	Trp	Asn	
	1025					1030						1035			
Gln	Ser	Ala	Pro	Leu	Ser	Lys	Val	Asn	Gly	Asp	Met	Arg	Leu	Val	
	1040					1045						1050			
Thr	Arg	Thr	Asp	Gly	Met	Val	Ala	Pro	Gln	Ser	Trp	Val	Ser	Arg	
	1055					1060						1065			
Val	Cys	Ala	Val	Arg	Gln	Lys	Ile	Pro	Asp	Ser	Leu	Leu	Leu	Ala	
	1070					1075						1080			
Ser	Thr	Glu	Tyr	Gln	Pro	Arg	Ala	Val	Cys	Leu	Ser	Met	Pro	Gly	
	1085					1090						1095			
Ser	Ser	Val	Glu	Ala	Thr	Asn	Pro	Leu	Val	Met	Gln	Leu	Leu	Gln	
	1100					1105						1110			
Gly	Ser	Leu	Pro	Leu	Glu	Lys	Val	Leu	Pro	Pro	Ala	His	Asp	Asp	
	1115					1120						1125			
Ser	Met	Ser	Glu	Ser	Pro	Gln	Val	Pro	Leu	Thr	Lys	Asp	Gln	Ser	
	1130					1135						1140			
His	Gly	Ser	Leu	Arg	Met	Gly	Ser	Leu	His	Gly	Leu	Gly	Lys	Asn	
	1145					1150						1155			
Ser	Gly	Met	Val	Asp	Gly	Ser	Ser	Pro	Ser	Ser	Leu	Arg	Ala	Leu	
	1160					1165						1170			
Lys	Glu	Pro	Leu	Leu	Pro	Asp	Ser	Cys	Glu	Thr	Gly	Thr	Gly	Leu	
	1175					1180						1185			
Ala	Arg	Ile	Glu	Ala	Thr	Gln	Ala	Pro	Gly	Ala	Pro	Gln	Lys	Asn	
	1190					1195						1200			
Cys	Lys	Ala	Val	Pro	Ser	Phe	Asp	Ser	Leu	His	Pro	Val	Thr	Asn	
	1205					1210						1215			
Pro	Ile	Thr	Ser	Ser	Arg	Lys	Leu	Glu	Glu	Met	Asp	Ser	Lys	Glu	
	1220					1225						1230			
Gln	Phe	Ser	Ser	Phe	Ser	Cys	Glu	Asp	Gln	Lys	Glu	Val	Arg	Ala	
	1235					1240						1245			
Met	Ser	Gln	Asp	Ser	Asn	Ser	Asn	Ala	Ala	Pro	Gly	Lys	Ser	Pro	
	1250					1255						1260			
Gly	Asp	Leu	Thr	Thr	Ser	Arg	Thr	Pro	Arg	Phe	Ser	Ser	Pro	Asn	
	1265					1270						1275			
Val	Ile	Ser	Phe	Gly	Pro	Glu	Gln	Thr	Gly	Arg	Ala	Leu	Gly	Asp	
	1280					1285						1290			

-continued

Gln Ser Asn Val Thr Gly Gln Gly Lys Lys Leu Phe Gly Ser Gly
 1295 1300 1305

Asn Val Ala Ala Thr Leu Gln Arg Pro Arg Pro Ala Asp Pro Met
 1310 1315 1320

Pro Leu Pro Ala Glu Ile Pro Pro Val Phe Pro Ser Gly Lys Leu
 1325 1330 1335

Gly Pro Ser Thr Asn Ser Met Ser Gly Gly Val Gln Thr Pro Arg
 1340 1345 1350

Glu Asp Trp Ala Pro Lys Pro His Ala Phe Val Gly Ser Val Lys
 1355 1360 1365

Asn Glu Lys Thr Phe Val Gly Gly Pro Leu Lys Ala Asn Ala Glu
 1370 1375 1380

Asn Arg Lys Ala Thr Gly His Ser Pro Leu Glu Leu Val Gly His
 1385 1390 1395

Leu Glu Gly Met Pro Phe Val Met Asp Leu Pro Phe Trp Lys Leu
 1400 1405 1410

Pro Arg Glu Pro Gly Lys Gly Leu Ser Glu Pro Leu Glu Pro Ser
 1415 1420 1425

Ser Leu Pro Ser Gln Leu Ser Ile Lys Gln Ala Phe Tyr Gly Lys
 1430 1435 1440

Leu Ser Lys Leu Gln Leu Ser Ser Thr Ser Phe Asn Tyr Ser Ser
 1445 1450 1455

Ser Ser Pro Thr Phe Pro Lys Gly Leu Ala Gly Ser Val Val Gln
 1460 1465 1470

Leu Ser His Lys Ala Asn Phe Gly Ala Ser His Ser Ala Ser Leu
 1475 1480 1485

Ser Leu Gln Met Phe Thr Asp Ser Ser Thr Val Glu Ser Ile Ser
 1490 1495 1500

Leu Gln Cys Ala Cys Ser Leu Lys Ala Met Ile Met Cys Gln Gly
 1505 1510 1515

Cys Gly Ala Phe Cys His Asp Asp Cys Ile Gly Pro Ser Lys Leu
 1520 1525 1530

Cys Val Leu Cys Leu Val Val Arg
 1535 1540

<210> SEQ ID NO 49
 <211> LENGTH: 3124
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (313)..(1731)

<400> SEQUENCE: 49

taagatccac atcagctcaa ctgcacttgc ctgcgagagg cagcccgctc acttcccgcg 60

gaggcgctcc cgggcgccgc gctccggggc agccgcctgc ccccgggcct gccccgccc 120

gcccggccgc cgccgcccgc ggcgacgccc cgccccgag ctctgggctt cctcttcgcc 180

cgggtggcgt tgggcccgcg cgggcgctcg ggtgactgca gctgctcagc tcccctccc 240

cgccccgcgc cgcgcggccg cccgtcgtt cgcacagggc tggatggttg tattgggcag 300

ggtggctcca gg atg tta gga act gtg aag atg gaa ggg cat gaa acc agc 351
 Met Leu Gly Thr Val Lys Met Glu Gly His Glu Thr Ser
 1 5 10

-continued

gac tgg aac agc tac tac gca gac acg cag gag gcc tac tcc tcc gtc Asp Trp Asn Ser Tyr Tyr Ala Asp Thr Gln Glu Ala Tyr Ser Ser Val 15 20 25	399
ccg gtc agc aac atg aac tca ggc ctg ggc tcc atg aac tcc atg aac Pro Val Ser Asn Met Asn Ser Gly Leu Gly Ser Met Asn Ser Met Asn 30 35 40 45	447
acc tac atg acc atg aac acc atg act acg agc ggc aac atg acc ccg Thr Tyr Met Thr Met Asn Thr Met Thr Thr Ser Gly Asn Met Thr Pro 50 55 60	495
gcg tcc ttc aac atg tcc tat gcc aac ccg ggc cta ggg gcc ggc ctg Ala Ser Phe Asn Met Ser Tyr Ala Asn Pro Gly Leu Gly Ala Gly Leu 65 70 75	543
agt ccc ggc gca gta gcc ggc atg ccg ggg ggc tcc gcg ggc gcc atg Ser Pro Gly Ala Val Ala Gly Met Pro Gly Gly Ser Ala Gly Ala Met 80 85 90	591
aac agc atg act gcg gcc ggc gtg acg gcc atg ggt acg gcg ctg agc Asn Ser Met Thr Ala Ala Gly Val Thr Ala Met Gly Thr Ala Leu Ser 95 100 105	639
ccg agc ggc atg ggc gcc atg ggt gcg cag cag gcg gcc tcc atg aat Pro Ser Gly Met Gly Ala Met Gly Ala Gln Gln Ala Ala Ser Met Asn 110 115 120 125	687
ggc ctg ggc ccc tac gcg gcc gcc atg aac ccg tgc atg agc ccc atg Gly Leu Gly Pro Tyr Ala Ala Ala Met Asn Pro Cys Met Ser Pro Met 130 135 140	735
gcg tac gcg ccg tcc aac ctg ggc cgc agc cgc gcg ggc ggc ggc ggc Ala Tyr Ala Pro Ser Asn Leu Gly Arg Ser Arg Ala Gly Gly Gly Gly 145 150 155	783
gac gcc aag acg ttc aag cgc agc tac ccg cac gcc aag ccg ccc tac Asp Ala Lys Thr Phe Lys Arg Ser Tyr Pro His Ala Lys Pro Pro Tyr 160 165 170	831
tcg tac atc tcg ctc atc acc atg gcc atc cag cag gcg ccc agc aag Ser Tyr Ile Ser Leu Ile Thr Met Ala Ile Gln Gln Ala Pro Ser Lys 175 180 185	879
atg ctc acg ctg agc gag atc tac cag tgg atc atg gac ctc ttc ccc Met Leu Thr Leu Ser Glu Ile Tyr Gln Trp Ile Met Asp Leu Phe Pro 190 195 200 205	927
tat tac ccg cag aac cag cag cgc tgg cag aac tcc atc cgc cac tcg Tyr Tyr Arg Gln Asn Gln Gln Arg Trp Gln Asn Ser Ile Arg His Ser 210 215 220	975
ctg tcc ttc aat gac tgc ttc gtc aag gtg gca cgc tcc ccg gac aag Leu Ser Phe Asn Asp Cys Phe Val Lys Val Ala Arg Ser Pro Asp Lys 225 230 235	1023
ccg ggc aag ggc tcc tac tgg acg ctg cac ccg gac tcc ggc aac atg Pro Gly Lys Gly Ser Tyr Trp Thr Leu His Pro Asp Ser Gly Asn Met 240 245 250	1071
ttc gag aac ggc tgc tac ttg cgc cgc cag aag cgc ttc aag tgc gag Phe Glu Asn Gly Cys Tyr Leu Arg Arg Gln Lys Arg Phe Lys Cys Glu 255 260 265	1119
aag cag ccg ggg gcc ggc ggc ggg ggc ggc agc gga agc ggg ggc agc Lys Gln Pro Gly Ala Gly Gly Gly Gly Ser Gly Ser Gly Gly Ser 270 275 280 285	1167
ggc gcc aag ggc ggc cct gag agc cgc aag gac ccc tct ggc gcc tct Gly Ala Lys Gly Gly Pro Glu Ser Arg Lys Asp Pro Ser Gly Ala Ser 290 295 300	1215
aac ccc agc gcc gac tcg ccc ctc cat cgg ggt gtg cac ggg aag acc Asn Pro Ser Ala Asp Ser Pro Leu His Arg Gly Val His Gly Lys Thr 305 310 315	1263

-continued

ggc cag cta gag ggc gcg ccg gcc ccc ggg ccc gcc gcc agc ccc cag Gly Gln Leu Glu Gly Ala Pro Ala Pro Gly Pro Ala Ala Ser Pro Gln 320 325 330	1311
act ctg gac cac agt ggg gcg acg gcg aca ggg ggc gcc tcg gag ttg Thr Leu Asp His Ser Gly Ala Thr Ala Thr Gly Gly Ala Ser Glu Leu 335 340 345	1359
aag act cca gcc tcc tca act cgc ccc ccc ata agc tcc ggg ccc ggg Lys Thr Pro Ala Ser Ser Thr Ala Pro Pro Ile Ser Ser Gly Pro Gly 350 355 360 365	1407
gcg ctg gcc tct gtg ccc gcc tct cac ccg gca cac ggc ttg gca ccc Ala Leu Ala Ser Val Pro Ala Ser His Pro Ala His Gly Leu Ala Pro 370 375 380	1455
cac gag tcc cag ctg cac ctg aaa ggg gac ccc cac tac tcc ttc aac His Glu Ser Gln Leu His Leu Lys Gly Asp Pro His Tyr Ser Phe Asn 385 390 395	1503
cac ccg ttc tcc atc aac aac ctc atg tcc tcc tcg gag cag cag cat His Pro Phe Ser Ile Asn Asn Leu Met Ser Ser Ser Glu Gln Gln His 400 405 410	1551
aag ctg gac ttc aag gca tac gaa cag gca ctg caa tac tcg cct tac Lys Leu Asp Phe Lys Ala Tyr Glu Gln Ala Leu Gln Tyr Ser Pro Tyr 415 420 425	1599
ggc tct acg ttg ccc gcc agc ctg cct cta ggc agc gcc tcg gtg acc Gly Ser Thr Leu Pro Ala Ser Leu Pro Leu Gly Ser Ala Ser Val Thr 430 435 440 445	1647
acc agg agc ccc atc gag ccc tca gcc ctg gag ccg gcg tac tac caa Thr Arg Ser Pro Ile Glu Pro Ser Ala Leu Glu Pro Ala Tyr Tyr Gln 450 455 460	1695
ggt gtg tat tcc aga ccc gtc cta aac act tcc tag ctcccgggac Gly Val Tyr Ser Arg Pro Val Leu Asn Thr Ser 465 470	1741
tggggggttt gtctggcata gccatgctgg tagcaagaga gaaaaaatca acagcaaaaca	1801
aaaccacaca aaccaaaccg tcaacagcat aataaaatcc caacaactat ttttatttca	1861
tttttcatgc acaaccttcc cccagtgca aaagactggt actttattat tgtattcaaa	1921
attcattgtg tatattacta caaagacaac cccaaaccaa ttttttccct gcgaagtta	1981
atgatccaca agtgtatata tgaaattctc ctccctcctt gccccctct ctttctccc	2041
tctttcccct ccagacatcc tagttgtgg agggttattt aaaaaacaa aaaaggaaga	2101
tggtcaagtt tgtaaaatat ttgtttgtgc tttttccccc tccttactg accccctacg	2161
agtttacagg tctgtgcaa tactottaac cataagaatt gaaatggtga agaacaagt	2221
atacactaga ggctcttaaa agtattgaaa gacaactctg ctggtatata gcaagacata	2281
aacagattat aaacatcaga gccatttget tctcagtta catttctgat acatgcagat	2341
agcagatgtc tttaaatgaa atacatgtat attgtgtatg gacttaatta tgcacatgct	2401
cagatgtgta gacatcctcc gtatatttac ataacatata gaggtaatag ataggtgata	2461
tacatgatac atttcaaga gttgcttgac cgaaagttac aaggacceca acccctttgt	2521
cctctctacc cacagatggc cctgggaatc aattcctcag gaattgcct caagaactct	2581
gcttcttget ttgcagagtg ccatggtcac gtcattctga ggtcacataa cacataaaat	2641
tagtttctat gagtgtatc catttaaga attttttttt cagtaaaagg gaatattaca	2701
atgttgagg agagataagt tatagggagc tggatttcaa aacgtggtcc aagattcaaa	2761
aatectattg atagtgcca ttttaatcat tgccatcgtg tgcttgtttc atccagtgtt	2821

-continued

```

atgcactttc cacagttgga catggtgta gtatagccag acgggtttca ttattatttc 2881
tctttgcttt ctcaatgta atttattgca tggtttattc tttttcttta cagctgaaat 2941
tgctttaaatt gatggttaaa attacaaatt aaattgtaa tttttatcaa tgtgattgta 3001
attaaaaata ttttgattta aataacaaaa ataataccag attttaagcc gtggaaaatg 3061
ttcttgatca tttgcagta aggactttaa ataaatcaaa tgtaacaaa aaaaaaaaaa 3121
aaa 3124

```

```

<210> SEQ ID NO 50
<211> LENGTH: 472
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 50

```

```

Met Leu Gly Thr Val Lys Met Glu Gly His Glu Thr Ser Asp Trp Asn
1      5      10      15
Ser Tyr Tyr Ala Asp Thr Gln Glu Ala Tyr Ser Ser Val Pro Val Ser
      20      25      30
Asn Met Asn Ser Gly Leu Gly Ser Met Asn Ser Met Asn Thr Tyr Met
      35      40      45
Thr Met Asn Thr Met Thr Thr Ser Gly Asn Met Thr Pro Ala Ser Phe
      50      55      60
Asn Met Ser Tyr Ala Asn Pro Gly Leu Gly Ala Gly Leu Ser Pro Gly
      65      70      75      80
Ala Val Ala Gly Met Pro Gly Gly Ser Ala Gly Ala Met Asn Ser Met
      85      90      95
Thr Ala Ala Gly Val Thr Ala Met Gly Thr Ala Leu Ser Pro Ser Gly
      100      105      110
Met Gly Ala Met Gly Ala Gln Gln Ala Ala Ser Met Asn Gly Leu Gly
      115      120      125
Pro Tyr Ala Ala Ala Met Asn Pro Cys Met Ser Pro Met Ala Tyr Ala
      130      135      140
Pro Ser Asn Leu Gly Arg Ser Arg Ala Gly Gly Gly Asp Ala Lys
      145      150      155      160
Thr Phe Lys Arg Ser Tyr Pro His Ala Lys Pro Pro Tyr Ser Tyr Ile
      165      170      175
Ser Leu Ile Thr Met Ala Ile Gln Gln Ala Pro Ser Lys Met Leu Thr
      180      185      190
Leu Ser Glu Ile Tyr Gln Trp Ile Met Asp Leu Phe Pro Tyr Tyr Arg
      195      200      205
Gln Asn Gln Gln Arg Trp Gln Asn Ser Ile Arg His Ser Leu Ser Phe
      210      215      220
Asn Asp Cys Phe Val Lys Val Ala Arg Ser Pro Asp Lys Pro Gly Lys
      225      230      235      240
Gly Ser Tyr Trp Thr Leu His Pro Asp Ser Gly Asn Met Phe Glu Asn
      245      250      255
Gly Cys Tyr Leu Arg Arg Gln Lys Arg Phe Lys Cys Glu Lys Gln Pro
      260      265      270
Gly Ala Gly Gly Gly Gly Ser Gly Ser Gly Gly Ser Gly Ala Lys
      275      280      285
Gly Gly Pro Glu Ser Arg Lys Asp Pro Ser Gly Ala Ser Asn Pro Ser

```

-continued

290	295	300
Ala Asp Ser Pro Leu His Arg Gly Val His Gly Lys Thr Gly Gln Leu 305	310	315 320
Glu Gly Ala Pro Ala Pro Gly Pro Ala Ala Ser Pro Gln Thr Leu Asp 325	330	335
His Ser Gly Ala Thr Ala Thr Gly Gly Ala Ser Glu Leu Lys Thr Pro 340	345	350
Ala Ser Ser Thr Ala Pro Pro Ile Ser Ser Gly Pro Gly Ala Leu Ala 355	360	365
Ser Val Pro Ala Ser His Pro Ala His Gly Leu Ala Pro His Glu Ser 370	375	380
Gln Leu His Leu Lys Gly Asp Pro His Tyr Ser Phe Asn His Pro Phe 385	390	395 400
Ser Ile Asn Asn Leu Met Ser Ser Ser Glu Gln Gln His Lys Leu Asp 405	410	415
Phe Lys Ala Tyr Glu Gln Ala Leu Gln Tyr Ser Pro Tyr Gly Ser Thr 420	425	430
Leu Pro Ala Ser Leu Pro Leu Gly Ser Ala Ser Val Thr Thr Arg Ser 435	440	445
Pro Ile Glu Pro Ser Ala Leu Glu Pro Ala Tyr Tyr Gln Gly Val Tyr 450	455	460
Ser Arg Pro Val Leu Asn Thr Ser 465	470	

<210> SEQ ID NO 51
 <211> LENGTH: 3780
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (960)..(2282)

<400> SEQUENCE: 51

```

agagcgctgc cgccgcccgt ttcgcccggg agccgggggc cgggcgccat catgctgagc 60
cggctcgggg cgctgctgca ggaagccgtg ggggcgcgcg agcccagcat tgacctgctg 120
caggccttcg tggagcactg gaagggcacc acgcactact acatcgagag cacagatgaa 180
agcaccctcg ccaagaagac agacattccc tggcggtgca agcagatgct ggatattctg 240
gtgtatgaag agcagcagca ggcggcccgc ggtgaggcag ggccttgctt ggagtacctg 300
ctgcagcaca agatcctgga gactctctgc acgctgggca aggccagta cccccaggc 360
atcgggcagc aggtgttcca gttcttcagc aaggttctgg cgcagggtgca gccccctg 420
ctgcattacc tcagcgtcca caggcctgtg cagaaactcc tccgacttgg tgggactgct 480
tccggatccg ttacagaaaa ggaggagggtg cagttcacca ccgtcctctg ctccaagatc 540
cagcaggacc cagagctgct cgcctacatc ctggaaggtg aaaagattgt aggtaggaag 600
aaagcatgcg gagaaccacc tgcctgctt aaggacacaa ccagccacgg ggacaaggac 660
tgctcccacg atgggtgctc tgccaggccc cagctggacg gggagtctct tggggcccag 720
gccttgaaca gccacatgcc tgctgagacc gaggagctgg acggtgggac cacagagagc 780
aacctgatta cctccctgct tgggctgtgc cagagcaaga agagtccggg ggccttgaag 840
gcccaggaga acctgctgct cctggtgagc atggcctccc cagcagctgc cacctacctg 900
    
```

-continued

gtacagagca ggcctgctg cctgcgac gtcgcgcaact ttgccagttg taccggtcc	959
atg cct gtc ttc ctg gac ccc gca gac att gcc acc tta gag ggc atc Met Pro Val Phe Leu Asp Pro Ala Asp Ile Ala Thr Leu Glu Gly Ile 1 5 10 15	1007
agc tgg agg tta ccc agt gcc cgg tct gat gag gct tcc ttc cct ggc Ser Trp Arg Leu Pro Ser Ala Pro Ser Asp Glu Ala Ser Phe Pro Gly 20 25 30	1055
aag gag gcc ttg gct gcc ttc ttg ggc tgg ttt gat tac tgc gac cac Lys Glu Ala Leu Ala Ala Phe Leu Gly Trp Phe Asp Tyr Cys Asp His 35 40 45	1103
ctc atc aca gag gca cac acg gtg gtt gcg gac gcc ttg gcg aag gct Leu Ile Thr Glu Ala His Thr Val Val Ala Asp Ala Leu Ala Lys Ala 50 55 60	1151
gtg gct gag aac ttc ttc gtg gag acc ctg cag ccc cag ctc ctg cac Val Ala Glu Asn Phe Phe Val Glu Thr Leu Gln Pro Gln Leu Leu His 65 70 75 80	1199
gtg tcc gag cag agc atc ttg acc tcc acc gcc ctc ctc aca gcc atg Val Ser Glu Gln Ser Ile Leu Thr Ser Thr Ala Leu Leu Thr Ala Met 85 90 95	1247
ctg cgc cag ctt cgc tcc cct gcg ctg ctg cgg gag gcc gtg gct ttc Leu Arg Gln Leu Arg Ser Pro Ala Leu Leu Arg Glu Ala Val Ala Phe 100 105 110	1295
ctc ctg gcc aca gac cgg cag cct gaa gcc ccc ggg gac aac ccc cac Leu Leu Gly Thr Asp Arg Gln Pro Glu Ala Pro Gly Asp Asn Pro His 115 120 125	1343
acc ctg tat gct cat ctc atc ggg cat tgt gac cac ctc tct gat gag Thr Leu Tyr Ala His Leu Ile Gly His Cys Asp His Leu Ser Asp Glu 130 135 140	1391
atc agc atc acc aca ctc cgg ctg ttt gag gag ctg ctg cag aag ccc Ile Ser Ile Thr Thr Leu Arg Leu Phe Glu Glu Leu Leu Gln Lys Pro 145 150 155 160	1439
cac gag ggg atc atc cac agc ctg gtc ctg cgc aac ctt gag ggc cgc His Glu Gly Ile Ile His Ser Leu Val Leu Arg Asn Leu Glu Gly Arg 165 170 175	1487
cct tac gtg gcc tgg ggc tca cca gag cct gag agc tat gag gac acc Pro Tyr Val Ala Trp Gly Ser Pro Glu Pro Glu Ser Tyr Glu Asp Thr 180 185 190	1535
cta gac ctg gag gaa gac ccc tac ttc acc gac agc ttc ctg gat tcc Leu Asp Leu Glu Glu Asp Pro Tyr Phe Thr Asp Ser Phe Leu Asp Ser 195 200 205	1583
ggc ttt caa act ccc gca aag cct cgc cta gct cct gct acc agt tac Gly Phe Gln Thr Pro Ala Lys Pro Arg Leu Ala Pro Ala Thr Ser Tyr 210 215 220	1631
gat ggc aaa aca gca gtg acc gag atc gtc aac agt ttc ctg tgc ctg Asp Gly Lys Thr Ala Val Thr Glu Ile Val Asn Ser Phe Leu Cys Leu 225 230 235 240	1679
gtc ccc gag gaa gcc aag acc tct gcc ttc ctg gag gag aca ggc tat Val Pro Glu Glu Ala Lys Thr Ser Ala Phe Leu Glu Glu Thr Gly Tyr 245 250 255	1727
gac aca tac gtc cac gat gct tat ggc ctg ttc cag gag tgc agc tcc Asp Thr Tyr Val His Asp Ala Tyr Gly Leu Phe Gln Glu Cys Ser Ser 260 265 270	1775
cgc gtc gcc tcc tgg ggc tgg cct ctg acc ccc aca cct ttg gac ccc Arg Val Ala Ser Trp Gly Trp Pro Leu Thr Pro Thr Pro Leu Asp Pro 275 280 285	1823
cat gag ccc gag cga cct ttc ttc gag ggc cac ttc ctc cga gtg ctg His Glu Pro Glu Arg Pro Phe Phe Glu Gly His Phe Leu Arg Val Leu	1871

-continued

290	295	300	
ttt gac cgc atg tcc cgg att ctg gat cag cca tac agc ctg aac ctg			1919
Phe Asp Arg Met Ser Arg Ile Leu Asp Gln Pro Tyr Ser Leu Asn Leu			
305	310	315	320
cag gtg acc tgg gtc ctg tcc cgg ctt gcc ctc ttc ccc cac ccc cat			1967
Gln Val Thr Ser Val Leu Ser Arg Leu Ala Leu Phe Pro His Pro His			
	325	330	335
att cat gag tac ctg ctg gat cgg tac atc agc ctg gcc ccc gcc tgc			2015
Ile His Glu Tyr Leu Leu Asp Pro Tyr Ile Ser Leu Ala Pro Gly Cys			
	340	345	350
agg agc cta ttc tcc gtg ttg gtg agg gtg atc ggg gac ttg atg cag			2063
Arg Ser Leu Phe Ser Val Leu Val Arg Val Ile Gly Asp Leu Met Gln			
	355	360	365
aga atc cag agg gta ccc cag ttc cca gcc aag ctg ctc ctg gtg cgc			2111
Arg Ile Gln Arg Val Pro Gln Phe Pro Gly Lys Leu Leu Leu Val Arg			
	370	375	380
aag cag ttg acg gcc cag gct cct ggg gag cag ctg gac cac cag acc			2159
Lys Gln Leu Thr Gly Gln Ala Pro Gly Glu Gln Leu Asp His Gln Thr			
	385	390	400
ctc ctc cag gcc gtg gtg gtg ctg gag gag ttc tgc aag gag ctg gct			2207
Leu Leu Gln Gly Val Val Val Leu Glu Glu Phe Cys Lys Glu Leu Ala			
	405	410	415
gcc att gcc ttc gtc aag ttt ccc cca cat gat cct cgc cag aac gtc			2255
Ala Ile Ala Phe Val Lys Phe Pro Pro His Asp Pro Arg Gln Asn Val			
	420	425	430
tcc cca gcc cgg gaa ggg cag gtc tga gccagcacca gggcgggtggg			2302
Ser Pro Ala Pro Glu Gly Gln Val			
	435	440	
agactcctgt ccacacctt gcccagagc tgctcctgc ctggcactgc cgccacactc			2362
ccctcctggg atggggcttc tgcctccggg ctcaactcaag gagactgcgg catggtgacc			2422
acaccagact gggtttcagg gaatgggcat gccaggtgcc aaggagccaa acagatggct			2482
ttccaggcag caaggtcctt ggggccttct tggaggagct tgggtgacag ccaggtgagc			2542
accagaccc cagaccctca tgtgctgtgt gcctggcccc ttctgtaactg gccatttgtg			2602
gccagggccca agcctgtgac tcaactccag gggcaagatg gggagtgagc tgatggctcc			2662
gagactggtc aggagcccag gccagtgaga tggggcctgg agccttgtct gtgtcacatt			2722
aggtaccatg ggagctgctg agacctgaca ttttgtcccc tgctacatg gcttggecca			2782
tggagaagga gcagtgatg ggatcgtcgg ggaagcccct cttcctgctc tgctcccctg			2842
gaaactgttg caaaactccc agccgcctca tggcaaatgc ccaaagcatg ttccgcaccc			2902
aggcgggggc cctgctaata gagaaccttg gtgcagctgc agccaggagg ggagcggggc			2962
caggagccag getcaggtcc agctgggtcc tctctggcgc cttctgaacc cgtctcagca			3022
ggtccacagc acctgggcag aggtcagaga ccaggggagg ccgggccttg cctcccttc			3082
tgcccagggc ccagtgcttct tgatagaaga cccttctggg gagccaggga gctcagggga			3142
cagataaggg aaggacgccc cctgactcca ggcccctgag cctggcggga agtggctgcg			3202
gcccaggcag ccagtcctgg tgggtgttct cctgcatgcc ctccgtggct gggctgccac			3262
cccaccggc ccgaatctgt cttgacctgc aggaatacac gggcgggccc aggcattacc			3322
tcacagcggg actacacagt tgctggcttt gctcctgggc aaggaggagc aggccagagc			3382
ctcttttctc tccttttctt gcccatgccc cttctagaag ccaggcacag gttgccaaga			3442

-continued

```

ggtgacacga aacaggagga aactcagtga cctctgcctc tcccacattc ctccccgcgg 3502
gggaggacct cgccgctctg aagagcaccg tgcacatgtg ggtgcacaaa cgtgggtgtt 3562
ggtgtggacg gggcgcagat ctccgtggat gaactgcgtc tggactotta gattcataaa 3622
atattcgagg gtttgggagt cacagacctt cccctctect cagtgcactt tggcatttgc 3682
acggtgtctt ccccgacag cacagcaata aatggtgtga ttgcgtggaa aaaaaaaaaa 3742
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 3780
    
```

```

<210> SEQ ID NO 52
<211> LENGTH: 440
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
    
```

<400> SEQUENCE: 52

```

Met Pro Val Phe Leu Asp Pro Ala Asp Ile Ala Thr Leu Glu Gly Ile
1           5           10           15

Ser Trp Arg Leu Pro Ser Ala Pro Ser Asp Glu Ala Ser Phe Pro Gly
20          25          30

Lys Glu Ala Leu Ala Ala Phe Leu Gly Trp Phe Asp Tyr Cys Asp His
35          40          45

Leu Ile Thr Glu Ala His Thr Val Val Ala Asp Ala Leu Ala Lys Ala
50          55          60

Val Ala Glu Asn Phe Phe Val Glu Thr Leu Gln Pro Gln Leu Leu His
65          70          75          80

Val Ser Glu Gln Ser Ile Leu Thr Ser Thr Ala Leu Leu Thr Ala Met
85          90          95

Leu Arg Gln Leu Arg Ser Pro Ala Leu Leu Arg Glu Ala Val Ala Phe
100         105         110

Leu Leu Gly Thr Asp Arg Gln Pro Glu Ala Pro Gly Asp Asn Pro His
115        120        125

Thr Leu Tyr Ala His Leu Ile Gly His Cys Asp His Leu Ser Asp Glu
130        135        140

Ile Ser Ile Thr Thr Leu Arg Leu Phe Glu Glu Leu Leu Gln Lys Pro
145        150        155        160

His Glu Gly Ile Ile His Ser Leu Val Leu Arg Asn Leu Glu Gly Arg
165        170        175

Pro Tyr Val Ala Trp Gly Ser Pro Glu Pro Glu Ser Tyr Glu Asp Thr
180        185        190

Leu Asp Leu Glu Glu Asp Pro Tyr Phe Thr Asp Ser Phe Leu Asp Ser
195        200        205

Gly Phe Gln Thr Pro Ala Lys Pro Arg Leu Ala Pro Ala Thr Ser Tyr
210        215        220

Asp Gly Lys Thr Ala Val Thr Glu Ile Val Asn Ser Phe Leu Cys Leu
225        230        235        240

Val Pro Glu Glu Ala Lys Thr Ser Ala Phe Leu Glu Glu Thr Gly Tyr
245        250        255

Asp Thr Tyr Val His Asp Ala Tyr Gly Leu Phe Gln Glu Cys Ser Ser
260        265        270

Arg Val Ala Ser Trp Gly Trp Pro Leu Thr Pro Thr Pro Leu Asp Pro
275        280        285

His Glu Pro Glu Arg Pro Phe Phe Glu Gly His Phe Leu Arg Val Leu
290        295        300
    
```

-continued

Phe Asp Arg Met Ser Arg Ile Leu Asp Gln Pro Tyr Ser Leu Asn Leu
 305 310 315 320
 Gln Val Thr Ser Val Leu Ser Arg Leu Ala Leu Phe Pro His Pro His
 325 330 335
 Ile His Glu Tyr Leu Leu Asp Pro Tyr Ile Ser Leu Ala Pro Gly Cys
 340 345 350
 Arg Ser Leu Phe Ser Val Leu Val Arg Val Ile Gly Asp Leu Met Gln
 355 360 365
 Arg Ile Gln Arg Val Pro Gln Phe Pro Gly Lys Leu Leu Leu Val Arg
 370 375 380
 Lys Gln Leu Thr Gly Gln Ala Pro Gly Glu Gln Leu Asp His Gln Thr
 385 390 395 400
 Leu Leu Gln Gly Val Val Val Leu Glu Glu Phe Cys Lys Glu Leu Ala
 405 410 415
 Ala Ile Ala Phe Val Lys Phe Pro Pro His Asp Pro Arg Gln Asn Val
 420 425 430
 Ser Pro Ala Pro Glu Gly Gln Val
 435 440

<210> SEQ ID NO 53
 <211> LENGTH: 1175
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (68)..(895)

<400> SEQUENCE: 53

cccggtcgcc ggggtgccc gcgccgcgct gcaggatagc tagcgccag gagaaataca 60
 gtggaaa atg caa aac aac gaa att ata aag cct gcc aaa tac ttc tca 109
 Met Gln Asn Asn Glu Ile Ile Lys Pro Ala Lys Tyr Phe Ser
 1 5 10
 gaa ttg gaa aag agc atc ctg ctg gct tta gta gaa aag tat aaa tat 157
 Glu Leu Glu Lys Ser Ile Leu Leu Ala Leu Val Glu Lys Tyr Lys Tyr
 15 20 25 30
 gtg ctg gaa tgt aag aaa agt gat gcg cga act att gcc ctt aag cag 205
 Val Leu Glu Cys Lys Lys Ser Asp Ala Arg Thr Ile Ala Leu Lys Gln
 35 40 45
 cgt acc tgg cag gcg ctg gcc cac gaa tac aac tct cag ccc agc gtg 253
 Arg Thr Trp Gln Ala Leu Ala His Glu Tyr Asn Ser Gln Pro Ser Val
 50 55 60
 tcc ctg cgg gat ttc aaa cag ctg aag aag tgc tgg gag aac atc aag 301
 Ser Leu Arg Asp Phe Lys Gln Leu Lys Lys Cys Trp Glu Asn Ile Lys
 65 70 75
 gct cgg acc aaa aaa att atg gcc cat gaa agg aga gag aaa gtg aaa 349
 Ala Arg Thr Lys Lys Ile Met Ala His Glu Arg Arg Glu Lys Val Lys
 80 85 90
 cgg agc gtc agc cct ctc ctg agt acc cac gtc cta ggg aag gag aag 397
 Arg Ser Val Ser Pro Leu Leu Ser Thr His Val Leu Gly Lys Glu Lys
 95 100 105 110
 atc gcc agc atg ctg ccg gag cag ctc tac ttc ctg cag agc ccc ccg 445
 Ile Ala Ser Met Leu Pro Glu Gln Leu Tyr Phe Leu Gln Ser Pro Pro
 115 120 125
 gag gag gag ccc gaa tac cac ccc gac gcc tca gcc caa gaa tca ttt 493
 Glu Glu Glu Pro Glu Tyr His Pro Asp Ala Ser Ala Gln Glu Ser Phe
 130 135 140

-continued

```

gct gtt tca aat aga gaa ctg tgc gat gat gag aaa gag ttc ata cat    541
Ala Val Ser Asn Arg Glu Leu Cys Asp Asp Glu Lys Glu Phe Ile His
      145                      150                      155

ttt cca gta tgt gag ggg acc tct caa cct gaa ccc tcg tgt tca gct    589
Phe Pro Val Cys Glu Gly Thr Ser Gln Pro Glu Pro Ser Cys Ser Ala
      160                      165                      170

gtc aga ata aca gcc aat aaa aac tac agg agc aaa acc tct cag gaa    637
Val Arg Ile Thr Ala Asn Lys Asn Tyr Arg Ser Lys Thr Ser Gln Glu
      175                      180                      185                      190

ggg gct tta aaa aag atg cat gag gaa gaa cac cat caa caa atg tcc    685
Gly Ala Leu Lys Lys Met His Glu Glu Glu His His Gln Gln Met Ser
      195                      200                      205

atc tta caa ctg caa ctg ata caa atg aat gag gtg cat gtg gcc aaa    733
Ile Leu Gln Leu Gln Leu Ile Gln Met Asn Glu Val His Val Ala Lys
      210                      215                      220

atc cag cag ata gag cga gag tgt gag atg gca gag gag gaa cac agg    781
Ile Gln Gln Ile Glu Arg Glu Cys Glu Met Ala Glu Glu Glu His Arg
      225                      230                      235

ata aaa atg gaa gtt ctc aat aaa aag aag atg tat tgg gaa aga aaa    829
Ile Lys Met Glu Val Leu Asn Lys Lys Lys Met Tyr Trp Glu Arg Lys
      240                      245                      250

cta caa act ttt acc aag gaa tgg cct gtt tcc tca ttt aac cgg ccc    877
Leu Gln Thr Phe Thr Lys Glu Trp Pro Val Ser Ser Phe Asn Arg Pro
      255                      260                      265                      270

ttt ccc aat tcg ccc taa gactttgggg gtggctctct tgtaattaat    925
Phe Pro Asn Ser Pro
      275

ctgtgttggc aaagaatgct tggaacatgg acttgccggt cagtaacctg taacagagct    985

acaactagga aaattagagt ggtagtagtc acttatttaa gaattcattc aggtaaacag 1045

ctgcacccctc tgtaaccctt aagtggcaaa gaagctgtta tagtcttctg aaaattatca 1105

ctatgagtgc tataattctg aatataatgt ctcttaatta gaattcatac aagaaaaaaaa 1165

aaaaaaaaaa    1175

<210> SEQ ID NO 54
<211> LENGTH: 275
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 54

Met Gln Asn Asn Glu Ile Ile Lys Pro Ala Lys Tyr Phe Ser Glu Leu
1      5      10      15

Glu Lys Ser Ile Leu Leu Ala Leu Val Glu Lys Tyr Lys Tyr Val Leu
20     25     30

Glu Cys Lys Lys Ser Asp Ala Arg Thr Ile Ala Leu Lys Gln Arg Thr
35     40     45

Trp Gln Ala Leu Ala His Glu Tyr Asn Ser Gln Pro Ser Val Ser Leu
50     55     60

Arg Asp Phe Lys Gln Leu Lys Lys Cys Trp Glu Asn Ile Lys Ala Arg
65     70     75     80

Thr Lys Lys Ile Met Ala His Glu Arg Arg Glu Lys Val Lys Arg Ser
85     90     95

Val Ser Pro Leu Leu Ser Thr His Val Leu Gly Lys Glu Lys Ile Ala
100    105    110

```

-continued

Ser Met Leu Pro Glu Gln Leu Tyr Phe Leu Gln Ser Pro Pro Glu Glu
 115 120 125

Glu Pro Glu Tyr His Pro Asp Ala Ser Ala Gln Glu Ser Phe Ala Val
 130 135 140

Ser Asn Arg Glu Leu Cys Asp Asp Glu Lys Glu Phe Ile His Phe Pro
 145 150 155 160

Val Cys Glu Gly Thr Ser Gln Pro Glu Pro Ser Cys Ser Ala Val Arg
 165 170 175

Ile Thr Ala Asn Lys Asn Tyr Arg Ser Lys Thr Ser Gln Glu Gly Ala
 180 185 190

Leu Lys Lys Met His Glu Glu Glu His His Gln Gln Met Ser Ile Leu
 195 200 205

Gln Leu Gln Leu Ile Gln Met Asn Glu Val His Val Ala Lys Ile Gln
 210 215 220

Gln Ile Glu Arg Glu Cys Glu Met Ala Glu Glu Glu His Arg Ile Lys
 225 230 235 240

Met Glu Val Leu Asn Lys Lys Lys Met Tyr Trp Glu Arg Lys Leu Gln
 245 250 255

Thr Phe Thr Lys Glu Trp Pro Val Ser Ser Phe Asn Arg Pro Phe Pro
 260 265 270

Asn Ser Pro
 275

<210> SEQ ID NO 55
 <211> LENGTH: 1988
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (12)..(1805)

<400> SEQUENCE: 55

cctccgggaa g atg gcg gcc gtg cag gcg gcc gag gtg aaa gtg gat ggc 50
 Met Ala Ala Val Gln Ala Ala Glu Val Lys Val Asp Gly
 1 5 10

agc gag ccg aaa ctg agc aag aat gag ctg aag aga cgc ctg aaa gct 98
 Ser Glu Pro Lys Leu Ser Lys Asn Glu Leu Lys Arg Arg Leu Lys Ala
 15 20 25

gag aag aaa gta gca gag aag gag gcc aaa cag aag gag ctc agt gag 146
 Glu Lys Lys Val Ala Glu Lys Glu Ala Lys Gln Lys Glu Leu Ser Glu
 30 35 40 45

aaa cag cta agc caa gcc act gct gct gcc acc aac cac acc act gat 194
 Lys Gln Leu Ser Gln Ala Thr Ala Ala Thr Asn His Thr Thr Asp
 50 55 60

aat ggt gtg ggt cct gag gaa gag agc gtg gac cca aat caa tac tac 242
 Asn Gly Val Gly Pro Glu Glu Glu Ser Val Asp Pro Asn Gln Tyr Tyr
 65 70 75

aaa atc cgc agt caa gca att cat cag ctg aag gtc aat ggg gaa gac 290
 Lys Ile Arg Ser Gln Ala Ile His Gln Leu Lys Val Asn Gly Glu Asp
 80 85 90

cca tac cca cac aag ttc cat gta gac atc tca ctc act gac ttc atc 338
 Pro Tyr Pro His Lys Phe His Val Asp Ile Ser Leu Thr Asp Phe Ile
 95 100 105

caa aaa tat agt cac ctg cag cct ggg gat cac ctg act gac atc acc 386
 Gln Lys Tyr Ser His Leu Gln Pro Gly Asp His Leu Thr Asp Ile Thr
 110 115 120 125

-continued

tta aag gtg gca ggt agg atc cat gcc aaa aga gct tct ggg gga aag Leu Lys Val Ala Gly Arg Ile His Ala Lys Arg Ala Ser Gly Gly Lys 130 135 140	434
ctc atc ttc tat gat ctt cga gga gag ggg gtg aag ttg caa gtc atg Leu Ile Phe Tyr Asp Leu Arg Gly Glu Gly Val Lys Leu Gln Val Met 145 150 155	482
gcc aat tcc aga aat tat aaa tca gaa gaa gaa ttt att cat att aat Ala Asn Ser Arg Asn Tyr Lys Ser Glu Glu Glu Phe Ile His Ile Asn 160 165 170	530
aac aaa ctg cgt cgg gga gac ata att gga gtt cag ggg aat cct ggt Asn Lys Leu Arg Arg Gly Asp Ile Ile Gly Val Gln Gly Asn Pro Gly 175 180 185	578
aaa acc aag aag ggt gag ctg agc atc att ccg tat gag atc aca ctg Lys Thr Lys Lys Gly Glu Leu Ser Ile Ile Pro Tyr Glu Ile Thr Leu 190 195 200 205	626
ctg tct ccc tgt ttg cat atg tta cct cat ctt cac ttt ggc ctc aaa Leu Ser Pro Cys Leu His Met Leu Pro His Leu His Phe Gly Leu Lys 210 215 220	674
gac aag gaa aca agg tat cgc cag aga tac ttg gac ttg atc ctg aat Asp Lys Glu Thr Arg Tyr Arg Gln Arg Tyr Leu Asp Leu Ile Leu Asn 225 230 235	722
gac ttt gtg agg cag aaa ttt atc atc cgc tct aag atc atc aca tat Asp Phe Val Arg Gln Lys Phe Ile Ile Arg Ser Lys Ile Ile Thr Tyr 240 245 250	770
ata aga agt ttc tta gat gag ctg gga ttc cta gag att gaa act ccc Ile Arg Ser Phe Leu Asp Glu Leu Gly Phe Leu Glu Ile Glu Thr Pro 255 260 265	818
atg atg aac atc atc cca ggg gga gcc gtg gcc aag cct ttc atc act Met Met Asn Ile Ile Pro Gly Gly Ala Val Ala Lys Pro Phe Ile Thr 270 275 280 285	866
tat cac aac gag ctg gac atg aac tta tat atg aga att gct cca gaa Tyr His Asn Glu Leu Asp Met Asn Leu Tyr Met Arg Ile Ala Pro Glu 290 295 300	914
ctc tat cat aag atg ctt gtg gtt ggt ggc atc gac cgg gtt tat gaa Leu Tyr His Lys Met Leu Val Val Gly Gly Ile Asp Arg Val Tyr Glu 305 310 315	962
att gga cgc cag ttc cgg aat gag ggg att gat ttg acg cac aat cct Ile Gly Arg Gln Phe Arg Asn Glu Gly Ile Asp Leu Thr His Asn Pro 320 325 330	1010
gag ttc acc acc tgt gag ttc tac atg gcc tat gca gac tat cac gat Glu Phe Thr Thr Cys Glu Phe Tyr Met Ala Tyr Ala Asp Tyr His Asp 335 340 345	1058
ctc atg gaa atc acg gag aag atg gtt tca ggg atg gtg aag cat att Leu Met Glu Ile Thr Glu Lys Met Val Ser Gly Met Val Lys His Ile 350 355 360 365	1106
aca ggc agt tac aag gtc acc tac cac cca gat ggc cca gag ggc caa Thr Gly Ser Tyr Lys Val Thr Tyr His Pro Asp Gly Pro Glu Gly Gln 370 375 380	1154
gcc tac gat gtt gac ttc acc cca ccc ttc cgg cga atc aac atg gta Ala Tyr Asp Val Asp Phe Thr Pro Pro Phe Arg Arg Ile Asn Met Val 385 390 395	1202
gaa gag ctt gag aaa gcc ctg ggg atg aag ctg cca gaa acg aac ctc Glu Glu Leu Glu Lys Ala Leu Gly Met Lys Leu Pro Glu Thr Asn Leu 400 405 410	1250
ttt gaa act gaa gaa act cgc aaa att ctt gat gat atc tgt gtg gca Phe Glu Thr Glu Glu Thr Arg Lys Ile Leu Asp Asp Ile Cys Val Ala 415 420 425	1298

-continued

```

aaa gct gtt gaa tgc cct cca cct cgg acc aca gcc agg ctc ctt gac 1346
Lys Ala Val Glu Cys Pro Pro Arg Thr Thr Ala Arg Leu Leu Asp
430 435 440 445

aag ctt gtt ggg gag ttc ctg gaa gtg act tgc atc aat cct aca ttc 1394
Lys Leu Val Gly Glu Phe Leu Glu Val Thr Cys Ile Asn Pro Thr Phe
450 455 460

atc tgt gat cac cca cag ata atg agc cct ttg gct aaa tgg cac cgc 1442
Ile Cys Asp His Pro Gln Ile Met Ser Pro Leu Ala Lys Trp His Arg
465 470 475

tct aaa gag ggt ctg act gag cgc ttt gag ctg ttt gtc atg aag aaa 1490
Ser Lys Glu Gly Leu Thr Glu Arg Phe Glu Leu Phe Val Met Lys Lys
480 485 490

gag ata tgc aat gcg tat act gag ctg aat gat ccc atg cgg cag cgg 1538
Glu Ile Cys Asn Ala Tyr Thr Glu Leu Asn Asp Pro Met Arg Gln Arg
495 500 505

cag ctt ttt gaa gaa cag gcc aag gcc aag gct gca ggt gat gat gag 1586
Gln Leu Phe Glu Glu Gln Ala Lys Ala Lys Ala Ala Gly Asp Asp Glu
510 515 520 525

gcc atg ttc ata gat gaa aac ttc tgt act gcc ctg gaa tat ggg ctg 1634
Ala Met Phe Ile Asp Glu Asn Phe Cys Thr Ala Leu Glu Tyr Gly Leu
530 535 540

ccc ccc aca gct ggc tgg ggc atg ggc att gat cga gtc gcc atg ttt 1682
Pro Pro Thr Ala Gly Trp Gly Met Gly Ile Asp Arg Val Ala Met Phe
545 550 555

ctc acg gac tcc aac aac atc aag gaa gta ctt ctg ttt cct gcc atg 1730
Leu Thr Asp Ser Asn Asn Ile Lys Glu Val Leu Leu Phe Pro Ala Met
560 565 570

aaa ccc gaa gac aag aag gag aat gta gca acc act gat aca ctg gaa 1778
Lys Pro Glu Asp Lys Lys Glu Asn Val Ala Thr Thr Asp Thr Leu Glu
575 580 585

agc aca aca gtt ggc act tct gtc tag aaaataataa ttgcaagtgt 1825
Ser Thr Thr Val Gly Thr Ser Val
590 595

tataactcag gcgtctttgc atttctgcga aagatcaagg tctgcaaggg aattcttgtg 1885

tgctgctttc catttgacac cgcagttctg ttcagccatc agaagagaga caaggaatta 1945

aaaatttctt tttaatcctg ttaccaaaaa aaaaaaaaaaaa aaa 1988

```

<210> SEQ ID NO 56

<211> LENGTH: 597

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 56

```

Met Ala Ala Val Gln Ala Ala Glu Val Lys Val Asp Gly Ser Glu Pro
1 5 10 15

Lys Leu Ser Lys Asn Glu Leu Lys Arg Arg Leu Lys Ala Glu Lys Lys
20 25 30

Val Ala Glu Lys Glu Ala Lys Gln Lys Glu Leu Ser Glu Lys Gln Leu
35 40 45

Ser Gln Ala Thr Ala Ala Ala Thr Asn His Thr Thr Asp Asn Gly Val
50 55 60

Gly Pro Glu Glu Glu Ser Val Asp Pro Asn Gln Tyr Tyr Lys Ile Arg
65 70 75 80

Ser Gln Ala Ile His Gln Leu Lys Val Asn Gly Glu Asp Pro Tyr Pro
85 90 95

```

-continued

His Lys Phe His Val Asp Ile Ser Leu Thr Asp Phe Ile Gln Lys Tyr
 100 105 110

Ser His Leu Gln Pro Gly Asp His Leu Thr Asp Ile Thr Leu Lys Val
 115 120 125

Ala Gly Arg Ile His Ala Lys Arg Ala Ser Gly Gly Lys Leu Ile Phe
 130 135 140

Tyr Asp Leu Arg Gly Glu Gly Val Lys Leu Gln Val Met Ala Asn Ser
 145 150 155 160

Arg Asn Tyr Lys Ser Glu Glu Glu Phe Ile His Ile Asn Asn Lys Leu
 165 170 175

Arg Arg Gly Asp Ile Ile Gly Val Gln Gly Asn Pro Gly Lys Thr Lys
 180 185 190

Lys Gly Glu Leu Ser Ile Ile Pro Tyr Glu Ile Thr Leu Leu Ser Pro
 195 200 205

Cys Leu His Met Leu Pro His Leu His Phe Gly Leu Lys Asp Lys Glu
 210 215 220

Thr Arg Tyr Arg Gln Arg Tyr Leu Asp Leu Ile Leu Asn Asp Phe Val
 225 230 235 240

Arg Gln Lys Phe Ile Ile Arg Ser Lys Ile Ile Thr Tyr Ile Arg Ser
 245 250 255

Phe Leu Asp Glu Leu Gly Phe Leu Glu Ile Glu Thr Pro Met Met Asn
 260 265 270

Ile Ile Pro Gly Gly Ala Val Ala Lys Pro Phe Ile Thr Tyr His Asn
 275 280 285

Glu Leu Asp Met Asn Leu Tyr Met Arg Ile Ala Pro Glu Leu Tyr His
 290 295 300

Lys Met Leu Val Val Gly Gly Ile Asp Arg Val Tyr Glu Ile Gly Arg
 305 310 315 320

Gln Phe Arg Asn Glu Gly Ile Asp Leu Thr His Asn Pro Glu Phe Thr
 325 330 335

Thr Cys Glu Phe Tyr Met Ala Tyr Ala Asp Tyr His Asp Leu Met Glu
 340 345 350

Ile Thr Glu Lys Met Val Ser Gly Met Val Lys His Ile Thr Gly Ser
 355 360 365

Tyr Lys Val Thr Tyr His Pro Asp Gly Pro Glu Gly Gln Ala Tyr Asp
 370 375 380

Val Asp Phe Thr Pro Pro Phe Arg Arg Ile Asn Met Val Glu Glu Leu
 385 390 395 400

Glu Lys Ala Leu Gly Met Lys Leu Pro Glu Thr Asn Leu Phe Glu Thr
 405 410 415

Glu Glu Thr Arg Lys Ile Leu Asp Asp Ile Cys Val Ala Lys Ala Val
 420 425 430

Glu Cys Pro Pro Pro Arg Thr Thr Ala Arg Leu Leu Asp Lys Leu Val
 435 440 445

Gly Glu Phe Leu Glu Val Thr Cys Ile Asn Pro Thr Phe Ile Cys Asp
 450 455 460

His Pro Gln Ile Met Ser Pro Leu Ala Lys Trp His Arg Ser Lys Glu
 465 470 475 480

Gly Leu Thr Glu Arg Phe Glu Leu Phe Val Met Lys Lys Glu Ile Cys
 485 490 495

Asn Ala Tyr Thr Glu Leu Asn Asp Pro Met Arg Gln Arg Gln Leu Phe

-continued

	500		505		510										
Glu	Glu	Gln	Ala	Lys	Ala	Lys	Ala	Ala	Gly	Asp	Asp	Glu	Ala	Met	Phe
	515				520							525			
Ile	Asp	Glu	Asn	Phe	Cys	Thr	Ala	Leu	Glu	Tyr	Gly	Leu	Pro	Pro	Thr
	530					535					540				
Ala	Gly	Trp	Gly	Met	Gly	Ile	Asp	Arg	Val	Ala	Met	Phe	Leu	Thr	Asp
545					550					555					560
Ser	Asn	Asn	Ile	Lys	Glu	Val	Leu	Leu	Phe	Pro	Ala	Met	Lys	Pro	Glu
				565					570					575	
Asp	Lys	Lys	Glu	Asn	Val	Ala	Thr	Thr	Asp	Thr	Leu	Glu	Ser	Thr	Thr
			580					585						590	
Val	Gly	Thr	Ser	Val											
	595														

<210> SEQ ID NO 57
 <211> LENGTH: 763
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 57

```

ggggctaaac ctgcccctaa acccaactcca ccttactacc agacaacctt agccaaacca    60
tttaccctaaa taaagtatat gcgatagaaa ttgaaacctg gcgcaataga tatagtaccg    120
caagggaaag atgaaaaatt ataaccaagc ataatatagc aaggactaac ccctatacct    180
tctgcataat gaattaacta gaaataactt tgcaaggaga gccaaagcta agacccccga    240
aaccagacga gctacctaag aacagctaaa agagcacacc cgtctatgta gcaaaatagt    300
gggaagatth ataggttagc gcgacaaaac taccgagcct ggtgatagct ggttgtccaa    360
gatagaatct tagttcaact ttaaatttgc ccacagaacc ctctaaatcc ccttgtaaat    420
ttaactgtta gtccaagag gaacagctct ttggacacta ggaaaaaac ttgtagagag    480
agtaaaaaat taaacccca tagtaggcct aaaagcagcc accaattaag aaagcgttca    540
agctcaacac ccactaccta aaaaatccca aacatataac tgaactcctc acaccaatth    600
ggaccaatct atcacctat agaagaacta atgttagtat aagtaacatg aaaacattct    660
cctccgcata agctcgcgtc agattaaac actgaactga caattaacag cccaatatct    720
acaatcaacc cacaagtcatt tattaccctc actgtcaacc caa                                763
    
```

<210> SEQ ID NO 58
 <211> LENGTH: 1575
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (196)..(834)

<400> SEQUENCE: 58

```

cttttcccg ctccagctcc gcgcagct ccagcctttg ctccccctcc caaagtcccc    60
tccccggagc ggagcgcacc tagggtccct cttccgtccc cccagcccag ctaccggtc    120
agaccagcag cctcgggggg ccccccccg ccagcctgcc tccctcccgc tcagccctgc    180
cagggttccc cagcc atg aat ctc ttc cga ttc ctg gga gac etc tcc cac    231
          Met Asn Leu Phe Arg Phe Leu Gly Asp Leu Ser His
          1           5           10
ctc ctc gcc atc atc ttg cta ctg ctc aaa atc tgg aag tcc cgc tcg    279
    
```


-continued

```

<210> SEQ ID NO 59
<211> LENGTH: 212
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 59

Met Asn Leu Phe Arg Phe Leu Gly Asp Leu Ser His Leu Leu Ala Ile
1           5           10           15

Ile Leu Leu Leu Leu Lys Ile Trp Lys Ser Arg Ser Cys Ala Gly Ile
20           25           30

Ser Gly Lys Ser Gln Val Leu Phe Ala Val Val Phe Thr Ala Arg Tyr
35           40           45

Leu Asp Leu Phe Thr Asn Tyr Ile Ser Leu Tyr Asn Thr Cys Met Lys
50           55           60

Val Val Tyr Ile Ala Cys Ser Phe Thr Thr Val Trp Leu Ile Tyr Ser
65           70           75           80

Lys Phe Lys Ala Thr Tyr Asp Gly Asn His Asp Thr Phe Arg Val Glu
85           90           95

Phe Leu Val Val Pro Thr Ala Ile Leu Ala Phe Leu Val Asn His Asp
100          105          110

Phe Thr Pro Leu Glu Ile Leu Trp Thr Phe Ser Ile Tyr Leu Glu Ser
115          120          125

Val Ala Ile Leu Pro Gln Leu Phe Met Val Ser Lys Thr Gly Glu Ala
130          135          140

Glu Thr Ile Thr Ser His Tyr Leu Phe Ala Leu Gly Val Tyr Arg Thr
145          150          155          160

Leu Tyr Leu Phe Asn Trp Ile Trp Arg Tyr His Phe Glu Gly Phe Phe
165          170          175

Asp Leu Ile Ala Ile Val Ala Gly Leu Val Gln Thr Val Leu Tyr Cys
180          185          190

Asp Phe Phe Tyr Leu Tyr Ile Thr Lys Val Leu Lys Gly Lys Lys Leu
195          200          205

Ser Leu Pro Ala
210
    
```

```

<210> SEQ ID NO 60
<211> LENGTH: 2245
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (157)..(1110)

<400> SEQUENCE: 60

gaatctcgac ccttgaatgg agttacacga acggccagat gaaagaagga aggccccggac      60
ctccactcag ggcgactagg gggactggcg gaggggtgcac gotgatggat ttactcaccg      120
ggtgcttggg getccagcag ctggctggag cccgcg atg acg tca cgg act cgg      174
                Met Thr Ser Arg Thr Arg
                1           5

gtc aca tgg ccg agt ccg ccc cgc ccc ctc ccc gtc ccc gcc gct gca      222
Val Thr Trp Pro Ser Pro Pro Arg Pro Leu Pro Val Pro Ala Ala Ala
                10           15           20

gcc gtc gcc ttc gga gcg aag ggt acc gac ccg gca gaa gct cgg agc      270
Ala Val Ala Phe Gly Ala Lys Gly Thr Asp Pro Ala Glu Ala Arg Ser
    
```

-continued

25	30	35	
tct cgg ggt atc gag gag gca ggc cgg cgg gcg cac ggg cga gcg ggc Ser Arg Gly Ile Glu Glu Ala Gly Pro Arg Ala His Gly Arg Ala Gly			318
40	45	50	
cgg gag cgg gag cgg cgg agg agc cgg cag cag cgg cgc gcc ggg ctc Arg Glu Pro Glu Arg Arg Arg Ser Arg Gln Gln Arg Arg Gly Gly Leu			366
55	60	65	70
cag gcg agg cgg tcg acg ctc ctg aaa act tgc gcg cgc gct cgc gcc Gln Ala Arg Arg Ser Thr Leu Leu Lys Thr Cys Ala Arg Ala Arg Ala			414
	75	80	85
act gcg ccc gga gcg atg aag atg gtc gcg ccc tgg acg cgg ttc tac Thr Ala Pro Gly Ala Met Lys Met Val Ala Pro Trp Thr Arg Phe Tyr			462
	90	95	100
tcc aac agc tgc tgc ttg tgc tgc cat gtc cgc acc gcc acc atc ctg Ser Asn Ser Cys Cys Leu Cys Cys His Val Arg Thr Gly Thr Ile Leu			510
	105	110	115
ctc gcc gtc tgg tat ctg atc atc aat gct gtg gta ctg ttg att tta Leu Gly Val Trp Tyr Leu Ile Ile Asn Ala Val Val Leu Leu Ile Leu			558
	120	125	130
ttg agt gcc ctg gct gat ccg gat cag tat aac ttt tca agt tct gaa Leu Ser Ala Leu Ala Asp Pro Asp Gln Tyr Asn Phe Ser Ser Ser Glu			606
	135	140	145
ctg gga ggt gac ttt gag ttc atg gat gat gcc aac atg tgc att gcc Leu Gly Gly Asp Phe Glu Phe Met Asp Asp Ala Asn Met Cys Ile Ala			654
	155	160	165
att gcg att tct ctt ctc atg atc ctg ata tgt gct atg gct act tac Ile Ala Ile Ser Leu Leu Met Ile Leu Ile Cys Ala Met Ala Thr Tyr			702
	170	175	180
gga gcg tac aag caa cgc gca gcc tgg atc atc cca ttc ttc tgt tac Gly Ala Tyr Lys Gln Arg Ala Ala Trp Ile Ile Pro Phe Phe Cys Tyr			750
	185	190	195
cag atc ttt gac ttt gcc ctg aac atg ttg gtt gca atc act gtg ctt Gln Ile Phe Asp Phe Ala Leu Asn Met Leu Val Ala Ile Thr Val Leu			798
	200	205	210
att tat cca aac tcc att cag gaa tac ata cgg caa ctg cct cct aat Ile Tyr Pro Asn Ser Ile Gln Glu Tyr Ile Arg Gln Leu Pro Pro Asn			846
	215	220	225
ttt ccc tac aga gat gat gtc atg tca gtg aat cct acc tgt ttg gtc Phe Pro Tyr Arg Asp Asp Val Met Ser Val Asn Pro Thr Cys Leu Val			894
	235	240	245
ctt att att ctt ctg ttt att agc att atc ttg act ttt aag ggt tac Leu Ile Ile Leu Leu Phe Ile Ser Ile Ile Leu Thr Phe Lys Gly Tyr			942
	250	255	260
ttg att agc tgt gtt tgg aac tgc tac cga tac atc aat ggt agg aac Leu Ile Ser Cys Val Trp Asn Cys Tyr Arg Tyr Ile Asn Gly Arg Asn			990
	265	270	275
tcc tct gat gtc ctg gtt tat gtt acc agc aat gac act acg gtg ctg Ser Ser Asp Val Leu Val Tyr Val Thr Ser Asn Asp Thr Thr Val Leu			1038
	280	285	290
cta ccc ccg tat gat gat gcc act gtg aat ggt gct gcc aag gag cca Leu Pro Pro Tyr Asp Asp Ala Thr Val Asn Gly Ala Ala Lys Glu Pro			1086
	295	300	305
ccg cca cct tac gtg tct gcc taa gccttcaagt gggcggagct gaggcagca Pro Pro Pro Tyr Val Ser Ala			1140
	315		
gcttgacttt gcagacatct gagcaatagt tctgttattt cacttttgcc atgagcctct			1200

-continued

```

ctgagcttgt ttgttgctga aatgctactt tttaaaattt agatgtaga ttgaaaactg 1260
tagttttcaa catatgcttt gctggaacac tgtgatagat taactgtaga attcttctg 1320
tacgattggg gatataatgg gcttcaactaa ccttccctag gcattgaaac ttcccccaaa 1380
tctgatggac ctagaagtct gcttttgtag ctgctgggcc ccaaagttgg gcatttttct 1440
ctctgttccc tctcttttga aaatgtaaaa taaaacccaaa aatagacaac tttttcttca 1500
gccattccag catagagaac aaaaccttat ggaaacagga atgtoaattg tgtaatcatt 1560
gttctaatta ggtaaataga agtccttatg tatgtgttac aagaatttcc cccacaacat 1620
cctttatgac tgaagttaa tgacagtttg tgtttggtgg taaaggattt tctccatggc 1680
ctgaattaag accattagaa agcaccaggc cgtgggagca gtgaccatct gctgactggt 1740
cttgtggatc ttgtgtccag ggacatgggg tgacatgcct cgtatgtggt agagggtgga 1800
atggatgtgt ttggcctgc atgggatctg gtgccccctct tctctggat tcacatcccc 1860
accagggcc cgcttttact aagtgttctg ccctagattg gttcaaggag gtcacccaac 1920
tgactttatc gactggaatt gggatatatt tgatatactt ctgcctaaca acatggaaaa 1980
gggttttctt ttccctgcaa gctacatcct actgctttga actccaagt atgtctagtc 2040
accttttaaa atgtaaacat tttcagaaaa atgaggattg ccttcttctg atgcgctttt 2100
taccttgact acctgaattg caagggattt ttatatattc atatgttaca aagtcagcaa 2160
ctctcctggt ggttcattat tgaatgtgct gtaaattaag ttgtttgcaa ttaaaacaag 2220
gtttgcccac aaaaaaaaaa aaaaa 2245

```

```

<210> SEQ ID NO 61
<211> LENGTH: 317
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 61

```

```

Met Thr Ser Arg Thr Arg Val Thr Trp Pro Ser Pro Pro Arg Pro Leu
1          5          10          15
Pro Val Pro Ala Ala Ala Ala Val Ala Phe Gly Ala Lys Gly Thr Asp
          20          25          30
Pro Ala Glu Ala Arg Ser Ser Arg Gly Ile Glu Glu Ala Gly Pro Arg
          35          40          45
Ala His Gly Arg Ala Gly Arg Glu Pro Glu Arg Arg Arg Ser Arg Gln
          50          55          60
Gln Arg Arg Gly Gly Leu Gln Ala Arg Arg Ser Thr Leu Leu Lys Thr
65          70          75          80
Cys Ala Arg Ala Arg Ala Thr Ala Pro Gly Ala Met Lys Met Val Ala
          85          90          95
Pro Trp Thr Arg Phe Tyr Ser Asn Ser Cys Cys Leu Cys Cys His Val
          100          105          110
Arg Thr Gly Thr Ile Leu Leu Gly Val Trp Tyr Leu Ile Ile Asn Ala
          115          120          125
Val Val Leu Leu Ile Leu Leu Ser Ala Leu Ala Asp Pro Asp Gln Tyr
          130          135          140
Asn Phe Ser Ser Ser Glu Leu Gly Gly Asp Phe Glu Phe Met Asp Asp
145          150          155          160
Ala Asn Met Cys Ile Ala Ile Ala Ile Ser Leu Leu Met Ile Leu Ile
          165          170          175

```

-continued

Cys Ala Met Ala Thr Tyr Gly Ala Tyr Lys Gln Arg Ala Ala Trp Ile
 180 185 190
 Ile Pro Phe Phe Cys Tyr Gln Ile Phe Asp Phe Ala Leu Asn Met Leu
 195 200 205
 Val Ala Ile Thr Val Leu Ile Tyr Pro Asn Ser Ile Gln Glu Tyr Ile
 210 215 220
 Arg Gln Leu Pro Pro Asn Phe Pro Tyr Arg Asp Asp Val Met Ser Val
 225 230 235 240
 Asn Pro Thr Cys Leu Val Leu Ile Ile Leu Leu Phe Ile Ser Ile Ile
 245 250 255
 Leu Thr Phe Lys Gly Tyr Leu Ile Ser Cys Val Trp Asn Cys Tyr Arg
 260 265 270
 Tyr Ile Asn Gly Arg Asn Ser Ser Asp Val Leu Val Tyr Val Thr Ser
 275 280 285
 Asn Asp Thr Thr Val Leu Leu Pro Pro Tyr Asp Asp Ala Thr Val Asn
 290 295 300
 Gly Ala Ala Lys Glu Pro Pro Pro Pro Tyr Val Ser Ala
 305 310 315

<210> SEQ ID NO 62
 <211> LENGTH: 1453
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (65)..(1057)

<400> SEQUENCE: 62

ggctgccgga gggcgggagg caggagcggg ccaggagctg ctgggctgga gcggcggcgc 60
 cgcc atg tcc gac agc gag aag ctc aac ctg gac tcg atc atc ggg cgc 109
 Met Ser Asp Ser Glu Lys Leu Asn Leu Asp Ser Ile Ile Gly Arg
 1 5 10 15
 ctg ctg gaa gtg cag ggc tcg cgg cct ggc aag aat gta cag ctg aca 157
 Leu Leu Glu Val Gln Gly Ser Arg Pro Gly Lys Asn Val Gln Leu Thr
 20 25 30
 gag aac gag atc cgc ggt ctg tgc ctg aaa tcc cgg gag att ttt ctg 205
 Glu Asn Glu Ile Arg Gly Leu Cys Leu Lys Ser Arg Glu Ile Phe Leu
 35 40 45
 agc cag ccc att ctt ctg gag ctg gag gca ccc ctc aag atc tgc ggt 253
 Ser Gln Pro Ile Leu Leu Glu Leu Glu Ala Pro Leu Lys Ile Cys Gly
 50 55 60
 gac ata cac ggc cag tac tac gac ctt ctg cga cta ttt gag tat ggc 301
 Asp Ile His Gly Gln Tyr Tyr Asp Leu Leu Arg Leu Phe Glu Tyr Gly
 65 70 75
 ggt ttc cct ccc gag agc aac tac ctc ttt ctg ggg gac tat gtg gac 349
 Gly Phe Pro Pro Glu Ser Asn Tyr Leu Phe Leu Gly Asp Tyr Val Asp
 80 85 90 95
 agg ggc aag cag tcc ttg gag acc atc tgc ctg ctg ctg gcc tat aag 397
 Arg Gly Lys Gln Ser Leu Glu Thr Ile Cys Leu Leu Leu Ala Tyr Lys
 100 105 110
 atc aag tac ccc gag aac ttc ttc ctg ctc cgt ggg aac cac gag tgt 445
 Ile Lys Tyr Pro Glu Asn Phe Phe Leu Leu Arg Gly Asn His Glu Cys
 115 120 125
 gcc agc atc aac cgc atc tat ggt ttc tac gat gag tgc aag aga cgc 493
 Ala Ser Ile Asn Arg Ile Tyr Gly Phe Tyr Asp Glu Cys Lys Arg Arg
 130 135 140

-continued

```

tac aac atc aaa ctg tgg aaa acc ttc act gac tgc ttc aac tgc ctg      541
Tyr Asn Ile Lys Leu Trp Lys Thr Phe Thr Asp Cys Phe Asn Cys Leu
   145                               150                               155

ccc atc gcg gcc ata gtg gac gaa aag atc ttc tgc tgc cac gga ggc      589
Pro Ile Ala Ala Ile Val Asp Glu Lys Ile Phe Cys Cys His Gly Gly
   160                               165                               170                               175

ctg tcc ccg gac ctg cag tct atg gag cag att cgg cgg atc atg cgg      637
Leu Ser Pro Asp Leu Gln Ser Met Glu Gln Ile Arg Arg Ile Met Arg
                               180                               185                               190

ccc aca gat gtg cct gac cag ggc ctg ctg tgt gac ctg ctg tgg tct      685
Pro Thr Asp Val Pro Asp Gln Gly Leu Leu Cys Asp Leu Leu Trp Ser
                               195                               200                               205

gac cct gac aag gac gtg cag ggc tgg ggc gag aac gac cgt ggc gtc      733
Asp Pro Asp Lys Asp Val Gln Gly Trp Gly Glu Asn Asp Arg Gly Val
   210                               215                               220

tct ttt acc ttt gga gcc gag gtg gtg gcc aag ttc ctc cac aag cac      781
Ser Phe Thr Phe Gly Ala Glu Val Val Ala Lys Phe Leu His Lys His
   225                               230                               235

gac ttg gac ctc atc tgc cga gca cac cag gtg gta gaa gac ggc tac      829
Asp Leu Asp Leu Ile Cys Arg Ala His Gln Val Val Glu Asp Gly Tyr
   240                               245                               250                               255

gag ttc ttt gcc aag cgg cag ctg gtg aca ctt ttc tca gct ccc aac      877
Glu Phe Phe Ala Lys Arg Gln Leu Val Thr Leu Phe Ser Ala Pro Asn
                               260                               265                               270

tac tgt ggc gag ttt gac aat gct ggc gcc atg atg agt gtg gac gag      925
Tyr Cys Gly Glu Phe Asp Asn Ala Gly Ala Met Met Ser Val Asp Glu
                               275                               280                               285

acc ctc atg tgc tct ttc cag atc ctc aag ccc gcc gac aag aac aag      973
Thr Leu Met Cys Ser Phe Gln Ile Leu Lys Pro Ala Asp Lys Asn Lys
   290                               295                               300

ggg aag tac ggg cag ttc agt ggc ctg aac cct gga ggc cga ccc atc     1021
Gly Lys Tyr Gly Gln Phe Ser Gly Leu Asn Pro Gly Gly Arg Pro Ile
   305                               310                               315

acc cca ccc cgc aat tcc gcc aaa gcc aag aaa tag cccccgcaca         1067
Thr Pro Pro Arg Asn Ser Ala Lys Ala Lys Lys
   320                               325                               330

ccaccctgtg cccagatga tggattgatt gtacagaaat catgctgcca tgmtggggg     1127

gggtcacccc gacccctcag gccacctgt cacggggaac atggagcctt ggtgtathtt     1187

tcttttcttt ttttaatgaa tcaatagcag cgtccagtcc cccagggctg ctctctgcct     1247

gcacctgctg tgactgtgag caggatcctg gggccgaggc tgcagctcag ggcaacggca     1307

ggccaggtcg tgggtctcca gccgtgcttg gcctcagggc tggcagccgg atcctggggc     1367

aaccatctg gtctcttgaa taaaggtcaa agctggattc tcaaaaaaaaa aaaaaaaaaa     1427
aaaaaaaaaa aaaaaaaaaa aaaaaa                                         1453

```

```

<210> SEQ ID NO 63
<211> LENGTH: 330
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

<400> SEQUENCE: 63

```

Met Ser Asp Ser Glu Lys Leu Asn Leu Asp Ser Ile Ile Gly Arg Leu
1           5           10           15

Leu Glu Val Gln Gly Ser Arg Pro Gly Lys Asn Val Gln Leu Thr Glu
                20           25           30

```

-continued

Asn Glu Ile Arg Gly Leu Cys Leu Lys Ser Arg Glu Ile Phe Leu Ser
 35 40 45

Gln Pro Ile Leu Leu Glu Leu Glu Ala Pro Leu Lys Ile Cys Gly Asp
 50 55 60

Ile His Gly Gln Tyr Tyr Asp Leu Leu Arg Leu Phe Glu Tyr Gly Gly
 65 70 75 80

Phe Pro Pro Glu Ser Asn Tyr Leu Phe Leu Gly Asp Tyr Val Asp Arg
 85 90 95

Gly Lys Gln Ser Leu Glu Thr Ile Cys Leu Leu Leu Ala Tyr Lys Ile
 100 105 110

Lys Tyr Pro Glu Asn Phe Phe Leu Leu Arg Gly Asn His Glu Cys Ala
 115 120 125

Ser Ile Asn Arg Ile Tyr Gly Phe Tyr Asp Glu Cys Lys Arg Arg Tyr
 130 135 140

Asn Ile Lys Leu Trp Lys Thr Phe Thr Asp Cys Phe Asn Cys Leu Pro
 145 150 155 160

Ile Ala Ala Ile Val Asp Glu Lys Ile Phe Cys Cys His Gly Gly Leu
 165 170 175

Ser Pro Asp Leu Gln Ser Met Glu Gln Ile Arg Arg Ile Met Arg Pro
 180 185 190

Thr Asp Val Pro Asp Gln Gly Leu Leu Cys Asp Leu Leu Trp Ser Asp
 195 200 205

Pro Asp Lys Asp Val Gln Gly Trp Gly Glu Asn Asp Arg Gly Val Ser
 210 215 220

Phe Thr Phe Gly Ala Glu Val Val Ala Lys Phe Leu His Lys His Asp
 225 230 235 240

Leu Asp Leu Ile Cys Arg Ala His Gln Val Val Glu Asp Gly Tyr Glu
 245 250 255

Phe Phe Ala Lys Arg Gln Leu Val Thr Leu Phe Ser Ala Pro Asn Tyr
 260 265 270

Cys Gly Glu Phe Asp Asn Ala Gly Ala Met Met Ser Val Asp Glu Thr
 275 280 285

Leu Met Cys Ser Phe Gln Ile Leu Lys Pro Ala Asp Lys Asn Lys Gly
 290 295 300

Lys Tyr Gly Gln Phe Ser Gly Leu Asn Pro Gly Gly Arg Pro Ile Thr
 305 310 315 320

Pro Pro Arg Asn Ser Ala Lys Ala Lys Lys
 325 330

<210> SEQ ID NO 64
 <211> LENGTH: 1591
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (44)..(814)

<400> SEQUENCE: 64

ccctgcgctct ctgcccgccc cgtggcgccc gactgcactg aag atg gcg gct gct 55
 Met Ala Ala Ala
 1

gta gga cgg ttg ctc cga gcg tcg gtt gcc cga cat gtg agt gcc att 103
 Val Gly Arg Leu Leu Arg Ala Ser Val Ala Arg His Val Ser Ala Ile
 5 10 15 20

-continued

cct tgg ggc att tct gcc act gca gcc ctc agg cct gct gca tgt gga	151
Pro Trp Gly Ile Ser Ala Thr Ala Ala Leu Arg Pro Ala Ala Cys Gly	
25 30 35	
aga acg agc ttg aca aat tta ttg tgt tct ggt tcc agt caa gca aaa	199
Arg Thr Ser Leu Thr Asn Leu Leu Cys Ser Gly Ser Ser Gln Ala Lys	
40 45 50	
tta ttc agc acc agt tcc tca tgc cat gca cct gct gtc acc cag cat	247
Leu Phe Ser Thr Ser Ser Ser Cys His Ala Pro Ala Val Thr Gln His	
55 60 65	
gca ccc tat ttt aag ggt aca gcc gtt gtc aat gga gag ttc aaa gac	295
Ala Pro Tyr Phe Lys Gly Thr Ala Val Val Asn Gly Glu Phe Lys Asp	
70 75 80	
cta agc ctt gat gac ttt aag ggg aaa tat ttg gtg ctt ttc ttc tat	343
Leu Ser Leu Asp Asp Phe Lys Gly Lys Tyr Leu Val Leu Phe Phe Tyr	
85 90 95 100	
cct ttg gat ttc acc ttt gtg tgt cct aca gaa att gtt gct ttt agt	391
Pro Leu Asp Phe Thr Phe Val Cys Pro Thr Glu Ile Val Ala Phe Ser	
105 110 115	
gac aaa gct aac gaa ttt cac gac gtg aac tgt gaa gtt gtc gca gtc	439
Asp Lys Ala Asn Glu Phe His Asp Val Asn Cys Glu Val Val Ala Val	
120 125 130	
tca gtg gat tcc cac ttt agc cat ctt gcc tgg ata aat aca cca agg	487
Ser Val Asp Ser His Phe Ser His Leu Ala Trp Ile Asn Thr Pro Arg	
135 140 145	
aag aat ggt ggt ttg gcc cac atg aac atc gca ctc ttg tca gac tta	535
Lys Asn Gly Gly Leu Gly His Met Asn Ile Ala Leu Leu Ser Asp Leu	
150 155 160	
act aag cag att tcc cga gac tac ggt gtg ctg tta gaa ggt tct ggt	583
Thr Lys Gln Ile Ser Arg Asp Tyr Gly Val Leu Leu Glu Gly Ser Gly	
165 170 175 180	
ctt gca cta aga ggt ctc ttc ata att gac ccc aat gga gtc atc aag	631
Leu Ala Leu Arg Gly Leu Phe Ile Ile Asp Pro Asn Gly Val Ile Lys	
185 190 195	
cat ttg agc gtc aac gat ctc cca gtg ggc cga agc gtg gaa gaa acc	679
His Leu Ser Val Asn Asp Leu Pro Val Gly Arg Ser Val Glu Glu Thr	
200 205 210	
ctc cgc ttg gtg aag gcg ttc cag tat gta gaa aca cat gga gaa gtc	727
Leu Arg Leu Val Lys Ala Phe Gln Tyr Val Glu Thr His Gly Glu Val	
215 220 225	
tgc cca gcg aac tgg aca ccg gat tct cct acg atc aag cca agt cca	775
Cys Pro Ala Asn Trp Thr Pro Asp Ser Pro Thr Ile Lys Pro Ser Pro	
230 235 240	
gct gct tcc aaa gag tac ttt cag aag gta aat cag tag atcaccatg	824
Ala Ala Ser Lys Glu Tyr Phe Gln Lys Val Asn Gln	
245 250 255	
tgtatctgca ccttctcaac tgagagaaga accacagttg aaacctgctt ttatcatttt	884
caagatgggt atttgtagaa ggcaaggaac caattatgct tgtattcata agtattactc	944
taaatgtttt gtttttgtaa ttctggctaa gaccttttaa acatgggttag ttgctagtac	1004
aaggaatcct ttattggtaa catcttggtg gctggctagc tagttttctac agaacataat	1064
ttgcctctat agaaggctat tcttagatca tgtctcaatg gaaacactct tctttcttag	1124
ccttacttga atcttgccata taataaagta gagcaacaca cattgaaagc ttctgatcaa	1184
cggctcctgaa attttcatct tgaatgtctt tgtattaaac tgaattttct ttttaagctaa	1244
caaagatcat aattttcaat gattagccgt gtaactcctg caatgaatgt ttatgtgatt	1304

-continued

```

gaagcaaatg tgaatcgtat tattttaaaa agtggcagag tgacttaact gatcatgcat 1364
gatccctcat ccttgaatt gagtttatgt agtcatttta cttattttat tcattagcta 1424
actttgtcta tgtatatttc tagatattga ttagtgtaat cgattataaa ggatatttat 1484
caaatccagg gattgcattt tgaattata attattttct ttgctgaagt attcattgta 1544
aaacatacaa aataaacata ttttaaaaca ttgcattht accacca 1591

```

```

<210> SEQ ID NO 65
<211> LENGTH: 256
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 65

```

```

Met Ala Ala Ala Val Gly Arg Leu Leu Arg Ala Ser Val Ala Arg His
1           5           10           15
Val Ser Ala Ile Pro Trp Gly Ile Ser Ala Thr Ala Ala Leu Arg Pro
20          25          30
Ala Ala Cys Gly Arg Thr Ser Leu Thr Asn Leu Leu Cys Ser Gly Ser
35          40          45
Ser Gln Ala Lys Leu Phe Ser Thr Ser Ser Ser Cys His Ala Pro Ala
50          55          60
Val Thr Gln His Ala Pro Tyr Phe Lys Gly Thr Ala Val Val Asn Gly
65          70          75          80
Glu Phe Lys Asp Leu Ser Leu Asp Asp Phe Lys Gly Lys Tyr Leu Val
85          90          95
Leu Phe Phe Tyr Pro Leu Asp Phe Thr Phe Val Cys Pro Thr Glu Ile
100         105         110
Val Ala Phe Ser Asp Lys Ala Asn Glu Phe His Asp Val Asn Cys Glu
115         120         125
Val Val Ala Val Ser Val Asp Ser His Phe Ser His Leu Ala Trp Ile
130         135         140
Asn Thr Pro Arg Lys Asn Gly Gly Leu Gly His Met Asn Ile Ala Leu
145         150         155         160
Leu Ser Asp Leu Thr Lys Gln Ile Ser Arg Asp Tyr Gly Val Leu Leu
165         170         175
Glu Gly Ser Gly Leu Ala Leu Arg Gly Leu Phe Ile Ile Asp Pro Asn
180         185         190
Gly Val Ile Lys His Leu Ser Val Asn Asp Leu Pro Val Gly Arg Ser
195         200         205
Val Glu Glu Thr Leu Arg Leu Val Lys Ala Phe Gln Tyr Val Glu Thr
210         215         220
His Gly Glu Val Cys Pro Ala Asn Trp Thr Pro Asp Ser Pro Thr Ile
225         230         235         240
Lys Pro Ser Pro Ala Ala Ser Lys Glu Tyr Phe Gln Lys Val Asn Gln
245         250         255

```

```

<210> SEQ ID NO 66
<211> LENGTH: 1224
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (70)..(1041)

```

-continued

<400> SEQUENCE: 66

```

gccccattggt tttgtaatct ctgaggagaa gcagcagcaa acatttgcta gtcagacaag      60
tgacagggga atg gat tcc aaa cac cag tgt gta aag cta aat gat ggc cac      111
      Met Asp Ser Lys His Gln Cys Val Lys Leu Asn Asp Gly His
      1          5          10
ttc atg cct gta ttg gga ttt ggc acc tat gca cct cca gag gtt ccg      159
Phe Met Pro Val Leu Gly Phe Gly Thr Tyr Ala Pro Pro Glu Val Pro
15          20          25          30
aga agt aaa gct ttg gag gtc aca aaa tta gca ata gaa gct ggg ttc      207
Arg Ser Lys Ala Leu Glu Val Thr Lys Leu Ala Ile Glu Ala Gly Phe
          35          40          45
cgc cat ata gat tct gct cat tta tac aat aat gag gag cag gtt gga      255
Arg His Ile Asp Ser Ala His Leu Tyr Asn Asn Glu Glu Gln Val Gly
          50          55          60
ctg gcc atc cga agc aag att gca gat ggc agt gtg aag aga gaa gac      303
Leu Ala Ile Arg Ser Lys Ile Ala Asp Gly Ser Val Lys Arg Glu Asp
      65          70          75
ata ttc tac act tca aag ctt tgg tcc act ttt cat cga cca gag ttg      351
Ile Phe Tyr Thr Ser Lys Leu Trp Ser Thr Phe His Arg Pro Glu Leu
      80          85          90
gtc cga cca gcc ttg gaa aac tca ctg aag aaa gct caa ttg gac tat      399
Val Arg Pro Ala Leu Glu Asn Ser Leu Lys Lys Ala Gln Leu Asp Tyr
95          100          105          110
gtt gac ctc tat ctt att cat tct cca atg tct cta aag cca ggt gag      447
Val Asp Leu Tyr Leu Ile His Ser Pro Met Ser Leu Lys Pro Gly Glu
          115          120          125
gaa ctt tca cca aca gat gaa aat gga aaa gta ata ttt gac ata gtg      495
Glu Leu Ser Pro Thr Asp Glu Asn Gly Lys Val Ile Phe Asp Ile Val
          130          135          140
gat ctc tgt acc acc tgg gag gcc atg gag aag tgt aag gat gca gga      543
Asp Leu Cys Thr Thr Trp Glu Ala Met Glu Lys Cys Lys Asp Ala Gly
          145          150          155
ttg gcc aag tcc att ggg gtg tca aac ttc aac cgc agg cag ctg gag      591
Leu Ala Lys Ser Ile Gly Val Ser Asn Phe Asn Arg Arg Gln Leu Glu
160          165          170
atg atc ctc aac aag cca gga ctc aag tac aag cct gtc tgc aac cag      639
Met Ile Leu Asn Lys Pro Gly Leu Lys Tyr Lys Pro Val Cys Asn Gln
175          180          185          190
gta gaa tgt cat ccg tat ttc aac cgg agt aaa ttg cta gat ttc tgc      687
Val Glu Cys His Pro Tyr Phe Asn Arg Ser Lys Leu Leu Asp Phe Cys
          195          200          205
aag tcg aaa gat att gtt ctg gtt gcc tat agt gct ctg gga tct caa      735
Lys Ser Lys Asp Ile Val Leu Val Ala Tyr Ser Ala Leu Gly Ser Gln
          210          215          220
cga gac aaa cga tgg gtg gac ccg aac tcc ccg gtg ctc ttg gag gac      783
Arg Asp Lys Arg Trp Val Asp Pro Asn Ser Pro Val Leu Leu Glu Asp
          225          230          235
cca gtc ctt tgt gcc ttg gca aaa aag cac aag cga acc cca gcc ctg      831
Pro Val Leu Cys Ala Leu Ala Lys Lys His Lys Arg Thr Pro Ala Leu
240          245          250
att gcc ctg cgc tac cag ctg cag cgt ggg gtt gtg gtc ctg gcc aag      879
Ile Ala Leu Arg Tyr Gln Leu Gln Arg Gly Val Val Val Leu Ala Lys
255          260          265          270
agc tac aat gag cag cgc atc aga cag aac gtg cag gtt ttt gag ttc      927
Ser Tyr Asn Glu Gln Arg Ile Arg Gln Asn Val Gln Val Phe Glu Phe
          275          280          285

```

-continued

```

cag ttg act gca gag gac atg aaa gcc ata gat ggc cta gac aga aat      975
Gln Leu Thr Ala Glu Asp Met Lys Ala Ile Asp Gly Leu Asp Arg Asn
      290                295                300

ctc cac tat ttt aac agt gat agt ttt gct agc cac cct aat tat cca      1023
Leu His Tyr Phe Asn Ser Asp Ser Phe Ala Ser His Pro Asn Tyr Pro
      305                310                315

tat tca gat gaa tat taa catggagggc tttgcctgat gtctaccaga          1071
Tyr Ser Asp Glu Tyr
      320

agccctgtgt gtggatggtg acgcagagga cgtctctatg cgggtgactg gacatatcac    1131
ctctacttaa atccgtcctg tttagcgact tcagtcaact acagctgagt ccataggcca    1191
gaaagacaat aaatTTTTat cattttgaaa taa                                1224

<210> SEQ ID NO 67
<211> LENGTH: 323
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 67

Met Asp Ser Lys His Gln Cys Val Lys Leu Asn Asp Gly His Phe Met
1          5          10          15

Pro Val Leu Gly Phe Gly Thr Tyr Ala Pro Pro Glu Val Pro Arg Ser
      20          25          30

Lys Ala Leu Glu Val Thr Lys Leu Ala Ile Glu Ala Gly Phe Arg His
      35          40          45

Ile Asp Ser Ala His Leu Tyr Asn Asn Glu Glu Gln Val Gly Leu Ala
      50          55          60

Ile Arg Ser Lys Ile Ala Asp Gly Ser Val Lys Arg Glu Asp Ile Phe
      65          70          75          80

Tyr Thr Ser Lys Leu Trp Ser Thr Phe His Arg Pro Glu Leu Val Arg
      85          90          95

Pro Ala Leu Glu Asn Ser Leu Lys Lys Ala Gln Leu Asp Tyr Val Asp
      100         105         110

Leu Tyr Leu Ile His Ser Pro Met Ser Leu Lys Pro Gly Glu Glu Leu
      115         120         125

Ser Pro Thr Asp Glu Asn Gly Lys Val Ile Phe Asp Ile Val Asp Leu
      130         135         140

Cys Thr Thr Trp Glu Ala Met Glu Lys Cys Lys Asp Ala Gly Leu Ala
      145         150         155         160

Lys Ser Ile Gly Val Ser Asn Phe Asn Arg Arg Gln Leu Glu Met Ile
      165         170         175

Leu Asn Lys Pro Gly Leu Lys Tyr Lys Pro Val Cys Asn Gln Val Glu
      180         185         190

Cys His Pro Tyr Phe Asn Arg Ser Lys Leu Leu Asp Phe Cys Lys Ser
      195         200         205

Lys Asp Ile Val Leu Val Ala Tyr Ser Ala Leu Gly Ser Gln Arg Asp
      210         215         220

Lys Arg Trp Val Asp Pro Asn Ser Pro Val Leu Leu Glu Asp Pro Val
      225         230         235         240

Leu Cys Ala Leu Ala Lys Lys His Lys Arg Thr Pro Ala Leu Ile Ala
      245         250         255

Leu Arg Tyr Gln Leu Gln Arg Gly Val Val Val Leu Ala Lys Ser Tyr
      260         265         270

```

-continued

```

Asn Glu Gln Arg Ile Arg Gln Asn Val Gln Val Phe Glu Phe Gln Leu
    275                               280                               285

Thr Ala Glu Asp Met Lys Ala Ile Asp Gly Leu Asp Arg Asn Leu His
    290                               295                               300

Tyr Phe Asn Ser Asp Ser Phe Ala Ser His Pro Asn Tyr Pro Tyr Ser
    305                               310                               315                               320

Asp Glu Tyr

<210> SEQ ID NO 68
<211> LENGTH: 1715
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (37)..(591)

<400> SEQUENCE: 68

ccgtgctctg cctcctgtgt tccagggact ttgaac atg tgc ggg atc gcc ctc      54
                                         Met Ser Gly Ile Ala Leu
                                         1                               5

agc aga ctc gcc cag gag agg aaa gca tgg agg aaa gac cac cca ttt      102
Ser Arg Leu Ala Gln Glu Arg Lys Ala Trp Arg Lys Asp His Pro Phe
    10                               15                               20

ggg ttc gtg gct gtc cca aca aaa aat ccc gat ggc acg atg aac ctc      150
Gly Phe Val Ala Val Pro Thr Lys Asn Pro Asp Gly Thr Met Asn Leu
    25                               30                               35

atg aac tgg gag tgc gcc att cca gga aag aaa ggg act ccg tgg gaa      198
Met Asn Trp Glu Cys Ala Ile Pro Gly Lys Lys Gly Thr Pro Trp Glu
    40                               45                               50

gga ggc ttg ttt aaa cta cgg atg ctt ttc aaa gat gat tat cca tct      246
Gly Gly Leu Phe Lys Leu Arg Met Leu Phe Lys Asp Asp Tyr Pro Ser
    55                               60                               65                               70

tcg cca cca aaa tgt aaa ttc gaa cca cca tta ttt cac ccg aat gtg      294
Ser Pro Pro Lys Cys Lys Phe Glu Pro Pro Leu Phe His Pro Asn Val
    75                               80                               85

tac cct tcg ggg aca gtg tgc ctg tcc atc tta gag gag gac aag gac      342
Tyr Pro Ser Gly Thr Val Cys Leu Ser Ile Leu Glu Glu Asp Lys Asp
    90                               95                               100

tgg agg cca gcc atc aca atc aaa cag atc cta tta gga ata cag gaa      390
Trp Arg Pro Ala Ile Thr Ile Lys Gln Ile Leu Leu Gly Ile Gln Glu
    105                               110                               115

ctt cta aat gaa cca aat atc caa gac cca gct caa gca gag gcc tac      438
Leu Leu Asn Glu Pro Asn Ile Gln Asp Pro Ala Gln Ala Glu Ala Tyr
    120                               125                               130

acg att tac tgg tta gta gca gcc ctg gcc ccg ctg gtg gca gct cct      486
Thr Ile Tyr Trp Leu Val Ala Ala Leu Ala Pro Leu Val Ala Ala Pro
    135                               140                               145                               150

ccc cgt ccc agc caa ggc cgc ctg gca gga cgg gag tgg agc aca cag      534
Pro Arg Pro Ser Gln Gly Arg Leu Ala Gly Arg Glu Trp Ser Thr Gln
    155                               160                               165

gct cac cct agg gac agc cag ggt ccg cgc ctc tgt ggg gaa ggt cgg      582
Ala His Pro Arg Asp Ser Gln Gly Pro Arg Leu Cys Gly Glu Gly Arg
    170                               175                               180

ggg gca taa accctgtggg cagcaggcac cggtgcacac cgtctgcggt      631
Gly Ala

gggcattgcat ggcgccggag ccgtgtccag gggaggggagc aggccaggtg acaggggctg      691
    
```

-continued

```

tcttgggcca ctgccccagt gagttgtggc cagctaggag ggaagacc ctggcgctgg 751
gtgccagagg aggccatgct gagaggcctc tccaccggct cagcctcccg tggaccccag 811
cctcccgcgc cgcccctgct gcttgtcccc atcccctcta caacttggtt ccttctgtgg 871
ggggggccag cccagcaggg ctcagtgaac tgatgctgac acacggacc tgggcttcca 931
ccctgtccct gtgaggtgct gctgtggcta gaagggtccc cgtgggctg gggctctgtc 991
tgcaccgagg agggcctggt gtgagttagg atgcagacga cagccaaaca gtgctgggga 1051
aagcaggagg gaccctgccc tgagcagagg ccatgcgccc gctgtcctg ttcctctgctc 1111
agctgttctg ggcaggctca taagaagggt ggttggggcc tccgacccc actgctccgc 1171
ctgcagggtt gagaaccca gcccctctc accacgggtc cccacacctc tgaggaggctc 1231
tcaggggccc caatggccag ggaccagaa ggctcacctg cagccacccc acacatccct 1291
gccactgtgg gcacagagg cctctcctc ccagggtgca tctctgtgctc aggagggggg 1351
aggcccgggt gccttaggcc cggcctgcac aggtcgtgag gaaaagcacc tggtttcggc 1411
cgggcgcggt ggctcacgct tgtaatccca gcactttggg aggcagagggt gggcgaatca 1471
tgcggtcagg agttcagac cagcctggcc aacatggcga aacctcgtc cctactaaaa 1531
atacaaaaaa ttagtgggc gtagtgggtg gtgcctctaa tccagctac ctgggaggct 1591
gagacaggag aatcacttga acccgggagg cggaggttgc agtgagccga gatcctgcca 1651
ctgctctcca gctggcgac ggaggaatgc tgtctcaaaa aaaaaaaaaa aaaaaaaaaa 1711
aaaa 1715

```

```

<210> SEQ ID NO 69
<211> LENGTH: 184
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 69

```

```

Met Ser Gly Ile Ala Leu Ser Arg Leu Ala Gln Glu Arg Lys Ala Trp
1           5           10           15
Arg Lys Asp His Pro Phe Gly Phe Val Ala Val Pro Thr Lys Asn Pro
                20           25           30
Asp Gly Thr Met Asn Leu Met Asn Trp Glu Cys Ala Ile Pro Gly Lys
                35           40           45
Lys Gly Thr Pro Trp Glu Gly Gly Leu Phe Lys Leu Arg Met Leu Phe
                50           55           60
Lys Asp Asp Tyr Pro Ser Ser Pro Pro Lys Cys Lys Phe Glu Pro Pro
65           70           75           80
Leu Phe His Pro Asn Val Tyr Pro Ser Gly Thr Val Cys Leu Ser Ile
                85           90           95
Leu Glu Glu Asp Lys Asp Trp Arg Pro Ala Ile Thr Ile Lys Gln Ile
                100          105          110
Leu Leu Gly Ile Gln Glu Leu Leu Asn Glu Pro Asn Ile Gln Asp Pro
                115          120          125
Ala Gln Ala Glu Ala Tyr Thr Ile Tyr Trp Leu Val Ala Ala Leu Ala
130          135          140
Pro Leu Val Ala Ala Pro Pro Arg Pro Ser Gln Gly Arg Leu Ala Gly
145          150          155          160
Arg Glu Trp Ser Thr Gln Ala His Pro Arg Asp Ser Gln Gly Pro Arg
                165          170          175

```

-continued

Leu Cys Gly Glu Gly Arg Gly Ala
180

<210> SEQ ID NO 70

<211> LENGTH: 1327

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<220> FEATURE:

<221> NAME/KEY: CDS

<222> LOCATION: (100)..(966)

<400> SEQUENCE: 70

ctctctccg cgcgggggcg gctccgcgcc acgtgactcc gggccgggc cgggacgca 60

cgggacgcbc tgggaccggc gtcggggggtc gcggggacc atg cag cgg agg tgg 114
Met Gln Arg Arg Trp
1 5

gtc ttc gtg ctg ctc gac gtg ctg tgc tta ctg gtc gcc tcc ctg ccc 162
Val Phe Val Leu Leu Asp Val Leu Cys Leu Leu Val Ala Ser Leu Pro
10 15 20

ttc gct atc ctg acg ctg gtg aac gcc ccg tac aag cga gga ttt tac 210
Phe Ala Ile Leu Thr Leu Val Asn Ala Pro Tyr Lys Arg Gly Phe Tyr
25 30 35

tgc ggg gat gac tcc atc cgg tac ccc tac cgt cca gat acc atc acc 258
Cys Gly Asp Asp Ser Ile Arg Tyr Pro Tyr Arg Pro Asp Thr Ile Thr
40 45 50

cac ggg ctc atg gct ggg gtc acc atc acg gcc acc gtc atc ctt gtc 306
His Gly Leu Met Ala Gly Val Thr Ile Thr Ala Thr Val Ile Leu Val
55 60 65

tgc gcc ggg gaa gcc tac ctg gtg tac aca gac cgg ctc tat tct cgc 354
Ser Ala Gly Glu Ala Tyr Leu Val Tyr Thr Asp Arg Leu Tyr Ser Arg
70 75 80 85

tgc gac ttc aac aac tac gtg gct gct gta tac aag gtg ctg ggg acc 402
Ser Asp Phe Asn Asn Tyr Val Ala Ala Val Tyr Lys Val Leu Gly Thr
90 95 100

ttc ctg ttt ggg gct gcc gtg agc cag tct ctg aca gac ctg gcc aag 450
Phe Leu Phe Gly Ala Ala Val Ser Gln Ser Leu Thr Asp Leu Ala Lys
105 110 115

tac atg att ggg cgt ctg agg ccc aac ttc cta gcc gtc tgc gac ccc 498
Tyr Met Ile Gly Arg Leu Arg Pro Asn Phe Leu Ala Val Cys Asp Pro
120 125 130

gac tgg agc cgg gtc aac tgc tgc gtc tat gtg cag ctg gag aag gtg 546
Asp Trp Ser Arg Val Asn Cys Ser Val Tyr Val Gln Leu Glu Lys Val
135 140 145

tgc agg gga aac cct gct gat gtc acc gag gcc agg ttg tct ttc tac 594
Cys Arg Gly Asn Pro Ala Asp Val Thr Glu Ala Arg Leu Ser Phe Tyr
150 155 160 165

tgc gga cac tct tcc ttt ggg atg tac tgc atg gtg ttc ttg gcg ctg 642
Ser Gly His Ser Ser Phe Gly Met Tyr Cys Met Val Phe Leu Ala Leu
170 175 180

tat gtg cag gca cga ctc tgt tgg aag tgg gca cgg ctg ctg cga ccc 690
Tyr Val Gln Ala Arg Leu Cys Trp Lys Trp Ala Arg Leu Leu Arg Pro
185 190 195

aca gtc cag ttc ttc ctg gtg gcc ttt gcc ctc tac gtg ggc tac acc 738
Thr Val Gln Phe Phe Leu Val Ala Phe Ala Leu Tyr Val Gly Tyr Thr
200 205 210

cgc gtg tct gat tac aaa cac cac tgg agc gat gtc ctt gtt ggc ctc 786
Arg Val Ser Asp Tyr Lys His His Trp Ser Asp Val Leu Val Gly Leu
215 220 225

-continued

```

ctg cag ggg gca ctg gtg gct gcc ctc act gtc tgc tac atc tca gac      834
Leu Gln Gly Ala Leu Val Ala Ala Leu Thr Val Cys Tyr Ile Ser Asp
230                235                240                245

ttc ttc aaa gcc cga ccc cca cag cac tgt ctg aag gag gag gag ctg      882
Phe Phe Lys Ala Arg Pro Pro Gln His Cys Leu Lys Glu Glu Glu Leu
                250                255                260

gaa cgg aag ccc agc ctg tca ctg acg ttg acc ctg ggc gag gct gac      930
Glu Arg Lys Pro Ser Leu Ser Leu Thr Leu Thr Leu Gly Glu Ala Asp
                265                270                275

cac aac cac tat gga tac ccg cac tcc tcc tcc tga ggccggacc      976
His Asn His Tyr Gly Tyr Pro His Ser Ser Ser
                280                285

cgcccaggca gggagctgct gtgagtcag ctgaggccca cccaggtggt ccctccagcc 1036

ctggttaggc actgagggct ctggacgggc tccaggaacc ctgggctgat gggagcagtg 1096

agegggctcc gctgccccct gccctgcact ggaccaggag tctggagatg cctgggtagc 1156

cctcagcatt tggaggggaa cctgttcccc tgggtcccca aatatccct tctttttatg 1216

gggttaagga agggaccgag agatcagata gttgctgttt tgtaaaatgt aatgtatatg 1276

tggtttttag taaaataggg cacctgtttc aaaaaaaaa aaaaaaaaa a      1327

```

<210> SEQ ID NO 71

<211> LENGTH: 288

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 71

```

Met Gln Arg Arg Trp Val Phe Val Leu Leu Asp Val Leu Cys Leu Leu
1          5          10          15

Val Ala Ser Leu Pro Phe Ala Ile Leu Thr Leu Val Asn Ala Pro Tyr
                20          25          30

Lys Arg Gly Phe Tyr Cys Gly Asp Asp Ser Ile Arg Tyr Pro Tyr Arg
                35          40          45

Pro Asp Thr Ile Thr His Gly Leu Met Ala Gly Val Thr Ile Thr Ala
                50          55          60

Thr Val Ile Leu Val Ser Ala Gly Glu Ala Tyr Leu Val Tyr Thr Asp
65          70          75          80

Arg Leu Tyr Ser Arg Ser Asp Phe Asn Asn Tyr Val Ala Ala Val Tyr
                85          90          95

Lys Val Leu Gly Thr Phe Leu Phe Gly Ala Ala Val Ser Gln Ser Leu
                100         105         110

Thr Asp Leu Ala Lys Tyr Met Ile Gly Arg Leu Arg Pro Asn Phe Leu
                115         120         125

Ala Val Cys Asp Pro Asp Trp Ser Arg Val Asn Cys Ser Val Tyr Val
                130         135         140

Gln Leu Glu Lys Val Cys Arg Gly Asn Pro Ala Asp Val Thr Glu Ala
145          150          155          160

Arg Leu Ser Phe Tyr Ser Gly His Ser Ser Phe Gly Met Tyr Cys Met
                165         170         175

Val Phe Leu Ala Leu Tyr Val Gln Ala Arg Leu Cys Trp Lys Trp Ala
                180         185         190

Arg Leu Leu Arg Pro Thr Val Gln Phe Phe Leu Val Ala Phe Ala Leu
                195         200         205

```

-continued

Tyr Val Gly Tyr Thr Arg Val Ser Asp Tyr Lys His His Trp Ser Asp
 210 215 220

Val Leu Val Gly Leu Leu Gln Gly Ala Leu Val Ala Ala Leu Thr Val
 225 230 235 240

Cys Tyr Ile Ser Asp Phe Phe Lys Ala Arg Pro Pro Gln His Cys Leu
 245 250 255

Lys Glu Glu Glu Leu Glu Arg Lys Pro Ser Leu Ser Leu Thr Leu Thr
 260 265 270

Leu Gly Glu Ala Asp His Asn His Tyr Gly Tyr Pro His Ser Ser Ser
 275 280 285

<210> SEQ ID NO 72
 <211> LENGTH: 2980
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens
 <220> FEATURE:
 <221> NAME/KEY: CDS
 <222> LOCATION: (274)..(519)
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <222> LOCATION: (2974)..(2974)
 <223> OTHER INFORMATION: n = a, t, g or c

<400> SEQUENCE: 72

ggccgctcct gctgctgcta ctgccgccgc cgcagcggct gctcgggctg agcacgcccc 60

ggaacaggcc gccgcgcgct gcgcgccgga cccgctgccc ctgccggccc gcccgggctc 120

ggcggcccag ggaccgacag acttgacaac ggtgacagca ctggggcggc accttcctac 180

ttctgcccag ccacagccct cccctcacag ttgagcacct gtttgcctga agttaatttc 240

cagaagcagg agtccccaga gccaggcagg ggg atg aac cgc gag gga gct ccc 294
 Met Asn Arg Glu Gly Ala Pro
 1 5

ggg aag agt ccg gag gag atg tac att cag cag aag gtc cga gtg ctg 342
 Gly Lys Ser Pro Glu Glu Met Tyr Ile Gln Gln Lys Val Arg Val Leu
 10 15 20

ctc atg ctg cgg aag atg gga tca aac ctg aca gcc agc gag gag gag 390
 Leu Met Leu Arg Lys Met Gly Ser Asn Leu Thr Ala Ser Glu Glu Glu
 25 30 35

ttc ctg cgc acc tat gca ggg gtg gtc aac agc cag ctc agc cag ctg 438
 Phe Leu Arg Thr Tyr Ala Gly Val Val Asn Ser Gln Leu Ser Gln Leu
 40 45 50 55

cct ccg cac tcc atc gac cag ggt gca gag gac gtg gtg atg gcg ttt 486
 Pro Pro His Ser Ile Asp Gln Gly Ala Glu Asp Val Val Met Ala Phe
 60 65 70

tcc agg tcg gag acg gaa gac cgg agg cag tag ctgcaaagcc cttggaacac 539
 Ser Arg Ser Glu Thr Glu Asp Arg Arg Gln
 75 80

cctggatgct gttgaagggc caagagatct gtgtggctcc tgggccggct gaatggcagc 599

agccccctt gccccacctc ccccttccct acccaacctt gccctgcccc accccacctc 659

acagctactc agtggggctg gcatcaaggg agacaccagt ggtgcgttta taattggctt 719

aaagggatgg acttgtgatt ggctgcagga agaaactttt ttatttttta aatcttgacc 779

aacagaaaacc tttttttttt atttctgact cttatttttt aaaaaatttg cgectcggtg 839

tctggcttcc ctggaagetc tccgagctct ggtgctttag ttaggtcatt tttttagaaa 899

tgtgaagagg tctgattggc tgcttaaac ggaaagggac tgtgattggc tggttaatgg 959

-continued

```

gaaacggttt tttctttgg ctgcagggtg tctgctgata tcaacagctt ccctattttg 1019
aatgcagaaa acagggctcg ggacattagt cgttatattt gacttgaaaa gaaagaaacc 1079
aagtgcgctt tgcaatattt attacacaaa gaacttgctg ctgccttcac atttgggggt 1139
tgtgtttgat tggctttcga tgcgtgtgtt tggtttccca ttggttcacc tgtgactcct 1199
gttgccatgg attcaccccc ctctgctgcc ggctctgggc ctgaggggtcc acctggagag 1259
tacatttget ttaatgagtg cacctgcctc caccagcaag gggaccccga gaaccctgag 1319
caggggccac agctggaaa gttggcccct gaggagcttt gtgtcgtctt gaacgagcag 1379
cccagggcct agaggtaac gttaggcggg atttatgtgc actgcctgca tgagctggca 1439
accagccagc gtcccttggg gagaaggga ttgctgaggc accgtccagg ccccaccggc 1499
caggcccgcc ccagcagagg cgtactaccc agctctgtcc tcttggccat ccttctgtgt 1559
accacttctt gaggcctcat tttgggggtc atcttgaaa ggggaggagc ttctcccagt 1619
gtgagacccc aaagactctg gaggtcatct gccggaggtc tctgggagcc cagaaccac 1679
ataaaagccc cagcttggct cacaaggccc aggagacctc cagctaaaca ccaaccctg 1739
acctacccca gccaggtccc tacctgtctg ctgccagcac agtaggtccc gccagctct 1799
ggagttctct catcgaggc ccatgccctc cactccactg ccttggaa ggtctctctc 1859
caggtcagcc tggaaaggac agtatcgttt gtttatgaaa tgccactggg acagctggct 1919
gggccttcac caagcaagtc ccttcagact ggcccttaag ccaaactcag gcccagaat 1979
gcagttcaga atggcagctc tggaggcagg gggtgagggg caggtctagt gttcctgcac 2039
caaacctaag tctctccacc tgccaccccc tctcctggga gggagggtgt cctcctatct 2099
ccctggctca ctggcagggtg tgggatctgg ggagagcggc tggagaaaga tgcagtcctc 2159
aggaaagggg ccgccacctc cccctatgct ggtatagctc gaggccccta ggtgccagg 2219
gccagtggga ccctctcaga accaaatctt tcccctttct cggggcttgg ggctcgggccc 2279
gtaggggctc ctgagtgctc tgaagtgcac aggagccaaa tgaccgagcc ctggagagcc 2339
ccatggtggg taggtggttc gtgctgtgct ctggcaccat cagcctgttc cagaaggagg 2399
attcgagcat caggctaaga ccctgtgtcc tccaccatgc actcaccctc agccctggtt 2459
agctgacagt cagctgtggg gaacacagct acaaccctac cctggcaggg acctgagagc 2519
atctcaggag gggcagcgca tgtgtgcatg tgctgtgtga gtgagcacac cctgtgtcac 2579
actcatacac atgtgcacac acacgcactc tccccgctca ggggectgga ggtctggctg 2639
agcccctggg gaaaggtgag ttcttctcacc tccctcctcc aggtcggagt gcctggagtc 2699
agggtgctgag gccacattgc tggctgcccc ctctttgtag ctctataaa gggcccacac 2759
ctggtggata cctggttgag cgtgtgtgtc ctgccccagc ctgtccttgt cactatcaca 2819
ggccttgcct ttgtaacaat gatgaccccc gcctgtctca tcttctgaag aggaaaagtc 2879
aaagtgttgc tgtggctcca tatttcaact aaaaatata ctgttgagaa aagaaattaa 2939
caataaagaa ttttcatagg ttaaaaaaaaa aaaaaaaaaa g 2980

```

<210> SEQ ID NO 73

<211> LENGTH: 81

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 73

-continued

```

Met Asn Arg Glu Gly Ala Pro Gly Lys Ser Pro Glu Glu Met Tyr Ile
1          5          10          15

Gln Gln Lys Val Arg Val Leu Leu Met Leu Arg Lys Met Gly Ser Asn
          20          25          30

Leu Thr Ala Ser Glu Glu Glu Phe Leu Arg Thr Tyr Ala Gly Val Val
          35          40          45

Asn Ser Gln Leu Ser Gln Leu Pro Pro His Ser Ile Asp Gln Gly Ala
          50          55          60

Glu Asp Val Val Met Ala Phe Ser Arg Ser Glu Thr Glu Asp Arg Arg
65          70          75          80

Gln

<210> SEQ ID NO 74
<211> LENGTH: 2153
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
<220> FEATURE:
<221> NAME/KEY: CDS
<222> LOCATION: (589)..(1356)

<400> SEQUENCE: 74

cagcggcccg gaggggctc cggggaccat ggggctcctg accattctga agaagatgaa      60
gcagaaagag cgggagctgc gactgctcat gcttggcctg gacaatgctg gaaagacaac      120
catcctgaag aagttcaatg gggaggacat cgacaccatc tccccaacgc tgggcttcaa      180
catcaagacc ctggagcacc gaggattcaa gctgaacatc tgggatgtgg gtggccagaa      240
gtccctgcgg tctactggc ggaactactt tgagagcacc gatggcctca tctgggtagt      300
ggacacgcga gaccgcacc gcatgcagga ctgccagcgg gagctccaga gctctgtggt      360
ggaggagtga cctgggttta cgcttcacca cagagaagga acttttcaga cgctcccttg      420
gccgcgcacc cgggatcgga acagcgtgt cacttgcgac aaaatcccta ggccagagga      480
agaagagcgc aggcctggc gaggcggcgg cgggcggagg ctgggcccga ggggtgggga      540
cggcgaggag gtggaggccg gcgctccgct ccgctccagc tcggtttc atg tcc cgc      597
                               Met Ser Arg
                               1

cag gcg aag gat gac ttc ctg cgg cac tac aca gtg tgc gac ccc agg      645
Gln Ala Lys Asp Asp Phe Leu Arg His Tyr Thr Val Ser Asp Pro Arg
          5          10          15

act cac ccc aag ggc tac acc gag tac aaa gta acc gcg cag ttc atc      693
Thr His Pro Lys Gly Tyr Thr Glu Tyr Lys Val Thr Ala Gln Phe Ile
          20          25          30          35

tca aag aag gac cca gag gat gtc aaa gag gtg gtg gtc tgg aag cgg      741
Ser Lys Lys Asp Pro Glu Asp Val Lys Glu Val Val Val Trp Lys Arg
          40          45          50

tac agc gac ttc cgc aag ctg cat gga gac ctg gcc tac acc cac cgc      789
Tyr Ser Asp Phe Arg Lys Leu His Gly Asp Leu Ala Tyr Thr His Arg
          55          60          65

aac ctc ttc cgc cgc ctc gag gag ttc cct gct ttc ccc cgg gcc cag      837
Asn Leu Phe Arg Arg Leu Glu Glu Phe Pro Ala Phe Pro Arg Ala Gln
          70          75          80

gtg ttt ggc cgg ttt gaa gcc tca gtg atc gag gag cgg cga aag ggg      885
Val Phe Gly Arg Phe Glu Ala Ser Val Ile Glu Glu Arg Arg Lys Gly
          85          90          95

gca gag gac ctg ctt cgc ttc act gtg cac ata cct gcg ctc aac aac      933
Ala Glu Asp Leu Leu Arg Phe Thr Val His Ile Pro Ala Leu Asn Asn

```

-continued

100	105	110	115	
agc ccc cag ctc aag gag ttc ttc cgg ggt ggg gag gtg acc cga ccc				981
Ser Pro Gln Leu Lys Glu Phe Phe Arg Gly Gly Glu Val Thr Arg Pro	120	125	130	
ttg gag gtg tcc agg gac cta cac atc ctg cca ccc cct ctg atc ccc				1029
Leu Glu Val Ser Arg Asp Leu His Ile Leu Pro Pro Pro Leu Ile Pro	135	140	145	
acc ccg ccc cct gat gac ccc cgg cta tcc caa ctg ctc cct gca gaa				1077
Thr Pro Pro Pro Asp Asp Pro Arg Leu Ser Gln Leu Leu Pro Ala Glu	150	155	160	
agg agg ggc ctc gag gaa ttg gag gtg cca gtg gac ccc cca cca tcc				1125
Arg Arg Gly Leu Glu Glu Leu Glu Val Pro Val Asp Pro Pro Pro Ser	165	170	175	
agc cct gcc cag gag gcc ctg gat ctc ctc ttt aac tgt gag agc acc				1173
Ser Pro Ala Gln Glu Ala Leu Asp Leu Leu Phe Asn Cys Glu Ser Thr	180	185	190	195
gag gag gca tct ggt tcc cct gcc cga ggc ccc ctc acc gag gct gag				1221
Glu Glu Ala Ser Gly Ser Pro Ala Arg Gly Pro Leu Thr Glu Ala Glu	200	205	210	
ctt gcc ctc ttc gac ccc ttc tcc aag ggt gac ccg ttg cct gcc cgc				1269
Leu Ala Leu Phe Asp Pro Phe Ser Lys Gly Asp Pro Leu Pro Ala Arg	215	220	225	
cag gaa ggt gtg aag aag aag gca gct gag tac ctg aag cgg gca gag				1317
Gln Glu Gly Val Lys Lys Lys Ala Ala Glu Tyr Leu Lys Arg Ala Glu	230	235	240	
gag atc ctg cgc ctg cac ctg tct caa ctc cca ccc taa cagggagtgg				1366
Glu Ile Leu Arg Leu His Leu Ser Gln Leu Pro Pro	245	250	255	
gccattecct gggactctca ctctgcaact gccagccct tctcctctcc ccagggcctg				1426
gccctacctc ctggtcttgt aattacagga gccatttctg taggtaactg gaccaagaat				1486
gagaaaaata atgaattctt agctccctga ttacacctgc caccttgaa tccaggactc				1546
acacttctga ccoctgctgt ctttttgggg tttttttgag ttggagtctc gctgtgtcgc				1606
ccagactgga gtgcagtggg gggatcgcg ctcactgcaa cctccacctc ccaggttcaa				1666
gcagttctcc tgtctcagcc tccccagtag ctgagattgc aggccatgc caccacgccc				1726
agctaatatt ttgtatttct agtagggacg gggttacacc atgttggcc ggetgtctc				1786
gaactcctga cctcaagtga tccacccgcc tcagtctccc aaagtgtga gattacaggc				1846
atgagtcaact acgcccggcc catgtctgtc tgtcttgatg tgtgagcagc agctgtggtc				1906
attaaacat tagtttacct ctctagaact ggggtctgca aactcccacc tgcagccaaa				1966
tctggcccac ctccctttta atgtaagggc tgtgagagtg gtttttactt tttttaatga				2026
ttaaaaaaat caaaaataa ttctgtgaca atgacagggt aaatttatat gtgacaagtg				2086
aaaattatat gaaatttaag agtccataaa taaaatttgt tggaacacaa aaaaaaaaaa				2146
aaaaaaaa				2153

<210> SEQ ID NO 75
 <211> LENGTH: 255
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 75

Met Ser Arg Gln Ala Lys Asp Asp Phe Leu Arg His Tyr Thr Val Ser
 1 5 10 15

-continued

Asp	Pro	Arg	Thr	His	Pro	Lys	Gly	Tyr	Thr	Glu	Tyr	Lys	Val	Thr	Ala
	20							25					30		
Gln	Phe	Ile	Ser	Lys	Lys	Asp	Pro	Glu	Asp	Val	Lys	Glu	Val	Val	Val
	35						40					45			
Trp	Lys	Arg	Tyr	Ser	Asp	Phe	Arg	Lys	Leu	His	Gly	Asp	Leu	Ala	Tyr
	50					55					60				
Thr	His	Arg	Asn	Leu	Phe	Arg	Arg	Leu	Glu	Glu	Phe	Pro	Ala	Phe	Pro
65				70						75				80	
Arg	Ala	Gln	Val	Phe	Gly	Arg	Phe	Glu	Ala	Ser	Val	Ile	Glu	Glu	Arg
				85					90					95	
Arg	Lys	Gly	Ala	Glu	Asp	Leu	Leu	Arg	Phe	Thr	Val	His	Ile	Pro	Ala
			100					105					110		
Leu	Asn	Asn	Ser	Pro	Gln	Leu	Lys	Glu	Phe	Phe	Arg	Gly	Gly	Glu	Val
	115						120					125			
Thr	Arg	Pro	Leu	Glu	Val	Ser	Arg	Asp	Leu	His	Ile	Leu	Pro	Pro	Pro
130						135					140				
Leu	Ile	Pro	Thr	Pro	Pro	Pro	Asp	Asp	Pro	Arg	Leu	Ser	Gln	Leu	Leu
145					150					155					160
Pro	Ala	Glu	Arg	Arg	Gly	Leu	Glu	Glu	Leu	Glu	Val	Pro	Val	Asp	Pro
				165					170					175	
Pro	Pro	Ser	Ser	Pro	Ala	Gln	Glu	Ala	Leu	Asp	Leu	Leu	Phe	Asn	Cys
		180						185					190		
Glu	Ser	Thr	Glu	Glu	Ala	Ser	Gly	Ser	Pro	Ala	Arg	Gly	Pro	Leu	Thr
	195						200					205			
Glu	Ala	Glu	Leu	Ala	Leu	Phe	Asp	Pro	Phe	Ser	Lys	Gly	Asp	Pro	Leu
	210					215						220			
Pro	Ala	Arg	Gln	Glu	Gly	Val	Lys	Lys	Lys	Ala	Ala	Glu	Tyr	Leu	Lys
225					230					235					240
Arg	Ala	Glu	Glu	Ile	Leu	Arg	Leu	His	Leu	Ser	Gln	Leu	Pro	Pro	
				245				250						255	

1. A polynucleotide having a nucleotide sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 46, 47, 49, 51, 53, 55, 57, 58, 60, 62, 64, 66, 68, 70, 72, and 74.

2. A method for diagnosing primary esophageal cancer comprising detecting the expression of at least one human esophageal cancer antigenic polypeptide in a sample, characterized in that the human esophageal cancer antigenic polypeptide has an amino acid sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 48, 50, 52, 54, 56, 59, 61, 63, 65, 67, 69, 71, 73, and 75.

3. A method for diagnosing primary esophageal cancer comprising detecting the expression of at least one human esophageal cancer antigenic polypeptide in a sample, characterized in that the human esophageal cancer antigenic polypeptide is encoded by a polynucleotide having a nucleotide sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 46, 47, 49, 51, 53, 55, 57, 58, 60, 62, 64, 66, 68, 70, 72, and 74.

4. The method for diagnosing primary esophageal cancer according to claim 2, wherein the detection of expression of

the human esophageal cancer antigenic polypeptide is determined by detecting an antibody against the esophageal cancer antigenic polypeptide in the sample using the esophageal cancer antigenic polypeptide.

5. The method for diagnosing primary esophageal cancer according to claim 2, wherein the detection of expression of the human esophageal cancer antigenic polypeptide is determined by detecting the esophageal cancer antigenic polypeptide in the sample using an antibody against the esophageal cancer antigenic polypeptide.

6. The diagnostic kit for solid cancer according to claim 2, wherein the means of detecting the expression of the human solid cancer antigenic polypeptide is a primer or probe comprising a polynucleotide consisting of the entire or a partial sequence of a polynucleotide encoding the solid cancer antigenic polypeptide or a complementary sequence thereof.

7. The method for diagnosing primary esophageal cancer according to claim 4, wherein the esophageal cancer antigenic polypeptide or the antibody is immobilized on a solid phase.

8. The method for diagnosing primary esophageal cancer according to claim 4, wherein the esophageal cancer antigenic polypeptide or the antibody is labeled.

9. The method for diagnosing primary esophageal cancer according to claim **2**, wherein the sample is selected from the group consisting of serum and blood.

10. A medicament for preventing or treating solid cancer comprising a gene encoding a prophylactic or therapeutic agent for solid cancer and a means of targeting to human solid cancer.

11. The medicament according to claim **10**, wherein the means of targeting to human solid cancer is an antibody against a solid cancer antigenic polypeptide.

12. The medicament according to claim **10**, wherein the means of targeting to human solid cancer is a nucleotide

sequence of an expression control region of a polynucleotide encoding a solid cancer antigenic polypeptide.

13. The method for diagnosing primary esophageal cancer according to claim **5**, wherein the esophageal cancer antigenic polypeptide or the antibody is immobilized on a solid phase.

14. The method for diagnosing primary esophageal cancer according to claim **5**, wherein the esophageal cancer antigenic polypeptide or the antibody is labeled.

* * * * *

专利名称(译)	用于实体癌症和用于实体癌症治疗的药物的诊断试剂盒		
公开(公告)号	US20100330554A1	公开(公告)日	2010-12-30
申请号	US12/467964	申请日	2009-05-18
[标]申请(专利权)人(译)	株式会社医学生物学研究所 岛田英明		
申请(专利权)人(译)	医学生物学研究所CO., LTD. 岛田英明		
当前申请(专利权)人(译)	医学生物学研究所CO., LTD. 岛田英明		
[标]发明人	SHIMADA HIDEKI TOMONAGA TAKESHI HIWASA TAKAKI MATSUSHITA KAZUYUKI OCHIAI TAKENORI NOMURA FUMIO TAKIGUCHI MASAKI		
发明人	SHIMADA, HIDEKI TOMONAGA, TAKESHI HIWASA, TAKAKI MATSUSHITA, KAZUYUKI OCHIAI, TAKENORI NOMURA, FUMIO TAKIGUCHI, MASAKI		
IPC分类号	C12Q1/68 G01N33/53 G01N33/48 C07K16/30 C07H21/04 A61K39/395 A61K45/00 A61K48/00 A61P35/00 C07K14/47 C07K14/82 C12N15/09 G01N33/574		
CPC分类号	C07K14/4748 Y10T436/143333 G01N33/57484 A61P35/00		
优先权	2004095732 2004-03-29 JP 10/594771 2006-09-29 US PCT/JP2005/006222 2005-03-24 WO		
外部链接	Espacenet USPTO		

摘要(译)

本发明提供了新的实体癌抗原蛋白，用于实体癌的诊断试剂盒和基于抗原蛋白的固体癌治疗剂。具体地，本发明提供了具有选自SEQ ID NO：2,4,6,8,10,12,14,16,18,20,22,24的氨基酸序列的人固体癌抗原多肽。 ，26,28,30,32,34,36,38,40,42,44,48,50,52,54,56,59,61,63,65,67,69,71,73和75。

FIG. 1A

